

R0 290

Rec'd 3/10/05

REMEDIAL ACTION IMPLEMENTATION REPORT

**FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA**

MARCH 8, 2005

ICES 3892

Prepared for:

KANSAI DEVELOPMENT, INC.
755 Sansome Street
San Francisco, California 94111



Innovative & Creative Environmental Solutions

P. O. Box 99288 Emeryville CA 94662-9288
... (510) 652-3222 ...

REMEDIAL ACTION IMPLEMENTATION REPORT

**FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA**

MARCH 8, 2005

ICES 3892

Prepared for:

KANSAI DEVELOPMENT, INC.
755 Sansome Street
San Francisco, California 94111



P. O. Box 99288 Emeryville CA 94662-9288
... (510) 652-3222 ...

REMEDIAL ACTION IMPLEMENTATION REPORT

FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA

MARCH 8, 2005

ICES 3892


Prepared for:

KANSAI DEVELOPMENT, INC.
755 Sansome Street
San Francisco, California 94111

Prepared by:

ICES
P.O. Box 99288
Emeryville, California 94662

Peng Leong, P.
Principal Engineer



ICE

Innovative & Creative Environmental Solutions

P. O. Box 99288 Emeryville CA 94662-9288
... (510) 652-3222 ...



REMEDIAL ACTION IMPLEMENTATION REPORT
FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA

C O N T E N T S

	<u>PAGE</u>
TABLE OF CONTENTS	i
LIST OF TABLES	iii
LIST OF FIGURES	iv
1.0 INTRODUCTION	1
2.0 SITE DESCRIPTION	1
3.0 BACKGROUND	1
4.0 SCOPE OF REMEDIAL ACTION	3
5.0 SITE HEALTH AND SAFETY PLAN	4
6.0 PERMIT APPLICATION	4
7.0 PREPARATION ACTIVITIES	4
7.1 Contractor Selection	4
7.2 Site Preparation	5
8.0 SOIL PROFILING	6
9.0 SOIL REMOVAL	6
9.1 Laboratory Analysis	7
9.2 Laboratory Analytical Results	7
10.0 SOIL DISPOSAL	7



REMEDIAL ACTION IMPLEMENTATION REPORT
FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA

C O N T E N T S

	<u>PAGE</u>
11.0 GROUNDWATER EXTRACTION	8
11.1 Laboratory Analysis	8
11.2 Laboratory Analytical Results	8
12.0 GROUNDWATER DISPOSAL	9
13.0 POST REMEDIATION SAMPLING	9
13.1 Soil and Groundwater Sampling	9
13.2 Laboratory Analysis	10
13.3 Sampling Results	10
13.3.1 Field Observations	10
13.3.2 Laboratory Analytical Results	11
13.3.3 Discussion	12
14.0 CONCLUSIONS	12

TABLES

FIGURES

APPENDICES

- A : PERMITS & NOTIFICATION
- B : WASTE MANIFESTS
- C : LABORATORY CERTIFICATES

LIST OF TABLES

NUMBER	TITLE
1	Remedial Goals
2	Excavation Soil Sample Results
3	Groundwater Extraction Monitoring Results
4	PID Readings
5	Supplementary Soil Sample Results
6	Supplementary Groundwater Sample Results
7	Well Monitoring Results

LIST OF FIGURES

<u>NUMBER</u>	<u>TITLE</u>
1	Site Location
2	Site Plan
3	Excavation Plan
4	Confirmation Sample Locations



March 8, 2005

ICES 3892

**REMEDIAL ACTION IMPLEMENTATION REPORT
FORMER CHEVRON STATION #9-4816
301 14th STREET
OAKLAND, CALIFORNIA**

1.0 INTRODUCTION

This Remedial Action Implementation Report (RAIR) has been prepared for Kansai Development, Inc. for the former Chevron Station #9-4816 located at 301 14th Street in Oakland, California ("the Site"; Figure 1).

This RAIR documents the remedial activities that were conducted in accordance with the Site Mitigation Plan (SMP) dated December 10, 2004 and associated addendum dated January 5, 2005 for the Site which were reviewed by Alameda County Health Care Services Agency (AC-HCSA) and the City of Oakland. The SMP was approved by AC-HCSA on January 10, 2005 and the City of Oakland via issuance of a grading permit on January 12, 2005 (Appendix A).

The objective of the soil and groundwater remedial activities was to remove impacted soil and groundwater containing petroleum constituents which exceeded the remedial goals from the central portion of the Site in order to obtain a closure for the Leaking Underground Fuel Tank case at the Site.

2.0 SITE DESCRIPTION

The Site is located on the southwest corner of 14th and Harrison Streets. The generally flat Site is approximately 100 feet wide by 150 feet long. The Site is currently paved with asphalt and used as a parking lot.

3.0 BACKGROUND

A church and two warehouses occupied the Site during the late 1800s through the early 1900s. The Site was subsequently used as a parking lot from approximately 1930 until prior to the early 1970s. A Chevron gasoline station and car wash operated at the Site thereafter until the facility was demolished in August 1989.

The Chevron station had two 10,000-gallon and one 5,000-gallon underground storage tanks (USTs) which were used to store gasoline. While in operation, one of the USTs failed a tightness test in April 1988 and a product line was found to be leaking in August 1988.

Site investigations to characterize the soil and groundwater commenced in June 1990 and continued through December 2004. The initial site investigations indicated that petroleum hydrocarbons were encountered in the area of the USTs and easterly service island. Free product was also observed in a monitoring well (C-3) located adjacent to and south of the USTs.

The three USTs and associated piping were removed in February 1991 along with approximately 800 cubic yards of sediments containing elevated concentrations of petroleum constituents. Soil sample results indicated that there were non-detectable to 30 mg/kg of residual total petroleum hydrocarbons as gasoline (TPHg) at the sidewalls and floors of the UST excavation and product line trenches following soil removal. The excavated petroleum-affected soil was aerated to TPHg concentrations of less than 10 mg/kg and subsequently used to backfill the UST excavation.

A remedial action plan for remediating the petroleum-affected soil and groundwater at the Site was developed in February 1992. A combination of soil vapor and groundwater extraction and air sparging were conducted from March 1992 through early 1997. Approximately 32,000 pounds of petroleum hydrocarbons were reportedly removed.

An ASTM/Risk-Based Corrective Action Tier 2 assessment was performed for the Site in 1996. The risk assessment evaluated benzene as the single chemical of concern via the "groundwater to indoor air inhalation" pathway. The Site Specific Target Level was calculated as 2,600 parts per billion benzene in onsite groundwater.

ICES conducted the latest supplementary site investigation in December 2004. The purpose of the investigation was to assess the current residual petroleum constituent levels within the soil matrix at a depth of approximately 22 feet below the existing ground surface (bgs) where elevated concentrations of petroleum constituents were formerly encountered. Soil samples were collected from borings which were located at each of the four quadrants of the Site. Laboratory analytical results indicated that the soil samples which were collected from depths of approximately 10 feet and 22 feet bgs contained non-detectable concentrations of TPHg, benzene, ethylbenzene, and methyl tertiary butyl ether (MTBE); and non-detectable to very low



concentrations of toluene and xylenes.

There are currently four wells located within the Site and six wells located offsite. With the exception of wells C-3 and C-8, groundwater samples collected from the remaining ten wells had contained non-detectable to very low concentrations of TPHg and benzene, toluene, ethylbenzene, and xylenes (BTEX) for at least the last three years.

The collective results of the site investigations and groundwater monitoring events indicate that soil and groundwater containing petroleum constituents above the remedial goals are limited to the immediate vicinity of monitoring wells C-3 and CR-1 at the central portion of the Site.

A SMP dated December 10, 2004 and associated addendum dated January 5, 2005 was prepared to address the residual levels of petroleum constituents at the central portion of the Site. The SMP focused on the removal of the petroleum-affected soil and groundwater to obtain a closure for the Leaking Underground Fuel Tank case at the Site.

4.0 SCOPE OF REMEDIAL ACTION

The remedial activities are focused on removing the petroleum-affected soil and groundwater from the central portion of the Site. The health and safety measures presented in a site specific Health and Safety Plan dated January 7, 2005 were implemented during the remedial activities.

The Environmental Screening Levels that were developed by the San Francisco Regional Water Quality Control Board for residential applications were adopted as the remedial goals for the Site (Table 1). AC-HCSA provided oversight for the remedial activities.

The scope of work for the remedial activities at the Site consisted of the following tasks:

- Task 1: Site Health and Safety Plan
- Task 2: Permit Application
- Task 3: Preparation Activities
- Task 4: Soil Removal
- Task 5: Soil Disposal
- Task 6: Groundwater Extraction
- Task 7: Groundwater Disposal
- Task 8: Post Remediation Sampling

These tasks are described in detail below:



5.0 SITE HEALTH AND SAFETY PLAN

A site specific Health and Safety Plan (HSP) was prepared by ICES on January 7, 2005. The HSP presented baseline health and safety requirements for establishing and maintaining a safe working environment during the course of work. The HSP addressed the hazards associated with the remedial action activities and included an analysis of potential hazards encountered by onsite workers conducting the proposed work and precautions to mitigate the identified hazards. Procedures to reduce the potential for offsite migration of affected soils during remedial activities including dust control measures were also presented.

6.0 PERMIT APPLICATION

The permits required to complete the remedial activities were obtained from the City of Oakland and Alameda County Public Works Agency (AC-PWA). The following permits and approvals were acquired:

1. Grading permit issued by the City of Oakland;
2. Well destruction permit for wells C-3 and CR-1 from AC-PWA; and
3. Bay Area Air Quality Management District Notification.

Mr. James Yoo of AC-PWA approved the destruction of the wells using an excavator.

A copy of the above permits and notification are included in Appendix A.

7.0 PREPARATION ACTIVITIES

A series of preparation activities were conducted prior to initiation of the excavation of affected soil at the Site. The preparation activities included the following tasks:

1. Selection of prequalified contractors; and
2. Site preparation.

7.1 Contractor Selection

Environmental Construction Services (ECS) of Fairfield, California was selected to perform the excavation activities. ECS has a Class A license with a Hazardous Substances Removal Certificate issued by the State of California Contractor's State Licensing Board (CA-CSLB).

Rege Trucking of Concord, California provided the trucks to transport the non-hazardous waste soil to the Forward Landfill Class II disposal facility located in Manteca, California.

Soil samples were analyzed by McCampbell Analytical Inc. (McCampbell) of Pacheco, California, a California Department of Health Services-certified laboratory.

7.2 Site Preparation

Site preparation included the following tasks:

1. Mobilizing equipment and materials to the Site;
2. Utility clearance;
3. Installing temporary decontamination facilities; and
4. Marking the excavation limits (Figure 3).

Equipment and materials necessary to perform the remedial activities were mobilized to the Site. The equipment included an excavator, a front end loader, and a vibratory compactor. A 21,000-gallon water tank was used to temporarily store extracted groundwater onsite. Trucks hauling equipment accessed the Site via 14th Street. Unloading and loading of equipment and materials were conducted onsite and off 14th and Harrison Streets. Additionally, personnel vehicles were parked onsite and off city streets.

Underground Service Alert was contacted to assist in utility clearance activities at and in the vicinity of the Site. Cruz Brothers of Scotts Valley, California scanned and cleared the excavation and boring locations within the Site.

Temporary decontamination facilities for the crew members were installed. The decontamination facilities included a boot and glove wash and rinse station followed by a glove and coverall removal station, air-purifying respirator removal station, and hand and face wash and rinse station.

The approximate lateral extent of the impacted area was clearly marked. The areas to be excavated was initially moisture-conditioned. The work areas was also lightly sprinkled during excavation activities to minimize airborne dust. A water hose with a spray nozzle was used for water application in areas where access was limited. Dust control measures were increased (more frequent wetting and sprinkling) during the movement of dry materials and/or observation of visible dust. Equipment speed at the Site was reduced in the event wetting with water was not effective in minimizing airborne dust. The remedial activities at the Site were temporarily halted when reduction of equipment speed was also not effective in minimizing airborne dust.

Access gates to the Site and water tank hatches were secured with chains and padlocks at the end of each work day. The soil stockpiles were also covered with polyethylene sheets at the end of each work day.

8.0 SOIL PROFILING

The soil sample results that was collected from the central portion of the Site following completion of the post remediation sampling activities were used to profile the petroleum-affected soil for disposal at Forward Class II Landfill located in Manteca, California (Forward Landfill). Profiling and subsequent acceptance of the affected soil was conducted during soil excavation activities to minimize exposure of onsite workers and adjacent neighbors; and expedite removal of affected soil from the Site.

9.0 SOIL EXCAVATION

The excavation activities at the Site consisted of excavating approximately 290 cubic yards (cy) of petroleum-affected soil from depths ranging from approximately 22 to 30 feet bgs at the central portion of the Site. Excavation and backfilling was conducted from five slots, one slot at a time due to the depth of the excavation to preserve the stability of the surrounding soil (Figure 3). The final dimensions of the excavation was approximately 25 feet wide by 40 feet long. The excavation and offsite disposal activities were conducted from January 14 through January 26, 2005.

The asphalt paving including the abandoned plumbing and electrical wiring that was associated with the former vapor and groundwater extraction system within and in the immediate vicinity of the excavation were removed. The excavation was then performed in the following sequence. Slot 1 was initially excavated following by Slots 3, 2, 4, and finally 5. The overburden and underlying petroleum-affected soil within each slot were excavated and temporarily stockpiled onsite. The approximately 5- to 6-foot thick layer of petroleum-affected soil was removed and isolated using polyethylene sheets in a separate stockpile. The excavated slot was immediately backfilled with drain rock to a depth of approximately 20 to 21 feet bgs. Controlled density fill (CDF), a lean concrete with compressive strength of 50 to 150 psi was placed over the drain rock to a depth of approximately 8 to 9 feet bgs. The above excavation and backfill procedure was implemented for each of the six slots. The entire excavation was subsequently backfilled and compacted with the overburden soil to approximately 3 inches bgs. The



excavation was finally paved with 3 inches of concrete.

When the excavation approached the marked limits or extended beyond stained soil, and PID readings of the sediments at depths ranging from approximately 21 to 27 feet bgs were close to 0 ppm, excavation sidewall and floor samples were collected. The sidewall and floor samples were collected by driving precleaned brass tubes into soil that was removed using the excavator bucket from each designated sample location. Soil sampling procedures presented in the SMP were implemented. The approximate confirmation sample locations are shown in Figure 4. Excavation activities ceased when soil samples collected from the sidewall and floor of the excavation contained residual petroleum constituent concentrations below the remedial goals.

Both soil stockpiles were covered with polyethylene sheets and surrounded by straw waddles at the end of each working day.

9.1 Laboratory Analysis

The confirmation soil samples were sent to McCampbell of Pacheco, California, a state-certified laboratory and analyzed for:

- TPHg using EPA Method 5030/GCFID; and
- BTEX and MTBE using EPA Method 8020.

The samples were analyzed on a rush 24-hour turnaround basis.

9.2 Laboratory Analytical Results

Laboratory analytical results are summarized in Table 2. Laboratory certificates are included in Appendix C. The results are as follows:

Analysis of the confirmation soil samples indicated that:

- TPHg concentrations were less than 1.0 mg/kg (not detected).
- BTEX concentrations were less than 0.005 mg/kg (not detected).
- MTBE concentrations were less than 0.05 mg/kg (not detected).

10.0 SOIL DISPOSAL

The excavated petroleum-affected soil designated for offsite disposal were loaded onto dump trucks for transportation to Forward Landfill. The loading activities were conducted onsite.



A waste manifest or shipping document was prepared for each truckload of petroleum-affected soil (Appendix B). The wheels of the trucks were brushed and the petroleum-affected soil was tarped prior to the trucks exiting the Site.

11.0 GROUNDWATER EXTRACTION

Groundwater extraction activities commenced following completion of soil excavation activities. A total of 49,858 gallons of petroleum-affected groundwater (or the equivalent of flushing the excavation approximately sixty times) were removed from February 2 through March 6, 2005.

A 12-inch diameter 30-foot long PVC pipe which was slotted from the 20- to 30-foot interval was installed to a depth of approximately 30 feet bgs within the excavation limits. Groundwater was extracted using a sump pump and temporarily stored onsite in a covered 21,000-gallon water tank. Groundwater samples were collected periodically to assess the effectiveness of the groundwater extraction activities. Groundwater extraction activities were terminated when laboratory results indicated that residual petroleum constituents were below the remedial goals for three consecutive days.

Upon completion of the groundwater extraction activities, the PVC pipe was removed using a backhoe on March 5, 2005. The resulting borehole was sealed and filled with CDF to the ground surface.

11.1 Laboratory Analysis

The groundwater samples were sent to McCampbell of Pacheco, California, a state-certified laboratory and analyzed for:

- TPHg using EPA Method 5030/GCFID; and
- BTEX and MTBE using EPA Method 602.

The samples were analyzed on a rush 24-hour to normal 5-day turnaround basis.

11.2 Laboratory Analytical Results

Laboratory analytical results are summarized in Table 3. Laboratory certificates are included in Appendix C. The results indicated that the groundwater initially contained detectable concentrations of TPHg, BTEX, and MTBE. The detectable petroleum constituents were eventually reduced to non-detectable concentrations after approximately twenty-five days of continuous groundwater extraction.

12.0 GROUNDWATER DISPOSAL

When the water tank was almost full, the extracted groundwater was disposed offsite at Seaport Refining and Environmental, LLC (Seaport) in Redwood City, California. The extracted groundwater was transported to Seaport using vacuum trucks provided by PSC Industrial Outsourcing Inc. of Benicia, California. A waste manifest or shipping document was prepared for each truckload of extracted groundwater (Appendix B).

13.0 POST REMEDIATION SAMPLING

At the request of ACEH, supplementary soil and groundwater samples were collected at the following locations within the Site during remedial activities:

1. KD-1 : between SP-2 and SP-7
2. KD-2 : between SP-8 and VEW-3
3. KD-3 : between SP-1 and C-A
4. KD-4 : between SP-5 and C-A
5. KD-5 : C-B
6. KD-6 : C-C
7. KD-7 : CX2B

Groundwater samples were also collected monitoring wells C-1, C-2, C-4, and C-5. The approximate sample and monitoring well locations are shown in Figure 2.

13.1 Soil and Groundwater Sampling

Prior to drilling activities, the boring locations were marked and cleared of underground utilities. The drilling activities were conducted at the Site by Woodward Drilling of Rio Vista, California and observed and documented by ICES on January 11 and 12, 2005. Groundwater samples were collected from the four onsite monitoring wells on March 2, 2005.

A total of seven soil samples were collected from seven onsite borings from a depth of approximately 22 bgs by driving a sampler containing vinyl acetate tubing using a power probe. The soil samples were also screened using a PID. Additionally, seven grab groundwater samples were also collected using hydropunches from all seven borings. Hollow diameter steel casing containing a perforated PVC screen at the bottom of the casing was advanced to approximately 3 feet below the first permeable zone. The casing was retracted approximately 48 inches to allow infiltration of groundwater. A groundwater sample was collected from each of the hydropunches by lowering a Teflon bailer through the hollow casing. The samples were transferred into 40-ml VOA vials with

Teflon septa.

Groundwater samples were collected from the monitoring wells by bailing approximately four to ten well casing volumes of water out of each well prior to sampling. Parameters such as water clarity, pH, temperature, specific conductance and volume extracted were measured during purging. Groundwater samples were collected manually (hand-bailed) using a Teflon bailer when the parameters stabilized. The samples were transferred into 40-ml VOA vials with Teflon septa.

The filled tubes, VOA vials, and amber glass jars were immediately capped, sealed, labeled, and placed in a chilled cooler containing crushed ice for transportation to the laboratory. Proper documentation and field chain-of-custody procedures were followed.

The borings were backfilled with cement grout upon completion of sampling activities. All equipment used during this investigation which might have come into contact with contaminated material was thoroughly decontaminated before and after each use. This was accomplished by washing with Alconox (a laboratory-grade detergent) and rinsing with deionized or distilled water.

13.2 Laboratory Analysis

The soil and groundwater samples were sent to McCampbell of Pacheco, California, a state-certified laboratory and selectively analyzed for:

- TPHg using EPA Method 5030/GCFID;
- BTEX and MTBE using EPA Method 8020; and
- Oxygenated volatile organics using EPA Method 8260B.

The samples were analyzed on a rush 24-hour to 72-hour turnaround basis.

13.3 Sampling Results

The field observations and laboratory analytical results are presented below. PID readings are tabulated in Table 4. The laboratory analytical results are summarized in Tables 5, 6, and 7. Laboratory certificates are presented in Appendix C.

13.3.1 Field Observations

The surficial sediments which were collected from the seven borings were neither stained nor discolored. Additionally, no odor was detected from the soil samples. PID readings of 0



parts-per-million (ppm; Table 4) were recorded for all the soil samples collected from the borings.

Groundwater was encountered at a depth of approximately 23 feet bgs.

13.3.2 Laboratory Analytical Results

Laboratory analytical results are summarized in Tables 5, 6 and 7. Laboratory certificates are included in Appendix C. The results are as follows:

Analysis of the soil samples indicated that:

- TPHg concentrations ranged from less than 1.0 mg/kg (not detected) to 1.9 mg/kg.
- Benzene concentrations ranged from less than 0.005 mg/kg (not detected) to 0.010 mg/kg.
- Toluene concentrations ranged from less than 0.005 mg/kg (not detected) to 0.021 mg/kg.
- Ethylbenzene concentrations were less than 0.005 mg/kg (not detected).
- Xylenes concentrations ranged from less than 0.005 mg/kg (not detected) to 0.059 mg/kg.
- MTBE concentrations were less than 0.005 mg/kg (not detected).
- Oxygenated volatile organic concentrations were less than 0.005 mg/kg to 0.025 mg/kg (not detected).

Analysis of the groundwater samples indicated that:

- TPHg concentrations were less than 50.0 ug/L (not detected).
- BTEX concentrations were less than 0.5 ug/L (not detected).
- MTBE concentrations were less than 5.0 ug/L (not detected).
- Oxygenated volatile organic concentrations were less than 0.5 ug/L to 5.0 ug/L (not detected).



13.3.3 Discussion

Laboratory analytical results indicated that the soil and groundwater samples contained non-detectable concentrations of TPHg, BTEX, and MTBE, with the exception one soil sample (KD-4) where very low concentrations of TPHg and BTEX were encountered.

The results of the post remediation sampling event (in addition to the results of the supplementary site investigation conducted in December 2004 and previous groundwater monitoring events) further confirms that soil and groundwater containing petroleum constituents above the remedial goals are limited to the immediate vicinity of monitoring wells C-3 and CR-1 at the central portion of the Site.

14.0 CONCLUSIONS

The remedial activities at the Site consisted of excavating and disposing approximately 290 cy of petroleum-affected soil; and extracting and disposing approximately 49,858 gallons of petroleum-affected groundwater.

Based on our observations and the confirmation soil sample and final groundwater sample laboratory analytical results, the remedial action activities presented in the SMP dated December 10, 2004 and associated addendum dated January 5, 2005 have been successfully completed. We recommend closure of the Leaking Underground Fuel Tank case at the Site.

TABLE 1

REMEDIAL GOALS
Former Chevron Station #9-4816
301 14th Street
Oakland, California

ANALYTE	SOIL (mg/kg)	GROUNDWATER (ug/L)
Gasoline	100	100
Benzene	0.044	1.0
Toluene	2.9	40
Ethylbenzene	3.3	30
Xylenes	1.5	13
MTBE	0.023	5.0

Note: The remedial goals are based on the San Francisco Regional Water Quality Control Board Environmental Screening Levels for residential landuse.



TABLE 2

EXCAVATION SOIL SAMPLE RESULTS
Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Sample ID	Depth (feet)	Gasoline (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	MTBE (mg/kg)
EXCAVATION SIDEWALL SAMPLES							
EW-1	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EW-2	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EW-3	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EW-4	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EW-5	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EW-6	22	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EXCAVATION FLOOR SAMPLES							
EF-1	26	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EF-2	28	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EF-3	30	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05
EF-4	25	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05

TABLE 3

**GROUNDWATER EXTRACTION MONITORING RESULTS
Former Chevron Service Station #9-4816
301 14th Street
Oakland, California**

Sample ID	Date Sampled	Gasoline (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)
GW-1	2/5/2005	93	<0.5	<0.5	<0.5	<0.5	7.3
GW-2	2/6/2005	640	19	<0.5	<0.5	110	12
GW-3	2/18/2005	53	5.3	3.6	0.73	8.0	<5.0
GW-4	2/23/2005	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
GW-5	2/28/2005	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
GW-6	3/2/2005	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
GW-7	3/3/2005	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
GW-8	3/4/2005	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0



TABLE 4

**PID READINGS
Former Chevron Station #9-4816
301 14th Street
Oakland, California**

Sample ID	Depth (feet)	PID Readings (ppm)
KD-1	22	0
KD-2	22	0
KD-3	22	0
KD-4	22	0
KD-5	22	0
KD-6	22	0
KD-7	22	0



TABLE 5

SUPPLEMENTARY SOIL SAMPLE RESULTS
Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Sample ID	Depth (feet)	Gasoline (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	MTBE (mg/kg)	Oxygenated Volatile Organics (mg/kg)
KD-1	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025
KD-2	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025
KD-3	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025
KD-4	22.0	1.9	0.010	0.021	<0.005	0.059	<0.05	<0.005-0.025
KD-5	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025
KD-6	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025
KD-7	22.0	<1.0	<0.005	<0.005	<0.005	<0.005	<0.05	<0.005-0.025



TABLE 6

SUPPLEMENTARY GROUNDWATER SAMPLE RESULTS
Former Chevron Service Station #9-4816
301 14th Street
Oakland, California


Sample ID	Gasoline (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)	Oxygenated Volatile Organics (ug/L)
KD-1W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-2W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-3W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-4W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-5W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-6W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0
KD-7W	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5-5.0



TABLE 7

WELL MONITORING RESULTS
Former Chevron Station #9-4816
310 14th Street
Oakland, California

Well ID	Date Sampled	DTW (feet)	Gasoline (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Xylenes (ug/L)	MTBE (ug/L)
C-1	3/2/2005	20.69	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
C-2	3/2/2005	20.89	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
C-4	3/2/2005	21.63	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0
C-5	3/2/2005	21.45	<50.0	<0.5	<0.5	<0.5	<0.5	<5.0



SITE

Lake Merritt



MAP SOURCE :
CSAA

Scale: 1" = ± 1100'

March 2005

SITE LOCATION

Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Figure **1**

Project 3892






EXPLANATION:

C-5 Groundwater Monitoring Well
●

KD-1 Supplementary Boring Location
▲



Scale: 1" = ± 50'

March 2005



SITE PLAN

Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Figure 2

Project 3892




EXPLANATION:

 Excavated Area

13th Street

Approximate Property Line

Excavation Limits



14th Street

Harrison Street

Scale: 1" = ± 50'

March 2005



EXCAVATION PLAN




Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Figure 3


Project 3892



EXPLANATION:

-  Excavated Area
-  Wall Sample
-  Floor Sample

13th Street



14th Street

Harrison Street

Scale: 1" = ± 50'

March 2005



CONFIRMATION SAMPLE LOCATIONS

Former Chevron Service Station #9-4816
301 14th Street
Oakland, California

Figure 4

Project 3892

APPENDIX A

PERMITS AND NOTIFICATION

WHITE, CITY (Original)
CANARY: ENGINEER-IN-CHARGE
GOLDENROD: APPLICANT

GRADING PERMIT

PERMIT NO. 0605-51

FEE PAID: _____

RECEIPT NO: _____

1. JOB ADDRESS: 301 Harrison @ 14th

2. APPLICANT (PROPERTY OWNER)
NAME Kansai Develop ⁴¹⁵ PHONE: 394 7555
ADDRESS 755 Sansome St, SF CA 94111

3. CONTRACTOR: Mountain Bay Construction
LICENSE# 583372 ⁴¹⁵ PHONE: 394 7557
ADDRESS: 755 Sansome # 100 SF CA 94111

4. CIVIL ENGINEER IN CHARGE PENG LEONG
RCE # C039707 PHONE: 510-652-3222
ADDRESS: PO Box 99288 EMERYVILLE CA 94662

5. GRADING PLAN PREPARED BY: PENG LEONG
RCE # C039707 PHONE: 510-652-3222

6. TESTING & INSPECTION BY: PENG LEONG
RCE # C039707 PHONE: 510-652-3222
ADDRESS: PO Box 99288 EMERYVILLE CA 94662

7. PURPOSE OF GRADING: SOIL REMEDIATION

8. GRADING OPERATING:
 EXCAVATION: 500 CUBIC YARDS
 FILL: 500 CUBIC YARDS

9. EQUIPMENT TO BE USED: EXCAVATOR, LOADER

10. EXCELL MATERIAL HAULED TO: NEWBY ISLAND LANDFILL

11. MATERIAL IMPORTED FROM: TIDEWATER SAND & GRAVEL

12. HAUL ROUTE: _____

13. REQUESTED STARTING DATE: Mon Jan 17, 2005
DATE OF COMPLETION: FRI Jan 21, 2005

14. TOTAL ESTIMATED COST OF GRADING WORK:
\$ _____ (ATTACH ESTIMATE SHEET)

15. EROSION CONTROL PROTECTION TO BE USED:
HAY BALES, STRAW WADDLES

16. ADDITIONAL INFORMATION SUBMITTED
SITE MITIGATION PLAN

17. BONDS	AMOUNT	DATE
<input type="checkbox"/> PERFORMANCE:	\$ _____	_____
<input type="checkbox"/> LABOR AND MATERIALS:	\$ _____	_____
<input checked="" type="checkbox"/> EROSION CONTROL:	\$ <u>2000</u>	<u>1/19/05</u>

18. APPROVALS:

ENGINEERING SERVICES:	DATE
<u>[Signature]</u>	<u>1/19/05</u>
PLANNING DEPT:	<u>[Signature]</u>
OTHERS:	_____

This permit issued pursuant to all provisions of Chapter 8, Article 2 of the Oakland Municipal Code, "Grading, Excavations and Fills." Any work within the dedicated public right of way, construction in a watercourse, building construction or blasting is subject to additional permits. This permit is granted upon the express condition that the permittee shall be responsible for all claims and liabilities arising out of work performed under the permit or arising out of permittee's failure to perform the obligations with respect to this permit. The permittee shall, and by acceptance of the permit agrees to, defend, indemnify, save and hold harmless the City, its officers and employees, from and against any and all suits, claims or actions brought by any person for or on account of any bodily injuries, disease or illness or damage to persons and/or property sustained or arising in the construction of the work performed under the permit or in consequence of permittee's failure to perform the obligations with respect to this permit.

[Signature] JAN 12/05
CIVIL ENGINEER IN CHARGE Date

Owner, or Owner's Agent Date

APPROVED BY THE DEPUTY DIRECTOR OF PLANNING & BUILDING

By: [Signature] Date: 1/19/05

CONDITIONS OF PERMIT

- a. This permit is valid only when signed by the Deputy Director of Planning & Building or his authorized representative.
- b. No final inspection and no certificate of occupancy shall be issued before the final statement(s) of the Engineer(s) in charge is/are accepted by the Deputy Director of Planning & Building.
- c. This permit shall be available at the grading site at all times during the grading operation.
- d. Areas to be graded shall be prepared by stripping and removal of unsuitable and unstable materials, and existing slip surfaces shall be destroyed by benching, where applicable.
- e. Grading operations shall be conducted in such manner as to minimize spillage on public streets, and dust and noise. Permittee shall be responsible for cleaning and repair of damage to public rights of way resulting from the grading work.
- f. Site to be graded for safe and adequate drainage; and men and equipment shall be provided at the site during storms to prevent damage to other property from flooding or deposition of material washed from site. No grading shall be done which will cause sloughing from or onto adjoining property.
- g. This permit void unless work is commenced within 60 days from the granting of this permit or 30 days after the completion date shown on item 13 above, whichever is earlier.
- h. Special conditions shall apply as noted on the grading plan dated _____
- i. No trees shall be cut without a tree removal permit from Parks and Recreation.
- k. Unless otherwise approved, no grading work will be allowed from October 15 to April 15.
- l. Special Conditions
A clean wheels prior to exit.

Job Site 1331 HARRISON ST

Parcel# 002 -0065-006-01

Appl# GR0500051

Descr To remove the petroleum affected soil and groundwater from the central portion of site. Far away from buildings. Permit Issued 01/19/05

Grade Cubic Yards Fill 500

Estimated Start Date 01/17/05

USA #

Grade Cubic Yards Excavation 500

Estimated Complete Date 01/21/05

Applicant Phone# Lic# License Classes--

Owner 301 HARRISON LLC

X (415) 394-7555

Contractor MOUNTAIN BAY CONSTRUCTION CO

(415) 394-7557-583372 A B C36 C16

Arch/Engr ICES (PENG LEONG)

(510) 652-3222

Agent RITA BYRNE

(415) 385-9693

Applic Addr

\$4,074.20 TOTAL FEES PAID AT FILING

\$2,229.50 TOTAL FEES PAID AT ISSUANCE

\$54.00 Applic \$0.00 Permit

\$0.00 Applic \$0.00 Permit

\$3,496.50 Process \$337.30 Rec Mgmt

\$200.00 Process \$19.00 Rec Mgmt

\$0.00 Gen Plan \$0.00 Invstg

\$0.00 Gen Plan \$0.00 Invstg


\$0.00 Other \$186.40 Tech Enh

\$2,000.00 Other \$10.50 Tech Enh

CITY OF OAKLAND

ADDRESS:

DIST:



ALAMEDA COUNTY PUBLIC WORKS AGENCY

WATER RESOURCES SECTION
333 ELMHURST ST. HAYWARD CA. 94544-1394
PHONE (510) 670-6633 James You
FAX (510) 782-1939

www.acfwcd.org

APPLICANTS: PLEASE ATTACH A SITE MAP FOR ALL DRILLING PERMIT APPLICATIONS
DESTRUCTION OF WELLS OVER 45 FEET REQUIRES A SEPARATE PERMIT APPLICATION

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE

FOR OFFICE USE

LOCATION OF PROJECT 301 14th St
Oakland, CA

PERMIT NUMBER W05-0012
WELL NUMBER _____
AFN _____

CLIENT Name Kansai Development
Address 755 Sansome St Phone _____
City San Francisco Zip 94111

APPLICANT Name ICAS
Address P.O. Box 99288 Fax 510-652-3553
City Emeryville Phone 510-652-3222
Zip 94602

TYPE OF PROJECT
Well Construction Geotechnical Investigation
Cathodic Protection General
Water Supply Contamination
Monitoring Well Destruction

PROPOSED WATER SUPPLY WELL USE
New Domestic Replacement Domestic
Municipal Irrigation
Industrial Other _____

DRILLING METHOD:
Mud Rotary Air Rotary Auger
Cable Other

DRILLER'S NAME Wilbur Dalk
DRILLER'S LICENSE NO. 710015

WELL PROJECTS
Drill Hole Diameter _____ in. Maximum _____
Casing Diameter _____ in. Depth 25 ft.
Surface Seal Depth _____ ft. Owner's Well Number C-3-1000

GEOTECHNICAL/CONTAMINATION PROJECTS
Number of Borings _____ Maximum
Hole Diameter _____ in. Depth _____ ft.

STARTING DATE 1-10-05
COMPLETION DATE 1-31-05

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 7348.

APPLICANT'S SIGNATURE [Signature] DATE 1/4/05
PLEASE PRINT NAME Peng Wang

Rev.5-11-04


PERMIT CONDITIONS


Circled Permit Requirements Apply

- (A) GENERAL
 1. A permit application should be submitted so as to arrive at the ACPWA office five days prior to proposed starting date.
 2. Submit to ACPWA within 60 days after completion of permitted original Department of Water Resources-Well Completion Report.
 3. Permit is void if project not begun within 90 days of approval date.
- B. WATER SUPPLY WELLS
 1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
 2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved.
- C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS
 1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
 2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.
- D. GEOTECHNICAL/CONTAMINATION
Backfill bore hole by tremie with cement grout or cement grout/sand mixture. Upper two-three feet replaced in kind or with compacted cuttings.
- E. CATHODIC
Fill hole anode zone with concrete placed by tremie.
- (F) WELL DESTRUCTION 9647
Send a map of work site. A separate permit is required for wells deeper than 45 feet.
- G. SPECIAL CONDITIONS

NOTE: One application must be submitted for each well or well destruction. Multiple borings on one application are acceptable for geotechnical and contamination investigations

APPROVED _____ DATE 1-10-05





ALAMEDA COUNTY PUBLIC WORKS AGENCY

WATER RESOURCES SECTION
399 ELMHURST ST. HAYWARD CA. 94544-1394
PHONE (510) 670-6633 James Yoo
FAX (510) 782-1939

www.acfwd.org

APPLICANTS: PLEASE ATTACH A SITE MAP FOR ALL DRILLING PERMIT APPLICATIONS
RESTRUCTION OF WELLS OVER 45 FEET REQUIRES A SEPARATE PERMIT APPLICATION

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE

LOCATION OF PROJECT 301 14th St.
Oakland, CA

CLIENT
Name Kansai Development
Address 755 Sansome St Phone _____
City San Francisco Zip 94111

APPLICANT
Name IC&S
Address P.O. Box 99288 Fax 510-452-3553
City Emeryville Phone 510-452-3222
Zip 94607

TYPE OF PROJECT

Well Construction Geotechnical Investigation
Cathodic Protection General
Water Supply Contamination
Monitoring Well Destruction ✓

PROPOSED WATER SUPPLY WELL USE

New Domestic Replacement Domestic
Municipal Irrigation
Industrial Other

DRILLING METHOD:

Mud Rotary Air Rotary Auger
Cable Other

DRILLER'S NAME Woodward Drilling

DRILLER'S LICENSE NO. 710075

WELL PROJECTS

Drill Hole Diameter _____ in. Maximum _____
Casing Diameter _____ in. Depth 25 ft.
Surface Seal Depth _____ ft. Owner's Well Number 00000001

GEO TECHNICAL/CONTAMINATION PROJECTS

Number of Borings _____ Maximum _____
Hole Diameter _____ in. Depth _____ ft.

STARTING DATE 1-10-05

COMPLETION DATE 1-31-05

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-8.

APPLICANT'S SIGNATURE [Signature] DATE 1/4/05

PLEASE PRINT NAME Peng Luong Rev 5-11-04

FOR OFFICE USE

PERMIT NUMBER W05-0011
WELL NUMBER _____
AFN _____

PERMIT CONDITIONS

Circled Permit Requirements Apply

A. GENERAL

1. A permit application should be submitted so as to arrive at the ACPWA office five days prior to proposed starting date.
2. Submit to ACPWA within 60 days after completion of permitted original Department of Water Resources-Well Completion Report.
3. Permit is void if project not begun within 90 days of approval date.

B. WATER SUPPLY WELLS

1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved.

C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS

1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.

D. GEOTECHNICAL/CONTAMINATION

Backfill bore hole by tremie with cement grout or cement grout/sand mixture. Upper two-three feet replaced in kind or with compacted cuttings.

E. CATHODIC

Fill hole anode zone with concrete placed by tremie.


F. WELL DESTRUCTION - PLEASE

Send a map of work site. A schematic permit is required for wells deeper than 45 feet.

G. SPECIAL CONDITIONS

NOTE: One application must be submitted for each well or well destruction. Multiple borings on one application are acceptable for geotechnical and contamination investigations.

APPROVED [Signature] DATE 1-10-05



**ALAMEDA COUNTY PUBLIC WORKS AGENCY
WATER RESOURCES SECTION
399 ELMHURST ST. HAYWARD, CA. 94544-1395
PHONE (510) 670-6633 James Yoo FAX (510) 782-1939**

PERMIT NO. W05-0011 & W05-0012

**WATER RESOURCES SECTION
GROUNDWATER PROTECTION ORDINANCE
MW#1-GENERAL CONDITIONS: MONITORING WELL/PIEZOMETERS**

1. Prior to installation of any monitoring wells into any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
2. The minimum surface seal thickness two inches of cement grout placed by tremie.
3. All monitoring wells shall have a minimum surface cement seal depth of five (5) feet or the maximum depth practicable or twenty (20) feet.
4. Wells shall have a Christy box or similar structure with a locking cap or cover. Well(s) shall be kept locked at all times. Well(s) that become damaged by traffic or construction shall be repaired in a timely manner or destroyed immediately (through permit process). No well(s) shall be left in a manner to act as a conduit at any time.
5. Permittee, permittee's, contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statues regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on-or off site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
6. No changes in construction procedures or well type shall change, as described on this permit application. This permit may be voided if it contains incorrect information.
7. Drilling Permit(s) can be voided/ canceled only in writing. It is the applicants responsibilities to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. **Permit is valid from January 10 to January 31, 2005.** Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
8. Compliance with the above well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). **Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Including: permit number and site map.**
9. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
10. Applicant shall contact George Bolton for a inspection time at 510-670-5594 at least five (5) working days prior to starting, once the permit has been approved.



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

939 ELLIS STREET
SAN FRANCISCO, CALIFORNIA 94109
(415) 777-8000 928-0338

REGULATION 8, RULE 40
Aeration of Contaminated Soil and
Removal of Underground Storage Tanks

NOTIFICATION FORM

- Removal or Replacement of Tanks
- ✓ Excavation of Contaminated Soil

SITE INFORMATION

SITE ADDRESS <u>301 14th street</u>	
CITY, STATE, ZIP <u>oakland, CA 94612</u>	
OWNER NAME <u>Kansai Development, Inc.</u>	
SPECIFIC LOCATION OF PROJECT <u>NW corner of 14th st & Harrison St</u>	
<u>TANK REMOVAL</u>	<u>CONTAMINATED SOIL EXCAVATION</u>
SCHEDULED STARTUP DATE _____	SCHEDULED STARTUP DATE <u>1-17-05</u>
VAPORS REMOVED BY:	STOCKPILES WILL BE COVERED? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/> WATER WASH	ALTERNATIVE METHOD OF AERATION (DESCRIBE BELOW):
<input type="checkbox"/> VAPOR FREEING (CO ²)	_____
<input type="checkbox"/> VENTILATION	(MAY REQUIRE PERMIT)

CONTRACTOR INFORMATION

NAME <u>ECS</u>	CONTACT <u>TJ</u>
ADDRESS <u>1999 Gentle creek Dr</u>	PHONE (707) <u>249-0753</u>
CITY, STATE, ZIP <u>Fairfield, CA 94534</u>	

CONSULTANT INFORMATION

(IF APPLICABLE)

NAME <u>ICES</u>	CONTACT <u>Peng Leong / Derek Wong</u>
ADDRESS <u>1552 Beach St # F</u>	PHONE (510) <u>652-3222</u>
CITY, STATE, ZIP <u>oakland, CA 94608</u>	

FOR OFFICE USE ONLY

DATE RECEIVED _____	BY _____
CC: INSPECTOR NO. _____	DATE _____ (INIT.) _____
TELEPHONE UPDATE: CALLER _____	CHANGE MADE _____
BAAQMD N # _____	_____



BAY AREA AIR QUALITY MANAGEMENT DISTRICT

939 ELLIS STREET
SAN FRANCISCO, CALIFORNIA 94109
(415) 771-0000 428-0338

REGULATION 8, RULE 40
Aeration of Contaminated Soil and
Removal of Underground Storage Tanks

NOTIFICATION FORM

Removal or Replacement of Tanks
 Excavation of Contaminated Soil

SITE INFORMATION

SITE ADDRESS <u>301 14th street</u>	
CITY, STATE, ZIP <u>Oakland, CA 94612</u>	
OWNER NAME <u>Kansai Development, Inc.</u>	
SPECIFIC LOCATION OF PROJECT <u>NW corner of 14th st & Harrison St</u>	
TANK REMOVAL	CONTAMINATED SOIL EXCAVATION
SCHEDULED STARTUP DATE _____	SCHEDULED STARTUP DATE <u>1-25-05</u>
VAPORS REMOVED BY:	STOCKPILES WILL BE COVERED? YES <input checked="" type="checkbox"/> NO _____
<input type="checkbox"/> WATER WASH	ALTERNATIVE METHOD OF AERATION (DESCRIBE BELOW):
<input type="checkbox"/> VAPOR FREEING (CO ²)	_____
<input type="checkbox"/> VENTILATION	(MAY REQUIRE PERMIT)

CONTRACTOR INFORMATION

NAME <u>ECS</u>	CONTACT <u>TJ</u>
ADDRESS <u>1999 Gentle Creek Dr</u>	PHONE <u>(707) 249-0753</u>
CITY, STATE, ZIP <u>Fairfield, CA 94534</u>	

CONSULTANT INFORMATION

(IF APPLICABLE)

NAME <u>ICES</u>	CONTACT <u>Peng Leong / Derek Wong</u>
ADDRESS <u>1552 Beach St # F</u>	PHONE <u>(510) 652-3222</u>
CITY, STATE, ZIP <u>Oakland, CA 94608</u>	

FOR OFFICE USE ONLY

DATE RECEIVED _____	BY _____
CC: INSPECTOR NO. _____	DATE _____ (INIT.) _____
	BY _____ (INIT.) _____
TELEPHONE UPDATE: CALLER _____	CHANGE MADE _____
BAAQMD N # _____	_____

APPENDIX B

WASTE MANIFESTS

Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR <small>California Development, Inc.</small> MAILING ADDRESS <small>775 - 2nd Street 2nd Floor</small> CITY, STATE, ZIP San Francisco, CA 94111 PHONE (415) 394-7555 CONTACT PERSON Peter Iwate SIGNATURE OF AUTHORIZED AGENT / TITLE DATE <i>[Signature]</i> 1/22/05 <small>* SIGNATURE OF AUTHORIZED AGENT / TITLE</small> GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261. WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE GENERATING FACILITY 301 14th Street OAKLAND	WASTE ACCEPTANCE NO. 5176 REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER SPECIAL HANDLING PROCEDURES: RECEIVING FACILITY 																					
TRANSPORTER ADDRESS <i>Roge Wheaton Way</i> CITY, STATE, ZIP <i>Concord CA 94520</i> PHONE <i>925 692 0009</i> SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE <i>[Signature]</i> 1-22-05 <small>* SIGNATURE OF AUTHORIZED AGENT OR DRIVER</small>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>NOTES:</th> <th>VEHICLE LICENSE NUMBER</th> <th>TRUCK NUMBER</th> </tr> <tr> <td></td> <td><i>9B29965</i></td> <td><i>5</i></td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/> END DUMP</td> <td><input type="checkbox"/> BOTTOM DUMP</td> </tr> <tr> <td><input type="checkbox"/> ROLL-OFF(S)</td> <td><input type="checkbox"/> FLAT-BED</td> <td><input type="checkbox"/> VAN</td> </tr> <tr> <td></td> <td></td> <td><input type="checkbox"/> DRUMS</td> </tr> </table>	NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER		<i>9B29965</i>	<i>5</i>		<input checked="" type="checkbox"/> END DUMP	<input type="checkbox"/> BOTTOM DUMP	<input type="checkbox"/> ROLL-OFF(S)	<input type="checkbox"/> FLAT-BED	<input type="checkbox"/> VAN			<input type="checkbox"/> DRUMS						
NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER																				
	<i>9B29965</i>	<i>5</i>																				
	<input checked="" type="checkbox"/> END DUMP	<input type="checkbox"/> BOTTOM DUMP																				
<input type="checkbox"/> ROLL-OFF(S)	<input type="checkbox"/> FLAT-BED	<input type="checkbox"/> VAN																				
		<input type="checkbox"/> DRUMS																				
REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE 	CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>DISPOSE</th> <th>OTHER</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </tbody> </table>		DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
	DISPOSE	OTHER																				
<input type="checkbox"/> SOIL																						
<input type="checkbox"/> CONSTRUCTION DEBRIS																						
<input type="checkbox"/> NON-FRIABLE ASBESTOS																						
<input type="checkbox"/> WOOD																						
<input type="checkbox"/> ASH																						
<input type="checkbox"/> SPECIAL OTHER																						

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # **355802**

Keller Canyon
Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain
Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island
Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward
Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR
 Kaiser Development, Inc.

MAILING ADDRESS
 755 Sansome Street

CITY, STATE, ZIP
 San Francisco, CA 94111

PHONE
 (415) 394-7555

CONTACT PERSON
 Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE
<i>[Signature]</i>	1/22/05

WASTE ACCEPTANCE NO.
5176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT

GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:

<input type="checkbox"/> DISPOSAL	<input type="checkbox"/> SLUDGE
<input type="checkbox"/> CONSTRUCTION	<input type="checkbox"/> WOOD
<input type="checkbox"/> DEBRIS	<input type="checkbox"/> OTHER
<input type="checkbox"/> SPECIAL WASTE	

GENERATING FACILITY
 301 14th Street OAKLAND

RECEIVING FACILITY

TRANSPORTER GP Trucking

ADDRESS 3206 Santa Barbara Way

CITY, STATE, ZIP Antioch Ca 94509

PHONE 925-325-0061

SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE
<i>[Signature]</i>	1-22-05

NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER
	9A02156	85

END DUMP **BOTTOM DUMP** **TRANSFER**

ROLL-OFF(S) **FLAT-BED** **VAN** **DRUMS**

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT	DATE
<i>[Signature]</i>	

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST


GENERATOR
 Kansai Development, Inc.

MAILING ADDRESS
 755 Sansome Street

CITY, STATE, ZIP
 San Francisco, CA 94111

PHONE
 (415) 394-7333

CONTACT PERSON
 Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE **DATE**
 *  1/22/05

WASTE ACCEPTANCE NO.
 5176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT
 GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
 DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY
 301 14th Street OAKLAND


RECEIVING FACILITY

TRANSPORTER *Somby - 1095*

ADDRESS *1701 Lipton St.*

CITY, STATE, ZIP *Berkeley CA*

PHONE *(925) 584-5122*

SIGNATURE OF AUTHORIZED AGENT OR DRIVER **DATE**
 *  1/22/05

NOTES: **VEHICLE LICENSE NUMBER** **TRUCK NUMBER**
 9991642 *1095*

END DUMP **BOTTOM DUMP** **TRANSFER**

ROLL-OFF(S) **FLAT-BED** **VAN** **DRUMS**

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT **DATE**
 * _____

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. <h1 style="text-align: center;">5176</h1>																						
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER																						
CITY, STATE, ZIP San Francisco, CA 94111		SPECIAL HANDLING PROCEDURES: 																						
PHONE (415) 394-7555		RECEIVING FACILITY 																						
CONTACT PERSON Peter Iwate																								
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>[Signature]</i>		DATE 1/22/05																						
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>																								
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE																								
GENERATING FACILITY 301 14th Street OAKLAND																								
TRANSPORTER <i>Rege</i>		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER <i>9C79955</i> <i>14</i>																						
ADDRESS 1470 "D" Wharton Wt																								
CITY, STATE, ZIP CONCORD CA 94521																								
PHONE 925 798 6037		END DUMP BOTTOM DUMP TRANSFER <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>																						
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>[Signature]</i>		ROLL-OFF(S) FLAT-BED VAN DRUMS <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>																						
DATE 1/22/05																								
I hereby certify that the above-named material has been accepted and to the best of my knowledge the foregoing is true and accurate.																								
REMARKS 		CUBIC YARDS																						
FACILITY TICKET NUMBER		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <table border="1"> <tr> <td></td> <td style="text-align: center;">DISPOSE</td> <td style="text-align: center;">OTHER</td> </tr> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>			DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
	DISPOSE	OTHER																						
<input type="checkbox"/> SOIL																								
<input type="checkbox"/> CONSTRUCTION DEBRIS																								
<input type="checkbox"/> NON-FRIABLE ASBESTOS																								
<input type="checkbox"/> WOOD																								
<input type="checkbox"/> ASH																								
<input type="checkbox"/> SPECIAL OTHER																								
SIGNATURE OF AUTHORIZED AGENT 		DATE 																						

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT	
PHONE (415) 394-7555		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Peter Iwate		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE * 		DATE 1/22/05	
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>		RECEIVING FACILITY	
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 301 14th Street OAKLAND			
TRANSPORTER <i>Rege</i>		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
ADDRESS <i>Winton way</i>		<i>9B29965</i> <i>5</i>	
CITY, STATE, ZIP <i>Concord Ca 94520</i>			
PHONE <i>925 692 0009</i>		END DUMP BOTTOM DUMP TRANSFER	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * 		<input checked="" type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS	
DATE 1-22			
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS	
		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
REMARKS		<input type="checkbox"/> SOIL	
		<input type="checkbox"/> CONSTRUCTION DEBRIS	
FACILITY TICKET NUMBER		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
SIGNATURE OF AUTHORIZED AGENT *		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	
DATE			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST


GENERATOR
Kansai Development, Inc.

MAILING ADDRESS
733 Sansome Street

CITY, STATE, ZIP
San Francisco, CA 94111

PHONE
(415) 394-7333

CONTACT PERSON
Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE **DATE**
*  1/22/05

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:

<input type="checkbox"/> DISPOSAL	<input type="checkbox"/> SLUDGE
<input type="checkbox"/> CONSTRUCTION	<input type="checkbox"/> WOOD
<input type="checkbox"/> DEBRIS	<input type="checkbox"/> OTHER
<input type="checkbox"/> SPECIAL WASTE	

GENERATING FACILITY
301 14th Street OAKLAND


WASTE ACCEPTANCE NO.
5176


REQUIRED PERSONAL PROTECTIVE EQUIPMENT

<input type="checkbox"/> GLOVES	<input type="checkbox"/> GOGGLES	<input type="checkbox"/> RESPIRATOR	<input checked="" type="checkbox"/> HARD HAT
<input type="checkbox"/> TY-VEK	<input type="checkbox"/> OTHER		

SPECIAL HANDLING PROCEDURES:

RECEIVING FACILITY

TRANSPORTER  **ADDRESS** 1709 Union
CITY, STATE, ZIP OAKLAND
PHONE (415) 435-0584 5122

SIGNATURE OF AUTHORIZED AGENT OR DRIVER **DATE**
* 

NOTES:	VEHICLE LICENSE NUMBER 9A91642	TRUCK NUMBER 1098
<input checked="" type="checkbox"/> END DUMP	<input type="checkbox"/> BOTTOM DUMP	<input type="checkbox"/> TRANSFER
<input type="checkbox"/> ROLL-OFF(S)	<input type="checkbox"/> FLAT-BED	<input type="checkbox"/> VAN
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> DRUMS

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT **DATE**
* _____

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL. ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansas Development, Inc.	WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 755 Sansome Street	REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP San Francisco, CA 94111		
PHONE (415) 394-7555		
CONTACT PERSON Peter Iwate		
SIGNATURE OF AUTHORIZED AGENT / TITLE <i>[Signature]</i>		
DATE 1/22/05	SPECIAL HANDLING PROCEDURES:	
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		
WASTE TYPE:		RECEIVING FACILITY
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> DEBRIS <input type="checkbox"/> SPECIAL WASTE		
<input type="checkbox"/> SLUDGE <input type="checkbox"/> WOOD <input type="checkbox"/> OTHER		
GENERATING FACILITY 301 14th Street OAKLAND		

TRANSPORTER Rabop	NOTES:	VEHICLE LICENSE NUMBER 9C29955	TRUCK NUMBER 14
ADDRESS 1470 D Wherlan Way			
CITY, STATE, ZIP Concord CA 94521			
PHONE			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER <i>[Signature]</i>	DATE 1/22/05	END DUMP <input checked="" type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS <input type="checkbox"/>	

<p>I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</p>	CUBIC YARDS		
	DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
		DISPOSE	OTHER
	<input type="checkbox"/> SOIL		
	<input type="checkbox"/> CONSTRUCTION DEBRIS		
	<input type="checkbox"/> NON-FRIABLE ASBESTOS		
	<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH			
<input type="checkbox"/> SPECIAL OTHER			
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT <i>[Signature]</i>	DATE		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.


Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891


Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183


Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT	
PHONE (415) 394-7355		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Peter Iwate		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE			
* 		DATE 11/22/05	
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL		<input type="checkbox"/> SLUDGE	
<input type="checkbox"/> CONSTRUCTION		<input type="checkbox"/> WOOD	
<input type="checkbox"/> DEBRIS		<input type="checkbox"/> OTHER	
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
301 14th Street		OAKLAND	

TRANSPORTER GP Trucking		NOTES:		VEHICLE LICENSE NUMBER 9A02156	TRUCK NUMBER 87
ADDRESS 3206 Santa Barbara Way					
CITY, STATE, ZIP Antioch Ca 94509					
PHONE 925-325-0061					
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		END DUMP <input checked="" type="checkbox"/>		BOTTOM DUMP <input type="checkbox"/>	
* 		ROLL-OFF(S) <input type="checkbox"/>		TRANSFER <input type="checkbox"/>	
		FLAT-BED <input type="checkbox"/>		VAN <input type="checkbox"/>	
		DRUMS <input type="checkbox"/>			

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS	
REMARKS			
FACILITY TICKET NUMBER			
SIGNATURE OF AUTHORIZED AGENT		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
* 			
		DISPOSE	
		OTHER	
		<input type="checkbox"/> SOIL	
		<input type="checkbox"/> CONSTRUCTION DEBRIS	
		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.




Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 735 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
PHONE (415) 394-7553		SPECIAL HANDLING PROCEDURES:	
CONTACT PERSON Peter Iwate			
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE		
* 	1/22/05		
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>		RECEIVING FACILITY	
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 301 14th Street OAKLAND			
TRANSPORTER <i>Rago</i>		NOTES:	VEHICLE LICENSE NUMBER 9B29965
ADDRESS <i>Wharfton Way</i>			TRUCK NUMBER 5
CITY, STATE, ZIP <i>Concord Ca 94513</i>			
PHONE <i>7056920009</i>			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		<input checked="" type="checkbox"/> END DUMP	<input type="checkbox"/> BOTTOM DUMP
DATE <i>1/25</i>		<input type="checkbox"/> ROLL-OFF(S)	<input type="checkbox"/> FLAT-BED
* 		<input type="checkbox"/> VAN	<input type="checkbox"/> TRANSFER
		<input type="checkbox"/> DRUMS	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS	
REMARKS		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
		DISPOSE	OTHER
FACILITY TICKET NUMBER		<input type="checkbox"/> SOIL	
		<input type="checkbox"/> CONSTRUCTION DEBRIS	
SIGNATURE OF AUTHORIZED AGENT		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
DATE		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	
* 			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176																						
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER																						
CITY, STATE, ZIP San Francisco, CA 94111																								
PHONE (415) 394-7335		SPECIAL HANDLING PROCEDURES: 																						
CONTACT PERSON Peter Iwate																								
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE * 11/22/05																								
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>																								
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE		RECEIVING FACILITY 																						
GENERATING FACILITY 301 14th Street OAKLAND																								
TRANSPORTER Lewis Trucking		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER RA99158 5																						
ADDRESS 1590 Russell		<input checked="" type="checkbox"/> END DUMP <input type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS																						
CITY, STATE, ZIP Berkeley CA																								
PHONE 510-517-2891																								
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * 1-25-05		CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL) <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;"></th> <th style="width:15%;">DISPOSE</th> <th style="width:15%;">OTHER</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </tbody> </table>			DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
	DISPOSE			OTHER																				
<input type="checkbox"/> SOIL																								
<input type="checkbox"/> CONSTRUCTION DEBRIS																								
<input type="checkbox"/> NON-FRIABLE ASBESTOS																								
<input type="checkbox"/> WOOD																								
<input type="checkbox"/> ASH																								
<input type="checkbox"/> SPECIAL OTHER																								
REMARKS I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.																								
FACILITY TICKET NUMBER																								
SIGNATURE OF AUTHORIZED AGENT DATE *																								

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.





Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Mariposa, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 735 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT	
PHONE (415) 394-7335		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CONTACT PERSON Peter Iwate		SPECIAL HANDLING PROCEDURES:	
SIGNATURE OF AUTHORIZED AGENT / TITLE			
* 			
DATE 1/22/05			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		RECEIVING FACILITY	
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 301 14th Street OAKLAND			
TRANSPORTER		NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER	
* 		9031078 F-11	
ADDRESS 17615 WASHINGTON WAY			
CITY, STATE, ZIP CONCORD CA 94521			
PHONE 925-788-6037		END DUMP <input checked="" type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/>	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS <input type="checkbox"/>	
* 		1-2505	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS	
REMARKS			
FACILITY TICKET NUMBER		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
SIGNATURE OF AUTHORIZED AGENT		DISPOSE OTHER	
* 			
DATE		<input type="checkbox"/> SOIL	
		<input type="checkbox"/> CONSTRUCTION DEBRIS	
		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176		
MAILING ADDRESS 733 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT		
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER		
PHONE (415) 394-7555		SPECIAL HANDLING PROCEDURES:		
CONTACT PERSON Peter Iwate		RECEIVING FACILITY		
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE			
* <i>[Signature]</i>	1/22/05			
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste, subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>				
WASTE TYPE:				
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> DEBRIS <input type="checkbox"/> SPECIAL WASTE		<input type="checkbox"/> SLUDGE <input type="checkbox"/> WOOD <input type="checkbox"/> OTHER		
GENERATING FACILITY				
301 14th Street		OAKLAND		
TRANSPORTER Kend		NOTES: VEHICLE LICENSE NUMBER: 9E2A7735 TRUCK NUMBER: 17		
ADDRESS 1470 D Wherton				
CITY, STATE, ZIP Concord CA 94521				
PHONE 925 798 6037				
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		<input type="checkbox"/> END DUMP <input type="checkbox"/> BOTTOM DUMP <input type="checkbox"/> TRANSFER <input type="checkbox"/> ROLL-OFF(S) <input type="checkbox"/> FLAT-BED <input type="checkbox"/> VAN <input type="checkbox"/> DRUMS		
* <i>[Signature]</i>		1/25/05		
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS		
		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
			DISPOSE	OTHER
		<input type="checkbox"/> SOIL		
		<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS				
<input type="checkbox"/> WOOD				
<input type="checkbox"/> ASH				
<input type="checkbox"/> SPECIAL OTHER				
REMARKS				
FACILITY TICKET NUMBER				
SIGNATURE OF AUTHORIZED AGENT		DATE		
* <i>[Signature]</i>				

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL - ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San-Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Mahteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176																						
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT																						
CITY, STATE, ZIP San Francisco, CA 94111		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER																						
PHONE (415) 394-7555		SPECIAL HANDLING PROCEDURES:																						
CONTACT PERSON Peter Iwate																								
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE																							
*																								
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		RECEIVING FACILITY																						
WASTE TYPE:																								
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE																								
GENERATING FACILITY 301 14th Street OAKLAND																								
TRANSPORTER Reg Trucking		NOTES:	VEHICLE LICENSE NUMBER 9B46799																					
ADDRESS wharson way		TRUCK NUMBER																						
CITY, STATE, ZIP Concord, CA																								
PHONE 925 692-0009		<input checked="" type="checkbox"/> END DUMP	<input type="checkbox"/> BOTTOM DUMP																					
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		<input type="checkbox"/> ROLL-OFF(S)	<input type="checkbox"/> FLAT-BED																					
* Daniel Monroy		<input type="checkbox"/> VAN	<input type="checkbox"/> TRANSFER																					
DATE 1/25/05		<input type="checkbox"/> DRUMS																						
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS																						
REMARKS		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)																						
FACILITY TICKET NUMBER		<table border="1"> <tr> <td></td> <td>DISPOSE</td> <td>OTHER</td> </tr> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>			DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
	DISPOSE	OTHER																						
<input type="checkbox"/> SOIL																								
<input type="checkbox"/> CONSTRUCTION DEBRIS																								
<input type="checkbox"/> NON-FRIABLE ASBESTOS																								
<input type="checkbox"/> WOOD																								
<input type="checkbox"/> ASH																								
<input type="checkbox"/> SPECIAL OTHER																								
SIGNATURE OF AUTHORIZED AGENT																								
DATE																								
*																								

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # **358995**

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Mariposa, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">GENERATOR</td> </tr> <tr> <td colspan="2">Kansai Development, Inc.</td> </tr> <tr> <td colspan="2">MAILING ADDRESS</td> </tr> <tr> <td colspan="2">755 Sansome Street</td> </tr> <tr> <td colspan="2">CITY, STATE, ZIP</td> </tr> <tr> <td colspan="2">San Francisco, CA 94111</td> </tr> <tr> <td colspan="2">PHONE</td> </tr> <tr> <td colspan="2">(415) 394-7555</td> </tr> <tr> <td colspan="2">CONTACT PERSON</td> </tr> <tr> <td colspan="2">Peter Iwate</td> </tr> <tr> <td style="width:70%;">SIGNATURE OF AUTHORIZED AGENT / TITLE</td> <td style="width:30%;">DATE</td> </tr> <tr> <td></td> <td>1/2/05</td> </tr> <tr> <td colspan="2">* GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</td> </tr> <tr> <td colspan="2">WASTE TYPE:</td> </tr> <tr> <td><input type="checkbox"/> DISPOSAL</td> <td><input type="checkbox"/> SLUDGE</td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION</td> <td><input type="checkbox"/> WOOD</td> </tr> <tr> <td><input type="checkbox"/> DEBRIS</td> <td><input type="checkbox"/> OTHER</td> </tr> <tr> <td><input type="checkbox"/> SPECIAL WASTE</td> <td></td> </tr> <tr> <td colspan="2">GENERATING FACILITY</td> </tr> <tr> <td colspan="2">301 14th Street OAKLAND</td> </tr> </table>	GENERATOR		Kansai Development, Inc.		MAILING ADDRESS		755 Sansome Street		CITY, STATE, ZIP		San Francisco, CA 94111		PHONE		(415) 394-7555		CONTACT PERSON		Peter Iwate		SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE		1/2/05	* GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		WASTE TYPE:		<input type="checkbox"/> DISPOSAL	<input type="checkbox"/> SLUDGE	<input type="checkbox"/> CONSTRUCTION	<input type="checkbox"/> WOOD	<input type="checkbox"/> DEBRIS	<input type="checkbox"/> OTHER	<input type="checkbox"/> SPECIAL WASTE		GENERATING FACILITY		301 14th Street OAKLAND		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">WASTE ACCEPTANCE NO.</td> </tr> <tr> <td colspan="2" style="text-align: center; font-size: 2em; font-weight: bold;">5176</td> </tr> <tr> <td colspan="2">REQUIRED PERSONAL PROTECTIVE EQUIPMENT</td> </tr> <tr> <td colspan="2"> <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT </td> </tr> <tr> <td colspan="2"> <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER </td> </tr> <tr> <td colspan="2">SPECIAL HANDLING PROCEDURES:</td> </tr> <tr> <td colspan="2" style="height: 50px;"></td> </tr> <tr> <td colspan="2">RECEIVING FACILITY</td> </tr> <tr> <td colspan="2" style="height: 100px;"></td> </tr> <tr> <td style="width:25%;">TRANSPORTER</td> <td style="width:25%;">NOTES:</td> <td style="width:25%;">VEHICLE LICENSE NUMBER</td> <td style="width:25%;">TRUCK NUMBER</td> </tr> <tr> <td>Kepp</td> <td></td> <td>9B29965</td> <td>5</td> </tr> <tr> <td>ADDRESS</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Wharton way</td> <td></td> <td></td> <td></td> </tr> <tr> <td>CITY, STATE, ZIP</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Concord, Ca 94520</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PHONE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>925 6920009</td> <td></td> <td></td> <td></td> </tr> <tr> <td>SIGNATURE OF AUTHORIZED AGENT OR DRIVER</td> <td>DATE</td> <td>END DUMP</td> <td>BOTTOM DUMP</td> </tr> <tr> <td></td> <td>1/2/05</td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>TRANSFER</td> <td></td> </tr> <tr> <td></td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td></td> <td>ROLL-OFF(S)</td> <td>FLAT-BED</td> </tr> <tr> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>VAN</td> <td>DRUMS</td> </tr> <tr> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td style="width:45%; vertical-align: top;"> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</td> </tr> <tr> <td colspan="2">REMARKS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">FACILITY TICKET NUMBER</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td style="width:70%;">SIGNATURE OF AUTHORIZED AGENT</td> <td style="width:30%;">DATE</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td colspan="2">* </td> </tr> </table> </td> <td style="width:55%; vertical-align: top;"> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">CUBIC YARDS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)</td> </tr> <tr> <td style="width:50%;"></td> <td style="text-align: center;">DISPOSE</td> <td style="text-align: center;">OTHER</td> </tr> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table> </td> </tr> </table>	WASTE ACCEPTANCE NO.		5176		REQUIRED PERSONAL PROTECTIVE EQUIPMENT		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER		SPECIAL HANDLING PROCEDURES:				RECEIVING FACILITY				TRANSPORTER	NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER	Kepp		9B29965	5	ADDRESS				Wharton way				CITY, STATE, ZIP				Concord, Ca 94520				PHONE				925 6920009				SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE	END DUMP	BOTTOM DUMP		1/2/05	<input checked="" type="checkbox"/>	<input type="checkbox"/>			TRANSFER				<input type="checkbox"/>				ROLL-OFF(S)	FLAT-BED			<input type="checkbox"/>	<input type="checkbox"/>			VAN	DRUMS			<input type="checkbox"/>	<input type="checkbox"/>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</td> </tr> <tr> <td colspan="2">REMARKS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">FACILITY TICKET NUMBER</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td style="width:70%;">SIGNATURE OF AUTHORIZED AGENT</td> <td style="width:30%;">DATE</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td colspan="2">* </td> </tr> </table>	I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		REMARKS				FACILITY TICKET NUMBER				SIGNATURE OF AUTHORIZED AGENT	DATE			*		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">CUBIC YARDS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)</td> </tr> <tr> <td style="width:50%;"></td> <td style="text-align: center;">DISPOSE</td> <td style="text-align: center;">OTHER</td> </tr> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>	CUBIC YARDS				DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER		
GENERATOR																																																																																																																																																																								
Kansai Development, Inc.																																																																																																																																																																								
MAILING ADDRESS																																																																																																																																																																								
755 Sansome Street																																																																																																																																																																								
CITY, STATE, ZIP																																																																																																																																																																								
San Francisco, CA 94111																																																																																																																																																																								
PHONE																																																																																																																																																																								
(415) 394-7555																																																																																																																																																																								
CONTACT PERSON																																																																																																																																																																								
Peter Iwate																																																																																																																																																																								
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE																																																																																																																																																																							
	1/2/05																																																																																																																																																																							
* GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.																																																																																																																																																																								
WASTE TYPE:																																																																																																																																																																								
<input type="checkbox"/> DISPOSAL	<input type="checkbox"/> SLUDGE																																																																																																																																																																							
<input type="checkbox"/> CONSTRUCTION	<input type="checkbox"/> WOOD																																																																																																																																																																							
<input type="checkbox"/> DEBRIS	<input type="checkbox"/> OTHER																																																																																																																																																																							
<input type="checkbox"/> SPECIAL WASTE																																																																																																																																																																								
GENERATING FACILITY																																																																																																																																																																								
301 14th Street OAKLAND																																																																																																																																																																								
WASTE ACCEPTANCE NO.																																																																																																																																																																								
5176																																																																																																																																																																								
REQUIRED PERSONAL PROTECTIVE EQUIPMENT																																																																																																																																																																								
<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT																																																																																																																																																																								
<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER																																																																																																																																																																								
SPECIAL HANDLING PROCEDURES:																																																																																																																																																																								
RECEIVING FACILITY																																																																																																																																																																								
TRANSPORTER	NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER																																																																																																																																																																					
Kepp		9B29965	5																																																																																																																																																																					
ADDRESS																																																																																																																																																																								
Wharton way																																																																																																																																																																								
CITY, STATE, ZIP																																																																																																																																																																								
Concord, Ca 94520																																																																																																																																																																								
PHONE																																																																																																																																																																								
925 6920009																																																																																																																																																																								
SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE	END DUMP	BOTTOM DUMP																																																																																																																																																																					
	1/2/05	<input checked="" type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																					
		TRANSFER																																																																																																																																																																						
		<input type="checkbox"/>																																																																																																																																																																						
		ROLL-OFF(S)	FLAT-BED																																																																																																																																																																					
		<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																					
		VAN	DRUMS																																																																																																																																																																					
		<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</td> </tr> <tr> <td colspan="2">REMARKS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">FACILITY TICKET NUMBER</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td style="width:70%;">SIGNATURE OF AUTHORIZED AGENT</td> <td style="width:30%;">DATE</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td colspan="2">* </td> </tr> </table>	I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		REMARKS				FACILITY TICKET NUMBER				SIGNATURE OF AUTHORIZED AGENT	DATE			*		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">CUBIC YARDS</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)</td> </tr> <tr> <td style="width:50%;"></td> <td style="text-align: center;">DISPOSE</td> <td style="text-align: center;">OTHER</td> </tr> <tr> <td><input type="checkbox"/> SOIL</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> CONSTRUCTION DEBRIS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> NON-FRIABLE ASBESTOS</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> WOOD</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> ASH</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> SPECIAL OTHER</td> <td></td> <td></td> </tr> </table>	CUBIC YARDS				DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)			DISPOSE	OTHER	<input type="checkbox"/> SOIL			<input type="checkbox"/> CONSTRUCTION DEBRIS			<input type="checkbox"/> NON-FRIABLE ASBESTOS			<input type="checkbox"/> WOOD			<input type="checkbox"/> ASH			<input type="checkbox"/> SPECIAL OTHER																																																																																																																														
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.																																																																																																																																																																								
REMARKS																																																																																																																																																																								
FACILITY TICKET NUMBER																																																																																																																																																																								
SIGNATURE OF AUTHORIZED AGENT	DATE																																																																																																																																																																							
*																																																																																																																																																																								
CUBIC YARDS																																																																																																																																																																								
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)																																																																																																																																																																								
	DISPOSE	OTHER																																																																																																																																																																						
<input type="checkbox"/> SOIL																																																																																																																																																																								
<input type="checkbox"/> CONSTRUCTION DEBRIS																																																																																																																																																																								
<input type="checkbox"/> NON-FRIABLE ASBESTOS																																																																																																																																																																								
<input type="checkbox"/> WOOD																																																																																																																																																																								
<input type="checkbox"/> ASH																																																																																																																																																																								
<input type="checkbox"/> SPECIAL OTHER																																																																																																																																																																								

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kansai Development, Inc.		WASTE ACCEPTANCE NO. 5176		
MAILING ADDRESS 735 Sansome Street CITY, STATE, ZIP San Francisco, CA 94111		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER		
PHONE (415) 394-7555		SPECIAL HANDLING PROCEDURES:		
CONTACT PERSON Peter Iwate		RECEIVING FACILITY		
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE			
* <i>[Signature]</i>	1/22/05			
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>				
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE				
GENERATING FACILITY 301 14th Street OAKLAND				
TRANSPORTER Kaiser / PACC	NOTES:	VEHICLE LICENSE NUMBER 9A31078	TRUCK NUMBER P-77	
ADDRESS WANTON WAY				
CITY, STATE, ZIP CONCORD, CA 94521				
PHONE 925-798-0037				
SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE	END DUMP <input checked="" type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	
* <i>[Signature]</i>	1-25-05	TRANSFER <input type="checkbox"/>		
		ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	
		VAN <input type="checkbox"/>	DRUMS <input type="checkbox"/>	
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS		
REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
			DISPOSE	OTHER
		<input type="checkbox"/> SOIL		
		<input type="checkbox"/> CONSTRUCTION DEBRIS		
		<input type="checkbox"/> NON-FRIABLE ASBESTOS		
		<input type="checkbox"/> WOOD		
		<input type="checkbox"/> ASH		
* <i>[Signature]</i>		<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # **358998**

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Manteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Kensai Development, Inc.		5176	
MAILING ADDRESS		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
755 Saratoga Street		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT	
CITY, STATE, ZIP		<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
San Francisco, CA 94111		SPECIAL HANDLING PROCEDURES:	
PHONE			
(415) 394-7555			
CONTACT PERSON			
Peter Iwata			
SIGNATURE OF AUTHORIZED AGENT / TITLE			
* M			
DATE			
1/22/05			
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.		RECEIVING FACILITY	
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE			
<input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD			
<input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER			
<input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
301 14th Street			
OAKLAND			

TRANSPORTER	Rego	NOTES:	VEHICLE LICENSE NUMBER	TRUCK NUMBER	
ADDRESS	1470 D Wharton Way		9C29955	14	
CITY, STATE, ZIP	Concord CA 94521				
PHONE	925 798 6037	END DUMP	BOTTOM DUMP	TRANSFER	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER	D. Iwata	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DATE	1/29/05	ROLL-OFF(S)	FLAT-BED	VAN	DRUMS
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.	CUBIC YARDS		
REMARKS	DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
		DISPOSE	OTHER
	<input type="checkbox"/> SOIL		
	<input type="checkbox"/> CONSTRUCTION DEBRIS		
	<input type="checkbox"/> NON-FRIABLE ASBESTOS		
	<input type="checkbox"/> WOOD		
	<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER			
SIGNATURE OF AUTHORIZED AGENT	DATE		
*			

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

GENERATOR COPY

MANIFEST # 358999




Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR		WASTE ACCEPTANCE NO.	
Kansai Development, Inc.		5176	
MAILING ADDRESS			
755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT	
CITY, STATE, ZIP		<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
San Francisco, CA 94111		SPECIAL HANDLING PROCEDURES:	
PHONE			
(415) 394-7555			
CONTACT PERSON		RECEIVING FACILITY	
Peter Ivata			
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE		
* 	1/22/05		
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>			
WASTE TYPE:			
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY			
901 14th Street			
OAKLAND			
TRANSPORTER		NOTES:	
Quarry Materials Trans		VEHICLE LICENSE NUMBER	TRUCK NUMBER
ADDRESS		7PC1621	23
P.O. Box 7793			
CITY, STATE, ZIP			
Hayward CA 94544			
PHONE			
Fremont CA 94537			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER		END DUMP	BOTTOM DUMP
* 		<input checked="" type="checkbox"/>	<input type="checkbox"/>
		ROLL-OFF(S)	FLAT-BED
DATE		<input type="checkbox"/>	VAN
1-25-04		<input type="checkbox"/>	DRUMS
		<input type="checkbox"/>	<input type="checkbox"/>
I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.		CUBIC YARDS	
REMARKS		DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
FACILITY TICKET NUMBER			DISPOSE
SIGNATURE OF AUTHORIZED AGENT		<input type="checkbox"/> SOIL	OTHER
* 		<input type="checkbox"/> CONSTRUCTION DEBRIS	
		<input type="checkbox"/> NON-FRIABLE ASBESTOS	
DATE		<input type="checkbox"/> WOOD	
		<input type="checkbox"/> ASH	
		<input type="checkbox"/> SPECIAL OTHER	

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain Sanitary Landfill
12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island Sanitary Landfill
1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward Landfill
9999 S. Austin Road
Maritaca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kaiser Development, Inc.	
MAILING ADDRESS 955 Sansome Street	
CITY, STATE, ZIP San Francisco, CA 94111	
PHONE (415) 394-7555	
CONTACT PERSON Peter Iwate	
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE
*	1/25/05

WASTE ACCEPTANCE NO. 5176
REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
<input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE
<input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD
<input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER
<input type="checkbox"/> SPECIAL WASTE

GENERATING FACILITY 301 14th Street OAKLAND
--

SPECIAL HANDLING PROCEDURES:

RECEIVING FACILITY

TRANSPORTER <i>Rege</i>	NOTES:	VEHICLE LICENSE NUMBER <i>9B29965</i>	TRUCK NUMBER <i>5</i>
ADDRESS <i>Wharton Way</i>			
CITY, STATE, ZIP <i>Concord Ca 94520</i>			
PHONE <i>925 692 0009</i>			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE		
*	1-25		

END DUMP <input checked="" type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>	
ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>	DRUMS <input type="checkbox"/>

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.	
REMARKS	
FACILITY TICKET NUMBER	
SIGNATURE OF AUTHORIZED AGENT	DATE
*	

CUBIC YARDS		
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.


Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183


Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009


NON-HAZARDOUS WASTE MANIFEST

GENERATOR Kaiser Development, Inc.	
MAILING ADDRESS 755 Sansome Street	
CITY, STATE, ZIP San Francisco, CA 94111	
PHONE (415) 394-7555	
CONTACT PERSON Peter Iwale	
SIGNATURE OF AUTHORIZED AGENT / TITLE	DATE
* 	1/25/05
<small>GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.</small>	
WASTE TYPE:	
<input type="checkbox"/> DISPOSAL	<input type="checkbox"/> SLUDGE
<input type="checkbox"/> CONSTRUCTION	<input type="checkbox"/> WOOD
<input type="checkbox"/> DEBRIS	<input type="checkbox"/> OTHER
<input type="checkbox"/> SPECIAL WASTE	
GENERATING FACILITY 301 14th Street OAKLAND	

WASTE ACCEPTANCE NO. 5176
REQUIRED PERSONAL PROTECTIVE EQUIPMENT
<input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT
<input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER
SPECIAL HANDLING PROCEDURES:
RECEIVING FACILITY

TRANSPORTER Rise/Price	NOTES:	VEHICLE LICENSE NUMBER 7A31070	TRUCK NUMBER P-11
ADDRESS WAKHTAN WY			
CITY, STATE, ZIP CONCORD CA 94521			
PHONE 925-798-6057			
SIGNATURE OF AUTHORIZED AGENT OR DRIVER	DATE		
* 	1-26-05		

END DUMP <input checked="" type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
		DRUMS <input type="checkbox"/>

<p>I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.</p>	
REMARKS	
FACILITY TICKET NUMBER	
SIGNATURE OF AUTHORIZED AGENT	DATE
* 	

CUBIC YARDS		
DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)		
	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL - ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST


GENERATOR
 Canal Development, Inc.

MAILING ADDRESS
 733 Sansome Street

CITY, STATE, ZIP
 San Francisco, CA 94111

PHONE
 (415) 394-7555

CONTACT PERSON
 Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE **DATE**
 *  1/25/05

WASTE ACCEPTANCE NO.
 5176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT
 GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
 DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY
 301 14th Street OAKLAND


RECEIVING FACILITY

TRANSPORTER Lewis Trucking

ADDRESS 1530 Russell

CITY, STATE, ZIP Berkeley 94702

PHONE 510 517-3551

SIGNATURE OF AUTHORIZED AGENT OR DRIVER **DATE**
 *  1-25-05

NOTES: **VEHICLE LICENSE NUMBER** **TRUCK NUMBER**
 9A35158 Q5

END DUMP **BOTTOM DUMP** **TRANSFER**

ROLL-OFF(S) **FLAT-BED** **VAN** **DRUMS**

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT **DATE**
 * _____ _____

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon
Sanitary Landfill

901 Bailey Road
Pittsburg, CA 94565
Phone (925) 458-9800
Fax (925) 458-9891

Ox Mountain
Sanitary Landfill

12310 San Mateo Road
Half Moon Bay, CA 94019
Phone (650) 726-1819
Fax (650) 726-9183

Newby Island
Sanitary Landfill

1601 Dixon Landing Road
Milpitas, CA 95035
Phone (408) 945-2800
Fax (408) 262-2871

Forward
Landfill

9999 S. Austin Road
Mahteca, CA 95336
Phone (209) 982-4298
Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR
Kaiser Development, Inc.

MAILING ADDRESS
755 Sansome Street

CITY, STATE, ZIP
San Francisco, CA 94111

PHONE
(415) 394-7555

CONTACT PERSON
Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE
*  DATE
1/25/05

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
 DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY
301 14th Street OAKLAND

WASTE ACCEPTANCE NO.

5176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT

GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:


RECEIVING FACILITY

TRANSPORTER
Rege

ADDRESS
1470 D Wharton Way

CITY, STATE, ZIP
Concord CA 94521

PHONE
925 798 6037

SIGNATURE OF AUTHORIZED AGENT OR DRIVER
*  DATE
1/25/05

NOTES: VEHICLE LICENSE NUMBER TRUCK NUMBER

9C29955 14

END DUMP BOTTOM DUMP TRANSFER

ROLL-OFF(S) FLAT-BED VAN DRUMS

CUBIC YARDS

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT
* _____ DATE

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR *Management, Inc.*

MAILING ADDRESS

CITY, STATE, ZIP *94611*

PHONE *54-7555*

CONTACT PERSON *Peter Iwate*

SIGNATURE OF AUTHORIZED AGENT / TITLE *[Signature]* **DATE** *1/25/05*

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations; has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
 DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY
301 14th Street OAKLAND

WASTE ACCEPTANCE NO.
3176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT
 GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

RECEIVING FACILITY

TRANSPORTER
Quarry Material Trans.

ADDRESS *P.O. Box 7793*

CITY, STATE, ZIP *Fremont Cal. 94537*

PHONE

SIGNATURE OF AUTHORIZED AGENT OR DRIVER *[Signature]* **DATE** *01-25-04*

NOTES:

VEHICLE LICENSE NUMBER *7P61021*

TRUCK NUMBER *23*

END DUMP **BOTTOM DUMP** **TRANSFER**
ROLL-OFF(S) **FLAT-BED** **VAN** **DRUMS**

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT *[Signature]* **DATE**

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891

Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST


GENERATOR
 Kaiser Development, Inc.

MAILING ADDRESS
 755 Sansome Street

CITY, STATE, ZIP
 San Francisco, CA 94111

PHONE
 (415) 394-7555

CONTACT PERSON
 Peter Iwate

SIGNATURE OF AUTHORIZED AGENT / TITLE **DATE**
 *  1/25/05

WASTE ACCEPTANCE NO.
5176

REQUIRED PERSONAL PROTECTIVE EQUIPMENT
 GLOVES GOGGLES RESPIRATOR HARD HAT
 TY-VEK OTHER

SPECIAL HANDLING PROCEDURES:

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.

WASTE TYPE:
 DISPOSAL SLUDGE
 CONSTRUCTION WOOD
 DEBRIS OTHER
 SPECIAL WASTE

GENERATING FACILITY
 301 14th Street OAKLAND


RECEIVING FACILITY

TRANSPORTER *Rape Truck*

ADDRESS *1470 Wharton way*

CITY, STATE, ZIP *Concord, Ca. 94521*

PHONE *925 692-0009*

SIGNATURE OF AUTHORIZED AGENT OR DRIVER **DATE**
 *  01-26-05

NOTES: **VEHICLE LICENSE NUMBER** **TRUCK NUMBER**
 9B88839 *97*

END DUMP **BOTTOM DUMP** **TRANSFER**

ROLL-OFF(S) **FLAT-BED** **VAN** **DRUMS**

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT **DATE**
 * _____ _____

CUBIC YARDS

DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)

	DISPOSE	OTHER
<input type="checkbox"/> SOIL		
<input type="checkbox"/> CONSTRUCTION DEBRIS		
<input type="checkbox"/> NON-FRIABLE ASBESTOS		
<input type="checkbox"/> WOOD		
<input type="checkbox"/> ASH		
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.


Keller Canyon Sanitary Landfill
 901 Bailey Road
 Pittsburg, CA 94565
 Phone (925) 458-9800
 Fax (925) 458-9891


Ox Mountain Sanitary Landfill
 12310 San Mateo Road
 Half Moon Bay, CA 94019
 Phone (650) 726-1819
 Fax (650) 726-9183

Newby Island Sanitary Landfill
 1601 Dixon Landing Road
 Milpitas, CA 95035
 Phone (408) 945-2800
 Fax (408) 262-2871

Forward Landfill
 9999 S. Austin Road
 Manteca, CA 95336
 Phone (209) 982-4298
 Fax (209) 982-1009

NON-HAZARDOUS WASTE MANIFEST

GENERATOR Marshall Development, Inc.		WASTE ACCEPTANCE NO. 5176	
MAILING ADDRESS 755 Sansome Street		REQUIRED PERSONAL PROTECTIVE EQUIPMENT <input type="checkbox"/> GLOVES <input type="checkbox"/> GOGGLES <input type="checkbox"/> RESPIRATOR <input checked="" type="checkbox"/> HARD HAT <input type="checkbox"/> TY-VEK <input type="checkbox"/> OTHER	
CITY, STATE, ZIP San Francisco, CA 94111		SPECIAL HANDLING PROCEDURES:	
PHONE (415) 394-7555		RECEIVING FACILITY 	
CONTACT PERSON Peter Iwate			
SIGNATURE OF AUTHORIZED AGENT / TITLE * 	DATE 1/25/05		
GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR Part 261 or title 22 of the California code of regulations, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if the waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions, I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR Part 268 and is no longer a hazardous waste as defined by 40 CFR Part 261.			
WASTE TYPE: <input type="checkbox"/> DISPOSAL <input type="checkbox"/> SLUDGE <input type="checkbox"/> CONSTRUCTION <input type="checkbox"/> WOOD <input type="checkbox"/> DEBRIS <input type="checkbox"/> OTHER <input type="checkbox"/> SPECIAL WASTE			
GENERATING FACILITY 301 14th Street OAKLAND			

TRANSPORTER <i>Marshall Trucks</i>	NOTES:	VEHICLE LICENSE NUMBER 9B83144	TRUCK NUMBER 419
ADDRESS <i>P.O. Box 31606</i>			
CITY, STATE, ZIP <i>OAKLAND, CA 94604</i>			
PHONE <i>510-719-9868</i>	END DUMP <input checked="" type="checkbox"/>	BOTTOM DUMP <input type="checkbox"/>	TRANSFER <input type="checkbox"/>
SIGNATURE OF AUTHORIZED AGENT OR DRIVER * 	ROLL-OFF(S) <input type="checkbox"/>	FLAT-BED <input type="checkbox"/>	VAN <input type="checkbox"/>
DATE 1/25/05	DRUMS <input type="checkbox"/>		

REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT * DATE	CUBIC YARDS	
	DISPOSAL METHOD: (TO BE COMPLETED BY LANDFILL)	
	DISPOSE	OTHER
	<input type="checkbox"/> SOIL	
	<input type="checkbox"/> CONSTRUCTION DEBRIS	
	<input type="checkbox"/> NON-FRIABLE ASBESTOS	
	<input type="checkbox"/> WOOD	
	<input type="checkbox"/> ASH	
<input type="checkbox"/> SPECIAL OTHER		

SCHEDULING MUST BE MADE PRIOR TO 3:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

501

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO#

TH 11 05

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

PENG LEONG

Generator/Authorised Agent

[Signature] FEB 2/05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	1,200
TARE	
NET	1463
TOTAL GALLONS	

Calculated at 8.34lbs per USG

TRANSPORTER INFORMATION

PSC

Truck ID: 135

Driver: Seray Barksdale 2-3-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 575 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1024

Approval Number

500 - 436

Solids %wt pH

0 7

Solids Surcharge \$/USG

Received by: Shane Shelly 2-3-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

503

GENERATOR INFORMATION

Kansal Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

M 1134

Yvonne Wong
 Generator/Authorised Agent

Yvonne Wong 2-7-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	3,000
TARE	
NET	
TOTAL GALLONS	

Calculated at 8.34\$ per USG

TRANSPORTER INFORMATION

PSC

Truck ID: L30 + L34U
 Driver: Tom Bardsley 2-7-05
 Print full name & sign date

TIME OUT	3
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 354-1024

Approval Number

500 - 436

Solids %wt

0

pH

7

Solids Surcharge
 \$/USG

Received by: Shane Shiley 2-7-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

FR 13 32

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Derek Wong
 Generator/Authorized Agent

Derek Wong 2-11-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	76.000
TARE	
NET	4808
TOTAL GALLONS	4160

Calculated at 8.34lbs per USG

TRANSPORTER INFORMATION

PSC

Truck ID: 130

Driver: David Rodriguez 2/11/05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1024

Approval Number

500 - 436

Solids %Wt

0

pH

7

**Solids Surcharge
 \$/USG**

Received by: Shane Shulley 2-11-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansal Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

FR 10 32

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

David Wong
 Generator/Authorized Agent

David Wong 2-11-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	7600
TARE	
NET	
TOTAL GALLONS	4600

Calculated at 8.34lbs per USG

TRANSPORTER INFORMATION

PSC

Truck ID: 130

Driver: Angel Rodriguez 2/11/05
 Print full name & sign date

TIME OUT	0800
TIME IN	
TIME SPENT	030

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364-1024

Approval Number

500 - 436

Solids %Wt pH

0 7

Solids Surcharge \$/USG

Received by: Shane Shelly 2-11-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Derek Wong
 Generator/Authorized Agent

[Signature] 2-14-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	10,000
TARE	
NET	
TOTAL GALLONS	1000

Calculated at 8.34lbs per USG

TRANSPORTER INFORMATION

PSC
 395 W. Channel Rd.
 Benicia Ca
 Phone # (800) 800-7472

Truck ID: #60
 Driver: Angel Rodriguez 2/14/05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1024

Approval Number
 500 - 436

Solids %wt pH
 2.0 7

Solids Surcharge
 \$/USG

Received by:
 Print full name & sign

[Signature]
 date

02-14-05



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansal Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

W 9 42

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Devada Wang
 Generator/Authorized Agent

Devada Wang 2/23/05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	4527
TOTAL GALLONS	4300

Calculated at 6.34lbs per USG

TRANSPORTER INFORMATION

PSC
 395 W Channel rd
 Redwood City, Ca. 94063
 707 746 8287

Truck ID: ISS 139V

Driver: Stem Pearce 2-23-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 384 1024

Approval Number

500 - 436

Solids %Wt

0

pH

7

Solids Surcharge
 \$/USG

Received by: Stem Pearce 2-23-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland - Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

W 12 82

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Devak Wong
 Generator/Authorized Agent

Devak Wong 2-23-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	4799
TOTAL GALLONS	4400

Calculated at 8.34 lbs per USG

TRANSPORTER INFORMATION

PSC
 395 W Channel rd
 Benicia Ca. 94510
 707 746 8287

Truck ID: 155 139V

Driver: Steve Pearce 2-22-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1024

Approval Number

500 - 436

Solids %Wt pH

0 7

**Solids Surcharge
 \$/USG**

Received by: Sham Shelly 2-23-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

W 15 74

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Derek Nong
 Generator/Authorized Agent

Derek Nong 2-23-05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	4755
TOTAL GALLONS	4500

Calculated at 8.34lbs per USG

TRANSPORTER INFORMATION

PSC
 395 W. Channel rd
 Benicia Ca. 94510
 707-946-8287

Truck ID: 155 139V

Driver: Stew Pearce 2-23-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1024

Approval Number
 500 - 436

Solids %Wt pH
 0 7

Solids Surcharge
 #/USG

Received by: Shane Shulley 2-23-05
 Print full name & sign date



Seaport Environmental

NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kenzai Development Inc.
301 14th Street
Oakland Ca

CUSTOMER INFORMATION

ICES
510-282-3525
PO #

DESCRIPTION OF WATER: Excavation dewatering
NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 EX15 AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
REGULATIONS.

Derek Wang
Generator/Authorized Agent

Derek Wang 3-2-05
Sign date

SITE INFORMATION

301 14th Street
Oakland
Ca

GROSS	4,500
TARE	
NET	
TOTAL GALLONS	

Container or 5.3 liter per USG

TRANSPORTER INFORMATION

PSC

Track ID: 135

Driver: Carl Klifford 3-2-05
Print full name & sign date

TIME OUT	8:50
TIME IN	7:30
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 060832853

Seaport Environmental
673 Seaport Boulevard
Redwood City, Ca 94063
Phone: (650) 364 1024

Approval Number

500 - 435

Solids %wt

0

pH

7

Solids Surcharge \$/USG

3-2-05

Received by:
Print full name & sign

P. Alvarado

date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-262-3525
 PO #

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR RUGER RINSEATE, TANK RINSEATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Devick Wong
 Generated/Authorized Agent

Mark Wang 3/2/05
 Sign. date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	
TOTAL GALLONS	4500

Calculated in accordance with USG

PSC

TRANSPORTER INFORMATION

PSC

Track ID: 135

Driver: Carl Kirilov 3-3-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 060032053

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1026

Approval Number
 500 - 436

Solids %wt pH
00 7

Solids Surcharge
 /USG

Received by: P. L. Wong 3-3-05
 Print full name & sign date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO#

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR ALIGER RINSE/TANK RINSE/TANK OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

Devide Wang
 Generator/Authorized Agent

Devide Wang
 Sign Date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	
TOTAL GALLONS	4,500

TRANSPORTER INFORMATION

PSC

Track ID: 135

Driver: Carl Kuhlend 3-3-05
 Print full name & sign date

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 000932058

Seaport Environmental
 673 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 364 1026

Approval Number

500 - 435

Solids %wt

ND

pH

7

Solids Surcharge
 \$/USG

Received by:
 Print full name & sign

P. P. W. C. 3-3-05
 date



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

DESCRIPTION OF WATER: ^{Excavated}
 NON-HAZARDOUS WASTE
 DESCRIBED WATER THIS
 IS A LIQUID EXEMPT FROM
 DESCRIBED IN 22 CFR ART
 CLASSIFIED AND PACKAGE
 REGULATIONS.

OR ABOVE
 MATERIAL
 WASTE AS

LE

David N. [Signature]
 Generator/Authorized Agent

[Signature]
 Sign date

SITE INFORMATION

301 14th Street

GROSS	
TAX	
NET	
TOTAL	

Calculation at \$2.50 per UFG

TRANSPORTER INFORMATION

PSI

Time	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 00032058

Seaport Environmental
 673 Seaport Boulevard
 Redwood City, Ca, 94063
 Phone: (650) 354 1626

Approval Number

500 - 436

Solids %wt

ND

pH

7

Solids Surcharge
 #/USG

--

7/14 20

Received by:
 Print full name & title

P. [Signature]

date

3-3-05



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

DESCRIPTION OF WATER: Except
 NON-HAZARDOUS WASTE WATER
 DESCRIBED WATER, THIS WATER
 IS A LIQUID EXEMPT FROM RCRA
 DESCRIBED IN 22 CFR ART. 171
 CLASSIFIED AND PACKAGE
 REGULATIONS.

Derek N. [Signature]
 Generator/Authorized Agent

[Signature]
 Sign Date

SITE INFORMATION

301 14th Street
 Oakland

GROSS	
TARE	

TRANSPORTER INFORMATION

Truck ID: #56
 Driver: M. [Signature]

PSC

DISPOSAL FACILITY INFORMATION

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 354-1024

001 00032055

Approval Number

500 - 435

Solids %wt

pH

0

6

Solids Surcharge
 \$/USG

Received by:
 Printed name & sign

[Signature]

3-7-05
 Date

05

19 90



Seaport Environmental
NON-HAZARDOUS WATER TRANSPORT FORM

--	--	--	--

GENERATOR INFORMATION

Kansai Development Inc.
 301 14th Street
 Oakland Ca

CUSTOMER INFORMATION

ICES
 510-282-3525
 PO #

DESCRIPTION OF WATER: Excavation dewatering
 NON-HAZARDOUS WASTE WATER, MONITORING WELL PURGE WATER AND/OR AUGER RINSATE, TANK RINSATE OR ABOVE
 DESCRIBED WATER. THIS WATER MAY CONTAIN DISSOLVED HYDROCARBONS. I CERTIFY THAT THE ABOVE NAMED MATERIAL
 IS A LIQUID EXEMPT FROM RCRA PER 40 CFR 261.4 (b)(10) AND DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS
 DESCRIBED IN 22 CCR ARTICLE 11 OR ANY OTHER APPLICABLE STATE LAW, HAS BEEN PROPERLY DESCRIBED,
 CLASSIFIED AND PACKAGED AND IS IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS.

David Wang
 Generator/Authorized Agent

David Wang 3/7/05
 Sign date

SITE INFORMATION

301 14th Street
 Oakland
 Ca

GROSS	
TARE	
NET	
TOTAL GALLONS	706

Calculated at 8.34 lbs per USG

TRANSPORTER INFORMATION

Track ID: #56
 Driver: M. [Signature] 3/7/05
 Print full name & sign date

12 90

PSC

TIME OUT	
TIME IN	
TIME SPENT	

DISPOSAL FACILITY INFORMATION EPA ID: CAL 00032058

Seaport Environmental
 675 Seaport Boulevard
 Redwood City, Ca 94063
 Phone: (650) 354 1024

Approval Number

500 - 436

Solids %wt

0

pH

6

Solids Surcharge
 \$/USG

Received by:
 Print full name & sign

[Signature] 3-7-05
 date

APPENDIX C

LABORATORY CERTIFICATES



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892;ICES	Date Sampled: 01/20/05
		Date Received: 01/21/05
	Client Contact: Peng Leong	Date Extracted: 01/21/05
	Client P.O.:	Date Analyzed: 01/24/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501277

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EF-1	S	ND	ND	ND	ND	ND	ND	1	96

Reporting Limit for DF = 1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* Water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern. n) results are reported by dry weight

ICES

0501277



McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 D.

EDF Required? Yes No

Report To: Peng Leong Bill To: Same
 Company: ICES
 P.O. Box 99288
 Emeryville, CA 94662 E-Mail: duvek-ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name:
 Project Location:
 Sampler Signature:

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED									
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other						
EF-1		1-20-05		1		✓														

Analysis Request	Other	Comment
BTEX & TPH as Gas (602/8020 + 8012)/MTBE		
TPH as Diesel (8015)		
Total Petroleum Oil & Grease (5320 E&F/B&F)		
Total Petroleum Hydrocarbons (418.1)		
EPA 601 / 8010		
BTEX ONLY (EPA 602 / 8020)		
EPA 608 / 8080		
EPA 608 / 8080 PCB's ONLY		
EPA 624 / 8240 / 8250		
EPA 625 / 8270		
PAH's / DNA's by EPA 625 / 8270 / 8310		
CAM-17 Metals		
LUFT 5 Metals		
Lead (7340/7421/239.2/6010)		
RCI		

Relinquished By:	Date: 1/21	Time: 2:00	Received By:
Relinquished By:	Date: 1/21	Time: 2:10	Received By:
Relinquished By:	Date:	Time:	Received By:

ICE*
 GOOD CONDITION
 HEAD SPACE ABSENT
 DECHLORINATED IN LAB

PRESERVATION APPROPRIATE
 CONTAINERS PRESERVED IN LAB

VOAS O&G METALS OTH

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501277

ClientID: ICES

Report to:

Peng Leong

ICES

P.O. Box 99288

Emeryville, CA 94662

TEL: (510) 652-3222

FAX: (510) 652-3555

ProjectNo: #3892;ICES

PO:

Bill to

Accounts Payable

ICES

P.O. Box 99288

Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/21/2005

Date Printed: 01/24/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0501277-001	EF-1	Soil	01/20/2005	<input type="checkbox"/>	A														

Test Legend:

1	G-MBTEX_S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Rosa Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/24/05
		Date Received: 01/25/05
	Client Contact: Peng Leong	Date Extracted: 01/25/05
	Client P.O.:	Date Analyzed: 01/26/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501328

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EF-2	S	ND	ND	ND	ND	ND	ND	1	95
002A	EF-4	S	ND	ND	ND	ND	ND	ND	1	94

Reporting Limit for DF = 1, ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant, b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant, d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?, e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?), f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) results are reported by dry weight.

1085

0501328

RUSH!

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: peng Leung Bill To: same
 Company: ICES
P.O. Box 99288
Emeryville CA 94662
 Tele: () 510-052-3222 E-Mail: lvrck-ices@yahoo.com
 Project #: ICES 3892 Project Name:
 Project Location:
 Sampler Signature: lvrck

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED		Analysis Request	Other	Comments	
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl				HNO ₃
EF-2		1/24/05		1			✓				✓					
EF-4		↓		1			✓				✓					

BTEX & TPH as Gas (602/8020 + 8015)M/TBE
 TPH as Diesel (8015)
 Total Petroleum Oil & Grease (5520 E&F/B&F)
 Total Petroleum Hydrocarbons (418.1)
 EPA 601 / 8010
 BTEX ONLY (EPA 602 / 8020)
 EPA 608 / 8080
 EPA 608 / 8080 PCB's ONLY
 EPA 624 / 8240 / 8260
 EPA 625 / 8270
 PAH's / PNA's by EPA 625 / 8270 / 8310
 CAM-17 Metals
 LUFT 5 Metals
 Lead (7240/7421/239.2/6010)
 RCI

Relinquished By: lvrck Wang Date: 1/25/05 Time: 5:50 PM Received By: [Signature]
 Relinquished By: [Signature] Date: 1/25/05 Time: 5:00 Received By: Mike Valle
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICES GOOD CONDITION PRESERVATION
 HEAD SPACE ABSENT APPROPRIATE CONTAINERS
 DECHLORINATED IN LAB _____ PRESERVED IN LAB _____

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501328

ClientID: ICES

Report to:

Peng Leong
ICES
P.O. Box 99288
Emeryville, CA 94662

TEL: (510) 652-3222
FAX: (510) 652-3555
ProjectNo: #3892
PO:

Bill to

Accounts Payable
ICES
P.O. Box 99288
Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/25/2005

Date Printed: 01/26/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0501328-001	EF-2	Soil	01/24/2005	<input type="checkbox"/>	A															
0501328-002	EF-4	Soil	01/24/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX_S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; ICES	Date Sampled: 01/22/05
	Client Contact: Peng Leong	Date Received: 01/24/05
	Client P.O.:	Date Extracted: 01/24/05
		Date Analyzed: 01/25/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501296

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EF-3	S	ND	ND	ND	ND	ND	ND	1	86

Reporting Limit for DF = 1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in ug/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant, b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?, e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) results are reported by dry weight.

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501296

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; ICES
 PO:

Bill to:

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/24/2005

Date Printed: 01/25/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0501296-001	EF-3	Soil	1/22/05	<input type="checkbox"/>	A														

Test Legend:

1	G-MBTX_S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Rosa Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

**McC Campbell Analytical, Inc.**

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail. main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; ICES	Date Sampled: 01/20/05
		Date Received: 01/21/05
	Client Contact: Peng Leong	Date Extracted: 01/21/05
	Client P.O.:	Date Analyzed: 01/22/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods SW8021B/8015Cm

Work Order. 0501279

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EW-1	S	ND	ND	ND	ND	ND	ND	1	96
002A	EW-6	S	ND	ND	ND	ND	ND	ND	1	98

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	µg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) results are reported by dry weight.

ICES

0301279


RUSH

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
 PACHECO, CA 94553-5560
 Telephone: (925) 798-1620 Fax: (925) 798-1622







CHAIN OF CUSTODY RECORD

TURN AROUND TIME
 RUSH 24 HR 48 HR 72 HR 5 D.
 EDF Required? Yes No

Report To: Peng Leong Bill To: Same
 Company: ICES
 P.O. Box 99288
 Emeryville, CA 94662 E-Mail: devel_ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name:
 Project Location:
 Sampler Signature: 

Analysis Request Other Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602/8020 + 8015) <input checked="" type="checkbox"/>	TPH as Diesel (8015) <input checked="" type="checkbox"/>	Total Petroleum Oil & Grease (5520 E&T/B&F) <input checked="" type="checkbox"/>	Total Petroleum Hydrocarbons (418.1) <input checked="" type="checkbox"/>	EPA 601 / 8010 <input type="checkbox"/>	BTEX ONLY (EPA 602 / 8020) <input type="checkbox"/>	EPA 608 / 8080 <input type="checkbox"/>	EPA 608 / 8080 PCB's ONLY <input type="checkbox"/>	EPA 624 / 8240 / 8260 <input type="checkbox"/>	EPA 625 / 8270 <input type="checkbox"/>	PAH's / PNA's by EPA 625 / 8270 / 8310 <input type="checkbox"/>	CAM-17 Metals <input type="checkbox"/>	LUFT 5 Metals <input type="checkbox"/>	Lead (7240/7421/239.2/6010) <input type="checkbox"/>	RCI <input type="checkbox"/>	Other	Comments					
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other																						
EW-1		1-20-05		1		✓																														
EW-6		"		1		✓																														

Relinquished By:  Date: 1/20/05 Time: 3:30 PM Received By: 
 Relinquished By:  Date: 12/15/05 Time: 1:00 PM Received By: 
 Relinquished By:  Date: 12/15/05 Time: 1:00 PM Received By: 

ICE#
 GOOD CONDITION
 HEAD SPACE ABSENT
 DECHLORINATED IN LAB
 PRESERVATION APPROPRIATE
 CONTAINERS PRESERVED IN LAB
 VOAS O&G METALS OTH

McCampbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501279

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; ICES
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/21/2005

Date Printed: 01/24/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0501279-001	EW-1	Soil	01/20/2005	<input type="checkbox"/>	A														
0501279-002	EW-6	Soil	01/20/2005	<input type="checkbox"/>	A														

Test Legend:

1	G-MBTX_S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Rosa Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; ICES	Date Sampled: 01/22/05
		Date Received: 01/24/05
	Client Contact: Peng Leong	Date Extracted: 01/24/05
	Client P.O.:	Date Analyzed: 01/25/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501298

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EW-2	S	ND	ND	ND	ND	ND	ND	1	94

Reporting Limit for DF = 1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	µg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) results are reported by dry weight.

ices

0501298



McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: *Peng Leong*

Bill To: *same*

Company: *ices*

*P.O. Box 91288
Emeraldville, CA 94602*

Tele: () 510 652-3222

E-Mail: *Juvak_ices@yahoo.com*
Fax: () 510 652-3555

Project #: *ICES 3892*

Project Name:

Project Location:

Sampler Signature: *[Signature]*

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED		BTEX & TPH as Gos (602/8020 - 8015)/MTBE TPH as Diesel (8015) Total Petroleum Oil & Grease (5530 E&F&F&F) Total Petroleum Hydrocarbons (4181) EPA 601 / 8010 BTEX ONLY (EPA 602 / 8020) EPA 608 / 8080 EPA 608 / 8080 PCB'S ONLY EPA 624 / 8240 / 8260 EPA 625 / 8270 PAH's / PNA's by EPA 625 / 8270 - 8310 CAM-17 Metals LUFT 5 Metals Lead (7240/7421/739/2160/0) RCI	Other	Comments				
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl				HNO ₃	Other		
EW-2		1/22/05		1															

Relinquished By: *[Signature]* Date: *1/24/05* Time: *5:20* Received By: *[Signature]*

Relinquished By: *[Signature]* Date: *1/26/05* Time: *6:45* Received By: *[Signature]*

Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICEA*

GOOD CONDITION PRESERVATION APPROPRIATE

HEAD SPACE ABSENT CONTAINERS

DECHLORINATED IN LAB PERSERVED IN LAB

VOASH O&G METALS OTHER

McCampbell Analytical, Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501298

ClientID: ICES

Report to:

Peng Leong
ICES
P.O. Box 99288
Emeryville, CA 94662

TEL: (510) 652-3222
FAX: (510) 652-3555
ProjectNo: #3892; ICES
PO:

Bill to:

Accounts Payable
ICES
P.O. Box 99288
Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/24/2005

Date Printed: 01/25/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)																							
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15									
0501298-001	EW-2	Soil	1/22/05	<input type="checkbox"/>	A																							

Test Legend:

1	G-MBTEX_S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Rosa Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/24/05
		Date Received: 01/25/05
	Client Contact: Peng Leong	Date Extracted: 01/25/05
	Client P.O.:	Date Analyzed: 01/26/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501327

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EW-3	S	ND	ND	ND	ND	ND	ND	1	97
002A	EW-4	S	ND	ND	ND	ND	ND	ND	1	100

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present. i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) results are reported by dry weight.

1025

050132-1

RUSH!

McCAMPBELL ANALYTICAL INC.

110 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH
 24 HR
 48 HR
 72 HR
 5 DAY

EDF Required? Yes No

Report To: Peng Leong Bill To: same
 Company: ICES
 P.O. Box 99288
 Emeryville, CA 94607 E-Mail: dewick_ices@yahoo.com
 Tele: () 510 452-3222 Fax: () 510 452-3555
 Project #: ICES 3892 Project Name:
 Project Location:
 Sampler Signature: [Signature]

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other	
EW-3		1/24	05	1			✓							✓	
EW-4				1			✓							✓	

BTEX & TPH as Gas (502/8020 + 8015)MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/2352/6010)	RCI

Relinquished By: [Signature] Date: 1/25/05 Time: 5:00 Received By: [Signature]
 Relinquished By: [Signature] Date: 1/25/05 Time: 5:00 Received By: [Signature]
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICEP VOAS O&G METALS OTHER
 GOOD CONDITION PRESERVATION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB PRESERVED IN LAB

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WorkOrder: 0501327

ClientID: ICES

Report to:

Peng Leong
ICES
P.O. Box 99288
Emeryville, CA 94662

TEL: (510) 652-3222
FAX: (510) 652-3555
ProjectNo: #3892
PO:

Bill to

Accounts Payable
ICES
P.O. Box 99288
Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/25/2005

Date Printed: 01/26/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0501327-001	EW-3	Soil	01/24/2005	<input type="checkbox"/>	A															
0501327-002	EW-4	Soil	01/24/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX S
6	
11	

2	
7	
12	

3	
8	
13	

4	
9	
14	

5	
10	
15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892;ICES	Date Sampled: 01/21/05
		Date Received: 01/21/05
	Client Contact: Peng Leong	Date Extracted: 01/21/05
	Client P.O.:	Date Analyzed: 01/21/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501280

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	EW-5	S	ND	ND	ND	ND	ND	ND	1	100

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas) m) no recognizable pattern; n) results are reported by dry weight

0501280

RUSH

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH
 24 HR
 48 HR
 72 HR
 5 DAY

EDF Required? Yes No

Report To: Peng Leong
Company: ICES
P.O. Box 99288
Emeryville, CA 94662
Tele: () 510-652-3222
Project #: ICES 3892
Project Location:
Sampler Signature:

Bill To: Same

E-Mail:

Fax: () 510-652-3555

Project Name:

Analysis Request													Other	Comments			
BTEX & TPH as Gas (602/8070 + 8015)M/TB TPH as Diesel (8015) Total Petroleum Oil & Grease (5520 E&F/B&F) Total Petroleum Hydrocarbons (418.1) EPA 601 / 8010 BTEX ONLY (EPA 602 / 8020) EPA 608 / 8080 EPA 608 / 8080 PCB's ONLY EPA 624 / 8240 / 8260 EPA 625 / 8270 PAH's / PNA's by EPA 625 / 8270 / 8310 CAM-17 Metals LUFT 5 Metals Lead (7240/7421/239.2/6010) RCI																	
EW-5													1-21-05	1	✓	✓	

Relinquished By: [Signature] **Date:** 1/21/05 **Time:** 2:20 **Received By:** [Signature]

Relinquished By: [Signature] **Date:** 1/21/05 **Time:** 2:15 **Received By:** [Signature]

Relinquished By: [Signature] **Date:** 1/21/05 **Time:** **Received By:** [Signature]

ICE/ ✓
 GOOD CONDITION ✓
 HEAD SPACE ABSENT ✓
 DECHLORINATED IN LAB ✓

PRESERVATION
 APPROPRIATE CONTAINERS ✓
 PRESERVED IN LAB ✓

VOAS
 G&G
 METALS
 OTHER

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501280

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892;ICES
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 01/21/2005

Date Printed: 01/24/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0501280-001	EW-5	Soil	01/21/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTEX S	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Rosa Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone · 925-798-1620 Fax 925-798-1622
Website www.mcccampbell.com E-mail. main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; 301 14th Street	Date Sampled: 02/05/05
		Date Received: 02/07/05
	Client Contact: Peng Leong	Date Extracted: 02/10/05
	Client P.O.:	Date Analyzed: 02/10/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method SW5030B

Analytical methods SW8021B/8015Cm

Work Order 0502100

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-1	W	93,m	7.3	ND	ND	ND	ND	1	107

Reporting Limit for DF =1, ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content, k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

0502100

McCAMPBELL ANALYTICAL INC.

110 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: Peng Leong Bill To: SAMC
Company: ICES
P.O. Box 99288
emeryville CA 94662 E-Mail: derrick_ices@yahoo.com
Tele: () 510-652-3222 Fax: () 510-652-3555
Project #: ICES 3892 Project Name:
Project Location: 3014th St
Sampler Signature: [Signature]

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Org (602/8020 + 8015) NTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI										
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other																									
+ GW-1		2-5-05		2	✓						✓	✓																											

Relinquished By: [Signature] Date: 2-7-05 Time: 5:30 Received By: [Signature]
 Relinquished By: [Signature] Date: 2/7/2005 Time: 12:22 Received By: [Signature]
 Relinquished By: [Signature] Date: 2/7/2005 Time: 12:22 Received By: [Signature]

ICE/* PRESERVATION
 GOOD CONDITION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB PERSERVED IN LAB
 VGAS O&G METALS OTHER

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0502100

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; 301 14th Street
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 5 days

Date Received: 02/07/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0502100-001	GW-1	Water	02/05/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Maria Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

1102nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax 925-798-1622
Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; 301 14th Street	Date Sampled: 02/06/05
		Date Received: 02/07/05
	Client Contact: Peng Leong	Date Extracted: 02/12/05
	Client P.O.:	Date Analyzed: 02/12/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method SW5030B

Analytical methods SW8021B/8015Cm

Work Order 0502099

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-2	W	640,a	12	19	ND	ND	110	1	115

Reporting Limit for DF=1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present, g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas) m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request

0502094

McCAMPBELL ANALYTICAL INC.

118 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: Peng Leong Bill To: Same
 Company: ICS
P.O. Box 99288
emeryville CA 94662 E-Mail: dwork-ics@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICS 3892 Project Name: _____
 Project Location: 3014th St
 Sampler Signature: [Signature]

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED						
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other			
+ GW-2		2-6-05		2	1							✓	✓				

BTEX & TPH as Gas (602/8020 + 8015) NMTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI					

Relinquished By: [Signature] Date: 2-7-05 Time: 7:50 Received By: [Signature]
 Relinquished By: [Signature] Date: 2/7/05 Time: 7:20 Received By: [Signature]
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE/* PRESERVATION
 GOOD CONDITION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB PERSERVED IN LAB

VOAS O&G METALS OTHER

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0502099

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; 301 14th Street
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: **5 days**

Date Received: 02/07/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0502099-001	GW-2	Water	02/06/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Maria Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 02/18/05
		Date Received: 02/23/05
	Client Contact: Peng Leong	Date Extracted: 02/23/05
	Client P.O.:	Date Analyzed: 02/23/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0502338

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-3	W	53,a	ND	5.3	3.6	0.73	8.0	1	108

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present, i) liquid sample that contains greater than ~1 vol. % sediment, j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request

ICES

0502338

RUSH

CHAIN OF CUSTODY RECORD

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: Peng Leong Bill To: Same
 Company: ICES
P.O. box 99288
Emeryville CA 94602 E-Mail: derek@icesg.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name: _____
 Project Location: 301 14th St
 Sampler Signature: [Signature]

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				Analysis Request	Other	Comments
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other			
✓ GW-3		2-18-05		2		✓								✓			

Relinquished By: [Signature] Date: 2/23/05 Time: 10:50 Received By: [Signature]

Relinquished By: [Signature] Date: 2/23/05 Time: 10:50 Received By: [Signature]

Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE# 1 PRESERVATION ✓ VOAS O&G METALS OTHER

GOOD CONDITION ✓ APPROPRIATE CONTAINERS ✓

HEAD SPACE ABSENT ✓ PERSERVED IN LAB

DECLORINATED IN LAB

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
Pacheco, CA 94553-5560
(925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0502338

ClientID: ICES

Report to:

Peng Leong
ICES
P.O. Box 99288
Emeryville, CA 94662

TEL: (510) 652-3222
FAX: (510) 652-3555
ProjectNo: #3892
PO:

Bill to

Accounts Payable
ICES
P.O. Box 99288
Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 02/23/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)																	
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			
0502338-001	GW-3	Water	02/18/2005	<input type="checkbox"/>	A																	

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 02/23/05
		Date Received: 02/24/05
	Client Contact: Peng Leong	Date Extracted: 02/25/05
	Client P.O.:	Date Analyzed: 02/25/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0502367

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-4	W	ND	ND	ND	ND	ND	ND	1	114

Reporting Limit for DF=1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant, biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant, h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

ICES

0502367

RUSH

McCAMPBELL ANALYTICAL INC.

110 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: peng Leong Bill To: same
 Company: ICES
 P.O. Box 99288
 Emeryville, CA 94602 E-Mail: dward_ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name:
 Project Location: 301 14th Street
 Sampler Signature: *Jard*

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602/8020 + 8015)/NTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI										
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other																									
✓ GW-4		2-23-05		2		✓					✓	✓	✓																										

Relinquished By: *Jard* Date: 2-24-05 Time: 11:00
 Received By: *Michael Vall*

Relinquished By: *[Signature]* Date: 2-24-05 Time: 5:00
 Received By: *Michael Vall*

Relinquished By: Date: Time: Received By: Date: Time: Received By:

ICE/*	✓	VOAS	✓	O&G		METALS		OTHER	
GOOD CONDITION	✓	PRESERVATION	✓						
HEAD SPACE ABSENT	✓	APPROPRIATE	✓						
DECHLORINATED IN LAB	✓	CONTAINERS	✓						
		PRESERVED IN LAB							

McCampbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0502367

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 02/24/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)																			
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15					
0502367-001	GW-4	Water	02/23/2005	<input type="checkbox"/>	A																			

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 02/28/05
		Date Received: 03/01/05
	Client Contact: Peng Leong	Date Extracted: 03/02/05
	Client P.O.:	Date Analyzed: 03/02/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods SW8021B/8015Cm

Work Order: 0503022

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-5	W	ND	ND	ND	ND	ND	ND	1	101

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	NA	NA	1

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

ices

RUSH

0503022

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-3560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: Peng Leong Bill To: SAMO
 Company: ices
P.O. Box 99288
Emeryville, CA 94602 E-Mail: derek_ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name:
 Project Location: 3014th St
 Sampler Signature: Derek

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED							
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other				
✓ <u>GW-5</u>		<u>2/28/05</u>		<u>2</u>		✓					✓							

Analysis Request										Other	Comments						
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
BTEX & TPH as Gas (602/8020 + 8015)MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (3520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI			

Relinquished By: Derek Date: 2/28/05 Time: 05:23 Received By: [Signature]
 Relinquished By: [Signature] Date: 3/05 Time: 5:10 Received By: [Signature]
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE/ GOOD CONDITION HEAD SPACE ABSENT DECHLORINATED IN LAB PRESERVED IN LAB

PRESERVATION APPROPRIATE CONTAINERS PRESERVED IN LAB

VOAS O&G METALS OTHER

McC Campbell Analytical, Inc.

110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0503022

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892
 PO:

Bill to:

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT:

1 day

Date Received: 03/01/2005

Date Printed: 03/04/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0503022-001	GW-5	Water	2/28/05	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTEX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mcccampbell.com E-mail main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 03/02/05
		Date Received: 03/02/05
	Client Contact: Peng Leong	Date Extracted: 03/03/05
	Client P.O.:	Date Analyzed: 03/03/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0503038

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-6	W	ND	ND	ND	ND	ND	ND	1	117

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas) m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

ICES

0503038

RUSH

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: peng Leong Bill To: same
 Company: ICES
P.O. Box 99288
Emeryville CA 94662 E-Mail: derek_ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICES 3892 Project Name:
 Project Location: 301 14th street
 Sampler Signature: [Signature]

Analysis Request

Other

Comments

BTEX & TPH as Gas (602/8020 + 8015)ACTBE
 TPH as Diesel (8015)
 Total Petroleum Oil & Grease (5520 EA&FB&F)
 Total Petroleum Hydrocarbons (418.1)
 EPA 601 / 8010
 BTEX ONLY (EPA 602 / 8020)
 EPA 608 / 8080
 EPA 608 / 8080 PCB's ONLY
 EPA 624 / 8240 / 8260
 EPA 625 / 8270
 PAH's / PNA's by EPA 625 / 8270 / 8310
 CAM-17 Metals
 LUFT 5 Metals
 Lead (7240/7421/239.2/6010)
 RCI

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED							
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other				
GW-0		3-2-05		2														

Relinquished By: [Signature] Date: 3-2-05 Time: 7:30 Received By: [Signature]
 Relinquished By: [Signature] Date: 3/2/05 Time: 4:15 Received By: [Signature]
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE# PRESERVATION
 GOOD CONDITION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB _____ PRESERVED IN LAB _____

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0503038

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 03/02/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0503038-001	GW-6	Water	03/02/2005	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTEX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website. www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; 301 14th St.	Date Sampled: 03/03/05
		Date Received: 03/03/05
	Client Contact: Peng Leong	Date Extracted: 03/03/05
	Client P.O.:	Date Analyzed: 03/03/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0503064

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-7	W	ND	ND	ND	ND	ND	ND	1	109

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant, biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant, h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content, k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

0503064



McCAMPBELL ANALYTICAL INC.

110 1st AVENUE SOUTH, #D7
PACHECO, CA 94553-3560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: *ping Leong* Bill To: *same*
Company: *ICES*
P.O. Box 99288
Emeryville CA 94662 E-Mail: *derek_ices@yahoo.com*
Tele: () *510-652-3222* Fax: () *510-652-3555*
Project #: *ICES 3892* Project Name:
Project Location: *301 14th St.*
Sampler Signature: *iwk*

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602/8020 + 8015)MTBE TPH as Diesel (8015) Total Petroleum Oil & Grease (5520 E&F/B&F) Total Petroleum Hydrocarbons (418.1) EPA 601 / 8010 BTEX ONLY (EPA 602 / 8020) EPA 608 / 8080 EPA 608 / 8080 PCB's ONLY EPA 624 / 8240 / 8260 EPA 625 / 8270 PAH's / PNA's by EPA 625 / 8270 / 8310 CAM-17 Metals LUFT 5 Metals Lead (7240/7421/239.2/6010) RCI					
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other						
✓ GW-7		3-3-05		2		✓						✓								

Relinquished By: <i>iwk</i>	Date: <i>3-3-05</i>	Time: <i>05:20</i>	Received By: <i>[Signature]</i>
Relinquished By: <i>[Signature]</i>	Date: <i>3-3-05</i>	Time: <i>3:55</i>	Received By: <i>[Signature]</i>
Relinquished By:	Date:	Time:	Received By:

ICE/ PRESERVATION VOAS O&G METALS OTHER
GOOD CONDITION APPROPRIATE
HEAD SPACE ABSENT CONTAINERS
DECHLORINATED IN LAB PRESERVED IN LAB

McCampbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0503064

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; 301 14th St.
 PO:

Bill to:

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT:

1 day

Date Received: 03/03/2005

Date Printed: 03/04/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)																						
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15								
0503064-001	GW-7	Water	3/3/05	<input type="checkbox"/>	A																						

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Maria Venegas

Comments: 24hr Rush

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone : 925-798-1620 Fax : 925-798-1622
Website: www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; 301 14th St.	Date Sampled: 03/04/05
		Date Received: 03/04/05
	Client Contact: Peng Leong	Date Extracted: 03/04/05
	Client P.O.:	Date Analyzed: 03/04/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0503086

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	GW-8	W	ND	ND	ND	ND	ND	ND	1	106

Reporting Limit for DF = 1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

0503086

RUSH

McCAMPBELL ANALYTICAL INC.
 110 2ND AVENUE SOUTH, WD7
 PACHECO, CA 94553-5560
 Telephone: (925) 798-1620 Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD
 TURN AROUND TIME RUSH 24 HR 48 HR 72 HR 5 DAY
 EDF Required? Yes No

Report To: pong Leong Bill To: same
 Company: ICCS
P.O. Box 99288
Emeryville, CA 94662 E-Mail: derek-ices@yahoo.com
 Tele: () 510-652-3222 Fax: () 510-652-3555
 Project #: ICCS 3892 Project Name:
 Project Location: 301 14th St.
 Sampler Signature: [Signature]

Analysis Request Other Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED						
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other			
✓ GW-3		3-4-05		2	✓							✓					

BTEX & TPH as Gas (602/8020 + 8015)MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 615 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI
---	----------------------	---	--------------------------------------	----------------	----------------------------	----------------	---------------------------	-----------------------	----------------	--	---------------	---------------	-----------------------------	-----

Relinquished By: [Signature] Date: 3/5 Time: 0510P Received By: [Signature]
 Relinquished By: [Signature] Date: 3/4/05 Time: 110 Received By: [Signature]
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE/ PRESERVATION
 GOOD CONDITION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB PERSERVED IN LAB
 VOAS O&G METALS OTHER

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0503086

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; 301 14th St.
 PO:

Bill to:

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT:

1 day

Date Received: 03/04/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0503086-001	GW-8	Water	3/4/05	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Maria Venegas

Comments: 24hr Rush

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone 925-798-1620 Fax 925-798-1622
 Website www.mcccampbell.com E-mail main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/12/05
	Client P.O.:	Date Analyzed: 01/13/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method. SW5030B

Analytical methods SW8021B/8015Cm

Work Order 0501146

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	KD-1	S	ND	ND	ND	ND	ND	ND	1	94
002A	KD-2	S	ND	ND	ND	ND	ND	ND	1	91
003A	KD-3	S	ND	ND	ND	ND	ND	ND	1	89
004A	KD-4	S	1.9,a,g	ND	0.010	0.021	ND	0.059	1	107
005A	KD-5	S	ND	ND	ND	ND	ND	ND	1	97
006A	KD-6	S	ND	ND	ND	ND	ND	ND	1	100
007A	KD-7	S	ND	ND	ND	ND	ND	ND	1	110

Reporting Limit for DF=1; ND means not detected at or above the reporting limit	W	NA	NA	NA	NA	NA	NA	NA	1	ug/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?, e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas) m) no recognizable pattern; n) results are reported by dry weight.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone · 925-798-1620 Fax · 925-798-1622
 Website, www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/12/05
	Client P.O.:	Date Analyzed: 01/13/05-01/14/05

Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0501146

Lab ID	0501146-001A	0501146-002A	0501146-003A	0501146-004A	Reporting Limit for DF =	
Client ID	KD-1	KD-2	KD-3	KD-4		
Matrix	S	S	S	S		
DF	1	1	1	1		

Compound	Concentration				mg/kg	ug/L
tert-Amyl methyl ether (TAME)	ND	ND	ND	ND	0.005	NA
t-Butyl alcohol (TBA)	ND	ND	ND	ND	0.025	NA
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	0.005	NA
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND	ND	0.005	NA
Diisopropyl ether (DIPE)	ND	ND	ND	ND	0.005	NA
Ethyl tert-butyl ether (ETBE)	ND	ND	ND	ND	0.005	NA
Methyl-t-butyl ether (MTBE)	ND	ND	ND	ND	0.005	NA

Surrogate Recoveries (%)

%SS:	109	109	109	109		
------	-----	-----	-----	-----	--	--

Comments

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment, j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone 925-798-1620 Fax 925-798-1622
 Website www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/12/05
	Client P.O.:	Date Analyzed: 01/13/05-01/14/05

Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS*

Extraction Method SW5030B

Analytical Method SW8260B

Work Order: 0501146

Lab ID	0501146-005A	0501146-006A	0501146-007A		Reporting Limit for DF =1	
Client ID	KD-5	KD-6	KD-7			
Matrix	S	S	S			
DF	1	1	1			

Compound	Concentration				mg/kg	ug/L
	tert-Amyl methyl ether (TAME)	ND	ND	ND		0.005
t-Butyl alcohol (TBA)	ND	ND	ND		0.025	NA
1,2-Dibromoethane (EDB)	ND	ND	ND		0.005	NA
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND		0.005	NA
Diisopropyl ether (DIPE)	ND	ND	ND		0.005	NA
Ethyl tert-butyl ether (ETBE)	ND	ND	ND		0.005	NA
Methyl-t-butyl ether (MTBE)	ND	ND	ND		0.005	NA

Surrogate Recoveries (%)

%SS:	109	109	108		
------	-----	-----	-----	--	--

Comments

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative

ices

0501140

RUSH

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: ICES Bill To: _____
 Company: ICES
 E-Mail: _____
 Tele: () _____ Fax: () _____
 Project #: ICES 3892 Project Name: _____
 Project Location: _____
 Sampler Signature: _____

Analysis Request Other Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED								
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other					
KD-1		1-11-05		1			✓												
KD-2		}		1			✓												
KD-3				1			✓												
KD-4				1			✓												
KD-5				1			✓												
KD-6		1-12-05		1			✓												
KD-7		"		1			✓												

BTEX & TPH as Gas (602/8020 - 8015) MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (72407421/239 2/6010)	RCI	ETHER OXYGENATES	EPB & EPC		
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Relinquished By: _____ Date: 1/11/05 Time: 3:00 Received By: _____
 Relinquished By: _____ Date: 1/12/05 Time: 3:45 Received By: Joe Vall
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICES PRESERVATION
 GOOD CONDITION APPROPRIATE CONTAINERS
 HEAD SPACE ABSENT PRESERVED IN LAB
 DECHLORINATED IN LAB VOAS O&G METALS OTHER

McCampbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501146

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 2 days

Date Received: 01/12/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0501146-001	KD-1	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-002	KD-2	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-003	KD-3	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-004	KD-4	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-005	KD-5	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-006	KD-6	Soil	01/11/2005	<input type="checkbox"/>	A	A														
0501146-007	KD-7	Soil	01/12/2005	<input type="checkbox"/>	A	A														

Test Legend:

1 5-OXYS+PBSCV S	2 G-MBTEX S	3	4	5
6	7	8	9	10
11	12	13	14	15

Prepared by: Melissa Valles

Comments:-- 8260-ON-72-HR

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone: 925-798-1620 Fax: 925-798-1622
 Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/13/05
	Client P.O.:	Date Analyzed: 01/13/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0501147

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	KD-1W	W	ND,i	ND	ND	ND	ND	ND	1	107
002A	KD-2W	W	ND	ND	ND	ND	ND	ND	1	113
003A	KD-3W	W	ND,i	ND	ND	ND	ND	ND	1	112
004A	KD-4W	W	ND,i	ND	ND	ND	ND	ND	1	109
005A	KD-5W	W	ND,i	ND	ND	ND	ND	ND	1	111
006A	KD-6W	W	ND,i	ND	ND	ND	ND	ND	1	112
007A	KD-7W	W	ND,i	ND	ND	ND	ND	ND	1	113

Reporting Limit for DF = 1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content; k) TPH pattern that does not appear to be derived from gasoline (aviation gas). m) no recognizable pattern, n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website www.mcccampbell.com E-mail: main@mcccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/13/05-01/14/05
	Client P.O.:	Date Analyzed: 01/13/05-01/14/05

Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order 0501147

Lab ID	0501147-001B	0501147-002B	0501147-003B	0501147-004B	Reporting Limit for DF =1	
Client ID	KD-1W	KD-2W	KD-3W	KD-4W		
Matrix	W	W	W	W		
DF	1	1	1	1		

Compound	Concentration				ug/kg	ug/L
	tert-Amyl methyl ether (TAME)	ND	ND	ND	ND	NA
t-Butyl alcohol (TBA)	ND	ND	ND	ND	NA	5.0
1,2-Dibromoethane (EDB)	ND	ND	ND	ND	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND	ND	NA	0.5
Diisopropyl ether (DIPE)	ND	ND	ND	ND	NA	0.5
Ethyl tert-butyl ether (ETBE)	ND	ND	ND	ND	NA	0.5
Methyl-t-butyl ether (MTBE)	ND	ND	ND	ND	NA	0.5

Surrogate Recoveries (%)

%SS:	107	105	104	104	
Comments	i		i	i	

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit, N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight, m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis; p) see attached narrative.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone: 925-798-1620 Fax 925-798-1622
 Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892	Date Sampled: 01/11/05-01/12/05
		Date Received: 01/12/05
	Client Contact: Peng Leong	Date Extracted: 01/13/05-01/14/05
	Client P.O.:	Date Analyzed: 01/13/05-01/14/05

Oxygenated Volatile Organics + EDB and 1,2-DCA by P&T and GC/MS*

Extraction Method SW5030B

Analytical Method SW8260B

Work Order 0501147

Lab ID	0501147-005B	0501147-006B	0501147-007B		Reporting Limit for DF = 1	
Client ID	KD-5W	KD-6W	KD-7W			
Matrix	W	W	W			
DF	1	1	1		S	W

Compound	Concentration				ug/kg	µg/L
tert-Amyl methyl ether (TAME)	ND	ND	ND		NA	0.5
t-Butyl alcohol (TBA)	ND	ND	ND		NA	5.0
1,2-Dibromoethane (EDB)	ND	ND	ND		NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND		NA	0.5
Diisopropyl ether (DIPE)	ND	ND	ND		NA	0.5
Ethyl tert-butyl ether (ETBE)	ND	ND	ND		NA	0.5
Methyl-t-butyl ether (MTBE)	ND	ND	ND		NA	0.5

Surrogate Recoveries (%)

%SS:	101	96	97		
Comments	i	i	i		

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

surrogate diluted out of range or surrogate coelutes with another peak.

h) lighter than water immiscible sheen/product is present; i) liquid sample that contains greater than ~1 vol. % sediment; j) sample diluted due to high organic content/matrix interference; k) reporting limit near, but not identical to our standard reporting limit due to variable Encore sample weight; m) reporting limit raised due to insufficient sample amount; n) results are reported on a dry weight basis, p) see attached narrative.

ices

0501147

RUSH

McCAMPBELL ANALYTICAL INC.

110 2ND AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: ICES Bill To: _____
 Company: _____
 E-Mail: _____
 Tele: () _____ Fax: () _____
 Project #: ICES 2072 Project Name: _____
 Project Location: _____
 Sampler Signature: _____

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602/820 + 8015)/MTBE TPH as Diesel (8015) Total Petroleum Oil & Grease (5520 E&F/B&F) Total Petroleum Hydrocarbons (418.1) EPA 801 / 8010 BTEX ONLY (EPA 602 / 8020) EPA 608 / 8080 EPA 608 / 8080 PCB's ONLY EPA 624 / 8240 / 8260 EPA 625 / 8270 PAH's / PNA's by EPA 625 / 8270 / 8310 CAM-17 Metals LUFT 5 Metals Lead (7240/7421/239 2/6010) RCI	EPA 625 / 8270 EPA 608 / 8080 EPA 602 / 8020 EPA 801 / 8010 EPA 624 / 8240 / 8260 EPA 625 / 8270 PAH's / PNA's by EPA 625 / 8270 / 8310 CAM-17 Metals LUFT 5 Metals Lead (7240/7421/239 2/6010) RCI	OTHER OXYGENATES EDB & EDC	
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other				
+5 KD-1W		1-11-05		2		✓									✓			* TRUCKS
+ KD-2W				2		✓									✓			BTEX
+2 KD-3W				2		✓									✓			MTBE
+1 KD-4W				2		✓									✓			
+5 KD-5W				2		✓									✓			COND TAT
+10 KD-6W		1-12-05		2		✓									✓			
+2 KD-7W		"		2		✓									✓			

Relinquished By: _____ Date: 1/12/05 Time: 3:00 Received By: _____
 Relinquished By: _____ Date: 1/12/05 Time: 3:45 Received By: Jul Vall
 Relinquished By: _____ Date: _____ Time: _____ Received By: _____

ICE/C PRESERVATION
 GOOD CONDITION APPROPRIATE
 HEAD SPACE ABSENT CONTAINERS
 DECHLORINATED IN LAB PERSERVED IN LAB

VOAS O&G METALS OTHER

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0501147

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892
 PO:

Bill to

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 2 days

Date Received: 01/12/2005

Date Printed: 03/07/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0501147-001	KD-1W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-002	KD-2W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-003	KD-3W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-004	KD-4W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-005	KD-5W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-006	KD-6W	Water	01/11/2005	<input type="checkbox"/>	B	A														
0501147-007	KD-7W	Water	01/12/2005	<input type="checkbox"/>	B	A														

Test Legend:

1	5-OXYS+PBSCV_W	2	G-MBTEX W	3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Melissa Valles

Comments: 8260 ON 72 HR TAT

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
 Telephone : 925-798-1620 Fax : 925-798-1622
 Website: www.mccampbell.com E-mail: main@mccampbell.com

ICES P.O. Box 99288 Emeryville, CA 94662	Client Project ID: #3892; 301 14th St.	Date Sampled: 03/02/05
		Date Received: 03/03/05
	Client Contact: Peng Leong	Date Extracted: 03/03/05
	Client P.O.:	Date Analyzed: 03/03/05

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Cm

Work Order: 0503063

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS
001A	C-1	W	ND	ND	ND	ND	ND	ND	1	104
002A	C-2	W	ND	ND	ND	ND	ND	ND	1	108
003A	C-4	W	ND	ND	ND	ND	ND	ND	1	108
004A	C-5	W	ND	ND	ND	ND	ND	ND	1	113

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	1	µg/L
	S	NA	NA	NA	NA	NA	NA	1	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation. a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant, biologically altered gasoline?, e) TPH pattern that does not appear to be derived from gasoline (stoddard solvent / mineral spirit?); f) one to a few isolated non-target peaks present, g) strongly aged gasoline or diesel range compounds are significant, h) lighter than water immiscible sheen/product is present, i) liquid sample that contains greater than ~1 vol. % sediment; j) reporting limit raised due to high MTBE content, k) TPH pattern that does not appear to be derived from gasoline (aviation gas) m) no recognizable pattern; n) TPH(g) range non-target isolated peaks subtracted out of the TPH(g) concentration at the client's request.

0503063

RUSH

McCAMPBELL ANALYTICAL INC.

110 2nd AVENUE SOUTH, #D7
PACHECO, CA 94553-5560

Telephone: (925) 798-1620

Fax: (925) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME

RUSH 24 HR 48 HR 72 HR 5 DAY

EDF Required? Yes No

Report To: peng Leong Bill To: same
Company: ICCS
P.O. Box 99288
Emeryville, CA 94662 E-Mail: derek_1ccs@yahoo.com
Tele: () 510-652-3222 Fax: () 510-652-3555
Project #: ICCS 3892 Project Name:
Project Location: 301 14th St.
Sampler Signature: [Signature]

Analysis Request

Other

Comments

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED							
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl	HNO ₃	Other				
+ C-1	C-1	3-2-05		2		✓					✓			✓				
+ C-2	C-2			2		✓					✓			✓				
+ C-4	C-4			2		✓					✓			✓				
+ C-5	C-5			2		✓					✓			✓				

BTEX & TPH as Gas (602/8020 + 8015)/MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418 1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8240 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (72407421/239.2/6010)	RCI
--	----------------------	---	--------------------------------------	----------------	----------------------------	----------------	---------------------------	-----------------------	----------------	--	---------------	---------------	----------------------------	-----

Relinquished By: [Signature] Date: 3-3-05 Time: 1200 Received By: [Signature]
Relinquished By: [Signature] Date: 3/05 Time: 335 Received By: [Signature]
Relinquished By: [Signature] Date: _____ Time: _____ Received By: _____

ICEP PRESERVATION
GOOD CONDITION APPROPRIATE
HEAD SPACE ABSENT CONTAINERS
DECHLORINATED IN LAB PERSERVED IN LAB

McC Campbell Analytical, Inc.



110 Second Avenue South, #D7
 Pacheco, CA 94553-5560
 (925) 798-1620

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0503063

ClientID: ICES

Report to:

Peng Leong
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

TEL: (510) 652-3222
 FAX: (510) 652-3555
 ProjectNo: #3892; 301 14th St.
 PO:

Bill to:

Accounts Payable
 ICES
 P.O. Box 99288
 Emeryville, CA 94662

Requested TAT: 1 day

Date Received: 03/03/2005
 Date Printed: 03/04/2005

Sample ID	ClientSampID	Matrix	Collection Date	Hold	Requested Tests (See legend below)															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0503063-001	C-1	Water	3/2/05	<input type="checkbox"/>	A															
0503063-002	C-2	Water	3/2/05	<input type="checkbox"/>	A															
0503063-003	C-4	Water	3/2/05	<input type="checkbox"/>	A															
0503063-004	C-5	Water	3/2/05	<input type="checkbox"/>	A															

Test Legend:

1	G-MBTX_W	2		3		4		5	
6		7		8		9		10	
11		12		13		14		15	

Prepared by: Maria Venegas

Comments:

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.