

RECEIVED

2:25 pm, Nov 12, 2010

**Alameda County
Environmental Health**

Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Document Transmittal
German Autocraft, 301 East 14th Street, San Leandro, California
AC LOP Case # 2783; Fuel Leak Case No. RO0000302; Global ID T0600100639

Dear Sir or Ma'am:

I declare, under penalty of perjury, that the information contained in the attached document / report are true and correct, to the best of my knowledge.

Sincerely,



Lee Seung
Owner, German Autocraft



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

November 9, 2010
Project No. 2076-0301-01

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577
(via ACEHS ftp site only, no paper)

Re: **Quarterly Groundwater Monitoring Report – Third Quarter 2010**
German Autocraft, 301 East 14th Street, San Leandro, California
AC LOP Case #2783; Fuel Leak Case No. RO0000302; Global ID T0600100639



Mr. Detterman:

Stratus Environmental, Inc. (Stratus) is submitting the attached report presenting a summary of work performed at the site during the third quarter 2010 on behalf of Mr. Seung Lee for the German Autocraft facility, located at 301 East 14th Street, San Leandro, California. Stratus representatives, whose signatures appear below, declare under penalty of perjury, that the information contained in the attached report are true and correct to the best of our knowledge.

If you have any questions regarding this project, please contact Ms. Sarah Salcedo at (530) 313-9966 or Mr. Gowri Kowtha at (530) 676-6001.

Sincerely,

STRATUS ENVIRONMENTAL, INC.



Sarah O. Salcedo, P.G.
Project Manager



Gowri S. Kowtha, P.E.
Principal Engineer

Attachment: Quarterly Groundwater Monitoring Report, Third Quarter 2010

cc: Mr. Seung Lee
Ms. Cherie McCaulou, RWQCB-SF

**GERMAN AUTOCRAFT FACILITY
QUARTERLY GROUNDWATER MONITORING REPORT**

Facility Address: 301 East 14th Street, San Leandro, California
 Consulting Co./Contact Person: Stratus Environmental, Inc. / Sarah Salcedo, P.G.
 Consultant Project No: 2076-0301-01
 Primary Agency/Regulatory ID No: Mr. Mark Detterman, Alameda County Environmental Health Services (ACEHS) AC LOP Case #2783; Fuel Leak Case No. RO0000302

WORK PERFORMED THIS PERIOD (Third Quarter 2010):

1. On July 22, 2010, a meeting between M. Detterman (ACEHS), D. Dragos (ACEHS) and G. Kowtha and S. Salcedo (Stratus) was held. The meeting was a working meeting to make introductions, now that Mr. Lee (RP) has changed consultants, to review the current status of the site overall, and to discuss steps to begin remediation at the site immediately. The meeting discussions were memorialized by Stratus in an email memo to the group dated July 26, 2010, with follow-up/clarification comments by ACEHS in an email dated August 6, 2010.
2. On September 13, 2010, Stratus conducted semi-annual groundwater monitoring and sampling activities at the site. During this event, all existing groundwater monitoring wells (MW-1 through MW-6, MW-8 through MW-14, and MW-1A) were monitored, purged and sampled (due to insufficient water, well MW-5 was no-purge sampled). The privately-owned irrigation well located at 141 Farrelly Drive was also sampled (no purging). Groundwater samples were forwarded to a state-certified laboratory for analysis. Field data sheets, sampling procedures, and laboratory analytical reports are included as Attachments A, B, and C, respectively. Well construction details are summarized in Table 1. Tabulated historical groundwater elevation and analytical results are summarized in Table 2.

WORK PROPOSED FOR NEXT PERIOD (Fourth Quarter 2010):

1. As agreed in the July 2010 meeting, Stratus prepared and submitted a *Site Conceptual Model and Interim Remedial Action Plan* (SCM-IRAP), dated October 18, 2010. This IRAP provided a comprehensive data tabulation of all historic work done / samples collected at the site, and proposed the advancement and sampling of one soil boring (B-4) for the purpose of evaluating the lateral and vertical extent of soil impact beneath the former fuel dispenser island, the destruction of two groundwater monitoring wells (MW-1 and MW-4) that will be affected by the planned remedial excavation, and details associated with a remedial soil excavation in the vicinity of the former underground storage tanks (USTs). This general approach was agreed upon by ACEHS and is meant to expedite ACEHS's review time on the IRAP so the excavation may be performed this Fall.
2. In accordance with ACEHS correspondence dated July 24, 2009 regarding SWRCB's Resolution No. 2009-0042, no groundwater monitoring/sampling activities are planned during the fourth quarter 2010.
3. Once IRAP approval is received from ACEHS, conduct the proposed pre-excavation assessment, well destructions and remedial excavation (anticipated late November/early December).

Current Phase of Project: Groundwater Monitoring
 Frequency of Groundwater Monitoring: All Wells = Semi-annually (1st and 3rd quarters)
 Frequency of Groundwater Sampling: MW-8, -9, -10, -12, -13, -14, -1A, 141 Farrelly = Semiannually (1Q & 3Q)
 MW-1, -2, -3, -4, -5, -6, -11 = Annually (3Q)

Groundwater Sampling Date:	September 13, 2010
Is Free Product (FP) Present on Site:	No; sheen noted in wells MW-9, -1A, -2, -3, and -4
Approximate Depth to Groundwater:	23.92 to 26.88 feet below top of well casing
Groundwater Flow Direction:	West
Groundwater Gradient:	0.005 ft/ft

DISCUSSION:

Stratus conducted semi-annual groundwater monitoring and sampling activities at the site on September 13, 2010. During this event, all existing groundwater monitoring wells (MW-1 through MW-6, MW-8 through MW-14, and MW-1A) were monitored, purged and sampled (due to insufficient water, well MW-5 was no-purge sampled). The privately-owned irrigation well located at 141 Farrelly Drive was also sampled (no purging). Groundwater samples were analyzed at a state-certified analytical laboratory for gasoline range organics (GRO) by EPA Method SW8015B/DHS LUFT Manual, and for benzene, toluene, ethylbenzene, and total xylenes (BTEX), 1,2-dichloroethane (1,2-DCA), and 1,2-dibromoethane (EDB) by EPA Method SW8260B, and total lead (Pb) by EPA Method 6020. Monitoring wells MW-1 through MW-6 and MW-11 were additionally analyzed for methyl tertiary butyl ether (MTBE) by EPA Method SW8260B.

Fourteen groundwater monitoring wells (MW-1 through MW-6, MW-8 through MW-14, and MW-1A) have been screened to depths ranging to approximately 30 to 40 feet below ground surface (bgs) to monitor groundwater occurrence and quality in the uppermost water-bearing zone beneath the site. At the time of the third quarter 2010 monitoring event, groundwater elevations in all wells had decreased between 4.01 and 4.61 feet since the previous monitoring event (March 15, 2010). Depth-to-water measurements were converted to feet above mean sea level (MSL) and used to construct a groundwater elevation contour map (Figure 2). The groundwater flow direction was generally to the west at an average gradient of approximately 0.005 ft/ft. Historically, west-northwesterly groundwater flow is observed.

Groundwater beneath the site is impacted with GRO and BTEX. Concentrations are highest in onsite wells and generally decrease in a downgradient (west-northwesterly) direction. During the third quarter 2010, concentrations of GRO were reported in samples from all five onsite wells (MW-1 through MW-5) and offsite wells MW-8, MW-9, MW-10, MW-12, and MW-1A, at maximum on-site and off-site concentrations (75,000 and 6,800 µg/L) reported in wells MW-1 and MW-10, respectively. Detectable benzene concentrations were reported in only on-site wells MW-1, MW-2, and MW-4 and off-site well MW-10 at maximum on-site and off-site concentrations (670 and 43 µg/L) reported in wells MW-1 and MW-10, respectively. Groundwater samples were analyzed for the presence of MTBE in select wells during the third quarter 2010 event; no concentrations of MTBE were reported in any of the wells sampled. Based on these results, groundwater at this site will no longer be routinely tested for MTBE during future semi-annual events. Isoconcentration contour maps illustrating GRO and benzene concentrations reported in samples collected during the third quarter 2010 are included as Figures 3 and 4, respectively.

When the USTs were removed from the property in 1990, several of the single-wall steel tanks reportedly had holes in them. Leaded gasoline was stored at this facility. As agreed during the July 2010 meeting, groundwater samples collected during the third quarter 2010 event were additionally analyzed for total lead and lead scavengers 1,2-DCA and EDB. No concentrations of 1,2-DCA or EDB were reported at or above laboratory reporting limits. Total lead concentrations in 14 of the 15 samples collected contained concentrations ranging from <5.0 to 30 µg/L (assumed to be the naturally occurring background levels). Analytical results of the sample collected from well MW-1 (near the former leaded fuel UST) indicated a concentration of 89 µg/L total lead. Because the elevated concentrations of total lead do not appear to have migrated beyond the source area (as is expected due to low mobility of Pb in groundwater), no further regular monitoring for total lead appears warranted.

ATTACHMENTS:

- Table 1 Well Construction Details
- Table 2 Groundwater Elevation and Analytical Summary
- Figure 1 Site Location Map
- Figure 2 Groundwater Elevation Contour Map (Third Quarter 2010)
- Figure 3 GRO Isoconcentration Contour Map (Third Quarter 2010)
- Figure 4 Benzene Isoconcentration Contour Map (Third Quarter 2010)
- Appendix A Field Data Sheets
- Appendix B Sampling and Analyses Procedures
- Appendix C Laboratory Analytical Reports and Chain-of-Custody Documentation
- Appendix D GeoTracker Electronic Submittal Confirmations

TABLE 1
WELL CONSTRUCTION DETAILS
 German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
<i>Groundwater Monitoring Wells</i>									
MW-1	12/17/91	45	8	2	45	25-45	0.02	HSA	Environmental Const. Co.
MW-2	12/12/94	38	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-3	12/12/94	38	8	2	35.5	25.5-35.5	0.010	HSA	Chemist Enterprises
MW-4	08/31/95	36.5	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-1A	05/21/97	35	8	2	35	20-35	0.010	HSA	ALLCAL Prop. Serv. Inc.
MW-5	08/28/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-6	08/27/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-8	08/27/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-9	08/31/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-10	08/28/98	41.5	8	2	40	20-40	0.020	HSA	Env. Testing & Mgmt.
MW-11	08/28/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-12	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-13	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-14	01/31/01	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
141 Farrelly	Prior to 1949	--	--	6	65	25-65	unknown	unknown	
<i>Soil Borings</i>									
B-1	12/11/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-2	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-3	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
CE-1	12/13/94	30	8	--	--	--	--	HSA	Chemist Enterprises
CE-2	12/13/94	24.5	8	--	--	--	--	HSA	Chemist Enterprises
ETM-1	11/28/95	37	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-2	11/28/95	30	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-5	11/28-29/95	27	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	29	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	28	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-10	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-11	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-17	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-19	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-21	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-22	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.

TABLE 1
WELL CONSTRUCTION DETAILS
 German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
<i>Soil Vapor Points</i>									
SV-1	01/06/09	30	2	0.25	6.0 13.5	5.5-6.0 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-2	01/06/09	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-3	01/08/09	30	2	0.25	5.5 13.5	5.0-5.5 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-4	01/08/09	14.5	2	0.25	5.25 14.5	4.75-5.25 14.0-14.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-5	01/07/09	24	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-6	01/07/09	35	2	0.25	5.5 12.0	5.0-5.5 11.5-12.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-7	01/06/08	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-8	01/08/09	14	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
Notes: HSA = hollow stem auger									

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-1	12/21/90	30.25	49.61	19.15	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/31/90	--	49.61	--	51,000	2,200	1,200	<0.5	760	--	--	--	--	--	--	--	--
	01/06/95	--	49.61	--	110,000	13,000	15,000	4,800	13,000	--	--	--	--	--	--	--	--
	01/06/95	--	49.61	--	580,000	29,000	41,000	17,000	43,000	--	--	--	--	--	--	--	--
	02/10/95	20.02	49.61	29.59	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/07/95	22.77	49.4	26.63	49,000	8,000	17,000	1,900	9,700	--	--	--	--	--	--	--	--
	08/10/95	23.82	49.4	25.58	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/11/95	24.72	49.4	24.68	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/02/95	25.28	49.4	24.12	120,000	16,000	36,000	3,300	17,000	--	--	--	--	--	--	--	--
	10/02/95	--	49.4	--	160,000	20,000	47,000	5,000	23,000	--	--	--	--	--	--	--	--
	11/07/95	26.04	49.4	23.36	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/08/95	18.77	49.4	22.77	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/12/96	25.05	49.4	24.35	1,100,000	11,000	18,000	15,000	51,000	18,000 [2]	--	--	--	--	--	--	--
	01/12/96	--	49.4	--	98,000	2,100	4,600	2,500	10,000	<5,000	--	--	--	--	--	--	--
	02/12/96	20.36	49.4	29.04	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/96	17.65	49.4	31.75	--	--	--	--	--	--	--	--	--	--	--	--	--
	04/13/96	19.97	49.4	29.43	53,000	1,300	2,900	2,100	10,000	<5,000	--	--	--	--	--	--	--
	04/13/96	--	49.4	--	58,000	820	3,600	2,800	12,000	<5,000	--	--	--	--	--	--	--
	05/14/96	21.51	49.4	27.89	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/20/96	22.21	49.4	27.19	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/26/96	23.45	49.4	25.95	91,000	2,600	7,200	2,900	14,000	<5,000	--	--	--	--	--	--	--
	07/26/96	--	49.4	--	67,000	2,300	5,500	2,500	11,000	<5,000	--	--	--	--	--	--	--
	08/19/96	24.24	49.4	25.16	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/17/96	24.96	49.4	24.44	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/21/96	25.77	49.4	23.63	210,000	4,800	17,000	2,300	15,000	--	--	--	--	--	--	--	--
	10/21/96	--	49.4	--	210,000	5,400	18,000	2,600	11,000	--	--	--	--	--	--	--	--
	11/27/96	25.12	49.4	24.28	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/27/96	21.17	49.4	28.23	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/28/97	16.38	49.4	33.02	120,000	5,600	15,000	2,100	11,000	--	--	--	--	--	--	--	--
	01/28/97	--	49.4	--	130,000	5,500	15,000	2,300	12,000	--	--	--	--	--	--	--	--
	04/25/97	22.26	49.4	27.14	180,000	6,900	20,000	2,600	13,000	--	--	--	--	--	--	--	--
	04/25/97	--	49.4	--	170,000	6,500	20,000	2,500	13,000	--	--	--	--	--	--	--	--
	07/17/97	24.85	49.4	24.55	220,000	8,300	41,000	2,700	16,000	--	--	--	--	--	--	--	--
	10/21/97	26.55	49.4	22.85	240,000	9,400	33,000	3,300	22,000	--	--	--	--	--	--	--	--
	03/10/98	15.05	49.4	34.35	120,000	11,000	46,000	3,700	21,000	--	--	--	--	--	--	--	--
	06/06/98	18.71	49.4	30.69	110,000	7,600	32,000	4,800	23,000	--	--	--	--	--	--	--	--
	09/30/98	23.45	49.4	25.95	140,000	5,800	29,000	3,500	18,000	--	--	--	--	--	--	--	--
	12/30/98	24.27	49.4	25.13	78,000	5,200	24,000	3,200	19,000	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)	
MW-1 (con't)	03/13/99	19.42	49.4	29.98	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/23/99	--	49.4	--	250,000	8,000	43,000	5,200	27,000	--	--	--	--	--	--	--	--	
	09/29/99	25.01	49.4	24.39	140,000	6,100	35,000	5,400	27,000	--	--	--	--	--	--	--	--	
	12/29/99	25.65	49.4	23.75	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/18/00	17.48	49.4	31.92	120,000	5,100	33,000	4,600	24,000	--	--	--	--	--	--	--	--	
	07/18/00	23.19	49.4	26.21	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	24.39	49.4	25.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/28/00	24.77	49.4	24.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	49.4	--	100,000	3,600	41,000	4,700	25,000	<1,250	--	--	--	--	--	--	--	--
	03/30/01	21.93	49.4	27.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	25.58	49.4	23.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/28/02	20.74	49.4	28.66	100,000	2,800	24,000	5,400	28,900	--	--	--	--	--	--	--	--	--
	03/31/03	22.72	49.4	26.68	100,000	2,200	19,000	4,900	21,000	--	--	--	--	--	--	--	--	--
	06/19/03	23.17	49.4	26.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	25.35	49.4	24.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	02/10/04	22.44	49.4	26.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/04	--	49.4	--	100,000	2,100	21,000	6,200	36,000	--	--	--	--	--	--	--	--	--
	06/30/04	24.67	49.4	24.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	27.89	49.4	21.51	160,000	1,800	16,000	5,500	30,000	--	--	--	--	--	--	--	--	--
	03/29/06	18.84	49.4	30.56	69,000	1,400	16,000	4,900	28,000	--	--	--	--	--	--	--	--	--
	06/24/06	20.57	49.4	28.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	23.53	49.4	25.87	120,000	1,400	13,000	5,200	29,000	<500	--	--	--	--	--	--	--	--
	12/11/06	22.78	49.4	26.29	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/16/07	--	49.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/10/07	24.36	49.4	25.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/07	25.92	49.4	23.48	92,000	1,000	9,400	4,300	23,000	<250	--	--	--	--	--	--	--	--
	12/14/07	26.22	49.4	23.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	22.4	49.4	27	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	24.97	49.4	24.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.44	49.4	22.96	110,000	1,000	11,000	4,200	21,000	<250	--	--	--	--	--	--	--	--
12/13/08	27.16	49.4	22.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/14/09	21.82	49.4	27.58	110,000	1,000	14,000	3,700	21,000	<1,000	--	--	--	--	--	--	--	--	
12/07/09	26.42	49.4	22.98	49,000	540	5,500	2,000	9,400	<100	--	--	--	--	--	--	--	--	
03/15/10	21.21	49.4	28.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	25.25	49.4	24.15	75,000	670	9400	3700	19,000	<50[5]	--	--	--	--	<100[5]	<200[5]	89		

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-2	01/06/95	--	--	--	980,000	9,400	5,600	19,000	42,000	--	--	--	--	--	--	--	--
	02/10/95	20.52	50.14	29.62	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/07/95	23.55	50.02	26.47	71,000	5,300	1,800	6,100	9,000	--	--	--	--	--	--	--	--
	08/10/95	24.62	50.02	25.4	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/11/95	25.53	50.02	24.49	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/02/95	26.08	50.02	23.94	40,000	2,900	200	2,800	3,600	--	--	--	--	--	--	--	--
	11/07/95	26.89	50.02	23.13	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/08/95	27.47	50.02	22.55	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/12/96	25.82	50.02	24.2	260,000	2,600	2,200	6,300	7,800	<12,500	--	--	--	--	--	--	--
	02/12/96	20.99	50.02	29.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/96	18.42	50.02	31.6	--	--	--	--	--	--	--	--	--	--	--	--	--
	04/13/96	20.77	50.02	29.25	30,000	1,900	370	2,300	2,400	520 [2]	--	--	--	--	--	--	--
	04/29/96	--	50.02	--	--	930	<25	1,200	1,400	--	--	--	--	--	--	--	--
	05/14/96	22.34	50.02	27.68	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/20/96	23.05	50.02	26.97	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/26/96	24.28	50.02	25.74	180,000	1,400	640	2,100	5,000	<5,000	--	--	--	--	--	--	--
	08/19/96	25.05	50.02	24.97	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/17/96	25.8	50.02	24.22	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/21/96	26.59	50.02	23.43	62,000	2,100	<0.5	2,100	2,700	--	--	--	--	--	--	--	--
	11/27/96	25.93	50.02	24.09	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/27/96	21.99	50.02	28.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/28/97	17.31	50.02	32.71	46,000	1,500	94	1,800	2,000	--	--	--	--	--	--	--	--
	04/25/97	23.14	50.02	26.88	23,000	790	26	820	730	--	--	--	--	--	--	--	--
	07/17/97	25.71	50.02	24.31	95,000	2,200	<0.5	3,100	4,300	--	--	--	--	--	--	--	--
	10/21/97	27.33	50.02	22.69	31,000	2,000	<0.5	2,100	1,900	--	--	--	--	--	--	--	--
	03/10/98	15.82	50.02	34.2	19,000	730	44	820	1,000	--	--	--	--	--	--	--	--
	06/06/98	19.61	50.02	30.41	16,000	670	1,100	510	1,200	--	--	--	--	--	--	--	--
	09/30/98	24.34	50.02	25.68	24,000	600	77	680	580	--	--	--	--	--	--	--	--
	12/30/98	25.09	50.02	24.93	9,300	510	96	450	480	--	--	--	--	--	--	--	--
	03/13/99	20.22	50.02	29.8	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	50.02	--	5,700	580	9.4	400	280	--	--	--	--	--	--	--	--
	09/29/99	25.9	50.02	24.12	17,000	880	240	830	1,000	--	--	--	--	--	--	--	--
	12/29/99	26.5	50.02	23.52	11,000	800	11	860	780	--	--	--	--	--	--	--	--
	03/18/00	18.15	50.02	31.87	11,000	790	14	520	450	--	--	--	--	--	--	--	--
	07/18/00	24.01	50.02	26.01	10,000	560	27	630	530	--	--	--	--	--	--	--	--
	09/26/00	25.33	50.02	24.69	6,800	450	7.4	290	200	--	--	--	--	--	--	--	--
	12/28/00	25.63	50.02	24.39	12,000	540	30	420	330	--	--	--	--	--	--	--	--
	03/30/01	22.71	50.02	27.31	3,500	230	<10	<10	<10	<100	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-2 (con't)	10/05/01	26.38	50.02	23.64	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/28/02	21.59	50.02	28.43	7,000	570	16	170	71	--	--	--	--	--	--	--	--
	09/30/02	25.84	50.02	24.18	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/03	23.63	50.02	26.39	5,000	620	<12.5	71	<25	--	--	--	--	--	--	--	--
	06/19/03	23.98	50.02	26.04	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	26.19	50.02	23.83	--	--	--	--	--	--	--	--	--	--	--	--	--
	02/10/04	23.27	50.02	26.75	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/04	--	50.02	--	8,200	500	<12.5	65	<25	--	--	--	--	--	--	--	--
	06/30/04	25.45	50.02	24.57	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	26.7	50.02	23.32	9,000	560	<13	57	<25	--	--	--	--	--	--	--	--
	03/29/06	19.61	50.02	30.41	5,200	1,400	<20	52	<20	--	--	--	--	--	--	--	--
	06/24/06	21.41	50.02	28.61	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	24.37	50.02	25.65	4,800	900	64	22	110	<50	--	--	--	--	--	--	--
	12/11/06	23.92	50.02	26.1	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/16/07	22.78	50.02	27.24	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/10/07	25.12	50.02	24.9	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/07	26.63	50.02	23.39	11,000	2,200	53	72	150	<50	--	--	--	--	--	--	--
	12/14/07	26.58	50.02	23.44	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	23.1	50.02	26.92	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	25.71	50.02	24.31	--	--	--	--	--	--	--	--	--	--	--	--	--
09/05/08	27.14	50.02	22.88	10,000	1,000	49	120	120	<100	--	--	--	--	--	--	--	
12/13/08	27.83	50.02	22.19	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/14/09	22.38	50.02	27.64	9,800	270	28	210	110	<110	--	--	--	--	--	--	--	
06/03/09	25.27	50.02	24.75	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/07/09	27.11	50.02	22.91	9,000	150	48	170	110	<50	--	--	--	--	--	--	--	
03/15/10	21.98	50.02	28.04	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	26.11	50.02	23.91	9,900	93	<5.0[5]	100	13[5]	<5.0[5]	--	--	--	--	<10[5]	<20[5]	18	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-3	01/06/95	--	49.32	--	740,000	11,000	2,300	8,300	28,000	--	--	--	--	--	--	--	--
	02/10/95	19.75	49.32	29.57	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/07/95	22.82	49.32	26.5	86,000	12,000	8,600	4,900	19,000	--	--	--	--	--	--	--	--
	08/10/95	23.88	49.32	25.44	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/11/95	24.78	49.32	24.54	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/02/95	25.32	49.32	24	100,000	15,000	11,000	6,000	20,000	--	--	--	--	--	--	--	--
	11/07/95	26.11	49.32	23.21	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/08/95	26.7	49.32	22.62	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/12/96	25.07	49.32	24.25	84,000	6,500	4,100	3,200	12,000	<5,000	--	--	--	--	--	--	--
	02/12/96	20.32	49.32	29	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/96	17.65	49.32	31.67	--	--	--	--	--	--	--	--	--	--	--	--	--
	04/13/96	20.06	49.32	29.26	48,000	7,600	3,600	2,800	9,400	<2,500	--	--	--	--	--	--	--
	05/14/96	21.61	49.32	27.71	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/20/96	22.32	49.32	27	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/26/96	23.65	49.32	25.67	62,000	6,400	3,100	3,000	11,000	<2,500	--	--	--	--	--	--	--
	08/19/96	24.31	49.32	25.01	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/17/96	25.05	49.32	24.27	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/21/96	25.84	49.32	23.48	110,000	5,400	2,400	2,500	9,800	--	--	--	--	--	--	--	--
	11/27/96	25.19	49.32	24.13	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/27/96	21.21	49.32	28.11	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/28/97	16.54	49.32	32.78	130,000	5,500	15,000	2,300	12,000	--	--	--	--	--	--	--	--
	04/25/97	22.38	49.32	26.94	180,000	6,900	20,000	2,600	13,000	--	--	--	--	--	--	--	--
	07/17/97	24.95	49.32	24.37	69,000	5,100	1,100	1,800	8,600	--	--	--	--	--	--	--	--
	10/21/97	26.59	49.32	22.73	58,000	4,300	1,300	2,100	8,000	--	--	--	--	--	--	--	--
	03/10/98	15.19	49.32	34.13	25,000	3,000	1,300	1,100	3,700	--	--	--	--	--	--	--	--
	06/06/98	18.85	49.32	30.47	52,000	4,400	1,900	2,300	6,900	--	--	--	--	--	--	--	--
	09/30/98	23.57	49.32	25.75	42,000	4,300	1,400	1,800	6,600	--	--	--	--	--	--	--	--
	12/30/98	24.33	49.32	24.99	34,000	4,200	770	2,300	9,000	--	--	--	--	--	--	--	--
	03/13/99	19.49	49.32	29.83	44,000	3,500	1,000	1,700	5,200	--	--	--	--	--	--	--	--
	09/29/99	25.12	49.32	24.2	39,000	6,000	840	2,400	8,100	--	--	--	--	--	--	--	--
	12/29/99	25.72	49.32	23.6	39,000	4,600	790	2,400	8,100	--	--	--	--	--	--	--	--
	03/18/00	17.5	49.32	31.82	21,000	3,100	550	1,400	4,100	--	--	--	--	--	--	--	--
	07/18/00	23.28	49.32	26.04	30,000	5,000	950	2,000	5,700	--	--	--	--	--	--	--	--
	09/26/00	24.52	49.32	24.8	36,000	5,300	640	2,400	9,900	--	--	--	--	--	--	--	--
	12/28/00	24.87	49.32	24.45	33,000	4,700	450	2,100	6,400	--	--	--	--	--	--	--	--
	03/20/01	--	49.32	--	21,000	2,000	260	570	3,000	<500	--	--	--	--	--	--	--
	03/30/01	21.93	49.32	27.39	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	25.62	49.32	23.7	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)	
MW-3 (con't)	03/28/02	20.83	49.32	28.49	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/30/02	25.2	49.32	24.12	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/31/03	22.82	49.32	26.5	25,000	3,200	280	1,600	4,200	--	--	--	--	--	--	--	--	
	06/19/03	23.29	49.32	26.03	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/30/03	25.5	49.32	23.82	--	--	--	--	--	--	--	--	--	--	--	--	--	
	02/10/04	22.53	49.32	26.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/04	--	49.32	--	11,000	1,000	940	550	1,900	--	--	--	--	--	--	--	--	--
	06/30/04	24.73	49.32	24.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	27.93	49.32	21.39	42,000	3,600	190	2,200	4,800	--	--	--	--	--	--	--	--	--
	03/29/06	18.87	49.32	30.45	7,200	180	17	460	680	--	--	--	--	--	--	--	--	--
	06/24/06	22.65	49.32	26.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	24.49	49.32	24.83	7,100	130	94	500	820	<50	--	--	--	--	--	--	--	--
	12/11/06	23.03	49.32	26.29	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/16/07	21.97	49.32	27.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/10/07	24.28	49.32	25.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/07	25.75	49.32	23.57	6,700	16	44	200	400	<10	--	--	--	--	--	--	--	--
	12/14/07	25.96	49.32	23.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	22.31	49.32	27.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	24.8	49.32	24.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.23	49.32	23.09	6,300	7.6	82	92	290	<5.0	--	--	--	--	--	--	--	--
12/13/08	26.93	49.32	22.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/14/09	21.65	49.32	27.67	3,300	13	17	56	140	<50	--	--	--	--	--	--	--	--	
12/07/09	26.2	49.32	23.12	2,800	13	43	74	150	<50	--	--	--	--	--	--	--	--	
03/15/10	21.15	49.32	28.17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	25.20	49.32	24.12	1,400	<0.50	<0.50	5.3	2.9	<0.50	--	--	--	--	<1.0	<2.0	22		

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-4	12/30/98	24.56	49.61	25.05	12,000	1,200	1,100	290	1,400	--	--	--	--	--	--	--	--
	03/13/99	19.72	49.61	29.89	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	49.61	--	89,000	5,900	8,700	2,000	9,200	--	--	--	--	--	--	--	--
	09/29/99	25.34	49.61	24.27	48,000	5,300	6,800	1,700	7,700	--	--	--	--	--	--	--	--
	12/29/99	25.97	49.61	23.64	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	17.76	49.61	31.85	44,000	4,500	7,500	2,200	11,000	--	--	--	--	--	--	--	--
	12/28/00	25.09	49.61	24.52	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/30/01	22.21	49.61	27.4	10,000	700	620	<10	1,900	<100	--	--	--	--	--	--	--
	10/05/01	25.84	49.61	23.77	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/28/02	21.03	49.61	28.58	30,000	3,700	3,100	1,100	4,100	--	--	--	--	--	--	--	--
	09/30/02	25.29	49.61	24.32	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/03	23.02	49.61	26.59	25,000	2,000	2,100	820	2,900	--	--	--	--	--	--	--	--
	06/19/03	23.45	49.61	26.16	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	25.65	49.61	23.96	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/31/04	--	49.61	--	24,000	2,500	200	1,400	2,800	--	--	--	--	--	--	--	--
	09/14/04	28.16	49.61	21.45	14,000	760	550	430	1,600	--	--	--	--	--	--	--	--
	03/29/06	19.87	49.61	29.74	17,000	2,000	1,200	910	2,400	--	--	--	--	--	--	--	--
	06/24/06	22.86	49.61	26.75	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	23.94	49.61	25.67	4,000	440	120	240	360	<50	--	--	--	--	--	--	--
	12/11/06	23.36	49.61	26.25	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/16/07	22.26	49.61	27.35	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/10/07	24.6	49.61	25.01	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/07	26.11	49.61	23.5	10,000	1,300	96	440	560	<50	--	--	--	--	--	--	--
	12/14/07	26.39	49.61	23.22	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	22.62	49.61	26.99	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	25.19	49.61	24.42	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.64	49.61	22.97	12,000	1,400	110	960	840	<300	--	--	--	--	--	--	--
	12/13/08	27.36	49.61	22.25	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	21.96	49.61	27.65	44,000	1,700	1,000	2,600	6,700	<250	--	--	--	--	--	--	--
	12/07/09	26.6	49.61	23.01	26,000	920	160	2,100	3,200	<250	--	--	--	--	--	--	--
03/15/10	21.59	49.61	28.02	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	25.70	49.61	23.91	9,900	660	56	550	465	<2.5[5]	--	--	--	--	<5.0[5]	<10[5]	<5.0[5]	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)	
MW-5	12/30/98	24.51	49.57	25.06	170	1.1	<0.5	<0.5	4.8	--	--	--	--	--	--	--	--	
	03/13/99	19.64	49.57	29.93	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/22/99	--	49.57	--	470	3.8	0.51	2	<0.5	--	--	--	--	--	--	--	--	
	09/29/99	25.31	49.57	24.26	1,200	13	4.2	2.7	4.2	--	--	--	--	--	--	--	--	
	03/18/00	25.93	49.57	23.64	660	5.5	0.62	1.6	1.7	--	--	--	--	--	--	--	--	
	03/28/02	17.63	49.57	31.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/29/06	--	49.57	--	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
	09/30/06	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/07	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/14/07	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/13/08	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/07/09	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/15/10	21.46	49.57	28.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/13/10	25.62	49.57	23.95	260	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<1.0	<2.0	18	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-6	12/30/98	22.92	48.06	25.14	400	1	<0.5	<0.5	4.8	--	--	--	--	--	--	--	--
	03/13/99	18.09	48.06	29.97	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/22/99	--	48.06	--	390	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	09/29/99	23.68	48.06	24.38	330	1.8	1.4	1.5	<0.5	--	--	--	--	--	--	--	--
	12/29/99	24.31	48.06	23.75	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	16.2	48.06	31.86	200	1.3	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	07/18/00	21.84	48.06	26.22	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	23.11	48.06	24.95	240	1.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	12/28/00	23.45	48.06	24.61	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	48.06	--	160	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	03/30/01	20.65	48.06	27.41	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	24.24	48.06	23.82	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/28/02	19.41	48.06	28.65	88	0.89	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	09/30/02	23.65	48.06	24.41	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/29/06	--	48.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	22.33	48.06	25.73	280	5.5	24	14	69	<5.0	--	--	--	--	--	--	--
	09/14/07	24.58	48.06	23.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	12/14/07	24.88	48.06	23.18	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	21.03	48.06	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	23.62	48.06	24.44	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	25.1	48.06	22.96	84	0.92	0.76	1.7	3.5	<5.0	--	--	--	--	--	--	--
	12/13/08	25.81	48.06	22.25	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/03/09	23.2	48.06	24.86	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/10	19.87	48.06	28.19	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	23.92	48.06	24.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<1.0	<2.0	30

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-8	12/30/98	24.21	49.35	25.14	2,200	70	0.94	26	15	--	--	--	--	--	--	--	--
	03/13/99	--	49.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	49.35	--	2,300	34	1.1	15	13	--	--	--	--	--	--	--	--
	09/29/99	--	49.35	--	8,800	140	<50	53	<50	--	--	--	--	--	--	--	--
	12/29/99	--	49.35	--	1,900	64	1	22	23	--	--	--	--	--	--	--	--
	03/18/00	--	49.35	--	1,400	36	<0.5	12	9.3	--	--	--	--	--	--	--	--
	07/18/00	--	49.35	--	3,000	67	9.8	38	38	--	--	--	--	--	--	--	--
	09/26/00	--	49.35	--	1,200	24	3	24	15	--	--	--	--	--	--	--	--
	12/28/00	--	49.35	--	1,200	47	3.7	17	18	--	--	--	--	--	--	--	--
	03/20/01	--	49.35	--	1,300	7.8	<2.5	<2.5	14	<25	--	--	--	--	--	--	--
	03/30/01	--	49.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	--	49.35	--	1,800	28	<2.5	20	23	--	--	--	--	--	--	--	--
	03/28/02	--	49.35	--	1,100	12	1.7	11	10.8	--	--	--	--	--	--	--	--
	09/30/02	--	49.35	--	1,400	15	24	32	22	--	--	--	--	--	--	--	--
	09/30/06	24.07	49.35	25.28	760	4.9	31	13	64	<5.0	--	--	--	--	--	--	--
	03/16/07	--	49.35	--	370	<0.5	8.1	0.52	0.94	<5.0	--	--	--	--	--	--	--
	09/14/07	26.12	49.35	23.23	1,300	1.3	20	3	1.6	<5.0	--	--	--	--	--	--	--
	12/14/07	26.35	49.35	23	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	22.65	49.35	26.7	520	1.4	11	3.9	5.6	<5.0	--	--	--	--	--	--	--
	06/11/08	25.23	49.35	24.12	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.62	49.35	22.73	1,800	1.9	30	5	4	<25	--	--	--	--	--	--	--
	12/13/08	27.3	49.35	22.05	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	21.8	49.35	27.55	950	3.1	42	36	180	<5.0	--	--	--	--	--	--	--
	06/03/09	24.83	49.35	24.52	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/07/09	26.58	49.35	22.77	2,200	2.2	42	10	19	<5.0	--	--	--	--	--	--	--
	03/15/10	21.48	49.35	27.87	90	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	09/13/10	25.58	49.35	23.77	550	<0.50	<0.50	1.7	<0.50	--	--	--	--	--	<1.0	<2.0	<5.0

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-9	12/30/98	23.98	48.77	24.79	25,000	23	<10	180	620	--	--	--	--	--	--	--	--
	03/13/99	19.19	48.77	29.58	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	48.77	--	27,000	35	<20	600	920	--	--	--	--	--	--	--	--
	09/29/99	24.72	48.77	24.05	42,000	140	130	1,000	1,700	--	--	--	--	--	--	--	--
	12/29/99	25.32	48.77	23.45	1,100,000	1,200	1,300	4,300	8,700	--	--	--	--	--	--	--	--
	03/18/00	17.31	48.77	31.46	17,000	89	46	10	600	--	--	--	--	--	--	--	--
	07/18/00	22.94	48.77	25.83	12,000	39	8.2	540	760	--	--	--	--	--	--	--	--
	09/26/00	24.16	48.77	24.61	11,000	19	<5	470	610	--	--	--	--	--	--	--	--
	12/28/00	24.48	48.77	24.29	22,000	100	<100	610	770	--	--	--	--	--	--	--	--
	03/20/01	--	48.77	--	8,200	40	<10	14	210	<100	--	--	--	--	--	--	--
	03/30/01	21.65	48.77	27.12	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	25.23	48.77	23.54	77,000	<100	110	780	850	--	--	--	--	--	--	--	--
	03/28/02	20.45	48.77	28.32	11,000	34	6.1	220	180	--	--	--	--	--	--	--	--
	09/30/02	24.66	48.77	24.11	34,000	<125	140	240	370	--	--	--	--	--	--	--	--
	03/31/03	22.44	48.77	26.33	6,200	<12.5	<12.5	130	87	--	--	--	--	--	--	--	--
	06/19/03	22.87	48.77	25.9	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	25	48.77	23.77	9,700	52	<25	160	87	--	--	--	--	--	--	--	--
	02/10/04	22.13	48.77	26.64	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/30/04	24.55	48.77	24.22	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	25.69	48.77	23.08	9,500	48	<25	93	<50	--	--	--	--	--	--	--	--
	03/29/06	16.74	48.77	32.03	6,200	<0.5	<0.5	57	11	--	--	--	--	--	--	--	--
	06/24/06	22.43	48.77	26.34	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	23.4	48.77	25.37	2,200	3.7	31	37	40	<17	--	--	--	--	--	--	--
	12/11/06	22.78	48.77	25.99	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/16/07	21.76	48.77	27.01	3,200	2.2	37	18	2.9	--	--	--	--	--	--	--	--
	09/14/07	25.5	48.77	23.27	2,600	1.4	28	13	3.2	<5.0	--	--	--	--	--	--	--
	12/14/07	25.83	48.77	22.94	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	22.08	48.77	26.69	2,800	2.3	32	12	5.3	<5.0	--	--	--	--	--	--	--
	06/11/08	24.61	48.77	24.16	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.04	48.77	22.73	3,800	2.5	40	6.1	2.8	<100	--	--	--	--	--	--	--
	12/13/08	26.74	48.77	22.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	21.46	48.77	27.31	7,100	11	63	50	120	<50	--	--	--	--	--	--	--
06/03/09	24.21	48.77	24.56	--	--	--	--	--	--	--	--	--	--	--	--	--	
12/07/09	26.03	48.77	22.74	3,600	4	34	18	22	<5.0	--	--	--	--	--	--	--	
03/15/10	20.91	48.77	27.86	2,900	1.1	<1.0	11	<1.0	<1.0	--	--	--	--	--	--	--	
09/13/10	24.93	48.77	23.84	4,500	<2.0[5]	<2.0[5]	15	<2.0[5]	--	--	--	--	--	<4.0[5]	<8.0[5]	9.3	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-10	12/30/98	25.15	49.93	24.78	6,900	130	19	140	210	--	--	--	--	--	--	--	--
	03/13/99	20.62	49.93	29.31	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	49.93	--	6,600	150	33	240	170	--	--	--	--	--	--	--	--
	09/29/99	26.13	49.93	23.8	9,300	60	38	280	150	--	--	--	--	--	--	--	--
	12/29/99	26.7	49.93	23.23	5,800	87	10	420	180	--	--	--	--	--	--	--	--
	03/18/00	18.67	49.93	31.26	3,800	180	11	220	120	--	--	--	--	--	--	--	--
	07/18/00	24.38	49.93	25.55	9,100	120	33	210	130	--	--	--	--	--	--	--	--
	09/26/00	25.59	49.93	24.34	4,500	22	8.8	1.3	18	--	--	--	--	--	--	--	--
	12/28/00	25.9	49.93	24.03	3,900	55	13	98	38	--	--	--	--	--	--	--	--
	03/30/01	23.14	49.93	26.79	4,500	48	6	<5	23	81 / <5.0	--	--	--	--	--	--	--
	10/05/01	26.6	49.93	23.33	5,200	70	28	41	30	--	--	--	--	--	--	--	--
	03/28/02	21.87	49.93	28.06	7,400	45	20	210	66	--	--	--	--	--	--	--	--
	09/30/02	26.05	49.93	23.88	670	54	5.9	76	23	--	--	--	--	--	--	--	--
	03/31/03	23.87	49.93	26.06	5,700	31	38	67	27	--	--	--	--	--	--	--	--
	06/19/03	24.28	49.93	25.65	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	26.37	49.93	23.56	7,400	61	<50	<50	<100	--	--	--	--	--	--	--	--
	02/10/04	23.54	49.93	26.39	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/30/04	25.71	49.93	24.22	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	26.85	49.93	23.08	9,100	47	<25	51	<50	--	--	--	--	--	--	--	--
	03/29/06	20.18	49.93	29.75	6,800	140	18	270	160	--	--	--	--	--	--	--	--
	06/24/06	23.87	49.93	26.06	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	24.8	49.93	25.13	5,700	61	30	78	120	<100	--	--	--	--	--	--	--
	03/16/07	23.09	49.93	26.84	10,000	71	15	46	25	<50	--	--	--	--	--	--	--
	09/14/07	26.87	49.93	23.06	5,800	55	18	22	15	<10	--	--	--	--	--	--	--
	12/14/07	27.14	49.93	22.79	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	23.48	49.93	26.45	9,300	240	23	48	37	<50	--	--	--	--	--	--	--
	06/11/08	25.98	49.93	23.95	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	27.38	49.93	22.55	8,400	120	12	18	16	<250	--	--	--	--	--	--	--
	12/13/08	28.04	49.93	21.89	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	22.73	49.93	27.2	8,100	300	25	36	72	<250	--	--	--	--	--	--	--
12/07/09	27.33	49.93	22.6	8,400	160	26	32	34	<100	--	--	--	--	--	--	--	
03/15/10	22.27	49.93	27.66	5,200	110	4.1	29	16	<2.0	--	--	--	--	--	--	--	
09/13/10	26.88	49.93	23.05	6,800	43	2.5	31	13[5]	--	--	--	--	--	<4.0[5]	<8.0[5]	<5.0	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-11	12/30/98	23.15	47.93	24.78	80	<0.5	<0.5	0.93	1.6	--	--	--	--	--	--	--	--
	03/13/99	18.37	47.93	29.56	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	47.93	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	09/29/99	23.9	47.93	24.03	94	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	12/29/99	24.5	47.93	23.43	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	16.55	47.93	31.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	07/18/00	22.12	47.93	25.81	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	23.35	47.93	24.58	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	12/28/00	23.67	47.93	24.26	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	47.93	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	03/30/01	20.9	47.93	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	24.41	47.93	23.52	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/28/02	19.62	47.93	28.31	<50	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--
	09/30/02	23.84	47.93	24.09	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	22.58	47.93	25.35	160	1.8	12	7.6	40	<5.0	--	--	--	--	--	--	--
	09/14/07	24.72	47.93	25.21	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	12/14/07	25	47.93	22.93	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	23.81	47.93	24.12	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	25.23	47.93	22.7	150	0.93	0.6	1.6	2.5	<5.0	--	--	--	--	--	--	--
	12/13/08	25.93	47.93	22	--	--	--	--	--	--	--	--	--	--	--	--	--
03/15/10	20.10	47.93	27.83	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/13/10	24.11	47.93	23.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<1.0	<2.0	22

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-12	12/30/98	23.68	48.46	24.78	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/13/99	18.9	48.46	29.56	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/29/99	24.43	48.46	24.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/29/99	25.03	48.46	23.43	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	17.08	48.46	31.38	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/18/00	22.65	48.46	25.81	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	23.88	48.46	24.58	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/28/00	24.2	48.46	24.26	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	48.46	--	4,100	28	6.2	<5	16	90 / <5.0	--	--	--	--	--	--	--
	03/30/01	21.43	48.46	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/29/01	--	48.46	--	4,200	26	25	19	29	--	--	--	--	--	--	--	--
	10/05/01	24.94	48.46	23.52	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/21/01	--	48.46	--	5,300	9.7	<2.5	41	14	--	--	--	--	--	--	--	--
	03/28/02	20.15	48.46	28.31	4,900	20	<2.5	69	23	--	--	--	--	--	--	--	--
	06/28/02	--	48.46	--	2,600	29	<12.5	30	<25	--	--	--	--	--	--	--	--
	09/30/02	24.37	48.46	24.09	700	16	4.9	19	9.8	--	--	--	--	--	--	--	--
	09/30/06	22.58	48.46	26.18	2,100	6.2	15	16	38	<10	--	--	--	--	--	--	--
	12/11/06	23.88	48.46	24.88	5,500	13	24	16	23	<17	--	--	--	--	--	--	--
	03/16/07	21.77	48.46	26.99	4,900	11	24	16	8.5	<50	--	--	--	--	--	--	--
	06/10/07	24.06	48.46	24.7	2,600	<2.5	<2.5	13	9.5	<25	--	--	--	--	--	--	--
	09/14/07	--	48.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/14/07	25.77	48.46	22.99	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	--	48.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	24.6	48.46	23.86	6,200	11	21	26	8.1	<50	--	--	--	--	--	--	--
	09/05/08	25.97	48.46	22.49	5,000	7.3	15	12	5.9	<25	--	--	--	--	--	--	--
	12/13/08	26.66	48.46	21.8	4,400	7.6	19	12	9.4	<25	--	--	--	--	--	--	--
	03/14/09	21.36	48.46	27.1	6,800	16	19	20	60	<50	--	--	--	--	--	--	--
	06/03/09	24.2	48.46	24.26	6,400	6.5	24	25	6.1	<50	--	--	--	--	--	--	--
	12/07/09	--	48.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/15/10	20.89	48.46	27.57	5,100	5.0	<2.0	15	4.3	<2.0	--	--	--	--	--	--	--
	09/13/10	24.91	48.46	23.55	5,400	<2.0[5]	<2.0[5]	10	3.5	--	--	--	--	--	<4.0[5]	<8.0[5]	14

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-13	12/30/98	24.73	49.51	24.78	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/13/99	19.95	49.51	29.56	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/29/99	25.48	49.51	24.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/29/99	26.08	49.51	23.43	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	18.13	49.51	31.38	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/18/00	23.7	49.51	25.81	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	24.93	49.51	24.58	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/28/00	25.25	49.51	24.26	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	49.51	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
	03/30/01	22.48	49.51	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/29/01	--	49.51	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
	10/05/01	25.99	49.51	23.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
	12/21/01	--	49.51	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
	03/28/02	21.2	49.51	28.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--
	06/28/02	--	49.51	--	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--
	09/30/02	25.42	49.51	24.09	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--
	12/21/02	--	49.51	--	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--
	09/30/06	22.58	49.51	26.93	--	170	2.1	13	8.1	43	<5.0	--	--	--	--	--	--
	12/11/06	25.33	49.51	24.18	--	110	4.6	6.5	4.6	17	<5.0	--	--	--	--	--	--
	03/16/07	23	49.51	26.51	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
	06/10/07	25.5	49.51	24.01	--	54	0.8	0.84	1.3	5.4	<5.0	--	--	--	--	--	--
	09/14/07	26.85	49.51	22.66	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
	12/14/07	27.11	49.51	22.4	--	<50	0.76	<0.5	2.3	2.6	<5.0	--	--	--	--	--	--
	03/12/08	23.5	49.51	26.01	--	<50	<0.5	<0.5	0.66	2.2	<5.0	--	--	--	--	--	--
	06/11/08	26.02	49.51	23.49	--	120	0.58	0.97	1.1	2	<5.0	--	--	--	--	--	--
	09/05/08	27.29	49.51	22.22	--	78	<0.5	0.6	0.98	2.1	<5.0	--	--	--	--	--	--
	12/13/08	27.96	49.51	21.55	--	59	0.93	<0.5	2.5	3.8	<5.0	--	--	--	--	--	--
	03/14/09	22.48	49.51	27.03	--	260	1.1	8.8	10	46	<5.0	--	--	--	--	--	--
	06/03/09	25.61	49.51	23.9	--	<50	<0.5	<0.5	0.65	0.69	<5.0	--	--	--	--	--	--
	12/07/09	27.40	49.51	22.11	--	190	1.2	1.6	5.8	13	<5.0	--	--	--	--	--	--
03/15/10	22.26	49.51	27.25	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
09/13/10	26.40	49.51	23.11	--	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	<1.0	<2.0	8.0

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-14	12/30/98	24.76	49.54	24.78	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/13/99	19.98	49.54	29.56	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/29/99	25.51	49.54	24.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/29/99	26.11	49.54	23.43	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/18/00	18.16	49.54	31.38	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/18/00	23.73	49.54	25.81	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	24.96	49.54	24.58	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/28/00	25.28	49.54	24.26	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/20/01	--	49.54	--	--	200	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
	03/30/01	22.51	49.54	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/29/01	--	49.54	--	--	660	<0.5	<0.5	<0.5	4.6	--	--	--	--	--	--	--
	10/05/01	26.02	49.54	23.52	--	770	1.7	1.5	0.91	8.3	--	--	--	--	--	--	--
	12/21/01	--	49.54	--	--	1,500	3.1	13	1.9	22	--	--	--	--	--	--	--
	03/28/02	21.23	49.54	28.31	--	390	1.7	<0.5	<0.5	0.74	--	--	--	--	--	--	--
	06/28/02	--	49.54	--	--	120	<0.5	<0.5	<0.5	<1	--	--	--	--	--	--	--
	09/30/02	25.45	49.54	24.09	--	210	<0.5	1.7	<0.5	1.1	--	--	--	--	--	--	--
	12/21/02	--	49.54	--	--	53	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--
	09/30/06	22.58	49.54	26.96	--	210	2.5	15	9.1	48	<5.0	--	--	--	--	--	--
	12/11/06	24.9	49.54	24.64	--	190	6.7	9.9	5.4	19	<5.0	--	--	--	--	--	--
	03/16/07	22.67	49.54	26.87	--	<50	<0.5	1.1	<0.5	<0.5	<5.0	--	--	--	--	--	--
	06/10/07	25.11	49.54	24.43	--	73	1.1	1.3	1.8	7.2	<5.0	--	--	--	--	--	--
	09/14/07	26.56	49.54	22.98	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--
	12/14/07	26.8	49.54	22.74	--	69	1.1	0.57	3.5	4.5	<5.0	--	--	--	--	--	--
	03/01/08	23.03	49.54	26.51	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	--	49.54	--	--	110	0.61	1.2	1.2	3.6	<5.0	--	--	--	--	--	--
	06/11/08	25.69	49.54	23.85	--	52	<0.5	0.68	<0.5	1	<5.0	--	--	--	--	--	--
	09/05/08	27.04	49.54	22.5	--	95	<0.5	1.3	0.61	2.3	<5.0	--	--	--	--	--	--
	12/13/08	27.72	49.54	21.82	--	220	1.5	4.3	3.2	5.1	<5.0	--	--	--	--	--	--
	03/14/09	22.22	49.54	27.32	--	360	1.4	12	13	61	<5.0	--	--	--	--	--	--
	06/03/09	25.3	49.54	24.24	--	68	<0.5	1.9	0.81	1.1	<5.0	--	--	--	--	--	--
12/07/09	27.1	49.54	22.44	--	220	1.3	2.7	6.9	15	<5.0	--	--	--	--	--	--	
03/15/10	21.94	49.54	27.60	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
09/13/10	26.05	49.54	23.49	--	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	<1.0	<2.0	11

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California



Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
MW-1A	05/30/97	--	48.24	--	12,000	18	8.7	90	540	--	--	--	--	--	--	--	--
	12/30/98	23.6	48.24	24.64	51	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	03/13/99	18.85	48.24	29.39	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	48.24	--	1,800	4	<0.5	3	7.5	--	--	--	--	--	--	--	--
	03/23/99	--	48.24	--	2,200	10	0.52	3.1	7.1	--	--	--	--	--	--	--	--
	09/29/99	24.35	48.24	23.89	13,000	63	26	30	72	--	--	--	--	--	--	--	--
	12/29/99	24.95	48.24	23.29	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/08/00	--	48.24	--	6,100	36	<5	9.7	45	--	--	--	--	--	--	--	--
	03/18/00	16.99	48.24	31.25	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/18/00	22.6	48.24	25.64	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	23.76	48.24	24.48	11,000	14	<5	65	150	--	--	--	--	--	--	--	--
	12/28/00	24.11	48.24	24.13	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/30/01	21.22	48.24	27.02	4,800	30	6	<5	7	51 / <5.0	--	--	--	--	--	--	--
	10/05/01	24.86	48.24	23.38	15,000	76	41	36	140	--	--	--	--	--	--	--	--
	03/28/02	20.1	48.24	28.14	9,300	35	<12.5	17	32	--	--	--	--	--	--	--	--
	09/30/02	24.28	48.24	23.96	23,000	<50	63	77	230	--	--	--	--	--	--	--	--
	09/30/06	23.03	48.24	25.21	2,500	4.1	25	22	49	<5.0	--	--	--	--	--	--	--
	03/16/07	--	48.24	--	1,800	1.8	17	6.4	4.4	<5.0	--	--	--	--	--	--	--
	09/14/07	25.13	48.24	23.11	1,500	1.1	15	2.8	1.8	<5.0	--	--	--	--	--	--	--
	12/14/07	25.43	48.24	22.81	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	21.75	48.24	26.49	1,200	2.1	12	5	3.6	<5.0	--	--	--	--	--	--	--
	06/11/08	24.24	48.24	24	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	25.62	48.24	22.62	1,900	2.4	14	10	5.4	<5.0	--	--	--	--	--	--	--
12/13/08	26.33	48.24	21.91	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/14/09	21.07	48.24	27.17	1,700	2.5	13	11	32	<5.0	--	--	--	--	--	--	--	
03/15/10	20.52	48.24	27.72	2,400	<0.50	<0.50	5.5	2.3	<0.50	--	--	--	--	--	--	--	
09/13/10	24.55	48.24	23.69	2,800	<0.50	<0.50	7.6	2.4	--	--	--	--	--	<1.0	<2.0	6.9	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
141 Farrelly	04/06/96	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	10/02/99	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	03/18/00	17.9	48.76	30.86	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	07/13/00	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	09/26/00	24.66	48.76	24.1	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	12/29/00	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0 [3]	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	03/20/01	--	48.76	--	--	--	--	--	--	<5.0 [3]	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	03/30/01	22.25	48.76	26.51	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/21/01	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
	09/30/02	25.34	48.76	23.42	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--
	12/21/02	20.07	48.76	28.69	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--
	06/19/03	23.55	48.76	25.21	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--
	09/14/04	26.12	48.76	22.64	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--
	03/16/07	22.28	48.76	26.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	09/14/07	25.98	48.76	22.78	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	03/12/08	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/11/08	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	26.48	48.76	22.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	12/13/08	27.2	48.76	21.56	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--
	03/14/09	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/03/09	25.83	48.76	22.93	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
12/07/09	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/15/10	--	48.76	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
09/13/10	--	48.76	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	<1.0	<2.0	<5.0

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California


Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Lead (Pb) (µg/L)
Legend/Key:				Analytical Methods:													
GRO = Gasoline Range Organics C4-C13				GRO analyzed according to EPA Method 8015B													
MTBE = Methyl tertiary butyl ether				BTEX and MTBE analyzed according to EPA Method 8020/8021B prior to 2010													
TBA = Tertiary butyl alcohol				Beginning in 2010, BTEX, MTBE, TBA, DIPE, ETBE, and TAME analyzed by EPA Method 8260B													
DIPE = Di-isopropyl ether																	
ETBE = Ethyl tertiary butyl ether				Laboratory Qualifiers/Flags/Notes:													
TAME = Tertiary amyl methyl ether				[1] GRO reported as Total Petroleum Hydrocarbons as Gasoline (TPHg) prior to 2010													
1,2-DCA = 1,2-Dichloroethane				[2] This value may be inaccurate. <i>Second Quarter 1996 Environmental Activities Report</i> , dated August 8, 1996 by Environmental Testing & Management casts doubt on the validity of this laboratory result.													
EDB = 1,2-Dibromoethane				[3] When two MTBE results listed, the first is by EPA 8020/8021 and second is confirmation by 8260. If only one result, by 8260													
-- = not measured, not analyzed, or not available				[4] All MTBE results by EPA 8020, except where qualified by [3] and during 3/15/10 event when analyzed by 8260													
ft msl = feet above mean sea level				[5] Reporting limits were increased due to high concentrations of target analytes													
µg/L = micrograms per liter				Analytical data present here prior to first quarter 2010 provided by Groundwater Cleaners, Inc. Stratus has not reviewed laboratory reports and makes no representations regarding accuracy of these data.													



QUADRANGLE LOCATION




APPROXIMATE SCALE




GERMAN AUTOCRAFT
 301 EAST 14th STREET
 SAN LEANDRO, CALIFORNIA

SITE LOCATION MAP

FIGURE
1
 PROJECT NO.
 2076-0301-01



- LEGEND:
- MW-1 MONITORING WELL LOCATION
 - (24.15) GROUND WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL.
 - 26.6 WATER TABLE CONTOUR IN FEET ABOVE MEAN SEA LEVEL, DASHED WHERE INFERRED
 - INFERRED DIRECTION OF GROUNDWATER FLOW AND GRADIENT
- ALL WELLS MEASURED ON 9/13/10




GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA

GROUNDWATER ELEVATION CONTOUR MAP
3rd QUARTER 2010


FIGURE
2

PROJECT NO.
2076-0301-01



LEGEND:

- MW-1 MONITORING WELL LOCATION
- [<50] GASOLINE RANGE ORGANICS (GRO) CONCENTRATION IN µg/L
- 100 — ISO-CONCENTRATION CONTOUR LINE, DASHED WHERE APPROXIMATE
- ALL WELLS SAMPLED ON 9/13/10
GRO ANALYZED BY EPA METHOD 8015B




STRATUS
ENVIRONMENTAL, INC.

GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA

GRO ISO-CONCENTRATION CONTOUR MAP
3rd QUARTER 2010


FIGURE
3
PROJECT NO.
2076-0301-01



LEGEND:

- MW-1 MONITORING WELL LOCATION
- [<0.50] BENZENE CONCENTRATION IN µg/L
- 10 — ISO-CONCENTRATION CONTOUR LINE, DASHED WHERE APPROXIMATE

ALL WELLS SAMPLED ON 9/13/10
 BENZENE ANALYZED BY EPA METHOD 8260B
 * NOT USED IN CONTOUR CONSTRUCTION



STRATUS ENVIRONMENTAL, INC.


GERMAN AUTOCRAFT
 301 EAST 14th STREET
 SAN LEANDRO, CALIFORNIA

BENZENE ISO-CONCENTRATION CONTOUR MAP
 3rd QUARTER 2010

FIGURE
4
 PROJECT NO.
 2076-0301-01

REV October 4, 2010 German Auto Quarterly JMP

APPENDIX A
FIELD DATA SHEETS



Site Address 301 E. 14th Street
 City San Leandro
 Sampled By: VZ/LF
 Signature [Signature]

Site Number German Autocraft
 Project Number 2007-0301-01
 Project PM Sarah Salcedo
 DATE 9-13-10

ORIGINAL

Water Level Data					Purge Volume Calculations					Purge Method				Sample Record			Field Data
Well ID	Time	Depth to Product (feet)	Depth to Water (feet)	Total Depth (feet)	Water Column (feet)	Diameter (inches)	Multiplier	3 casing volumes (gallons)	Actual Water Purged (gallons)	No Purge	Bailer	Pump	Other	DTW at sample time (feet)	Sample I.D.	Sample Time	DO (mg/L)
MW-1	0926		25.25	44.74	19.98	2	0.5	9.74	10.00		X			25.26	MW-1	1007	2.05
MW-2	0916		26.11	34.26	8.15	2	0.5	4.08	4.00		X			26.11	MW-2	1043	1.90
MW-3	0920		25.20	35.56	10.36	2	0.5	5.18	4.50		X			25.27	MW-3	1113	1.67
MW-4	0910		25.70	34.52	8.82	2	0.5	4.41	4.50		X			25.72	MW-4	1059	1.76
MW-5	0924		25.62	26.05	0.43	2	0.5	DN	0	Grab Sample X				25.62	MW-5	1000	2.20
MW-6	0550		23.92	33.10	9.18	2	0.5	4.59	4.50		X			23.92	MW-6	0701	2.57
MW-7						2	0.5								MW-7		
MW-8	0553		25.58	29.45	3.87	2	0.5	1.93	2.00		X			25.71	MW-8	0708	1.90
MW-9	0626		24.93	32.75	7.82	2	0.5	3.91	4.00		X			24.95	MW-9	0731	1.46
MW-10	0621		26.88	38.20	11.32	2	0.5	5.66	5.50		X			26.36	MW-10	0841	1.86
MW-11	0614		24.11	33.35	9.24	2	0.5	4.62	4.50		X			24.12	MW-11	0858	5.20
MW-12	0606		24.91	37.90	12.99	2	0.5	6.50	6.50		X			24.98	MW-12	0810	2.09
MW-13	0603		26.40	37.25	10.85	2	0.5	5.42	5.50		X			26.42	MW-13	0757	1.60
MW-14	0558		26.05	30.25	4.20	2	0.5	2.10	2.00		X			26.11	MW-14	0737	3.34
MW-1A	0609		24.55	33.20	8.65	2	0.5	4.33	4.50		X			24.56	MW-1A	0829	1.59
141 Farrelly		Grab	Sample			Private	Well	Grab	Sample		X			N/A	141 Farrelly	1024	2.47
TB															TB		

Multiplier
 2" = 0.5, 3" = 1.0, 4" = 2.0, 6" = 4.4

Please refer to groundwater sampling field procedures
 pH/Conductivity/temperature Meter - Oakton Model)PC-10
 DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE
 pH 1.2 9-13-10
 Conductivity 2
 DO 2

ORIGINAL



Site Address 301 E. 14th Street
 City San Leandro
 Sampled By: VZ/LF
 Signature VZ

Site Number German Autocraft
 Project Number _____
 Project PM _____
 DATE 9-13-10

Well ID <u>MW-6</u>					Well ID <u>MW-9</u> <u>Sheep</u>				
Purge start time <u>0650</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time		Odor <u>Y</u> <u>(N)</u>		
<u>Bail</u>	Temp C	pH	cond	gallons	<u>Bail</u>	Temp C	pH	cond	gallons
time <u>0650</u>	<u>18.7</u>	<u>6.34</u>	<u>670</u>	<u>2</u>	time <u>0716</u>	<u>18.6</u>	<u>6.72</u>	<u>643</u>	<u>2</u>
time <u>0655</u>	<u>18.7</u>	<u>6.54</u>	<u>598</u>	<u>2.5</u>	time <u>0723</u>	<u>19.0</u>	<u>6.76</u>	<u>642</u>	<u>2.0</u>
time <u>0701</u>	<u>18.4</u>	<u>6.57</u>	<u>598</u>	<u>4.5</u>	time <u>0731</u>	<u>18.7</u>	<u>6.82</u>	<u>644</u>	<u>4.0</u>
time					time				
purge stop time <u>0701</u>		ORP <u>107</u>			purge stop time <u>0731</u>		ORP <u>128</u>		
Well ID <u>MW-13</u>					Well ID <u>MW-1A</u> <u>SHEEN</u>				
Purge start time <u>0744</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time <u>0816</u>		Odor <u>Y</u> <u>(N)</u>		
<u>Bail</u>	Temp C	pH	cond	gallons	<u>Bail</u>	Temp C	pH	cond	gallons
time <u>0744</u>	<u>18.1</u>	<u>6.67</u>	<u>592</u>	<u>2</u>	time <u>0816</u>	<u>18.6</u>	<u>6.65</u>	<u>505</u>	<u>2</u>
time <u>0749</u>	<u>18.4</u>	<u>6.64</u>	<u>591</u>	<u>2.5</u>	time <u>0821</u>	<u>18.6</u>	<u>6.64</u>	<u>509</u>	<u>2.0</u>
time <u>0757</u>	<u>18.4</u>	<u>6.60</u>	<u>605</u>	<u>5.5</u>	time <u>0829</u>	<u>18.4</u>	<u>6.63</u>	<u>511</u>	<u>4.5</u>
time					time				
purge stop time <u>0757</u>		ORP <u>112</u>			purge stop time <u>0829</u>		ORP <u>120</u>		
Well ID <u>MW-11</u>					Well ID <u>MW-1</u>				
Purge start time <u>0843</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time <u>0944</u>		Odor <u>Y</u> <u>(N)</u>		
<u>Bail</u>	Temp C	pH	cond	gallons	<u>Bail</u>	Temp C	pH	cond	gallons
time <u>0843</u>	<u>18.5</u>	<u>6.59</u>	<u>485</u>	<u>2</u>	time <u>0944</u>	<u>18.0</u>	<u>6.88</u>	<u>561</u>	<u>2</u>
time <u>0850</u>	<u>18.6</u>	<u>6.57</u>	<u>531</u>	<u>2.0</u>	time <u>0953</u>	<u>19.0</u>	<u>6.73</u>	<u>631</u>	<u>5.0</u>
time <u>0858</u>	<u>18.5</u>	<u>6.91</u>	<u>538</u>	<u>4.5</u>	time <u>1007</u>	<u>17.9</u>	<u>6.65</u>	<u>686</u>	<u>10.00</u>
time					time				
purge stop time		ORP <u>116</u>			purge stop time		ORP <u>132</u>		
Well ID <u>MW-2</u> <u>sheep</u>					Well ID <u>MW-3</u> <u>sheep</u>				
Purge start time <u>1030</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time <u>1100</u>		Odor <u>Y</u> <u>(N)</u>		
<u>Bail</u>	Temp C	pH	cond	gallons	<u>Bail</u>	Temp C	pH	cond	gallons
time <u>1030</u>	<u>18.1</u>	<u>6.69</u>	<u>499</u>	<u>2</u>	time <u>1100</u>	<u>18.4</u>	<u>7.05</u>	<u>143</u>	<u>2</u>
time <u>1036</u>	<u>18.2</u>	<u>6.71</u>	<u>514</u>	<u>2.5</u>	time <u>1106</u>	<u>18.5</u>	<u>6.95</u>	<u>140</u>	<u>2</u>
time <u>1043</u>	<u>18.4</u>	<u>6.71</u>	<u>518</u>	<u>4.0</u>	time <u>1113</u>	<u>18.5</u>	<u>6.98</u>	<u>134</u>	<u>4.5</u>
time					time				
purge stop time <u>1043</u>		ORP <u>68</u>			purge stop time <u>1113</u>		ORP <u>50</u>		



Site Address 301 E. 14th Street
 City San Leandro
 Sampled By: VZ/LF
 Signature _____

Site Number German Autocraft
 Project Number 2076-0301-01
 Project PM Sarah Salcedo
 DATE 9/13/2010

ORIGINAL

Well ID <u>MW-8</u> <u>Bail</u>					Well ID <u>MW-14</u> <u>Bail</u>				
Purge start time <u>0656</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time <u>0728</u>		Odor <u>Y</u> <u>(N)</u>		
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time <u>0656</u>	<u>18.2</u>	<u>7.20</u>	<u>100.2</u>	<u>Ø</u>	time <u>0728</u>	<u>18.4</u>	<u>6.17</u>	<u>103.9</u>	<u>Ø</u>
time <u>0659</u>	<u>18.4</u>	<u>6.78</u>	<u>95.5</u>	<u>1</u>	time <u>0730</u>	<u>18.6</u>	<u>6.17</u>	<u>104.7</u>	<u>1</u>
time <u>0702</u>	<u>18.4</u>	<u>6.56</u>	<u>94.1</u>	<u>2</u>	time <u>0733</u>	<u>18.4</u>	<u>6.24</u>	<u>106.2</u>	<u>2</u>
time					time				
purge stop time <u>0702</u>		ORP <u>66</u>			purge stop time <u>0733</u>		ORP <u>87</u>		
Well ID <u>MW-12</u> <u>Bail</u>					Well ID <u>MW-10</u> <u>Bail</u>				
Purge start time <u>0753</u>		Odor <u>(Y)</u> <u>N</u>			Purge start time <u>0826</u>		Odor <u>(Y)</u> <u>N</u>		
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time <u>0753</u>	<u>18.0</u>	<u>6.13</u>	<u>120.0</u>	<u>Ø</u>	time <u>0826</u>	<u>18.0</u>	<u>6.48</u>	<u>114.5</u>	<u>Ø</u>
time <u>0759</u>	<u>18.0</u>	<u>6.40</u>	<u>119.9</u>	<u>3.5</u>	time <u>0831</u>	<u>18.2</u>	<u>6.46</u>	<u>115.0</u>	<u>2.5</u>
time <u>0804</u>	<u>18.0</u>	<u>6.47</u>	<u>118.7</u>	<u>6.5</u>	time <u>0836</u>	<u>18.1</u>	<u>6.48</u>	<u>114.8</u>	<u>5.5</u>
time					time				
purge stop time <u>0804</u>		ORP <u>109</u>			purge stop time <u>0836</u>		ORP <u>103</u>		
Well ID <u>MW-5</u> <u>Grab Sample</u>					Well ID <u>141</u> <u>Farrery</u> <u>Grab Sample</u>				
Purge start time <u>0952</u>		Odor <u>Y</u> <u>(N)</u>			Purge start time <u>1022</u>		Odor <u>Y</u> <u>(N)</u>		
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time <u>0952</u>	<u>18.9</u>	<u>6.48</u>	<u>117.1</u>	<u>Ø</u>	time <u>1022</u>	<u>17.8</u>	<u>6.62</u>	<u>105.6</u>	<u>Ø</u>
time					time				
time					time				
time					time				
purge stop time <u>0952</u>		ORP <u>96</u>			purge stop time <u>1022</u>		ORP <u>42</u>		
Well ID <u>MW-4</u> <u>Bail</u> <u>Shuen</u>					Well ID				
Purge start time <u>1044</u>		Odor <u>(Y)</u> <u>N</u>			Purge start time		Odor <u>Y</u> <u>N</u>		
	Temp C	pH	cond	gallons		Temp C	pH	cond	gallons
time <u>1044</u>	<u>18.5</u>	<u>6.55</u>	<u>106.0</u>	<u>Ø</u>	time				
time <u>1048</u>	<u>18.5</u>	<u>6.45</u>	<u>106.3</u>	<u>2.5</u>	time				
time <u>1055</u>	<u>18.3</u>	<u>6.42</u>	<u>105.2</u>	<u>4.5</u>	time				
time					time				
purge stop time <u>1055</u>		ORP <u>14</u>			purge stop time		ORP		

APPENDIX B

SAMPLING AND ANALYSES PROCEDURES

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures as well as the quality assurance plan are contained in this appendix. The procedures and adherence to the quality assurance plan will provide for consistent and reproducible sampling methods; proper application of analytical methods; accurate and precise analytical results; and finally, these procedures will provide guidelines so that the overall objectives of the monitoring program are achieved.

Ground Water and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the ground water depth in monitoring wells that do not contain LPH. Depth to ground water or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Ground Water

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Purging and Sampling

Monitoring wells are purged using a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water have been removed. If three well volumes can not be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a ground water sample is then removed from each of the wells using a disposable bailer.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air from remaining in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped.

The water sample is collected, labeled, and handled according to the Quality Assurance Plan. Water generated during the monitoring event is disposed of according to regulatory accepted method pertaining to the site.

QUALITY ASSURANCE PLAN

Procedures to provide data quality should be established and documented so that conditions adverse to quality, such as deficiencies, deviations, nonconformants, defective material, services, and/or equipment, can be promptly identified and corrected.

General Sample Collection and Handling Procedures

Proper collection and handling are essential to ensure the quality of a sample. Each sample is collected in a suitable container, preserved correctly for the intended analysis, and stored prior to analysis for no longer than the maximum allowable holding time. Details on the procedures for collection and handling of samples used on this project can be found in this section.

Soil and Water Sample Labeling and Preservation

Label information includes a unique sample identification number, job identification number, date, and time. After labeling all soil and water samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Upon recovery, the sample container is sealed to minimize the potential of volatilization and cross-contamination prior to chemical analysis. Soil sampling tubes are typically closed at each end with Teflon[®] sheeting and plastic caps. The sample is then placed in a Ziploc[®] type bag and sealed. The sample is labeled and refrigerated at approximately 4° Celsius for delivery, under strict chain-of-custody, to the analytical laboratory.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded on the borehole log or in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and

noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

Sample bottles, caps, and septa used in sampling for volatile and semivolatile organics will be triple rinsed with high-purity deionized water. After being rinsed, sample bottles will be dried overnight at a temperature of 200°C. Sample caps and septa will be dried overnight at a temperature of 60°C. Sample bottles, caps, and septa will be protected from solvent contact between drying and actual use at the sampling site. Sampling containers will be used only once and discarded after analysis is complete.

Plastic bottles and caps used in sampling for metals will be soaked overnight in a 1-percent nitric acid solution. Next, the bottles and caps will be triple rinsed with deionized water. Finally, the bottles and caps will be air dried before being used at the site. Plastic bottles and caps will be constructed of linear polyethylene or polypropylene. Sampling containers will be used only once and discarded after analysis is complete. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Before the sampling event is started, equipment that will be placed in the well or will come in contact with groundwater will be disassembled and cleaned thoroughly with detergent water, and then steam cleaned with deionized water. Any parts that may absorb contaminants, such as plastic pump valves, etc. will be cleaned as described above or replaced.

During field sampling, equipment surfaces that are placed in the well or contact groundwater will be steam cleaned with deionized water before the next well is purged or sampled. Equipment blanks will be collected and analyzed from non-disposable sampling equipment that is used for collecting groundwater samples at the rate of one blank per twenty samples collected.

Internal Quality Assurance Checks

Internal quality assurance procedures are designed to provide reliability of monitoring and measurement of data. Both field and laboratory quality assurance checks are necessary to evaluate the reliability of sampling and analysis results. Internal quality assurance procedures generally include:

- Laboratory Quality Assurance

- Documentation of instrument performance checks
- Documentation of instrument calibration
- Documentation of the traceability of instrument standards, samples, and data
- Documentation of analytical and QC methodology (QC methodology includes use of spiked samples, duplicate samples, split samples, use of reference blanks, and check standards to check method accuracy and precision)

- Field Quality Assurance

- Documentation of sample preservation and transportation
- Documentation of field instrument calibration and irregularities in performance

Internal laboratory quality assurance checks will be the responsibility of the contract laboratories. Data and reports submitted by field personnel and the contract laboratory will be reviewed and maintained in the project files.

Types of Quality Control Checks

Samples are analyzed using analytical methods outlined in EPA Manual SW 846 and approved by the California Regional Water Quality Control Board-Central Valley Region in the Leaking Underground Fuel Tanks (LUFT) manual and appendices. Standard contract laboratory quality control may include analysis or use of the following:

- Method blanks – reagent water used to prepare calibration standards, spike solutions, etc. is analyzed in the same manner as the sample to demonstrate that analytical interferences are under control.
- Matrix spiked samples – a known amount of spike solution containing selected constituents is added to the sample at concentrations at which the accuracy of the analytical method is to satisfactorily monitor and evaluate laboratory data quality.
- Split samples – a sample is split into two separate aliquots before analysis to assess the reproducibility of the analysis.
- Surrogate samples – samples are spiked with surrogate constituents at known concentrations to monitor both the performance of the analytical system and the effectiveness of the method in dealing with the sample matrix.
- Control charts – graphical presentation of spike or split sample results used to track the accuracy or precision of the analysis.
- Quality control check samples – when spiked sample analysis indicates atypical instrument performance, a quality check sample, which is prepared independently of the calibration standards and contains the constituents of interest, is analyzed to confirm that measurements were performed accurately.

- Calibration standards and devices – traceable standards or devices to set instrument response so that sample analysis results represent the absolute concentration of the constituent.

Field QA samples will be collected to assess sample handling procedures and conditions. Standard field quality control may include the use of the following, and will be collected and analyzed as outlined in EPA Manual SW 846.

- Field blanks – reagent water samples are prepared at the sampling location by the same procedure used to collect field groundwater samples and analyzed with the groundwater samples to assess the impact of sampling techniques on data quality. Typically, one field blank per twenty groundwater samples collected will be analyzed per sampling event.
- Field replicates – duplicate or triplicate samples are collected and analyzed to assess the reproducibility of the analytical data. One replicate groundwater sample per twenty samples collected will be analyzed per sampling event, unless otherwise specified. Triplicate samples will be collected only when specific conditions warrant and generally are sent to an alternate laboratory to confirm the accuracy of the routinely used laboratory.
- Trip blanks – reagent water samples are prepared before field work, transported and stored with the samples and analyzed to assess the impact of sample transport and storage for data quality. In the event that any analyte is detected in the field blank, a trip blank will be included in the subsequent groundwater sampling event.

Data reliability will be evaluated by the certified laboratory and reported on a cover sheet attached to the laboratory data report. Analytical data resulting from the testing of field or trip blanks will be included in the laboratory's report. Results from matrix spike, surrogate, and method blank testing will be reported, along with a statement of whether the samples were analyzed within the appropriate holding time.

Stratus will evaluate the laboratory's report on data reliability and note significant QC results that may make the data biased or unacceptable. Data viability will be performed as outlined in EPA Manual SW 846. If biased or unacceptable data is noted, corrective actions (including re-sample/re-analyze, etc.) will be evaluated on a site-specific basis.

APPENDIX C

LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

Stratus Environmental
3330 Cameron Park Drive
Cameron Park, CA 956828861

Attn: Sarah Salcedo
Phone: (530) 313-9966
Fax: (530) 676-6005
Date Received : 09/15/10

Job: 2076-0301-01/German Autocraft

Metals by ICPMS
EPA Method SW6020 / SW6020A

Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed
Client ID: MW-1 Lab ID : STR10091540-01A Lead (Pb) Date Sampled 09/13/10 10:07	89	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-2 Lab ID : STR10091540-02A Lead (Pb) Date Sampled 09/13/10 10:43	18	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-3 Lab ID : STR10091540-03A Lead (Pb) Date Sampled 09/13/10 11:13	22	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-4 Lab ID : STR10091540-04A Lead (Pb) Date Sampled 09/13/10 10:59	ND	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-5 Lab ID : STR10091540-05A Lead (Pb) Date Sampled 09/13/10 10:00	18	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-6 Lab ID : STR10091540-06A Lead (Pb) Date Sampled 09/13/10 07:01	30	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-8 Lab ID : STR10091540-07A Lead (Pb) Date Sampled 09/13/10 07:08	ND	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-9 Lab ID : STR10091540-08A Lead (Pb) Date Sampled 09/13/10 07:31	9.3	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-10 Lab ID : STR10091540-09A Lead (Pb) Date Sampled 09/13/10 08:41	ND	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-11 Lab ID : STR10091540-10A Lead (Pb) Date Sampled 09/13/10 08:58	22	5.0 µg/L	09/15/10 13:51	09/15/10
Client ID: MW-12 Lab ID : STR10091540-11A Lead (Pb) Date Sampled 09/13/10 08:10	14	5.0 µg/L	09/15/10 13:51	09/15/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID: **MW-13**

Lab ID: STR10091540-12A Lead (Pb) 8.0 5.0 µg/L 09/15/10 13:51 09/15/10
Date Sampled 09/13/10 07:57

Client ID: **MW-14**

Lab ID: STR10091540-13A Lead (Pb) 11 5.0 µg/L 09/15/10 13:51 09/15/10
Date Sampled 09/13/10 07:37

Client ID: **MW-1A**

Lab ID: STR10091540-14A Lead (Pb) 6.9 5.0 µg/L 09/15/10 13:51 09/15/10
Date Sampled 09/13/10 08:29

Client ID: **141 Farrelly**

Lab ID: STR10091540-15A Lead (Pb) ND 5.0 µg/L 09/15/10 13:51 09/15/10
Date Sampled 09/13/10 10:24

ND = Not Detected

Reported in micrograms per Liter, per client request.

Roger Scholl *Randy Gardner* *Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

e
9/22/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

ANALYTICAL REPORT

Stratus Environmental
3330 Cameron Park Drive
Cameron Park, CA 956828861

Attn: Sarah Salcedo
Phone: (530) 313-9966
Fax: (530) 676-6005
Date Received : 09/15/10

Job: 2076-0301-01/German Autocraft

Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B
Volatile Organic Compounds (VOCs) EPA Method SW8260B

	Parameter	Concentration	Reporting Limit	Date Extracted	Date Analyzed		
Client ID :	MW-1						
Lab ID :	STR10091540-01A	TPH-P (GRO)	75,000	10,000 µg/L	09/16/10	09/16/10	
Date Sampled	09/13/10 10:07	Methyl tert-butyl ether (MTBE)	ND	V	50 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND	V	100 µg/L	09/16/10	09/16/10
		Benzene	670		50 µg/L	09/16/10	09/16/10
		Toluene	9,400		50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	200 µg/L	09/16/10	09/16/10
		Ethylbenzene	3,700		50 µg/L	09/16/10	09/16/10
		m,p-Xylene	13,000		50 µg/L	09/16/10	09/16/10
		o-Xylene	6,000		50 µg/L	09/16/10	09/16/10
Client ID :	MW-2						
Lab ID :	STR10091540-02A	TPH-P (GRO)	9,900	1,000 µg/L	09/16/10	09/16/10	
Date Sampled	09/13/10 10:43	Methyl tert-butyl ether (MTBE)	ND	V	5.0 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND	V	10 µg/L	09/16/10	09/16/10
		Benzene	93		5.0 µg/L	09/16/10	09/16/10
		Toluene	ND	V	5.0 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	20 µg/L	09/16/10	09/16/10
		Ethylbenzene	100		5.0 µg/L	09/16/10	09/16/10
		m,p-Xylene	13		5.0 µg/L	09/16/10	09/16/10
		o-Xylene	ND	V	5.0 µg/L	09/16/10	09/16/10
Client ID :	MW-3						
Lab ID :	STR10091540-03A	TPH-P (GRO)	1,400	50 µg/L	09/16/10	09/16/10	
Date Sampled	09/13/10 11:13	Methyl tert-butyl ether (MTBE)	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	5.3		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	2.9		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-4						
Lab ID :	STR10091540-04A	TPH-P (GRO)	9,900	500 µg/L	09/16/10	09/16/10	
Date Sampled	09/13/10 10:59	Methyl tert-butyl ether (MTBE)	ND	V	2.5 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND	V	5.0 µg/L	09/16/10	09/16/10
		Benzene	660		2.5 µg/L	09/16/10	09/16/10
		Toluene	56		2.5 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	10 µg/L	09/16/10	09/16/10
		Ethylbenzene	550		2.5 µg/L	09/16/10	09/16/10
		m,p-Xylene	450		2.5 µg/L	09/16/10	09/16/10
		o-Xylene	15		2.5 µg/L	09/16/10	09/16/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID :	MW-5						
Lab ID :	STR10091540-05A	TPH-P (GRO)	260		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 10:00	Methyl tert-butyl ether (MTBE)	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-6						
Lab ID :	STR10091540-06A	TPH-P (GRO)	ND		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 07:01	Methyl tert-butyl ether (MTBE)	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-8						
Lab ID :	STR10091540-07A	TPH-P (GRO)	550		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 07:08	1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	1.7		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-9						
Lab ID :	STR10091540-08A	TPH-P (GRO)	4,500		400 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 07:31	1,2-Dichloroethane	ND	V	4.0 µg/L	09/16/10	09/16/10
		Benzene	ND	V	2.0 µg/L	09/16/10	09/16/10
		Toluene	ND	V	2.0 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	8.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	15		2.0 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND	V	2.0 µg/L	09/16/10	09/16/10
		o-Xylene	ND	V	2.0 µg/L	09/16/10	09/16/10
Client ID :	MW-10						
Lab ID :	STR10091540-09A	TPH-P (GRO)	6,800		400 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 08:41	1,2-Dichloroethane	ND	V	4.0 µg/L	09/16/10	09/16/10
		Benzene	43		2.0 µg/L	09/16/10	09/16/10
		Toluene	2.5		2.0 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	8.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	31		2.0 µg/L	09/16/10	09/16/10
		m,p-Xylene	13		2.0 µg/L	09/16/10	09/16/10
		o-Xylene	ND	V	2.0 µg/L	09/16/10	09/16/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Client ID :	MW-11						
Lab ID :	STR10091540-10A	TPH-P (GRO)	ND		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 08:58	Methyl tert-butyl ether (MTBE)	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-12						
Lab ID :	STR10091540-11A	TPH-P (GRO)	5,400		400 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 08:10	1,2-Dichloroethane	ND	V	4.0 µg/L	09/16/10	09/16/10
		Benzene	ND	V	2.0 µg/L	09/16/10	09/16/10
		Toluene	ND	V	2.0 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND	V	8.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	10		2.0 µg/L	09/16/10	09/16/10
		m,p-Xylene	3.5		2.0 µg/L	09/16/10	09/16/10
		o-Xylene	ND	V	2.0 µg/L	09/16/10	09/16/10
Client ID :	MW-13						
Lab ID :	STR10091540-12A	TPH-P (GRO)	ND		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 07:57	1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-14						
Lab ID :	STR10091540-13A	TPH-P (GRO)	ND		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 07:37	1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	MW-1A						
Lab ID :	STR10091540-14A	TPH-P (GRO)	2,800		100 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 08:29	1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	7.6		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	2.4		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
Client ID :	141 Farrelly						
Lab ID :	STR10091540-15A	TPH-P (GRO)	ND		50 µg/L	09/16/10	09/16/10
Date Sampled	09/13/10 10:24	1,2-Dichloroethane	ND		1.0 µg/L	09/16/10	09/16/10
		Benzene	ND		0.50 µg/L	09/16/10	09/16/10
		Toluene	ND		0.50 µg/L	09/16/10	09/16/10
		1,2-Dibromoethane (EDB)	ND		2.0 µg/L	09/16/10	09/16/10
		Ethylbenzene	ND		0.50 µg/L	09/16/10	09/16/10
		m,p-Xylene	ND		0.50 µg/L	09/16/10	09/16/10
		o-Xylene	ND		0.50 µg/L	09/16/10	09/16/10



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Gasoline Range Organics (GRO) C4-C13

V = Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

Reported in micrograms per Liter, per client request.

Roger Scholl

Randy Gardner

Walter Hinchman

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 736-7522 / Carson, CA • (714) 386-2901 / info@alpha-analytical.com

Alpha certifies that the test results meet all requirements of NELAC unless footnoted otherwise.

Alpha Analytical, Inc. currently holds appropriate and available California (#2019) and NELAC (01154CA) certifications for the data reported. Test results relate only to reported samples.

PS

9/22/10

Report Date



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

VOC Sample Preservation Report

Work Order: STR10091540

Job: 2076-0301-01/German Autocraft

Alpha's Sample ID	Client's Sample ID	Matrix	pH
10091540-01A	MW-1	Aqueous	2
10091540-02A	MW-2	Aqueous	2
10091540-03A	MW-3	Aqueous	2
10091540-04A	MW-4	Aqueous	2
10091540-05A	MW-5	Aqueous	2
10091540-06A	MW-6	Aqueous	2
10091540-07A	MW-8	Aqueous	2
10091540-08A	MW-9	Aqueous	2
10091540-09A	MW-10	Aqueous	2
10091540-10A	MW-11	Aqueous	2
10091540-11A	MW-12	Aqueous	2
10091540-12A	MW-13	Aqueous	2
10091540-13A	MW-14	Aqueous	2
10091540-14A	MW-1A	Aqueous	2
10091540-15A	141 Farrelly	Aqueous	2

9/22/10

Report Date

Page 1 of 1



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
21-Sep-10

QC Summary Report

Work Order:
10091540

Method Blank

File ID: 091510.B\019_M.D\	Type MBLK	Test Code: EPA Method SW6020 / SW6020A	Batch ID: 25051	Analysis Date: 09/15/2010 18:46						
Sample ID: MB-25051	Units : µg/L	Run ID: ICP/MS_100915A	Prep Date: 09/15/2010 13:51							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Lead (Pb)	ND	5								

Laboratory Control Spike

File ID: 091510.B\020_M.D\	Type LCS	Test Code: EPA Method SW6020 / SW6020A	Batch ID: 25051	Analysis Date: 09/15/2010 18:51						
Sample ID: LCS-25051	Units : µg/L	Run ID: ICP/MS_100915A	Prep Date: 09/15/2010 13:51							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Lead (Pb)	237	5	250	95	80	120				

Sample Matrix Spike

File ID: 091510.B\025_SS.D\	Type MS	Test Code: EPA Method SW6020 / SW6020A	Batch ID: 25051	Analysis Date: 09/15/2010 19:19						
Sample ID: 10091501-01AMS	Units : µg/L	Run ID: ICP/MS_100915A	Prep Date: 09/15/2010 13:51							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Lead (Pb)	243	5	250	0	97	75	125			

Sample Matrix Spike Duplicate

File ID: 091510.B\026_SS.D\	Type MSD	Test Code: EPA Method SW6020 / SW6020A	Batch ID: 25051	Analysis Date: 09/15/2010 19:25						
Sample ID: 10091501-01AMSD	Units : µg/L	Run ID: ICP/MS_100915A	Prep Date: 09/15/2010 13:51							
Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Lead (Pb)	247	5	250	0	99	75	125	242.6	1.8(20)	

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Reported in micrograms per Liter, per client request.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
17-Sep-2010

QC Summary Report

Work Order:
10091540

Method Blank

Type **MBLK** Test Code: **EPA Method SW8015**

File ID: **10091607.D**

Batch ID: **MS15W0916B**

Analysis Date: **09/16/2010 10:02**

Sample ID: **MBLK MS15W0916B**

Units: **µg/L**

Run ID: **MSD_15_100916A**

Prep Date: **09/16/2010 10:02**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	ND	50								
Surr: 1,2-Dichloroethane-d4	9.87		10		99	70	130			
Surr: Toluene-d8	10.8		10		108	70	130			
Surr: 4-Bromofluorobenzene	10.7		10		107	70	130			

Laboratory Control Spike

Type **LCS** Test Code: **EPA Method SW8015**

File ID: **10091604.D**

Batch ID: **MS15W0916B**

Analysis Date: **09/16/2010 08:48**

Sample ID: **GLCS MS15W0916B**

Units: **µg/L**

Run ID: **MSD_15_100916A**

Prep Date: **09/16/2010 08:48**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	429	50	400		107	70	130			
Surr: 1,2-Dichloroethane-d4	9.75		10		98	70	130			
Surr: Toluene-d8	10.2		10		102	70	130			
Surr: 4-Bromofluorobenzene	10.1		10		101	70	130			

Sample Matrix Spike

Type **MS** Test Code: **EPA Method SW8015**

File ID: **10091612.D**

Batch ID: **MS15W0916B**

Analysis Date: **09/16/2010 11:51**

Sample ID: **10091540-03AGS**

Units: **µg/L**

Run ID: **MSD_15_100916A**

Prep Date: **09/16/2010 11:51**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	3160	250	2000	1406	88	58	135			
Surr: 1,2-Dichloroethane-d4	50.9		50		102	70	130			
Surr: Toluene-d8	49.8		50		99.7	70	130			
Surr: 4-Bromofluorobenzene	50.5		50		101	70	130			

Sample Matrix Spike Duplicate

Type **MSD** Test Code: **EPA Method SW8015**

File ID: **10091613.D**

Batch ID: **MS15W0916B**

Analysis Date: **09/16/2010 12:13**

Sample ID: **10091540-03AGSD**

Units: **µg/L**

Run ID: **MSD_15_100916A**

Prep Date: **09/16/2010 12:13**

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
TPH-P (GRO)	3140	250	2000	1406	87	58	135	3161	0.8(20)	
Surr: 1,2-Dichloroethane-d4	50.8		50		102	70	130			
Surr: Toluene-d8	50.4		50		101	70	130			
Surr: 4-Bromofluorobenzene	49.5		50		99	70	130			

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Reported in micrograms per Liter, per client request.



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
17-Sep-2010

QC Summary Report

Work Order:
10091540

Method Blank

Type MBLK Test Code: EPA Method SW8260B

File ID: 10091607.D

Batch ID: MS15W0916A

Analysis Date: 09/16/2010 10:02

Sample ID: MBLK MS15W0916A

Units: µg/L

Run ID: MSD_15_100916A

Prep Date: 09/16/2010 10:02

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	ND	0.5								
1,2-Dichloroethane	ND	1								
Benzene	ND	0.5								
Toluene	ND	0.5								
1,2-Dibromoethane (EDB)	ND	2								
Ethylbenzene	ND	0.5								
m,p-Xylene	ND	0.5								
o-Xylene	ND	0.5								
Surr: 1,2-Dichloroethane-d4	9.87		10		99	70	130			
Surr: Toluene-d8	10.8		10		108	70	130			
Surr: 4-Bromofluorobenzene	10.7		10		107	70	130			

Laboratory Control Spike

Type LCS Test Code: EPA Method SW8260B

File ID: 10091603.D

Batch ID: MS15W0916A

Analysis Date: 09/16/2010 08:26

Sample ID: LCS MS15W0916A

Units: µg/L

Run ID: MSD_15_100916A

Prep Date: 09/16/2010 08:26

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	9.68	0.5	10		97	62	136			
Benzene	10.9	0.5	10		109	70	130			
Toluene	10.6	0.5	10		106	80	120			
Ethylbenzene	11	0.5	10		110	80	120			
m,p-Xylene	11.6	0.5	10		116	70	130			
o-Xylene	11.5	0.5	10		115	70	130			
Surr: 1,2-Dichloroethane-d4	9.49		10		95	70	130			
Surr: Toluene-d8	9.87		10		99	70	130			
Surr: 4-Bromofluorobenzene	9.93		10		99	70	130			

Sample Matrix Spike

Type MS Test Code: EPA Method SW8260B

File ID: 10091610.D

Batch ID: MS15W0916A

Analysis Date: 09/16/2010 11:07

Sample ID: 10091540-03AMS

Units: µg/L

Run ID: MSD_15_100916A

Prep Date: 09/16/2010 11:07

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	51.2	1.3	50	0	102	56	141			
Benzene	51.4	1.3	50	0	103	67	130			
Toluene	49.2	1.3	50	0	98	66	130			
Ethylbenzene	55	1.3	50	5.34	99	68	130			
m,p-Xylene	55.4	1.3	50	2.91	105	64	130			
o-Xylene	53.8	1.3	50	0	108	70	130			
Surr: 1,2-Dichloroethane-d4	49.1		50		98	70	130			
Surr: Toluene-d8	48.9		50		98	70	130			
Surr: 4-Bromofluorobenzene	47.1		50		94	70	130			

Sample Matrix Spike Duplicate

Type MSD Test Code: EPA Method SW8260B

File ID: 10091611.D

Batch ID: MS15W0916A

Analysis Date: 09/16/2010 11:29

Sample ID: 10091540-03AMSD

Units: µg/L

Run ID: MSD_15_100916A

Prep Date: 09/16/2010 11:29

Analyte	Result	PQL	SpkVal	SpkRefVal	%REC	LCL(ME)	UCL(ME)	RPDRefVal	%RPD(Limit)	Qual
Methyl tert-butyl ether (MTBE)	52.2	1.3	50	0	104	56	141	51.24	1.8(20)	
Benzene	50.8	1.3	50	0	102	67	130	51.41	1.2(20)	
Toluene	49	1.3	50	0	98	66	130	49.17	0.3(20)	
Ethylbenzene	54.7	1.3	50	5.34	99	68	130	54.99	0.5(20)	
m,p-Xylene	55.7	1.3	50	2.91	106	64	130	55.42	0.5(20)	
o-Xylene	53.7	1.3	50	0	107	70	130	53.84	0.4(20)	
Surr: 1,2-Dichloroethane-d4	50.1		50		100	70	130			
Surr: Toluene-d8	49		50		98	70	130			
Surr: 4-Bromofluorobenzene	48.1		50		96	70	130			



Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

Date:
17-Sep-2010

QC Summary Report

Work Order:
10091540

Comments:

Calculations are based off of raw (non-rounded) data. However, for reporting purposes, all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Billing Information :

CHAIN-OF-CUSTODY RECORD

Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

CA

WorkOrder : STR10091540
Report Due By : 5:00 PM On : 22-Sep-10

Client:
 Stratus Environmental
 3330 Cameron Park Drive
 Suite 550
 Cameron Park, CA 95682-8861

Report Attention	Phone Number	E-Mail Address
Sarah Salcedo	(530) 313-9966 x	ssalcedo@stratusinc.net

EDD Required : Yes

Sampled by : Levi, Vince


PO :
 Client's COC # : 24869, 24868 Job : 2076-0301-01/German Autocraft

Cooler Temp	Samples Received	Date Printed
3 °C	15-Sep-10	15-Sep-10

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Collection Date	No. of Bottles			Requested Tests			Sample Remarks
				Alpha	Sub	TAT	METALS_A Q	TPHP_W	VOC_W	
STR10091540-01A	MW-1	AQ	09/13/10 10:07	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-02A	MW-2	AQ	09/13/10 10:43	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-03A	MW-3	AQ	09/13/10 11:13	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-04A	MW-4	AQ	09/13/10 10:59	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-05A	MW-5	AQ	09/13/10 10:00	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-06A	MW-6	AQ	09/13/10 07:01	6	0	5	Pb	GAS-C	BTXE/MTB E/EDB/1,2 DCA_C	
STR10091540-07A	MW-8	AQ	09/13/10 07:08	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C	
STR10091540-08A	MW-9	AQ	09/13/10 07:31	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C	
STR10091540-09A	MW-10	AQ	09/13/10 08:41	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C	

Comments: Security seals intact. Frozen ice :

Logged in by:	Signature	Print Name	Company	Date/Time
		Taree Dickerson	Alpha Analytical, Inc.	9/15/10 1015

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.
 The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.
 Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Billing Information :

CHAIN-OF-CUSTODY RECORD

Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778
 TEL: (775) 355-1044 FAX: (775) 355-0406

CA

WorkOrder : STR10091540
Report Due By : 5:00 PM On : 22-Sep-10

Client:
 Stratus Environmental
 3330 Cameron Park Drive
 Suite 550
 Cameron Park, CA 95682-8861

Report Attention	Phone Number	EEmail Address
Sarah Salcedo	(530) 313-9966 x	ssalcedo@stratusinc.net

EDD Required : Yes

Sampled by : Levi, Vince


PO :
 Client's COC # : 24869, 24868 Job : 2076-0301-01/German Autocraft

Cooler Temp	Samples Received	Date Printed
3 °C	15-Sep-10	15-Sep-10

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Collection Date	No. of Bottles			Requested Tests						Sample Remarks		
				Alpha	Sub	TAT	METALS_A Q	TPH/P_W	VOC_W						
STR10091540-10A	MW-11	AQ	09/13/10 08:58	6	0	5	Pb	GAS-C	BTXE/MIB E/EDB/1,2 DCA_C						
STR10091540-11A	MW-12	AQ	09/13/10 08:10	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C						
STR10091540-12A	MW-13	AQ	09/13/10 07:57	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C						
STR10091540-13A	MW-14	AQ	09/13/10 07:37	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C						
STR10091540-14A	MW-1A	AQ	09/13/10 08:29	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C						
STR10091540-15A	141 Farrelly	AQ	09/13/10 10:24	6	0	5	Pb	GAS-C	BTXE/EDB/ 1,2 DCA_C						

Comments: Security seals intact. Frozen ice :

Logged in by:	Signature	Print Name	Company	Date/Time
		Tare Jackson	Alpha Analytical, Inc.	9/15/10 1015

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.
 Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Billing Information:

Name Stratus Env.
 Address 2830 Cameron Park Dr
 City, State, Zip Cameron Park, CA
 Phone Number 530-626-6004 Fax 530-676-6005



Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21
 Sparks, Nevada 89431-5778
 Phone (775) 355-1044
 Fax (775) 355-0406

Samples Collected From Which State? **24869**
 AZ ___ CA NV ___ WA ___
 ID ___ OR OTHER ___ Page # 1 of 2

Client Name		P.O. #		Job #		Analyses Required						Required QC Level?					
German Autocraft				2076-0301-01		GRD	SP15B	BTEX	1,2-DCA	EAB	Total Lead	20	MTBE	I	II	III	IV
Address 301 E. 14th St.		E-Mail Address		Fax #										EDD / EDF? YES <input checked="" type="checkbox"/> NO ___			
Time Sampled	Date Sampled	Matrix* See Key Below	Sampled by	Report Attention	TAT	Field Filtered	Total and type of containers** See below		REMARKS								
			Lab ID Number (Office Use Only)	Sample Description													
1007	09/13	AR	STR10091540-01	MW-1	Std.	N/A	5v. 1P	X	X	X	X	X	X				
1043			-02	-2													
1113			-03	-3													
1059			-04	-4													
1000			-05	-5													
0701			-06	-6								X					
0708			-07	-8													
0731			-08	-9													
0841			-09	-10													
0858			-10	-11									X				
0810			-11	-12													
0757			-12	-13													
0737		AR	-13	-14	Std.			X	X	X	X	X					

ADDITIONAL INSTRUCTIONS:

Signature	Print Name	Company	Date	Time
	Levi Ford	Stratus Env	9/13/10	1422
	LISA de Silva	ALPHA	9/14/10	8:30 AM
	LISA de Silva	ALPHA	9/14/10	1500
	Tara Jackson	ALPHA	9/15/10	1015

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other AR - Air ** L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other
 NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.

Billing Information:

Name Stratus Environmental
 Address 3330 Cameron Park Dr. #550
 City, State, Zip Cameron Park 95682
 Phone Number 676 6004 Fax 676 6005



Alpha Analytical, Inc.
 255 Glendale Avenue, Suite 21
 Sparks, Nevada 89431-5778
 Phone (775) 355-1044
 Fax (775) 355-0406

Samples Collected From Which State? 24868
 AZ ___ CA NV ___ WA ___
 ID ___ OR ___ OTHER ___ Page # 2 of 2

Client Name			P.O. #	Job #			Analyses Required					Required QC Level?							
German Autocraft				2076-0301-01			GRU 805B	BTEX	UA-PCA	EDB	Total Lead								
Address			E-Mail Address																
301 East 14th St.											I II III IV								
City, State, Zip			Phone #	Fax #							EDD / EDF? YES ___ NO ___								
San Leandro, CA											Global ID # 10600100639								
Time Sampled	Date Sampled	Matrix* See Key Below	Sampled by	Report Attention	TAT	Field Filtered	Total and type of containers ** See below							REMARKS					
			Levi / Vince	Salcedo@stratusinc.net															
			Lab ID Number (Office Use Only)	Sample Description															
0829	9/13	AQ	SIP2100911540-14	MW-1A	STD	N/A	5V/1P	X	X	X	X	X							
1024	↓	↓	-15	141 Farrelly	↓	↓	↓	X	X	X	X	X							

ADDITIONAL INSTRUCTIONS:

Signature	Print Name	Company	Date	Time
	Levi Ford	Stratus Env	9/13/10	1422
	Lisa deSilva	ALPHA	9-14-10	8:30 AM
	Lisa deSilva	ALPHA	9-14-10	1500
	Taree Dickinson	Alpha	9/15/10	1015

*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other AR - Air **: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other
NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the report.

APPENDIX D

**GEOTRACKER ELECTRONIC SUBMITTAL
CONFIRMATIONS**

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	German 9-13-10
<u>Facility Global ID:</u>	T0600100639
<u>Facility Name:</u>	GERMAN AUTOCRAFT
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Stratus Environmental, Inc.
<u>Username:</u>	STRATUS NOCAL
<u>IP Address:</u>	12.186.106.98
<u>Submittal Date/Time:</u>	9/17/2010 2:55:09 PM
<u>Confirmation Number:</u>	8220292091

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	Analytical 9-13-10
<u>Facility Global ID:</u>	T0600100639
<u>Facility Name:</u>	GERMAN AUTOCRAFT
<u>File Name:</u>	10091540.zip
<u>Organization Name:</u>	Stratus Environmental, Inc.
<u>Username:</u>	STRATUS NOCAL
<u>IP Address:</u>	12.186.106.98
<u>Submittal Date/Time:</u>	11/2/2010 3:10:50 PM
<u>Confirmation Number:</u>	8765946745

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California