

RECEIVED

By Alameda County Environmental Health 10:10 am, Nov 07, 2011

Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Document Transmittal
German Autocraft, 301 East 14th Street, San Leandro, California
AC LOP Case #2783; Fuel Leak Case No. RO0000302; Global ID T0600100639

Dear Sir or Ma'am:

I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to ACDEH's FTP server and the SWRCB's GeoTracker Website.

Sincerely,



Seung Tae Lee
Owner, German Autocraft



November 6, 2017
Project No. 2076-0301-01

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Quarterly Groundwater Monitoring Report – Third Quarter 2017
German Autocraft, 301 East 14th Street, San Leandro, California
Fuel Leak Case No. RO0000302; Global ID T0600100639

Dear Mr. Detterman:


Stratus Environmental, Inc. (Stratus) is submitting the attached report, on behalf of Mr. Seung Lee, to present a summary of work performed during the third quarter 2017 at the German Autocraft facility, located at 301 East 14th Street in San Leandro, California. Stratus representatives, whose signatures appear below, declare under penalty of perjury, that the information contained in the attached report are true and correct to the best of our knowledge.

If you have any questions regarding this project, please contact Gowri Kowtha at (530) 676-6001.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Scott G. Bittinger, P.G.
Project Geologist




Gowri S. Kowtha, P.E.
Principal Engineer

Attachment: Quarterly Groundwater Monitoring Report, Third Quarter 2017

cc: Mr. Seung Lee
 Ms. Cherie McCaulou, RWQCB-SF
 Mr. Ramirez

GERMAN AUTOCRAFT FACILITY QUARTERLY GROUNDWATER MONITORING REPORT

Facility Address: 301 East 14th Street, San Leandro, California

Consulting Co./Contact Person: Stratus Environmental, Inc. / Gowri Kowtha

Consultant Project No: 2076-0301-01

Primary Agency/Regulatory ID No: Mr. Mark Detterman, Alameda County Environmental Health Department (ACEHD) Fuel Leak Case No. RO0000302; Global ID T0600100639

WORK PERFORMED THIS PERIOD (Third Quarter 2017):

1. On August 22, 2017, Stratus conducted quarterly groundwater monitoring and sampling activities at the site. During this event, groundwater monitoring wells MW-2, MW-3, MW-5, MW-8 through MW-15, and MW-1A were gauged for depth to water and evaluated for the presence of free product. Following gauging, the monitoring wells were purged and groundwater samples were collected. In addition to the monitoring wells, the domestic well located at 141 Farrelly was also sampled. All groundwater samples were forwarded to a state-certified analytical laboratory for analysis. Well construction details are summarized in Table 1. Tabulated historical groundwater elevation and analytical results are summarized in Table 2.
2. A *Well Installation and Site Assessment Report* was prepared and submitted on September 11, 2017.
3. A *Report of Results for Ozone Injection Remediation Pilot Test* was prepared and submitted on September 14, 2017.

WORK PROPOSED FOR NEXT PERIOD (Fourth Quarter 2017):

1. In accordance with ACEHD correspondence dated August 3, 2016, groundwater monitoring and sampling activities will occur on a quarterly basis. The next groundwater monitoring event is tentatively scheduled for November 2017.

Current Phase of Project:	<u>Remedial Selection / Interim Remedial Action (RS/IRA)</u>
Frequency of Groundwater Monitoring/ Sampling:	<u>MW-2, MW-3, MW-5, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14, MW-15, MW-1A, 141 Farrelly = All Wells Quarterly.</u>
Groundwater Sampling Date:	<u>August 22, 2017</u>
Is Free Product (FP) Present on Site:	<u>No; Sheen noted on well MW-15</u>
Approximate Depth to Groundwater:	<u>22.20 to 24.74 feet below top of well casing</u>
Groundwater Flow Direction:	<u>West</u>
Groundwater Gradient:	<u>0.004 ft/ft</u>

DISCUSSION:

Stratus conducted quarterly groundwater monitoring and sampling activities on August 22, 2017. During this event, monitoring wells MW-2, MW-3, MW-5, MW-8 through MW-15, and MW-1A were gauged for depth to water, purged, and sampled. In addition to the monitoring wells, the domestic well located at 141 Farrelly was also sampled. Groundwater samples were analyzed at a state-certified analytical laboratory for

gasoline range organics (GRO) by EPA Method 8015C, and for benzene, toluene, ethylbenzene, total xylenes (BTEX compounds), and for methyl tert-butyl ether (MTBE) by EPA Method 8260B. Field data sheets, sampling procedures, and laboratory analytical reports are included as Attachments A, B, and C, respectively. Groundwater elevation data and analytical results are summarized in Table 2. Analytical results of sampled wells and depth to groundwater measurements have been uploaded to the State of California's GeoTracker database. Documentation of these data uploads is attached in Appendix D.

Twelve groundwater monitoring wells (MW-2, MW-3, MW-5, MW-8 through MW-15, and MW-1A) are installed to depths ranging from approximately 30 to 40 feet below ground surface (bgs) and monitor groundwater occurrence and quality in the uppermost water-bearing zone beneath the site. Depth to groundwater in the monitoring wells ranged from 22.20 to 24.74 feet below the top of the well casing on August 22, 2017. Groundwater elevation measurements were converted to feet above mean sea level (MSL) and used to construct a groundwater elevation contour map (Figure 4). The groundwater flow direction was generally to the west with a calculated gradient of 0.004 ft/ft. Although the groundwater flow direction varies predominantly between west and southwest, variations to the west-northwest and south-southwest have been observed (Figure 7).

Iso-concentration maps illustrating GRO and benzene concentrations, and the generalized extent of impact to the subsurface of these contaminants, are included as Figures 5 and 6, respectively. Based on available data, the GRO plume is approximately 500 feet in length and the benzene plume is approximately 425 feet in length. The highest concentrations of GRO and benzene were detected in onsite well MW-15, at 19,000 micrograms per liter ($\mu\text{g}/\text{L}$) and 73 $\mu\text{g}/\text{L}$, respectively. In general, fuel contaminant concentrations in groundwater appear to have declined due to implementation of the ozone injection pilot test.

LIMITATIONS:

This document was prepared in general accordance with the accepted standards of care that existed at the time this work was performed. No other warranty, express or implied, is made. Conclusions and recommendations are based on field observations and data obtained from this work and previous investigations. It should be recognized that definition and evaluation of geologic conditions is a difficult and somewhat inexact science. Judgments leading to conclusions and recommendations are generally made with an incomplete knowledge of the subsurface conditions present. More extensive studies may be performed to reduce uncertainties. This document is solely for the use and information of our client unless otherwise noted.

ATTACHMENTS:

- Table 1 Well Construction and Soil Boring Summary
- Table 2 Groundwater Elevation and Analytical Summary
- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Site Vicinity Map
- Figure 4 Groundwater Elevation Contour Map (Third Quarter 2017)
- Figure 5 GRO ISO-Concentration Contour Map (Third Quarter 2017)
- Figure 6 Benzene ISO-Concentration Contour Map (Third Quarter 2017)
- Figure 7 Historical Groundwater Flow Direction Rose Diagram
- Appendix A Field Data Sheets
- Appendix B Sampling and Analyses Procedures
- Appendix C Laboratory Analytical Report and Chain-of-Custody Documentation
- Appendix D GeoTracker Electronic Submittal Confirmations

TABLE 1

WELL CONSTRUCTION AND SOIL BORING SUMMARY

German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet bgs)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
Groundwater Monitoring Wells									
MW-1*	12/17/91	45	8	2	45	25-45	0.02	HSA	Environmental Const. Co.
MW-2	12/12/94	38	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-3	12/12/94	38	8	2	35.5	25.5-35.5	0.010	HSA	Chemist Enterprises
MW-4*	08/31/95	36.5	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-1A	05/21/97	35	8	2	35	20-35	0.010	HSA	ALLCAL Prop. Serv. Inc.
MW-5	08/28/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-6**	08/27/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-8	08/27/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-9	08/31/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-10	08/28/98	41.5	8	2	40	20-40	0.020	HSA	Env. Testing & Mgmt.
MW-11	08/28/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-12	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-13	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-14	01/31/01	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-15	09/27/14	35	8	2	35	20-35	0.020	HSA	Stratus Environmental, Inc.
141 Farrelly	1949	--	--	6	65	25-65	unknown	unknown	
Soil Borings¹									
B-1	12/11/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-2	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-3	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
CE-1	12/13/94	30	8	--	--	--	--	HSA	Chemist Enterprises
CE-2	12/13/94	24.5	8	--	--	--	--	HSA	Chemist Enterprises
ETM-1	11/28/95	37	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-2	11/28/95	30	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-5	29/95	27	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	29	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	28	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-10	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-11	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-17	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-19	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-21	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-22	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.

TABLE 1
WELL CONSTRUCTION AND SOIL BORING SUMMARY
German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet bgs)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
Soil Borings¹									
B-4	01/24/11	32	1.5	--	--	--	--	Geoprobe	Stratus Environmental, Inc.
B-5	01/24/11	32	1.5	--	--	--	--	Geoprobe	Stratus Environmental, Inc.
B-6	10/23/14	6	3	--	--	--	--	Hand Auger	Stratus Environmental, Inc.
HP-1	09/26/14	38	2.5	--	--	--	--	Geoprobe	Stratus Environmental, Inc.
HP-2	09/26/14	35	2.5	--	--	--	--	Geoprobe	Stratus Environmental, Inc.
Soil Vapor Points									
SV-1	01/06/09	30	2	0.25	6.0 13.5	5.5-6.0 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-2	01/06/09	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-3	01/08/09	30	2	0.25	5.5 13.5	5.0-5.5 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-4	01/08/09	14.5	2	0.25	5.25 14.5	4.75-5.25 14.0-14.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-5	01/07/09	24	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-6	01/07/09	35	2	0.25	5.5 12.0	5.0-5.5 11.5-12.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-7	01/06/08	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-8	01/08/09	14	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
VP-1	09/27/14	6	2	0.25	6.0	5.5	--	Geoprobe	Stratus Environmental, Inc.
VP-2	09/27/14	6	2	0.25	6.0	5.5	--	Geoprobe	Stratus Environmental, Inc.
VP-7	09/27/14	6	2	0.25	6.0	5.5	--	Geoprobe	Stratus Environmental, Inc.
VP-8	09/27/14	6	2	0.25	6.0	5.5	--	Geoprobe	Stratus Environmental, Inc.
VP-9	09/27/14	6	2	0.25	6.0	5.5	--	Geoprobe	Stratus Environmental, Inc.

TABLE 1
WELL CONSTRUCTION AND SOIL BORING SUMMARY
German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet bgs)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
Ozone Injection Wells									
IW-1	09/29/16	34	8	1	34	32-34	microporous	HSA	Stratus Environmental, Inc.
IW-2	09/27/16	35	8	1	35	33-35	microporous	HSA	Stratus Environmental, Inc.
IW-3	09/29/16	35	8	1	35	33-35	microporous	HSA	Stratus Environmental, Inc.
IW-4	09/27/16	33	8	1	33	31-33	microporous	HSA	Stratus Environmental, Inc.
IW-5	09/27/16	35	8	1	35	31-33	microporous	HSA	Stratus Environmental, Inc.
IW-6	09/26/16	33	8	1	33	31-33	microporous	HSA	Stratus Environmental, Inc.
IW-7	09/26/16	34	8	1	34	32-34	microporous	HSA	Stratus Environmental, Inc.
IW-8	09/27/16	35	8	1	35	33-35	microporous	HSA	Stratus Environmental, Inc.
IW-9	09/27/16	35	8	1	35	33-35	microporous	HSA	Stratus Environmental, Inc.
IW-10	09/29/16	35	8	1	35	33-35	microporous	HSA	Stratus Environmental, Inc.
Notes:									
ft bgs = feet below ground surface									
HSA = hollow stem auger									
* = monitoring wells properly destroyed on January 25, 2011									
** = monitoring well properly destroyed on November 21, 2011									
¹ = soil borings without existing boring logs and/or construction details have been omitted.									

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
MW-1	12/21/90	—	30.25	—	49.61	19.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/31/90	—	—	—	49.61	—	—	51,000	2,200	1,200	<0.5	760	—	—	—	—	—	—	—	—	
	01/06/95	—	—	—	49.61	—	—	110,000	13,000	15,000	4,800	13,000	—	—	—	—	—	—	—	—	
	01/06/95	—	—	—	49.61	—	—	580,000	29,000	41,000	17,000	43,000	—	—	—	—	—	—	—	—	
	02/10/95	—	20.02	—	49.61	29.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	07/07/95	—	22.77	—	49.40	26.63	—	49,000	8,000	17,000	1,900	9,700	—	—	—	—	—	—	—	—	
	08/10/95	—	23.82	—	49.40	25.58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/11/95	—	24.72	—	49.40	24.68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	10/02/95	—	25.28	—	49.40	24.12	—	120,000	16,000	36,000	3,300	17,000	—	—	—	—	—	—	—	—	
	10/02/95	—	—	—	49.40	—	—	160,000	20,000	47,000	5,000	23,000	—	—	—	—	—	—	—	—	
	11/07/95	—	26.04	—	49.40	23.36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/08/95	—	18.77	—	49.40	22.77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	01/12/96	—	25.05	—	49.40	24.35	—	1,100,000	11,000	18,000	15,000	51,000	18,000 [2]	—	—	—	—	—	—	—	
	01/12/96	—	—	—	49.40	—	—	98,000	2,100	4,600	2,500	10,000	<5,000	—	—	—	—	—	—	—	
	02/12/96	—	20.36	—	49.40	29.04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/12/96	—	17.65	—	49.40	31.75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	04/13/96	—	19.97	—	49.40	29.43	—	53,000	1,300	2,900	2,100	10,000	<5,000	—	—	—	—	—	—	—	
	04/13/96	—	—	—	49.40	—	—	58,000	820	3,600	2,800	12,000	<5,000	—	—	—	—	—	—	—	
	05/14/96	—	21.51	—	49.40	27.89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/20/96	—	22.21	—	49.40	27.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	07/26/96	—	23.45	—	49.40	25.95	—	91,000	2,600	7,200	2,900	14,000	<5,000	—	—	—	—	—	—	—	
	07/26/96	—	—	—	49.40	—	—	67,000	2,300	5,500	2,500	11,000	<5,000	—	—	—	—	—	—	—	
	08/19/96	—	24.24	—	49.40	25.16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/17/96	—	24.96	—	49.40	24.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	10/21/96	—	25.77	—	49.40	23.63	—	210,000	4,800	17,000	2,300	15,000	—	—	—	—	—	—	—	—	
	10/21/96	—	—	—	49.40	—	—	210,000	5,400	18,000	2,600	11,000	—	—	—	—	—	—	—	—	
	11/27/96	—	25.12	—	49.40	24.28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/27/96	—	21.17	—	49.40	28.23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	01/28/97	—	16.38	—	49.40	33.02	—	120,000	5,600	15,000	2,100	11,000	—	—	—	—	—	—	—	—	
	01/28/97	—	—	—	49.40	—	—	130,000	5,500	15,000	2,300	12,000	—	—	—	—	—	—	—	—	
	04/25/97	—	22.26	—	49.40	27.14	—	180,000	6,900	20,000	2,600	13,000	—	—	—	—	—	—	—	—	
	04/25/97	—	—	—	49.40	—	—	170,000	6,500	20,000	2,500	13,000	—	—	—	—	—	—	—	—	
	07/17/97	—	24.85	—	49.40	24.55	—	220,000	8,300	41,000	2,700	16,000	—	—	—	—	—	—	—	—	
	10/21/97	—	26.55	—	49.40	22.85	—	240,000	9,400	33,000	3,300	22,000	—	—	—	—	—	—	—	—	
	03/10/98	—	15.05	—	49.40	34.35	—	120,000	11,000	46,000	3,700	21,000	—	—	—	—	—	—	—	—	
	06/06/98	—	18.71	—	49.40	30.69	—	110,000	7,600	32,000	4,800	23,000	—	—	—	—	—	—	—	—	
	09/30/98	—	23.45	—	49.40	25.95	—	140,000	5,800	29,000	3,500	18,000	—	—	—	—	—	—	—	—	
	12/30/98	—	24.27	—	49.40	25.13	—	78,000	5,200	24,000	3,200	19,000	—	—	—	—	—	—	—	—	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-2	01/06/95	--	--	--	--	980,000	9,400	5,600	19,000	42,000	--	--	--	--	--	--	--	--	--	--	
	02/10/95	--	20.52	--	50.14	29.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	07/07/95	--	23.55	--	50.02	26.47	--	71,000	5,300	1,800	6,100	9,000	--	--	--	--	--	--	--	--	
	08/10/95	--	24.62	--	50.02	25.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/11/95	--	25.53	--	50.02	24.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	10/02/95	--	26.08	--	50.02	23.94	--	40,000	2,900	200	2,800	3,600	--	--	--	--	--	--	--	--	
	11/07/95	--	26.89	--	50.02	23.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	12/08/95	--	27.47	--	50.02	22.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	01/12/96	--	25.82	--	50.02	24.20	--	260,000	2,600	2,200	6,300	7,800	<12,500	--	--	--	--	--	--	--	
	02/12/96	--	20.99	--	50.02	29.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/12/96	--	18.42	--	50.02	31.60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	04/13/96	--	20.77	--	50.02	29.25	--	30,000	1,900	370	2,300	2,400	520 [2]	--	--	--	--	--	--	--	
	04/29/96	--	--	--	50.02	--	--	--	930	<25	1,200	1,400	--	--	--	--	--	--	--	--	
	05/14/96	--	22.34	--	50.02	27.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	06/20/96	--	23.05	--	50.02	26.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	07/26/96	--	24.28	--	50.02	25.74	--	180,000	1,400	640	2,100	5,000	<5,000	--	--	--	--	--	--	--	
	08/19/96	--	25.05	--	50.02	24.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/17/96	--	25.8	--	50.02	24.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	10/21/96	--	26.59	--	50.02	23.43	--	62,000	2,100	<0.5	2,100	2,700	--	--	--	--	--	--	--	--	
	11/27/96	--	25.93	--	50.02	24.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	12/27/96	--	21.99	--	50.02	28.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	01/28/97	--	17.31	--	50.02	32.71	--	46,000	1,500	94	1,800	2,000	--	--	--	--	--	--	--	--	
	04/25/97	--	23.14	--	50.02	26.88	--	23,000	790	26	820	730	--	--	--	--	--	--	--	--	
	07/17/97	--	25.71	--	50.02	24.31	--	95,000	2,200	<0.5	3,100	4,300	--	--	--	--	--	--	--	--	
	10/21/97	--	27.33	--	50.02	22.69	--	31,000	2,000	<0.5	2,100	1,900	--	--	--	--	--	--	--	--	
	03/10/98	--	15.82	--	50.02	34.20	--	19,000	730	44	820	1,000	--	--	--	--	--	--	--	--	
	06/06/98	--	19.61	--	50.02	30.41	--	16,000	670	1,100	510	1,200	--	--	--	--	--	--	--	--	
	09/30/98	--	24.34	--	50.02	25.68	--	24,000	600	77	680	580	--	--	--	--	--	--	--	--	
	12/30/98	--	25.09	--	50.02	24.93	--	9,300	510	96	450	480	--	--	--	--	--	--	--	--	
	03/13/99	--	20.22	--	50.02	29.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/23/99	--	--	--	50.02	--	--	5,700	580	9.4	400	280	--	--	--	--	--	--	--	--	
	09/29/99	--	25.9	--	50.02	24.12	--	17,000	880	240	830	1,000	--	--	--	--	--	--	--	--	
	12/29/99	--	26.5	--	50.02	23.52	--	11,000	800	11	860	780	--	--	--	--	--	--	--	--	
	03/18/00	--	18.15	--	50.02	31.87	--	11,000	790	14	520	450	--	--	--	--	--	--	--	--	
	07/18/00	--	24.01	--	50.02	26.01	--	10,000	560	27	630	530	--	--	--	--	--	--	--	--	
	09/26/00	--	25.33	--	50.02	24.69	--	6,800	450	7.4	290	200	--	--	--	--	--	--	--	--	
	12/28/00	--	25.63	--	50.02	24.39	--	12,000	540	30	420	330	--	--	--	--	--	--	--	--	
	03/30/01	--	22.71	--	50.02	27.31	--	3,500	230	<10	<10	<10	<100	--	--	--	--	--	--	--	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-2	10/05/01	—	26.38	—	50.02	23.64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(cont)	03/28/02	—	21.59	—	50.02	28.43	—	7,000	570	16	170	71	—	—	—	—	—	—	—	—	—
09/30/02	—	25.84	—	50.02	24.18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/31/03	—	23.63	—	50.02	26.39	—	5,000	620	<12.5	71	<25	—	—	—	—	—	—	—	—	—	—
06/19/03	—	23.98	—	50.02	26.04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/30/03	—	26.19	—	50.02	23.83	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
02/10/04	—	23.27	—	50.02	26.75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/31/04	—	—	—	50.02	—	—	8,200	500	<12.5	65	<25	—	—	—	—	—	—	—	—	—	—
06/30/04	—	25.45	—	50.02	24.57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/14/04	—	26.7	—	50.02	23.32	—	9,000	560	<13	57	<25	—	—	—	—	—	—	—	—	—	—
03/29/06	—	19.61	—	50.02	30.41	—	5,200	1,400	<20	52	<20	—	—	—	—	—	—	—	—	—	—
06/24/06	—	21.41	—	50.02	28.61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/30/06	—	24.37	—	50.02	25.65	—	4,800	900	64	22	110	<50	—	—	—	—	—	—	—	—	—
12/11/06	—	23.92	—	50.02	26.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/16/07	—	22.78	—	50.02	27.24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06/10/07	—	25.12	—	50.02	24.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/14/07	—	26.63	—	50.02	23.39	—	11,000	2,200	53	72	150	<50	—	—	—	—	—	—	—	—	—
12/14/07	—	26.58	—	50.02	23.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/12/08	—	23.1	—	50.02	26.92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06/11/08	—	25.71	—	50.02	24.31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/05/08	—	27.14	—	50.02	22.88	—	10,000	1,000	49	120	120	<100	—	—	—	—	—	—	—	—	—
12/13/08	—	27.83	—	50.02	22.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/14/09	—	22.38	—	50.02	27.64	—	9,800	270	28	210	110	<110	—	—	—	—	—	—	—	—	—
06/03/09	—	25.27	—	50.02	24.75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/07/09	—	27.11	—	50.02	22.91	—	9,000	150	48	170	110	<50	—	—	—	—	—	—	—	—	—
03/15/10	—	21.98	—	50.02	28.04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/13/10	—	26.11	—	50.02	23.91	—	9,900	93	<5.0[5]	100	13[5]	<5.0[5]	—	—	—	—	—	<10[5]	<20[5]	—	18
03/01/11	—	21.55	—	50.02	28.47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/08/11	—	24.98	—	50.02	25.04	—	7,500	680	13	17	7.4[5]	—	—	—	—	—	—	—	—	—	—
03/06/12	—	26.11	—	50.02	23.91	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
07/11/12	—	24.86	—	50.02	25.16	—	6,100	31	2.2	33	3.0	—	—	—	—	—	—	—	—	—	—
03/05/13	—	24.69	—	50.02	25.33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/09/13	—	27.64	—	50.02	22.38	—	7,400	5.3	<4.0[5]	84	11	—	—	—	—	—	—	—	—	—	—
03/11/14	—	27.05	—	50.02	22.97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/03/14	—	28.61	—	50.02	21.41	—	1,000	3.1	0.53	56	9.9	—	—	—	—	—	—	—	—	—	—
02/25/15	—	24.75	—	52.69	27.94	—	8,300	<2.5[5]	<2.5[5]	100	19	—	—	—	—	—	—	—	—	—	—
05/28/15	—	26.94	—	52.69	25.75	340[6]	7,700	<1.0[5]	1.1	200	36	<1.0[5]	—	—	—	—	—	—	—	—	—
08/12/15	—	28.25	—	52.69	24.44	—	13,000	<4.0[5]	<4.0[5]	210	37	83	—	—	—	—	—	—	—	—	—
11/18/15	—	29.03	—	52.69	23.66	—	10,000	<5.0[5]	<5.0[5]	280	51	<5.0[5]	—	—	—	—	—	—	—	—	—
02/11/16	—	24.74	—	52.69	27.95	—	12,000	<5.0[5]	<5.0[5]	230	55	<5.0[5]	—	—	—	—	—	—	—	—	—
05/09/16	—	23.98	—	52.69	28.71	470[6]	8,900	<4.0[5]	<4.0[5]	170	42	<4.0[5]	—	—	—	—	—	—	—	—	—
11/08/16	—	26.23	—	52.69	26.46	—	17,000	<5.0[5]	<5.0[5]	160	56	<5.0[5]	—	—	—	—	—	—	—	—	—
02/13/17	—	17.11	—	52.69	35.58	—	1,600	<0.50	<0.50	5.1	1.7	<0.50	—	—	—	—	—	—	<1.0	—	—
05/02/17	—	18.97	—	52.69	33.72	—	1,230	0.59	1.53	6.3	0.9	<0.50	—	—	—	—	—	—	<1.0	—	—
08/22/17	—	24.11	—	52.69	28.58	—	1,700	48	1.3	4.6	0.69	<0.50	—	—	—	—	—	—	—	—	—

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-3	01/06/95	--	--	--	49.32	--	--	740,000	11,000	2,300	8,300	28,000	--	--	--	--	--	--	--	--	
	02/10/95	--	19.75	--	49.32	29.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/07/95	--	22.82	--	49.32	26.50	--	86,000	12,000	8,600	4,900	19,000	--	--	--	--	--	--	--	--	--
	08/10/95	--	23.88	--	49.32	25.44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/11/95	--	24.78	--	49.32	24.54	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/02/95	--	25.32	--	49.32	24.00	--	100,000	15,000	11,000	6,000	20,000	--	--	--	--	--	--	--	--	--
	11/07/95	--	26.11	--	49.32	23.21	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/08/95	--	26.7	--	49.32	22.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/12/96	--	25.07	--	49.32	24.25	--	84,000	6,500	4,100	3,200	12,000	<5,000	--	--	--	--	--	--	--	--
	02/12/96	--	20.32	--	49.32	29.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/96	--	17.65	--	49.32	31.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	04/13/96	--	20.06	--	49.32	29.26	--	48,000	7,600	3,600	2,800	9,400	<2,500	--	--	--	--	--	--	--	--
	05/14/96	--	21.61	--	49.32	27.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/20/96	--	22.32	--	49.32	27.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/26/96	--	23.65	--	49.32	25.67	--	62,000	6,400	3,100	3,000	11,000	<2,500	--	--	--	--	--	--	--	--
	08/19/96	--	24.31	--	49.32	25.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/17/96	--	25.05	--	49.32	24.27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/21/96	--	25.84	--	49.32	23.48	--	110,000	5,400	2,400	2,500	9,800	--	--	--	--	--	--	--	--	--
	11/27/96	--	25.19	--	49.32	24.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/27/96	--	21.21	--	49.32	28.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	01/28/97	--	16.54	--	49.32	32.78	--	130,000	5,500	15,000	2,300	12,000	--	--	--	--	--	--	--	--	--
	04/25/97	--	22.38	--	49.32	26.94	--	180,000	6,900	20,000	2,600	13,000	--	--	--	--	--	--	--	--	--
	07/17/97	--	24.95	--	49.32	24.37	--	69,000	5,100	1,100	1,800	8,600	--	--	--	--	--	--	--	--	--
	10/21/97	--	26.59	--	49.32	22.73	--	58,000	4,300	1,300	2,100	8,000	--	--	--	--	--	--	--	--	--
	03/10/98	--	15.19	--	49.32	34.13	--	25,000	3,000	1,300	1,100	3,700	--	--	--	--	--	--	--	--	--
	06/06/98	--	18.85	--	49.32	30.47	--	52,000	4,400	1,900	2,300	6,900	--	--	--	--	--	--	--	--	--
	09/30/98	--	23.57	--	49.32	25.75	--	42,000	4,300	1,400	1,800	6,600	--	--	--	--	--	--	--	--	--
	12/30/98	--	24.33	--	49.32	24.99	--	34,000	4,200	770	2,300	9,000	--	--	--	--	--	--	--	--	--
	03/13/99	--	19.49	--	49.32	29.83	--	44,000	3,500	1,000	1,700	5,200	--	--	--	--	--	--	--	--	--
	09/29/99	--	25.12	--	49.32	24.20	--	39,000	6,000	840	2,400	8,100	--	--	--	--	--	--	--	--	--
	12/29/99	--	25.72	--	49.32	23.60	--	39,000	4,600	790	2,400	8,100	--	--	--	--	--	--	--	--	--
	03/18/00	--	17.5	--	49.32	31.82	--	21,000	3,100	550	1,400	4,100	--	--	--	--	--	--	--	--	--
	07/18/00	--	23.28	--	49.32	26.04	--	30,000	5,000	950	2,000	5,700	--	--	--	--	--	--	--	--	--
	09/26/00	--	24.52	--	49.32	24.80	--	36,000	5,300	640	2,400	9,900	--	--	--	--	--	--	--	--	--
	12/28/00	--	24.87	--	49.32	24.45	--	33,000	4,700	450	2,100	6,400	--	--	--	--	--	--	--	--	--
	03/20/01	--	--	--	49.32	--	--	21,000	2,000	260	570	3,000	<500	--	--	--	--	--	--	--	--
	03/30/01	--	21.93	--	49.32	27.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	--	25.62	--	49.32	23.70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-3	03/28/02	—	20.83	—	49.32	28.49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(cont)	09/30/02	—	25.2	—	49.32	24.12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/31/03	—	22.82	—	49.32	26.50	—	25,000	3,200	280	1,600	4,200	—	—	—	—	—	—	—	—	—
	06/19/03	—	23.29	—	49.32	26.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/30/03	—	25.5	—	49.32	23.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	02/10/04	—	22.53	—	49.32	26.79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/31/04	—	—	—	49.32	—	—	11,000	1,000	940	550	1,900	—	—	—	—	—	—	—	—	—
	06/30/04	—	24.73	—	49.32	24.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/14/04	—	27.93	—	49.32	21.39	—	42,000	3,600	190	2,200	4,800	—	—	—	—	—	—	—	—	—
	03/29/06	—	18.87	—	49.32	30.45	—	7,200	180	17	460	680	—	—	—	—	—	—	—	—	—
	06/24/06	—	22.65	—	49.32	26.67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/30/06	—	24.49	—	49.32	24.83	—	7,100	130	94	500	820	<50	—	—	—	—	—	—	—	—
	12/11/06	—	23.03	—	49.32	26.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/16/07	—	21.97	—	49.32	27.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	06/10/07	—	24.28	—	49.32	25.04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/14/07	—	25.75	—	49.32	23.57	—	6,700	16	44	200	400	<10	—	—	—	—	—	—	—	—
	12/14/07	—	25.96	—	49.32	23.36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/12/08	—	22.31	—	49.32	27.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	06/11/08	—	24.8	—	49.32	24.52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/05/08	—	26.23	—	49.32	23.09	—	6,300	7.6	82	92	290	<5.0	—	—	—	—	—	—	—	—
	12/13/08	—	26.93	—	49.32	22.39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/14/09	—	21.65	—	49.32	27.67	—	3,300	13	17	56	140	<50	—	—	—	—	—	—	—	—
	12/07/09	—	26.2	—	49.32	23.12	—	2,800	13	43	74	150	<50	—	—	—	—	—	—	—	—
	03/15/10	—	21.15	—	49.32	28.17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/13/10	—	25.20	—	49.32	24.12	—	1,400	<0.50	<0.50	5.3	2.9	<0.50	—	—	—	—	<1.0	<2.0	—	22
	03/01/11	—	20.66	—	49.32	28.66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/08/11	—	24.19	—	49.32	25.13	—	1,000	29	2.1	29	6.7	—	—	—	—	—	—	—	—	—
	03/06/12	—	25.22	—	49.32	24.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	07/11/12	—	24.06	—	49.32	25.26	—	460	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—	—
	03/05/13	—	23.84	—	49.32	25.48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/09/13	—	26.62	—	49.32	22.70	—	1,100	<0.50	<0.50	0.98	<0.50	—	—	—	—	—	—	—	—	—
	03/11/14	—	26.14	—	49.32	23.18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/03/14	—	27.65	—	49.32	21.67	—	1,800	1.6	<0.50	<0.50	<0.50	—	—	—	—	—	—	—	—	—
	02/25/15	—	23.94	—	51.99	28.05	—	670	3.6	<0.50	<0.50	<0.50	—	—	—	—	—	—	—	—	—
	05/28/15	—	25.98	—	51.99	26.01	<50	590	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	08/12/15	—	27.31	—	51.99	24.68	—	1,200	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	11/18/15	—	28.08	—	51.99	23.91	—	600	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	02/11/16	—	24.05	—	51.99	27.94	—	800	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	05/09/16	—	23.18	—	51.99	28.81	<50	320	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	11/08/16	—	25.48	—	51.99	26.51	—	290	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—
	02/13/17	—	16.43	—	51.99	35.56	—	180	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	<1.0	—
	05/02/17	—	18.20	—	51.99	33.79	—	452	14.6	0.59	17.5	2.32	<0.50	<0.50	—	—	—	—	—	—	<1.0
	08/22/17	—	23.25	—	51.99	28.74	—	170	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-5	12/30/98	—	24.51	—	49.57	25.06	—	170	1.1	<0.5	<0.5	4.8	—	—	—	—	—	—	—	—	
	03/13/99	--	19.64	—	49.57	29.93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/22/99	--	—	—	49.57	—	—	470	3.8	0.51	2	<0.5	—	—	—	—	—	—	—	—	
	09/29/99	—	25.31	—	49.57	24.26	—	1,200	13	4.2	2.7	4.2	—	—	—	—	—	—	—	—	
	03/18/00	—	25.93	—	49.57	23.64	—	660	5.5	0.62	1.6	1.7	—	—	—	—	—	—	—	—	
	03/28/02	—	17.63	—	49.57	31.94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/29/06	—	—	—	49.57	—	—	190	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	—	
	09/30/06	--	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/14/07	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/14/07	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/11/08	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/05/08	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/13/08	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/14/09	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/07/09	—	Dry	—	49.57	n/a	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/15/10	—	21.46	—	49.57	28.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/13/10	—	25.62	—	49.57	23.95	—	260	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	<1.0	<2.0	18	
	03/01/11	—	21.05	—	49.57	28.52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/08/11	—	24.46	—	49.57	25.11	—	210	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—	—	
	03/06/12	—	25.64	—	49.57	23.93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	07/11/12	—	24.38	—	49.57	25.19	—	170	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	—	—	
	03/05/13	—	24.20	—	49.57	25.37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/09/13	—	—	—	49.57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/11/14	—	—	—	49.57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/03/14	—	—	—	49.57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	02/25/15	—	24.33	—	52.29	27.96	—	66	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	1	—	—	
	05/28/15	—	—	—	52.29	—	—	—	—	—	—	—	—	—	Not Sampled - Well Dry	—	—	—	—	—	
	08/12/15	—	—	—	52.29	—	—	—	—	—	—	—	—	—	Not Sampled - Well Dry	—	—	—	—	—	
	11/18/15	—	—	—	52.29	—	—	—	—	—	—	—	—	—	Not Sampled - Well Dry	—	—	—	—	—	
	02/11/16	—	24.41	—	52.29	27.88	—	110	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	
	05/09/16	—	23.52	—	52.29	28.77	63	80	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	
	11/08/16	—	—	—	52.29	—	—	—	—	—	—	—	—	—	Not Sampled - Well Dry	—	—	—	—	—	
	02/13/17	—	16.27	—	52.29	36.02	—	160	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	
	05/02/17	—	18.41	—	52.29	33.88	—	87.6	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	
	08/22/17	—	23.58	—	52.29	28.71	—	93	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
MW-6	12/30/98	—	22.92	--	48.06	25.14	—	400	1	<0.5	<0.5	4.8	—	—	—	—	—	—	—	—	
	03/13/99	—	18.09	--	48.06	29.97	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/22/99	—	—	--	48.06	—	—	390	<0.5	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
	09/29/99	—	23.68	--	48.06	24.38	—	330	1.8	1.4	1.5	<0.5	—	—	—	—	—	—	—	—	
	12/29/99	—	24.31	--	48.06	23.75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/18/00	—	16.2	--	48.06	31.86	—	200	1.3	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
	07/18/00	—	21.84	--	48.06	26.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/26/00	—	23.11	--	48.06	24.95	—	240	1.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	—	
	12/28/00	—	23.45	--	48.06	24.61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/20/01	—	—	--	48.06	—	—	160	<0.5	<0.5	<0.5	<0.5	<5.0	—	—	—	—	—	—	—	
	03/30/01	—	20.65	--	48.06	27.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	10/05/01	—	24.24	--	48.06	23.82	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/28/02	—	19.41	--	48.06	28.65	—	88	0.89	<0.5	<0.5	<0.5	<0.5	—	—	—	—	—	—	—	
	09/30/02	—	23.65	--	48.06	24.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/29/06	—	—	--	48.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/30/06	—	22.33	--	48.06	25.73	—	280	5.5	24	14	69	<5.0	—	—	—	—	—	—	—	
	09/14/07	—	24.58	--	48.06	23.48	—	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	—	—	—	—	—	—	
	12/14/07	—	24.88	--	48.06	23.18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/12/08	—	21.03	--	48.06	27.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/11/08	—	23.62	--	48.06	24.44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/05/08	—	25.1	--	48.06	22.96	—	84	0.92	0.76	1.7	3.5	<5.0	—	—	—	—	—	—	—	
	12/13/08	—	25.81	--	48.06	22.25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/03/09	—	23.2	--	48.06	24.86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/15/10	—	19.87	--	48.06	28.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/13/10	—	23.92	--	48.06	24.14	—	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	—	<1.0	<2.0	30	
	03/01/11	—	—	--	48.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/08/11	—	—	--	48.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/06/12	Well Destroyed																			

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-8	12/30/98	--	24.21	--	49.35	25.14	--	2,200	70	0.94	26	15	--	--	--	--	--	--	--	--	--
	03/13/99	--	--	--	49.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	--	--	49.35	--	--	2,300	34	1.1	15	13	--	--	--	--	--	--	--	--	--
	09/29/99	--	--	--	49.35	--	--	8,800	140	<50	53	<50	--	--	--	--	--	--	--	--	--
	12/29/99	--	--	--	49.35	--	--	1,900	64	1	22	23	--	--	--	--	--	--	--	--	--
	03/18/00	--	--	--	49.35	--	--	1,400	36	<0.5	12	9.3	--	--	--	--	--	--	--	--	--
	07/18/00	--	--	--	49.35	--	--	3,000	67	9.8	38	38	--	--	--	--	--	--	--	--	--
	09/26/00	--	--	--	49.35	--	--	1,200	24	3	24	15	--	--	--	--	--	--	--	--	--
	12/28/00	--	--	--	49.35	--	--	1,200	47	3.7	17	18	--	--	--	--	--	--	--	--	--
	03/20/01	--	--	--	49.35	--	--	1,300	7.8	<2.5	<2.5	14	<25	--	--	--	--	--	--	--	--
	03/30/01	--	--	--	49.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	10/05/01	--	--	--	49.35	--	--	1,800	28	<2.5	20	23	--	--	--	--	--	--	--	--	--
	03/28/02	--	--	--	49.35	--	--	1,100	12	1.7	11	10.8	--	--	--	--	--	--	--	--	--
	09/30/02	--	--	--	49.35	--	--	1,400	15	24	32	22	--	--	--	--	--	--	--	--	--
	09/30/06	--	24.07	--	49.35	25.28	--	760	4.9	31	13	64	<5.0	--	--	--	--	--	--	--	--
	03/16/07	--	--	--	49.35	--	--	370	<0.5	8.1	0.52	0.94	<5.0	--	--	--	--	--	--	--	--
	09/14/07	--	26.12	--	49.35	23.23	--	1,300	1.3	20	3	1.6	<5.0	--	--	--	--	--	--	--	--
	12/14/07	--	26.35	--	49.35	23.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	--	22.65	--	49.35	26.70	--	520	1.4	11	3.9	5.6	<5.0	--	--	--	--	--	--	--	--
	06/11/08	--	25.23	--	49.35	24.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	--	26.62	--	49.35	22.73	--	1,800	1.9	30	5	4	<25	--	--	--	--	--	--	--	--
	12/13/08	--	27.3	--	49.35	22.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	--	21.8	--	49.35	27.55	--	950	3.1	42	36	180	<5.0	--	--	--	--	--	--	--	--
	06/03/09	--	24.83	--	49.35	24.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/07/09	--	26.58	--	49.35	22.77	--	2,200	2.2	42	10	19	<5.0	--	--	--	--	--	--	--	--
	03/15/10	--	21.48	--	49.35	27.87	--	90	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	09/13/10	--	25.58	--	49.35	23.77	--	550	<0.50	<0.50	1.7	<0.50	--	--	--	--	<1.0	<2.0	--	<5.0	--
	03/01/11	--	21.12	--	49.35	28.23	--	120	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	09/08/11	--	24.58	--	49.35	24.77	--	150	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	03/06/12	--	25.65	--	49.35	23.70	--	410	<0.50	<0.50	1.0	<0.50	--	--	--	--	--	--	--	--	--
	07/11/12	--	24.47	--	49.35	24.88	--	130	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	03/05/13	--	24.28	--	49.35	25.07	--	160	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	09/09/13	--	27.11	--	49.35	22.24	--	880	<0.50	<0.50	1.7	<0.50	--	--	--	--	--	--	--	--	--
	03/11/14	--	26.52	--	49.35	22.83	--	330	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	09/03/14	--	28.07	--	49.35	21.28	--	700	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	02/25/15	--	24.34	--	52.01	27.67	--	160	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--
	05/28/15	--	26.48	--	52.01	25.53	<50	81	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	08/12/15	--	27.77	--	52.01	24.24	--	650	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	11/18/15	--	28.53	--	52.01	23.48	--	130	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	02/11/16	--	24.25	--	52.01	27.76	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	05/09/16	--	23.55	--	52.01	28.46	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--
	11/08/16	--	25.08	--	52.01	26.93	--	51	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	02/13/17	--	16.67	--	52.01	35.34	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	05/02/17	--	18.59	--	52.01	33.42	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
	08/22/17	--	23.72	--	52.01	28.29	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-9	12/30/98	—	23.98	—	48.77	24.79	—	25,000	23	<10	180	620	—	—	—	—	—	—	—	—	—
	03/13/99	—	19.19	—	48.77	29.58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/23/99	—	—	—	48.77	—	—	27,000	35	<20	600	920	—	—	—	—	—	—	—	—	—
	09/29/99	—	24.72	—	48.77	24.05	—	42,000	140	130	1,000	1,700	—	—	—	—	—	—	—	—	—
	12/29/99	—	25.32	—	48.77	23.45	—	1,100,000	1,200	1,300	4,300	8,700	—	—	—	—	—	—	—	—	—
	03/18/00	—	17.31	—	48.77	31.46	—	17,000	89	46	10	600	—	—	—	—	—	—	—	—	—
	07/18/00	—	22.94	—	48.77	25.83	—	12,000	39	8.2	540	760	—	—	—	—	—	—	—	—	—
	09/26/00	—	24.16	—	48.77	24.61	—	11,000	19	<5	470	610	—	—	—	—	—	—	—	—	—
	12/28/00	—	24.48	—	48.77	24.29	—	22,000	100	<100	610	770	—	—	—	—	—	—	—	—	—
	03/20/01	—	—	—	48.77	—	—	8,200	40	<10	14	210	<100	—	—	—	—	—	—	—	—
	03/30/01	—	21.65	—	48.77	27.12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	10/05/01	—	25.23	—	48.77	23.54	—	77,000	<100	110	780	850	—	—	—	—	—	—	—	—	—
	03/28/02	—	20.45	—	48.77	28.32	—	11,000	34	6.1	220	180	—	—	—	—	—	—	—	—	—
	09/30/02	—	24.66	—	48.77	24.11	—	34,000	<125	140	240	370	—	—	—	—	—	—	—	—	—
	03/31/03	—	22.44	—	48.77	26.33	—	6,200	<12.5	<12.5	130	87	—	—	—	—	—	—	—	—	—
	06/19/03	—	22.87	—	48.77	25.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/30/03	—	25	—	48.77	23.77	—	9,700	52	<25	160	87	—	—	—	—	—	—	—	—	—
	02/10/04	—	22.13	—	48.77	26.64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	06/30/04	—	24.55	—	48.77	24.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/14/04	—	25.69	—	48.77	23.08	—	9,500	48	<25	93	<50	—	—	—	—	—	—	—	—	—
	03/29/06	—	16.74	—	48.77	32.03	—	6,200	<0.5	<0.5	57	11	—	—	—	—	—	—	—	—	—
	06/24/06	—	22.43	—	48.77	26.34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/30/06	—	23.4	—	48.77	25.37	—	2,200	3.7	31	37	40	<17	—	—	—	—	—	—	—	—
	12/11/06	—	22.78	—	48.77	25.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/16/07	—	21.76	—	48.77	27.01	—	3,200	2.2	37	18	2.9	—	—	—	—	—	—	—	—	—
	09/14/07	—	25.5	—	48.77	23.27	—	2,600	1.4	28	13	3.2	<5.0	—	—	—	—	—	—	—	—
	12/14/07	—	25.83	—	48.77	22.94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/12/08	—	22.08	—	48.77	26.69	—	2,800	2.3	32	12	5.3	<5.0	—	—	—	—	—	—	—	—
	06/11/08	—	24.61	—	48.77	24.16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	09/05/08	—	26.04	—	48.77	22.73	—	3,800	2.5	40	6.1	2.8	<100	—	—	—	—	—	—	—	—
	12/13/08	—	26.74	—	48.77	22.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	03/14/09	—	21.46	—	48.77	27.31	—	7,100	11	63	50	120	<50	—	—	—	—	—	—	—	—
	06/03/09	—	24.21	—	48.77	24.56	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	12/07/09	—	26.03	—	48.77	22.74	—	3,600	4	34	18	22	<5.0	—	—	—	—	—	—	—	—
	03/15/10	—	20.91	—	48.77	27.86	—	2,900	1.1	<1.0	11	<1.0	<1.0	—	—	—	—	—	—	—	—
	09/13/10	—	24.93	—	48.77	23.84	—	4,500	<2.0[5]	<2.0[5]	15	<2.0[5]	—	—	—	—	<4.0[5]	<8.0[5]	—	9.3	—
	03/01/11	—	20.40	—	48.77	28.37	—	4,100	<1.0[5]	<1.0[5]	10	<1.0[5]	—	—	—	—	—	—	—	—	—
	09/08/11	—	23.90	—	48.77	24.87	—	3,800	<1.0[5]	<1.0[5]	7.7	<1.0[5]	—	—	—	—	—	—	—	—	—
	03/06/12	—	25.02	—	48.77	23.75	—	3,800	<1.5[5]	<1.5[5]	6.6	<1.5[5]	—	—	—	—	—	—	—	—	—
	07/11/12	—	23.81	—	48.77	24.96	—	5,800	<2.0[5]	<2.0[5]	6.2	<2.0[5]	—	—	—	—	—	—	—	—	—
	03/05/13	—	23.64	—	48.77	25.13	—	2,100	<2.0[5]	<2.0[5]	4.2	<2.0[5]	—	—	—	—	—	—	—	—	—
	09/09/13	—	26.52	—	48.77	22.25	—	4,400	<1.5[5]	<1.5[5]	4.1	<1.5[5]	—	—	—	—	—	—	—	—	—
	03/11/14	—	25.91	—	48.77	22.86	—	3,800	<1.0[5]	<1.0[5]	2.7	<1.0[5]	—	—	—	—	—	—	—	—	—
	09/03/14	—	27.44	—	48.77	21.33	—	5,800	<2.0[5]	<2.0[5]	2.8	<2.0[5]	—	—	—	—	—	—	—	—	—

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-9	02/25/15	--	23.78	--	51.44	27.66	--	4,200	2.5	<1.5[5]	2.7	<1.5[5]	--	--	--	--	--	--	--	--	--
(cont)	05/28/15	--	25.88	--	51.44	25.56	220[6]	4,600	1.1	<0.50	2.3	0.59	<0.50	--	--	--	--	--	--	--	--
	08/12/15	--	27.13	--	51.44	24.31	--	5,200	2.4	1.0	11	1.9	3.0	--	--	--	--	--	--	--	--
	11/18/15	--	27.96	--	51.44	23.48	--	5,700	<2.5[5]	<2.5[5]	4.9	<2.5[5]	<2.5[5]	--	--	--	--	--	--	--	--
	02/11/16	--	23.89	--	51.44	27.55	--	8,000	<4.0[5]	<4.0[5]	7.1	<4.0[5]	<4.0[5]	--	--	--	--	--	--	--	--
	05/09/16	--	23.03	--	51.44	28.41	74[6]	4,000	3.5	<1.5[5]	2.8	<1.5[5]	<1.5[5]	--	--	--	--	--	--	--	--
	11/08/16	--	25.50	--	51.44	25.94	--	5,300	26	2.7	9.5	3.3	<2.5[5]	--	--	--	--	--	--	--	--
	02/13/17	--	16.33	--	51.44	35.11	--	3,800	63	2.3	4.7	1.9	<1.0[5]	--	--	--	--	--	--	<1.0	--
	05/02/17	--	18.04	--	51.44	33.40	--	2,820	8.47	2.17	3.59	1.0[5]	<1.0[5]	--	--	--	--	--	--	--	<1.0
	08/22/17	--	23.05	--	51.44	28.39	--	2,500	<0.50	1.2	1.7	0.62	<0.50	--	--	--	--	--	--	--	--
MW-10	12/30/98	--	25.15	--	49.93	24.78	--	6,900	130	19	140	210	--	--	--	--	--	--	--	--	--
	03/13/99	--	20.62	--	49.93	29.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	--	--	49.93	--	--	6,600	150	33	240	170	--	--	--	--	--	--	--	--	--
	09/29/99	--	26.13	--	49.93	23.80	--	9,300	60	38	280	150	--	--	--	--	--	--	--	--	--
	12/29/99	--	26.7	--	49.93	23.23	--	5,800	87	10	420	180	--	--	--	--	--	--	--	--	--
	03/18/00	--	18.67	--	49.93	31.26	--	3,800	180	11	220	120	--	--	--	--	--	--	--	--	--
	07/18/00	--	24.38	--	49.93	25.55	--	9,100	120	33	210	130	--	--	--	--	--	--	--	--	--
	09/26/00	--	25.59	--	49.93	24.34	--	4,500	22	8.8	1.3	18	--	--	--	--	--	--	--	--	--
	12/28/00	--	25.9	--	49.93	24.03	--	3,900	55	13	98	38	--	--	--	--	--	--	--	--	--
	03/30/01	--	23.14	--	49.93	26.79	--	4,500	48	6	<5	23	81 / <5.0	--	--	--	--	--	--	--	--
	10/05/01	--	26.6	--	49.93	23.33	--	5,200	70	28	41	30	--	--	--	--	--	--	--	--	--
	03/28/02	--	21.87	--	49.93	28.06	--	7,400	45	20	210	66	--	--	--	--	--	--	--	--	--
	09/30/02	--	26.05	--	49.93	23.88	--	670	54	5.9	76	23	--	--	--	--	--	--	--	--	--
	03/31/03	--	23.87	--	49.93	26.06	--	5,700	31	38	67	27	--	--	--	--	--	--	--	--	--
	06/19/03	--	24.28	--	49.93	25.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/03	--	26.37	--	49.93	23.56	--	7,400	61	<50	<50	<100	--	--	--	--	--	--	--	--	--
	02/10/04	--	23.54	--	49.93	26.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	06/30/04	--	25.71	--	49.93	24.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/14/04	--	26.85	--	49.93	23.08	--	9,100	47	<25	51	<50	--	--	--	--	--	--	--	--	--
	03/29/06	--	20.18	--	49.93	29.75	--	6,800	140	18	270	160	--	--	--	--	--	--	--	--	--
	06/24/06	--	23.87	--	49.93	26.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/30/06	--	24.8	--	49.93	25.13	--	5,700	61	30	78	120	<100	--	--	--	--	--	--	--	--
	03/16/07	--	23.09	--	49.93	26.84	--	10,000	71	15	46	25	<50	--	--	--	--	--	--	--	--
	09/14/07	--	26.87	--	49.93	23.06	--	5,800	55	18	22	15	<10	--	--	--	--	--	--	--	--
	12/14/07	--	27.14	--	49.93	22.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	--	23.48	--	49.93	26.45	--	9,300	240	23	48	37	<50	--	--	--	--	--	--	--	--
	06/11/08	--	25.98	--	49.93	23.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	--	27.38	--	49.93	22.55	--	8,400	120	12	18	16	<250	--	--	--	--	--	--	--	--
	12/13/08	--	28.04	--	49.93	21.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	--	22.73	--	49.93	27.20	--	8,100	300	25	36	72	<250	--	--	--	--	--	--	--	--
	12/07/09	--	27.33	--	49.93	22.60	--	8,400	160	26	32	34	<100	--	--	--	--	--	--	--	--
	03/15/10	--	22.27	--	49.93	27.66	--	5,200	110	4.1	29	16	<2.0	--	--	--	--	--	--	--	--
	09/13/10	--	26.88	--	49.93	23.05	--	6,800	43	2.5	31	13[5]	--	--	--	--	<4.0[5]	<8.0[5]	--	<5.0	--
	03/01/11	--	21.77	--	49.93	28.16	--	8,100	32	3.2	53	11[5]	--	--	--	--	--	--	--	--	--
	09/08/11	--	25.27	--	49.93	24.66	--	7,700	13	<2.5[5]	30	9.0[5]	--	--	--	--	--	--	--	--	--
	03/06/12	--	26.37	--	49.93	23.56	--	5,300	9.8	2.5	25	7.0	--	--	--	--	--	--	--	--	--
	07/11/12	--	25.19	--	49.93	24.74	--	7,400	13	3.1	34	7.1	--	--	--	--	--	--	--	--	--
	03/05/13	--	25.03	--	49.93	24.90	--	6,200	41	5.8	27	8.3	--	--	--	--	--	--	--	--	--
	09/09/13	--	27.84	--	49.93	22.09	--	4,400	16	<4.0[5]	14	5.8	--	--	--	--	--	--	--	--	--
	03/11/14	--	27.21	--	49.93	22.72	--	7,700	44	3.7	20	5.2	--	--	--	--	--	--	--	--	--
	09/03/14	--	28.74	--	49.93	21.19	--	6,900	44	3.5	17	6.0	--	--	--	--	--	--	--	--	--
	02/25/15	--	25.13	--	52.60	27.47	--	9,600	150	12	33	18	--	--	--	--	--	--	--	--	--
	05/28/15	--	27.20	--	52.60	25.40	100[6]	5,500	82	6.2	26	9.6	<1.0[5]	--	--	--	--	--	--	--	--
	08/12/15	--	28.45	--	52.60	24.15	--	9,300	100	6.1	24	8.3	<4.0[5]	--	--	--	--	--	--	--	--
	11/18/15	--	29.24	--	52.60	23.36	--	7,000	93	6.7	18	8.6	<2.5[5]	--	--	--	--	--	--	--	--
	02/11/16	--	25.18	--	52.60	27.42	--	8,900	160	14	20	20	<5.0[5]	--	--	--	--	--	--	--	--
	05/09/16	--	24.38	--	52.60	28.22	76[6]	8,500	180	19	40	24	<4.0[5]	--	--	--	--	--	--	--	--
	11/08/16	--	--	--	52.60	--	--	--	--	--	--	--	Car Parked Over Well - Not Gauged or Sampled	--	--	--	--	--	--	--	--
	02/13/17	--	17.74	--	52.60	34.86	--	4,900	60	8.2	11	18	<1.5[5]	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
MW-10	05/02/17	--	19.51	--	52.60	33.09	--	5,850	114	15.3	73.2	37.76	<1.5[5]	--	--	--	--	--	--	--	
(cont)	08/22/17	--	24.46	--	52.60	28.14	--	7,800	54	10	41	9.0[5]	<1.5[5]	--	--	--	--	--	--	--	
MW-11	12/30/98	--	23.15	--	47.93	24.78	--	80	<0.5	<0.5	0.93	1.6	--	--	--	--	--	--	--	--	
	03/13/99	--	18.37	--	47.93	29.56	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/23/99	--	--	--	47.93	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	09/29/99	--	23.9	--	47.93	24.03	--	94	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	
	12/29/99	--	24.5	--	47.93	23.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/18/00	--	16.55	--	47.93	31.38	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	
	07/18/00	--	22.12	--	47.93	25.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/26/00	--	23.35	--	47.93	24.58	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	
	12/28/00	--	23.67	--	47.93	24.26	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/20/01	--	--	--	47.93	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	
	03/30/01	--	20.9	--	47.93	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	10/05/01	--	24.41	--	47.93	23.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/28/02	--	19.62	--	47.93	28.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--	--	--	--	
	09/30/02	--	23.84	--	47.93	24.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/30/06	--	22.58	--	47.93	25.35	--	160	1.8	12	7.6	40	<5.0	--	--	--	--	--	--	--	
	09/14/07	--	24.72	--	47.93	25.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	12/14/07	--	25	--	47.93	22.93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	06/11/08	--	23.81	--	47.93	24.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/05/08	--	25.23	--	47.93	22.70	--	150	0.93	0.6	1.6	2.5	<5.0	--	--	--	--	--	--	--	
	12/13/08	--	25.93	--	47.93	22.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/15/10	--	20.10	--	47.93	27.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/13/10	--	24.11	--	47.93	23.82	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	<1.0	<2.0	22	
	03/01/11	--	19.57	--	47.93	28.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/08/11	--	23.08	--	47.93	24.85	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	03/06/12	--	24.18	--	47.93	23.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	07/11/12	--	23.00	--	47.93	24.93	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/05/13	--	22.82	--	47.93	25.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/09/13	--	25.71	--	47.93	22.22	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	03/11/14	--	25.10	--	47.93	22.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/03/14	--	26.61	--	47.93	21.32	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	02/25/15	--	22.97	--	50.63	27.66	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	05/28/15	--	25.04	--	50.63	25.59	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	08/12/15	--	26.31	--	50.63	24.32	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	11/18/15	--	27.13	--	50.63	23.50	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	02/11/16	--	23.08	--	50.63	27.55	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	05/09/16	--	22.21	--	50.63	28.42	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	11/08/16	--	24.70	--	50.63	25.93	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	02/13/17	--	15.58	--	50.63	35.05	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	05/02/17	--	17.20	--	50.63	33.43	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	
	08/22/17	--	22.20	--	50.63	28.43	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
MW-12	03/20/01	—	—	—	48.46	—	—	4,100	28	6.2	<5	16	90 < 5.0	—	—	—	—	—	—	—	
	03/30/01	—	21.43	—	48.46	27.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/29/01	—	—	—	48.46	—	—	4,200	26	25	19	29	—	—	—	—	—	—	—	—	
	10/05/01	—	24.94	—	48.46	23.52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/21/01	—	—	—	48.46	—	—	5,300	9.7	<2.5	41	14	—	—	—	—	—	—	—	—	
	03/28/02	—	20.15	—	48.46	28.31	—	—	4,900	20	<2.5	69	23	—	—	—	—	—	—	—	
	06/28/02	—	—	—	48.46	—	—	2,600	29	<12.5	30	<25	—	—	—	—	—	—	—	—	
	09/30/02	—	24.37	—	48.46	24.09	—	700	16	4.9	19	9.8	—	—	—	—	—	—	—	—	
	09/30/06	—	22.58	—	48.46	26.18	—	—	2,100	6.2	15	16	38	<10	—	—	—	—	—	—	
	12/11/06	—	23.88	—	48.46	24.88	—	—	5,500	13	24	16	23	<17	—	—	—	—	—	—	
	03/16/07	—	21.77	—	48.46	26.99	—	—	4,900	11	24	16	8.5	<50	—	—	—	—	—	—	
	06/10/07	—	24.06	—	48.46	24.70	—	—	2,600	<2.5	<2.5	13	9.5	<25	—	—	—	—	—	—	
	09/14/07	—	—	—	48.46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	12/14/07	—	25.77	—	48.46	22.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/12/08	—	—	—	48.46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	06/11/08	—	24.6	—	48.46	23.86	—	—	6,200	11	21	26	8.1	<50	—	—	—	—	—	—	
	09/05/08	—	25.97	—	48.46	22.49	—	—	5,000	7.3	15	12	5.9	<25	—	—	—	—	—	—	
	12/13/08	—	26.66	—	48.46	21.80	—	—	4,400	7.6	19	12	9.4	<25	—	—	—	—	—	—	
	03/14/09	—	21.36	—	48.46	27.10	—	—	6,800	16	19	20	60	<50	—	—	—	—	—	—	
	06/03/09	—	24.2	—	48.46	24.26	—	—	6,400	6.5	24	25	6.1	<50	—	—	—	—	—	—	
	12/07/09	—	—	—	48.46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/15/10	—	20.89	—	48.46	27.57	—	—	5,100	5.0	<2.0	15	4.3	<2.0	—	—	—	—	—	—	
	09/13/10	—	24.91	—	48.46	23.55	—	—	5,400	<2.0[5]	<2.0[5]	10	3.5	—	—	—	—	<4.0[5]	<8.0[5]	14	
	03/01/11	—	20.40	—	48.46	28.06	—	—	5,900	<2.0[5]	<2.0[5]	18	3.9[5]	—	—	—	—	—	—	—	
	09/08/11	—	—	—	48.46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	03/06/12	—	25.01	—	48.46	23.45	—	—	4,100	<1.5[5]	<1.5[5]	6.9	2.5	—	—	—	—	—	—	—	
	07/11/12	—	23.85	—	48.46	24.61	—	—	3,500	<1.0[5]	<1.0[5]	7.4	1.8	—	—	—	—	—	—	—	
	03/05/13	—	—	—	48.46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	09/09/13	—	—	—	48.46	—	—	—	1,600	<0.50	<0.50	0.70	0.69	—	—	—	—	—	—	—	
	03/11/14	—	25.85	—	48.45	22.60	—	—	4,600	<2.0[5]	<2.0[5]	2.5	<2.0[5]	—	—	—	—	—	—	—	
	09/03/14	—	27.36	—	48.45	21.09	—	—	5,200	<1.5[5]	<1.5[5]	3.4	2.3	—	—	—	—	—	—	—	
	02/25/15	—	23.78	—	51.09	27.31	—	—	5,000	23	2.5	6.9	3.4	—	—	—	—	—	—	—	
	05/28/15	—	25.81	—	51.09	25.28	—	—	4,100	6.0	1.4	3.8	3.32	<0.50	—	—	—	—	—	—	
	08/12/15	—	27.07	—	51.09	24.02	—	—	5,500	12	<2.5[5]	4.4	2.7	<2.5[5]	—	—	—	—	—	—	
	11/18/15	—	27.85	—	51.09	23.24	—	—	4,400	3.7	<0.05	<2.0[5]	7	<2.0[5]	—	—	—	—	—	—	
	02/11/16	—	23.81	—	51.09	27.28	—	—	7,900	68	<0.05	9.9	5.6	<5.0[5]	—	—	—	—	—	—	
	05/09/16	Car Parked Over Well - Not Gauged or Sampled																			
	11/08/16	—	25.40	—	51.09	25.69	—	—	5,300	120	8.1	11	6.4	<4.0[5]	—	—	—	—	—	—	
	02/13/17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	05/02/17	—	18.19	—	51.09	32.90	—	—	5,630	77.9	7.42	29.7	10.8	<1.5[5]	—	—	—	—	—	—	
	08/22/17	—	23.13	—	51.09	27.96	—	—	990	0.72	<0.50	<0.50	<0.50	<0.50	—	—	—	—	—	—	

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes [$3,4$] ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
MW-14	03/20/01	--	--	--	49.54	--	200	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	
	03/30/01	--	22.51	--	49.54	27.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	06/29/01	--	--	--	49.54	--	660	<0.5	<0.5	<0.5	4.6	--	--	--	--	--	--	--	--	--	
	10/05/01	--	26.02	--	49.54	23.52	--	770	1.7	1.5	0.91	8.3	--	--	--	--	--	--	--	--	
	12/21/01	--	--	--	49.54	--	1,500	3.1	13	1.9	22	--	--	--	--	--	--	--	--	--	
	03/28/02	--	21.23	--	49.54	28.31	--	390	1.7	<0.5	<0.5	0.74	--	--	--	--	--	--	--	--	
	06/28/02	--	--	--	49.54	--	120	<0.5	<0.5	<0.5	<1	--	--	--	--	--	--	--	--	--	
	09/30/02	--	25.45	--	49.54	24.09	--	210	<0.5	1.7	<0.5	1.1	--	--	--	--	--	--	--	--	
	12/21/02	--	--	--	49.54	--	53	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	
	09/30/06	--	22.58	--	49.54	26.96	--	210	2.5	15	9.1	48	<5.0	--	--	--	--	--	--	--	
	12/11/06	--	24.9	--	49.54	24.64	--	190	6.7	9.9	5.4	19	<5.0	--	--	--	--	--	--	--	
	03/16/07	--	22.67	--	49.54	26.87	--	<50	<0.5	1.1	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	06/10/07	--	25.11	--	49.54	24.43	--	73	1.1	1.3	1.8	7.2	<5.0	--	--	--	--	--	--	--	
	09/14/07	--	26.56	--	49.54	22.98	--	<50	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	
	12/14/07	--	26.8	--	49.54	22.74	--	69	1.1	0.57	3.5	4.5	<5.0	--	--	--	--	--	--	--	
	03/01/08	--	23.03	--	49.54	26.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/12/08	--	--	--	49.54	--	110	0.61	1.2	1.2	3.6	<5.0	--	--	--	--	--	--	--	--	
	06/11/08	--	25.69	--	49.54	23.85	--	52	<0.5	0.68	<0.5	1	<5.0	--	--	--	--	--	--	--	
	09/05/08	--	27.04	--	49.54	22.50	--	95	<0.5	1.3	0.61	2.3	<5.0	--	--	--	--	--	--	--	
	12/13/08	--	27.72	--	49.54	21.82	--	220	1.5	4.3	3.2	5.1	<5.0	--	--	--	--	--	--	--	
	03/14/09	--	22.22	--	49.54	27.32	--	360	1.4	12	13	61	<5.0	--	--	--	--	--	--	--	
	06/03/09	--	25.3	--	49.54	24.24	--	68	<0.5	1.9	0.81	1.1	<5.0	--	--	--	--	--	--	--	
	12/07/09	--	27.1	--	49.54	22.44	--	220	1.3	2.7	6.9	15	<5.0	--	--	--	--	--	--	--	
	03/15/10	--	21.94	--	49.54	27.60	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	09/13/10	--	26.05	--	49.54	23.49	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<1.0	<2.0	--	
	03/01/11	--	21.50	--	49.54	28.04	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	09/08/11	--	25.02	--	49.54	24.52	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/06/12	--	26.13	--	49.54	23.41	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	07/11/12	--	24.92	--	49.54	24.62	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/05/13	--	24.75	--	49.54	24.79	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	09/09/13	--	27.57	--	49.54	21.97	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/11/14	--	26.95	--	49.54	22.59	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	09/03/14	--	28.50	--	49.54	21.04	--	160	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	02/25/15	--	24.78	--	52.22	27.44	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	05/28/15	--	26.95	--	52.22	25.27	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	08/12/15	--	28.20	--	52.22	24.02	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	11/18/15	--	28.98	--	52.22	23.24	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	02/11/16	--	24.53	--	52.22	27.69	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	05/09/16	--	23.95	--	52.22	28.27	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	11/08/16	--	26.15	--	52.22	26.07	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	02/13/17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	05/02/17	--	19.11	--	52.22	33.11	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	08/22/17	--	24.25	--	52.22	27.97	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	

Car Parked Over Well - Not Gauged or Sampled

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO (µg/L)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	Hexavalent Chromium (µg/L)	Lead (Pb) (µg/L)
MW-1A	05/30/97	--	--	--	48.24	--	--	12,000	18	8.7	90	540	--	--	--	--	--	--	--	--	--
	12/30/98	--	23.6	--	48.24	24.64	--	51	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
	03/13/99	--	18.85	--	48.24	29.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/23/99	--	--	--	48.24	--	--	1,800	4	<0.5	3	7.5	--	--	--	--	--	--	--	--	--
	03/23/99	--	--	--	48.24	--	--	2,200	10	0.52	3.1	7.1	--	--	--	--	--	--	--	--	--
	09/29/99	--	24.35	--	48.24	23.89	--	13,000	63	26	30	72	--	--	--	--	--	--	--	--	--
	12/29/99	--	24.95	--	48.24	23.29	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/08/00	--	--	--	48.24	--	--	6,100	36	<5	9.7	45	--	--	--	--	--	--	--	--	--
	03/18/00	--	16.99	--	48.24	31.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	07/18/00	--	22.6	--	48.24	25.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/26/00	--	23.76	--	48.24	24.48	--	11,000	14	<5	65	150	--	--	--	--	--	--	--	--	--
	12/28/00	--	24.11	--	48.24	24.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/30/01	--	21.22	--	48.24	27.02	--	4,800	30	6	<5	7	51 / <5.0	--	--	--	--	--	--	--	--
	10/05/01	--	24.86	--	48.24	23.38	--	15,000	76	41	36	140	--	--	--	--	--	--	--	--	--
	03/28/02	--	20.1	--	48.24	28.14	--	9,300	35	<12.5	17	32	--	--	--	--	--	--	--	--	--
	09/30/02	--	24.28	--	48.24	23.96	--	23,000	<50	63	77	230	--	--	--	--	--	--	--	--	--
	09/30/06	--	23.03	--	48.24	25.21	--	2,500	4.1	25	22	49	<5.0	--	--	--	--	--	--	--	--
	03/16/07	--	--	--	48.24	--	--	1,800	1.8	17	6.4	4.4	<5.0	--	--	--	--	--	--	--	--
	09/14/07	--	25.13	--	48.24	23.11	--	1,500	1.1	15	2.8	1.8	<5.0	--	--	--	--	--	--	--	--
	12/14/07	--	25.43	--	48.24	22.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/12/08	--	21.75	--	48.24	26.49	--	1,200	2.1	12	5	3.6	<5.0	--	--	--	--	--	--	--	--
	06/11/08	--	24.24	--	48.24	24.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	09/05/08	--	25.62	--	48.24	22.62	--	1,900	2.4	14	10	5.4	<5.0	--	--	--	--	--	--	--	--
	12/13/08	--	26.33	--	48.24	21.91	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	03/14/09	--	21.07	--	48.24	27.17	--	1,700	2.5	13	11	32	<5.0	--	--	--	--	--	--	--	--
	03/15/10	--	20.52	--	48.24	27.72	--	2,400	<0.50	<0.50	5.5	2.3	<0.50	--	--	--	--	--	--	--	--
	09/13/10	--	24.55	--	48.24	23.69	--	2,800	<0.50	<0.50	7.6	2.4	--	--	--	--	<1.0	<2.0	--	6.9	--
	03/01/11	--	20.02	--	48.24	28.22	--	2,600	<0.50	<0.50	6.2	2.3	--	--	--	--	--	--	--	--	--
	09/08/11	--	23.52	--	48.24	24.72	--	2,200	<1.0[5]	<1.0[5]	7.4	2.3	--	--	--	--	--	--	--	--	--
	03/06/12	--	24.60	--	48.24	23.64	--	2,100	<1.0[5]	<1.0[5]	9.0	2.2	--	--	--	--	--	--	--	--	--
	07/11/12	--	23.45	--	48.24	24.79	--	4,200	<2.0[5]	<2.0[5]	6.4	2.6	--	--	--	--	--	--	--	--	--
	03/05/13	--	23.28	--	48.24	24.96	--	1,200	<1.0[5]	<1.0[5]	4.8	<1.0[5]	--	--	--	--	--	--	--	--	--
	09/09/13	--	26.11	--	48.24	22.13	--	3,200	<1.0[5]	<1.0[5]	9.7	2.2	--	--	--	--	--	--	--	--	--
	03/11/14	--	25.50	--	48.24	22.74	--	3,400	<1.0[5]	<1.0[5]	12	<1.0[5]	--	--	--	--	--	--	--	--	--
	09/03/14	--	27.00	--	48.24	21.24	--	4,900	<1.5[5]	<1.5[5]	8.8	<1.5[5]	--	--	--	--	--	--	--	--	--
	02/25/15	--	23.40	--	50.91	27.51	--	2,600	<1.0[5]	<1.0[5]	4.7	<1.0[5]	--	--	--	--	--	--	--	--	--
	05/28/15	--	25.47	--	50.91	25.44	--	2,300	<0.50	<0.50	5.3	0.66	<0.50	--	--	--	--	--	--	--	--
	08/12/15	--	26.71	--	50.91	24.20	--	4,800	<1.0[5]	<1.0[5]	13	1.5	<1.0[5]	--	--	--	--	--	--	--	--
	11/18/15	--	27.50	--	50.91	23.41	--	2,300	<1.5[5]	<1.5[5]	6.7	<1.5[5]	<1.5[5]	--	--	--	--	--	--	--	--
	02/11/16	--	23.46	--	50.91	27.45	--	2,200	<2.0[5]	<2.0[5]	5.0	<2.0[5]	<2.0[5]	--	--	--	--	--	--	--	--
	05/09/16	--	22.66	--	50.91	28.25	--	2,200	<1.0[5]	<1.0[5]	4.2	<1.0[5]	<1.0[5]	--	--	--	--	--	--	--	--
	11/08/16	--	25.10	--	50.91	25.81	--	1,600	<1.5[5]	<1.5[5]	6.8	<1.5[5]	<1.5[5]	--	--	--	--	--	--	--	--
	02/13/17	--	16.03	--	50.91	34.88	--	1,300	<0.50	<0.50	0.84	<0.50	<0.50	--	--	--	--	--	--	--	--
	05/02/17	--	17.73	--	50.91	33.18	--	939	<0.50	<0.50	2.76	0.79	<0.50	--	--	--	--	--	--	--	--
	08/22/17	--	22.69	--	50.91	28.22	--	1,800	<0.50	<0.50	3.5	0.90	<0.50	--	--	--	--	--	--	--	--
MW-15	10/27/14	27.75	27.91	0.16	--	--	--	71,000	140	2,500	2,700	10,800	--	--	--	--	--	--	--	--	--
	02/25/15	--	23.63	--	51.54	27.91	--	60,000	200	6,000	2,700	12,900	--	--	--	--	--	--	--	--	--
	05/28/15	--	26.92	--	51.54	24.62	--	80,000	310	7,900	2,300	11,400	<50[5]	--	--	--	--	--	--	--	--
	08/12/15	--	27.05	--	51.54	24.49	--	38,000	110	1,700	1,200	4,000	<10[5]	--	--	--	--	--	--	--	--
	11/18/15	--	27.86	--	51.54	23.68	--	72,000	190	5,700	2,200	10,900	<40[5]	--	--	--	--	--	--	--	--
	02/11/16	--	23.81	--	51.54	27.73	--	52,000	150	3,100	1,500	6,800	<20[5]	--	--	--	--	--	--	--	--
	05/09/16	--	22.85	--	51.54	28.69	--	22,000	54	790	580	2,300	<10[5]	--	--	--	--	--	--	--	--
	11/08/16	--	25.41	--	51.54	26.13	--	26,000	120	370	610	2,440	<20[5]	--	--	--	--	--	--	--	--
	02/13/17	--	15.87	--	51.54	35.67	--	17,000	110	720	730	2,750	<10[5]	--	--	--	--	--	<1.0	--	--
	05/02/17	--	17.71	--	51.54	33.83	--	19,500	61.9	465	719	2,068	<10[5]	--	--	--	--	--	<1.0	--	--
	08/22/17	--	22.83	--	51.54	28.71	--	19,000	73	76	640	2,290	<10[5]	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Free Product (feet)	Depth to Water (feet)	Free Product Thickness (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	DRO ($\mu\text{g/L}$)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes [3,4] ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	1,2-DCA ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	Hexavalent Chromium ($\mu\text{g/L}$)	Lead (Pb) ($\mu\text{g/L}$)
141	04/06/96	--	--	--	48.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
Farrelly	10/02/99	--	--	--	48.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	03/18/00	--	17.9	--	48.76	30.86	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	07/13/00	--	--	--	48.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	09/26/00	--	24.66	--	48.76	24.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	12/29/00	--	--	--	48.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0 [3]	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
	03/20/01	--	--	--	48.76	--	--	--	--	--	--	--	<5.0 [3]	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
	03/30/01	--	22.25	--	48.76	26.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	12/21/01	--	--	--	48.76	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	
	09/30/02	--	25.34	--	48.76	23.42	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	
	12/21/02	--	20.07	--	48.76	28.69	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	
	06/19/03	--	23.55	--	48.76	25.21	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	
	09/14/04	--	26.12	--	48.76	22.64	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	
	03/16/07	--	22.28	--	48.76	26.48	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	09/14/07	--	25.98	--	48.76	22.78	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	03/12/08	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	06/11/08	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/05/08	--	26.48	--	48.76	22.28	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	12/13/08	--	27.2	--	48.76	21.56	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	03/14/09	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	06/03/09	--	25.83	--	48.76	22.93	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	
	12/07/09	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/15/10	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	<1.0	<2.0	<5.0	
	09/13/10	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/01/11	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/08/11	--	24.50	--	48.76	24.26	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/06/12	--	25.57	--	48.76	23.19	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	07/11/12	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	03/05/13	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	09/09/13	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	03/11/14	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	09/03/14	--	--	--	48.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	02/25/15	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	05/28/15	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
	08/12/15	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	11/18/15	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	02/11/16	--	--	--	48.76	25.09	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	05/09/16	--	23.67	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	11/08/16	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	02/13/17	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	05/02/17	--	--	--	48.76	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	
	08/22/17	--	23.78	--	48.76	24.98	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	

Owner Unresponsive - Well Not Sampled

Legend/Key:

- GRO = Gasoline Range Organics C4-C13
- MTBE = Methyl tertiary butyl ether
- TBA = Tertiary butyl alcohol
- DIPE = Di-isopropyl ether
- ETBE = Ethyl tertiary butyl ether
- TAME = Tertiary amyl methyl ether
- 1,2-DCA = 1,2-Dichloroethane
- EDB = 1,2-Dibromoethane
- = not measured, not analyzed, or not available
- ft msl = feet above mean sea level
- $\mu\text{g/L}$ = micrograms per liter


Analytical Methods:

- GRO analyzed according to EPA Method 8015B
- BTEx and MTBE analyzed according to EPA Method 8020/8021B prior to 2010
- Beginning in 2010, BTEx, MTBE, TBA, DIPE, ETBE, and TAME analyzed by EPA Method 8260B

Laboratory Qualifiers/Flags/Notes:

- [1] GRO reported as Total Petroleum Hydrocarbons as Gasoline (TPHg) prior to 2010.
- [2] This value may be inaccurate. *Second Quarter 1996 Environmental Activities Report*, dated August 8, 1996 by Environmental Testing & Management casts doubt on the validity of this laboratory result.
- [3] When two MTBE results listed, the first is by EPA 8020/8021 and second is confirmation by 8260. If only one result, by 8260.
- [4] All MTBE results by EPA 8020, except where qualified by [3] and during 3/15/10 event when analyzed by 8260.
- [5] Reporting limits were increased due to high concentrations of target analytes.
- [6] DRO concentration may include contributions from lighter-end hydrocarbons that elute in the DRO range.

Analytical data present here prior to first quarter 2010 provided by Groundwater Cleaners, Inc. Stratus has not reviewed laboratory reports and makes no representations regarding accuracy of these data.
 All site wells were surveyed on December 9, 2014, by Morrow Surveying (LS8501).




QUADRANGLE LOCATION

0 1,000 FT
APPROXIMATE SCALE



GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA
SITE LOCATION MAP

FIGURE
1
PROJECT NO.
2076-0301-01







STRATUS
ENVIRONMENTAL, INC.

PATH NAME: German Auto\Quarterly Figures
DRAFTER INITIALS: DMG
DATE LAST REVISED: September 20, 2017
FILENAME: German Auto Quarterly

GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA


GROUNDWATER ELEVATION CONTOUR MAP
3rd QUARTER 2017

FIGURE
4
PROJECT NO.
2076-0301-01





Figure 7
Historical Groundwater Flow Direction Rose Diagram
German Autocraft
301 East 14th Street, San Leandro, California



Legend
Concentric circles represent number
of monitoring events

Figure represents data collected between
February 1995 through present

80 Events Shown

APPENDIX A

FIELD DATA SHEETS

Site Address 301 E. 14 Street
 City San Leandro
 Sampled by: C Hill
 Signature

Site Number German Aug
 Project Number
 Project PM Gowri
 DATE 8-22-17

Water Level Data				Purge Volume Calculations					Purge Method				Sample Record			Field Data	
Well ID	Time	Depth to Product (feet)	Depth to Water (feet)	Total Depth (feet)	Water column (feet)	Diameter (inches)	Multiplier	3 casing volumes (gallons)	Actual water purged (gallons)	No Purge	Bailer	Pump	other	DTW at sample time (feet)	Sample I.D.	Sample Time	DO (mg/L)
MW 2	0848		24.11	34.11	10.0	2	.9	5	5	X				24.15	MW 2	0920	1.48
MW 3	0552		23.25	35.35	12.10	2	.5	6	6	X				23.30	3	0925	1.77
MW 5	0651		23.58	36.30	2.42	2	.9	1	1	X				23.60	5	0715	1.61
MW 8	0616		23.72	26.50	5.78	2	.5	3	3	X				23.80	8	0625	1.67
MW 9	0822		23.05	33.10	10.05	2	.5	5	5	X				23.21	9	0845	1.50
MW 10	0747		24.46	38.13	13.67	2	.5	7	7	X				24.50	10	0806	1.31
MW 11	0512		22.20	33.38	11.18	2	.9	5	5	X				22.31	11	0530	3.11
MW 12	0811		23.13	37.89	14.72	2	.5	X						23.13	12	0815	1.60
MW 13	0503		24.74	37.22	12.48	2	.5	6	6	X				24.77	13	0610	2.13
MW 14	0630		24.25	30.30	7.61	2	.5	4	4	X				24.28	14	0449	3.61
MW 15	0653		22.83	33.00	10.77	2	.5	5	5	X				22.87	MW 15	0720	0.42
MW 1A	0534		22.69	33.25	10.56	2	.9	5	5	X				22.71	MW 1A	0547	1.40
141 Family 0935					23.78										Family	0940	
<i>MW 12 under edge of car No Purge</i>																	
<i>52</i>																	

MW 12 under edge of car No Purge

Multiplier

2" = 0.5 3" = 1.0 4" = 2.0 6" = 4.4

10 AM Family

Please refer to groundwater sampling field procedures
 pH/Conductivity/temperature Meter - Oakton Model PC-10
 DO Meter - Oakton 300 Series (DO is always measured before purge)

CALIBRATION DATE
 pH 8-16-17
 Conductivity _____
 DO _____



Site Address 301 E. 14th Street
 City San Leandro
 Sampled By C Hill
 Signature
 Site Number Berman Park
 Project Number
 Project PM Bauer
 DATE 8/22/07
 Weather Conditions Clear

ORIGINAL

Well ID <u>MW 10</u>		Comments: <u>7</u>			Well ID <u>MW 12</u>		Comments:				
Purge start time		Sheen	Y <u>N</u>	Odor	Y <u>O</u>	N	Purge start time	Sheen	Y <u>N</u>	Odor	Y <u>N</u>
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons
time <u>0750</u>	<u>18.5</u>	<u>6.67</u>	<u>520.0</u>		<u>0</u>		time <u>0815</u>	<u>18.7</u>	<u>6.71</u>	<u>515.8</u>	
time <u>0755</u>	<u>18.7</u>	<u>6.65</u>	<u>524.3</u>		<u>3.5</u>		time				
time <u>0800</u>	<u>18.6</u>	<u>6.67</u>	<u>524.1</u>		<u>7</u>		time				
time <u>0806</u>							time <u>0815</u>				<u>Under side of cap</u>
purge stop time		DO <u>1.31</u>		ORP <u>-4.2</u>			purge stop time <u>23.13</u>	DO <u>1.60</u>		ORP <u>1.7</u>	
Well ID <u>MW 9</u>		Comments: <u>5</u>			Well ID <u>MW 2</u>		Comments: <u>5</u>				
Purge start time		Sheen	Y <u>N</u>	Odor	Y <u>O</u>	N	Purge start time	Sheen	Y <u>N</u>	Odor	Y <u>O</u>
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons
time <u>0832</u>	<u>19.0</u>	<u>6.81</u>	<u>594.8</u>		<u>0</u>		time <u>0854</u>	<u>19.0</u>	<u>6.56</u>	<u>639.6</u>	<u>0</u>
time <u>0835</u>	<u>19.2</u>	<u>6.82</u>	<u>592.7</u>		<u>2.5</u>		time <u>0858</u>	<u>pH 1</u>	<u>6.59</u>	<u>641.2</u>	<u>2.5</u>
time <u>0840</u>	<u>19.2</u>	<u>6.85</u>	<u>589.3</u>		<u>5</u>		time <u>0901</u>	<u>19.2</u>	<u>6.62</u>	<u>1048.5</u>	<u>5</u>
time <u>0845</u>							time <u>0920</u>				
purge stop time		DO <u>16.90</u>		ORP <u>-4.7</u>			purge stop time	DO <u>1.48</u>		ORP. <u>10.0</u>	
Well ID <u>MW 3</u>		Comments: <u>6</u>			Well ID		Comments:				
Purge start time		Sheen	Y <u>N</u>	Odor	Y <u>O</u>	N	Purge start time	Sheen	Y <u>N</u>	Odor	Y <u>N</u>
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons
time <u>0904</u>	<u>19.4</u>	<u>6.68</u>	<u>228.9</u>		<u>0</u>		time				
time <u>0908</u>	<u>19.3</u>	<u>6.67</u>	<u>173.1</u>		<u>3</u>		time				
time <u>0913</u>	<u>19.3</u>	<u>6.69</u>	<u>173.3</u>		<u>6</u>		time				
time <u>0925</u>							time				
purge stop time		DO <u>1.77</u>		ORP <u>3.6</u>			purge stop time	DO		ORP.	
Well ID		Comments:			Well ID		Comments:				
Purge start time		Sheen	Y <u>N</u>	Odor	Y <u>O</u>	N	Purge start time	Sheen	Y <u>N</u>	Odor	Y <u>N</u>
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons
time							time				
time							time				
time							time				
time							time				
purge stop time		DO		ORP			purge stop time	DO		ORP	



Site Address 301 E. 14th Street
 City San Leandro
 Sampled By CANL
 Signature

Site Number Bermuda
 Project Number ORIGINAL
 Project PM Bernie
 DATE 8/21/17
 Weather Conditions CHM

Well ID <u>MW 11</u>		Comments: <u>5</u>				Well ID <u>MW 1A</u>		Comments: <u>5</u>											
Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	purge stop time		DO <u>3.11</u>	ORP <u>15.0</u>	purge stop time		DO <u>1.40</u>	ORP <u>13.4</u>				
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		
time <u>0917</u>	<u>18.4</u>	<u>6.47</u>	<u>478.4</u>		<u>8</u>	time <u>0536</u>	<u>18.6</u>	<u>6.49</u>	<u>320.5</u>		<u>8</u>	time <u>0536</u>	<u>18.6</u>	<u>6.49</u>	<u>320.5</u>		<u>8</u>		
time <u>0520</u>	<u>18.5</u>	<u>6.51</u>	<u>526.4</u>		<u>2.5</u>	time <u>0539</u>	<u>18.4</u>	<u>6.58</u>	<u>502.5</u>		<u>2.5</u>	time <u>0542</u>	<u>18.0</u>	<u>6.53</u>	<u>475.5</u>		<u>5</u>		
time <u>0523</u>	<u>18.5</u>	<u>6.52</u>	<u>526.4</u>		<u>5</u>	time <u>0542</u>	<u>18.0</u>	<u>6.53</u>	<u>475.5</u>		<u>5</u>	time <u>0547</u>							
time <u>0530</u>																			
purge stop time		DO <u>3.11</u>		ORP <u>15.0</u>		purge stop time		DO <u>1.40</u>		ORP <u>13.4</u>									
Well ID <u>MW 6</u>		Comments: <u>6</u>				Well ID <u>MW 8</u>		Comments: <u>3</u>											
Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	purge stop time		DO <u>2.13</u>	ORP <u>9.9</u>	purge stop time		DO <u>1.17</u>	ORP <u>19.9</u>				
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		
time <u>0557</u>	<u>18.4</u>	<u>6.55</u>	<u>459.9</u>		<u>8</u>	time <u>0617</u>	<u>17.5</u>	<u>6.37</u>	<u>226.4</u>		<u>8</u>	time <u>0620</u>	<u>17.4</u>	<u>6.38</u>	<u>213.2</u>		<u>3</u>		
time <u>0601</u>	<u>18.4</u>	<u>6.54</u>	<u>498.2</u>		<u>3</u>	time						time							
time <u>0604</u>	<u>18.4</u>	<u>6.59</u>	<u>504.4</u>		<u>6</u>	time <u>0623</u>													
time <u>0610</u>																			
purge stop time		DO <u>2.13</u>		ORP <u>9.9</u>		purge stop time		DO <u>1.17</u>		ORP <u>19.9</u>									
Well ID <u>MW 14</u>		Comments: <u>4</u>				Well ID <u>MW 9</u>		Comments: <u>1</u>											
Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	purge stop time		DO <u>3.11</u>	ORP <u>18.3</u>	purge stop time		DO <u>1.11</u>	ORP <u>16.5</u>				
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		
time <u>0634</u>	<u>18.3</u>	<u>6.41</u>	<u>380.2</u>		<u>8</u>	time <u>0650</u>	<u>19.3</u>	<u>6.44</u>	<u>164.0</u>		<u>8</u>	time <u>0658</u>	<u>19.5</u>	<u>6.53</u>	<u>672.7</u>		<u>1</u>		
time <u>0637</u>	<u>18.4</u>	<u>2.53</u>	<u>390.1</u>		<u>2</u>	time						time							
time <u>0640</u>	<u>18.6</u>	<u>6.44</u>	<u>395.8</u>		<u>4</u>	time						time <u>0715</u>							
time <u>0644</u>																			
purge stop time		DO <u>3.11</u>		ORP <u>18.3</u>		purge stop time		DO <u>1.11</u>		ORP <u>16.5</u>									
Well ID <u>MW 15</u>		Comments: <u>5</u>				Well ID		Comments:											
Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	Purge start time		Sheen Y <u>N</u>	Odor Y <u>N</u>	purge stop time		DO	ORP								
	Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		Temp C	pH	cond		gallons		
time <u>0702</u>	<u>19.3</u>	<u>6.67</u>	<u>417.4</u>		<u>8</u>	time						time							
time					<u>2.5</u>	time						time							
time <u>0707</u>	<u>19.6</u>	<u>6.62</u>	<u>444.4</u>		<u>5</u>	time						time							
time <u>0720</u>	<u>Sheen</u>					time						time							
purge stop time		DO <u>8.42</u>		ORP <u>3.6</u>		purge stop time		DO		ORP									

APPENDIX B

SAMPLING AND ANALYSES PROCEDURES

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures as well as the quality assurance plan are contained in this appendix. The procedures and adherence to the quality assurance plan will provide for consistent and reproducible sampling methods; proper application of analytical methods; accurate and precise analytical results; and finally, these procedures will provide guidelines so that the overall objectives of the monitoring program are achieved.

Ground Water and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the ground water depth in monitoring wells that do not contain LPH. Depth to ground water or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typical a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Ground Water

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Purging and Sampling

Monitoring wells are purged using a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water have been removed. If three well volumes can not be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a ground water sample is then removed from each of the wells using a disposable bailer.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air from remaining in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped.

The water sample is collected, labeled, and handled according to the Quality Assurance Plan. Water generated during the monitoring event is disposed of accruing to regulatory accepted method pertaining to the site.

QUALITY ASSURANCE PLAN

Procedures to provide data quality should be established and documented so that conditions adverse to quality, such as deficiencies, deviations, nonconformities, defective material, services, and/or equipment, can be promptly identified and corrected.

General Sample Collection and Handling Procedures

Proper collection and handling are essential to ensure the quality of a sample. Each sample is collected in a suitable container, preserved correctly for the intended analysis, and stored prior to analysis for no longer than the maximum allowable holding time. Details on the procedures for collection and handling of samples used on this project can be found in this section.

Soil and Water Sample Labeling and Preservation

Label information includes a unique sample identification number, job identification number, date, and time. After labeling all soil and water samples are placed in a Ziploc® type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Upon recovery, the sample container is sealed to minimize the potential of volatilization and cross-contamination prior to chemical analysis. Soil sampling tubes are typically closed at each end with Teflon® sheeting and plastic caps. The sample is then placed in a Ziploc® type bag and sealed. The sample is labeled and refrigerated at approximately 4° Celsius for delivery, under strict chain-of-custody, to the analytical laboratory.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded on the borehole log or in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and

noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

Sample bottles, caps, and septa used in sampling for volatile and semivolatile organics will be triple rinsed with high-purity deionized water. After being rinsed, sample bottles will be dried overnight at a temperature of 200°C. Sample caps and septa will be dried overnight at a temperature of 60°C. Sample bottles, caps, and septa will be protected from solvent contact between drying and actual use at the sampling site. Sampling containers will be used only once and discarded after analysis is complete.

Plastic bottles and caps used in sampling for metals will be soaked overnight in a 1-percent nitric acid solution. Next, the bottles and caps will be triple rinsed with deionized water. Finally, the bottles and caps will be air dried before being used at the site. Plastic bottles and caps will be constructed of linear polyethylene or polypropylene. Sampling containers will be used only once and discarded after analysis is complete. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Before the sampling event is started, equipment that will be placed in the well or will come in contact with groundwater will be disassembled and cleaned thoroughly with detergent water, and then steam cleaned with deionized water. Any parts that may absorb contaminants, such as plastic pump valves, etc. will be cleaned as described above or replaced.

During field sampling, equipment surfaces that are placed in the well or contact groundwater will be steam cleaned with deionized water before the next well is purged or sampled. Equipment blanks will be collected and analyzed from non-disposable sampling equipment that is used for collecting groundwater samples at the rate of one blank per twenty samples collected.

Internal Quality Assurance Checks

Internal quality assurance procedures are designed to provide reliability of monitoring and measurement of data. Both field and laboratory quality assurance checks are necessary to evaluate the reliability of sampling and analysis results. Internal quality assurance procedures generally include:

- Laboratory Quality Assurance

- Documentation of instrument performance checks
- Documentation of instrument calibration
- Documentation of the traceability of instrument standards, samples, and data
- Documentation of analytical and QC methodology (QC methodology includes use of spiked samples, duplicate samples, split samples, use of reference blanks, and check standards to check method accuracy and precision)

- Field Quality Assurance

- Documentation of sample preservation and transportation
- Documentation of field instrument calibration and irregularities in performance

Internal laboratory quality assurance checks will be the responsibility of the contract laboratories. Data and reports submitted by field personnel and the contract laboratory will be reviewed and maintained in the project files.

Types of Quality Control Checks

Samples are analyzed using analytical methods outlined in EPA Manual SW 846 and approved by the California Regional Water Quality Control Board-Central Valley Region in the Leaking Underground Fuel Tanks (LUFT) manual and appendices. Standard contract laboratory quality control may include analysis or use of the following:

- Method blanks – reagent water used to prepare calibration standards, spike solutions, etc. is analyzed in the same manner as the sample to demonstrate that analytical interferences are under control.
- Matrix spiked samples – a known amount of spike solution containing selected constituents is added to the sample at concentrations at which the accuracy of the analytical method is to satisfactorily monitor and evaluate laboratory data quality.
- Split samples – a sample is split into two separate aliquots before analysis to assess the reproducibility of the analysis.
- Surrogate samples – samples are spiked with surrogate constituents at known concentrations to monitor both the performance of the analytical system and the effectiveness of the method in dealing with the sample matrix.
- Control charts – graphical presentation of spike or split sample results used to track the accuracy or precision of the analysis.
- Quality control check samples – when spiked sample analysis indicates atypical instrument performance, a quality check sample, which is prepared independently of the calibration standards and contains the constituents of interest, is analyzed to confirm that measurements were performed accurately.

- Calibration standards and devices – traceable standards or devices to set instrument response so that sample analysis results represent the absolute concentration of the constituent.

Field QA samples will be collected to assess sample handling procedures and conditions. Standard field quality control may include the use of the following, and will be collected and analyzed as outlined in EPA Manual SW 846.

- Field blanks – reagent water samples are prepared at the sampling location by the same procedure used to collect field groundwater samples and analyzed with the groundwater samples to assess the impact of sampling techniques on data quality. Typically, one field blank per twenty groundwater samples collected will be analyzed per sampling event.
- Field replicates – duplicate or triplicate samples are collected and analyzed to assess the reproducibility of the analytical data. One replicate groundwater sample per twenty samples collected will be analyzed per sampling event, unless otherwise specified. Triplicate samples will be collected only when specific conditions warrant and generally are sent to an alternate laboratory to confirm the accuracy of the routinely used laboratory.
- Trip blanks – reagent water samples are prepared before field work, transported and stored with the samples and analyzed to assess the impact of sample transport and storage for data quality. In the event that any analyte is detected in the field blank, a trip blank will be included in the subsequent groundwater sampling event.

Data reliability will be evaluated by the certified laboratory and reported on a cover sheet attached to the laboratory data report. Analytical data resulting from the testing of field or trip blanks will be included in the laboratory's report. Results from matrix spike, surrogate, and method blank testing will be reported, along with a statement of whether the samples were analyzed within the appropriate holding time.

Stratus will evaluate the laboratory's report on data reliability and note significant QC results that may make the data biased or unacceptable. Data viability will be performed as outlined in EPA Manual SW 846. If biased or unacceptable data is noted, corrective actions (including re-sample/re-analyze, etc.) will be evaluated on a site-specific basis.

APPENDIX C

**LABORATORY ANALYTICAL REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION**



Alpha Analytical, Inc
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

August 29, 2017

Gowri Kowtha
Stratus Environmental
3330 Cameron Park Drive
Cameron Park, CA 956828861
TEL: (530) 676-6001
FAX (530) 676-6005

RE: 2076-0301-01/German Autocraft

Order No.: STR1708227

Dear Gowri Kowtha:

There were no problems with the analytical events associated with this report unless noted.

Quality control data is within laboratory defined or method specified acceptance limits except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink that reads "Roger Scholl". The signature is fluid and cursive, with "Roger" on the first line and "Scholl" on the second line.

Roger Scholl
Laboratory Director
255 Glendale Ave, #21
Sparks, Nevada 89431



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 9:20:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-01 **Matrix:** AQUEOUS
Client Sample ID MW-2

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	1,700	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	96	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	94	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	109	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	48	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	1.3	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	4.6	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	0.69	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	96	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	94	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	109	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 9:25:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-02 **Matrix:** AQUEOUS
Client Sample ID MW-3

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	170	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.


(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 7:15:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-03 **Matrix:** AQUEOUS
Client Sample ID MW-5

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	93	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 6:25:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-04 **Matrix:** AQUEOUS
Client Sample ID MW-8

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	ND	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 8:45:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-05 **Matrix:** AQUEOUS
Client Sample ID MW-9

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	2,500	100		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	1.2	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	1.7	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	0.62	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	111	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 8:06:00 AM

Project: 2076-0301-01/German Autocraft

Lab ID: 1708227-06

Matrix: AQUEOUS

Client Sample ID MW-10

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	7,800	300		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	96	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	99	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	108	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	1.5	V	µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	54	1.5		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	10	1.5		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	41	1.5		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	9.0	1.5		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	1.5	V	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	96	70-130		%Rec	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	99	70-130		%Rec	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	108	70-130		%Rec	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 5:30:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-07 **Matrix:** AQUEOUS
Client Sample ID MW-11

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	ND	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	112	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	102	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	112	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 8:15:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-08 **Matrix:** AQUEOUS
Client Sample ID MW-12

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	990	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	92	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	112	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	0.72	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	92	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	112	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 6:10:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-09 **Matrix:** AQUEOUS
Client Sample ID MW-13

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	ND	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	99	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	99	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	112	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	99	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	99	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	112	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 6:45:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-10 **Matrix:** AQUEOUS
Client Sample ID MW-14

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	ND	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	110	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	100	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	110	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 5:47:00 AM

Project: 2076-0301-01/German Autocraft

Lab ID: 1708227-11

Matrix: AQUEOUS

Client Sample ID: MW-1A

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	1,800	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	99	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	110	70-130	%Rec		8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	3.5	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	0.90	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	99	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	97	70-130	%Rec		8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	110	70-130	%Rec		8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 7:20:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-12 **Matrix:** AQUEOUS
Client Sample ID MW-15

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	19,000	2000		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	102	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	99	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	107	70-130		%Rec	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	10	V	µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	73	10		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	76	10		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	640	10		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	1,900	10		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	390	10		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	102	70-130		%Rec	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	99	70-130		%Rec	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	107	70-130		%Rec	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.

(775) 355-1044 / (775) 355-0406 FAX / 1-800-283-1183
225 Glendale Ave. - Suite 21 - Sparks, Nevada 89431-5578

Analytical Report

WO#: STR1708227
Report Date: 8/29/2017

CLIENT: Stratus Environmental **Collection Date:** 8/22/2017 9:40:00 AM
Project: 2076-0301-01/German Autocraft
Lab ID: 1708227-13 **Matrix:** AQUEOUS
Client Sample ID 141 Farrely

Analyses	Result	PQL	Qual	Units	Date Analyzed	Method
TPH-P (GRO)	ND	50		µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	µg/L	8/24/2017	TPH-P by EPA 8015C
Methyl tert-butyl ether (MTBE)	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Benzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Toluene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Ethylbenzene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
m,p-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
o-Xylene	ND	0.50		µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 1,2-Dichloroethane-d4	98	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: Toluene-d8	98	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B
Surr: 4-Bromofluorobenzene	109	70-130	%Rec	µg/L	8/24/2017	VOCs by EPA 8260B



Alpha Analytical, Inc.
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

QC SUMMARY REPORT

WO#: 1708227
29-Aug-17

Client: Stratus Environmental
Project: 2076-0301-01/German Autocraft

TestCode: TPH/P_W

Sample ID	SampType: MBLK			TestCode: TPH/P_W			Units: µg/L		
Client ID:	Batch ID: A2010B			TestNo: SW8015					
Prep Date:	RunNo: 1519			SeqNo: 37808					
Analysis Date:	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
TPH-P (GRO)	ND	50							
Surr: 1,2-Dichloroethane-d4	0.01		10		99.6	69.51	130.49		
Surr: Toluene-d8	0.0097		10		97.2	69.51	130.49		
Surr: 4-Bromofluorobenzene	0.011		10		114	69.51	130.49		

Sample ID	SampType: GLCS			TestCode: TPH/P_W			Units: µg/L		
Client ID:	Batch ID: A2010B			TestNo: SW8015					
Prep Date:	RunNo: 1519			SeqNo: 37807					
Analysis Date:	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
TPH-P (GRO)	470	50	400	0	118	69.51	130.49		
Surr: 1,2-Dichloroethane-d4	10.3		10		103	69.51	130.49		
Surr: Toluene-d8	9.75		10		97.5	69.51	130.49		
Surr: 4-Bromofluorobenzene	11		10		110	69.51	130.49		

Sample ID	SampType: GSD			TestCode: TPH/P_W			Units: µg/L		
Client ID:	Batch ID: A2010B			TestNo: SW8015					
Prep Date:	RunNo: 1519			SeqNo: 38090					
Analysis Date:	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
TPH-P (GRO)	3370	250	2000	0	81.5	53.51	143.49	2.95	13 23
Surr: 1,2-Dichloroethane-d4	48.1		50		96.2	69.51	130.49	0.0485	0 0
Surr: Toluene-d8	49.4		50		98.9	69.51	130.49	0.0493	0 0
Surr: 4-Bromofluorobenzene	56.3		50		113	69.51	130.49	0.0545	0 0

Sample ID	SampType: GS			TestCode: TPH/P_W			Units: µg/L		
Client ID:	Batch ID: A2010B			TestNo: SW8015					
Prep Date:	RunNo: 1519			SeqNo: 37822					
Analysis Date:	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit Qual
TPH-P (GRO)	2950	250	2000	0	60.3	53.51	143.49		
Surr: 1,2-Dichloroethane-d4	48.5		50		96.9	69.51	130.49		
Surr: Toluene-d8	49.3		50		98.6	69.51	130.49		
Surr: 4-Bromofluorobenzene	54.5		50		109	69.51	130.49		

Qualifiers: ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limit



Alpha Analytical, Inc
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

QC SUMMARY REPORT

WO#: 1708227
29-Aug-17

Client: Stratus Environmental
Project: 2076-0301-01/German Autocraft

TestCode: TPH/P_W

Sample ID	1708227-01AGS	SampType:	GS	TestCode:	TPH/P_W	Units:	µg/L
Client ID:	MW-2	Batch ID:	A2010B	TestNo:	SW8015		
Prep Date:	8/24/2017	RunNo:	1519	SeqNo:	37822		
Analysis Date:	8/24/2017						
Analyte		Result	PQL	SPK Value	Ref Val %REC	LowLimit HighLimit	RPD Ref Val %RPD RPDLimit Qual

Qualifiers: ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limit



Alpha Analytical, Inc.
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

QC SUMMARY REPORT

WO#: 1708227

29-Aug-17

Client: Stratus Environmental
Project: 2076-0301-01/German Autocraft

TestCode: VOC_W

Sample ID MB-2010		SampType: MBLK			TestCode: VOC_W			Units: µg/L		
Client ID: PBW		Batch ID: A2010			TestNo: SW8260B					
Prep Date: 8/24/2017		RunNo: 1519			SeqNo: 37791					
Analyte	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit Qual
Methyl tert-butyl ether (MTBE)	ND	0.25								
Benzene	ND	0.25								
Toluene	ND	0.25								
Ethylbenzene	ND	0.25								
m,p-Xylene	ND	0.25								
o-Xylene	ND	0.25								
Surr: 1,2-Dichloroethane-d4	10		10		99.6	69.51	130.49			
Surr: Toluene-d8	9.7		10		97.2	69.51	130.49			
Surr: 4-Bromofluorobenzene	11		10		114	69.51	130.49			

Sample ID LCS-2010		SampType: LCS			TestCode: VOC_W			Units: µg/L		
Client ID: LCSW		Batch ID: A2010			TestNo: SW8260B					
Prep Date: 8/24/2017		RunNo: 1519			SeqNo: 37790					
Analyte	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit Qual
Methyl tert-butyl ether (MTBE)	11.1	0.25	10	0	111	62.51	137.49			
Benzene	11.3	0.25	10	0	113	69.51	130.49			
Toluene	11	0.25	10	0	110	69.51	130.49			
Ethylbenzene	10.7	0.25	10	0	107	69.51	130.49			
m,p-Xylene	10.2	0.25	10	0	102	64.51	139.49			
o-Xylene	8.93	0.25	10	0	89.3	69.51	130.49			
Surr: 1,2-Dichloroethane-d4	10.4		10		104	69.51	130.49			
Surr: Toluene-d8	9.62		10		96.2	69.51	130.49			
Surr: 4-Bromofluorobenzene	10.6		10		106	69.51	130.49			

Sample ID 1708227-01AMSD		SampType: MSD			TestCode: VOC_W			Units: µg/L		
Client ID: MW-2MSD		Batch ID: A2010			TestNo: SW8260B					
Prep Date: 8/25/2017		RunNo: 1519			SeqNo: 38089					
Analyte	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit Qual
Methyl tert-butyl ether (MTBE)	57	1.25	50	0	114	55.51	140.49	54.2	4.9	30
Benzene	113	1.25	50	47.7	130	66.51	134.49	108	4.6	30
Toluene	61.4	1.25	50	1.28	120	37.51	130.49	53.6	14	30
Ethylbenzene	64.3	1.25	50	4.58	119	69.51	130.49	54.9	16	30
m,p-Xylene	57.5	1.25	50	0	114	64.51	139.49	48.2	18	30
o-Xylene	49.6	1.25	50	0	98.7	68.51	130.49	44	12	30

Qualifiers: ND Not Detected at the Reporting Limit
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limit



Client: Stratus Environmental
Project: 2076-0301-01/German Autocraft

TestCode: VOC_W

Sample ID 1708227-01AMSD			SampType: MSD			TestCode: VOC_W			Units: µg/L		
Client ID: MW-2MSD			Batch ID: A2010			TestNo: SW8260B					
Prep Date: 8/25/2017			RunNo: 1519			SeqNo: 38089					
Analysis Date: 8/25/2017											
Analyte	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	47.6	50		95.3	69.51	130.49	47.7	0	0	0	
Surr: Toluene-d8	48.2	50		96.3	69.51	130.49	49.1	0	0	0	
Surr: 4-Bromofluorobenzene	54.8	50		110	69.51	130.49	52.7	0	0	0	

Sample ID 1708227-01AMS			SampType: MS			TestCode: VOC_W			Units: µg/L		
Client ID: MW-2MS			Batch ID: A2010			TestNo: SW8260B					
Prep Date: 8/24/2017			RunNo: 1519			SeqNo: 37805					
Analysis Date: 8/24/2017											
Analyte	Result	PQL	SPK Value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	54.2	1.25	50	0	108	55.51	140.49				
Benzene	108	1.25	50	47.7	120	66.51	134.49				
Toluene	53.6	1.25	50	1.28	105	37.51	130.49				
Ethylbenzene	54.9	1.25	50	4.58	101	69.51	130.49				
m,p-Xylene	48.2	1.25	50	0	95.0	64.51	139.49				
o-Xylene	44	1.25	50	0	87.5	68.51	130.49				
Surr: 1,2-Dichloroethane-d4	47.7	50		95.4	69.51	130.49					
Surr: Toluene-d8	49.1	50		98.3	69.51	130.49					
Surr: 4-Bromofluorobenzene	52.7	50		105	69.51	130.49					



Alpha Analytical, Inc
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

Definition Only

WO#: 1708227
Date:

Definitions:

ND = Not Detected

C = Reported concentration includes additional compounds uncharacteristic of common fuels and lubricants.

D = Reporting Limits were increased due to high concentrations of non-target analytes.

H = Reporting Limits were increased due to the hydrocarbons present in the sample.

J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

K = DRO concentration may include contributions from lighter-end hydrocarbons (e.g. gasoline) that elute in the DRO range.

L = DRO concentration may include contributions from heavier-end hydrocarbons (e.g. motor oil) that elute in the DRO range.

M = Manual Integration used to determine area response.

O = Reporting Limits were increased due to sample foaming.

V = Reporting Limits were increased due to high concentrations of target analytes.

X = Reporting Limits were increased due to sample matrix interferences.

Z = DRO concentration may include contributions from lighter-end (e.g. gasoline) and heavier-end (e.g. motor oil) hydrocarbons that elute in the DRO range.

S50 = The analysis of the sample required a dilution such that the surrogate concentration was diluted below the laboratory acceptance criteria. The laboratory control sample was acceptable.

S51 = Surrogate recovery could not be determined due to the presence of co-eluting hydrocarbons.

S53 = Surrogate recovery was below laboratory acceptance limits. Probable matrix effect.

S54 = Surrogate recovery was below laboratory acceptance limits.

S55 = Surrogate recovery was above laboratory acceptance limits.



Alpha Analytical, Inc
255 Glendale Ave, #21
Sparks, Nevada 89431
TEL: (775) 355-1044 FAX: (775) 355-0406
Website: www.alpha-analytical.com

Definition Only

WO#: **1708227**

Date:

Definitions:

Report CC's Allan Dudding
 Cory Gutierrez
 Gowri Kowtha
 Jennifer Delgado
 Robert Kull
 Scott Bittinger
 Trevor Hartwell

CHAIN-OF-CUSTODY RECORD

Alpha Analytical, Inc.
 255 Glendale Ave, #21 Sparks, Nevada 89431
 TEL: (775) 355-1044 FAX: (775) 355-0406

Report Attention: Gowri Kowtha

CA

WorkOrder: STR1708227
 Report Due By: 30-Aug-17
 EDD Required: YES

Client:

Stratus Environmental
 3330 Cameron Park Drive
 Cameron Park, CA 956828861

TEL: 5306766001
 FAX: 5306766005
 ProjectNo: 2076-0301-01/German Autocraft

Date Received: 23-Aug-17

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles			Requested Tests							Sample Remarks
				Alpha	Sub	TAT	TPH/P_W	VOC_W						
STR1708227-01	MW-2	AQ	8/22/2017 9:20:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-02	MW-3	AQ	8/22/2017 9:25:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-03	MW-5	AQ	8/22/2017 7:15:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-04	MW-8	AQ	8/22/2017 6:25:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-05	MW-9	AQ	8/22/2017 8:45:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-06	MW-10	AQ	8/22/2017 8:06:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-07	MW-11	AQ	8/22/2017 5:30:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-08	MW-12	AQ	8/22/2017 8:15:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-09	MW-13	AQ	8/22/2017 6:10:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						

Comments:

Logged in by:	Signature	Print Name	Company	Date/Time
		Brittany Cisneros	Alpha Analytical, Inc.	8/25/17 11:10

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Alpha Sample ID	Client Sample ID	Matrix	Collection Date	No. of Bottles			Requested Tests							Sample Remarks
				Alpha	Sub	TAT	TPH/P_W	VOC_W						
STR1708227-10	MW-14	AQ	8/22/2017 6:45:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-11	MW-1A	AQ	8/22/2017 5:47:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-12	MW-15	AQ	8/22/2017 7:20:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						
STR1708227-13	141 Farrelly	AQ	8/22/2017 9:40:00 AM	3	0	5	A - GAS-C	A - BTXE/M_C						

Comments:

Logged in by:	Signature	Print Name	Company	Date/Time
		Brittany Closius	Alpha Analytical, Inc.	8/23/17 11:10

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.

Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

Billing Information:

Company: Stratus Environmental, Inc.
 Attn: Accounts Payable
 Address: 3330 Cameron Park Drive, Suite 550
 City, State, Zip: Cameron Park, CA 95682
 Phone Number: (530) 676-6004 Fax: (530) 676-6005



Alpha Analytical, Inc.
 Main Laboratory: 255 Glendale Ave, Suite 21 Sparks, NV 89431

Phone: 775-355-1044
 Fax: 775-355-0406

Satellite Service Centers:
 Northern CA: 9891 Horn Road, Suite C, Rancho Cordova, CA 95827
 Southern NV: 6255 McLeod Ave, Suite 24, Las Vegas, NV 89120
 Southern CA: 1007 E. Dominguez St., Suite O, Carson, CA 90746
 Northern NV: 1250 Lamoille Hwy., #310 Elko, NV 89801

Phone: 916-366-9089
 Phone: 702-281-4848
 Phone: 714-386-2901
 Phone: 775-388-7043

Page # 1 of 2

Consultant/Client Info:
 Company: German Autocraft
 Address: 301 East 14th Street
 City, State, Zip: San Leandro, CA

Job and Purchase Order Info:

Job # 2076-0301-01
 Job Name: German Autocraft
 P.O. #

Report Attention/Project Manager:

Name: Gowri Kowtha
 Email Address: gkowtha@stratusinc.net
 Phone #: (530) 676-6001
 Cell #: (916) 804-3614

QC Deliverable Info:

EDD Required? Yes / No EDF Required? (Yes) / No
 Global ID: T0600100639
 Data Validation Packages III or IV

Samples Collected from which State? (circle one) AR (CA) KS NV OR WA DOD Site Other

Time Sampled (HH:MM)	Date Sampled (MM/DD)	Matrix* (See Key Below)	Lab ID Number (For Lab Use Only)	Sample Description	TAT	Field Filtered?	# Containers** (See Key Below)	Analysis Requested			Remarks
								GRO by 8260B	BTEX by 8260B	MTBE by 8260B	
0620	5/27	AQ	STRF708227-01	MW-2	STD	NO	3	X	X	X	
0628	5/27	AQ		-02	STD	NO	3	X	X	X	
0715	5/27	AQ		-03	STD	NO	3	X	X	X	
0625	5/27	AQ		-04	STD	NO	3	X	X	X	
0531	5/27	AQ		-05	STD	NO	3	X	X	X	
0601	5/27	AQ		-06	STD	NO	3	X	X	X	
0531	5/27	AQ		-07	STD	NO	3	X	X	X	
0515	5/27	AQ		-08	STD	NO	3	X	X	X	
0610	5/27	AQ		-09	STD	NO	3	X	X	X	
0647	5/27	AQ		-10	STD	NO	3	X	X	X	
0547	5/27	AQ		-11	STD	NO	3	X	X	X	
0720	5/27	AQ		-12	STD	NO	3	X	X	X	

ADDITIONAL INSTRUCTIONS:

I (field sampler) attest to the validity and authenticity of this sample(s). I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. NAC 445.0636 (c) (2).

Sampled By: CHILL

Relinquished by: (Signature/Affiliation)

Date: 08/22/17 Time: 12:24

Received by: (Signature/Affiliation)

Date: 08/24/17 Time: 1224

Relinquished by: (Signature/Affiliation)

Date: Time:

Received by: (Signature/Affiliation)

Date: Time:

Relinquished by: (Signature/Affiliation)

Date: Time:

Received by: (Signature/Affiliation)

Date: Time:

* Key: AQ - Aqueous WA - Waste OT - Other SO - Soil **: L - Liter V - VOA S - Soil Jar O - Orbo T - Tedlar B - Brass P - Plastic OT - Other

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Billing Information:

Company: Stratus Environmental, Inc.
 Attn: Accounts Payable
 Address: 3330 Cameron Park Drive, Suite 550
 City, State, Zip: Cameron Park, CA 95662
 Phone Number: (530) 676-6004 Fax: (530) 676-6005



Alpha Analytical, Inc.

Main Laboratory 255 Glendale Ave, Suite 21 Sparks, NV 89431

Phone: 775-355-1044
 Fax: 775-355-0406

Satellite Service Centers:

Northern CA: 9891 Horn Roed, Suite C, Rancho Cordova, CA 95827
 Southern NV: 6255 McLeod Ave, Suite 24, Las Vegas, NV 89120
 Southern CA: 1007 E Dominguez St., Suite O, Carson, CA 90746
 Northern NV: 1250 Lamontile Hwy, #310 Elko, NV 89801

Phone: 916-366-9089
 Phone: 702-281-4848
 Phone: 714-366-2901
 Phone: 775-388-7043

Page # 2 of 2

Consultant/Client Info:

Company: German Autocraft
 Address: 301 East 14th Street
 City, State, Zip: San Leandro, CA

Job and Purchase Order Info:

Job #: 2076-0301-01
 Job Name: German Autocraft
 P.O. #:

Report Attention/Project Manager:

Name: Gowri Kowtha
 Email Address: gkowtha@stratusinc.net
 Phone #: (530) 676-6001
 Cell #: (916) 804-3614

QC Deliverable Info:

EDD Required? Yes / No EDF Required? (Yes) / No
 Global ID: T0600100639
 Data Validation Packages: III or IV

Samples Collected from which State? (circle one) AR (CA) KS NV OR WA DOD Site Other

Time Sampled (HH:MM)	Date Sampled (MM/DD)	Matrix* (See Key Below)	Lab ID Number (For Lab Use Only)	Sample Description	TAT	Field Filtered?	# Containers** (See Key Below)	Analysis Requested			Remarks
								GRO by 8260B	BTEX by 8260B	MTBE by 8260B	
0940	5/22	AQ	STR1705227-13	141 Farrely	STD	NO	1	X	X	X	

ADDITIONAL INSTRUCTIONS:

I (field sampler) attest to the validity and authenticity of this sample(s). I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. NAC 445.0636 (c) (2).

Sampled By:

Relinquished by: Signature/Affiliation:

Date: 08/22/17 Time: 12:24

Received by: (Signature/Affiliation): E. F. McNamee

Date: 08/22/17 Time: 12:24

Relinquished by: (Signature/Affiliation):

Date: Time:

Received by: (Signature/Affiliation): B. G.

Date: 08/23/17 Time: 11:10

Relinquished by: (Signature/Affiliation):

Date: Time:

Received by: (Signature/Affiliation):

Date: Time:

* Key: AQ - Aqueous WA - Waste OT - Other SO - Soil **: L - Liter V - VOA S - Soil Jar O - Orbo T - Tedlar B - Brass P - Plastic OT - Other

NOTE: Samples are discarded 60 days after sample receipt unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

APPENDIX D

**GEOTRACKER ELECTRONIC SUBMITTAL
CONFIRMATIONS**

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Type:</u>	GEO_WELL
<u>Report Title:</u>	3rd Quarter Groundwater Monitoring GEO_WELL
<u>Facility Global ID:</u>	T0600100639
<u>Facility Name:</u>	GERMAN AUTOCRAFT
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Stratus Environmental, Inc.
<u>Username:</u>	STRATUS NOCAL
<u>IP Address:</u>	50.192.223.97
<u>Submittal Date/Time:</u>	9/20/2017 1:03:10 PM
<u>Confirmation Number:</u>	1211893439

Copyright © 2017 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Type:</u>	EDF
<u>Report Title:</u>	3rd Quarter Groundwater Monitoring EDF
<u>Report Type:</u>	Monitoring Report - Quarterly
<u>Facility Global ID:</u>	T0600100639
<u>Facility Name:</u>	GERMAN AUTOCRAFT
<u>File Name:</u>	Final_v2.zip
<u>Organization Name:</u>	Stratus Environmental, Inc.
<u>Username:</u>	STRATUS NOCAL
<u>IP Address:</u>	50.192.223.97
<u>Submittal Date/Time:</u>	9/26/2017 10:27:10 AM
<u>Confirmation Number:</u>	1696615815

[**VIEW QC REPORT**](#)

[**VIEW DETECTIONS REPORT**](#)

Copyright © 2017 State of California