

RECEIVED

4:28 pm, Aug 20, 2010

Alameda County
Environmental Health

Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Document Transmittal
German Autocraft, 301 East 14th Street, San Leandro, California
AC LOP Case # 2783; Fuel Leak Case No. RO0000302; Global ID T0600100639


Dear Sir or Ma'am:

I declare, under penalty of perjury, that the information contained in the attached document / report are true and correct, to the best of my knowledge.

Sincerely,



Lee Seung
Owner, German Autocraft



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

August 18, 2010
Project No. 2076-0301-01

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577
(via ACEHS ftp site only, no paper)

Re: **Quarterly Status Update Report – Second Quarter 2010**
German Autocraft, 301 East 14th Street, San Leandro, California
ACLOP Case #2783; Fuel Leak Case No. RO0000302; Global ID T0600100639

Mr. Detterman:


Stratus Environmental, Inc. (Stratus) is submitting the attached report presenting a summary of work performed at the site during the second quarter 2010 on behalf of Mr. Seung Lee for the German Autocraft facility, located at 301 East 14th Street, San Leandro, California. Stratus representatives, whose signatures appear below, declare under penalty of perjury, that the information contained in the attached report are true and correct to the best of our knowledge.

If you have any questions regarding this project, please contact Ms. Sarah Salcedo at (530) 313-9966 or Mr. Gowri Kowtha at (530) 676-6001.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Sarah O. Salcedo, P.G.
Project Manager




Gowri S. Kowtha, P.E.
Principal Engineer

Attachment: Quarterly Status Update Report, Second Quarter 2010

cc: Mr. Seung Lee
Ms. Cherie McCaulou, RWQCB-SF

**GERMAN AUTOCRAFT FACILITY
QUARTERLY STATUS UPDATE REPORT**

Facility Address: 301 East 14th Street, San Leandro, California

Consulting Co./Contact Person: Stratus Environmental, Inc. / Sarah Salcedo, P.G.

Consultant Project No: 2076-0301-01

Primary Agency/Regulatory ID No: Mr. Mark Detterman, Alameda County Environmental Health Services ACLOP Case #2783; Fuel Leak Case No. RO0000302; Global ID T0600100639

WORK PERFORMED THIS PERIOD (Second Quarter 2010):

1. In accordance with ACEHS correspondence dated July 24, 2009 regarding SWRCB's Resolution No. 2009-0042, no groundwater monitoring/sampling activities were conducted during the second quarter 2010.
2. On June 18, 2010, ACEHS contacted Stratus in response to our February 2010 request to meet and discuss the project status. A meeting date of July 22, 2010 was scheduled.

WORK PROPOSED FOR NEXT PERIOD (Third Quarter 2010):

1. On July 22, 2010, a meeting between M. Detterman (ACEHS), D. Dragos (ACEHS) and G. Kowtha and S. Salcedo (Stratus) was held. The meeting was a working meeting to make introductions, now that Mr. Lee (RP) has changed consultants, to review the current status of the site overall, and to discuss steps to begin remediation at the site immediately. The meeting discussions were memorialized by Stratus in an email memo to the group dated July 26, 2010, with follow-up/clarification comments by ACEHS in an email dated August 6, 2010.
2. As discussed in the meeting, Stratus will prepare and submit an Interim Remedial Action Plan (IRAP) to ACEHS by approximately August 30, 2010. The IRAP will provide a comprehensive data tabulation of all historic work done / samples collected at the site, and will identify data gaps that require additional work. The scope of work in the IRAP will include only a proposal to excavate impacted soil at the former underground storage tank (UST) area and conduct some pre-excavation assessment work (if deemed necessary). This approach was agreed upon by ACEHS and is meant to expedite ACEHS's review time on the IRAP so the excavation may be performed this Fall.
3. During third quarter 2010, Stratus will conduct semi-annual groundwater monitoring and sampling activities at the site (tentatively scheduled for September 2010). During this event, all existing groundwater monitoring wells (MW-1 through MW-6, MW-8 through MW-14, and MW-1A) will be monitored and depth to water measurements collected. Following gauging, all wells will be purged and sampled. The privately-owned irrigation well located at 141 Farrelly Drive will also be no-purge sampled. Groundwater samples will be analyzed at a state-certified analytical laboratory for gasoline range organics (GRO) by EPA Method SW8015B/DHS LUFT Manual, for benzene, toluene, ethylbenzene, total xylenes (BTEX), 1,2-dichlorethane (1,2-DCA), and ethylene dibromide (EDB) by EPA Method SW8260B, and for total lead by EPA Method 6020. In addition, wells MW-1 through MW-6 and MW-11 will also be analyzed for methyl tertiary butyl ether (MTBE) by EPA Method SW8260B.

Current Phase of Project:	<u>Groundwater Monitoring</u>
Frequency of Groundwater Monitoring:	<u>All Wells = Semi-annually (1st and 3rd quarters)</u>
Frequency of Groundwater Sampling:	<u>MW-8, -9, -10, -12, -13, -14, -1A, 141 Farrelly = Semiannually (1Q & 3Q) MW-1, -2, -3, -4, -5, -6, -11 = Annually (3Q)</u>
Groundwater Sampling Date:	<u>None during 2Q10</u>
Is Free Product (FP) Present on Site:	<u>No</u>
Approximate Depth to Groundwater:	<u>19.87 to 22.27 feet below top of well casing (during 1Q10)</u>
Groundwater Flow Direction:	<u>Historically, west-northwest</u>

DISCUSSION:

Fourteen groundwater monitoring wells (MW-1 through MW-6, MW-8 through MW-14, and MW-1A) have been screened to depths ranging from approximately 30 to 40 feet below ground surface (bgs) to monitor groundwater occurrence and quality in the uppermost water-bearing zone beneath the site. No groundwater monitoring/sampling activities were conducted during the second quarter 2010. Historically, depth to water beneath the site and site vicinity ranges from approximately 16 to 29 feet bgs, with a historical average of approximately 25 feet bgs. Groundwater flow direction is historically consistent to the west-northwest. Groundwater beneath the site is impacted with GRO and BTEX (pre-1990 release). Concentrations are highest in onsite wells (MW-1, MW-2, MW-3, and MW-4) and generally decrease in the downgradient (west-northwesterly) direction. Concentrations in source area wells are decreasing, but at a very slow rate. Considerable off-site migration of the plume across Garcia Avenue has occurred (with high concentrations in wells MW-9, MW-10, and MW-12). Downgradient plume margins appear adequately defined by samples collected from the 141 Farrelly well, and MW-13, MW-14, MW-11, and MW-1A.

In the July 2010 meeting, it was agreed that Stratus would prepare an *Interim Remedial Action Plan* (IRAP). To expedite the identified work at a fast pace and in several phases, it was agreed that an IRAP would be prepared in short order, followed by an addendum to the IRAP a few months later. It is anticipated that the IRAP will be to be submitted to ACEHS by 30 August 2010. The IRAP will provide a comprehensive data tabulation of all historic work done, samples collected at the site, and will identify data gaps that require additional work. The scope of work in the IRAP will include only a proposal to excavate impacted soil at the former UST area and some pre-excavation assessment work (if deemed necessary). This approach was agreed upon by ACEHS and is meant to expedite ACEHS's review time on the IRAP so excavation may be performed this Fall. After this first phase of work, it was agreed that Stratus will prepare and submit an *IRAP Addendum* (anticipated to be submitted to ACEHS during October/November 2010). The addendum will propose details associated with the installation of the full-scale DPE system and additional extraction wells needed for the cleanup work. In addition, the IRAP addendum will propose any additionally needed feasibility testing, the installation of permanent onsite and offsite soil gas sampling points, and propose work to fill any other data gaps identified in the IRAP.

ATTACHMENTS:

- Table 1 Groundwater Elevation and Analytical Summary
- Table 2 Well Construction Details
- Figure 1 Site Location Map
- Figure 2 Site Plan

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-1	12/21/1990	30.25	49.61	19.15	--	--	--	--	--	--	--	--	--	--
	12/31/1990	--	49.61	--	51,000	2,200	1,200	<0.5	760	--	--	--	--	--
	1/6/1995	--	49.61	--	110,000	13,000	15,000	4,800	13,000	--	--	--	--	--
	1/6/1995	--	49.61	--	580,000	29,000	41,000	17,000	43,000	--	--	--	--	--
	2/10/1995	20.02	49.61	29.59	--	--	--	--	--	--	--	--	--	--
	7/7/1995	22.77	49.4	26.63	49,000	8,000	17,000	1,900	9,700	--	--	--	--	--
	8/10/1995	23.82	49.4	25.58	--	--	--	--	--	--	--	--	--	--
	9/11/1995	24.72	49.4	24.68	--	--	--	--	--	--	--	--	--	--
	10/2/1995	25.28	49.4	24.12	120,000	16,000	36,000	3,300	17,000	--	--	--	--	--
	10/2/1995	--	49.4	--	160,000	20,000	47,000	5,000	23,000	--	--	--	--	--
	11/7/1995	26.04	49.4	23.36	--	--	--	--	--	--	--	--	--	--
	12/8/1995	18.77	49.4	22.77	--	--	--	--	--	--	--	--	--	--
	1/12/1996	25.05	49.4	24.35	1,100,000	11,000	18,000	15,000	51,000	18,000 [2]	--	--	--	--
	1/12/1996	--	49.4	--	98,000	2,100	4,600	2,500	10,000	<5,000	--	--	--	--
	2/12/1996	20.36	49.4	29.04	--	--	--	--	--	--	--	--	--	--
	3/12/1996	17.65	49.4	31.75	--	--	--	--	--	--	--	--	--	--
	4/13/1996	19.97	49.4	29.43	53,000	1,300	2,900	2,100	10,000	<5,000	--	--	--	--
	4/13/1996	--	49.4	--	58,000	820	3,600	2,800	12,000	<5,000	--	--	--	--
	5/14/1996	21.51	49.4	27.89	--	--	--	--	--	--	--	--	--	--
	6/20/1996	22.21	49.4	27.19	--	--	--	--	--	--	--	--	--	--
	7/26/1996	23.45	49.4	25.95	91,000	2,600	7,200	2,900	14,000	<5,000	--	--	--	--
	7/26/1996	--	49.4	--	67,000	2,300	5,500	2,500	11,000	<5,000	--	--	--	--
	8/19/1996	24.24	49.4	25.16	--	--	--	--	--	--	--	--	--	--
	9/17/1996	24.96	49.4	24.44	--	--	--	--	--	--	--	--	--	--
	10/21/1996	25.77	49.4	23.63	210,000	4,800	17,000	2,300	15,000	--	--	--	--	--
	10/21/1996	--	49.4	--	210,000	5,400	18,000	2,600	11,000	--	--	--	--	--
	11/27/1996	25.12	49.4	24.28	--	--	--	--	--	--	--	--	--	--
	12/27/1996	21.17	49.4	28.23	--	--	--	--	--	--	--	--	--	--
	1/28/1997	16.38	49.4	33.02	120,000	5,600	15,000	2,100	11,000	--	--	--	--	--
	1/28/1997	--	49.4	--	130,000	5,500	15,000	2,300	12,000	--	--	--	--	--
	4/25/1997	22.26	49.4	27.14	180,000	6,900	20,000	2,600	13,000	--	--	--	--	--
	4/25/1997	--	49.4	--	170,000	6,500	20,000	2,500	13,000	--	--	--	--	--
	7/17/1997	24.85	49.4	24.55	220,000	8,300	41,000	2,700	16,000	--	--	--	--	--
	10/21/1997	26.55	49.4	22.85	240,000	9,400	33,000	3,300	22,000	--	--	--	--	--
	3/10/1998	15.05	49.4	34.35	120,000	11,000	46,000	3,700	21,000	--	--	--	--	--
	6/6/1998	18.71	49.4	30.69	110,000	7,600	32,000	4,800	23,000	--	--	--	--	--
	9/30/1998	23.45	49.4	25.95	140,000	5,800	29,000	3,500	18,000	--	--	--	--	--
	12/30/1998	24.27	49.4	25.13	78,000	5,200	24,000	3,200	19,000	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Grouwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-1	3/13/1999	19.42	49.4	29.98	--	--	--	--	--	--	--	--	--	--
(con't)	3/23/1999	--	49.4	--	250,000	8,000	43,000	5,200	27,000	--	--	--	--	--
	9/29/1999	25.01	49.4	24.39	140,000	6,100	35,000	5,400	27,000	--	--	--	--	--
	12/29/1999	25.65	49.4	23.75	--	--	--	--	--	--	--	--	--	--
	3/18/2000	17.48	49.4	31.92	120,000	5,100	33,000	4,600	24,000	--	--	--	--	--
	7/18/2000	23.19	49.4	26.21	--	--	--	--	--	--	--	--	--	--
	9/26/2000	24.39	49.4	25.01	--	--	--	--	--	--	--	--	--	--
	12/28/2000	24.77	49.4	24.63	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	49.4	--	100,000	3,600	41,000	4,700	25,000	<1,250	--	--	--	--
	3/30/2001	21.93	49.4	27.47	--	--	--	--	--	--	--	--	--	--
	10/5/2001	25.58	49.4	23.82	--	--	--	--	--	--	--	--	--	--
	3/28/2002	20.74	49.4	28.66	100,000	2,800	24,000	5,400	28,900	--	--	--	--	--
	3/31/2003	22.72	49.4	26.68	100,000	2,200	19,000	4,900	21,000	--	--	--	--	--
	6/19/2003	23.17	49.4	26.23	--	--	--	--	--	--	--	--	--	--
	9/30/2003	25.35	49.4	24.05	--	--	--	--	--	--	--	--	--	--
	2/10/2004	22.44	49.4	26.96	--	--	--	--	--	--	--	--	--	--
	3/31/2004	--	49.4	--	100,000	2,100	21,000	6,200	36,000	--	--	--	--	--
	6/30/2004	24.67	49.4	24.73	--	--	--	--	--	--	--	--	--	--
	9/14/2004	27.89	49.4	21.51	160,000	1,800	16,000	5,500	30,000	--	--	--	--	--
	3/29/2006	18.84	49.4	30.56	69,000	1,400	16,000	4,900	28,000	--	--	--	--	--
	6/24/2006	20.57	49.4	28.83	--	--	--	--	--	--	--	--	--	--
	9/30/2006	23.53	49.4	25.87	120,000	1,400	13,000	5,200	29,000	<500	--	--	--	--
	12/11/2006	22.78	49.4	26.29	--	--	--	--	--	--	--	--	--	--
	3/16/2007	--	49.4	--	--	--	--	--	--	--	--	--	--	--
	6/10/2007	24.36	49.4	25.04	--	--	--	--	--	--	--	--	--	--
	9/14/2007	25.92	49.4	23.48	92,000	1,000	9,400	4,300	23,000	<250	--	--	--	--
	12/14/2007	26.22	49.4	23.18	--	--	--	--	--	--	--	--	--	--
	3/12/2008	22.4	49.4	27	--	--	--	--	--	--	--	--	--	--
	6/11/2008	24.97	49.4	24.43	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.44	49.4	22.96	110,000	1,000	11,000	4,200	21,000	<250	--	--	--	--
	12/13/2008	27.16	49.4	22.24	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.82	49.4	27.58	110,000	1,000	14,000	3,700	21,000	<1,000	--	--	--	--
	12/7/2009	26.42	49.4	22.98	49,000	540	5,500	2,000	9,400	<100	--	--	--	--
	3/15/2010	21.21	49.4	28.19	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-2	1/6/1995	--	--	--	980,000	9,400	5,600	19,000	42,000	--	--	--	--	--
	2/10/1995	20.52	50.14	29.62	--	--	--	--	--	--	--	--	--	--
	7/7/1995	23.55	50.02	26.47	71,000	5,300	1,800	6,100	9,000	--	--	--	--	--
	8/10/1995	24.62	50.02	25.4	--	--	--	--	--	--	--	--	--	--
	9/11/1995	25.53	50.02	24.49	--	--	--	--	--	--	--	--	--	--
	10/2/1995	26.08	50.02	23.94	40,000	2,900	200	2,800	3,600	--	--	--	--	--
	11/7/1995	26.89	50.02	23.13	--	--	--	--	--	--	--	--	--	--
	12/8/1995	27.47	50.02	22.55	--	--	--	--	--	--	--	--	--	--
	1/12/1996	25.82	50.02	24.2	260,000	2,600	2,200	6,300	7,800	<12,500	--	--	--	--
	2/12/1996	20.99	50.02	29.03	--	--	--	--	--	--	--	--	--	--
	3/12/1996	18.42	50.02	31.6	--	--	--	--	--	--	--	--	--	--
	4/13/1996	20.77	50.02	29.25	30,000	1,900	370	2,300	2,400	520 [2]	--	--	--	--
	4/29/1996	--	50.02	--	--	930	<25	1,200	1,400	--	--	--	--	--
	5/14/1996	22.34	50.02	27.68	--	--	--	--	--	--	--	--	--	--
	6/20/1996	23.05	50.02	26.97	--	--	--	--	--	--	--	--	--	--
	7/26/1996	24.28	50.02	25.74	180,000	1,400	640	2,100	5,000	<5,000	--	--	--	--
	8/19/1996	25.05	50.02	24.97	--	--	--	--	--	--	--	--	--	--
	9/17/1996	25.8	50.02	24.22	--	--	--	--	--	--	--	--	--	--
	10/21/1996	26.59	50.02	23.43	62,000	2,100	<0.5	2,100	2,700	--	--	--	--	--
	11/27/1996	25.93	50.02	24.09	--	--	--	--	--	--	--	--	--	--
	12/27/1996	21.99	50.02	28.03	--	--	--	--	--	--	--	--	--	--
	1/28/1997	17.31	50.02	32.71	46,000	1,500	94	1,800	2,000	--	--	--	--	--
	4/25/1997	23.14	50.02	26.88	23,000	790	26	820	730	--	--	--	--	--
	7/17/1997	25.71	50.02	24.31	95,000	2,200	<0.5	3,100	4,300	--	--	--	--	--
	10/21/1997	27.33	50.02	22.69	31,000	2,000	<0.5	2,100	1,900	--	--	--	--	--
	3/10/1998	15.82	50.02	34.2	19,000	730	44	820	1,000	--	--	--	--	--
	6/6/1998	19.61	50.02	30.41	16,000	670	1,100	510	1,200	--	--	--	--	--
	9/30/1998	24.34	50.02	25.68	24,000	600	77	680	580	--	--	--	--	--
	12/30/1998	25.09	50.02	24.93	9,300	510	96	450	480	--	--	--	--	--
	3/13/1999	20.22	50.02	29.8	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	50.02	--	5,700	580	9.4	400	280	--	--	--	--	--
	9/29/1999	25.9	50.02	24.12	17,000	880	240	830	1,000	--	--	--	--	--
	12/29/1999	26.5	50.02	23.52	11,000	800	11	860	780	--	--	--	--	--
	3/18/2000	18.15	50.02	31.87	11,000	790	14	520	450	--	--	--	--	--
	7/18/2000	24.01	50.02	26.01	10,000	560	27	630	530	--	--	--	--	--
	9/26/2000	25.33	50.02	24.69	6,800	450	7.4	290	200	--	--	--	--	--
	12/28/2000	25.63	50.02	24.39	12,000	540	30	420	330	--	--	--	--	--
	3/30/2001	22.71	50.02	27.31	3,500	230	<10	<10	<10	<100	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-2	10/5/2001	26.38	50.02	23.64	--	--	--	--	--	--	--	--	--	--
(con't)	3/28/2002	21.59	50.02	28.43	7,000	570	16	170	71	--	--	--	--	--
	9/30/2002	25.84	50.02	24.18	--	--	--	--	--	--	--	--	--	--
	3/31/2003	23.63	50.02	26.39	5,000	620	<12.5	71	<25	--	--	--	--	--
	6/19/2003	23.98	50.02	26.04	--	--	--	--	--	--	--	--	--	--
	9/30/2003	26.19	50.02	23.83	--	--	--	--	--	--	--	--	--	--
	2/10/2004	23.27	50.02	26.75	--	--	--	--	--	--	--	--	--	--
	3/31/2004	--	50.02	--	8,200	500	<12.5	65	<25	--	--	--	--	--
	6/30/2004	25.45	50.02	24.57	--	--	--	--	--	--	--	--	--	--
	9/14/2004	26.7	50.02	23.32	9,000	560	<13	57	<25	--	--	--	--	--
	3/29/2006	19.61	50.02	30.41	5,200	1,400	<20	52	<20	--	--	--	--	--
	6/24/2006	21.41	50.02	28.61	--	--	--	--	--	--	--	--	--	--
	9/30/2006	24.37	50.02	25.65	4,800	900	64	22	110	<50	--	--	--	--
	12/11/2006	23.92	50.02	26.1	--	--	--	--	--	--	--	--	--	--
	3/16/2007	22.78	50.02	27.24	--	--	--	--	--	--	--	--	--	--
	6/10/2007	25.12	50.02	24.9	--	--	--	--	--	--	--	--	--	--
	9/14/2007	26.63	50.02	23.39	11,000	2,200	53	72	150	<50	--	--	--	--
	12/14/2007	26.58	50.02	23.44	--	--	--	--	--	--	--	--	--	--
	3/12/2008	23.1	50.02	26.92	--	--	--	--	--	--	--	--	--	--
	6/11/2008	25.71	50.02	24.31	--	--	--	--	--	--	--	--	--	--
	9/5/2008	27.14	50.02	22.88	10,000	1,000	49	120	120	<100	--	--	--	--
	12/13/2008	27.83	50.02	22.19	--	--	--	--	--	--	--	--	--	--
	3/14/2009	22.38	50.02	27.64	9,800	270	28	210	110	<110	--	--	--	--
	6/3/2009	25.27	50.02	24.75	--	--	--	--	--	--	--	--	--	--
	12/7/2009	27.11	50.02	22.91	9,000	150	48	170	110	<50	--	--	--	--
	3/15/2010	21.98	50.02	28.04	--	--	--	--	--	--	--	--	--	--

TABLE I
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-3	1/6/1995	--	49.32	--	740,000	11,000	2,300	8,300	28,000	--	--	--	--	--
	2/10/1995	19.75	49.32	29.57	--	--	--	--	--	--	--	--	--	--
	7/7/1995	22.82	49.32	26.5	86,000	12,000	8,600	4,900	19,000	--	--	--	--	--
	8/10/1995	23.88	49.32	25.44	--	--	--	--	--	--	--	--	--	--
	9/11/1995	24.78	49.32	24.54	--	--	--	--	--	--	--	--	--	--
	10/2/1995	25.32	49.32	24	100,000	15,000	11,000	6,000	20,000	--	--	--	--	--
	11/7/1995	26.11	49.32	23.21	--	--	--	--	--	--	--	--	--	--
	12/8/1995	26.7	49.32	22.62	--	--	--	--	--	--	--	--	--	--
	1/12/1996	25.07	49.32	24.25	84,000	6,500	4,100	3,200	12,000	<5,000	--	--	--	--
	2/12/1996	20.32	49.32	29	--	--	--	--	--	--	--	--	--	--
	3/12/1996	17.65	49.32	31.67	--	--	--	--	--	--	--	--	--	--
	4/13/1996	20.06	49.32	29.26	48,000	7,600	3,600	2,800	9,400	<2,500	--	--	--	--
	5/14/1996	21.61	49.32	27.71	--	--	--	--	--	--	--	--	--	--
	6/20/1996	22.32	49.32	27	--	--	--	--	--	--	--	--	--	--
	7/26/1996	23.65	49.32	25.67	62,000	6,400	3,100	3,000	11,000	<2,500	--	--	--	--
	8/19/1996	24.31	49.32	25.01	--	--	--	--	--	--	--	--	--	--
	9/17/1996	25.05	49.32	24.27	--	--	--	--	--	--	--	--	--	--
	10/21/1996	25.84	49.32	23.48	110,000	5,400	2,400	2,500	9,800	--	--	--	--	--
	11/27/1996	25.19	49.32	24.13	--	--	--	--	--	--	--	--	--	--
	12/27/1996	21.21	49.32	28.11	--	--	--	--	--	--	--	--	--	--
	1/28/1997	16.54	49.32	32.78	130,000	5,500	15,000	2,300	12,000	--	--	--	--	--
	4/25/1997	22.38	49.32	26.94	180,000	6,900	20,000	2,600	13,000	--	--	--	--	--
	7/17/1997	24.95	49.32	24.37	69,000	5,100	1,100	1,800	8,600	--	--	--	--	--
	10/21/1997	26.59	49.32	22.73	58,000	4,300	1,300	2,100	8,000	--	--	--	--	--
	3/10/1998	15.19	49.32	34.13	25,000	3,000	1,300	1,100	3,700	--	--	--	--	--
	6/6/1998	18.85	49.32	30.47	52,000	4,400	1,900	2,300	6,900	--	--	--	--	--
	9/30/1998	23.57	49.32	25.75	42,000	4,300	1,400	1,800	6,600	--	--	--	--	--
	12/30/1998	24.33	49.32	24.99	34,000	4,200	770	2,300	9,000	--	--	--	--	--
	3/13/1999	19.49	49.32	29.83	44,000	3,500	1,000	1,700	5,200	--	--	--	--	--
	9/29/1999	25.12	49.32	24.2	39,000	6,000	840	2,400	8,100	--	--	--	--	--
	12/29/1999	25.72	49.32	23.6	39,000	4,600	790	2,400	8,100	--	--	--	--	--
	3/18/2000	17.5	49.32	31.82	21,000	3,100	550	1,400	4,100	--	--	--	--	--
	7/18/2000	23.28	49.32	26.04	30,000	5,000	950	2,000	5,700	--	--	--	--	--
	9/26/2000	24.52	49.32	24.8	36,000	5,300	640	2,400	9,900	--	--	--	--	--
	12/28/2000	24.87	49.32	24.45	33,000	4,700	450	2,100	6,400	--	--	--	--	--
	3/20/2001	--	49.32	--	21,000	2,000	260	570	3,000	<500	--	--	--	--
	3/30/2001	21.93	49.32	27.39	--	--	--	--	--	--	--	--	--	--
	10/5/2001	25.62	49.32	23.7	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-3	3/28/2002	20.83	49.32	28.49	--	--	--	--	--	--	--	--	--	--
(con't)	9/30/2002	25.2	49.32	24.12	--	--	--	--	--	--	--	--	--	--
	3/31/2003	22.82	49.32	26.5	25,000	3,200	280	1,600	4,200	--	--	--	--	--
	6/19/2003	23.29	49.32	26.03	--	--	--	--	--	--	--	--	--	--
	9/30/2003	25.5	49.32	23.82	--	--	--	--	--	--	--	--	--	--
	2/10/2004	22.53	49.32	26.79	--	--	--	--	--	--	--	--	--	--
	3/31/2004	--	49.32	--	11,000	1,000	940	550	1,900	--	--	--	--	--
	6/30/2004	24.73	49.32	24.59	--	--	--	--	--	--	--	--	--	--
	9/14/2004	27.93	49.32	21.39	42,000	3,600	190	2,200	4,800	--	--	--	--	--
	3/29/2006	18.87	49.32	30.45	7,200	180	17	460	680	--	--	--	--	--
	6/24/2006	22.65	49.32	26.67	--	--	--	--	--	--	--	--	--	--
	9/30/2006	24.49	49.32	24.83	7,100	130	94	500	820	<50	--	--	--	--
	12/11/2006	23.03	49.32	26.29	--	--	--	--	--	--	--	--	--	--
	3/16/2007	21.97	49.32	27.35	--	--	--	--	--	--	--	--	--	--
	6/10/2007	24.28	49.32	25.04	--	--	--	--	--	--	--	--	--	--
	9/14/2007	25.75	49.32	23.57	6,700	16	44	200	400	<10	--	--	--	--
	12/14/2007	25.96	49.32	23.36	--	--	--	--	--	--	--	--	--	--
	3/12/2008	22.31	49.32	27.01	--	--	--	--	--	--	--	--	--	--
	6/11/2008	24.8	49.32	24.52	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.23	49.32	23.09	6,300	7.6	82	92	290	<5.0	--	--	--	--
	12/13/2008	26.93	49.32	22.39	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.65	49.32	27.67	3,300	13	17	56	140	<50	--	--	--	--
	12/7/2009	26.2	49.32	23.12	2,800	13	43	74	150	<50	--	--	--	--
	3/15/2010	21.15	49.32	28.17	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-4	12/30/1998	24.56	49.61	25.05	12,000	1,200	1,100	290	1,400	--	--	--	--	--
	3/13/1999	19.72	49.61	29.89	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	49.61	--	89,000	5,900	8,700	2,000	9,200	--	--	--	--	--
	9/29/1999	25.34	49.61	24.27	48,000	5,300	6,800	1,700	7,700	--	--	--	--	--
	12/29/1999	25.97	49.61	23.64	--	--	--	--	--	--	--	--	--	--
	3/18/2000	17.76	49.61	31.85	44,000	4,500	7,500	2,200	11,000	--	--	--	--	--
	12/28/2000	25.09	49.61	24.52	--	--	--	--	--	--	--	--	--	--
	3/30/2001	22.21	49.61	27.4	10,000	700	620	<10	1,900	<100	--	--	--	--
	10/5/2001	25.84	49.61	23.77	--	--	--	--	--	--	--	--	--	--
	3/28/2002	21.03	49.61	28.58	30,000	3,700	3,100	1,100	4,100	--	--	--	--	--
	9/30/2002	25.29	49.61	24.32	--	--	--	--	--	--	--	--	--	--
	3/31/2003	23.02	49.61	26.59	25,000	2,000	2,100	820	2,900	--	--	--	--	--
	6/19/2003	23.45	49.61	26.16	--	--	--	--	--	--	--	--	--	--
	9/30/2003	25.65	49.61	23.96	--	--	--	--	--	--	--	--	--	--
	3/31/2004	--	49.61	--	24,000	2,500	200	1,400	2,800	--	--	--	--	--
	9/14/2004	28.16	49.61	21.45	14,000	760	550	430	1,600	--	--	--	--	--
	3/29/2006	19.87	49.61	29.74	17,000	2,000	1,200	910	2,400	--	--	--	--	--
	6/24/2006	22.86	49.61	26.75	--	--	--	--	--	--	--	--	--	--
	9/30/2006	23.94	49.61	25.67	4,000	440	120	240	360	<50	--	--	--	--
	12/11/2006	23.36	49.61	26.25	--	--	--	--	--	--	--	--	--	--
	3/16/2007	22.26	49.61	27.35	--	--	--	--	--	--	--	--	--	--
	6/10/2007	24.6	49.61	25.01	--	--	--	--	--	--	--	--	--	--
	9/14/2007	26.11	49.61	23.5	10,000	1,300	96	440	560	<50	--	--	--	--
	12/14/2007	26.39	49.61	23.22	--	--	--	--	--	--	--	--	--	--
	3/12/2008	22.62	49.61	26.99	--	--	--	--	--	--	--	--	--	--
	6/11/2008	25.19	49.61	24.42	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.64	49.61	22.97	12,000	1,400	110	960	840	<300	--	--	--	--
	12/13/2008	27.36	49.61	22.25	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.96	49.61	27.65	44,000	1,700	1,000	2,600	6,700	<250	--	--	--	--
	12/7/2009	26.6	49.61	23.01	26,000	920	160	2,100	3,200	<250	--	--	--	--
	3/15/2010	21.59	49.61	28.02	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-5	12/30/1998	24.51	49.57	25.06	170	1.1	<0.5	<0.5	4.8	--	--	--	--	--
	3/13/1999	19.64	49.57	29.93	--	--	--	--	--	--	--	--	--	--
	3/22/1999	--	49.57	--	470	3.8	0.51	2	<0.5	--	--	--	--	--
	9/29/1999	25.31	49.57	24.26	1,200	13	4.2	2.7	4.2	--	--	--	--	--
	3/18/2000	25.93	49.57	23.64	660	5.5	0.62	1.6	1.7	--	--	--	--	--
	3/28/2002	17.63	49.57	31.94	--	--	--	--	--	--	--	--	--	--
	3/29/2006	--	49.57	--	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	9/30/2006	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	9/14/2007	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	12/14/2007	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	6/11/2008	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	9/5/2008	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	12/13/2008	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	3/14/2009	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	12/7/2009	Dry	49.57	n/a	--	--	--	--	--	--	--	--	--	--
	3/15/2010	21.46	49.57	28.11	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-6	12/30/1998	22.92	48.06	25.14	400	1	<0.5	<0.5	4.8	--	--	--	--	--
	3/13/1999	18.09	48.06	29.97	--	--	--	--	--	--	--	--	--	--
	3/22/1999	--	48.06	--	390	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	9/29/1999	23.68	48.06	24.38	330	1.8	1.4	1.5	<0.5	--	--	--	--	--
	12/29/1999	24.31	48.06	23.75	--	--	--	--	--	--	--	--	--	--
	3/18/2000	16.2	48.06	31.86	200	1.3	<0.5	<0.5	<0.5	--	--	--	--	--
	7/18/2000	21.84	48.06	26.22	--	--	--	--	--	--	--	--	--	--
	9/26/2000	23.11	48.06	24.95	240	1.5	<0.5	<0.5	<0.5	--	--	--	--	--
	12/28/2000	23.45	48.06	24.61	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	48.06	--	160	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/30/2001	20.65	48.06	27.41	--	--	--	--	--	--	--	--	--	--
	10/5/2001	24.24	48.06	23.82	--	--	--	--	--	--	--	--	--	--
	3/28/2002	19.41	48.06	28.65	88	0.89	<0.5	<0.5	<0.5	--	--	--	--	--
	9/30/2002	23.65	48.06	24.41	--	--	--	--	--	--	--	--	--	--
	3/29/2006	--	48.06	--	--	--	--	--	--	--	--	--	--	--
	9/30/2006	22.33	48.06	25.73	280	5.5	24	14	69	<5.0	--	--	--	--
	9/14/2007	24.58	48.06	23.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/14/2007	24.88	48.06	23.18	--	--	--	--	--	--	--	--	--	--
	3/12/2008	21.03	48.06	27.03	--	--	--	--	--	--	--	--	--	--
	6/11/2008	23.62	48.06	24.44	--	--	--	--	--	--	--	--	--	--
	9/5/2008	25.1	48.06	22.96	84	0.92	0.76	1.7	3.5	<5.0	--	--	--	--
	12/13/2008	25.81	48.06	22.25	--	--	--	--	--	--	--	--	--	--
	6/3/2009	23.2	48.06	24.86	--	--	--	--	--	--	--	--	--	--
	3/15/2010	19.87	48.06	28.19	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-8	12/30/1998	24.21	49.35	25.14	2,200	70	0.94	26	15	--	--	--	--	--
	3/13/1999	--	49.35	--	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	49.35	--	2,300	34	1.1	15	13	--	--	--	--	--
	9/29/1999	--	49.35	--	8,800	140	<50	53	<50	--	--	--	--	--
	12/29/1999	--	49.35	--	1,900	64	1	22	23	--	--	--	--	--
	3/18/2000	--	49.35	--	1,400	36	<0.5	12	9.3	--	--	--	--	--
	7/18/2000	--	49.35	--	3,000	67	9.8	38	38	--	--	--	--	--
	9/26/2000	--	49.35	--	1,200	24	3	24	15	--	--	--	--	--
	12/28/2000	--	49.35	--	1,200	47	3.7	17	18	--	--	--	--	--
	3/20/2001	--	49.35	--	1,300	7.8	<2.5	<2.5	14	<25	--	--	--	--
	3/30/2001	--	49.35	--	--	--	--	--	--	--	--	--	--	--
	10/5/2001	--	49.35	--	1,800	28	<2.5	20	23	--	--	--	--	--
	3/28/2002	--	49.35	--	1,100	12	1.7	11	10.8	--	--	--	--	--
	9/30/2002	--	49.35	--	1,400	15	24	32	22	--	--	--	--	--
	9/30/2006	24.07	49.35	25.28	760	4.9	31	13	64	<5.0	--	--	--	--
	3/16/2007	--	49.35	--	370	<0.5	8.1	0.52	0.94	<5.0	--	--	--	--
	9/14/2007	26.12	49.35	23.23	1,300	1.3	20	3	1.6	<5.0	--	--	--	--
	12/14/2007	26.35	49.35	23	--	--	--	--	--	--	--	--	--	--
	3/12/2008	22.65	49.35	26.7	520	1.4	11	3.9	5.6	<5.0	--	--	--	--
	6/11/2008	25.23	49.35	24.12	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.62	49.35	22.73	1,800	1.9	30	5	4	<25	--	--	--	--
	12/13/2008	27.3	49.35	22.05	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.8	49.35	27.55	950	3.1	42	36	180	<5.0	--	--	--	--
	6/3/2009	24.83	49.35	24.52	--	--	--	--	--	--	--	--	--	--
	12/7/2009	26.58	49.35	22.77	2,200	2.2	42	10	19	<5.0	--	--	--	--
	3/15/2010	21.48	49.35	27.87	90	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3.4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-9	12/30/1998	23.98	48.77	24.79	25,000	23	<10	180	620	--	--	--	--	--
	3/13/1999	19.19	48.77	29.58	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	48.77	--	27,000	35	<20	600	920	--	--	--	--	--
	9/29/1999	24.72	48.77	24.05	42,000	140	130	1,000	1,700	--	--	--	--	--
	12/29/1999	25.32	48.77	23.45	1,100,000	1,200	1,300	4,300	8,700	--	--	--	--	--
	3/18/2000	17.31	48.77	31.46	17,000	89	46	10	600	--	--	--	--	--
	7/18/2000	22.94	48.77	25.83	12,000	39	8.2	540	760	--	--	--	--	--
	9/26/2000	24.16	48.77	24.61	11,000	19	<5	470	610	--	--	--	--	--
	12/28/2000	24.48	48.77	24.29	22,000	100	<100	610	770	--	--	--	--	--
	3/20/2001	--	48.77	--	8,200	40	<10	14	210	<100	--	--	--	--
	3/30/2001	21.65	48.77	27.12	--	--	--	--	--	--	--	--	--	--
	10/5/2001	25.23	48.77	23.54	77,000	<100	110	780	850	--	--	--	--	--
	3/28/2002	20.45	48.77	28.32	11,000	34	6.1	220	180	--	--	--	--	--
	9/30/2002	24.66	48.77	24.11	34,000	<125	140	240	370	--	--	--	--	--
	3/31/2003	22.44	48.77	26.33	6,200	<12.5	<12.5	130	87	--	--	--	--	--
	6/19/2003	22.87	48.77	25.9	--	--	--	--	--	--	--	--	--	--
	9/30/2003	25	48.77	23.77	9,700	52	<25	160	87	--	--	--	--	--
	2/10/2004	22.13	48.77	26.64	--	--	--	--	--	--	--	--	--	--
	6/30/2004	24.55	48.77	24.22	--	--	--	--	--	--	--	--	--	--
	9/14/2004	25.69	48.77	23.08	9,500	48	<25	93	<50	--	--	--	--	--
	3/29/2006	16.74	48.77	32.03	6,200	<0.5	<0.5	57	11	--	--	--	--	--
	6/24/2006	22.43	48.77	26.34	--	--	--	--	--	--	--	--	--	--
	9/30/2006	23.4	48.77	25.37	2,200	3.7	31	37	40	<17	--	--	--	--
	12/11/2006	22.78	48.77	25.99	--	--	--	--	--	--	--	--	--	--
	3/16/2007	21.76	48.77	27.01	3,200	2.2	37	18	2.9	--	--	--	--	--
	9/14/2007	25.5	48.77	23.27	2,600	1.4	28	13	3.2	<5.0	--	--	--	--
	12/14/2007	25.83	48.77	22.94	--	--	--	--	--	--	--	--	--	--
	3/12/2008	22.08	48.77	26.69	2,800	2.3	32	12	5.3	<5.0	--	--	--	--
	6/11/2008	24.61	48.77	24.16	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.04	48.77	22.73	3,800	2.5	40	6.1	2.8	<100	--	--	--	--
	12/13/2008	26.74	48.77	22.03	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.46	48.77	27.31	7,100	11	63	50	120	<50	--	--	--	--
	6/3/2009	24.21	48.77	24.56	--	--	--	--	--	--	--	--	--	--
	12/7/2009	26.03	48.77	22.74	3,600	4	34	18	22	<5.0	--	--	--	--
	3/15/2010	20.91	48.77	27.86	2,900	1.1	<1.0	11	<1.0	<1.0	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-10	12/30/1998	25.15	49.93	24.78	6,900	130	19	140	210	--	--	--	--	--
	3/13/1999	20.62	49.93	29.31	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	49.93	--	6,600	150	33	240	170	--	--	--	--	--
	9/29/1999	26.13	49.93	23.8	9,300	60	38	280	150	--	--	--	--	--
	12/29/1999	26.7	49.93	23.23	5,800	87	10	420	180	--	--	--	--	--
	3/18/2000	18.67	49.93	31.26	3,800	180	11	220	120	--	--	--	--	--
	7/18/2000	24.38	49.93	25.55	9,100	120	33	210	130	--	--	--	--	--
	9/26/2000	25.59	49.93	24.34	4,500	22	8.8	1.3	18	--	--	--	--	--
	12/28/2000	25.9	49.93	24.03	3,900	55	13	98	38	--	--	--	--	--
	3/30/2001	23.14	49.93	26.79	4,500	48	6	<5	23	81 / <5.0	--	--	--	--
	10/5/2001	26.6	49.93	23.33	5,200	70	28	41	30	--	--	--	--	--
	3/28/2002	21.87	49.93	28.06	7,400	45	20	210	66	--	--	--	--	--
	9/30/2002	26.05	49.93	23.88	670	54	5.9	76	23	--	--	--	--	--
	3/31/2003	23.87	49.93	26.06	5,700	31	38	67	27	--	--	--	--	--
	6/19/2003	24.28	49.93	25.65	--	--	--	--	--	--	--	--	--	--
	9/30/2003	26.37	49.93	23.56	7,400	61	<50	<50	<100	--	--	--	--	--
	2/10/2004	23.54	49.93	26.39	--	--	--	--	--	--	--	--	--	--
	6/30/2004	25.71	49.93	24.22	--	--	--	--	--	--	--	--	--	--
	9/14/2004	26.85	49.93	23.08	9,100	47	<25	51	<50	--	--	--	--	--
	3/29/2006	20.18	49.93	29.75	6,800	140	18	270	160	--	--	--	--	--
	6/24/2006	23.87	49.93	26.06	--	--	--	--	--	--	--	--	--	--
	9/30/2006	24.8	49.93	25.13	5,700	61	30	78	120	<100	--	--	--	--
	3/16/2007	23.09	49.93	26.84	10,000	71	15	46	25	<50	--	--	--	--
	9/14/2007	26.87	49.93	23.06	5,800	55	18	22	15	<10	--	--	--	--
	12/14/2007	27.14	49.93	22.79	--	--	--	--	--	--	--	--	--	--
	3/12/2008	23.48	49.93	26.45	9,300	240	23	48	37	<50	--	--	--	--
	6/11/2008	25.98	49.93	23.95	--	--	--	--	--	--	--	--	--	--
	9/5/2008	27.38	49.93	22.55	8,400	120	12	18	16	<250	--	--	--	--
	12/13/2008	28.04	49.93	21.89	--	--	--	--	--	--	--	--	--	--
	3/14/2009	22.73	49.93	27.2	8,100	300	25	36	72	<250	--	--	--	--
	12/7/2009	27.33	49.93	22.6	8,400	160	26	32	34	<100	--	--	--	--
	3/15/2010	22.27	49.93	27.66	5,200	110	4.1	29	16	<2.0	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-11	12/30/1998	23.15	47.93	24.78	80	<0.5	<0.5	0.93	1.6	--	--	--	--	--
	3/13/1999	18.37	47.93	29.56	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	47.93	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	9/29/1999	23.9	47.93	24.03	94	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	12/29/1999	24.5	47.93	23.43	--	--	--	--	--	--	--	--	--	--
	3/18/2000	16.55	47.93	31.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	7/18/2000	22.12	47.93	25.81	--	--	--	--	--	--	--	--	--	--
	9/26/2000	23.35	47.93	24.58	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	12/28/2000	23.67	47.93	24.26	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	47.93	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/30/2001	20.9	47.93	27.03	--	--	--	--	--	--	--	--	--	--
	10/5/2001	24.41	47.93	23.52	--	--	--	--	--	--	--	--	--	--
	3/28/2002	19.62	47.93	28.31	<50	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--
	9/30/2002	23.84	47.93	24.09	--	--	--	--	--	--	--	--	--	--
	9/30/2006	22.58	47.93	25.35	160	1.8	12	7.6	40	<5.0	--	--	--	--
	9/14/2007	24.72	47.93	25.21	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/14/2007	25	47.93	22.93	--	--	--	--	--	--	--	--	--	--
	6/11/2008	23.81	47.93	24.12	--	--	--	--	--	--	--	--	--	--
	9/5/2008	25.23	47.93	22.7	150	0.93	0.6	1.6	2.5	<5.0	--	--	--	--
	12/13/2008	25.93	47.93	22	--	--	--	--	--	--	--	--	--	--
	3/15/2010	20.10	47.93	27.83	--	--	--	--	--	--	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-12	12/30/1998	23.68	48.46	24.78	--	--	--	--	--	--	--	--	--	--
	3/13/1999	18.9	48.46	29.56	--	--	--	--	--	--	--	--	--	--
	9/29/1999	24.43	48.46	24.03	--	--	--	--	--	--	--	--	--	--
	12/29/1999	25.03	48.46	23.43	--	--	--	--	--	--	--	--	--	--
	3/18/2000	17.08	48.46	31.38	--	--	--	--	--	--	--	--	--	--
	7/18/2000	22.65	48.46	25.81	--	--	--	--	--	--	--	--	--	--
	9/26/2000	23.88	48.46	24.58	--	--	--	--	--	--	--	--	--	--
	12/28/2000	24.2	48.46	24.26	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	48.46	--	4,100	28	6.2	<5	16	90 / <5.0	--	--	--	--
	3/30/2001	21.43	48.46	27.03	--	--	--	--	--	--	--	--	--	--
	6/29/2001	--	48.46	--	4,200	26	25	19	29	--	--	--	--	--
	10/5/2001	24.94	48.46	23.52	--	--	--	--	--	--	--	--	--	--
	12/21/2001	--	48.46	--	5,300	9.7	<2.5	41	14	--	--	--	--	--
	3/28/2002	20.15	48.46	28.31	4,900	20	<2.5	69	23	--	--	--	--	--
	6/28/2002	--	48.46	--	2,600	29	<12.5	30	<25	--	--	--	--	--
	9/30/2002	24.37	48.46	24.09	700	16	4.9	19	9.8	--	--	--	--	--
	9/30/2006	22.58	48.46	26.18	2,100	6.2	15	16	38	<10	--	--	--	--
	12/11/2006	23.88	48.46	24.88	5,500	13	24	16	23	<17	--	--	--	--
	3/16/2007	21.77	48.46	26.99	4,900	11	24	16	8.5	<50	--	--	--	--
	6/10/2007	24.06	48.46	24.7	2,600	<2.5	<2.5	13	9.5	<25	--	--	--	--
	9/14/2007	--	48.46	--	--	--	--	--	--	--	--	--	--	--
	12/14/2007	25.77	48.46	22.99	--	--	--	--	--	--	--	--	--	--
	3/12/2008	--	48.46	--	--	--	--	--	--	--	--	--	--	--
	6/11/2008	24.6	48.46	23.86	6,200	11	21	26	8.1	<50	--	--	--	--
	9/5/2008	25.97	48.46	22.49	5,000	7.3	15	12	5.9	<25	--	--	--	--
	12/13/2008	26.66	48.46	21.8	4,400	7.6	19	12	9.4	<25	--	--	--	--
	3/14/2009	21.36	48.46	27.1	6,800	16	19	20	60	<50	--	--	--	--
	6/3/2009	24.2	48.46	24.26	6,400	6.5	24	25	6.1	<50	--	--	--	--
	12/7/2009	--	48.46	--	--	--	--	--	--	--	--	--	--	--
	3/15/2010	20.89	48.46	27.57	5,100	5.0	<2.0	15	4.3	<2.0	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-13	12/30/1998	24.73	49.51	24.78	--	--	--	--	--	--	--	--	--	--
	3/13/1999	19.95	49.51	29.56	--	--	--	--	--	--	--	--	--	--
	9/29/1999	25.48	49.51	24.03	--	--	--	--	--	--	--	--	--	--
	12/29/1999	26.08	49.51	23.43	--	--	--	--	--	--	--	--	--	--
	3/18/2000	18.13	49.51	31.38	--	--	--	--	--	--	--	--	--	--
	7/18/2000	23.7	49.51	25.81	--	--	--	--	--	--	--	--	--	--
	9/26/2000	24.93	49.51	24.58	--	--	--	--	--	--	--	--	--	--
	12/28/2000	25.25	49.51	24.26	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	49.51	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/30/2001	22.48	49.51	27.03	--	--	--	--	--	--	--	--	--	--
	6/29/2001	--	49.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	10/5/2001	25.99	49.51	23.52	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	12/21/2001	--	49.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	3/28/2002	21.2	49.51	28.31	<50	<0.5	<0.5	<0.5	<1.5	--	--	--	--	--
	6/28/2002	--	49.51	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	9/30/2002	25.42	49.51	24.09	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	12/21/2002	--	49.51	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	9/30/2006	22.58	49.51	26.93	170	2.1	13	8.1	43	<5.0	--	--	--	--
	12/11/2006	25.33	49.51	24.18	110	4.6	6.5	4.6	17	<5.0	--	--	--	--
	3/16/2007	23	49.51	26.51	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	6/10/2007	25.5	49.51	24.01	54	0.8	0.84	1.3	5.4	<5.0	--	--	--	--
	9/14/2007	26.85	49.51	22.66	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/14/2007	27.11	49.51	22.4	<50	0.76	<0.5	2.3	2.6	<5.0	--	--	--	--
	3/12/2008	23.5	49.51	26.01	<50	<0.5	<0.5	0.66	2.2	<5.0	--	--	--	--
	6/11/2008	26.02	49.51	23.49	120	0.58	0.97	1.1	.2	<5.0	--	--	--	--
	9/5/2008	27.29	49.51	22.22	78	<0.5	0.6	0.98	2.1	<5.0	--	--	--	--
	12/13/2008	27.96	49.51	21.55	59	0.93	<0.5	2.5	3.8	<5.0	--	--	--	--
	3/14/2009	22.48	49.51	27.03	260	1.1	8.8	10	46	<5.0	--	--	--	--
	6/3/2009	25.61	49.51	23.9	<50	<0.5	<0.5	0.65	0.69	<5.0	--	--	--	--
	12/7/2009	27.4	49.51	22.11	190	1.2	1.6	5.8	13	<5.0	--	--	--	--
	3/15/2010	22.26	49.51	27.25	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-14	12/30/1998	24.76	49.54	24.78	--	--	--	--	--	--	--	--	--	--
	3/13/1999	19.98	49.54	29.56	--	--	--	--	--	--	--	--	--	--
	9/29/1999	25.51	49.54	24.03	--	--	--	--	--	--	--	--	--	--
	12/29/1999	26.11	49.54	23.43	--	--	--	--	--	--	--	--	--	--
	3/18/2000	18.16	49.54	31.38	--	--	--	--	--	--	--	--	--	--
	7/18/2000	23.73	49.54	25.81	--	--	--	--	--	--	--	--	--	--
	9/26/2000	24.96	49.54	24.58	--	--	--	--	--	--	--	--	--	--
	12/28/2000	25.28	49.54	24.26	--	--	--	--	--	--	--	--	--	--
	3/20/2001	--	49.54	--	200	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/30/2001	22.51	49.54	27.03	--	--	--	--	--	--	--	--	--	--
	6/29/2001	--	49.54	--	660	<0.5	<0.5	<0.5	4.6	--	--	--	--	--
	10/5/2001	26.02	49.54	23.52	770	1.7	1.5	0.91	8.3	--	--	--	--	--
	12/21/2001	--	49.54	--	1,500	3.1	13	1.9	22	--	--	--	--	--
	3/28/2002	21.23	49.54	28.31	390	1.7	<0.5	<0.5	0.74	--	--	--	--	--
	6/28/2002	--	49.54	--	120	<0.5	<0.5	<0.5	<1	--	--	--	--	--
	9/30/2002	25.45	49.54	24.09	210	<0.5	1.7	<0.5	1.1	--	--	--	--	--
	12/21/2002	--	49.54	--	53	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	9/30/2006	22.58	49.54	26.96	210	2.5	15	9.1	48	<5.0	--	--	--	--
	12/11/2006	24.9	49.54	24.64	190	6.7	9.9	5.4	19	<5.0	--	--	--	--
	3/16/2007	22.67	49.54	26.87	<50	<0.5	1.1	<0.5	<0.5	<5.0	--	--	--	--
	6/10/2007	25.11	49.54	24.43	73	1.1	1.3	1.8	7.2	<5.0	--	--	--	--
	9/14/2007	26.56	49.54	22.98	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/14/2007	26.8	49.54	22.74	69	1.1	0.57	3.5	4.5	<5.0	--	--	--	--
	3/1/2008	23.03	49.54	26.51	--	--	--	--	--	--	--	--	--	--
	3/12/2008	--	49.54	--	110	0.61	1.2	1.2	3.6	<5.0	--	--	--	--
	6/11/2008	25.69	49.54	23.85	52	<0.5	0.68	<0.5	1	<5.0	--	--	--	--
	9/5/2008	27.04	49.54	22.5	95	<0.5	1.3	0.61	2.3	<5.0	--	--	--	--
	12/13/2008	27.72	49.54	21.82	220	1.5	4.3	3.2	5.1	<5.0	--	--	--	--
	3/14/2009	22.22	49.54	27.32	360	1.4	12	13	61	<5.0	--	--	--	--
	6/3/2009	25.3	49.54	24.24	68	<0.5	1.9	0.81	1.1	<5.0	--	--	--	--
	12/7/2009	27.1	49.54	22.44	220	1.3	2.7	6.9	15	<5.0	--	--	--	--
	3/15/2010	21.94	49.54	27.60	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-1A	5/30/1997	--	48.24	--	12,000	18	8.7	90	540	--	--	--	--	--
	12/30/1998	23.6	48.24	24.64	51	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	3/13/1999	18.85	48.24	29.39	--	--	--	--	--	--	--	--	--	--
	3/23/1999	--	48.24	--	1,800	4	<0.5	3	7.5	--	--	--	--	--
	3/23/1999	--	48.24	--	2,200	10	0.52	3.1	7.1	--	--	--	--	--
	9/29/1999	24.35	48.24	23.89	13,000	63	26	30	72	--	--	--	--	--
	12/29/1999	24.95	48.24	23.29	--	--	--	--	--	--	--	--	--	--
	3/8/2000	--	48.24	--	6,100	36	<5	9.7	45	--	--	--	--	--
	3/18/2000	16.99	48.24	31.25	--	--	--	--	--	--	--	--	--	--
	7/18/2000	22.6	48.24	25.64	--	--	--	--	--	--	--	--	--	--
	9/26/2000	23.76	48.24	24.48	11,000	14	<5	65	150	--	--	--	--	--
	12/28/2000	24.11	48.24	24.13	--	--	--	--	--	--	--	--	--	--
	3/30/2001	21.22	48.24	27.02	4,800	30	6	<5	7	51 / <5.0	--	--	--	--
	10/5/2001	24.86	48.24	23.38	15,000	76	41	36	140	--	--	--	--	--
	3/28/2002	20.1	48.24	28.14	9,300	35	<12.5	17	32	--	--	--	--	--
	9/30/2002	24.28	48.24	23.96	23,000	<50	63	77	230	--	--	--	--	--
	9/30/2006	23.03	48.24	25.21	2,500	4.1	25	22	49	<5.0	--	--	--	--
	3/16/2007	--	48.24	--	1,800	1.8	17	6.4	4.4	<5.0	--	--	--	--
	9/14/2007	25.13	48.24	23.11	1,500	1.1	15	2.8	1.8	<5.0	--	--	--	--
	12/14/2007	25.43	48.24	22.81	--	--	--	--	--	--	--	--	--	--
	3/12/2008	21.75	48.24	26.49	1,200	2.1	12	5	3.6	<5.0	--	--	--	--
	6/11/2008	24.24	48.24	24	--	--	--	--	--	--	--	--	--	--
	9/5/2008	25.62	48.24	22.62	1,900	2.4	14	10	5.4	<5.0	--	--	--	--
	12/13/2008	26.33	48.24	21.91	--	--	--	--	--	--	--	--	--	--
	3/14/2009	21.07	48.24	27.17	1,700	2.5	13	11	32	<5.0	--	--	--	--
	3/15/2010	20.52	48.24	27.72	2,400	<0.50	<0.50	5.5	2.3	<0.50	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE [3,4] ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
141 Farrelly	4/6/1996	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	10/2/1999	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	3/18/2000	17.9	48.76	30.86	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	7/13/2000	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	9/26/2000	24.66	48.76	24.1	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	12/29/2000	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0 [3]	<20	<5.0	<5.0	<5.0
	3/20/2001	--	48.76	--	--	--	--	--	--	<5.0 [3]	<20	<5.0	<5.0	<5.0
	3/30/2001	22.25	48.76	26.51	--	--	--	--	--	--	--	--	--	--
	12/21/2001	--	48.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
	9/30/2002	25.34	48.76	23.42	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	12/21/2002	20.07	48.76	28.69	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	6/19/2003	23.55	48.76	25.21	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	9/14/2004	26.12	48.76	22.64	<50	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--
	3/16/2007	22.28	48.76	26.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	9/14/2007	25.98	48.76	22.78	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/12/2008	--	48.76	--	--	--	--	--	--	--	--	--	--	--
	6/11/2008	--	48.76	--	--	--	--	--	--	--	--	--	--	--
	9/5/2008	26.48	48.76	22.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/13/2008	27.2	48.76	21.56	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	3/14/2009	--	48.76	--	--	--	--	--	--	--	--	--	--	--
	6/3/2009	25.83	48.76	22.93	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	12/7/2009	--	48.76	--	--	--	--	--	--	--	--	--	--	--
	3/15/2010	--	48.76	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--

TABLE 1
GROUNDWATER ELEVATION AND ANALYTICAL SUMMARY
 German Autocraft, 301 E. 14th Street, San Leandro, California

Well Number	Date Collected	Depth to Water (feet)	Top of Casing Elevation (ft msl)	Groundwater Elevation (ft msl)	GRO[1] (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE [3,4] (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
Legend/Key:														
pine Range Organics C4-C13														Analytical Methods:
Methyl tertiary butyl ether														GRO analyzed according to EPA Method 8015B
= Tertiary butyl alcohol														BTEX and MTBE analyzed according to EPA Method 8020/8021B prior to 2010
E = Di-isopropyl ether														Beginning in 2010, BTEX, MTBE, TBA, DIPE, ETBE, and TAME analyzed by EPA Method 8260B
Ethyl tertiary butyl ether														Laboratory Qualifiers/Flags/Notes:
Tertiary amyl methyl ether														[1] GRO reported as Total Petroleum Hydrocarbons as Gasoline (TPHg) prior to 2010
feet above mean sea level														[2] This value may be inaccurate. <i>Second Quarter 1996 Environmental Activities Report</i> , dated August 8, 1996 by Environmental Testing & Management casts doubt on the validity of this laboratory result.
= micrograms per liter														[3] When two MTBE results listed, the first is by EPA 8020/8021 and second is confirmation by 8260. If only one result, by 8260
nd, not analyzed, or not available														[4] All MTBE results by EPA 8020, except where qualified by [3] and during 3/15/10 event when analyzed by 8260
c. Stratus has not reviewed laboratory reports and makes no representations regarding accuracy of these data.														

TABLE 2
WELL CONSTRUCTION DETAILS
 German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
Groundwater Monitoring Wells									
MW-1	12/17/91	45	8	2	45	25-45	0.02	HSA	Environmental Const. Co.
MW-2	12/12/94	38	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-3	12/12/94	38	8	2	35.5	25.5-35.5	0.010	HSA	Chemist Enterprises
MW-4	08/31/95	36.5	8	2	34	24-34	0.010	HSA	Chemist Enterprises
MW-1A	05/21/97	35	8	2	35	20-35	0.010	HSA	ALLCAL Prop. Serv. Inc.
MW-5	08/28/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-6	08/27/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-8	08/27/98	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
MW-9	08/31/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-10	08/28/98	41.5	8	2	40	20-40	0.020	HSA	Env. Testing & Mgmt.
MW-11	08/28/98	36.5	8	2	35	20-35	0.020	HSA	Env. Testing & Mgmt.
MW-12	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-13	01/30/01	39.5	8	2	38	23-38	0.020	HSA	Env. Testing & Mgmt.
MW-14	01/31/01	31.5	8	2	30	20-30	0.020	HSA	Env. Testing & Mgmt.
141 Farrelly	Prior to 1949	--	--	6	65	25-65	unknown	unknown	
Soil Borings									
B-1	12/11/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-2	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
B-3	12/10/90	35	8	--	--	--	--	HSA	Environmental Const. Co.
CE-1	12/13/94	30	8	--	--	--	--	HSA	Chemist Enterprises
CE-2	12/13/94	24.5	8	--	--	--	--	HSA	Chemist Enterprises
ETM-1	11/28/95	37	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-2	11/28/95	30	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-5	11/28-29/95	27	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	29	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-6	11/29/95	28	1	--	--	--	--	Geoprobe	Env. Testing & Mgmt.
ETM-10	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-11	11/30/95	27.3	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-17	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-19	03/25/96	30	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-21	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.
ETM-22	03/26/96	24.5	1.5	--	--	--	--	Pneumatic	Env. Testing & Mgmt.


TABLE 2
WELL CONSTRUCTION DETAILS
 German Autocraft, 301 E. 14th Street, San Leandro, California

Boring/Well I.D.	Date	Boring Depth (feet)	Boring Diameter (inches)	Well Diameter (inches)	Well Depth (feet)	Screen Interval (feet bgs)	Slot Size (inches)	Drilling Method	Consultant
<i>Soil Vapor Points</i>									
SV-1	01/06/09	30	2	0.25	6.0 13.5	5.5-6.0 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-2	01/06/09	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-3	01/08/09	30	2	0.25	5.5 13.5	5.0-5.5 13.0-13.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-4	01/08/09	14.5	2	0.25	5.25 14.5	4.75-5.25 14.0-14.5	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-5	01/07/09	24	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-6	01/07/09	35	2	0.25	5.5 12.0	5.0-5.5 11.5-12.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-7	01/06/08	30	2	0.25	6.0 13.0	5.5-6.0 12.5-13.0	--	Stratoprobe	Groundwater Cleaners, Inc.
SV-8	01/08/09	14	2	0.25	5.25 14.0	4.75-5.25 13.5-14.0	--	Stratoprobe	Groundwater Cleaners, Inc.
Notes: HSA = hollow stem auger									



0 1,000 FT
APPROXIMATE SCALE

QUADRANGLE LOCATION




GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA

SITE LOCATION MAP

FIGURE

1

PROJECT NO.
2076-0301-01



LEGEND:

● MW-1 MONITORING WELL LOCATION

0 100 FT
SCALE

GERMAN AUTOCRAFT
301 EAST 14th STREET
SAN LEANDRO, CALIFORNIA

SITE PLAN

FIGURE
2
PROJECT NO.

STRATUS
ENVIRONMENTAL, INC.