

Hooshang Hadjian  
2108 San Ramon Valley Blvd.  
San Ramon, CA 94583

Mr. Paresh Khatri  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**RECEIVED**

9:02 am, May 17, 2011

Alameda County  
Environmental Health

**Re: Dublin Auto Wash**  
7240 Dublin Boulevard  
Dublin, California  
ACHCSA Case No. 304

Dear Mr.Chan:

I, Mr. Hooshang Hadjian, have retained Pangea Environmental Services, Inc. (Pangea) as the environmental consultant for the project referenced above. Pangea is submitting the attached report on my behalf.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached report is true and correct to the best of my knowledge.

Sincerely,



Hooshang Hadjian



May 13, 2011

**VIA ALAMEDA COUNTY FTP SITE**

Ms. Donna Drogos  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: **Groundwater Monitoring Report - First Quarter 2011**  
Dublin Auto Wash  
7240 Dublin Boulevard  
Dublin, California  
ACEH Case No. 304

Dear Ms. Drogos:

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. has prepared this *Groundwater Monitoring Report – First Quarter 2011*. The report describes groundwater monitoring and sampling, and other site activities.

Pangea plans to continue *quarterly* groundwater monitoring of select wells to evaluate post-remediation conditions in five key wells (DPE-1, DPE-2, MW-3A, MW-6A and MW-7AA). To help control monitoring costs, Pangea proposes to reduce the groundwater monitoring frequency wells MW-1, MW-2 and MW-8A to annual (first quarter). The proposed groundwater monitoring program is shown on Table A in Appendix A. If you have any questions or comments, please call me at (510) 435-8664.

Sincerely,  
**Pangea Environmental Services, Inc.**

A handwritten signature in blue ink, appearing to read "Bob Clark-Riddell", is written over a light blue horizontal line.

Bob Clark-Riddell, P.E.  
Principal Engineer

Attachment: *Groundwater Monitoring and Remediation Summary Report – First Quarter 2011*

cc: Mr. Hooshang Hadjian, 2108 San Ramon Valley Blvd, San Ramon, CA 94583  
Mr. Jim Lange, 6500 Dublin Blvd., Suite 202, Dublin, CA 94568  
SWRCB Geotracker (electronic copy)

**PANGEA Environmental Services, Inc.**



## GROUNDWATER MONITORING REPORT – FIRST QUARTER 2011

Dublin Auto Wash  
7240 Dublin Boulevard  
Dublin, California

May 13, 2011

*Prepared for:*

Mr. Hooshang Hadjian  
2108 San Ramon Valley Blvd  
San Ramon, CA 94583


*Prepared by:*

Pangea Environmental Services, Inc.  
1710 Franklin Street, Suite 200  
Oakland, California 94612

*Written by:*



  
Morgan Gillies  
Project Manager

  
Bob Clark-Riddell, P.E.  
Principal Engineer

**PANGEA Environmental Services, Inc.**

## **INTRODUCTION**

On behalf of Mr. Hooshang Hadjian, Pangea Environmental Services, Inc. (Pangea) conducted groundwater monitoring and sampling during this quarter at the subject site (Figure 1). The purpose of the monitoring and sampling is to evaluate groundwater flow direction and dissolved contaminant concentrations, and to inspect site wells for separate-phase hydrocarbons (SPH). Current groundwater analytical results and elevation data are shown on Figure 2. Current and historical data are summarized on Table 2.

## **SITE BACKGROUND**

The Dublin Auto Wash retail gasoline station is located at the southwest corner of Dublin Boulevard and Village Parkway in Dublin, California (Figure 1). Currently, there are three 10,000-gallon underground storage tanks (USTs) and a carwash at the site. Land use immediately surrounding the station is commercial.

From approximately 1988 to 1997, Chevron Products Company performed assessment and remediation of the site. A soil vapor extraction (SVE) system was operated at the site from December 1992 through June 1995. Mr. Hadjian is the responsible party for an unauthorized release from a leaking stainless steel flex-hose near the northernmost dispenser island in February 1997. Subsequently, a new product delivery system was installed and about 31 cubic yards of contaminated soil was removed from the release area. Gettler-Ryan, Inc. monitored the eight existing groundwater wells at the site until 2003, when SOMA Environmental Engineering, Inc., took over groundwater monitoring and conducted further characterization of the site using electrical conductivity logging to identify potential water-bearing zones. In November 2004, Pangea commenced coordination of groundwater monitoring and corrective action for the site. To delineate the contamination detected during SOMA's investigation, Pangea installed additional monitoring wells with shorter screen lengths in identified water-bearing zones in 2006. Pangea also drilled three soil borings (SB-1, SB-1A and SB-2) to help evaluate subsurface conditions downgradient of the 1997 release and north of the site, and the potential for contamination migration along the 18-inch sanitary sewer line in Dublin Boulevard.

The site subsurface consists primarily of clay, sandy clay, and clayey sand. The shallower soil (<34 ft bgs) is predominantly clay and sandy clay with thin lenses of clayey sand, while the deeper soil (>34 ft bgs) contains clayey sand units of apparently higher permeability than shallower materials. In March, April and May, 2006, Pangea installed fourteen monitoring wells to help define the vertical and lateral extent of groundwater contamination in the identified water-bearing zones. Wells with shorter screen lengths than existing wells were installed in the upper shallow (AA) zone from approximately 9 to 14 ft bgs (MW-7AA), the shallow (A) zone from approximately 15 to 20 ft bgs (MW-3A, MW-6A, MW-7A, MW-8A, MW-9A and MW-10A), the middle (B) zone from approximately 25 to 30 ft bgs (MW-6B and MW-7B), and the deep (C) zone from approximately 34 to 45 ft bgs (MW-6C, MW-7C, MW-9C, MW-10C and MW-11C). The well screen in

MW-3A was installed at a shallower depth than the other A-zone wells to intercept the SPH previously observed in destroyed well MW-3.

The shallower (AA, A and B) water-bearing zones primarily consist of thin lenses of clayey sand within sandy clay, while higher permeability silty sand and clayey sand are the predominant soil types constituting the deeper © water-bearing zone. Vapor wells VW-1 through VW-3 are screened from approximately 3 to 9 ft bgs in the upper shallow seasonal water-bearing zone, which appears to be a perched zone. In late March and early April 2006, wells EA-1, EA-2, EA-3 and MW-3 were destroyed to reduce the risk of vertical contaminant migration and improve the quality of contaminant concentration and groundwater elevation data. To compare the elevation of surface water in the flood control channel with site groundwater, point C-1 was surveyed on the roadway overpass above the channel. Well construction details are presented in Table 1.

An interim remedial action was conducted by Pangea in July 2006 by extracting approximately 40 gallons of impacted liquid from wells MW-3A and MW-7AA with a vacuum truck. In November 2007, Pangea conducted a five-day dual-phase extraction (DPE) test (and interim remediation event) to evaluate the effectiveness of DPE as remedial technique and to provide additional source removal. On December 9, 2008, Pangea submitted an *Interim Remediation Report and Corrective Action Plan* (CAP) describing DPE testing and proposing short-term dual phase extraction (DPE) as the most appropriate and cost-effective technique for site remediation. In a letter dated January 16, 2009, ACEH approved short-term DPE for additional source removal to help facilitate case closure.

In July 2009 Pangea installed two dual-phase extraction (DPE) wells to facilitate implementation of the approved corrective action plan (CAP). Wells DPE-1 and DPE-2 were constructed of 4-inch diameter and screened from 9 to 14 feet bgs. Details of the DPE well installation are described in Pangea's *Remediation Well Installation Report* dated December 16, 2009. To remediate the small, localized impact area, DPE was conducted between September 15, 2010 and November 15, 2010 until low contaminant removal rates were observed.

As of November 15, 2010, the DPE system operated for a total of about 1,189 hours (approximately 49.51 days). Laboratory analytical data indicates that the system removed a total of approximately 443 lbs TPHg and 3.8 lbs benzene in vapor phase, and 0.4 lbs TPHg, 0.01 lbs benzene and 0.25 lbs MTBE in aqueous phase.

The DPE system was shutdown on November 15, 2010 due to low contaminant removal rates, the small localized extent of site contamination, the commencement of the winter rainy season, and cost control. DPE operation was very costly due to the high energy costs, because PG&E could not timely provide electrical service before the rainy season and PG&E required very costly re-engineering of the existing system (\$20,000 or more). The utilized DPE equipment required diesel fuel and a diesel generator to powers the vacuum pump and required propane as supplementary fuel for the oxidizer.

## **GROUNDWATER MONITORING AND SAMPLING**

On February 21, 2011, groundwater monitoring and sampling was conducted at the site. The approved groundwater monitoring program is summarized on Table B in Appendix A. Groundwater samples were obtained from groundwater monitoring wells MW-1, MW-2, MW-3A, MW-4, MW-5, MW-6A, MW-6B, MW-7AA, MW-7A, MW-7B, MW-8A, MW-9A, MW-10A; remediation wells DPE-1 and DPE-2; and vadose wells VW-1, VW-2 and VW-3. The depth to water at survey point C-1 above the flood control channel was also measured. Monitoring and sampling of all deep monitoring wells (MW-6C, MW-7C, MW-9C, MW-10C and MW-11C) was discontinued beginning in the second quarter 2007, as approved by Barney Chan of ACEH in a May 14, 2007 telephone conversation, because no significant contamination had been detected in these deeper site wells during four consecutive quarters.

Before well purging, the dissolved oxygen (DO) concentration was measured in each sampled well. DO was measured by lowering a downwell sensor to the approximate middle of the water column, and allowing the reading to stabilize during gentle height adjustment. Prior to sample collection, approximately three casing volumes of water were purged using disposable bailers, a PVC bailer, an electric submersible pump, positive air displacement pump, or a peristaltic pump. During well purging, field technicians measured the pH, temperature and conductivity. Groundwater samples were collected from each well with a disposable bailer, and decanted into the appropriate containers supplied by the analytical laboratory. Groundwater samples were labeled, placed in protective plastic bags, and stored on crushed ice at or below 4° C. All samples were transported under chain-of-custody to a State-certified analytical laboratory. Purge water was temporarily stored onsite in DOT-approved 55-gallon drums. Groundwater monitoring field data sheets are presented in Appendix B.

## **MONITORING RESULTS**

Current and historical groundwater elevation data and analytical results are described below and summarized on Table 2. Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by modified EPA Method 8015C; and benzene, toluene, ethylbenzene, xylenes (BTEX), and methyl tertiary butyl ether (MTBE) by EPA Method 8021B. Samples were analyzed by McCampbell Analytical, Inc. of Pittsburg, California, a State-certified laboratory. The laboratory analytical report is included in Appendix B. DO concentrations ranged from 0.54 mg/L (well MW-7AA) to 1.25 mg/L (well VW-3).

### **Groundwater Flow Direction**

Based on depth-to-water data collected February 21, 2011 groundwater elevations in shallow and intermediate zones are shown on Figure 2 and discussed below. Due to anomalous results, wells MW-7A, MW-7AA and MW-10A were not used in groundwater flow direction calculations. Groundwater flow at the site is complex due to the combined effects of a generally upward gradient, the nearby creek/flood control channel, seasonal

fluctuations in flow direction, and possible influences of the city sewer line located beneath Dublin Boulevard.

**Vertical Gradient Evaluation:** A comparison of clustered well pairs screened at different depths indicates that a consistent *upward* gradient component of approximately 0.07 ft/ft is present between the shallow and intermediate water-bearing zones at the portion of the site north of the dispenser islands (MW-6A and 6B), and a larger *downward* gradient is present southwest of the dispenser islands (MW-7A and MW-7B), as shown below on Table A. A *downward* gradient appears to be present between the upper shallow, AA-zone vapor wells (VW-1, VW-2 and VW-3) and the shallow A-zone monitoring wells, although this apparent gradient may be due to *perched* groundwater.

**Table A – Vertical Gradient Evaluation using Paired Monitoring Wells**

Monitoring Well Pair	Groundwater Elevation	Mean Screen Depth	Calculated Vertical Gradient
MW-6A	322.02	17.5	
MW-6B	322.79	28	
<i>Difference</i>	<i>0.77</i>	<i>10.5</i>	<i>0.07 (upwards)</i>
MW-7A	322.34	18	
MW-7B	322.00	28	
<i>Difference</i>	<i>0.34</i>	<i>10</i>	<i>0.03 (downwards)</i>

**Horizontal Gradient Evaluation:** Depth-to-water measurements collected during prior monitoring events indicate that the horizontal component of the groundwater flow direction to the north of the site has been consistently *southward to southeastward* for the *shallow* wells, but gradient directions in the southern portion of the site have fluctuated significantly, possibly due to the influence of the nearby flood control channel. As shown on Figure 2, the horizontal component of the groundwater flow direction in the *shallow* wells at the site appears to flow towards the southeast in both the northern and southern portions of the site. The inferred groundwater flow direction this quarter is slightly different from previous results in that it does not appear to converge around the sanitary sewer line beneath Dublin Boulevard. The difference in flow direction compared to previous monitoring events may be due to near historic high groundwater elevations in most site wells. Groundwater flow at the site is possibly influenced by permeable backfill around the sanitary sewer line beneath Dublin Boulevard. The groundwater flow direction for the shallow water-bearing zone may also be affected by surface water infiltration from the onsite car wash. The horizontal component of groundwater flow in the *intermediate-depth* wells could not be determined since only two wells are screened at that depth.

**Conclusion:** The primary observation regarding the piezometric surface is that a moderately well-defined *upward* gradient is present in wells north of the dispenser islands. Historical depth-to-water and groundwater elevation data for the site are presented in Table 1.

### **Hydrocarbon Distribution in Groundwater**

Based on recent results, hydrocarbon contamination is concentrated in the upper shallow (AA) and shallow (A) water-bearing zones in the vicinity of the fuel dispensers, as shown in Table 2 and on Figure 2. *Historic low* hydrocarbon concentrations were observed this event in remediation well DPE-2, monitoring well MW-7AA, and vadose well VW-3. TPHg and benzene concentration trends in key wells are shown on Figures 3 and 4, respectively.

During this monitoring event, well MW-3A contained the highest TPHg (19,000 µg/L) and benzene (130 µg/L) concentrations. Monitoring wells MW-3A and MW-6A contained significantly higher TPHg and benzene concentrations compared to the August 12, 2010 results; the concentration increase this event in these wells is likely due to short-term DPE in late 2010. Pangea suspects that hydrocarbon concentrations in these wells will attenuate in the near future due to the decreased contaminant mass and the oxygenation provided by the DPE activities. A similar concentration rise and subsequent fall was observed in these wells after the November 2007 DPE testing.

No separate-phase hydrocarbons (SPH) were detected in site wells this quarter. SPH was previously detected in MW-3 and replacement well MW-3A, but has not been detected in MW-3A since May 2006, shortly after well installation. A brief interim remedial action conducted on July 7, 2006, and consisting of removal of approximately 40 gallons of impacted liquid from well MW-3A using a vacuum truck, may have improved site conditions near well MW-3A. Site conditions were also likely improved by the five-day DPE test/removal event conducted in November 2007 on source area wells MW-3A, MW-6A, MW-7A and MW-7AA. Hydrocarbon concentrations in wells MW-3A, MW-6A and MW-7A generally increased after the November 2007 DPE testing and then returned to near or below pre-test levels. Hydrocarbon concentrations generally show stable to decreasing trends in all site wells, although concentrations remain elevated in select source area wells (MW-3A and MW-6A).

### **Fuel Oxygenate Distribution in Groundwater**

MTBE was detected above reporting limits in seven of the eighteen sampled wells, as shown in Table 2 and on Figure 2. MTBE concentrations in sampled wells were at or near *historic lows*, except for source area well MW-3, where DPE activities have likely temporarily affected groundwater quality. MTBE concentration trends in key wells are shown on Figure 5.



## **OTHER SITE ACTIVITIES**

### **Post Remediation Verification Monitoring**

This report presents monitoring data from the *second* quarterly monitoring event since the completion of short term remediation at the site. Site remediation was described in detail in previous monitoring reports. Remediation was performed using a dual phase extraction (DPE) remediation system, which consisted of the simultaneous extraction of groundwater and soil vapor. Extraction was performed using a powerful vacuum pump and “stinger” (vacuum tube inserted below the water table) in wells DPE-1, DPE-2, MW-3A, VW-3, MW-6A, MW-7AA and MW-7A. The system operated for approximately two months (September to November 2010) before removal rates decreased and the winter rainy season commenced.

Pangea plans to continue *quarterly* groundwater monitoring of select wells to evaluate post-remediation conditions in five key wells (DPE-1, DPE-2, MW-3A, MW-6A and MW-7AA). To help control monitoring costs, Pangea proposes to reduce the groundwater monitoring frequency wells MW-1, MW-2 and MW-8A to annual (first quarter). The proposed groundwater monitoring program is shown in Appendix A. Pangea will summarize groundwater monitoring activities and results in a groundwater monitoring report.

### **Electronic Reporting**

The report, laboratory data, and other applicable information will be uploaded to the State Water Resource Control Board’s Geotracker database.

## **ATTACHMENTS**

Figure 1 – Site Location Map

Figure 2 – Groundwater Elevation Contour and Hydrocarbon Concentration Map – Shallow

Figure 3 – TPHg Concentration Trends in Key Wells

Figure 4 – Benzene Concentration Trends in Key Wells

Figure 5 – MTBE Concentration Trends in Key Wells


Table 1 – Well Construction Details

Table 2 – Groundwater Elevation and Analytical Data

Appendix A – Groundwater Monitoring Program

Appendix B – Groundwater Monitoring Field Data Sheets

Appendix C – Laboratory Analytical Results



SOURCE: TOPOI MAPS



SCALE : 1" = 1/4 MILE

Figure 1

Dublin Auto Wash  
 7240 Dublin Boulevard  
 Dublin, California



Site Location Map




Figure  
**2**




Figure 3. TPHg Concentration Trends in Key Wells




Figure 4. Benzene Concentration Trends in Key Wells




Figure 5. MTBE Concentration Trends in Key Wells

**Table 1 –Well Construction Details –7240 Dublin Blvd., Dublin, CA**

Well ID (TOC Elev)	Total Depth of Well (feet bgs)	Screened Interval (ft bgs)	Drill Hole Diameter (inches)	Casing Diameter (inches)	Surface Seal Depth (ft bgs)
DPE-1	14	9-14	10	4	0-8
DPE-2	14	9-14	10	4	0-8
MW-1	25	5-25	8	2	0-4
MW-2	20	5-20	8	2	0-4
MW-3A	17	10-17	10	4	0-9
MW-4	20	8.5-20	8	2	0-8
MW-5	21	8.5-21	8	2	0-8
MW-6A	20	15-20	10	4	0-14
MW-6B	30	26-30	8	2	0-25
MW-6C	44	34-44	8	2	0-33
MW-7AA	14	9-14	10	4	0-8
MW-7A	20	16-20	10	4	0-15
MW-7B	30	26-30	8	2	0-25
MW-7C	45	35-45	12	2	0-34
MW-8A	20	15-20	8	2	0-4
MW-9A	20	15-20	8	2	0-14
MW-9C	45	35-45	12	2	0-34
MW-10A	20	15-20	8	2	0-14
MW-10C	45	35-45	8	2	0-34
MW-11C	43.5	33.5-43.5	8	2	0-32
VW-1	9	3-9	8	2	0-2.5
VW-2	9	3-9	8	2	0-2.5
VW-3	9	3-9	8	2	0-2.5

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft, msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved	Notes
										Oxygen mg/L	
<b>Surface Water (Flood Control Channel)</b>											
<b>C-1</b> 332.89	08/17/06	11.60	321.29	--	--	--	--	--	--	--	Gauge data - flood control channel
	11/24/06	12.10	320.79	--	--	--	--	--	--	--	
	02/21/07	12.10	320.79	--	--	--	--	--	--	--	
	05/15/07	12.05	320.84	--	--	--	--	--	--	--	
	08/28/07	11.90	320.99	--	--	--	--	--	--	--	
	12/21/07	12.16	320.73	--	--	--	--	--	--	--	
	02/26/08	12.21	320.68	--	--	--	--	--	--	--	
	05/21/08	12.40	320.49	--	--	--	--	--	--	--	
	08/13/08	11.95	320.94	--	--	--	--	--	--	--	
	11/13/08	12.40	320.49	--	--	--	--	--	--	--	
	02/06/09	12.02	320.87	--	--	--	--	--	--	--	
	05/28/09	11.98	320.91	--	--	--	--	--	--	--	
	08/13/09	12.01	320.88	--	--	--	--	--	--	--	
	11/24/09	11.92	320.97	--	--	--	--	--	--	--	
	02/11/10	11.95	320.94	--	--	--	--	--	--	--	
	06/04/10	11.98	320.91	--	--	--	--	--	--	--	
	08/12/10	11.94	320.95	--	--	--	--	--	--	--	
	11/30/10	11.68	321.21	--	--	--	--	--	--	--	
02/21/11	10.27	322.62	--	--	--	--	--	--	--		
<b>Upper Shallow (AA-Zone) Wells</b>											
<b>DPE-1</b> 331.01	08/13/09	10.55	--	25,000	240	160	530	3,900	2,000	--	
	08/12/10	10.20	--	7,900	150	17	110	1,000	1,500	1.12	
	11/30/10	10.47	320.54	760	18	1.6	25	87	460	0.97	
	02/21/11	9.91	321.10	1,100	29	1.1	5.3	97	540	0.73	
<b>DPE-2</b> 331.42	08/13/09	11.06	--	6,600	8.8	<2.5	<2.5	710	28	--	
	08/12/10	10.49	--	680	6.1	4.7	<0.5	1.4	38	1.74	
	11/30/10	10.63	320.79	210	3.5	1.7	0.70	1.8	<25	1.40	
	02/21/11	9.83	321.59	<50	<0.5	<0.5	<0.5	<0.5	8.0	1.12	
<b>MW-7AA</b> 330.67	05/31/06	9.18	321.49	12,000	1,000	410	180	1,600	23,000 (21,000)	0.44	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.15	321.52	--	--	--	--	--	--	--	
	08/17/06	8.75	321.92	25,000	2,200	210	780	1,400	36,000(42,000)	0.24	
	11/24/06	9.84	320.83	27,000	3,400	1,100	1,300	3,400	37,000	0.33	
	02/21/07	9.60	321.07	18,000	2,400	670	200	2,800	41,000	0.58	
	05/15/07	10.20	320.47	11,000	1,500	200	520	1,100	47,000	0.49	
	08/28/07	10.20	320.47	4,500	720	13	73	100	18,000	0.33	
	12/21/07	10.09	320.58	3,700	550	32	74	330	12,000	0.58	
	02/26/08	8.96	321.71	5,400	970	7.2	320	100	15,000	0.74	
	05/21/08	10.28	320.39	22,000	2,700	19	940	440	28,000	0.71	
	08/13/08	10.38	320.29	3,900	510	<5.0	150	42	15,000	0.77	
	11/13/08	10.35	320.32	8,000	1,100	20	290	280	19,000	0.80	
	02/06/09	10.31	320.36	11,000	1,200	37	500	800	13,000	0.79	
	05/28/09	10.05	320.62	7,600	1,100	34	390	870	6,100	0.73	
	08/13/09	10.15	320.52	3,200	690	5.4	54	92	10,000	0.87	
	11/24/09	10.06	320.61	2,300	390	7.2	50	150	3,600	0.81	
02/11/10	9.56	321.11	4,300	670	9.0	73	240	6,100	0.64		
06/04/10	9.51	321.16	1,700	330	3.7	<1.7	120	4,200	0.61		
08/12/10	9.63	321.04	1,600	400	3.0	50	7.0	3,100	0.70		
11/30/10	9.70	320.97	290	38	0.95	6.1	19	360	0.89		
02/21/11	8.57	322.10	230	22	<0.5	<0.5	7.2	380	0.54		
<b>VW-1</b> 330.43	02/21/06	7.95	322.48	860	120	1.4	32	4.4	390 (440)	1.97	TAME=12μg/L, TBA,DIPE,ETBE=ND
	06/01/06	7.89	322.54	1,100	92	2.2	11	1.4	600 (550)	0.11	
	07/07/06	7.71	322.72	--	--	--	--	--	--	--	
	08/17/06	7.65	322.78	--	--	--	--	--	--	0.07	
	11/24/06	7.75	322.68	--	--	Insufficient Water to Sample			--	0.48	
	02/21/07	7.81	322.62	620	52	4.3	<0.5	2.7	340	0.22	
	05/15/07	7.94	322.49	2,000	270	6.4	1.2	15	720	0.10	
	08/28/07	8.07	322.36	2,400	400	4.6	<0.5	23	610	0.27	
	12/21/07	8.20	322.23	--	--	Insufficient Water to Sample			--	--	
	02/26/08	8.20	322.23	--	--	Insufficient Water to Sample			--	--	
	05/21/08	8.21	322.22	--	--	Insufficient Water to Sample			--	--	
	08/13/08	8.27	322.16	--	--	Insufficient Water to Sample			--	--	
	11/13/08	5.97	324.46	<50	<0.5	<0.5	<0.5	<0.5	46	1.10	
	02/06/09	6.04	324.39	<50	<0.5	<0.5	<0.5	<0.5	80	0.97	



**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved	Notes	
										Oxygen		
											mg/L	
<i>VW-1 (cont'd)</i>												
	05/28/09	6.30	324.13	--	--	--	--	--	--	--	--	
	08/13/09	6.61	323.82	--	--	--	--	--	--	--	--	
	11/24/09	6.99	323.44	--	--	--	--	--	--	--	--	
	02/11/10	7.30	323.13	<50	<0.5	<0.5	<0.5	<0.5	29	1.16		
	06/04/10	6.00	324.43	---	---	---	---	---	---	---		
	08/12/10	6.30	324.13	---	---	---	---	---	---	---		
	11/30/10	6.95	323.48	---	---	---	---	---	---	---		
	<b>02/21/11</b>	<b>7.25</b>	<b>323.18</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>15</b>	<b>0.93</b>		
<i>VW-2 330.17</i>												
	02/21/06	6.01	324.16	1,600	150	2.7	55	20	1,700 (1,600)	1.97		
	06/01/06	6.17	324.00	1,500	140	3.3	24	19	1,600 (1,600)	0.29	TAME, TBA, DIPE, ETBE=ND	
	07/07/06	7.02	323.15	--	--	--	--	--	--	--		
	08/17/06	7.23	322.94	--	--	--	--	--	--	0.14		
	11/24/06	5.55	324.62	<50	5.7	<0.5	<0.5	<0.5	260	0.20		
	02/21/07	6.22	323.95	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.42		
	05/15/07	7.54	322.63	430	40	1.5	<0.5	1.0	470	0.28		
	08/28/07	7.82	322.35	1,200	170	5.0	<0.5	20	160	0.35		
	12/21/07	4.44	325.73	<50	<0.5	<0.5	<0.5	<0.5	100	0.70		
	02/26/08	4.56	325.61	<50	<0.5	<0.5	<0.5	<0.5	21	0.75		
	05/21/08	7.65	322.52	300	28	1.7	<0.5	0.97	<45	0.71		
	08/13/08	7.92	322.25	Insufficient Water to Sample							1.58	
	11/13/08	5.96	324.21	<50	8.0	<0.5	<0.5	<0.5	53	0.97		
	02/06/09	6.06	324.11	<50	<0.5	<0.5	<0.5	<0.5	38	0.95		
	05/28/09	6.90	323.27	--	--	--	--	--	--	--		
	08/13/09	7.52	322.65	--	--	--	--	--	--	--		
	11/24/09	6.28	323.89	--	--	--	--	--	--	--		
	02/11/10	5.65	324.52	<50	<0.5	<0.5	<0.5	<0.5	39	0.91		
	06/04/10	5.72	324.45	---	---	---	---	---	---	---		
	08/12/10	1.50	328.67	---	---	---	---	---	---	---		
	11/30/10	2.46	327.71	---	---	---	---	---	---	---		
	<b>02/21/11</b>	<b>4.06</b>	<b>326.11</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>1.03</b>		
<i>VW-3 330.49</i>												
	02/21/06	6.10	324.39	8,900	390	29	490	650	<50	2.28		
	06/01/06	6.22	324.27	5,900	230	4.5	270	63	<35 (15)	0.21	TAME, TBA, DIPE, ETBE=ND	
	07/07/06	4.44	326.05	--	--	--	--	--	--	--		
	08/17/06	4.40*	326.09	4,200	120	1.7	39	30	<25	0.10		
	11/24/06	6.15	324.34	7,600	310	9.9	270	420	<50	0.21		
	02/21/07	6.87	323.62	8,800	260	5.1	130	160	<90	0.29		
	05/15/07	7.13	323.36	5,600	270	6.9	110	110	<90	0.36		
	08/28/07	7.41	323.08	10,000	320	5.9	150	140	84	0.39		
	12/21/07	6.28	324.21	3,900	140	1.9	54	29	<50	0.66		
	02/26/08	6.09	324.40	5,600	270	4.5	68	130	<90	0.69		
	05/21/08	6.46	324.03	3,800	210	3.0	32	47	56	0.77		
	08/13/08	6.93	323.56	9,300	400	4.8	87	60	100	0.59		
	11/13/08	7.45	323.04	13,000	600	9.6	220	120	170	2.79		
	02/06/09	7.41	323.08	9,400	300	9.1	140	230	<150	2.16		
	05/28/09	5.93	324.56	--	--	--	--	--	--	--		
	08/13/09	6.40	324.09	--	--	--	--	--	--	--		
	11/24/09	6.75	323.74	--	--	--	--	--	--	--		
	02/11/10	6.08	324.41	4300	280	3.7	52	80	<120	1.77		
	06/04/10	6.41	324.08	---	---	---	---	---	---	---		
	08/12/10	6.51	323.98	---	---	---	---	---	---	---		
	11/30/10	8.22	322.27	---	---	---	---	---	---	---		
	<b>02/21/11</b>	<b>7.45</b>	<b>323.04</b>	<b>650</b>	<b>2.0</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>87</b>	<b>160</b>	<b>1.25</b>		

**Shallow (A-Zone) Wells**

<i>MW-1 333.66</i>												
	10/04/94	12.8	320.76	2,100	150	170	61	320	--			
	11/30/94	12.38	321.18	1,500	210	17	73	130	--			
	03/02/95	12.88	320.68	2,600	510	<10	160	<10	--			
	06/07/95	12.58	320.98	710	160	<2.0	45	<2.0	<10			
	09/26/95	13.15	320.41	1,100	140	1.4	92	1.8	<5.0			
	12/28/95	13.09	320.47	750	96	2.5	61	7.4	37			
	02/29/96	12.17	321.39	250	17	<0.5	18	0.81	9			
	06/27/96	12.95	320.61	710	72	<2.0	92	2.2	<10			
	09/12/96	13.11	320.55	300	53	<0.5	32	0.65	21			
	03/31/97	12.99	320.67	<200	4.1	<2.0	4.8	<2.0	640			
	12/23/98	13.87	319.79	<50	<50	<0.5	<0.5	<0.5	3200			
	03/25/99	12.01	321.65	<50	<0.5	<0.5	<0.5	<0.5	5,200 (5,200)			
	02/03/00	11.91	321.75	<500	<5.0	<5.0	<5.0	<5.0	3,180 (3,350)			
	01/23/01	12.57	321.09	<50.0	<0.5	<0.5	<0.5	<0.5	4,420			
	05/01/01	12.6	321.06	SAMPLED SEMI-ANNUALLY								
	08/28/01	12.74	320.92	<50	<0.5	<0.5	<0.5	<0.5	4,800			
	11/27/01	12.7	320.96	SAMPLED SEMI-ANNUALLY								

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID	Date	Depth	Groundwater	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved	Notes
										Oxygen	
TOC Elev	Sampled	to Water	Elevation							mg/L	
(ft)		(ft)	(ft, msl)				µg/L				
MW-1 (cont'd)	02/28/02	12.7	320.96	<50	<0.5	<0.5	<0.5	<1.5	1,400		
	05/22/02	12.38	321.28				SAMPLED SEMI-ANNUALLY				
333.69	08/20/02	12.57	321.09	<50	<0.5	<0.5	<0.5	<1.5	1,400		
	11/11/02	11.31	322.35				SAMPLED SEMI-ANNUALLY				
333.69	05/08/03	11.85	321.81	<50	<0.5	<0.5	<0.5	<0.5	1,300 (1,200)		
	12/15/04	12.80	320.86	<50	<0.5	<0.5	<0.5	<0.5	1,700 (1,900)		
	02/21/05	11.81	321.85	<100	<1.0	<1.0	<1.0	<1.0	3,000 (3,800)	0.82	
	05/17/05	12.51	321.15	<120	<1.2	<1.2	<1.2	<1.2	3,400 (4,400)	0.75	
	08/17/05	12.35	321.31	<170	<1.7	<1.7	<1.7	<1.7	4,500 (4,900)	0.77	
	11/27/05	13.18	320.48	<170	<1.7	<1.7	<1.7	<1.7	5,400 (4,400)	0.90	
	02/21/06	12.61	321.05	<170	<1.7	<1.7	<1.7	<1.7	5,000 (5,400)	0.29/0.71	
	06/01/06	12.47	321.22	<250	<2.5	<2.5	<2.5	<2.5	6,400 (6,300)	0.46	TAME, TBA, DIPE, ETBE=ND
	07/07/06	12.60	321.09	--	--	--	--	--	--	--	
	08/17/06	11.93	321.76	<250	<2.5	<2.5	<2.5	<2.5	7,700 (9,100)	0.43	
	11/24/06	13.01	320.68	<250	<2.5	<2.5	<2.5	<2.5	8,400	0.29	
	02/21/07	12.91	320.78	<50	<0.5	<0.5	<0.5	<0.5	3,600	0.24	
	05/15/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	2,500	0.29	
	08/28/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	170	0.40	
	12/21/07	13.40	320.29	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.68	
	02/26/08	12.60	321.09	<50	<0.5	<0.5	<0.5	<0.5	7.0	0.86	
	05/21/08	13.45	320.24	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.94	
	08/13/08	13.37	320.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.91	
	11/13/08	13.50	320.19	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.94	
	02/06/09	13.67	320.02	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.87	
	05/28/09	13.25	320.44	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.71	
	08/13/09	13.26	320.43	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.77	
	11/24/09	13.28	320.41	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.80	
	02/11/10	13.04	320.65	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.81	
	06/04/10	12.93	320.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.94	
	08/12/10	12.80	320.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.77	
	11/30/10	13.08	320.61	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.72	
	<b>02/21/11</b>	<b>12.38</b>	<b>321.31</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.91</b>	
MW-2	10/04/94	8.56	320.62	2300	160	280	96	480	--		
	329.29	11/30/94	8.33	320.85	1,600	170	16	110	120	--	
329.48	03/02/95	8.35	320.83	1,200	220	5.6	140	36	--		
	06/07/95	8.62	320.56	160	25	<0.5	16	<0.5	240		
	09/26/95	8.71	320.47	150	15	<0.5	7.2	<0.5	120		
	12/28/95	8.78	320.4	400	34	1.3	26	5.1	170		
	02/29/96	7.82	321.36	120	29	<0.5	<0.5	<0.5	790		
	06/27/96	8.72	320.46	150	13	<0.5	7	<0.5	850		
	09/12/96	8.81	320.48	<1,000	18	<10	<10	<10	3,100		
	03/31/97	8.65	320.64	<500	<5.0	<5.0	<5.0	<5.0	1,400		
	12/23/98	8.32	320.97	<50	<0.5	<0.5	<0.5	<1.5	900		
	03/25/99	7.89	321.4	<50	2.6	<0.5	<0.5	<0.5	1,100 (670)		
	02/03/00	7.53	321.76	<125	<1.25	<1.25	<1.25	<1.25	1,020 (1,100)		
	01/23/01	8.18	321.11	<50.0	<0.5	<0.5	<0.5	<0.5	642		
	05/01/01	8.43	320.86	70.8	<0.5	<0.5	<0.5	<0.5	342		
	08/28/01	8.39	320.9	<50	<0.5	<0.5	<0.5	<0.5	530		
	11/27/01	8.46	320.83	210	<0.5	<0.5	<0.5	<1.5	260		
	02/28/02	8.48	320.81	<50	<0.5	<0.5	<0.5	<1.5	180		
	05/22/02	8.14	321.15	<50	<0.5	<0.5	<0.5	<1.5	180		
	08/20/02	8.24	321.05	<50	<0.5	<0.5	<0.5	<1.5	160		
	11/11/02	8.06	321.23	<50	<0.5	<0.5	<0.5	<1.5	130		
	05/08/03	7.86	321.43	<50	<0.5	<0.5	<0.5	<0.5	180 (160)		
	12/15/04	8.60	320.69	<50	<0.5	<0.5	<0.5	<0.5	1,400 (1,600)		
	02/21/05	7.55	321.74	<50	<0.5	<0.5	<0.5	<0.5	800 (1,100)	1.35	
	05/17/05	8.52	320.77	<50	<0.5	<0.5	<0.5	<0.5	160 (210)	1.06	
	08/17/05	8.16	321.13	<50	<0.5	<0.5	<0.5	<0.5	190 (210)	0.90	
	11/27/05	9.00	320.29	<50	<0.5	<0.5	<0.5	<0.5	200 (210)	0.92	
	02/21/06	8.51	320.78	<50	<0.5	<0.5	<0.5	<0.5	240 (270)	0.33/0.46	
	06/01/06	8.50	320.98	<50	<0.5	<0.5	<0.5	<0.5	120 (110)	0.38	TAME, TBA, DIPE, ETBE=ND
07/07/06	8.57	320.91	--	--	--	--	--	--	--		
08/17/06	8.21	321.27	<50	<0.5	<0.5	<0.5	<0.5	230(230)	0.30		
11/24/06	8.87	320.61	<50	<0.5	<0.5	<0.5	<0.5	760	0.24		
02/21/07	8.80	320.68	<50	<0.5	<0.5	<0.5	<0.5	1,100	0.21		
05/15/07	8.94	320.54	<50	<0.5	<0.5	<0.5	<0.5	1,400	0.25		
08/28/07	8.83	320.65	<50	<0.5	<0.5	<0.5	<0.5	1,800	0.33		
12/21/07	8.93	320.55	<50	<0.5	<0.5	<0.5	<0.5	1,700	0.49		
02/26/08	8.49	320.99	<50	<0.5	<0.5	<0.5	<0.5	590	0.51		
05/21/08	9.06	320.42	<50	<0.5	<0.5	<0.5	<0.5	230	0.67		
08/13/08	8.89	320.59	<50	<0.5	<0.5	<0.5	<0.5	190	0.77		
11/13/08	9.16	320.32	<50	<0.5	<0.5	<0.5	<0.5	77	0.86		
02/06/09	9.39	320.09	<50	<0.5	<0.5	<0.5	<0.5	20	0.81		

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved	Notes	
										Oxygen mg/L		
MW-2 (cont'd)	05/28/09	8.86	320.62	<50	<0.5	<0.5	<0.5	<0.5	12	0.74		
	08/13/09	8.81	320.67	<50	<0.5	<0.5	<0.5	<0.5	10	0.69		
	11/24/09	9.04	320.44	<50	<0.5	<0.5	<0.5	<0.5	13	0.80		
	02/11/10	7.50	321.98	<50	<0.5	<0.5	<0.5	<0.5	7.8	0.76		
	06/04/10	8.80	320.68	<50	<0.5	<0.5	<0.5	<0.5	6.5	0.82		
	08/12/10	8.61	320.87	<50	<0.5	<0.5	<0.5	<0.5	8.0	0.85		
	11/30/10	8.99	320.49	<50	<0.5	<0.5	<0.5	<0.5	6.8	0.93		
	<b>02/21/11</b>	<b>8.46</b>	<b>321.02</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>7.5</b>	<b>0.95</b>		
	MW-3A 331.39	05/29/06	10.13	321.28	--	--	--	--	--	--	--	0.03 SPH
		07/07/06	10.15	321.24	4,200	340	27	75	79	32,000	--	
08/17/06		9.56	321.83	6,200	410	68	100	650	28,000(34,000)	0.19		
11/24/06		10.73	320.66	2,100	190	11	72	220	7,900	0.10		
02/21/07		10.52	320.87	7,100	890	28	440	470	8,400	0.17		
05/15/07		11.46	319.93	1,800	210	11	96	88	3,500	0.25		
08/28/07		11.62	319.77	1,900	260	6.9	110	74	3,400	0.28		
12/21/07		11.33	320.06	4,700	570	160	120	970	2,800	0.54		
02/26/08		10.25	321.14	7,200	550	32	440	690	1,800	0.49		
05/21/08		11.52	319.87	1,600	130	2.9	40	94	700	0.55		
08/13/08		11.62	319.77	2,900	280	3.4	52	56	1,300	0.52		
11/13/08		11.55	319.84	1,200	150	3.5	22	31	1,100	0.64		
02/06/09		11.70	319.69	5,800	780	25	260	390	1,600	0.69		
05/28/09		11.30	320.09	1,500	200	9.0	57	190	500	0.70		
08/13/09		11.40	319.99	1,900	240	6.3	29	72	940	0.81		
11/24/09		11.22	320.17	970	98	5.2	25	41	360	0.79		
02/11/10		10.87	320.52	2,100	330	8.6	27	34	1,200	0.72		
06/04/10		10.60	320.79	2,300	250	31	40	330	800	0.69		
08/12/10	10.75	320.64	1,800	260	9.2	50	120	730	0.63			
11/30/10	10.61	320.78	23,000	490	140	220	5,800	4,800	0.80			
<b>02/21/11</b>	<b>9.59</b>	<b>321.80</b>	<b>19,000</b>	<b>430</b>	<b>33</b>	<b>160</b>	<b>3,500</b>	<b>4,000</b>	<b>0.74</b>			
MW-4 332.63	03/01/96	9.9	322.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	04/02/96	9.77	322.87	--	--	--	--	--	--			
	06/27/96	10	322.64	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	09/12/96	11.67	320.96	<50	<0.5	<0.5	<0.5	<0.5	3.5			
	03/31/97	10.59	322.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	12/23/98	10.37	322.26	<50	<0.5	<0.5	<0.5	<1.5	<2.5			
	03/25/99	9.91	322.72	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
	02/03/00	10.32	322.31	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 (3)			
	01/23/01	10.54	322.09	<50	<0.5	<0.5	<0.5	<0.5	<5.0			
	05/01/01	10.32	322.31				SAMPLED ANNUALLY					
	08/28/01	10.57	322.06				SAMPLED ANNUALLY					
	11/27/01	10.29	322.34				SAMPLED ANNUALLY					
	02/28/02	10.3	322.33	<50	<0.5	<0.5	<0.5	<1.5	<2.5			
	05/22/02	10.12	322.51				SAMPLED ANNUALLY					
	08/20/02	10.43	322.2				SAMPLED ANNUALLY					
	11/11/02	9.89	322.74				SAMPLED ANNUALLY					
	05/08/03	9.79	322.84	<50	<0.5	<0.5	<0.5	<0.5	<2			
	12/15/04	10.56	322.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0			
	02/21/05	9.50	323.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (<0.5)	1.60		
	05/17/05	10.20	322.43				SAMPLED ANNUALLY			1.29		
	08/17/05	10.50	322.13				SAMPLED ANNUALLY			1.10		
	11/27/05	11.07	321.56				SAMPLED ANNUALLY			1.01		
	02/21/06	10.53	322.10	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.14/0.90		
	332.64	05/29/06	10.33	322.31				SAMPLED ANNUALLY			--	
		07/07/06	10.52	322.12	--	--	--	--	--	--	--	
		08/17/06	10.45	322.19	--	--	--	--	--	--	--	
		11/24/06	10.95	321.69	--	--	--	--	--	--	0.22	
		02/21/07	10.71	321.93	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.40	
		05/15/07	11.24	321.40	--	--	--	--	--	--	--	
		08/28/07	11.42	321.22	--	--	--	--	--	--	0.52	
		12/21/07	11.26	321.38	--	--	--	--	--	--	0.81	
		02/26/08	10.12	322.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.06	
		05/21/08	11.30	321.34	--	--	--	--	--	--	0.98	
08/13/08		11.23	321.41	--	--	--	--	--	--	0.71		
11/13/08		10.93	321.71	--	--	--	--	--	--	--		
02/06/09		10.98	321.66	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.67		
05/28/09		10.96	321.68	--	--	--	--	--	--	--		
08/13/09		11.23	321.41	--	--	--	--	--	--	--		
11/24/09		11.15	321.49	--	--	--	--	--	--	--		
02/11/10		10.17	322.47	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.69		
06/04/10	10.52	322.12	--	--	--	--	--	--	--			
08/12/10	10.72	321.92	--	--	--	--	--	--	--			
11/30/10	10.75	321.89	--	--	--	--	--	--	--			
<b>02/21/11</b>	<b>9.29</b>	<b>323.35</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.61</b>		

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft, msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved	Notes
										Oxygen mg/L	
<b>MW-5</b> 333.47	03/01/96	10.62	322.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	04/02/96	10.14	323.06	--	--	--	--	--	--		
	06/27/96	10.22	322.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	09/12/96	10.85	322.19	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	03/31/97	10.44	322.6	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	12/23/98	10.21	322.83	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	03/25/99	9.92	323.12	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
	02/03/00	9.63	323.41	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.03		
	01/23/01	10.35	322.69	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	05/01/01	10.34	322.7								SAMPLED ANNUALLY
	08/28/01	10.44	322.6								SAMPLED ANNUALLY
	11/27/01	10.17	322.87								SAMPLED ANNUALLY
	02/28/02	10.2	322.84	<50	<0.5	<0.5	<0.5	<1.5	<2.5		
	05/22/02	10.38	322.66								SAMPLED ANNUALLY
	08/20/02	10.36	322.68								SAMPLED ANNUALLY
	11/11/02	10.03	323.01								SAMPLED ANNUALLY
	05/08/03	9.56	323.48	<50	<0.5	<0.5	<0.5	<0.5	3.4/<0.5		
	12/15/04	10.08	322.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0		
	02/21/05	9.90	323.14	<50	<0.5	<0.5	<0.5	<0.5	<5.0 (0.54)	1.62	
	05/17/05	10.33	322.71							1.47	
	08/17/05	10.40	322.64							1.18	
333.13	11/27/05	10.43	322.61							1.19	
	02/21/06	10.32	322.81	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.48/0.76	
	05/29/06	10.41	322.72							--	
	07/07/06	10.46	322.67	--	--	--	--	--	--	--	
	08/17/06	10.49	324.19	--	--	--	--	--	--	--	
	11/24/06	10.92	322.21	--	--	--	--	--	--	--	0.27
	02/21/07	10.90	322.23	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.73	
	05/15/07	10.97	322.16	--	--	--	--	--	--	--	
	08/28/07	11.07	322.06	--	--	--	--	--	--	0.55	
	12/21/07	10.80	322.33	--	--	--	--	--	--	0.97	
	02/26/08	10.38	322.75	<50	<0.5	<0.5	<0.5	<0.5	<5.0	1.01	
	05/21/08	10.97	322.16	--	--	--	--	--	--	0.95	
	08/13/08	10.98	322.15	--	--	--	--	--	--	0.99	
	11/13/08	11.01	322.12	--	--	--	--	--	--	--	
	02/06/09	11.05	322.08	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.82	
	05/28/09	10.80	322.33	--	--	--	--	--	--	--	
	08/13/09	10.90	322.23	--	--	--	--	--	--	--	
	11/24/09	10.96	322.17	--	--	--	--	--	--	--	
	02/11/10	10.50	322.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.80	
	06/04/10	10.68	322.45	--	--	--	--	--	--	--	
	08/12/10	10.61	322.52	--	--	--	--	--	--	--	
	11/30/10	10.68	322.45	--	--	--	--	--	--	--	
	<b>02/21/11</b>	<b>10.35</b>	<b>322.78</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.78</b>	
<b>MW-6A</b> 331.81	06/01/06	10.38	321.43	620	20	<2.5	<2.5	43	5,700 (5,300)	0.73	TAME, TBA, DIPE, ETBE=ND
	07/07/06	10.15	321.66	--	--	--	--	--	--	--	
	08/17/06	9.69	322.12	860	55	3.1	31	41	5,300(6,200)	0.49	
	11/24/06	11.10	320.71	330	14	<2.5	11	3.4	5,500	0.37	
	02/21/07	10.72	321.09	360	13	1.8	16	34	4,400	0.50	
	05/15/07	11.69	320.12	<500	40	5.3	11	16	7,300	0.52	
	08/28/07	11.98	319.83	<250	<2.5	<2.5	<2.5	<2.5	7,300	0.39	
	12/21/07	11.31	320.50	4,400	200	45	50	550	3,500	0.45	
	02/26/08	10.15	321.66	6,800	740	130	290	600	330	0.61	
	05/21/08	11.60	320.21	1,900	150	8.1	44	100	88	0.63	
	08/13/08	11.91	319.90	1,200	84	3.7	36	18	<75	0.42	
	11/13/08	11.73	320.08	150	15	1.4	3.0	4.2	35	0.44	
	02/06/09	11.66	320.15	550	100	9.3	22	34	<90	0.48	
	05/28/09	11.45	320.36	600	98	14	21	42	48	0.55	
	08/13/09	11.49	320.32	79	1.6	1.5	0.66	0.76	9.4	0.69	
	11/24/09	11.15	320.66	240	21	3.7	5.8	20	<20	0.72	
	02/11/10	10.80	321.01	2,400	370	65	47	320	<100	0.55	
	06/04/10	10.44	321.37	2,800	500	85	87	500	<100	0.68	
	08/12/10	10.65	321.16	4,000	240	39	160	770	<50	0.72	
	11/30/10	10.69	321.12	22,000	640	210	940	4,300	<250	0.89	
	<b>02/21/11</b>	<b>9.79</b>	<b>322.02</b>	<b>8,100</b>	<b>330</b>	<b>93</b>	<b>340</b>	<b>1,700</b>	<b>&lt;35</b>	<b>0.62</b>	
<b>MW-7A</b> 330.71	05/31/06	9.19	321.52	<50	1.3	<0.5	0.79	0.82	760 (770)	0.40	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.17	321.54	--	--	--	--	--	--	--	
	08/17/06	8.68	322.03	60	1.1	<0.5	<0.5	1.1	930 (1,400)	0.29	
	11/24/06	9.88	320.83	<50	<0.5	<0.5	<0.5	<0.5	260	0.20	
	02/21/07	9.59	321.12	<50	4.6	<0.5	0.62	2.2	270	0.35	
	05/15/07	10.15	320.56	<50	<0.5	<0.5	<0.5	<0.5	45	0.40	
	08/28/07	10.09	320.62	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.42	
	12/21/07	10.00	320.71	3,200	180	38	100	410	890	0.68	
	02/26/08	8.78	321.93	1,300	150	1.8	59	99	410	0.90	
	05/21/08	10.16	320.55	200	18	<0.5	3.3	<0.5	30	0.75	

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved	Notes	
										Oxygen mg/L		
MW-7A (cont'd)	08/13/08	10.27	320.44	<50	<0.5	<0.5	<0.5	<0.5	24	0.81		
	11/13/08	10.27	320.44	<50	<0.5	<0.5	<0.5	<0.5	30	0.85		
	02/06/09	10.22	320.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.83		
	05/28/09	9.91	320.80	--	--	--	--	--	--	--		
	08/13/09	9.98	320.73	--	--	--	--	--	--	--		
	11/24/09	9.93	320.78	--	--	--	--	--	--	--		
	02/11/10	9.39	321.32	360	75	0.83	4.8	62	200	0.90		
	06/04/10	9.43	321.28	---	---	---	---	---	---	---		
	08/12/10	9.50	321.21	---	---	---	---	---	---	---		
	11/30/10	9.73	320.98	---	---	---	---	---	---	---		
	<b>02/21/11</b>	<b>8.37</b>	<b>322.34</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.87</b>	
	MW-8A 331.19	05/29/06	9.55	321.64	<50	<0.5	<0.5	<0.5	<0.5	20 (18)	0.39	TAME, TBA, DIPE, ETBE=ND
		07/07/06	9.20	321.99	--	--	--	--	--	--	--	
		08/17/06	8.73	322.46	<50	<0.5	<0.5	<0.5	<0.5	19 (26)	0.26	
11/24/06		9.80	321.39	<50	<0.5	<0.5	<0.5	<0.5	34	0.21		
02/21/07		9.81	321.38	<50	<0.5	<0.5	<0.5	<0.5	16	0.29		
05/15/07		10.05	321.14	<50	<0.5	<0.5	<0.5	<0.5	13	0.33		
08/28/07		9.83	321.36	<50	<0.5	<0.5	<0.5	<0.5	19	0.35		
12/21/07		10.36	320.83	<50	<0.5	<0.5	<0.5	<0.5	16	0.61		
02/26/08		8.33	322.86	<50	<0.5	<0.5	<0.5	<0.5	38	0.77		
05/21/08		9.99	321.20	<50	<0.5	<0.5	<0.5	<0.5	13	0.81		
08/13/08		10.49	320.70	<50	<0.5	<0.5	<0.5	<0.5	68	0.65		
11/13/08		10.39	320.80	<50	<0.5	<0.5	<0.5	<0.5	110	0.68		
02/06/09		10.42	320.77	<50	<0.5	<0.5	<0.5	<0.5	75	0.70		
05/28/09		9.90	321.29	<50	<0.5	<0.5	<0.5	<0.5	36	0.66		
08/13/09		9.78	321.41	<50	<0.5	<0.5	<0.5	<0.5	68	0.74		
11/24/09		9.76	321.43	<50	<0.5	<0.5	<0.5	<0.5	66	0.71		
<b>02/11/10</b>		<b>9.33</b>	<b>321.86</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>56</b>	<b>0.63</b>		
06/04/10	8.95	322.24	<50	<0.5	<0.5	<0.5	<0.5	30	0.69			
08/12/10	9.24	321.95	<50	<0.5	<0.5	<0.5	<0.5	28	0.75			
11/30/10	13.19	318.00	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.69			
<b>02/21/11</b>	<b>12.65</b>	<b>318.54</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.68</b>			
MW-9A 331.17	05/29/06	10.13	321.04	<50	<0.5	<0.5	<0.5	<0.5	210 (210)	0.46	TAME, TBA, DIPE, ETBE=ND	
	07/07/06	9.96	321.21	--	--	--	--	--	--	--		
	08/17/06	9.40	321.77	150	<0.5	1.3	<0.5	<0.5	79(100)	0.53		
	11/24/06	11.02	320.15	200	<0.5	2.4	<0.5	<0.5	31	0.38		
	02/21/07	10.53	320.64	<50	<0.5	<0.5	<0.5	<0.5	21	0.33		
	05/15/07	10.81	320.36	86	<0.5	<0.5	<0.5	<0.5	31	0.45		
	08/28/07	11.11	320.06	95	<0.5	1.4	<0.5	<0.5	10	0.38		
	12/21/07	10.76	320.41	120	<0.5	2.9	<0.5	0.51	9.5	0.50		
	02/26/08	9.71	321.46	120	<0.5	1.2	<0.5	<0.5	9.5	0.86		
	05/21/08	10.75	320.42	86	<0.5	<0.5	<0.5	<0.5	6.3	0.84		
	08/13/08	11.31	319.86	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.76		
	11/13/08	11.14	320.03	52	<0.5	<0.5	<0.5	<0.5	5.5	0.63		
	02/06/09	11.16	320.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.61		
	05/28/09	10.75	320.42	--	--	--	--	--	--	--		
	08/13/09	10.65	320.52	--	--	--	--	--	--	--		
	11/24/09	10.48	320.69	--	--	--	--	--	--	--		
	02/11/10	10.16	321.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.63		
	06/04/10	9.80	321.37	---	---	---	---	---	---	---		
	08/12/10	10.08	321.09	---	---	---	---	---	---	---		
11/30/10	10.10	321.07	---	---	---	---	---	---	---			
<b>02/21/11</b>	<b>9.45</b>	<b>321.72</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.73</b>		
MW-10A 329.93	05/29/06	11.60	318.33	<50	<0.5	<0.5	<0.5	0.67	5.3 (4.7)	0.68	TAME, TBA, DIPE, ETBE=ND	
	07/07/06	9.78	320.15	--	--	--	--	--	--	--		
	08/17/06	8.80	321.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.47		
	11/24/06	12.61	317.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.26		
	02/21/07	8.96	320.97	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.25		
	05/15/07	9.22	320.71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.30		
	08/28/07	8.44	321.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.35		
	12/21/07	8.81	321.12	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.47		
	02/26/08	7.34	322.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.70		
	05/21/08	9.22	320.71	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.64		
	08/13/08	9.25	320.68	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.61		
	11/13/08	9.47	320.46	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.70		
	02/06/09	9.50	320.43	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.68		
	05/28/09	9.11	320.82	--	--	--	--	--	--	--		
	08/13/09	9.21	320.72	--	--	--	--	--	--	--		
	11/24/09	9.26	320.67	--	--	--	--	--	--	--		
	02/11/10	8.35	321.58	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.64		
	06/04/10	8.73	321.20	---	---	---	---	---	---	---		
	08/12/10	8.85	321.08	---	---	---	---	---	---	---		
	11/30/10	9.02	320.91	---	---	---	---	---	---	---		
<b>02/21/11</b>	<b>7.78</b>	<b>322.15</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.70</b>			

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved	Notes
										Oxygen	
											mg/L
<b>Intermediate-Depth (B-zone) Wells</b>											
<b>MW-6B</b> 330.9	06/01/06	8.41	322.49	<50	<0.5	<0.5	<0.5	<0.5	18 (16)	0.34	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.55	322.35	--	--	--	--	--	--	--	
	08/17/06	8.66	322.24	<50	<0.5	<0.5	<0.5	<0.5	8.5(9.6)	0.40	
	11/24/06	9.25	321.65	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
	02/21/07	8.80	322.10	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.37	
	05/15/07	9.21	321.69	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
	08/28/07	9.60	321.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	12/21/07	9.42	321.48	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.82	
	02/26/08	7.87	323.03	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.80	
	05/21/08	9.37	321.53	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.87	
	08/13/08	9.70	321.20	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.81	
	11/13/08	9.62	321.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.78	
	02/06/09	9.53	321.37	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.71	
	05/28/09	9.23	321.67	--	--	--	--	--	--	--	
	08/13/09	9.63	321.27	--	--	--	--	--	--	--	
	11/24/09	9.63	321.27	--	--	--	--	--	--	--	
	02/11/10	8.41	322.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.68	
	06/04/10	8.72	322.18	---	---	---	---	---	---	---	
	08/12/10	9.10	321.80	---	---	---	---	---	---	---	
11/30/10	9.02	321.88	---	---	---	---	---	---	---		
<b>02/21/11</b>	<b>8.11</b>	<b>322.79</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.66</b>		
<b>MW-7B</b> 330.69	05/31/06	9.05	321.64	<50	0.79	<0.5	<0.5	0.75	6.4 (6.6)	0.17	TAME, TBA, DIPE, ETBE=ND
	07/07/06	9.03	321.66	--	--	--	--	--	--	--	
	08/17/06	8.62	322.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	9.75	320.94	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.27	
	02/21/07	9.44	321.25	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	
	02/21/07	9.44	321.25	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	
	05/15/07	9.97	320.72	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	08/28/07	9.96	320.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	12/21/07	9.87	320.82	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.53	
	02/26/08	8.64	322.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.59	
	05/21/08	10.05	320.64	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.56	
	08/13/08	10.17	320.52	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51	
	11/13/08	10.15	320.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.53	
	02/06/09	10.18	320.51	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.55	
	05/28/09	9.80	320.89	--	--	--	--	--	--	--	
	08/13/09	9.89	320.80	--	--	--	--	--	--	--	
	11/24/09	9.85	320.84	--	--	--	--	--	--	--	
	02/11/10	9.24	321.45	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.81	
	06/04/10	9.35	321.34	---	---	---	---	---	---	---	
08/12/10	9.37	321.32	---	---	---	---	---	---	---		
11/30/10	9.80	320.89	---	---	---	---	---	---	---		
<b>02/21/11</b>	<b>8.69</b>	<b>322.00</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	<b>0.85</b>		
<b>Deep (C-Zone) Wells</b>											
<b>MW-6C</b> 330.88	06/01/06	8.21	322.67	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.29	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.41	322.47	--	--	--	--	--	--	--	
	08/17/06	8.56	322.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
	11/24/06	9.12	321.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	
	02/21/07	8.62	322.26	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
<b>MW-7C</b> 330.74	05/31/06	8.65	322.09	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.12	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.70	322.04	--	--	--	--	--	--	--	
	08/17/06	8.52	322.22	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.17	
	11/24/06	9.42	321.32	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.19	
	02/21/07	9.01	321.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.31	
<b>MW-9C</b> 331.48	05/29/06	16.59	314.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	TAME, TBA, DIPE, ETBE=ND
	07/07/06	8.85	322.63	--	--	--	--	--	--	--	
	08/17/06	9.20	322.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.21	
	11/24/06	9.61	321.87	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	02/21/07	8.94	322.54	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.46	
<b>MW-10C</b> 329.66	05/29/06	7.28	322.38	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.16	TAME, TBA, DIPE, ETBE=ND
	07/07/06	7.28	322.38	--	--	--	--	--	--	--	
	08/17/06	7.29	322.37	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	10.75	318.91	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.33	
	02/21/07	7.69	321.97	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.39	

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Dissolved	Notes
										Oxygen	
										mg/L	
<b>MW-11C</b> 331.61	05/31/06	9.90	321.71	<50	<0.5	<0.5	<0.5	<0.5	11 (11)	0.29	TAME, TBA, DIPE, ETBE=ND
	07/07/06	10.02	321.59	--	--	--	--	--	--	--	
	08/17/06	9.60	322.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.22	
	11/24/06	10.60	321.01	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.28	
	02/21/07	10.30	321.31	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.43	

**Destroyed Wells**

<b>MW-3</b> 332.86	10/04/94	12.06	320.67	6,300	610	750	68	670	--		
	11/30/94	11.38	321.35	17	3,600	490	430	610	--		
	03/02/95	11.97	320.76	8,500	2,200	<50	240	<50	64,000		
	06/07/95	11.54	321.19	3,000	710	18	220	44	3,100		
	09/26/95	12.36	320.37	<10,000	230	<100	130	<100	64,000		
	12/28/95	12.07	320.66	<12,500	760	<125	<125	<125	100,000		
	02/29/96	11.01	321.72	1,600	380	<10	84	17	33,000		
	06/27/96	11.93	320.8	1,400	<2.5	4.3	130	4	96,000		
	09/12/96	12.26	320.6	<10,000	560	<100	110	<100	100,000		
	03/31/97	12.04	320.82	<25,000	1,200	370	<250	380	130,000		
	12/23/98	12.92	319.94	--	--	--	--	--	--		0.1' SPH; 0.079 gal SPH removed
	03/25/99	12.56	320.3	--	--	--	--	--	--		0.05' SPH; 0.05 gal SPH removed
	02/03/00	11.12	321.74	92,100	4,780	11,400	2,270	15,800	137,000 (162,000)		
	1/23/2001	11.78	321.08	60,600	4,810	7,500	1,870	11,000	148,000		Absorbent sock in well
	5/1/2001	10.66	322.2	56,000	3,760	5,640	<2,500	8,740	136,000		Absorbent sock in well
	8/28/2001	11.79	321.07	32,000	3,800	2,600	1,200	7,500	160,000		Absorbent sock in well
	11/27/2001	11.98	320.88	110,000	1,300	2,400	1,500	9,400	90,000		Absorbent sock removed
	02/28/02	11.81	321.05	24,000	1,900	820	520	3,100	90,000		
	05/22/02	11.6	321.26	110,000	4,000	3,200	2,800	18,000	140,000		
	08/20/02	11.81	321.05	37,000	2,600	1,500	890	4,800	110,000		
	11/11/02	11.63	321.23	81,000	2,900	2,100	2,100	14,000	110,000		
	05/08/03	10.91	321.95	5,700	770	69	130	365	76,000 (70,000)		
	12/15/04	11.97	320.89	33,000	1,700	430	1,300	7,000	70,000 (89,000)		
	02/21/05	10.81	322.06	--	--	--	--	--	--	1.29	0.01 SPH
05/17/05	11.63	321.29	--	--	--	--	--	--	1.06	0.08 SPH	
08/17/05	10.83	322.03	39,000	1,500	260	780	2,700	42,000 (47,000)	0.93		
11/27/05	12.29	320.72	--	--	--	--	--	--	--	0.19 SPH	
02/21/06	11.73	321.28	--	--	--	--	--	--	--	0.19 SPH	
03/30/06	--	--	--	--	<b>Well Destroyed</b>			--	--	--	Well Destroyed

<b>EA-1</b> 331.21	10/17/88	--	--	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/88	10.64	322.77	--	--	--	--	--	--		
	11/02/88	10.69	322.72	--	--	--	--	--	--		
	12/20/88	10.51	322.9	<50	<0.5	<0.5	<0.5	<0.5	--		
	03/28/89	9.87	323.54	<250	<0.5	<0.5	<0.5	<0.5	--		
	08/02/89	10.34	323.07	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	10.65	322.76	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	10.6	322.81	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	10.58	322.83	71	2	5	3	8	--		
	08/01/90	10.88	322.53	300	86	21	10	33	--		
	10/24/91	11.12	322.29	280	69	13	11	16	--		
	01/31/91	11.16	322.25	460	160	11	17	17	--		
	08/21/91	10.8	322.61	2,400	400	220	44	120	--		
	08/21/91	10.8	322.61	2,300	390	210	42	120	--		Duplicate
	10/07/91	10.79	322.62	--	--	--	--	--	--		
	01/28/92	10.79	322.62	3,600	320	360	110	310	--		
	01/28/92	10.79	322.62	3,000	290	320	99	270	--		Duplicate
	06/05/92	10.84	322.57	1,700	290	89	61	130	--		
	09/30/92	11.06	322.35	2,100	160	260	80	350	--		
	12/30/92	10.15	323.26	3,200	240	180	110	310	--		
	03/29/93	9.42	323.99	23,000	700	3,000	610	3,000	--		
	06/25/93	10.42	322.99	2.7	130	590	130	590	--		
	09/16/93	10.66	322.75	3.9	410	830	220	890	--		
	12/20/93	10.6	322.81	27	1,200	2,600	1,100	4,200	--		
	03/29/94	10.41	323	6.3	250	700	200	830	--		
	06/22/94	10.4	323.01	4.1	71	240	110	460	<30		
	09/20/94	10.37	323.04	8,500	1,200	1,300	370	1,400	--		
	10/04/94	10.34	323.07	7,600	97	360	150	620	--		
	11/30/94	9.46	323.95	8,800	180	490	240	900	--		
	03/02/95	9.96	321.07	6.9	82	570	210	970	--		
	06/15/95	9.8	321.23	4.8	44	210	160	620	<25		
	09/26/95	10.48	320.55	13,000	150	620	370	1,400	<125		
12/28/95	10.14	320.89	11,000	74	250	200	750	79			
02/29/96	8.74	322.29	17,000	59	480	350	1,600	<125			
06/27/96	10.21	320.82	3,600	22	130	130	49	46			
09/12/96	10.49	320.72	2,000	20	<10	18	44	<50			
03/31/97	10.19	321.02	17,000	87	230	330	1,200	310			
12/23/98	9.83	321.38	290	20	0.88	1.1	16	<2.5			

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved	Notes	
										Oxygen mg/L		
EA-1 (cont'd)	03/25/99	9.13	322.08	500	21	<0.5	21	<0.5	18			
	02/03/00	9.05	322.16	2,310	35.7	90	21.8	147	1,280 (365)			
	01/23/01	--	--	--	--	--	--	--	--		Inaccessible	
	05/01/01	9.82	321.39	7,710	19.9	12.6	22.3	64	31.8			
	08/28/01	10.04	321.17	4,800	69	<25	50	140	160			
	11/27/01	10.05	321.16	5,300	25	<5.0	30	120	<20			
	02/28/02	--	--	--	--	--	--	--	--		Inaccessible	
	05/22/02	9.05	322.16	110	<1.0	<0.50	1	<1.5	<2.5			
	08/20/02	9.21	322	410	2.6	<0.50	8.5	29	<5.0			
	11/11/02	9.01	322.2	3,800	<0.50	1.3	17	47	<5.0			
	05/08/03	8.23	322.98	1,700	11	0.97	63	161	<2.0			
	12/15/04	--	--	--	--	--	--	--	--		Inaccessible	
	02/21/05	--	--	--	--	--	--	--	--		Inaccessible	
	05/17/05	--	--	--	--	--	--	--	--		Inaccessible	
	08/17/05	--	--	--	--	--	--	--	--		Inaccessible	
	11/27/05	--	--	--	--	--	--	--	--		Inaccessible	
	02/21/06	--	--	--	--	--	--	--	--		Inaccessible	
	03/31/06	--	--	--	--	Well Destroyed			--	--	--	Well Destroyed
	EA-2 330.41	10/17/88	--	--	<50	<0.5	<0.5	<0.5	1.2	--		
		10/24/88	9.7	322.89	--	--	--	--	--	--		
11/02/88		10.03	322.56	--	--	--	--	--	--			
12/20/88		9.98	322.61	<50	<0.5	<0.5	<0.5	<0.5	--			
03/28/89		8.8	323.79	<250	<2	<0.5	<0.5	<0.5	--			
08/02/89		9.44	323.15	<50	<0.1	<0.1	<0.1	<0.1	--			
11/06/89		9.53	323.06	<500	<3.0	<5.0	<5.0	<5.0	--			
01/25/90		9.27	323.32	<50	<0.5	<0.5	<0.5	<0.5	--			
04/23/90		9.35	323.24	<50	0.6	0.8	<0.5	2	--			
08/01/90		9.71	322.88	<50	<0.5	<0.5	<0.5	<0.5	--			
10/24/90		10.08	322.51	<50	<0.5	<0.5	<0.5	<0.5	--			
01/31/91		10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--			
01/31/91		10.21	322.38	<50	<0.5	<0.5	<0.5	<0.5	--		Duplicate	
08/21/91		9.8	322.79	<50	<0.5	<0.5	<0.5	<0.5	--			
10/07/91		9.98	322.61	--	--	--	--	--	--			
01/28/92		9.81	322.78	<50	0.8	<0.5	<0.5	<0.5	--			
06/05/92		9.86	322.73	<50	<0.5	<0.5	<0.5	<0.5	--			
09/30/92		10.6	321.99	66	1	3.2	1.3	7.4	--			
12/30/92		9.11	323.48	<50	<0.5	<0.5	<0.5	<0.5	--			
03/29/93		7.73	324.86	<50	<0.5	<0.5	<0.5	<1.5	--			
06/25/93		9.22	323.37	<50	<0.5	<0.5	<0.5	<1.5	--			
09/16/93		10	322.59	<50	<0.5	<0.5	<0.5	<1.5	--			
12/20/93		9.38	323.21	<50	<0.5	<0.5	<0.5	<0.5	--			
03/29/94		9.3	323.29	<50	<0.5	0.6	<0.5	<0.5	--			
06/22/94		9.49	323.1	<50	<0.5	<0.5	<0.5	<0.5	--			
09/26/94		9.72	322.87	<50	<0.5	<0.5	<0.5	<0.5	--			
10/04/94		9.58	323.01	<50	<0.5	<0.5	<0.5	<0.5	--			
11/30/94		8.7	323.89	<50	<0.5	<0.5	<0.5	<0.5	--			
03/02/95		8.54	321.67	<50	<0.5	<0.5	<0.5	<0.5	--			
06/07/95		8.42	321.79	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
09/26/95		9.34	320.87	540	6.8	<0.5	47	29	13			
12/28/95		8.84	321.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
02/29/96		7.44	322.77	<50	<0.5	<0.5	<0.5	1.5	<2.5			
06/27/96	8.83	321.38	<50	<0.5	<0.5	<0.5	<0.5	<2.5				
09/12/96	9.4	321.01	<50	<0.5	<0.5	<0.5	<0.5	<2.5				
03/31/97	9.11	321.3	<50	<0.5	<0.5	<0.5	<0.5	<2.5				
12/23/98	8.91	321.5	<50	<0.5	<0.5	<0.5	<0.5	<2.5				
03/25/99	8.1	322.31	<50	<0.5	<0.5	<0.5	<0.5	2.7				
02/03/00	8.36	322.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5 (<2.0)				
01/23/01	9.08	321.33	441 (1)	1.27	0.542	40.3	31	72.9				
05/01/01	8.87	321.54	--	--	SAMPLED ANNUALLY			--				
08/28/01	9.45	320.96	--	--	SAMPLED ANNUALLY			--				
11/27/01	9.5	320.91	--	--	SAMPLED ANNUALLY			--				
02/28/02	9.05	321.36	<50	<0.50	<0.50	<0.5	<1.5	74				
05/22/02	9.04	321.37	--	--	SAMPLED ANNUALLY			--				
08/20/02	9	321.41	--	--	SAMPLED ANNUALLY			--				
11/11/02	9.03	321.38	--	--	SAMPLED ANNUALLY			--				
05/08/03	7.26	323.15	<50	<0.5	<0.5	<0.5	<0.5	2.2/0.9				
12/15/04	8.96	321.45	<50	<0.5	<0.5	<0.5	<0.5	<5.0				
02/21/05	7.20	323.21	<50	<0.5	<0.5	<0.5	<0.5	13 (11)	0.64			
05/17/05	8.21	322.20	--	--	SAMPLED ANNUALLY			--	0.77			
08/17/05	7.97	322.44	--	--	SAMPLED ANNUALLY			--	0.85			
11/27/05	9.83	320.58	--	--	SAMPLED ANNUALLY			--	0.84			
02/21/06	8.78	321.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0	0.51/0.68			
03/28/06	--	--	--	--	Well Destroyed			--	--	--	Well Destroyed	



**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID TOC Elev (ft)	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft. msl)	TPHg	Benzene	Toluene	Ethylbenzene μg/L	Xylenes	MTBE	Dissolved Oxygen mg/L	Notes
EA-3 331.5	10/17/88	--	--	<50	1.8	<0.5	<0.5	3	--		
	10/24/88	11.03	322.61	--	--	--	--	--	--		
	11/02/88	11.03	322.61	--	--	--	--	--	--		
	12/20/88	10.96	322.68	240	90	1.2	13	3.3	--		
	03/28/89	9.77	323.87	2,300	380	130	240	910	--		
	08/02/89	10.65	322.99	<50	<0.1	<0.1	<0.1	<0.1	--		
	11/06/89	10.78	322.86	<500	<3.0	<5.0	<5.0	<5.0	--		
	01/25/90	10.66	322.98	<50	<0.5	<0.5	<0.5	<0.5	--		
	04/23/90	10.68	322.96	<50	0.8	<0.5	0.9	<0.5	--		
	08/01/90	11.03	322.61	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/24/90	11.35	322.29	<50	<0.5	<0.5	<0.5	<0.5	--		
	01/31/91	11.52	322.12	<50	<0.5	<0.5	<0.5	<0.5	--		
	08/21/91	--	--	--	--	--	--	--	--		
	10/07/91	11.15	322.49	180	40	20	4.7	8.4	--		
	10/7/1991	--	--	200	43	17	4.1	6.7	--		Duplicate
	01/28/92	11.08	322.56	640	69	85	13	46	--		
	06/05/92	10.98	322.66	250	63	8.3	3	9.5	--		
	09/30/92	11.38	322.26	330	120	33	6.3	22	--		
	12/30/92	10.48	323.16	58	7.6	1.3	2.5	5.4	--		
	03/29/93	9.3	324.34	120	11	4.5	6.2	13	--		
	06/25/93	10.46	323.18	<50	<0.5	<0.5	<0.5	<1.5	--		
	09/16/93	10.9	322.74	85	3.9	8.8	4.5	22	--		
	12/20/93	10.66	322.98	190	12	12	13	50	--		
	03/29/94	10.5	323.14	<50	<0.5	1.2	<0.5	0.9	--		
	06/22/94	10.64	323	<50	<0.5	<0.5	<0.5	<0.5	<3.0		
	09/26/94	10.72	322.92	<50	<0.5	<0.5	<0.5	<0.5	--		
	10/04/94	10.68	322.96	<50	<0.5	<0.5	<0.5	0.7	--		
	11/30/94	9.66	323.98	170	6.1	3	6.5	28	--		
	03/02/95	9.92	321.38	<50	<0.5	<0.5	<0.5	<0.5	--		
	06/07/95	9.72	321.58	<50	<0.5	<0.5	<0.5	<0.5	3.2		
	09/26/95	10.6	320.7	2,000	140	<5.0	<5.0	190	280		
	12/28/95	9.82	321.48	<50	<0.5	<0.5	<0.5	<0.5	26		
	02/29/96	8.28	323.02	<50	2.1	<0.5	2.5	6	31		
06/27/96	9.91	321.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5			
09/12/96	10.59	320.91	13,000	<20	<20	<20	<20	48			
03/31/97	--	--	--	--	--	--	--	--		Inaccessible	
04/15/97	10.25	321.25	<125	2	<1.2	<1.2	<1.2	680			
12/23/98	--	--	--	--	--	--	--	--		Inaccessible	
03/25/99	--	--	--	--	--	--	--	--		Inaccessible	
02/03/00	--	--	--	--	--	--	--	--		Inaccessible	
01/23/01	10.31	321.19	862 (1)	3.97	1.15	18.9	48.6	289			
05/01/01	10.15	321.35			SAMPLED SEMI-ANNUALLY						
08/28/01	10.56	320.94	<50	<0.5	<0.5	<0.5	<0.5	37			
11/27/01	10.65	320.85			SAMPLED SEMI-ANNUALLY						
02/28/02	10.37	321.13	<50	1.3	<0.50	2	1.8	90			
05/22/02	10.27	321.23			SAMPLED SEMI-ANNUALLY						
08/20/02	10.3	321.2	<50	<0.50	<0.50	<0.50	<1.5	40			
11/11/02	9.05	322.45			SAMPLED SEMI-ANNUALLY						
05/08/03	8.83	322.67	<50	<0.5	<0.5	<0.5	<0.5	39/37			
12/15/04	10.39	321.11	<50	<0.5	<0.5	<0.5	<0.5	18 (17)			
02/21/05	8.80	322.70	<50	<0.5	<0.5	2.3	1.4	180 (290)	0.69		
05/17/05	9.57	321.93	140	0.68	<0.5	6.6	0.94	250 (340)	0.86		
08/17/05	9.23	322.27	3,800	11	3.7	110	24	200 (200)	0.99		
11/27/05	11.05	320.45	150	<0.5	1.8	2.4	0.56	88 (85)	0.81		
02/21/06	10.10	321.40	83	<0.5	0.72	1.7	<0.5	40 (49)	0.38/0.65		
04/03/06	--	--	--	--	Well Destroyed		--	--	--	Well Destroyed	

**Grab Groundwater Analytical Data**

SB-1A-W	05/18/06	11.20	NA	170	1.5	1.5	1.2	5.9	570 (500)	--	TAME=90μg/L, TBA,DIPE,ETBE=ND
DPB-1	05/01/03	16-20	NA	12,000	25	440	440	2,180	8,100	--	
DPB-2	04/22/03	NA	NA	710	1.1	<1	18	74	540	--	
DPB-3	04/17/03	16-20	NA	48,000	400	5,800	1,500	9,500	8,900	--	
DPB-3	04/17/03	27-31	NA	62,000	700	9,900	1,300	7,900	4,200	--	
DPB-3	04/17/03	39-43	NA	27,000	210	3,200	640	4,100	7,700	--	
DPB-4	04/17/03	32-36	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-5	04/30/03	7-11	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-5	04/17/03	11-15	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-5	04/30/03	26-30	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-6	04/17/03	36-40	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-6	04/18/03	15-19	NA	7,700	18	77	170	640	5.9	--	
DPB-6	04/18/03	26-30	NA	4,700	21	76	160	650	6.2	--	
DPB-6	04/18/03	35-39	NA	2,900	8.8	24	54	249	100	--	
DPB-7	04/18/03	15-19	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
DPB-7	04/18/03	20-24	NA	7,000	42	640	190	990	300	--	
DPB-7	04/18/03	35-39	NA	150	<0.5	1.8	0.8	5.7	<0.5	--	

# Pangea

**Table 2. Groundwater Elevation and Analytical Data - Dublin Auto Wash, 7240 Dublin Boulevard, Dublin, CA**

Well ID <i>TOC Elev</i> <i>(ft)</i>	Date Sampled	Depth to Water (ft)	Groundwater Elevation (ft, msl)	TPHg	Benzene	Toluene	µg/L			Dissolved Oxygen mg/L	Notes
							Ethylbenzene	Xylenes	MTBE		
<b>DPB-8</b>	05/01/03	NA	NA	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	
<b>DPB-S</b>	04/18/03	14-18	NA	20,000	<170	<170	380	6,600	53,000	--	
	04/18/03	26-30	NA	1,500	7.1	<3.1	7.4	170	760	--	
	04/18/03	35-39	NA	4,300	<63	<63	<63	910	42,000	--	

**ABBREVIATIONS AND NOTES:**

SPH = Separate-phase hydrocarbons; calculated groundwater elevation corrected for SPH by the relation: Groundwater Elevation = Well Elevation - Depth to Water +(0.8xSPH Thickness)

Groundwater monitoring data and laboratory analytical results prior to December 14, 2004, were scanned from a report by SOMA.

(ft) = Feet

(msl) = Mean sea level

*TOC Elev. (ft)* = Top of casing elevation

µg/L = Micrograms per liter - approximately equal to parts per billion = ppb

mg/L = Milligrams per liter - approximately equal to parts per million = ppm

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015C

BTEX = Benzene, toluene, ethylbenzene, and xylenes by EPA Method 8020/8021.

MTBE = Methyl tertiary butyl ether by EPA Method 8020/8021. (Concentrations in parentheses are by EPA Method 8260B).

1,2-DCA = 1,2-Dichloroethane

TAME = Tertiary amyl methyl ether by EPA Method 8260B

TBA = Tertiary butyl alcohol by EPA Method 8260B

DIPE = Diisopropyl ether by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether by EPA Method 8260B

-- = Not Measured/Not Analyzed

1 Laboratory report indicates weathered gasoline C6-C12

Dissolved oxygen concentrations measured downhole pre-purge or pre-purge/post-purge

\* = Cap loose, sprinkler runoff entering well

## **APPENDIX A**

### Groundwater Monitoring Program

**Table A - Quarterly Groundwater Monitoring Program - Post Remediation**

7240 Dublin Boulevard, Dublin, CA

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency <sup>1,2</sup>
<b>Surface Water</b>						
C-1*	Gauging Point	--	W, Flood Control Channel	--	Q	---
<b>Upper Shallow AA-Zone Wells</b>						
DPE-1	DPE	9-14	W Intermediate	4	Q	Q
DPE-2	DPE	9-14	W Intermediate	4	Q	Q
MW-7AA	Mon (Proposed DPE)	9-14	Source	4	Q	Q
VW-1	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
VW-2	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
VW-3	Mon+SVE (Proposed DPE)	3-9	Source	2	Q	1st
<b>Shallow A-Zone Wells</b>						
MW-1	Mon	5-25	W, Adjacent SS	2	Q	1st
MW-2	Mon	5-20	W, Adjacent Flood Channel	2	Q	1st
MW-3A	Mon (Proposed DPE)	10-17	N Source, Adjacent SS	4	Q	Q
MW-4	Mon	8.5-20	NW Upgradient, Offsite	2	Q	1st
MW-5	Mon	8.5-21	W Upgradient, Offsite	2	Q	1st
MW-6A	Mon (Proposed DPE)	15-20	N Source, Adjacent SS	4	Q	Q
MW-7A	Mon (Proposed DPE)	16-20	Source	4	Q	1st
MW-8A	Mon	15-20	S, Adjacent Building	2	Q	1st
MW-9A	Mon	15-20	NE Perimeter	2	Q	1st
MW-10A	Mon	15-20	S Perimeter	2	Q	1st
<b>Intermediate Depth B-Zone Wells</b>						
MW-6B	Mon	26-30	N Source, Adjacent SS	2	Q	1st
DW-7B	Mon	26-30	Source	2	Q	1st
<b>Deep C-Zone Wells</b>						
MW-6C	Mon	34-44	N Source, Adjacent SS	2	---	---
MW-7C	Mon	35-45	Source	2	---	---
MW-9C	Mon	35-45	NE Perimeter	2	---	---
MW-10C	Mon	35-45	S Perimeter	2	---	---
MW-11C	Mon	33.5-43.5	W Intermediate	2	---	---

Notes and Abbreviations:

**1 = Summary: 6 wells sampled each quarter, 16 wells sampled 1st quarter. 5 C-zone wells not sampled.**

**2 = Sample Analytes: Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B.**

Q = All four quarters. Typically B months (February, May, August, November)

1st = 1st quarter only, typically February

Mon = Groundwater Monitoring Only

SVE = Soil Vapor Extraction

DPE = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

SS = Sanitary Sewer beneath Dublin Blvd

\* = Surface water level gauging point, not a well.

-- = Not gauged or sampled.

**Table B. Semi-Annual Groundwater Monitoring Program - 7240 Dublin Boulevard, Dublin, CA**

Well ID	Well Type	Screened Interval (ft bgs)	Well Location for Monitoring	Casing Diam. (in)	Gauge Frequency	Sample Frequency <sup>1,2</sup>
<b>Surface Water</b>						
C-1*	Gauging Point	--	W, Flood Control Channel	--	1st, 3rd	---
<b>Upper Shallow AA-Zone Wells</b>						
DPE-1	DPE	9-14	W Intermediate	4	1st, 3rd	1st, 3rd
DPE-2	DPE	9-14	W Intermediate	4	1st, 3rd	1st, 3rd
MW-7AA	Mon (Proposed DPE)	9-14	Source	4	1st, 3rd	1st, 3rd
VW-1	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
VW-2	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
VW-3	Mon+SVE (Proposed DPE)	3-9	Source	2	1st, 3rd	1st
<b>Shallow A-Zone Wells</b>						
MW-1	Mon	5-25	W, Adjacent SS	2	1st, 3rd	1st, 3rd
MW-2	Mon	5-20	W, Adjacent Flood Channel	2	1st, 3rd	1st, 3rd
MW-3A	Mon (Proposed DPE)	10-17	N Source, Adjacent SS	4	1st, 3rd	1st, 3rd
MW-4	Mon	8.5-20	NW Upgradient, Offsite	2	1st, 3rd	1st
MW-5	Mon	8.5-21	W Upgradient, Offsite	2	1st, 3rd	1st
MW-6A	Mon (Proposed DPE)	15-20	N Source, Adjacent SS	4	1st, 3rd	1st, 3rd
MW-7A	Mon (Proposed DPE)	16-20	Source	4	1st, 3rd	1st
MW-8A	Mon	15-20	S, Adjacent Building	2	1st, 3rd	1st, 3rd
MW-9A	Mon	15-20	NE Perimeter	2	1st, 3rd	1st
MW-10A	Mon	15-20	S Perimeter	2	1st, 3rd	1st
<b>Intermediate Depth B-Zone Wells</b>						
MW-6B	Mon	26-30	N Source, Adjacent SS	2	1st, 3rd	1st
DW-7B	Mon	26-30	Source	2	1st, 3rd	1st
<b>Deep C-Zone Wells</b>						
MW-6C	Mon	34-44	N Source, Adjacent SS	2	---	---
MW-7C	Mon	35-45	Source	2	---	---
MW-9C	Mon	35-45	NE Perimeter	2	---	---
MW-10C	Mon	35-45	S Perimeter	2	---	---
MW-11C	Mon	33.5-43.5	W Intermediate	2	---	---

Notes and Abbreviations:

**1 = Summary: 6 wells sampled 3rd quarter, 16 wells sampled 1st quarter. 5 C-zone wells not sampled.**

**2 = Sample Analytes: Total Petroleum Hydrocarbons as Gasoline (TPHg), benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8015Cm/8021B.**

1st = 1st quarter, typically February

3rd = 3rd quarter, typically November

Mon = Groundwater Monitoring Only

SVE = Soil Vapor Extraction

DPE = Dual Phase Extraction

N, S, W, E = Cardinal directions North, South, West, East and other directions (e.g., Northeast = NE)

SS = Sanitary Sewer beneath Dublin Blvd



\* = Surface water level gauging point, not a well.

-- = Not gauged or sampled.

## **APPENDIX B**

Groundwater Monitoring Field Data Sheets

Well Gauging Data Sheet

Project.Task #:1001.001			226		Project Name: Dublin Car Wash			
Address: 7420 Dublin Boulevard, Dublin, CA					Date: 2/21/11			
Name: Sanjiv Gill				Signature: 				
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point	
- MW-1	2	5:28			12.38	25.32	TOC	
- MW-2	2	5:31			8.46	20.00		
- MW-3A	4	6:17			9.59	16.78		
- MW-4	2	5:21			9.29	19.78		
- MW-5	2	5:24			10.35	20.56		
- MW-6A	2	6:20			9.79	19.13		
- MW-6B	2	5:40			8.11	29.73		
- MW-7AA	4	6:30			8.57	13.84		
- MW-7A	4	6:25			8.37	19.53		
- MW-7B	2	5:50			8.69	28.42		
- MW-8A	2	5:47			12.65	19.01		

Comments:

---




---



---

Well Gauging Data Sheet

Project Task #: 1001.001				Project Name: Dublin Car Wash			
Address: 7420 Dublin Boulevard, Dublin, CA						Date: 2/21/11	
Name: Sanjiv Gill				Signature: 			
Well ID	Well Size (in.)	Time	Depth to Immiscible Liquid (ft)	Thickness of Immiscible Liquid (ft)	Depth to Water (ft)	Total Depth (ft)	Measuring Point
- MLH9A	2	5:36			9.45	19.66	TOC
- MLH10A	2	5:44			7.78	19.51	
- VW-1	2	5:53			7.25	8.40	
- VW-2	2	5:57			4.06	8.30	
- VW-3	2	6:00			7.45	8.40	
- C-1	—	6:05			10.27	—	TOG
- DPE-1	4	6:12			9.91	13.80	TOC
- DPE-2	4	6:08			9.83	13.80	*

Comments:

---



---



---



---



## MONITORING FIELD DATA SHEET

Well ID: MW-1

Project Task #: 1001.001 Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: 2/21/11 Weather: ~~Clear~~ Clear

Well Diameter: 2" Volume/ft. 

1" = 0.04	3" = 0.37	6" = 1.47
2" = 0.16	4" = 0.65	radius <sup>2</sup> = 0.163

Total Depth (TD): 25.32 Depth to Product:

Depth to Water (DTW): 12.38 Product Thickness:

Water Column Height: 12.94 1 Casing Volume: 2.07 gallons

Reference Point: TOC 3 Casing Volumes: 6.21 gallons

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastatic Pump, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp (°C)	pH	Cond (µe)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<u>2:35</u>	<u>15.1</u>	<u>7.19</u>	<u>1275</u>				<u>2.0</u>	
<u>2:40</u>	<u>15.2</u>	<u>7.24</u>	<u>1292</u>				<u>4.0</u>	
<u>2:45</u>	<u>15.5</u>	<u>7.18</u>	<u>1294</u>				<u>6.0</u>	

Comments: YSI 550A DO meter pre purge DO = 0.91 mg/l

post purge DO = mg/l

turbid

Sample ID: MW-1 Sample Time: 2:50

Laboratory: McCampbell Analytical, INC. Sample Date: 2/22/11

Containers/Preservative: Voac/HCl

Analyzed for: 8015, 8021

Sampler Name: Sanjiv Gill Signature: 



MONITORING FIELD DATA SHEET

Well ID: MW-2

Project Task #: 1001.001 Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: 2/21/11 Weather: ~~Cloudy~~ Clear

Well Diameter: 2" Volume/ft.  $1" = 0.04$   $3" = 0.37$   $6" = 1.47$   
 $2" = 0.16$   $4" = 0.65$  radius<sup>2</sup> 0.163

Total Depth (TD): 20.00 Depth to Product:

Depth to Water (DTW): 8.46 Product Thickness:

Water Column Height: 11.54 1 Casing Volume: 1.84 gallons

Reference Point: TOC 3 Casing Volumes: 5.52 gallons

Purging Device: Disposable Bailor, 3" PVC Bailor, Parastaltic Pump, Whal Pump

Sampling Device: Disposable Bailor

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
3:10	15.7	7.26	1398				2.0	
3:15	15.1	7.29	1406				4.0	
3:20	15.1	7.33	1422				5.5	

Comments: YSI 550A DO meter pre purge DO = 0.95 mg/l  
 post purge DO = \_\_\_\_\_ mg/l

turbid

Sample ID: MW-2 Sample Time: 3:25

Laboratory: McCampbell Analytical, INC. Sample Date: 2/22/11

Containers/Preservative: Voa/HCl

Analyzed for: 8015, 8021

Sampler Name: Sanjiv Gill Signature:

MONITORING FIELD DATA SHEET

Well ID: **MW-3A**

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <b>2/21/11</b>		Weather: <b>Clear</b>							
Well Diameter: <b>4"</b>		Volume/ft. <table border="1" style="font-size: small; border-collapse: collapse;"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius = 0.163							
Total Depth (TD): <b>16.78</b>		Depth to Product:							
Depth to Water (DTW): <b>9.59</b>		Product Thickness:							
Water Column Height: <b>7.19</b>		1 Casing Volume: <b>4.67</b> gallons							
Reference Point: TOC		3 Casing Volumes: <b>14.01</b> gallons							
Purging Device: Disposable Bailer <u>3" PVC Bailer</u> Peristaltic Pump, Whal Pump									
Sampling Device: Disposable Bailer									
Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW	
7:30	16.3	6.84	1159				4.5		
7:40	16.0	6.90	1168				9.0		
7:55	16.5	6.97	1163				14.0		

Comments: YSI 550A DO meter pre purge DO = **0.74** mg/l  
 post purge DO =           mg/l  
**turbid**

Sample ID: <b>MW-3A</b>	Sample Time: <b>8:15</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/22/11</b>
Containers/Preservative: Voal/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature:



**MONITORING FIELD DATA SHEET**

Well ID: *MW-4*

Project Task #: 1001.001      Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: *2/21/11*      Weather: *Cloudy*

Well Diameter: *2"*      Volume/ft. 

1" = 0.04	3" = 0.37	6" = 1.47
2" = 0.16	4" = 0.65	radius = 0.163

Total Depth (TD): *19.78*      Depth to Product:

Depth to Water (DTW): *9.29*      Product Thickness:

Water Column Height: *10.49*      1 Casing Volume: *1.67* gallons

Reference Point: TOC      3 Casing Volumes: *5.01* gallons

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastaffic Pump, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp (°C)	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<i>7:00</i>	<i>16.2</i>	<i>7.02</i>	<i>1860</i>				<i>2.0</i>	
<i>7:05</i>	<i>15.8</i>	<i>7.04</i>	<i>1841</i>				<i>4.0</i>	
<i>7:10</i>	<i>15.8</i>	<i>7.11</i>	<i>1873</i>				<i>5.0</i>	

Comments: YSI 550A DO meter      pre purge DO = *0.61* mg/l

post purge DO =      mg/l

*very turbid*

Sample ID: *MW-4*      Sample Time: *7:15*

Laboratory: McCampbell Analytical, INC.      Sample Date: *2/21/11*

Containers/Preservative: Voa/HCl

Analyzed for: 8015, 8021

Sampler Name: Sanjiv Gill      Signature: *[Signature]*

**MONITORING FIELD DATA SHEET**

Well ID: MW-5

Project Task #: 1001.001      Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: 2/21/11      Weather: cloudy

Well Diameter: 2"      Volume/ft. 

1" = 0.04	3" = 0.37	6" = 1.47
2" = 0.16	4" = 0.65	radius = 0.163

Total Depth (TD): 20.56      Depth to Product:

Depth to Water (DTW): 10.35      Product Thickness:

Water Column Height: 10.21      1 Casing Volume: 1.63 gallons

Reference Point: TOC      3 Casing Volumes: 4.89 gallons

Purging Device: Disposable Bailer, 3" PVC Bailer, Peristaltic Pump, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
7:35	17.0	6.91	1590				2.0	
7:40	16.6	6.94	1607				4.0	
7:45	16.7	6.97	1621				5.0	

Comments: YSI 550A DO meter      pre purge DO = 0.78 mg/l

post purge DO =      mg/l

very turbid

Sample ID: MW-5      Sample Time: 7:50

Laboratory: McCampbell Analytical, INC.      Sample Date: 2/21/11

Containers/Preservative: Voac/HCl

Analyzed for: 8015, 8021

Sampler Name: Sanjiv Gill      Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: **MJ-6A**

Project Task #: 1001.001 Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: **2/21/11** Weather: **Clear**

Well Diameter: **2"** Volume/ft. 1" = 0.04 3" = 0.37 6" = 1.47  
2" = 0.16 4" = 0.65 radius = 0.163

Total Depth (TD): **19.13** Depth to Product:

Depth to Water (DTW): **9.79** Product Thickness:

Water Column Height: **9.34** 1 Casing Volume: **1.49** gallons

Reference Point: TOC **3** Casing Volumes: **4.47** gallons

Purging Device: Disposable Bailer 3" PVC Bailer, Parastatic Pump, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp (°C)	pH	Cond (µe)	NTU	DO (mg/L)	ORP (mV)	Vol (gal)	DTW
6:40	15.9	6.91	1682				1.5	
6:50	15.6	6.97	1705				3.0	
7:00	15.4	7.01	1707				4.5	

Comments: YSI 550A DO meter pre purge DO = **0.62** mg/l  
post purge DO = mg/l

*very turbid*

Sample ID: **MJ-6A** Sample Time: **7:05**

Laboratory: McCampbell Analytical, INC. Sample Date: **2/22/11**

Containers/Preservative: Voa/HCl

Analyzed for: 8015, 8021


Sampler Name: Sanjiv Gill Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: **MU-6B**

Project Task #: 1001.001				Project Name: Dublin Car Wash				
Address: 7420 Dublin Boulevard, Dublin, CA								
Date: <b>2/21/11</b>				Weather: <b>Clear</b>				
Well Diameter: <b>2"</b>				Volume/ft.	1" = 0.04	3" = 0.37	6" = 1.47	
				2" = 0.16	4" = 0.65	radius = 0.163		
Total Depth (TD): <b>29.73</b>				Depth to Product:				
Depth to Water (DTW): <b>8.11</b>				Product Thickness:				
Water Column Height: <b>21.62</b>				1 Casing Volume: <b>3.45</b>		gallons		
Reference Point: TOC				3 Casing Volumes: <b>10.35</b>		gallons		
Purging Device: Disposable Bailer, 3" PVC Bailer, Parastatic Pump, What Pump								
Sampling Device: Disposable Bailer								
Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<b>5:55</b>	<b>15.7</b>	<b>6.97</b>	<b>2070</b>				<b>3.5</b>	
<b>6:05</b>	<b>15.9</b>	<b>6.93</b>	<b>2110</b>				<b>7.0</b>	
<b>6:15</b>	<b>16.2</b>	<b>7.02</b>	<b>2104</b>				<b>10.0</b>	

Comments: YSI 550A DO meter      pre purge DO = **0.66** mg/l  
 post purge DO =      mg/l  
**turbid**

Sample ID: <b>MU-6B</b>	Sample Time: <b>6:20</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/22/11</b>
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

## MONITORING FIELD DATA SHEET

Well ID: **MN-7AA**

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <b>2/21/11</b>		Weather: <b>Clear</b>							
Well Diameter: <b>4"</b>		Volume/ft. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius<sup>2</sup> = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius <sup>2</sup> = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius <sup>2</sup> = 0.163							
Total Depth (TD): <b>13.84</b>		Depth to Product:							
Depth to Water (DTW): <b>8.57</b>		Product Thickness:							
Water Column Height: <b>5.27</b>		1 Casing Volume: <b>3.42</b> gallons							
Reference Point: TOC		3 Casing Volumes: <b>10.26</b> gallons							


Purging Device: Disposable Bailer 3" PVC Bailer Parastatic Pump, What Pump

Sampling Device: Disposable Bailer

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
5:10	16.1	7.13	1890				3.5	
5:20	15.9	7.18	1877				7.0	
5:30	15.9	7.21	1876				10.0	

Comments: YSI 550A DO meter pre purge DO = **0.54** mg/l  
 post purge DO =            mg/l

**turbid**

Sample ID: <b>MN-7AA</b>	Sample Time: <b>5:40</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/22/11</b>
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 




MONITORING FIELD DATA SHEET

Well ID: MW-7A

Project Task #: 1001.001				Project Name: Dublin Car Wash										
Address: 7420 Dublin Boulevard, Dublin, CA														
Date: <u>2/21/11</u>				Weather: <u>Clear</u>										
Well Diameter: <u>4"</u>				Volume/ft. <table border="1" style="font-size: small; border-collapse: collapse;"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius<sup>2</sup> = 0.163</td> </tr> </table>					1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius <sup>2</sup> = 0.163
1" = 0.04	3" = 0.37	6" = 1.47												
2" = 0.16	4" = 0.65	radius <sup>2</sup> = 0.163												
Total Depth (TD): <u>19.53</u>				Depth to Product:										
Depth to Water (DTW): <u>8.37</u>				Product Thickness:										
Water Column Height: <u>11.16</u>				1 Casing Volume: <u>7.25</u>		gallons								
Reference Point: TOC				3 Casing Volumes: <u>21.75</u>		gallons								
Purging Device: Disposable Bailer, <u>3" PVC Bailer</u> Parastaltic Pump, What Pump														
Sampling Device: Disposable Bailer														
Time	Temp (°)	pH	Cond (µe)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW						
<u>4:30</u>	<u>15.3</u>	<u>7.21</u>	<u>1896</u>				<u>7.5</u>							
<u>4:40</u>	<u>15.4</u>	<u>7.24</u>	<u>1893</u>				<u>15.0</u>							
<u>4:50</u>	<u>15.5</u>	<u>7.29</u>	<u>1875</u>				<u>22.0</u>							

Comments: YSI 550A DO meter pre purge DO = 0.87 mg/l  
post purge DO =           mg/l

forbid

Sample ID: <u>MW-7A</u>	Sample Time: <u>4:55</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: <u>2/22/11</u>
Containers/Preservative: <u>Voa/HCl</u>	
Analyzed for: <u>8015, 8021</u>	
Sampler Name: Sanjiv Gill	Signature: 


MONITORING FIELD DATA SHEET

Well ID: MW-7B

Project Task #: 1001.001		Project Name: Dublin Car Wash						
Address: 7420 Dublin Boulevard, Dublin, CA								
Date: 2/21/11	Weather: Clear							
Well Diameter: 2" <del>3"</del>	Volume/ft.	1" = 0.04 2" = 0.16	3" = 0.37 4" = 0.65 radius <sup>2</sup> = 0.163					
Total Depth (TD): 28.42	Depth to Product:							
Depth to Water (DTW): 8.69	Product Thickness:							
Water Column Height: 19.73	1 Casing Volume:	3.15	gallons					
Reference Point: TOC	3 Casing Volumes:	9.45	gallons					
Purging Device: Disposable Bailer, 3" PVC Bailer, Parastaltic Pump, Whal Pump								
Sampling Device: Disposable Bailer								
Time	Temp (°C)	pH	Cond (µS)	NTU	DO (mg/L)	ORP (mV)	Vol (gal)	DTW
3:45	15.9	7.24	620				3.0	
3:55	15.9	7.22	629				6.0	
4:05	15.9	7.29	627				9.0	

Comments: YSI 550A DO meter pre purge DO = 0.85 mg/l  
post purge DO = mg/l

for bid


Sample ID: MW-7B	Sample Time: 4:10
Laboratory: McCampbell Analytical, INC.	Sample Date: 2/22/11
Containers/Preservative: Voal/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: **MU-8A**

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <b>2/21/11</b>		Weather: <b>Clear</b>							
Well Diameter: <b>2"</b>		Volume/ft. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius = 0.163							
Total Depth (TD): <b>19.01</b>		Depth to Product:							
Depth to Water (DTW): <b>12.65</b>		Product Thickness:							
Water Column Height: <b>6.36</b>		1 Casing Volume: <b>1.01</b> gallons							
Reference Point: TOC		<b>3</b> Casing Volumes: <b>3.03</b> gallons							
Purging Device: <u>Disposable Bailer</u> , 3" PVC Bailer, Peristaltic Pump, What Pump									
Sampling Device: Disposable Bailer									
Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW	
<b>2:05</b>	<b>16.3</b>	<b>7.42</b>	<b>950</b>				<b>1.0</b>		
<b>2:10</b>	<b>15.8</b>	<b>7.37</b>	<b>918</b>				<b>2.0</b>		
<b>2:15</b>	<b>15.7</b>	<b>7.31</b>	<b>906</b>				<b>3.0</b>		

Comments: YSI 550A DO meter pre purge DO = **0.68** mg/l  
 turbid post purge DO =            mg/l

Sample ID: <b>MU-8A</b>	Sample Time: <b>2:20</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/22/11</b>
Containers/Preservative: Voal/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: MW-9A


Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <u>2/21/11</u>		Weather: <u>Cloudy</u>							
Well Diameter: <u>2"</u>		Volume/ft. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius* = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius* = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius* = 0.163							
Total Depth (TD): <u>19.66</u>		Depth to Product:							
Depth to Water (DTW): <u>9.45</u>		Product Thickness:							
Water Column Height: <u>10.21</u>		1 Casing Volume: <u>1.63</u> gallons							
Reference Point: TOC		3 Casing Volumes: <u>4.89</u> gallons							

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastaltic Pump, What Pump

Sampling Device: Disposable Bailer

Time	Temp (°C)	pH	Cond (µS)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
9:05	16.8	7.20	705				<u>2.0</u>	
9:10	16.5	7.17	696				<u>4.0</u>	
9:15	16.3	7.13	691				<u>5.0</u>	

Comments: YSI 550A DO meter pre purge DO = 0.73 mg/l  
 post purge DO =            mg/l  
turbid

Sample ID: <u>MW-9A</u>	Sample Time: <u>9:20</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: <u>2/21/11</u>
Containers/Preservative: Voal/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: **MW-10A**

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <b>2/21/11</b>		Weather: <b>Cloudy</b>							
Well Diameter: <b>2"</b>		Volume/ft. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius = 0.163							
Total Depth (TD): <b>19.51</b>		Depth to Product:							
Depth to Water (DTW): <b>7.78</b>		Product Thickness:							
Water Column Height: <b>11.73</b>		1 Casing Volume: <b>1.87</b> gallons							
Reference Point: TOC		<b>3</b> Casing Volumes: <b>5.61</b> gallons							


Purging Device: Disposable Bailer, 3" PVC Bailer, Peristaltic Pump, Wheel Pump

Sampling Device: Disposable Bailer

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
8:15	17.1	7.19	1658				2.0	
8:20	17.3	7.11	1651				4.0	
8:25	17.9	7.14	1663				5.5	

Comments: YSI 550A DO meter pre purge DO = **0.70** mg/l  
 post purge DO =            mg/l

**turbid**

Sample ID: <b>MW-10A</b>	Sample Time: <b>8:40</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/21/11</b>
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 


## MONITORING FIELD DATA SHEET

Well ID: VW-1

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <u>2/21/11</u>		Weather: <u>Cloudy</u>							
Well Diameter: <u>2"</u>		Volume/ft. <table border="1" style="font-size: small; border-collapse: collapse;"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius" = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius" = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius" = 0.163							
Total Depth (TD): <u>8.40</u>		Depth to Product:							
Depth to Water (DTW): <u>7.25</u>		Product Thickness:							
Water Column Height: <u>1.15</u>		1 Casing Volume: <u>0.18</u> gallons							
Reference Point: TOC		3 Casing Volumes: <u>0.54</u> gallons							
Purging Device: <u>Disposable Bailer</u> , 3" PVC Bailer, Peristaltic Pump, Whal Pump									
Sampling Device: Disposable Bailer									
Time	Temp (°C)	pH	Cond (µS)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW	
<u>9:40</u>		<u>Denatured</u>				<u>2</u>	<u>.2</u>		

2-21-11

Comments: YSI 550A DO meter pre purge DO = 0.93 mg/l  
 post purge DO =           mg/l  
turbid

Sample ID: <u>VW-1</u>	Sample Time: <u>8:30</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: <u>2/22/11</u>
Containers/Preservative: Voal/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature: 

**MONITORING FIELD DATA SHEET**

Well ID: VW-2

Project, Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <u>2/21/11</u>		Weather: <u>Cloudy</u>							
Well Diameter: <u>2"</u>		Volume/ft. <table border="1" style="font-size: small; border-collapse: collapse;"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius = 0.163							
Total Depth (TD): <u>8.30</u>		Depth to Product:							
Depth to Water (DTW): <u>4.06</u>		Product Thickness:							
Water Column Height: <u>4.24</u>		1 Casing Volume: <u>0.67</u> gallons							
Reference Point: TOC		3 Casing Volumes: <u>2.01</u> gallons							

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastaltic Pump, What Pump

Sampling Device: Disposable Bailer

2-21-11

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
10:10		<u>Deaerated</u>					<u>.7</u>	

Comments: YSI 550A DO meter      pre purge DO = 1.03 mg/l  
 post purge DO =      mg/l

turbid

Sample ID: <u>VW-2</u>	Sample Time: <u>8:40</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: <u>2/22/11</u>
Containers/Preservative: <u>Voa/HCl</u>	
Analyzed for: <u>8015, 8021</u>	
Sampler Name: Sanjiv Gill	Signature:

MONITORING FIELD DATA SHEET

Well ID: VW-3

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <u>2/21/11</u>		Weather: <u>Cloudy</u>							
Well Diameter: <u>2"</u>		Volume/ft. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163							
Total Depth (TD): <u>8.40</u>		Depth to Product:							
Depth to Water (DTW): <u>7.45</u>		Product Thickness:							
Water Column Height: <u>0.95</u>		1 Casing Volume: <u>0.15</u> gallons							
Reference Point: TOC		3 Casing Volumes: <u>0.45</u> gallons							

Purging Device: Disposable Bailer, 3" PVC Bailer, Peristaltic Pump, Whal Pump

Sampling Device: Disposable Bailer

2-21-11

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
<u>10:40</u>		<u>Denated</u>					<u>0.2</u>	

Comments: YSI 550A DO meter      pre purge DO = 1.25 mg/l  
 post purge DO =      mg/l

Sample ID: <u>VW-3</u>	Sample Time: <u>9:15</u>
Laboratory: McCampbell Analytical, INC.	Sample Date: <u>2/22/11</u>
Containers/Preservative: <u>Voal/HCl</u>	
Analyzed for: <u>8015, 8021</u>	
Sampler Name: Sanjiv Gill	Signature: <u>[Signature]</u>





**MONITORING FIELD DATA SHEET**

Well ID: **DPE-1**

Project Task #: 1001.001		Project Name: Dublin Car Wash							
Address: 7420 Dublin Boulevard, Dublin, CA									
Date: <b>2/21/11</b>		Weather: <b>Cloudy</b>							
Well Diameter: <b>4"</b>		Volume/fl. <table border="1"> <tr> <td>1" = 0.04</td> <td>3" = 0.37</td> <td>6" = 1.47</td> </tr> <tr> <td>2" = 0.16</td> <td>4" = 0.65</td> <td>radius = 0.163</td> </tr> </table>		1" = 0.04	3" = 0.37	6" = 1.47	2" = 0.16	4" = 0.65	radius = 0.163
1" = 0.04	3" = 0.37	6" = 1.47							
2" = 0.16	4" = 0.65	radius = 0.163							
Total Depth (TD): <b>1380</b>		Depth to Product:							
Depth to Water (DTW): <b>9.91</b>		Product Thickness:							
Water Column Height: <b>3.89</b>		1 Casing Volume: <b>2.52</b> gallons							
Reference Point: TOC		3 Casing Volumes: <b>7.56</b> gallons							

Purging Device: Disposable Bailer, 3" PVC Bailer, Peristaltic Pump, Whal Pump

Sampling Device: Disposable Bailer

Time	Temp @	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
2-21-11 11:10		<b>Dewatered</b>					<b>2.5</b>	

Comments: YSI 550A DO meter pre purge DO = **0.73** mg/l  
 post purge DO =            mg/l  
**Subrid**

Sample ID: <b>DPE-1</b>	Sample Time: <b>8:50</b>
Laboratory: McCampbell Analytical, INC.	Sample Date: <b>2/22/11</b>
Containers/Preservative: Voa/HCl	
Analyzed for: 8015, 8021	
Sampler Name: Sanjiv Gill	Signature:

## MONITORING FIELD DATA SHEET

Well ID: DPE-2

Project Task #: 1001.001      Project Name: Dublin Car Wash

Address: 7420 Dublin Boulevard, Dublin, CA

Date: 2/21/11      Weather: Cloudy

Well Diameter: 4"      Volume/ft. 

1" = 0.04	3" = 0.37	6" = 1.47
2" = 0.16	4" = 0.65	radius <sup>2</sup> * 0.163

Total Depth (TD): 13.80      Depth to Product:

Depth to Water (DTW): 9.83      Product Thickness:

Water Column Height: 3.97      1 Casing Volume: 258 gallons

Reference Point: TOC      3 Casing Volumes: 774 gallons

Purging Device: Disposable Bailer, 3" PVC Bailer, Parastatic Pump, What Pump

Sampling Device: Disposable Bailer

2-21-11

Time	Temp (°C)	pH	Cond (µs)	NTU	DO(mg/L)	ORP (mV)	Vol(gal)	DTW
11:40		Deoxygenated					2.5	

Comments: YSI 550A DO meter      pre purge DO = 1.12 mg/l  
 post purge DO = mg/l


turbid

Sample ID: DPE-2      Sample Time: 9:00

Laboratory: McCampbell Analytical, INC.      Sample Date: 2/22/11

Containers/Preservative: Voa/HCl

Analyzed for: 8015, 8021

Sampler Name: Sanjiv Gill      Signature: 

## **APPENDIX C**

### Laboratory Analytical Results



**McC Campbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc.  1710 Franklin Street, Ste. 200  Oakland, CA 94612	Client Project ID: #1001.001226; Dublin Car Wash	Date Sampled: 02/21/11-02/22/11
		Date Received: 02/22/11
	Client Contact: Tina De La Fuente	Date Reported: 03/01/11
	Client P.O.:	Date Completed: 02/28/11

**WorkOrder: 1102652**

March 01, 2011

Dear Tina:

Enclosed within are:

- 1) The results of the **18** analyzed samples from your project: **#1001.001226; Dublin Car Wash,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius  
Laboratory Manager  
McC Campbell Analytical, Inc.



**McCAMPBELL ANALYTICAL, INC.**  
 1534 WILLOW PASS ROAD  
 PITTSBURG, CA 94565-1701 **1102652**  
 Website: [www.mccampbell.com](http://www.mccampbell.com) Email: [main@mccampbell.com](mailto:main@mccampbell.com)  
 Telephone: (877) 252-9262 Fax: (925) 252-9269

### CHAIN OF CUSTODY RECORD

rs10f2

TURN AROUND TIME

RUSH  24 HR  48 HR  72 HR  5 DAY

GeoTracker EDF  PDF  Excel  Write On (DW)   
 Check if sample is effluent and "J" flag is required

Report To: Tina de la Fuente Bill To: Pango  
 Company: Pango Environmental Services  
 1710 Franklin St.  
 Oakland, CA E-Mail: [tde Lafayette@pangoenv.com](mailto:tde Lafayette@pangoenv.com)  
 Tele: (510) 836-3702 Fax: (510) 420-3709  
 Project #: 1001.001 226 Project Name: Dublin Gar Wash  
 Project Location: 7420 Dublin Boulevard, Dublin, CA  
 Sampler Signature: Muskam Environmental Sampling

Analysis Request

Other Comments

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602 / 8021 + 8015) / MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (1664 / 5520 E/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 502.2 / 601 / 8010 / 8021 (HVOCs)	MTBE / BTEX ONLY (EPA 602 / 8021)	EPA 505 / 608 / 8081 (CI Pesticides)	EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners	EPA 507 / 8141 (NP Pesticides)	EPA 515 / 8151 (Acidic CI Herbicides)	EPA 524.2 / 624 / 8260 (VOCs)	EPA 525.2 / 625 / 8270 (SVOCs)	EPA 8270 SIM / 8310 (PAHs / PNAS)	CAM 17 Metals (200.7 / 200.8 / 6010 / 6020)	LUFT 5 Metals (200.7 / 200.8 / 6010 / 6020)	Lead (200.7 / 200.8 / 6010 / 6020)	Filter sample for DISSOLVED metals analysis								
		Date	Time			Water	Soil	Air	Sludge	Other	ICE	HCL	HNO <sub>3</sub>	Other																									
+ MW-1		2/22/11	2:50	3	VDA	X						X																											
+ MW-2		2/22/11	3:25																																				
+ MW-3A		2/22/11	8:15																																				
+ MW-4		2/21/11	7:15																																				
+ MW-5		2/21/11	7:50																																				
+ MW-6A		2/22/11	7:05																																				
+ MW-7AA		2/22/11	5:40																																				
(+) MW-7A		2/22/11	4:55																																				
(+) MW-7B		2/22/11	4:10																																				
+ MW-8A		2/22/11	2:20																																				
(+) MW-9A		2/21/11	9:20			X						X																											

\*\* Indicate here if these samples are potentially dangerous to handle:

\*MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

Relinquished By: <i>LS</i>	Date: 2/22/11	Time: 11:10am	Received By: <i>Chloe Vao</i>	ICE/# 38 GOOD CONDITION _____ HEAD SPACE ABSENT _____ DECHLORINATED IN LAB _____ APPROPRIATE CONTAINERS _____ PRESERVED IN LAB _____  VOAS O&G METALS OTHER PRESERVATION pH-2	COMMENTS:
Relinquished By: <i>LS</i>	Date:	Time:	Received By:		
Relinquished By:	Date:	Time:	Received By:		



# McCAMPBELL ANALYTICAL, INC.

1534 WILLOW PASS ROAD  
PITTSBURG, CA 94565-1701Website: [www.mccampbell.com](http://www.mccampbell.com) Email: [main@mccampbell.com](mailto:main@mccampbell.com)  
Telephone: (877) 252-9262 Fax: (925) 252-9269

## CHAIN OF CUSTODY RECORD

B 2 of 2

### TURN AROUND TIME

RUSH  24 HR  48 HR  72 HR  5 DAY GeoTracker EDF  PDF  Excel  Write On (DW) 

Check if sample is effluent and "J" flag is required

Report To: Tina de la Fuente Bill To: Pangea  
Company: Pangea Environmental Services1710 Franklin St. E-Mail: [tedelafuente@pangeaenv.com](mailto:tedelafuente@pangeaenv.com)  
Oakland, CA

Tele: (510) 836-3702 Fax: (510) 420-3709

Project #: 1001001226 Project Name: Dublin Car Wash

Project Location: 7420 Dublin Blvd, Dublin, CA

Sampler Signature: Muskan Environmental Sampling

Analysis Request: BTEX &amp; TPH as Gas (602 / 8021 + 8015) / MTBE

Other: Filter sample for DISSOLVED metals analysis

Comments: \*\*Indicate here if these samples are potentially dangerous to handle:

+  
+  
+  
+  
+  
+  
+

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED				BTEX & TPH as Gas (602 / 8021 + 8015) / MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (1664 / 5520 E/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 502.2 / 601 / 8010 / 8021 (HVOCs)	MTBE / BTEX ONLY (EPA 602 / 8021)	EPA 505 / 608 / 8081 (CI Pesticides)	EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners	EPA 507 / 8141 (NP Pesticides)	EPA 515 / 8151 (Acidic CI Herbicides)	EPA 524.2 / 624 / 8260 (VOCs)	EPA 525.2 / 625 / 8270 (SVOCs)	EPA 8270 SIM / 8310 (PAHs / PNAs)	CAM 17 Metals (200.7 / 200.8 / 6010 / 6020)	LUFT 5 Metals (200.7 / 200.8 / 6010 / 6020)	Lead (200.7 / 200.8 / 6010 / 6020)	Filter sample for DISSOLVED metals analysis												
		Date	Time			Water	Soil	Air	Sludge	Other	ICE	HCL	HNO <sub>3</sub>	Other																													
MW-10A		2/21/11	8:40	3	VOA	X						X	X																														
MW-6B		2/22/11	6:20																																								
VW-1		2/22/11	8:30																																								
VW-2		2/22/11	8:40																																								
VW-3		2/22/11	9:15																																								
DPE-1		2/22/11	8:50																																								
DPE-2		2/22/11	9:00	X	F	X																																					

\*\*MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

Relinquished By:	Date: 2/23/11	Time: 11:10am	Received By:	ICE/ <sup>3.8i</sup>	GOOD CONDITION _____	COMMENTS:	
Relinquished By:	Date:	Time:	Received By:	GOOD CONDITION _____	HEAD SPACE ABSENT _____		
Relinquished By:	Date:	Time:	Received By:	DECHLORINATED IN LAB _____	APPROPRIATE CONTAINERS _____		
Relinquished By:	Date:	Time:	Received By:	PRESERVED IN LAB _____			
				VOAS	O&G	METALS	OTHER
				PRESERVATION	pH<2		

**McC Campbell Analytical, Inc.**



1534 Willow Pass Rd  
Pittsburg, CA 94565-1701  
(925) 252-9262

**CHAIN-OF-CUSTODY RECORD**

**WorkOrder: 1102652**

**ClientCode: PEO**

WaterTrax   
  WriteOn   
  EDF   
  Excel   
  Fax   
  Email   
  HardCopy   
  ThirdParty   
  J-flag

**Report to:**  
 Tina De La Fuente  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612  
 (510) 836-3700    FAX (510) 836-3709

**Email:**    tdelafuente@pangeaenv.com  
**cc:**  
**PO:**  
**ProjectNo:** #1001.001226; Dublin Car Wash

**Bill to:**  
 Bob Clark-Riddell  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612

**Requested TAT: 5 days**  
**Date Received: 02/22/2011**  
**Date Printed: 02/22/2011**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1102652-001	MW-1	Water	2/22/2011 2:50	<input type="checkbox"/>	A	A											
1102652-002	MW-2	Water	2/22/2011 3:25	<input type="checkbox"/>	A												
1102652-003	MW-3A	Water	2/22/2011 8:15	<input type="checkbox"/>	A												
1102652-004	MW-4	Water	2/21/2011 7:15	<input type="checkbox"/>	A												
1102652-005	MW-5	Water	2/21/2011 7:50	<input type="checkbox"/>	A												
1102652-006	MW-6A	Water	2/22/2011 7:05	<input type="checkbox"/>	A												
1102652-007	MW-7AA	Water	2/22/2011 5:40	<input type="checkbox"/>	A												
1102652-008	MW-7A	Water	2/22/2011 4:55	<input type="checkbox"/>	A												
1102652-009	MW-7B	Water	2/22/2011 4:10	<input type="checkbox"/>	A												
1102652-010	MW-8A	Water	2/22/2011 2:20	<input type="checkbox"/>	A												
1102652-011	MW-9A	Water	2/21/2011 9:20	<input type="checkbox"/>	A												
1102652-012	MW-10A	Water	2/21/2011 8:40	<input type="checkbox"/>	A												
1102652-013	MW-6B	Water	2/22/2011 6:20	<input type="checkbox"/>	A												
1102652-014	VW-1	Water	2/22/2011 8:30	<input type="checkbox"/>	A												

**Test Legend:**

1	G-MBTEX_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

**Prepared by: Maria Venegas**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).  
Hazardous samples will be returned to client or disposed of at client expense.

**McC Campbell Analytical, Inc.**

1534 Willow Pass Rd  
 Pittsburg, CA 94565-1701  
 (925) 252-9262

**CHAIN-OF-CUSTODY RECORD**

**WorkOrder: 1102652**

**ClientCode: PEO**

WaterTrax     WriteOn     EDF     Excel     Fax     Email     HardCopy     ThirdParty     J-flag

**Report to:**  
 Tina De La Fuente  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612  
 (510) 836-3700    FAX (510) 836-3709

**Email:**    tdelafuente@pangeaenv.com  
**cc:**  
**PO:**  
**ProjectNo:** #1001.001226; Dublin Car Wash

**Bill to:**  
 Bob Clark-Riddell  
 Pangea Environmental Svcs., Inc.  
 1710 Franklin Street, Ste. 200  
 Oakland, CA 94612

**Requested TAT: 5 days**  
**Date Received: 02/22/2011**  
**Date Printed: 02/22/2011**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1102652-015	VW-2	Water	2/22/2011 8:40	<input type="checkbox"/>	A												
1102652-016	VW-3	Water	2/22/2011 9:15	<input type="checkbox"/>	A												
1102652-017	DPE-1	Water	2/22/2011 8:50	<input type="checkbox"/>	A												
1102652-018	DPE-2	Water	2/22/2011 9:00	<input type="checkbox"/>	A												

**Test Legend:**

1	G-MBTEX_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

**Prepared by: Maria Venegas**

**Comments:**

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).  
 Hazardous samples will be returned to client or disposed of at client expense.





**Sample Receipt Checklist**

Client Name: **Pangea Environmental Svcs., Inc.**

Date and Time Received: **2/22/2011 12:08:22 PM**

Project Name: **#1001.001226; Dublin Car Wash**

Checklist completed and reviewed by: **Maria Venegas**

WorkOrder N°: **1102652** Matrix Water

Carrier: Client Drop-In

**Chain of Custody (COC) Information**

- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Sample IDs noted by Client on COC? Yes  No
- Date and Time of collection noted by Client on COC? Yes  No
- Sampler's name noted on COC? Yes  No

**Sample Receipt Information**

- Custody seals intact on shipping container/cooler? Yes  No  NA
- Shipping container/cooler in good condition? Yes  No
- Samples in proper containers/bottles? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No

**Sample Preservation and Hold Time (HT) Information**

- All samples received within holding time? Yes  No
- Container/Temp Blank temperature Cooler Temp: 3.8°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes  No  No VOA vials submitted
- Sample labels checked for correct preservation? Yes  No
- Metal - pH acceptable upon receipt (pH<2)? Yes  No  NA
- Samples Received on Ice? Yes  No

(Ice Type: WET ICE )

\* NOTE: If the "No" box is checked, see comments below.

-----

Client contacted:

Date contacted:

Contacted by:

Comments:



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mcccampbell.com E-mail: main@mcccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc.  1710 Franklin Street, Ste. 200  Oakland, CA 94612	Client Project ID: #1001.001226; Dublin Car Wash	Date Sampled: 02/21/11-02/22/11
	Client Contact: Tina De La Fuente	Date Received: 02/22/11
	Client P.O.:	Date Extracted: 02/24/11-03/01/11
		Date Analyzed: 02/24/11-03/01/11

## Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 1102652

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1	W	ND	ND	ND	ND	ND	ND	1	98	
002A	MW-2	W	ND	7.5	ND	ND	ND	ND	1	103	
003A	MW-3A	W	19,000	4000	430	33	160	3500	10	105	d1
004A	MW-4	W	ND	ND	ND	ND	ND	ND	1	96	
005A	MW-5	W	ND	ND	ND	ND	ND	ND	1	97	
006A	MW-6A	W	8100	ND<35	330	93	340	1700	5	104	d1
007A	MW-7AA	W	230	380	22	ND	ND	7.2	1	120	d1
008A	MW-7A	W	ND	ND	ND	ND	ND	ND	1	97	
009A	MW-7B	W	ND	ND	ND	ND	ND	ND	1	97	
010A	MW-8A	W	ND	ND	ND	ND	ND	ND	1	98	
011A	MW-9A	W	ND	ND	ND	ND	ND	ND	1	105	
012A	MW-10A	W	ND	ND	ND	ND	ND	ND	1	98	
013A	MW-6B	W	ND	ND	ND	ND	ND	ND	1	98	
014A	VW-1	W	ND	15	ND	ND	ND	ND	1	107	
015A	VW-2	W	ND	ND	ND	ND	ND	ND	1	97	
016A	VW-3	W	650	160	2.0	ND	ND	87	1	86	d2

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	μg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	mg/Kg

\* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in μg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

# cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference. %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

d1) weakly modified or unmodified gasoline is significant  
d2) heavier gasoline range compounds are significant (aged gasoline?)



# McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701  
Web: www.mccampbell.com E-mail: main@mccampbell.com  
Telephone: 877-252-9262 Fax: 925-252-9269

Pangea Environmental Svcs., Inc.  1710 Franklin Street, Ste. 200  Oakland, CA 94612	Client Project ID: #1001.001226; Dublin Car Wash	Date Sampled: 02/21/11-02/22/11
	Client Contact: Tina De La Fuente	Date Received: 02/22/11
	Client P.O.:	Date Extracted: 02/24/11-03/01/11
		Date Analyzed: 02/24/11-03/01/11

## Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE\*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 1102652

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
017A	DPE-1	W	1100	540	29	1.1	5.3	97	1	96	d1
018A	DPE-2	W	ND	8.0	ND	ND	ND	ND	1	108	

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	0.5	0.5	μg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	0.005	0.005	mg/Kg

\* water and vapor samples are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in μg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

# cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference. %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

d1) weakly modified or unmodified gasoline is significant  
d2) heavier gasoline range compounds are significant (aged gasoline?)



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 56436

WorkOrder 1102652

Table with columns: EPA Method SW8021B/8015Bm, Extraction SW5030B, Spiked Sample ID: 1102652-001A, Analyte, Sample, Spiked, MS, MSD, MS-MSD, LCS, LCSD, LCS-LCSD, Acceptance Criteria (%), and RPD.

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions: NONE

BATCH 56436 SUMMARY

Summary table with columns: Lab ID, Date Sampled, Date Extracted, Date Analyzed, Lab ID, Date Sampled, Date Extracted, Date Analyzed.

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 \* (MS-Sample) / (Amount Spiked); RPD = 100 \* (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

# cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.