



**Shell Oil Products US**

August 15, 2003

Ro 305

Alameda County  
AUG 29 2003  
Environmental Health

Mr. Amir Gholami  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Subject: Shell-branded Service Station**  
2001 Fruitvale Avenue  
Oakland, California

Dear Mr. Gholami:

Attached for your review and comment is a copy of the *Third Quarter 2003 Monitoring Report* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (559) 645-9306 with any questions or concerns.

Sincerely,

**Shell Oil Products US**

*Karen Petryna*

Karen Petryna  
Sr. Environmental Engineer

August 15, 2003

Amir Gholami  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Third Quarter 2003 Monitoring Report**  
Former Shell Service Station  
2001 Fruitvale Avenue  
Oakland, California  
Incident # 97109122  
Cambria Project # 245-1296-002



Dear Mr. Gholami:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

### **THIRD QUARTER 2003 ACTIVITIES**

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California developed, gauged and sampled all site wells, calculated groundwater elevations, and compiled the analytical data. Cambria prepared a site vicinity map which includes previously submitted well survey information (Figure 1) and a groundwater elevation contour map (Figure 2). Blaine's report, including the analytical laboratory report and supporting field documents, is presented as Attachment A.

The groundwater monitoring indicated a north-northwesterly groundwater flow direction. No indication of free product was observed in groundwater. Based upon the groundwater flow direction and the low chemical concentrations, it appears that a significant hydrocarbon plume is not present.

**Cambria  
Environmental  
Technology, Inc.**

5900 Hollis Street  
Suite A  
Emeryville, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

**ANTICIPATED FOURTH QUARTER 2003 ACTIVITIES**

**Groundwater Monitoring:** The next sampling event is scheduled for fourth quarter 2003. At that time, Blaine will gauge and sample all wells and tabulate the data. Cambria will prepare a monitoring report.


**CLOSING**



We appreciate the opportunity to work with you on this project. Please call Matt Derby at (510) 420-3332, if you have any questions or comments.

Sincerely,  
**Cambria Environmental Technology, Inc**

Matthew W. Derby, P.E.  
Senior Project Engineer




- Figures: 1 - Vicinity/Area Well Survey Map
- 2 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

- cc: Karen Petryna, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869
- Ms. Lotus Monroe, 11810 Alba Road, Ben Lomond, CA 95005
- Mr. Fidel P & Mrs. Dolores G Casillas, 2910 East 16<sup>th</sup> Street, Oakland, CA 94601

G:\Oakland 2001 Fruitvale\Qm\3q03\3q03qm.doc



**Former Shell Service Station**  
 201 Fruitvale Avenue  
 Oakland, California  
 Incident #97109122



**Site Vicinity/Area Well  
 Survey Map**  
 (1/2 Mile Radius)





**EXPLANATION**

- MW-1 Monitoring well location (Cambria, 03/03)
- SB-A Soil boring location (Cambria, 03/99)
- SB-1 Soil boring location (AllCal, 01/96)
- Gas line (G)
- Storm drain line (SD)
- Electrical line (E)
- Overhead electrical line (OE)
- \* Items marked "proposed" on 1957 site plan; undetermined if ever installed
- Groundwater flow direction
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl), approximately located, dashed where inferred

Well	Well designation
ELEV	Groundwater elevation, in feet above msl
Benzene MTBE	Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8260.




FIGURE  
**2**

**Former Shell Service Station**  
 2001 Fruitvale Avenue  
 Oakland, California  
 Incident #97109122




**Groundwater Elevation Contour Map**

July 1, 2003

C:\WORK\2003\FRUITVALE\FIGURES\FIG2.DWG

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

**BLAINE**  
TECH SERVICES, INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

July 18, 2003

Karen Petryna  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

Third Quarter 2003 Groundwater Monitoring at  
Former Shell Service Station  
2001 Fruitvale Avenue  
Oakland, CA

Monitoring performed July 1, 2003

---

Groundwater Monitoring Report 030701-AC-2

This report covers the routine monitoring of groundwater wells at this former Shell facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Oakland, CA 94608



**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2001 Fruitvale Avenue**  
**Oakland, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	05/01/2003	NA	NA	NA	NA	NA	NA	NA	74.37	18.82	55.55
MW-1	05/13/2003	260 a	<50	<0.50	<0.50	<0.50	<1.0	<0.50	74.37	18.99	55.38
MW-1	07/01/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	74.37	21.11	53.26
MW-2	05/01/2003	NA	NA	NA	NA	NA	NA	NA	74.25	18.48	55.77
MW-2	05/13/2003	190	120 a	<0.50	<0.50	1.3	5.2	<0.50	74.25	18.71	55.54
MW-2	07/01/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	<0.50	74.25	20.64	53.61
MW-3	05/01/2003	NA	NA	NA	NA	NA	NA	NA	73.63	18.00	55.63
MW-3	05/13/2003	6,100 a	160 a	<0.50	<0.50	<0.50	<1.0	<0.50	73.63	18.12	55.51
MW-3	07/01/2003	210	57 a	<0.50	<0.50	<0.50	<1.0	<0.50	73.63	20.00	53.63

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft = Feet

<n = Below detection limit

NA = Not applicable

**WELL CONCENTRATIONS**  
**Former Shell Service Station**  
**2001 Fruitvale Avenue**  
**Oakland, CA**

<b>Well ID</b>	<b>Date</b>	<b>TPPH</b> (ug/L)	<b>TEPH</b> (ug/L)	<b>B</b> (ug/L)	<b>T</b> (ug/L)	<b>E</b> (ug/L)	<b>X</b> (ug/L)	<b>MTBE</b> <b>8260</b> (ug/L)	<b>TOC</b> (MSL)	<b>Depth to</b> <b>Water</b> (ft.)	<b>GW</b> <b>Elevation</b> (MSL)
----------------	-------------	-----------------------	-----------------------	--------------------	--------------------	--------------------	--------------------	--------------------------------------	---------------------	--	--

Notes:

a = Hydrocarbon does not match pattern of laboratory's standard.

Site surveyed May 29, 2003, by Virgil Chavez Land Surveying of Vallejo, California.

**Blaine Tech Services, Inc.**

July 15, 2003

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Attn.: Leon Gearhart  
Project#: 030701-AC1  
Project: 97109122  
Site: 2001 Fruitvale Ave., Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 07/01/2003 15:46


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 08/15/2003 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions, please call me at (925) 484-1919.

You can also contact me via email. My email address is: [tgranicher@stl-inc.com](mailto:tgranicher@stl-inc.com)

Sincerely,



Tod Granicher  
Project Manager

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
MW-1	07/01/2003 09:55	Water	1
MW-2	07/01/2003 10:50	Water	2
MW-3	07/01/2003 10:20	Water	3

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

07/14/2003 12:31

Page 1 of 6

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	5030B	Test(s):	8260FAB
Sample ID:	MW-1	Lab ID:	2003-07-0065 - 1
Sampled:	07/01/2003 09:55	Extracted:	7/10/2003 12:05
Matrix:	Water	QC Batch#:	2003/07/10-1D.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	07/10/2003 12:05	
Benzene	ND	0.50	ug/L	1.00	07/10/2003 12:05	
Toluene	ND	0.50	ug/L	1.00	07/10/2003 12:05	
Ethylbenzene	ND	0.50	ug/L	1.00	07/10/2003 12:05	
Total xylenes	ND	1.0	ug/L	1.00	07/10/2003 12:05	
Methyl tert-butyl ether (MTBE)	ND	0.50	ug/L	1.00	07/10/2003 12:05	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	95.1	76-130	%	1.00	07/10/2003 12:05	
Toluene-d8	97.8	78-115	%	1.00	07/10/2003 12:05	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	5030B	Test(s):	8260FAB
Sample ID:	MW-2	Lab ID:	2003-07-0065 - 2
Sampled:	07/01/2003 10:50	Extracted:	7/10/2003 12:28
Matrix:	Water	QC Batch#:	2003/07/10-1D.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	07/10/2003 12:28	
Benzene	ND	0.50	ug/L	1.00	07/10/2003 12:28	
Toluene	ND	0.50	ug/L	1.00	07/10/2003 12:28	
Ethylbenzene	ND	0.50	ug/L	1.00	07/10/2003 12:28	
Total xylenes	ND	1.0	ug/L	1.00	07/10/2003 12:28	
Methyl tert-butyl ether (MTBE)	ND	0.50	ug/L	1.00	07/10/2003 12:28	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	94.8	76-130	%	1.00	07/10/2003 12:28	
Toluene-d8	101.2	78-115	%	1.00	07/10/2003 12:28	



**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	5030B	Test(s):	8260FAB
Sample ID:	MW-3	Lab ID:	2003-07-0065 - 3
Sampled:	07/01/2003 10:20	Extracted:	7/10/2003 12:50
Matrix:	Water	QC Batch#:	2003/07/10-1D.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	210	50	ug/L	1.00	07/10/2003 12:50	
Benzene	ND	0.50	ug/L	1.00	07/10/2003 12:50	
Toluene	ND	0.50	ug/L	1.00	07/10/2003 12:50	
Ethylbenzene	ND	0.50	ug/L	1.00	07/10/2003 12:50	
Total xylenes	ND	1.0	ug/L	1.00	07/10/2003 12:50	
Methyl tert-butyl ether (MTBE)	ND	0.50	ug/L	1.00	07/10/2003 12:50	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	90.7	76-130	%	1.00	07/10/2003 12:50	
Toluene-d8	101.6	78-115	%	1.00	07/10/2003 12:50	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Batch QC Report					
Prep(s): 5030B				Test(s): 8260FAB	
Method Blank		Water		QC Batch # 2003/07/10-1b.65	
MB: 2003/07/10-1b.65-014				Date Extracted: 07/10/2003 10:14	

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/10/2003 10:14	
Benzene	ND	0.5	ug/L	07/10/2003 10:14	
Toluene	ND	0.5	ug/L	07/10/2003 10:14	
Ethylbenzene	ND	0.5	ug/L	07/10/2003 10:14	
Total xylenes	ND	1.0	ug/L	07/10/2003 10:14	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/10/2003 10:14	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	91.1	76-130	%	07/10/2003 10:14	
Toluene-d8	97.2	78-115	%	07/10/2003 10:14	

**Gas/BTEX/MTBE by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1  
97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Batch QC Report										
Prep(s): 5030B					Test(s): 8260FAB					
Laboratory Control Spike			Water			QC Batch # 2003/07/10-1b.65				
LCS	2003/07/10-1b.65-029		Extracted: 07/10/2003			Analyzed: 07/10/2003 09:29				
LCSD	2003/07/10-1b.65-052		Extracted: 07/10/2003			Analyzed: 07/10/2003 09:52				
Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Benzene	23.2	23.5	25	92.8	94.0	1.3	69-129	20		
Toluene	23.1	23.5	25	92.4	94.0	1.7	70-130	20		
Methyl tert-butyl ether (MTBE)	19.1	21.6	25	76.4	86.4	12.3	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	447	478	500	89.4	95.6		76-130			
Toluene-d8	500	506	500	100.0	101.2		78-115			

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1  
97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
MW-1	07/01/2003 09:55	Water	1
MW-2	07/01/2003 10:50	Water	2
MW-3	07/01/2003 10:20	Water	3

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

07/15/2003 14:32

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-1	Lab ID:	2003-07-0065 - 1
Sampled:	07/01/2003 09:55	Extracted:	7/9/2003 05:44
Matrix:	Water	QC Batch#:	2003/07/09-02.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	ND	50	ug/L	1.00	07/11/2003 21:29	
<i>Surrogates(s)</i> o-Terphenyl	83.0	60-130	%	1.00	07/11/2003 21:29	

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1  
97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-2	Lab ID:	2003-07-0065 - 2
Sampled:	07/01/2003 10:50	Extracted:	7/9/2003 05:44
Matrix:	Water	QC Batch#:	2003/07/09-02.10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	ND	50	ug/L	1.00	07/11/2003 22:11	
<b>Surrogates(s)</b> o-Terphenyl	75.7	60-130	%	1.00	07/11/2003 22:11	



**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1  
97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Prep(s):	3510/8015M	Test(s):	8015M
Sample ID:	MW-3	Lab ID:	2003-07-0065 - 3
Sampled:	07/01/2003 10:20	Extracted:	7/9/2003 05:44
Matrix:	Water	QC Batch#:	2003/07/09-02 10

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Diesel	57	50	ug/L	1.00	07/11/2003 22:51	ndp
<b>Surrogates(s)</b> o-Terphenyl	73.4	60-130	%	1.00	07/11/2003 22:51	

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Batch QC Report					
Prep(s): 3510/8015M				Test(s): 8015M	
Method Blank		Water		QC Batch # 2003/07/09-02.10	
MB: 2003/07/09-02.10-001				Date Extracted: 07/09/2003 05:44	

Compound	Conc.	RL	Unit	Analyzed	Flag
Diesel	ND	50	ug/L	07/09/2003 13:43	
<b>Surrogates(s)</b> o-Terphenyl	79.5	60-130	%	07/09/2003 13:43	

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.  
Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1  
97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

Batch QC Report										
Prep(s): 3510/8015M					Test(s): 8015M					
Laboratory Control Spike			Water			QC Batch # 2003/07/09-02.10				
LCS	2003/07/09-02.10-002		Extracted: 07/09/2003			Analyzed: 07/09/2003 12:42				
LCSD	2003/07/09-02.10-003		Extracted: 07/09/2003			Analyzed: 07/09/2003 13:13				
Compound	Conc. ug/L		Exp. Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Diesel	808	719	1000	80.8	71.9	11.7	60-130	25		
<b>Surrogates(s)</b> o-Terphenyl	17.9	16.4	20.0	89.6	82.0		60-130	0		

**Diesel (C10-C24) by 8015m**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-AC1

97109122

Received: 07/01/2003 15:46

Site: 2001 Fruitvale Ave., Oakland

**Legend and Notes**

**Result Flag**

ndp

Hydrocarbon reported does not match the pattern of our Diesel standard











