

RECEIVED

By Alameda County Environmental Health at 4:21 pm, Apr 01, 2014

55 Glenlake Parkway, NE
Atlanta, GA 30328-3474



Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502

Subject:
1st Semi-Annual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, CA 94621
Global ID T0600100939
State ID # 583
EPA ID # CAD 09707509

Dear Mr. Nowell:

Attached please find the 1st Semi-Annual 2014 Groundwater Monitoring Report for the above-referenced site. The report, which was prepared for United Parcel Service by ARCADIS U.S., Inc., presents the results of the semi-annual groundwater monitoring event that was performed at the site in February 2014.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached Groundwater Monitoring Report are true and correct.

Please feel free to contact me directly at 404.828.8991 if you have any questions or comments.

Sincerely,

United Parcel Service

A handwritten signature in blue ink, appearing to read "Paul Harper", written over a horizontal line.

Paul Harper
Remediation and Assessment Manager



ARCADIS US, INC.
100 Montgomery St., Suite. 300
San Francisco, California 94104
Tel 415.374.2744
Fax 415.374.2745
www.arcadis-us.com

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502

Subject:
1st Semi-Annual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, CA 94621
Global ID # T0600100939
State ID # 583
EPA ID # CAD 09707509

ENVIRONMENT

Dear Mr. Nowell:

Date:
March 25, 2014

On behalf of United Parcel Service (UPS), ARCADIS U.S., Inc. (ARCADIS) is pleased to submit this 1st Semi-Annual 2014 Groundwater Monitoring Report, which documents the groundwater monitoring event that was performed in February 2014 at the UPS Oakland Hub, located at 8400 Pardee Drive, Oakland, Alameda County, California (site). A Site Location Map, Facility Layout Map, and Site Map are included as **Figures 1, 2, and 3**, respectively.

Contact:
Gregory Albright

Phone:
609.366.9067

Email:
gregory.albright@arcadis-us.com

Background

- Historical aerial photographs from 1937 to the present indicate that the 8400 Pardee Drive property, which UPS leases from the Port of Oakland, was originally a tidal marsh. In 1968, the site and site vicinity were raised above mean sea level (amsl) with suspect imported fill and graded. This artificial historical fill has been documented in both the northern and southern former fueling areas, at depths ranging from 2 to 10 feet (ft). Currently, the grade at the property is approximately 10 ft amsl. The site is located on a narrow peninsula south of San Leandro Bay.
- Review of the aerial photographs indicates that there were no structures on the property until 1975, when the current UPS facility was constructed. The southern former fueling area (current release area) was visible on the photographs from 1985. Detailed historical information since 1985 has been provided in previous reports.

Our ref:
B0038398.0013

The site is used as an active package distribution facility with vehicle maintenance. The area around the site is characterized by medium to heavy industrial use and includes the nearby Oakland International Airport.

Imagine the result

- In 2010, multiple soil and groundwater investigation activities were performed at the site, including high-vacuum extraction (HVE) events, a preferential pathway study, a well survey, and soil and groundwater sampling. These activities were documented in the Summary of Soil and Groundwater Investigation Activities Report, dated February 15, 2011 (ARCADIS, 2011a), which was submitted to the Alameda County Department of Environmental Health (ACDEH). This report was updated in 2012 (Revised Summary of Soil and Groundwater Investigation Activities Report [ARCADIS, 2012]) to include information about the newly installed monitoring and injection wells at the site.
- In 2011, ARCADIS submitted a Corrective Action Plan (CAP) (ARCADIS, 2011b) to address residual soil and groundwater impacts in the immediate area of the former diesel underground storage tanks (USTs). The proposed corrective action was the installation of injection wells and the implementation of injection events to reduce concentrations of constituents of concern (COCs) to levels that would be protective of both human health and the environment, as specified in the State Water Resources Control Board's (SWRCB's) Low-Threat Underground Storage Tank Case Closure Policy adopted by the SWRCB on May 1, 2012, and effective on August 17, 2012 (SWRCB 2012). A risk assessment report will be submitted to ACDEH when the levels stated in this policy are achieved.
- In 2013, semi-annual groundwater monitoring continued as outlined in the CAP. HVE events were conducted in February, April, and May 2013 to extract groundwater and free product from monitoring wells MW-12 and MW-13 and injection wells IW-1 through IW-3.

2014 Groundwater Monitoring and Laboratory Analysis

During the first semi-annual groundwater monitoring event, which was conducted on February 5, 2014, the depth to free product (DTP), if present, and depth to water (DTW) were measured in the monitoring and injection wells. Groundwater samples were collected for laboratory analysis from monitoring wells MW-2, MW-4, MW-8, MW-9, MW-10, MW-11, MW-13, and MW-14 and injection wells IW-2, IW-3, IW-4, IW-5, and IW-6. Groundwater samples were not collected from monitoring wells MW-3, MW-12, and OW-1 and injection well IW-1 due to the presence of free product.

During low-flow purging of the wells, groundwater parameters (pH, temperature, turbidity, and conductivity) were monitored to evaluate stabilization. When groundwater parameters varied less than $\pm 10\%$, samples were collected (**Appendix A**).

Groundwater samples collected during the February 2014 monitoring event were analyzed for the following COCs:

- total petroleum hydrocarbons-diesel range organics (TPH-DRO) by United States Environmental Protection Agency (USEPA) Method 8015B;
- benzene, toluene, ethylbenzene, and total xylenes (BTEX compounds), methyl tertiary-butyl ether (MTBE), and naphthalene by USEPA Method 8260; and
- TPH-gasoline range organics (TPH-GRO) by USEPA Method 8260B/California Leaking Underground Fuel Tank.

Analyses were conducted by TestAmerica Laboratories, Inc., in Pleasanton, California, an analytical laboratory certified by the California Department of Health Services for environmental analyses. Additional analyses of specific conductivity (field analysis), methane, nitrate as nitrogen, magnesium, sulfate, sulfide, iron, and total dissolved solids (TDS) were conducted.

Purge water was contained in Department of Transportation-approved drums for subsequent disposal.

Water Levels

The DTP, if present, and the DTW in each well were gauged on February 5, 2014, prior to purging and groundwater sample collection. The groundwater elevations during the February 2014 monitoring event ranged from 0.27 ft amsl in monitoring well MW-10 to 7.83 ft amsl in monitoring well MW-9.

Historical groundwater gauging and elevation data are presented in **Table 1**. A groundwater contour map was prepared using the February 2014 groundwater elevation data and is presented as **Figure 4**. The direction of groundwater flow was generally to the southeast during the February 2014 monitoring event, which is consistent with historical groundwater flow at the site.

SOS[®] Passive Skimmers were installed in observation well OW-1 and monitoring wells MW-2 and MW-3 in April 2011. The monthly skimmer free product recovery data collected from June 2011 to February 2014 are presented in **Table 1**, which also includes the historical records of free product thickness and volume recovered since 1990. The skimmers are operating effectively, and free product has been recovered on a consistent basis.

During the February 5, 2014 monitoring event, free product was observed in monitoring wells MW-3, MW-12, and OW-1 and injection well IW-1. Free product was removed from monitoring well MW-12 and injection well IW-1 using disposable bailers, and from monitoring wells OW-1 and MW-3 via passive skimmers. Two milliliters (mL) of free product were removed from monitoring well MW-3, 212 mL were removed from monitoring well MW-12, 10 mL were removed from monitoring well OW-1, and 66 mL were removed from injection well IW-1. No free product was observed in monitoring well MW-2.

As of February 5, 2014, approximately 8.20 gallons of free product had been removed from the site. Approximately 2.05 gallons were removed prior to the installation of the skimmers, 4.29 gallons have been removed since the skimmers were installed, and an additional 1.88 gallons have been removed from the wells that do not contain skimmers. The specifications for the SOS[®] Passive Skimmers are presented in **Appendix B**.

Groundwater Quality

During the February 2014 monitoring event, groundwater samples were collected from monitoring wells MW-2, MW-4, MW-8, MW-9, MW-10, MW-11, MW-13, and MW-14 and injection wells IW-2, IW-3, IW-4, IW-5, and IW-6.

Historical groundwater analytical data are presented in **Table 2**. Groundwater data for the February 2014 monitoring event are presented on **Figure 5**. Laboratory analytical results and chain-of-custody documentation for the February 2014 monitoring event are provided in **Appendix C**.

Contaminant Data

The laboratory analytical results from the February 2014 groundwater monitoring event are as follows:

- BTEX and MTBE were not detected above the laboratory reporting limits in the wells that were sampled.
- TPH-GRO was detected above the California Regional Water Quality Control Board (RWQCB) San Francisco Bay Region environmental screening level (ESL) for drinking water of 100 micrograms per liter ($\mu\text{g/L}$) in injection wells IW-4 (600 $\mu\text{g/L}$), IW-5 (770 $\mu\text{g/L}$), and IW-6 (110 $\mu\text{g/L}$). TPH-GRO also exceeded the non-drinking water RWQCB ESL of 210 $\mu\text{g/L}$ in injection wells IW-4 and IW-5.

- TPH-DRO was detected above the RWQCB ESL for drinking water of 100 µg/L in monitoring wells MW-2 (9,100 µg/L), MW-4 (19,000 µg/L), and MW-10 (130 µg/L) and injection wells IW-2 (8,700 µg/L), IW-3 (190 µg/L), IW-4 (170,000 µg/L), IW-5 (88,000 µg/L), and IW-6 (2,000 µg/L). TPH-DRO also exceeded the non-drinking water RWQCB ESL of 210 µg/L in monitoring wells MW-2 and MW-4 and injection wells IW-2, IW-4, IW-5, and IW-6.
- Naphthalene was detected above the RWQCB ESL for drinking water of 17 µg/L in injection well IW-2 (180 µg/L).

Biogeochemical Indicator Parameter Data

Aquifers impacted by petroleum hydrocarbons are typically anaerobic because dissolved oxygen (DO) is energetically favorable, and is preferentially consumed by indigenous microbes during aerobic oxidation of the petroleum hydrocarbons, serving as an electron donor in the microbial metabolism reactions. Following the depletion of oxygen, alternative electron acceptors (i.e., nitrate, iron, manganese, sulfate, and carbon dioxide) are used in the continued oxidation of petroleum hydrocarbons. The anaerobic oxidation of petroleum hydrocarbons under various dominant electron-accepting processes (e.g., sulfate-reduction, iron-reducing, methanogenesis, etc.) is well founded in the literature (Finneran et al., 2001; Aronson and Howard, 1997; Beller et al., 1992).

Anaerobic processes generally occur at slower kinetic rates than that observed with oxygen. Non-oxygen electron acceptors can be advantageous to oxygen because they can be highly soluble, can be supplied at elevated dissolved concentrations, and have minimal abiotic or non-target reactions that typically limit oxygen persistence in the subsurface. For example, the higher concentrations of sulfate that can be maintained in a petroleum hydrocarbon-impacted aquifer accompanied by electron acceptor persistence allows for effective hydrocarbon degradation. Comparatively, active oxygen sparging approaches are fundamentally limited by low oxygen solubility in groundwater and gas transfer inefficiencies that limit the effective DO concentrations typically maintained in engineered aerobic reactive zones. While the kinetic rates of anaerobic oxidation may be slower than aerobic oxidation, a natural attenuation approach relying on anaerobic processes can be cost-effective for addressing petroleum hydrocarbons.

The laboratory analytical results from the February 2014 groundwater monitoring event for the biogeochemical indicator parameters are as follows:

- Nitrate as nitrogen was detected in injection well IW-4 at a concentration of 680 µg/L. Concentrations in the remaining wells were below the laboratory reporting limit. Groundwater at the site has been analyzed for nitrate since August 2012, and all samples submitted to the laboratory for nitrate analysis have been below the laboratory reporting limit, except in injection well IW-4 during the February 2014 event. Given the elevated concentrations of hydrocarbons and the strong anaerobic conditions at the site, it is not surprising that the concentrations of nitrate are low. After oxygen, nitrate is a thermodynamically favorable electron acceptor that can be readily used by microbes in numerous petroleum hydrocarbon oxidation metabolisms.
- Iron concentrations ranged from 2,500 µg/L in monitoring well MW-13 to 52,000 µg/L in injection well IW-6. Groundwater at the site has been analyzed for iron since March 2012, and in general the concentrations have ranged from approximately 1,000 µg/L to approximately 52,000 µg/L. Initial iron concentrations in monitoring well MW-13 and in all of the injection wells ranged as high as 210,000 to 390,000 µg/L in March 2012, but this was likely related to sediment from the newly installed and developed wells. Iron (in the form of ferrous [Fe²⁺] or ferric [Fe³⁺] iron) can be an indicator of the redox condition of the groundwater. The presence of ferric iron (along with other biogeochemical data) is an indication of more oxidizing groundwater, and the presence of ferrous iron (along with other biogeochemical data) is an indication of more reducing groundwater. Ferric iron is slightly soluble and typically total iron is a representation of ferric iron. Ferrous iron is highly soluble and typically dissolved iron is a representation of ferrous iron. Future sampling for iron at the site will evaluate total iron and dissolved iron to discern the difference in the oxidation state of the iron.
- Sulfate concentrations ranged from 1,200 µg/L in injection well IW-5 to 40,000 µg/L in monitoring well MW-10. Concentrations in the remaining wells were below the laboratory reporting limit. Similar to nitrate and iron, the presence of sulfate suggests some available electron acceptors to facilitate anaerobic oxidation of petroleum hydrocarbons. The sulfur element in sulfate is the most oxidized form of sulfur, and, as microbes use sulfate to facilitate the oxidation of hydrocarbons, electrons are transferred to the sulfur and create sulfide. Therefore, looking at sulfate and sulfide (along with other biogeochemical data) can provide clues as to the redox condition of the water. Depending on the environmental setting, background sulfate concentrations can range from 10,000 µg/L (typical) to 1,000,000 µg/L (tidally influenced areas). The ambient concentrations of sulfate at this site are generally within the typical range, and the numerous locations below laboratory reporting limits indicate that most of the available sulfate has been used in the natural anaerobic oxidation of petroleum hydrocarbons.

- Sulfide concentrations ranged from 1,800 µg/L in monitoring well MW-13 to 5,800 µg/L in injection well IW-4. Sulfide is highly reactive with available metals in the aquifer (e.g., iron); as a result, in most anaerobic aquifers the observed concentrations of sulfide are below 1,000 µg/L. This is because the sulfide forms insoluble compounds with the metals and is therefore no longer present in groundwater. Observations of sulfide in groundwater in excess of 1,000 µg/L with iron concentrations in excess of 10,000 µg/L are considerable, implying that enough sulfide is present to react with the iron and still be detected in groundwater. Because sulfide is the result of anaerobic reduction of sulfate and oxidation of petroleum hydrocarbons, the detection of concentrations of sulfide above 1,000 µg/L provides strong evidence of naturally occurring anaerobic hydrocarbon oxidation.
- Methane concentrations ranged from 2,700 µg/L in injection well IW-4 to 6,600 µg/L in injection well IW-5. These concentrations are similar to the 2012 and 2013 results, which are the only other times methane has been analyzed. The solubility of methane in water at ambient temperature is approximately 20,000 to 25,000 µg/L, and methane concentrations above 1,000 µg/L in groundwater are generally indicative of anaerobic processes. The concentrations of methane presented in **Table 2** indicate elevated concentrations of methane (above 1,000 µg/L); however, not all of the wells with methane have the same elevated petroleum hydrocarbon concentrations. For example, methane concentrations observed during the February 2014 event at wells MW-8, MW-9, MW-10, and MW-14 ranged from 3,100 to 3,700 µg/L, and these wells, in general, represent some of the lowest TPH-GRO and TPH-DRO concentrations on site. A possible explanation for this is a slow groundwater velocity that is not bringing oxygen from upgradient into the plume. Biological oxidation of methane in the presence of oxygen is a well recognized process. It is not advised to disrupt the anaerobic conditions at the site, and methane will be addressed over time as oxygen infiltrates the former source areas.
- TDS concentrations ranged from 950 milligrams per liter (mg/L) in injection well IW-5 to 10,000 mg/L in injection well IW-6. The RWQCB generally limits drinking water sources to 3,000 mg/L TDS to be protective. Groundwater at the site is not a drinking water source, and numerous locations exceed the 3,000 mg/L standard (MW-2, MW-8, MW-10, IW-2, and IW-6).

Summary

- The groundwater elevations during the February 2014 monitoring event ranged from 0.27 ft amsl in monitoring well MW-10 to 7.83 ft amsl in monitoring well MW-9.
- Groundwater elevations indicated that the apparent groundwater flow direction was generally to the southeast on February 5, 2014, which is consistent with historical groundwater flow.
- BTEX and MTBE were not detected above the laboratory reporting limits in the sampled monitoring wells during the February 2014 monitoring event.
- TPH-GRO was detected above the RWQCB ESL for drinking water in injection wells IW-4, IW-5, and IW-6 during the February 2014 sampling event. The RWQCB ESL for non-drinking water was exceeded during the February 2014 monitoring event in injection wells IW-4 and IW-5.
- TPH-DRO was detected above the RWQCB ESL for drinking water in monitoring wells MW-2, MW-4, and MW-10 and injection wells IW-2, IW-3, IW-4, IW-5, and IW-6 during the February 2014 sampling event. The RWQCB ESL for non-drinking water was exceeded in monitoring wells MW-2 and MW-4 and injection wells IW-2, IW-4, IW-5, and IW-6 during the February 2014 sampling event.

Recommendations

ARCADIS will continue semi-annual groundwater monitoring and will conduct an additional soil and groundwater investigation in accordance with the Revised Work Plan for Separate Phase Hydrocarbon Characterization and Dissolved Phase Plume Delineation (ARCADIS 2013).

If you have any questions regarding this report, please do not hesitate to contact me at 609.366.9067. Please send correspondence regarding this report to Mr. Paul Harper of UPS at the address provided below. Please copy ARCADIS on all correspondence.

Sincerely,

ARCADIS U.S., Inc.



Gregory R. Albright
Gregory R. Albright, P.G.
Principal Geologist
California P.G. No. 5098

Jennifer Halcomb-LeBeau
Jennifer Halcomb-LeBeau
Staff Geologist

Attachments:

- Figure 1 Site Location Map
- Figure 2 Facility Layout Map
- Figure 3 Site Map
- Figure 4 Groundwater Contour Map, February 5, 2014
- Figure 5 Groundwater Quality Map, February 5, 2014

- Table 1 Historical Groundwater Elevation Summary
- Table 2 Historical Groundwater Monitoring Results and Baseline Sampling Summary

- Appendix A Field Data Sheets
- Appendix B SOS® Passive Skimmers Specifications
- Appendix C Laboratory Analytical Results and Chain-of-Custody Documentation

Copies:

- Paul Harper – UPS Corporate Plant Engineering; 55 Glenlake Parkway NE, Atlanta, GA 30328
- Douglas Herman – Port of Oakland; 530 Water Street, Oakland, CA 94607
- Stacey Hanna – UPS West Region Environmental Manager, 25201 Paseo De. Alicia, Suite 250, Laguna Hills, CA 92653
- Hugh Devery – ARCADIS, 1000 Cobb Place Boulevard, Building 500A, Kennesaw, GA 30144
- File

References:

ARCADIS U.S., Inc. (ARCADIS). 2011a. Summary of Soil and Groundwater Investigation Activities Report, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA.

ARCADIS. 2011b. Corrective Action Plan, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. December.

ARCADIS, 2012. Revised Summary of Soil and Groundwater Investigation Activities Report, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. August 17.

ARCADIS. 2013. Revised Work Plan for Separate Phase Hydrocarbon Characterization and Dissolved Phase Plume Delineation, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. September 5.

Aronson and Howard. 1997.

Beller et al. 1992.

California Regional Water Quality Control Board, San Francisco Bay Region. 2008. ESLs for Environmental Concerns at Sites with Contaminated Soil and Groundwater INTERIM FINAL - November 2007. Revised May 2008.

Finneran et al. 2001.

State Water Resources Control Board (SWRCB). 2012. Low-Threat Underground Storage Tank Case Closure Policy. Adopted May 1, 2012, Effective August 17, 2012. (http://www.swrcb.ca.gov/ust/lt_cls_plcy.shtml).

Tables

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-1	7.43	8/28/1990	3.80	3.63	0.00	NR
		9/20/1990	3.99	3.44	0.00	NR
		6/19/1991	3.47	3.96	NM	NR
		7/23/1991	3.70	3.73	NM	NR
		8/26/1991	3.92	3.51	NM	NR
		11/18/1991	4.21	3.22	NM	NR
		2/3/1992	3.99	3.44	NM	NR
		6/29/1992	3.38	4.05	NM	NR
		6/23/1993	2.72	4.71	NM	NR
		10/11/1993	3.87	3.56	NM	NR
		1/4/1994	3.34	4.09	NM	NR
		5/10/1994	2.14	5.29	NM	NR
		2/1/1995	1.84	5.59	NM	NR
		8/2/1995	3.10	4.33	NM	NR
		10/16/1995	3.75	3.68	NM	NR
		12/28/1995	3.56	3.87	NM	NR
		6/4/1997	3.16	4.27	0.00	NR
		9/30/1999	3.75	3.68	0.00	NR
		10/11/2000	3.88	3.55	0.00	NR
		9/3/2002	3.73	3.70	0.00	NR
		10/22/2002	5.11	2.32	0.05	NR
		12/23/2002	3.51	3.92	0.00	NR
		3/28/2003	3.52	3.91	0.00	NR
		5/30/2003	3.37	4.06	0.00	NR
		6/20/2003	3.50	3.93	0.00	NR
		7/14/2003	3.65	3.78	0.00	NR
		8/25/2003	3.87	3.56	0.00	NR
		9/9/2003	4.02	3.41	0.00	NR
		9/25/2003	4.10	3.33	0.00	NR
		10/28/2003	4.29	3.14	0.00	NR
		11/18/2003	4.32	3.11	0.00	NR
		12/2/2003	4.34	3.09	0.00	NR
		1/27/2004	3.88	3.55	0.00	NR
		2/24/2004	2.75	4.68	0.00	NR
		3/29/2004	3.45	3.98	0.00	NR
		4/19/2004	3.55	3.88	0.00	NR
		5/20/2004	3.69	3.74	0.00	NR
		6/22/2004	3.81	3.62	0.00	NR
		7/27/2004	3.99	3.44	0.00	NR
		8/24/2004	4.14	3.29	0.00	NR
		9/29/2004	4.32	3.11	0.00	NR
		10/25/2004	3.89	3.54	0.00	NR
		12/15/2004	3.18	4.25	0.00	NR
		1/24/2005	2.69	4.74	0.00	NR
		2/23/2005	2.48	4.95	0.00	NR
		3/23/2005	2.21	5.22	0.00	NR
		4/29/2005	2.57	4.86	0.00	NR
5/27/2005	2.68	4.75	0.00	NR		
6/29/2005	2.97	4.46	0.00	NR		
7/20/2005	3.13	4.30	0.00	NR		
8/24/2005	3.48	3.95	0.00	NR		
9/27/2005	3.69	3.74	0.00	NR		
10/19/2005	3.87	3.56	0.00	NR		
11/29/2005	3.79	3.64	0.00	NR		
12/29/2005	3.08	4.35	0.00	NR		
1/31/2006	2.91	4.52	0.00	NR		
2/28/2006	2.84	4.59	0.00	NR		
3/27/2006	2.26	5.17	0.00	NR		
4/28/2006	2.40	5.03	0.00	NR		
6/27/2006	3.09	4.34	0.00	NR		
7/31/2006	3.35	4.08	0.00	NR		
8/29/2006	3.60	3.83	0.00	NR		
9/28/2006	3.90	3.53	0.00	NR		
10/27/2006	3.97	3.46	0.00	NR		
11/22/2006	3.64	3.79	0.00	NR		
12/26/2006	3.04	4.39	0.00	NR		
1/25/2007	3.26	4.17	0.00	NR		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-1	7.43	2/16/2007	3.12	4.31	0.00	NR
		3/19/2007	2.91	4.52	0.00	NR
		4/26/2007	2.93	4.50	0.00	NR
		5/29/2007	3.15	4.28	0.00	NR
		6/28/2007	3.42	4.01	0.00	NR
		7/30/2007	3.60	3.83	0.00	NR
		8/30/2007	3.85	3.58	0.00	NR
		9/25/2007	4.00	3.43	0.00	NR
		10/29/2007	4.05	3.38	0.00	NR
		11/29/2007	4.10	3.33	0.00	NR
		12/28/2007	3.80	3.63	0.00	NR
		1/24/2008	3.14	4.29	0.00	NR
		2/21/2008	2.44	4.99	0.00	NR
		3/28/2008	2.84	4.59	0.00	NR
		4/30/2008	3.00	4.43	0.00	NR
		5/29/2008	3.24	4.19	0.00	NR
		6/25/2008	3.39	4.04	0.00	NR
		7/29/2008	3.64	3.79	0.00	NR
		8/27/2008	3.85	3.58	0.00	NR
		9/30/2008	4.08	3.35	0.00	NR
		10/31/2008	4.20	3.23	0.00	NR
11/26/2008	4.14	3.29	0.00	NR		
12/30/2008	3.94	3.49	0.00	NR		
1/22/2009	3.93	3.50	0.00	NR		
4/3/2009		ABANDONED				
MW-2	7.15	8/28/1990	4.98	2.17	0.00	NR
		9/20/1990	4.94	2.21	N/A	NR
		6/19/1991	4.66	2.49	N/A	NR
		7/23/1991	4.81	2.34	N/A	NR
		8/26/1991	4.89	2.26	N/A	NR
		11/18/1991	4.93	2.22	N/A	NR
		2/3/1992	4.44	2.71	N/A	NR
		6/29/1992	4.80	2.35	N/A	NR
		6/23/1993	4.38	2.77	N/A	NR
		10/11/1993	5.20	1.95	N/A	NR
		1/4/1994	4.56	2.59	N/A	NR
		5/10/1994	4.20	2.95	N/A	NR
		2/1/1995	4.00	3.15	N/A	NR
		8/2/1995	4.71	2.44	N/A	NR
		10/16/1995	5.02	2.13	N/A	NR
		12/28/1995	4.56	2.59	N/A	NR
		6/12/1996	NM	--	0.25	NR
		6/4/1997	6.02	1.13	Small globule	NR
		9/30/1999	4.95	2.20	0.00	NR
		10/11/2000	4.97	2.18	0.08	NR
		2/12/2002	4.26	2.89	0.01	24.00
		9/3/2002	5.02	2.13	0.07	NR
		9/27/2002	4.89	2.26	0.09	222.30
		10/22/2002	5.11	2.04	0.05	125.00
		12/23/2002	4.25	2.90	0.04	99.00
		1/16/2003	4.28	2.87	0.02	49.00
		2/12/2003	4.26	2.89	0.01	24.00
		3/28/2003	4.35	2.80	0.01	25.00
		5/30/2003	3.60	3.55	0.02	49.00
		6/20/2003	4.55	2.60	0.01	NR
		7/14/2003	4.56	2.59	0.00	NR
		8/25/2003	4.79	2.36	0.01	25.00
		9/9/2003	4.90	2.25	0.01	NR
		9/25/2003	4.97	2.18	0.01	25.00
10/28/2003	4.98	2.17	0.04	104.00		
11/18/2003	4.83	2.32	0.00	NR		
12/3/2003	4.87	2.28	0.00	NR		
1/27/2004	7.39	-0.24	0.00	NR		
2/24/2004	4.56	2.59	0.01	NR		
3/29/2004	4.24	2.91	0.01	NR		
4/19/2004	4.50	2.65	0.01	25.00		
5/20/2004	4.53	2.62	0.00	NR		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-2	7.15	6/22/2004	4.65	2.50	0.00	NR
		7/27/2004	4.80	2.35	0.00	NR
		8/24/2004	5.93	1.22	0.00	NR
		9/29/2004	5.00	2.15	0.02	50.00
		10/25/2004	4.68	2.47	0.00	NR
		12/15/2004	4.34	2.81	0.02	50.00
		1/24/2005	4.15	3.00	0.00	NR
		2/23/2005	4.95	2.20	0.03	74.00
		3/23/2005	4.96	2.19	0.02	49.00
		4/29/2005	4.23	2.92	0.10	246.00
		5/27/2005	4.20	2.95	0.02	50.00
		6/29/2005	4.29	2.86	0.00	NR
		7/20/2005	4.48	2.67	0.04	98.00
		8/24/2005	4.71	2.44	0.00	NR
		9/27/2005	4.98	2.17	0.03	70.00
		10/19/2005	5.08	2.07	0.00	NR
		11/29/2005	4.68	2.47	0.01	NR
		12/29/2005	4.19	2.96	0.01	NR
		1/31/2006	4.05	3.10	0.00	NR
		2/28/2006	4.16	2.99	0.00	25.00
		3/27/2006	4.11	3.04	0.01	NR
		4/28/2006	4.03	3.12	0.00	NR
		6/27/2006	4.45	2.70	0.01	NR
		7/31/2006	4.60	2.55	0.02	NR
		8/29/2006	4.84	2.31	0.01	NR
		9/28/2006	4.96	2.19	0.03	NR
		10/27/2006	4.98	2.17	0.00	NR
		11/22/2006	4.58	2.57	0.00	NR
		12/26/2006	4.22	2.93	0.02	NR
		1/25/2007	4.44	2.71	0.00	NR
		2/16/2007	4.13	3.02	0.00	NR
		3/19/2007	4.30	2.85	0.01	NR
		4/26/2007	4.17	2.98	0.03	NR
		5/29/2007	4.42	2.73	0.01	25.00
		6/28/2007	5.16	1.99	0.01	25.00
		7/30/2007	4.71	2.44	0.00	NR
		8/30/2007	4.94	2.21	0.03	NR
		9/25/2007	5.06	2.09	0.01	25.00
		10/29/2007	4.75	2.40	0.01	25.00
		11/29/2007	4.69	2.46	0.00	NR
12/28/2007	4.35	2.80	0.00	NR		
1/24/2008	4.08	3.07	0.00	NR		
2/21/2008	3.97	3.18	0.01	25.00		
3/28/2008	4.18	2.97	0.00	NR		
4/30/2008	4.40	2.75	0.00	NR		
5/29/2008	4.58	2.57	0.01	20.00		
6/25/2008	4.58	2.57	0.00	NR		
7/29/2008	4.85	2.30	0.00	NR		
8/27/2008	4.89	2.26	0.01	25.00		
9/30/2008	5.14	2.01	0.04	98.00		
10/31/2008	5.23	1.92	0.03	NR		
11/26/2008	4.74	2.41	0.04	NR		
12/30/2008	4.33	2.82	0.01	25.00		
1/22/2009	4.45	2.70	0.01	25.00		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-2	9.63	5/5/2010	4.03	5.60	0.13	NR
		10/29/2010	4.98	4.65	0.08	NR
		2/25/2011	3.73	5.90	0.00	NR
		6/14/2011	4.23	5.40	0.00	0.00
		7/19/2011	4.72	4.91	0.01	59.15
		8/18/2011	4.80	4.83	sheen	0.00
		9/1/2011	4.96	4.67	sheen	0.00
		9/20/2011	5.08	4.56	0.01	591.47
		10/19/2011	4.77	4.86	0.01	591.47
		11/22/2011	4.92	4.71	0.01	532.32
		12/26/2011	4.92	4.71	0.01	532.32
		1/23/2012	5.20	4.43	0.28	561.83
		2/15/2012	5.16	4.47	0.03	591.40
		2/29/2012	4.75	4.88	0.02	NR
		3/19/2012	4.42	5.21	0.00	NR
		5/1/2012	4.18	5.45	0.03	532.32
		6/5/2012	4.61	5.02	0.01	NR
		7/3/2012	4.91	4.72	0.03	532.32
		8/1/2012	4.93	4.70	0.01	NR
		8/3/2012	4.985	4.65	0.05	591.47
		10/25/2012	5.49	4.14	0.02	5.0
		11/19/2012	5.21	4.42	0.00	25.0
		12/20/2012	5.76	3.87	0.01	2.0
		1/24/2013	4.81	4.82	0.00	0.0
		2/25/2013	NM	--	--	--
		2/26/2013	4.73	4.90	0.00	5.0
		4/14/2013	NM	--	--	--
		4/22/2013	4.69	4.94	0.00	5.0
		5/15/2013	NM	-	-	-
		5/30/2013	4.99	4.64	0.01	5.0
		6/26/2013	5.23	4.40	0.00	NR
		7/22/2013	5.15	4.48	0.06	NR
8/12/2013	5.15	4.48	0.02	0.0		
9/25/2013	5.13	4.50	0.00	0.0		
10/28/2013	5.39	4.24	0.01	5.0		
11/27/2013	5.20	4.43	0.02	NR		
12/27/2013	5.52	4.11	0.00	0.0		
1/29/2014	5.50	4.13	0.02	0.0		
2/5/2014	5.45	4.18	0.00	0.0		
MW-2 Product recovered prior to skimmer installation (Pre 6/14/2011):						1826.30
MW-2 Product recovered post skimmer installation (Post 6/14/2011):						5168.07
MW-2 Total product recovered:						6994.37

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-3	7.42	8/28/1990	3.88	3.54	0.00	NR
		9/20/1990	3.99	3.43	0.00	NR
		6/19/1991	3.49	3.93	0.00	NR
		7/23/1991	3.71	3.71	0.00	NR
		8/26/1991	3.94	3.48	0.00	NR
		11/18/1991	4.23	3.19	0.00	NR
		2/3/1992	4.01	3.41	0.00	NR
		6/29/1992	3.40	4.02	0.00	NR
		6/23/1993	2.75	4.67	0.00	NR
		10/11/1993	3.84	3.58	0.00	NR
		1/4/1994	3.40	4.02	0.00	NR
		5/10/1994	2.25	5.17	0.00	NR
		2/1/1995	2.43	4.99	0.00	NR
		8/2/1995	3.20	4.22	0.00	NR
		10/16/1995	3.72	3.70	0.00	NR
		12/28/1995	3.56	3.86	0.00	NR
		6/4/1997	3.20	4.22	0.00	NR
		6/3/1998	NM	--	0.00	NM
		9/30/1999	3.72	3.70	0.00	NR
		10/11/2000	3.88	3.54	0.00	NR
		9/3/2002	3.75	3.67	0.00	NR
		12/23/2002	3.50	3.92	0.00	NR
		3/28/2003	3.56	3.86	0.00	NR
		5/30/2003	3.38	4.04	0.00	NR
		6/20/2003	3.52	3.90	0.00	NR
		7/14/2003	3.65	3.77	0.00	NR
		8/25/2003	3.99	3.43	0.00	NR
		9/9/2003	3.99	3.43	0.00	NR
		9/25/2003	4.06	3.36	0.00	NR
		10/28/2003	4.15	3.27	0.00	NR
		11/18/2003	4.28	3.14	0.00	NR
		12/2/2003	4.31	3.11	0.00	NR
		1/27/2004	3.85	3.57	0.00	NR
		2/24/2004	3.70	3.72	0.00	NR
		3/29/2004	3.47	3.95	0.00	NR
		4/19/2004	3.55	3.87	0.00	NR
		5/20/2004	3.65	3.77	0.00	NR
		6/22/2004	3.83	3.59	0.00	NR
		7/27/2004	3.98	3.44	0.00	NR
		8/24/2004	4.14	3.28	0.00	NR
		9/29/2004	4.30	3.12	0.00	NR
		10/25/2004	3.85	3.57	0.00	NR
		12/15/2004	3.16	4.26	0.00	NR
		1/24/2005	2.65	4.77	0.00	NR
2/23/2005	2.50	4.92	0.00	NR		
3/23/2005	2.48	4.94	0.00	NR		
4/29/2005	2.59	4.83	0.00	NR		
5/27/2005	2.75	4.67	0.00	NR		
6/29/2005	3.05	4.37	0.00	NR		
7/20/2005	3.10	4.32	0.00	NR		
8/24/2005	3.45	3.97	0.00	NR		
9/27/2005	3.71	3.71	0.00	NR		
10/19/2005	3.73	3.69	0.00	NR		
11/29/2005	3.75	3.67	0.00	NR		
12/29/2005	3.08	4.34	0.00	NR		
1/31/2006	2.99	4.43	0.00	NR		
2/28/2006	2.95	4.47	0.00	NR		
3/27/2006	2.60	4.82	0.00	NR		
4/28/2006	2.90	4.52	0.00	NR		
6/27/2006	3.01	4.41	0.00	NR		
7/31/2006	4.33	3.09	0.00	NR		
8/29/2006	3.62	3.80	0.00	NR		
9/28/2006	3.80	3.62	0.00	NR		
10/27/2006	3.90	3.52	0.00	NR		
11/22/2006	3.60	3.82	0.00	NR		
12/26/2006	3.07	4.35	0.00	NR		
1/25/2007	3.25	4.17	0.00	NR		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-3	7.42	2/16/2007	3.09	4.33	0.00	NR
		3/19/2007	2.83	4.59	0.00	NR
		4/26/2007	2.94	4.48	0.00	NR
		5/29/2007	3.18	4.24	0.00	NR
		6/28/2007	3.41	4.01	0.00	NR
		7/30/2007	3.62	3.80	0.00	NR
		8/30/2007	3.84	3.58	0.00	NR
		9/25/2007	4.03	3.39	0.00	NR
		10/29/2007	4.06	3.36	0.00	NR
		11/29/2007	4.10	3.32	0.00	NR
		12/28/2007	3.78	3.64	0.00	NR
		1/24/2008	3.16	4.27	0.00	NR
		2/21/2008	2.41	5.02	0.00	NR
		3/28/2008	2.94	4.48	0.00	NR
		4/30/2008	3.08	4.34	0.00	NR
		5/29/2008	3.24	4.18	0.00	NR
		6/25/2008	3.30	4.12	0.00	NR
		7/29/2008	3.50	3.92	0.00	NR
		8/27/2008	3.84	3.58	0.00	NR
		9/30/2008	4.03	3.39	0.00	NR
	10/31/2008	4.20	3.22	0.00	NR	
	11/26/2008	4.23	3.19	0.00	NR	
	12/30/2008	3.96	3.46	0.00	NR	
	1/22/2009	3.96	3.46	0.00	NR	
	5/5/2010	3.13	6.76	0.02	NR	
	10/29/2010	4.70	5.19	0.00	NR	
	2/25/2011	1.54	8.35	0.02	NR	
	6/14/2011	3.25	6.64	0.05	NR	
	7/19/2011	3.53	6.36	0.02	532.32	
	8/18/2011	3.98	5.91	sheen	591.47	
	9/1/2011	4.12	5.77	sheen	591.47	
	9/20/2011	4.41	5.48	sheen	591.47	
	10/19/2011	4.34	5.55	sheen	561.90	
	11/22/2011	4.75	5.14	sheen	532.32	
	12/26/2011	4.70	5.19	sheen	532.32	
	1/23/2012	4.11	5.78	0.01	532.26	
	2/15/2012	4.90	4.99	0.02	591.40	
	2/29/2012	4.14	5.75	0.03	NR	
	3/19/2012	2.98	6.91	0.00	NR	
	5/1/2012	2.91	6.98	0.01	532.32	
	6/5/2012	3.80	6.09	0.00	NR	
	7/3/2012	4.22	5.67	0.01	532.32	
	8/1/2012	4.58	5.31	0.00	NR	
	8/3/2012	4.61	5.28	0.00	532.32	
	10/25/2012	5.20	4.69	0.00	NR	
11/19/2012	4.90	4.99	0.00	NR		
12/20/2012	4.00	5.89	0.00	NR		
1/24/2013	3.95	5.94	0.00	NR		
2/25/2013	NM	--	--	--		
2/26/2013	4.25	5.64	0.00	NR		
4/14/2013	NM	--	--	--		
4/22/2013	4.54	5.35	0.00	10.00		
5/15/2013	NM	-	-	-		
5/30/2013	5.01	4.88	0.01	10.00		
6/26/2013	5.13	4.76	0.01	NR		
7/22/2013	5.48	4.41	0.00	NR		
8/12/2013	5.44	4.45	0.00	NR		
9/25/2013	5.50	4.39	0.00	NR		
10/28/2013	5.62	4.27	0.00	NR		
11/27/2013	5.67	4.22	0.02	2.00		
12/27/2013	5.80	4.09	0.02	2.00		
1/29/2014	5.90	3.99	0.05	0.00		
2/5/2014	5.84	4.05	0.04	2.00		
MW-3 Product recovered prior to skimmer installation (Pre 6/14/2011):						0.00
MW-3 Product recovered post skimmer installation (Post 6/14/2011):						6679.89
MW-3 Total product recovered:						6679.89

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-4	9.77	5/5/2010	2.96	6.81	0.00	
		10/29/2010	4.53	5.24	0.00	NR
		2/25/2011	1.34	8.43	0.00	NR
		9/1/2011	3.99	5.78	0.00	NR
		2/29/2012	3.91	5.86	0.00	NR
		3/19/2012	2.81	6.96	0.00	NR
		6/5/2012	3.59	6.18	0.00	NR
		8/1/2012	4.45	5.32	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	4.09	5.68	0.01	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	5.10	4.67	0.00	NR
		8/12/2013	5.25	4.52	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
12/27/2013	NM	--	NM	--		
1/29/2014	6.03	3.74	0.00	NR		
2/5/2014	5.64	4.13	0.00	NR		
MW-8	8.22	5/5/2010	2.56	5.66	0.00	NR
		10/29/2010	4.39	3.83	0.00	NR
		2/25/2011	2.69	5.53	0.00	NR
		9/1/2011	3.67	4.55	0.00	NR
		2/29/2012	3.63	4.59	0.00	NR
		3/19/2012	3.37	4.85	0.00	NR
		6/5/2012	3.15	5.07	0.00	NR
		8/1/2012	3.77	4.45	0.00	NR
		2/25/2013	NM	--	--	--
		2/26/2013	3.38	4.84	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	3.90	4.32	0.00	NR
		8/12/2013	4.08	4.14	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
12/27/2013	NM	--	NM	--		
1/29/2014	4.73	3.49	0.00	NR		
2/5/2014	4.50	3.72	0.00	NR		
MW-9	14.63	5/5/2010	6.28	8.35	0.00	NR
		10/29/2010	6.28	8.35	0.00	NR
		2/25/2011	5.55	9.08	0.00	NR
		9/1/2011	6.05	8.58	0.00	NR
		2/29/2012	5.98	8.65	0.00	NR
		3/19/2012	5.68	8.95	0.00	NR
		6/5/2012	3.76	10.87	0.00	NR
		8/1/2012	6.11	8.52	0.00	NR
		2/25/2013	NM	--	--	--
		2/26/2013	5.91	8.72	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	6.13	8.50	0.00	NR
		8/12/2013	6.29	8.34	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
12/27/2013	NM	--	NM	--		
1/29/2014	7.15	7.48	0.00	NR		
2/5/2014	6.80	7.83	0.00	NR		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-10	9.68	5/5/2010	8.28	1.40	0.00	NR
		10/29/2010	8.27	1.41	0.00	NR
		2/25/2011	4.45	5.23	0.00	NR
		9/1/2011	8.35	1.33	0.00	NR
		2/29/2012	8.32	1.36	0.00	NR
		3/19/2012	7.11	2.57	0.00	NR
		6/5/2012	8.20	1.48	0.00	NR
		8/1/2012	8.34	1.34	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	8.28	1.40	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	8.31	1.37	0.00	NR
		8/12/2013	8.64	1.04	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	9.43	0.25	0.00	NR
		2/5/2014	9.41	0.27	0.00	NR
MW-11	9.49	5/5/2010	7.21	2.28	0.00	NR
		10/29/2010	6.83	2.66	0.00	NR
		2/25/2011	2.83	6.66	0.00	NR
		9/1/2011	6.05	3.44	0.00	NR
		2/29/2012	5.89	3.60	0.00	NR
		3/19/2012	8.88	0.61	0.00	NR
		6/5/2012	5.68	3.81	0.00	NR
		8/1/2012	6.16	3.33	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	5.96	3.53	0.00	NR
		4/14/2013				
		5/15/2013	NM	-	-	-
		7/22/2013	6.05	3.44	0.00	NR
		8/12/2013	6.43	3.06	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	7.06	2.43	0.00	NR
		2/5/2014	6.98	2.51	0.00	NR
MW-12	9.43	3/19/2012	4.40	5.03	0.18	NR
		6/5/2012	6.31	3.12	0.72	NR
		8/1/2012	7.39	2.04	1.40	NR
		8/3/2012	7.15	2.28	1.30	NR
		10/25/2012	6.74	2.69	0.72	NR
		11/19/2012	6.45	2.98	0.80	NR
		12/20/2012	5.90	3.53	0.90	NR
		1/24/2013	6.53	2.90	1.19	725.00
		2/25/2013	6.55	2.88	1.05	ND
		2/26/2013	7.75	1.68	0.05	30.00
		4/14/2013	5.70	3.73	0.25	ND
		4/22/2013	6.27	3.16	0.46	278.00
		5/15/2013	6.51	2.92	0.42	ND
		5/30/2013	6.67	2.76	0.25	151.00
		6/26/2013	6.82	2.61	0.33	200.00
		7/22/2013	6.69	2.74	0.16	97.00
		8/12/2013	6.73	2.70	0.17	0.00
		9/25/2013	6.83	2.60	0.52	322.00
		10/28/2013	6.83	2.60	0.39	236.00
		11/27/2013	6.86	2.57	0.61	606.00
12/27/2013	6.75	2.68	0.14	84.00		
1/29/2014	6.80	2.63	0.35	200.00		
2/5/2014	6.82	2.61	0.35	212.00		
MW-12 Total product recovered:						3141.00

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-13	9.10	3/19/2012	3.56	5.54	--	NR
		6/5/2012	4.50	4.60	0.00	NR
		8/1/2012	5.15	3.95	0.01	NR
		2/25/2013	4.61	4.49	0.00	NR
		2/26/2013	3.40	5.70	--	NR
		4/14/2013	4.88	4.22	0.00	NR
		5/15/2013	5.26	3.84	0.00	NR
		7/22/2013	5.58	3.52	0.00	NR
		8/12/2013	5.69	3.41	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.47	2.63	0.00	NR
		2/5/2014	5.80	3.30	0.00	NR
MW-14	9.29	3/19/2012	1.86	7.43	--	NR
		6/5/2012	2.53	6.76	--	NR
		8/1/2012	3.69	5.60	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	2.66	6.63	--	NR
		4/14/2013	NM	--	--	--
		5/15/2012	NM	-	-	-
		7/22/2013	4.56	4.73	0.00	NR
		8/12/2013	6.05	3.24	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.38	3.91	0.00	NR
		2/5/2014	5.10	4.19	0.00	NR

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
OW-1	N/A	6/4/1997	7.22	NC	0.01	NR
		9/30/1999	8.35	NC	0.01	NR
		10/11/2000	6.90	NC	0.09	NR
		2/12/2002	5.23	NC	0.01	38.00
		9/27/2002	7.02	NC	0.14	345.78
		10/22/2002	7.34	NC	0.01	40.00
		12/23/2002	5.17	NC	0.03	167.00
		1/16/2003	4.97	NC	0.01	40.00
		2/12/2003	5.23	NC	0.01	38.00
		3/28/2003	5.16	NC	0.01	25.00
		5/30/2003	4.41	NC	0.02	77.00
		6/20/2003	4.93	NC	0.01	NR
		7/14/2003	5.33	NC	0.00	NR
		8/25/2003	5.85	NC	0.00	NR
		9/9/2003	6.33	NC	0.00	NR
		9/25/2003	6.52	NC	0.01	25.00
		10/28/2003	7.26	NC	0.03	176.00
		11/18/2003	7.29	NC	0.00	NR
		12/2/2003	7.23	NC	0.03	NR
		1/27/2004	7.96	NC	0.01	NR
		2/24/2004	6.26	NC	0.02	NR
		3/29/2004	6.08	NC	0.02	NR
		4/19/2004	6.29	NC	0.03	116.00
		5/20/2004	6.16	NC	0.00	NR
		6/22/2004	6.37	NC	0.00	NR
		7/27/2004	5.67	NC	0.04	225.00
		8/24/2004	6.81	NC	0.00	NR
		9/29/2004	7.08	NC	0.04	153.00
		10/25/2004	6.74	NC	0.04	NR
		12/15/2004	5.33	NC	0.04	155.00
		1/24/2005	3.98	NC	0.00	NR
		2/23/2005	3.44	NC	0.01	NR ⁵
		3/23/2005	3.34	NC	0.02	77.00
		4/29/2005	6.89	NC	0.13	501.00
		5/27/2005	7.18	NC	0.11	425.00
		6/29/2005	7.12	NC	0.10	450.00
		7/20/2005	7.20	NC	0.10	556.00
		8/24/2005	7.15	NC	0.06	249.00
		9/27/2005	7.43	NC	0.12	450.00
		10/19/2005	7.48	NC	0.11	425.00
		11/29/2005	7.00	NC	0.04	NR
		12/29/2005	5.22	NC	0.00	NR
		1/31/2006	5.64	NC	0.00	NR
		2/28/2006	6.53	NC	0.01	39.00
		3/27/2006	5.80	NC	0.01	NR
		4/28/2006	6.39	NC	0.00	NR
		6/27/2006	7.82	NC	0.06	NR
7/31/2006	5.82	NC	0.05	NR		
8/29/2006	7.05	NC	0.07	NR		
9/28/2006	7.10	NC	0.02	NR		
10/27/2006	7.27	NC	0.02	NR		
11/22/2006	7.05	NC	0.02	NR		
12/26/2006	6.73	NC	0.03	NR		
1/25/2007	7.15	NC	0.00	NR		
2/16/2007	7.71	NC	0.01	NR		
3/19/2007	6.77	NC	0.02	NR		
4/26/2007	6.66	NC	0.01	NR		
5/29/2007	6.86	NC	0.02	76.00		
6/28/2007	6.97	NC	0.20	75.00		
7/30/2007	7.06	NC	0.01	NR		
8/30/2007	7.25	NC	0.03	NR		
9/25/2007	7.25	NC	0.03	115.00		
10/29/2007	7.43	NC	0.02	78.00		
11/29/2007	7.37	NC	0.00	NR		

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
OW-1	N/A	12/28/2007	7.28	NC	0.01	40.00
		1/24/2008	6.61	NC	0.01	38.00
		2/21/2008	6.33	NC	0.01	37.00
		3/28/2008	6.80	NC	0.01	NR
		4/30/2008	7.44	NC	0.03	166.90
		5/29/2008	7.09	NC	0.01	38.00
		6/25/2008	7.07	NC	0.02	112.00
		7/29/2008	7.34	NC	0.00	NR
		8/27/2008	7.28	NC	0.02	78.00
		9/30/2008	7.82	NC	0.03	167.00
		10/31/2008	7.31	NC	0.01	NR
		11/26/2008	6.93	NC	0.01	NR
		12/30/2008	7.25	NC	0.02	112.00
		1/22/2009	7.05	NC	0.01	56.00
OW-1	9.55	5/5/2010	7.08	2.47	0.06	NR
		10/29/2010	7.37	2.18	0.08	NR
		2/25/2011	6.17	3.38	0.05	NR
		6/14/2011	6.78	2.77	0.08	0.00
		7/19/2011	7.30	2.25	0.20	118.29
		8/18/2011	7.35	2.20	0.03	147.87
		9/1/2011	7.35	2.20	0.03	147.87
		9/20/2011	7.41	2.14	0.04	591.47
		10/19/2011	7.42	2.13	0.03	532.32
		11/22/2011	7.09	2.46	0.03	29.57
		12/26/2011	7.32	2.23	0.02	147.87
		1/23/2012	6.90	2.65	0.30	532.26
		2/15/2012	7.32	2.23	0.02	591.40
		2/29/2012	7.54	2.01	0.08	NR
		3/19/2012	7.25	2.30	0.01	NR
		5/1/2012	7.14	2.41	0.01	532.32
		6/5/2012	8.55	1.00	0.01	NR
		7/3/2012	7.63	1.92	0.04	295.70
		8/1/2012	7.81	1.74	0.00	NR
		8/3/2012	7.50	2.05	0.14	591.47
		10/25/2012	7.34	2.21	0.02	5.0
		11/19/2012	7.26	2.29	0.20	10.0
		12/20/2012	6.93	2.62	0.03	5.0
		1/24/2013	6.89	2.66	0.03	10.0
		2/25/2013	NM	--	--	--
		2/26/2013	7.72	1.83	0.03	15.0
		4/14/2013	NM	--	--	--
		4/22/2013	7.68	1.87	0.03	15.0
		5/15/2013	NM	-	-	-
		5/30/2013	7.50	2.05	0.05	20.0
		6/26/2013	7.56	1.99	0.05	NR
		7/22/2013	7.84	1.71	0.10	5.0
		8/12/2013	7.55	2.00	0.01	NR
		9/25/2013	7.36	2.19	0.03	10.0
10/28/2013	7.10	2.45	0.06	5.0		
11/27/2013	7.16	2.39	0.06	10.0		
12/27/2013	7.33	2.22	0.04	5.0		
1/29/2014	7.02	2.53	0.05	25.0		
2/5/2014	8.40	1.15	0.03	10.0		
OW-1 Product recovered prior to skimmer installation (Pre 6/14/2011):						5943.68
OW-1 Product recovered post skimmer installation (Post 6/14/2011):						4408.41
OW-1 Total product Recovered:						10352.09

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
IW-1	9.50	3/19/2012	4.38	5.12	0.00	NR
		6/5/2012	6.24	3.26	0.59	NR
		8/1/2012	7.29	2.21	1.23	NR
		8/3/2012	7.01	2.49	1.10	NR
		10/25/2012	7.05	2.45	1.00	NR
		11/19/2012	6.50	3.00	0.90	NR
		12/20/2012	5.85	3.65	0.74	NR
		1/24/2013	6.54	2.96	1.13	690.00
		2/25/2013	6.50	3.00	0.85	ND
		2/26/2013	8.72	0.78	0.91	550.00
		4/14/2013	5.64	3.86	0.84	ND
		4/22/2013	6.56	2.94	0.66	400.00
		5/15/2013	6.79	2.71	0.23	ND
		5/30/2013	6.93	2.57	0.47	284.00
		6/26/2013	6.98	2.52	0.54	327.00
		7/22/2013	6.89	2.61	0.36	218.00
		8/12/2013	6.95	2.55	0.61	370.00
		9/25/2013	6.73	2.77	0.33	205.00
		10/28/2013	6.76	2.74	0.24	145.00
		11/27/2013	6.80	2.70	0.58	351.00
12/27/2013	6.71	2.79	0.24	145.00		
1/29/2014	6.69	2.81	0.14	150.00		
2/5/2014	6.69	2.81	0.11	66.00		
IW-1 Total product Recovered:						3901.00
IW-2	9.02	3/19/2012	4.15	4.87	0.00	NR
		6/5/2012	4.76	4.26	0.00	NR
		8/1/2012	5.54	3.48	0.00	NR
		2/25/2013	7.04	1.98	0.00	NR
		2/26/2013	5.85	3.17	0.00	NR
		4/14/2013	5.16	3.86	0.00	NR
		5/15/2013	5.21	3.81	0.00	NR
		7/22/2013	5.60	3.42	0.00	NR
		8/12/2013	5.71	3.31	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.37	2.65	0.00	NR
		2/5/2014	6.05	2.97	0.00	NR

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
IW-3	8.93	3/19/2012	4.23	4.70	0.00	NR
		6/5/2012	3.82	5.11	0.00	NR
		8/1/2012	4.77	4.16	0.00	NR
		2/25/2013	5.90	3.03	0.00	NR
		2/26/2013	4.42	4.51	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2012	NM	-	-	-
		7/22/2013	4.80	4.13	0.00	NR
		8/12/2013	5.23	3.70	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.63	3.30	0.00	NR
		2/5/2014	5.83	3.10	0.00	NR
IW-4	9.96	3/19/2012	3.00	6.96	0.00	NR
		6/5/2012	3.77	6.19	0.00	NR
		8/1/2012	4.64	5.32	0.01	NR
		2/25/2013	NM	-	-	-
		2/26/2013	4.29	5.67	0.01	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	NM	-	-	-
		8/12/2013	5.45	4.51	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.87	4.09	0.00	NR
		2/5/2014	6.86	3.10	0.00	NR
IW-5	9.88	3/19/2012	2.92	6.96	0.00	NR
		6/5/2012	3.68	6.20	0.00	NR
		8/1/2012	4.72	5.16	0.00	NR
		2/25/2013	NM	-	-	-
		2/26/2013	4.58	5.30	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	5.38	4.50	0.00	NR
		8/12/2013	5.25	4.63	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.15	3.73	0.00	NR
		2/5/2014	6.91	2.97	0.00	NR

**TABLE 1
HISTORICAL GROUNDWATER ELEVATION SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE
OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Reference Elevation (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
IW-6	9.67	3/19/2012	3.15	6.52	0.00	NR
		6/5/2012	3.74	5.93	0.00	NR
		8/1/2012	4.36	5.31	0.01	NR
		2/25/2013	NM	-	-	-
		2/26/2013	4.10	5.57	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	5.09	4.58	0.00	NR
		8/12/2013	5.23	4.44	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.75	3.92	0.00	NR
		2/5/2014	5.55	4.12	0.00	NR
Total product recovered from skimmers (MW-2, MW-3 and OW-1):						
Total product recovered prior to skimmer installation (mL):						7770.0
Total product recovered prior to skimmer installation (oz):						262.0
Total product recovered prior to skimmer installation (gal):						2.05
Total product recovered post skimmer installation (mL):						16256.4
Total product recovered post skimmer installation (oz):						549.0
Total product recovered post skimmer installation (gal):						4.29
Total product recovered from wells without skimmers (mL):						7042.00
Total product recovered from wells without skimmers (oz):						240.00
Total product recovered from wells without skimmers (gal):						1.88
Total product recovered (mL):						31068.4
Total product recovered (oz):						1050.0
Total product recovered (gal):						8.20

Notes:

- * Reference elevation surveyed relative to mean sea level and California State Coordinate System, Zone III (NAD83)
2. Sources: Geraghty and Miller, 1996; BBL
3. Acronyms and Abbreviations: NM = Not measured; NC = Not calculated; N/A= Not Available; NR = Not Recovered
4. ft-btoc = feet below top of casing
5. ft-amsl = feet above mean sea level
6. mL = milliliters
7. oz = ounces
8. gal = gallons
9. '-- = no data
10. ND = not determined; due to the method used for HVE, a distinction could not be made between the volume of water and volume of product recovered
11. Volume of product recovered on 9/27/02 and 3/23/05 calculated based on measurements from field data sheets

**TABLE 2
HISTORICAL GROUNDWATER MONITORING RESULTS AND BASELINE SAMPLING SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	D.O. (mg/L)	Temperature °C	pH	Conductivity µs	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene µg/L	TDS (mg/L)	
Field Analysis	--	--	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	3,000	
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	were the	--	--	0.05	0.5	--	--	--	--	--	--	17	--	
ESL - Non-Drinking Water	--	46	130	43	100	1800	210	210	--	--	--	--	150	200	--	--	--	--	--	--	24	--	
MW-1	8/28/1990	3.00	1.40	4.00	2.40	NA	NA	21,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/19/1991	1.70	0.70	0.50	0.90	NA	NA	7,100	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/23/1991	1.60	1.10	0.50	1.50	NA	220	8,700	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/26/1991	180.00	120.00	31.00	160.00	NA	NA	2,800	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/18/1991	1.10	0.40	0.50	< 0.3	NA	NA	6,600	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/3/1992	0.90	< 0.3	0.80	0.70	NA	NA	2,200	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/29/1992	0.80	0.40	0.40	0.90	NA	NA	2,100	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/23/1993	0.66	< 0.5	0.50	< 0.5	NA	NA	3,200	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/11/1993	1.30	< 0.5	< 0.5	< 0.5	NA	NA	9,600	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1/4/1994	2.10	0.65	1.30	2.10	NA	NA	12,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/10/1994	0.54	0.53	< 0.5	1.10	NA	NA	6,400	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/1/1995	< 1.0	< 1.0	1.00	< 1.0	NA	510	10,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/2/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	510	8,700	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/16/1995	2.80	< 0.5	< 0.5	< 0.5	NA	830	15,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/28/1995	2.10	< 0.5	< 0.5	< 0.5	NA	560	15,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/4/1997	NA	NA	NA	NA	NA	NA	28,000	0.76	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/30/1999	< 0.5	0.60	< 0.5	1.80	< 3.0	1,600	28,000	9.90	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/11/2000	< 0.5	< 0.5	< 0.5	< 1.0	< 5	260	21,000	0.39	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/3/2002	< 0.5	< 0.5	< 0.5	0.50	< 0.5	1,00	38,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/28/2003	< 5	< 5	< 5	< 10	< 5.0	250	35,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/9/2003	< 0.5	< 0.5	< 0.5	< 1.0	0.60	440	11,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/19/2004	3.20	< 2.5	< 2.5	< 5.0	< 2.5	280	24,000 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/29/2004	< 1.0	< 1.0	< 1.0	< 2.0	2.10	1,400 g	150,000 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/23/2005	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	550 Q1	15,000 Q2	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/29/2005	< 0.50	< 0.50	< 0.50	< 1.0	0.94	310	7,800	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/27/2006	< 0.50	< 0.50	< 0.50	< 1.0	0.62	420	11,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/28/2006	< 0.50	< 0.50	< 0.50	< 1.0	0.87	220	28,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/19/2007	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	940	11,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/25/2007	< 0.50	< 0.50	< 0.50	1.1	< 0.50	240	9,700	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/28/2008	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	55	13,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/30/2008	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	280	9,800	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/3/2009													ABANDONED									
MW-2	8/28/1990	0.60	0.40	0.60	0.70	NA	NA	3,500	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/19/1991	0.50	< 0.3	< 0.3	< 0.3	NA	NA	< 500	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/23/1991	0.70	< 0.3	< 0.3	< 0.3	NA	< 500	660	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/26/1991	0.70	< 0.3	< 0.3	< 0.3	NA	NA	< 500	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/18/1991	0.80	< 0.3	< 0.3	< 0.3	NA	NA	3,200	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/3/1992	0.70	< 0.3	< 0.3	0.50	NA	NA	400	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/29/1992	0.60	< 0.3	< 0.3	< 0.3	NA	NA	250	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/23/1993	0.55	< 0.5	< 0.5	< 0.5	NA	NA	11,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/1993	1.20	< 0.5	< 0.5	1.30	NA	NA	1,400	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/4/1994	0.72	< 0.5	< 0.5	1.10	NA	NA	3,700	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/10/1994	0.74	< 0.5	< 0.5	0.70	NA	NA	2,300	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/1/1995	2.10	< 1.0	< 1.0	< 1.0	NA	< 100	2,100	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/2/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	210	3,600	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/16/1995	0.73	< 0.5	< 0.5	< 0.5	NA	130	1,400	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/28/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	210	2,800	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/12/1996	NS	NS	NS	NS	NS	NS	--	NS	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/4/1997	NA	NA	NA	NA	NA	NA	3,300	0.52	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/30/1999	< 0.5	< 0.5	< 0.5	< 1.0	< 3.0	220	6,300	9.50	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/11/2000	< 0.5	< 0.5	< 0.5	< 1.0	< 5.0	170	4,400	0.43	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/27/2002	0.7J	< 2.5	< 2.5	< 2.5	< 2.5	17000	67,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/28/2003	< 25	< 25	< 25	< 50	< 25	1600	10,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/25/2003	0.52	< 0.50	< 0.50	< 1.0	< 0.50	150	12,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/29/2004	0.51	< 0.50	< 0.50	< 1.0	< 0.50	84 g	7,800 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/29/2004	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	630 g	10,000 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1/24/2005	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	2,300 Q1	15,000 Q2	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/29/2005	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	1,900	22,000	NA	NM	NM	NM	NA	NA	NA	NA							

**TABLE 2
HISTORICAL GROUNDWATER MONITORING RESULTS AND BASELINE SAMPLING SUMMARY**

UPS-OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	D.O. (mg/L)	Temperature °C	pH	Conductivity µs	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene µg/L	TDS (mg/L)	
Field Analysis	--	--	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	3,000	
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	were the	--	--	0.05	0.5	--	--	--	--	--	--	17	--	
ESL - Non- Drinking Water	--	46	130	43	100	1800	210	210	--	--	--	--	150	200	--	--	--	--	--	--	24	--	
MW-10	5/5/2010	NA	NA	NA	NA	NA	<50	110	NA	NM	NM	NM	<0.50	<0.50	NA	NA	NA	NA	NA	NA	<1.0	2,100	
	10/29/2010	<0.5	<0.5	<0.5	<1.0	<0.5	<50	650	NA	NM	NM	9,550	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	
	2/25/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	5,600	NA	NM	NM	3,508	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/1/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	250	NA	NM	NM	9,334	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/29/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	170	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.61	NM	NM	3,540	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	280	NA	NM	NM	NM	NA	NA	2,800	<230 H	NA	<1,000	<1,000	4,200	NA	3,700	
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	440	NA	18.20	7.43	9,646	NA	NA	2,000	<230	110,000	21,000	<1,000	2,300	<1.0	3,000	
	7/22/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	62	NA	22.83	6.84	9,721	<0.50	<0.50	7,700	<230	210,000	1,900	<1,000	7,700	<1.0	5,200	
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	130	NA	17.60	6.73	3,139	<0.50	<0.50	3,700	<230	320,000	40,000	<1,000	10,000	<1.0	7,000		
MW-11	5/5/2010	NA	NA	NA	NA	NA	<50	430	NA	NM	NM	NM	<0.50	<0.50	NA	NA	NA	NA	NA	<1.0	10,000		
	10/29/2010	<0.5	<0.5	<0.5	<1.0	<0.5	<50	7,200	NA	NM	NM	17,500	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	
	2/25/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,900	NA	NM	NM	525	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/1/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,100	NA	NM	NM	7,444	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/29/2012	0.53	<0.50	<0.50	<1.0	<0.50	<50	1,200	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.91	NM	NM	3,097	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	860	NA	NM	NM	NM	NA	NA	2,800	<230 H	NA	<1,000	1,400	3,900	NA	4,900	
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,200	NA	17.80	7.32	8,974	NA	NA	2,100	<230	120,000	<1,000	3,100	630	<1.0	4,700	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	78	NA	21.83	6.76	9,905	<0.50	<0.50	7,000	<230	180,000	<1,000	<1,000	5,900	<1.0	5,700	
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	78	NA	16.30	7.08	11,440	<0.50	<0.50	2,900	NA	NA	<1,000	NA	NA	<1.0	NA		
MW-12	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	NS	NS	NS	NS	NS	NS	NS	NS	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	2,500	24,000	NA	18.50	7.37	2,377	NA	NA	1,600	<230	75,000	1,300	<1,000	9,200	3.9	1,500	
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NS	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
2/5/2014	NS	NS	NS	NS	NS	NS	NS	NS	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-13	3/19/2012	NA	NA	NA	NA	NA	NA	690	NA	NM	NM	NM	NA	NA	NA	NA	160,000	100,000	NA	390,000	NA	2,000 H	
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.52	NM	NM	2,972	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	<0.50	<0.50	<0.50	1.0	<0.50	<50	750	NA	NM	NM	NM	NA	NA	4,500	<230 H	98,000	3,300	4,300	1,100	NA	1,400	
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	880	NA	17.70	7.46	2,056	NA	NA	3,600	<230	93,000	1,300	3,600	560	<1.0	1,300	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	88	NA	25.78	6.90	2,022	<0.50	<0.50	13,000	<230	81,000	2,100	<1,000	3,200	<1.0	1,400	
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	96	NA	18.10	7.03	6,500	<0.50	<0.50	2,787	<230	110,000	<1,000	1,800	2,500	<1.0	1,800		
MW-14	3/19/2012	NA	NA	NA	NA	NA	NA	260	NA	NM	NM	NM	NA	NA	NA	NA	180,000	94,000	NA	9,100	NA	8,400	
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.96	NM	NM	4,872	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	370	NA	NM	NM	NM	NA	NA	2,200	<230 H	270,000	53,000	4,500	9,100	NA	8,700	
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	230	NA	15.80	6.36	5,600	NA	NA	3,700	<230	100,000	66,000	<1,000	990	<1.0	3,700	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	<56	NA	26.00	6.53	5,497	<0.50	<0.50	6,000	NA	NA	6,000	NA	NA	<1.0	NA	
	2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	52	NA	17.60	6.62	9,975	<0.50	<0.50	3,700	NA	NA	NA	NA	NA	<1.0	NA	
OW-1	6/23/1993	< 0.5	< 0.5	< 0.5	31.00	NA	NA	34,000,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/4/1997	NS	NS	NS	NS	NS	NS	NS	NS	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/1999	< 2.0	< 2.0	< 2.0	4.20	< 12.0	8,300	28,000,000	9.70	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/1999	< 1.0	< 1.0	1.90	8.90	< 6.0	2,900	340,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/2000	< 0.5	< 0.5	< 0.5	< 1.0	< 5.0	2,100	58,000	0.74	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/27/2002	0.6J	<2.5	<2.5	<2.5	<2.5	17,000	23,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/28/2003	<50	<50	<50	<100	<50	820	81,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/25/2003	<50	530	500	6200	<50	220	91,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/29/2004	<0.50	<0.50	<0.50	<1.0	<0.50	510	280,000 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/29/2004	<2.5	<2.5	<2.5	<5.0	<2.5	2,800 g	440,000 ndp	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/24/2005	<0.50	<0.50	<0.50	<1.0	<0.50	220 Q1	16,000 Q2	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/29/2005	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	650	30,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/27/2006	<13	<13	<13	<25	<13	<1,300	58,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/28/2006	<2.5	<2.5	<2.5	<5.0	<2.5	820	130,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/19/2007	<2.5	<2.5	<2.5	<5.0	<2.5	460	76,000	NA	NM	NM	NM	NA	NA	NA	NA	NA</						

**TABLE 2
HISTORICAL GROUNDWATER MONITORING RESULTS AND BASELINE SAMPLING SUMMARY**


UPS-OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
STATE ID # 583

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl- benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	D.O. (mg/L)	Temperature °C	pH	Conductivity µs	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene µg/L	TDS (mg/L)
Field Analysis	--	--	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	3,000
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	were the	--	--	0.05	0.5	--	--	--	--	--	--	17	--
ESL - Non-Drinking Water	--	46	130	43	100	1800	210	210	--	--	--	--	150	200	--	--	--	--	--	--	24	--
IW-1	3/19/2012	NA	NA	NA	NA	NA	NA	16,000	NA	NM	NM	NM	NA	NA	NA	NA	97,000	4,500	NA	210,000	NA	1,500 H
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.48	NM	NM	2,639	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	32,000	59,000	NA	18.80	7.28	2,468	NA	NA	2,500	<230	71,000	<1,000	<1,000	15,000	42	1,500
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
2/5/2014	NS	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
IW-2	3/19/2012	NA	NA	NA	NA	NA	NA	2,500	NA	NM	NM	NM	NA	NA	NA	NA	95,000	99,000	NA	8,200	NA	3,000
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.51	NM	NM	1,443	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<5.0	<5.0	0.74	1.4	<0.50	130	3,000	NA	NM	NM	NM	NA	NA	4,500	<230	180,000	4,000	6,400	8,000	NA	2,800
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	<500	6,200	NA	17.90	7.45	4,494	NA	NA	1,500	<230	150,000	<1,000	5,400	6,400	480	3,500
	7/23/2013	<5.0	<5.0	<5.0	<10	<5.0	<500	3,400	NA	25.28	6.46	5,531	<5.0	<5.0	3,900	<230	180,000	<1,000	3,500	13,000	430	3,700
2/5/2014	<5.0	<5.0	<5.0	<10	<5.0	<500	8,700	NA	18.60	6.97	5,472	<5.0	<5.0	5,200	<230	150,000	<1,000	3,900	14,000	180	3,300	
IW-3	3/19/2012	NA	NA	NA	NA	NA	NA	2,400	NA	NM	NM	NM	NA	NA	NA	NA	110,000	43,000	NA	30,000	NA	3,100
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.61	NM	NM	2,471	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	91	650	NA	NM	NM	NM	NA	NA	3,800	<230	130,000	<1,000	2,200	16,000	NA	2,700
	2/26/2013	<0.50	<0.50	0.58	<1.0	<0.50	<50	1,100	NA	17.70	7.02	3,890	NA	NA	2,800	<230	140,000	<1,000	8,200	20,000	430	2,800
	7/23/2013	<2.5	<2.5	<2.5	<5.0	<2.5	<250	95	NA	25.56	6.79	3,475	<2.5	<2.5	4,400	<230	170,000	<1.0	5,400	15,000	150	2,800
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	190	NA	17.80	7.01	4,035	<0.50	<0.50	4,800	<230	170,000	<1,000	4,600	22,000	15	2,900	
IW-4	3/19/2012	NA	NA	NA	NA	NA	NA	110,000	NA	NM	NM	NM	NA	NA	NA	NA	190,000	17,000	NA	350,000	NA	1,400 H
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.45	NM	NM	1,809	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<0.50	0.76	<0.50	<1.0	<0.50	160	250,000	NA	NM	NM	NM	NA	NA	1,900	<230 H	300,000	5,300	12,000	1,700	NA	1,100
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	5,600	34,000	NA	17.00	7.02	2,058	NA	NA	3,900	<230	53,000	5,100	1,000	3,500	24	1,200
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
2/5/2014	<5.0	<5.0	<5.0	<10	<5.0	600	170,000	NA	18.10	7.15	1,948	<5.0	<5.0	2,700	680	89,000	<1,000	5,800	3,700	<10	1,200	
IW-5	3/19/2012	NA	NA	NA	NA	NA	NA	220,000	NA	NM	NM	NM	NA	NA	NA	NA	150,000	25,000	NA	270,000	NA	910 H
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.70	NM	NM	1,253	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	920	36,000	NA	NM	NM	NM	NA	NA	6,200	<230 H	85,000	<1,000	2,300	4,900	NA	810 H
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	3,200	25,000	NA	16.10	7.17	1,469	NA	NA	3,200	<230	45,000	1,200	<1,000	6,000	3.8	730
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	3,500	35,000	NA	26.06	6.75	1,316	<0.50	<0.50	13,000	<230	6,300	<1,000	5,800	7,400	5.0	830
8/12/2013	NA	NA	NA	NA	NA	NA	39,000	NA	NM	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	770	88,000	NA	18.50	6.77	1,725	<0.50	<0.50	6,600	<230	69,000	1,200	<1,000	10,000	3.5	950	
IW-6	3/19/2012	NA	NA	NA	NA	NA	NA	6,100	NA	NM	NM	NM	NA	NA	NA	NA	270,000	48,000	NA	270,000	NA	6,200
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.77	NM	NM	7,377	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	280	5,600	NA	NM	NM	NM	NA	NA	2,500	<230 H	300,000	2,100	10,000	43,000	NA	8,500
	2/26/2013	0.50	<0.50	<0.50	<1.0	<0.50	120	4,800	NA	16.10	6.56	9,861	NA	NA	3,300	<230	290,000	8,100	2,200	42,000	4.4	6,600
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	110	970	NA	25.17	6.48	14,451	<0.50	<0.50	8,200	<230	410,000	<1,000	6,200	45,000	9.9	10,000
2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	110	2,000	NA	17.20	6.36	15,960	<0.50	<0.50	4,900	<230	400,000	<1,000	<1,000	52,000	1.8	10,000	

Notes:


1. µg/L = micrograms per liter
2. mg/L = milligrams per liter
3. NA = Not Analyzed; NS = Not Sampled; NM = Not Measured
4. TPH = Total petroleum hydrocarbons; MTBE = Methyl tertiary butyl ether.
5. Title 22 of the California Code of Regulations, California Maximum Contaminant Levels (MCLs) for drinking water.
6. -- = no data
7. MCL = maximum concentration level
8. µs = micro siemens
9. TDS = total dissolved solids
10. D.O. = Dissolved Oxygen
11. Results collected between the dates of 8/28/90 and 12/28/95 are based on prior reporting by Geraghty & Miller, Inc. (1996).
12. **Bold values indicate analytical detections above drinking water but below non-drinking water MCL.**
13. **Bold and italicized values indicate analytical detections above non-drinking water MCL.**
14. Shading = most recent groundwater monitoring data
15. The 9/96, 10/96 BBL reports revealed concentrations reported as TPH as diesel did not resemble the diesel chromatogram standard, containing > C26.
16. H = Sample was prepped or analyzed beyond the specified holding time
17. J - Estimated value between Method Detection Limit and Practical Quantitation Limit.
18. ndp - Hydrocarbon reported does not match the pattern of laboratory Diesel standard.
19. Q2 = Quantity of unknown hydrocarbon(s) in sample based on diesel.
20. Q1 = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
21. RWQCB ESLs = Regional Water Quality Control Board ESLs for Environmental Concerns at Sites with Contaminated Soil and Groundwater INTERIM FINAL - November 2007 (Revised May 2008) San Francisco Bay Region, CA

Figures



NOTES:

1. Base Map Source: USGS 7.5 Min. Topo. Quad., San Leandro, Calif.(1993)
2. Property Location is Approximate Only.



UPS-OAKLAND HUB
 8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID # T0600100939


SITE LOCATION MAP



FIGURE

1

CITY:TAMPA DIV:GROUP:ENV-141 DE:JAR LD:(Opt) PIC:(Opt) PM:(Regd) TM:(Opt) LVR:(Opt)ON:OFF=REF
 G:\ENV\CAD\TAMPACT1\B0138398 UPS Oakland\002 1.030001st 2nd SA GMR\B0138398\N02.dwg LAYOUT: 2 SAVED: 3/10/2014 11:33 AM ACADVER: 18.1S (LMS TECH) PAGES: 18.1S (LMS TECH) PLOTSETUP: PLOTSTYLETABLE: PLTFULLCTB PLOTTED: 3/10/2014 11:34 AM BY: RICHARDS, JIM



UPS-OAKLAND HUB
 8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID # T0600100939

FACILITY LAYOUT MAP


FIGURE
2


SOURCE: AERIAL PHOTOGRAPH PROVIDED BY GOOGLE EARTH PRO.

CITY:TAMPA DIV:GROUP:85 DB:JAR LD:(Opt) PIC:(Opt) PM:(Recd) TM:(Opt) LVR:(Opt)ON="OFF"REF="G:\ENV\CAD\TAMPA\ACT\B00\38388\UPS Oakland\0021\00300\1st\2nd SA GMR\B0038388B01.dwg LAYOUT: 3 SAVED: 3/10/2014 11:50 AM ACADVER: 18.1S (LMS TECH) PAGES: 18 PAGES: 18 PLOT: 3/10/2014 11:51 AM BY: RICHARDS, JIM



LEGEND

- MONITORING WELL
- TEMPORARY VACUUM TEST WELL
- PHASE I INJECTION WELL
- ABANDONED MONITORING WELL
- SOIL BORING LOCATION (2010)
- PROPERTY BOUNDARY
- UNDERGROUND ELECTRICAL LINE
- STORM WATER/SEWER LINE
- WATER/FIRE SERVICE/IRRIGATION
- ELECTRIC/WATER LINE
- CATCH BASIN/STORM DRAIN
- LIGHT POST/ POWER POLE



UPS-OAKLAND HUB
 8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
 GLOBAL ID # T0600100939


SITE MAP

FIGURE
3

CITY:TAMPA DIV:GROUP:85 DB:JAR LD:(Opt) PIC:(Opt) PM:(Recd) TM:(Recd) LVR:(Opt)ON="OFF"REF=" G:\ENV\CADTAMPA\ACT1500\383898\UPS Oakland\021.00300\1st 2nd SA GMR\B00383898\01.dwg LAYOUT: 4 SAVED: 3/10/2014 5:06 PM ACADVER: 18.1S (LMS TECH) PAGES: 4 PLOTSETUP: PLT:FULLCTB PLOTTED: 3/10/2014 5:13 PM BY: RICHARDS, JIM



- LEGEND**
- MONITORING WELL
 - TEMPORARY VACUUM TEST WELL
 - PHASE I INJECTION WELL
 - ABANDONED MONITORING WELL
 - PROPERTY BOUNDARY
 - UNDERGROUND ELECTRICAL LINE
 - STORM WATER/SEWER LINE
 - WATER/FIRE SERVICE/IRRIGATION
 - ELECTRIC/WATER LINE
 - CATCH BASIN/STORM DRAIN
 - LIGHT POST/ POWER POLE
 - WATER-TABLE ELEVATION CONTOUR
DASHED WHERE INFERRED
CONTOUR INTERVAL = 1.0 FEET
 - (7.83) WATER-TABLE ELEVATION (FEET)
 - APPARENT DIRECTION OF GROUNDWATER FLOW
 - * DATA NOT USED FOR CONTOURING




UPS-OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID # T0600100939

**GROUNDWATER CONTOUR MAP
FEBRUARY 5, 2014**

FIGURE
4

CITY:TAMPA DIV:GROUP:85 DBL:AR LD:(Opt) PIC:(Opt) PM:(Recd) TMI:(Opt) LVR:(Opt)ON="OFF" REF=" " G:\ENV\CADTAMPA\ACT1500\38398 UPS Oakland\021.003001\1st\2nd SA GMR\B038398B01.dwg LAYOUT: 5 SAVED: 3/26/2014 9:03 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: ---- PLOTSTY/LETABLE: PLT\FULLCTB PLOTTED: 3/26/2014 9:04 AM BY: RICHARDS, JIM



MW-9	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	<52
DO	NA
COND	2,109
METH	3,100
NIT	NA
MAG	NA
SULF	NA
SULD	NA
IRON	NA
NAP	<1.0
TDS	NA

IW-5	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	770
TPHD	88,000
DO	NA
COND	1,725
METH	6,600
NIT	<230
MAG	69,000
SULF	1,200
SULD	<1,000
IRON	10,000
NAP	3.5
TDS	950

IW-6	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	110
TPHD	2,000
DO	NA
COND	15,960
METH	4,900
NIT	<230
MAG	400,000
SULF	<1,000
SULD	<1,000
IRON	52,000
NAP	1.8
TDS	10,000

MW-14	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	52
DO	NA
COND	9,975
METH	3,700
NIT	NA
MAG	NA
SULF	NA
SULD	NA
IRON	NA
NAP	<1.0
TDS	NA

MW-12	
DATE	2/5/2014
B	NS
T	NS
E	NS
X	NS
M	NS
TPHG	NS
TPHD	NS
DO	NS
COND	NM
METH	NS
NIT	NS
MAG	NS
SULF	NS
SULD	NS
IRON	NS
NAP	NS
TDS	NS

IW-1	
DATE	2/5/2014
B	NS
T	NS
E	NS
X	NS
M	NS
TPHG	NS
TPHD	NS
DO	NS
COND	NM
METH	NS
NIT	NS
MAG	NS
SULF	NS
SULD	NS
IRON	NS
NAP	NS
TDS	NS

MW-8	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	<52
DO	NA
COND	2,109
METH	3,100
NIT	NA
MAG	NA
SULF	NA
SULD	NA
IRON	NA
NAP	<1.0
TDS	NA

IW-2	
DATE	2/5/2014
B	<5.0
T	<5.0
E	<5.0
X	<10
M	<5.0
TPHG	<500
TPHD	8,700
DO	NA
COND	5,472
METH	5,200
NIT	<230
MAG	150,000
SULF	<1,000
SULD	3,900
IRON	14,000
NAP	180
TDS	3,300

IW-3	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	190
DO	NA
COND	4,035
METH	4,800
NIT	<230
MAG	170,000
SULF	<1,000
SULD	4,600
IRON	22,000
NAP	15
TDS	2,900

MW-4	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	90
TPHD	19,000
DO	NA
COND	2,221
METH	6,400
NIT	<230
MAG	51,000
SULF	<1,000
SULD	<1,000
IRON	3,200
NAP	<1.0
TDS	1,100

MW-2	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	74
TPHD	9,100
DO	NA
COND	5,554
METH	4,100
NIT	<230
MAG	170,000
SULF	<1,000
SULD	<1,000
IRON	5,200
NAP	<1.0
TDS	3,200

MW-11	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	78
DO	NA
COND	11,440
METH	2,900
NIT	NA
MAG	NA
SULF	NA
SULD	NA
IRON	NA
NAP	<1.0
TDS	NA

MW-10	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	130
DO	NA
COND	3,139
METH	3,700
NIT	<230
MAG	320,000
SULF	40,000
SULD	<1,000
IRON	10,000
NAP	<1.0
TDS	7,000

IW-4	
DATE	2/5/2014
B	<5.0
T	<5.0
E	<5.0
X	<10
M	<5.0
TPHG	600
TPHD	170,000
DO	NA
COND	1,948
METH	2,700
NIT	680
MAG	89,000
SULF	<1,000
SULD	5,800
IRON	3,700
NAP	<1.0
TDS	1,200

OW-1	
DATE	2/5/2014
B	NS
T	NS
E	NS
X	NS
M	NS
TPHG	NS
TPHD	NS
DO	NS
COND	NM
METH	NS
NIT	NS
MAG	NS
SULF	NS
SULD	NS
IRON	NS
NAP	NS
TDS	NS

MW-13	
DATE	2/5/2014
B	<0.50
T	<0.50
E	<0.50
X	<1.0
M	<0.50
TPHG	<50
TPHD	96
DO	NA
COND	2,787
METH	6,500
NIT	<230
MAG	110,000
SULF	<1,000
SULD	1,800
IRON	2,500
NAP	<1.0
TDS	1,800

MW-3	
DATE	2/5/2014
B	NS
T	NS
E	NS
X	NS
M	NS
TPHG	NS
TPHD	NS
DO	NS
COND	NM
METH	NS
NIT	NS
MAG	NS
SULF	NS
SULD	NS
IRON	NS
NAP	NS
TDS	NS

LEGEND

- MONITORING WELL
- TEMPORARY VACUUM TEST WELL
- PHASE I INJECTION WELL
- ABANDONED MONITORING WELL
- PROPERTY BOUNDARY
- ▣ CATCH BASIN/STORM DRAIN
- ⊞ LIGHT POST/ POWER POLE

SAMPLE LOCATION	
DATE	SAMPLE DATE
B	BENZENE
T	TOLUENE
E	ETHYLBENZENE
X	TOTAL XYLENES
M	METHYL TERT-BUTYL ETHER
TPHG	TPH GASOLINE
TPHD	TPH DIESEL
DO	DISSOLVED OXYGEN
COND	CONDUCTIVITY
METH	METHANE
NIT	NITRATE AS NITROGEN
MAG	MAGNESIUM
SULF	SULFATE
SULD	SULFIDE
IRON	IRON
NAP	NAPHTHALENE
TDS	TOTAL DISSOLVED SOLIDS

ALL RESULTS REPORTED IN MICROGRAMS PER LITER (µg/L), DO AND TDS REPORTED IN MILLIGRAMS PER LITER (mg/L), CONDUCTIVITY REPORTED IN MICROSIEMENS (µS)

< = INDICATES THAT THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED


I = THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT (MDL) AND THE LABORATORY PRACTICAL QUANTITATION LIMIT (PQL)

BOLD VALUES INDICATE THE CONCENTRATION EXCEEDS THE CLEANUP TARGET LEVEL LISTED IN TABLE I OF CHAPTER 62-777 F.A.C.

BOLD AND ITALICIZED VALUES INDICATE ANALYTICAL DETECTIONS ABOVE NON-DRINKING WATER MCL.

NS = NOT SAMPLED

NM = NOT MEASURED



UPS-OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID # T0600100939

**GROUNDWATER QUALITY MAP
FEBRUARY 5, 2014**



Appendix A

Field Data Sheets

WELL GAUGING DATA

Project # 140205-mw1 Date 2/5/14 Client ARADIS

Site 3400 PARDEE DR, OAKLAND, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-2	0923	4	odor	—			5.45	14.40		SKIMMER
MW-3	0927	4	odor	5.80	0.04	—	5.84	—		SKIMMER
MW-4	0906	2					5.64	16.20		
MW-8	0827	2					4.50	12.23		
MW-9	0917	2					6.80	13.36		
MW-10	0958	2					9.91	12.31		
MW-11	0853	2					6.98	12.64		
MW-12	0915	2		6.47	0.35	212	6.82	—		
MW-13	0903	2					5.80	4.20		
MW-14	0848	2					5.10	9.21		
OW-1	0927	6	odor	8.43	0.03	—	8.46	—		SKIMMER
OW-1	0910	2		6.58	0.11	66	6.69	—		
1W-2	0858	2					6.05	9.02		
1W-3	0852	2					5.83	9.12		
1W-4	0935	2					6.86	9.75		
1W-5	0912	2					6.91	9.32		
1W-6	0845	2					5.55	9.30		

WELLHEAD INSPECTION CHECKLIST

Client ARLADIS Date 2/5/14

Site Address 8400 PARDEE DR. OAKLAND, CA

Job Number 140205-0001 Technician mw/dw

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-2	X							
MW-3	X							
MW-4	X							
MW-8	O							
MW-9	X	X						
MW-10	O							
MW-11	X							
MW-12	O							
MW-13	O							
MW-14	O							
OW-1	X							
IW-1	O							
IW-2	O							
IW-3	O							
IW-4	X					X		
IW-5	X	X						

NOTES: IW-4: -2/2 BRGS (9/16") 2/2 TRBS (8" MORRISON)

WELLHEAD INSPECTION CHECKLIST

Client ARLAPIS Date 2/5/14

Site Address 2400 PARDEE DR. OAKLAND, CA

Job Number 140205-WW1 Technician WW/DW

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
1w-6	<u>0</u>							

NOTES: _____

WELL MONITORING DATA SHEET

Project #: 140205-MW1	Site: 8400 PARDEE DR, OAKLAND, CA
Sampler: MW	Date: 2/5/14
Well I.D.: MW-2	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 14.40	Depth to Water (DTW): 5.45
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.24	

Purge Method:

Disposable Bailer
Positive Air Displacement
Electric Submersible

Waters

2" Rediflo pump
Extraction Pump
Other _____

Sampling Method:

Disposable Bailer
Extraction Port
Dedicated Tubing

Flow Rate = 4 gpm

5.8 (Gals.) X 3	= 17.4 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1111	64.8	7.87	5877	52	—	—	5.8	
WELL DEWATERED @					7 GALS			
1405	65.2	7.63	5554	224	—	—		
10ml of water in skimmer								

Did well dewater? Yes No Gallons actually evacuated: 7

Sampling Date: 2/5/14 Sampling Time: 1405 Depth to Water: 7.16

Sample I.D.: MW-2 Laboratory: TA

Analyzed for: see saw Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140205-DW1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: MW-3	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD):	Depth to Water (DTW): 5.84
Depth to Free Product: 5.80	Thickness of Free Product (feet): 0.04
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Water
 2" Rediflo-pump
 Extraction Pump
 Other

Sampling Method:

Disposable Bailer
 Extraction Port
 Dedicated Tubing

Flow Rate=

(Gals.) X	=	Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
*				Employed Skimmer				
*				10 ml of H ₂ O Removed				
*				2 ml of SPL Removed				
*				Replaced Skimmer as found				
*				No Sample Taken				

Did well dewater?	Yes	No	Gallons actually evacuated:
Sampling Date:	Sampling Time:	Depth to Water:	
Sample I.D.:	Laboratory:		
Analyzed for:	Other:		
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):		
FB I.D. (if applicable): @ Time	Analyzed for:		
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 14205-MW1	Site: 8400 PARDEE DR. OAKLAND, CA
Sampler: MW	Date: 2/5/14
Well I.D.: MW-4	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 16.20	Depth to Water (DTW): 5.64
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.75	

Purge Method: Disposable Bailer Watera Sampling Method: Disposable Bailer
 Positive Air Displacement 2" Rediflo pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Flow Rate = _____
 1.7 (Gals.) X 3 = 5.1 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1145	62.5	8.96	2565	>1000	—	—	1.7	
1149	65.1	8.30	2467	>1000	—	—	3.4	
1151	65.2	8.20	2221	>1000	—	—	5.1	

Did well dewater? Yes No Gallons actually evacuated: 5.1

Sampling Date: 2/5/14 Sampling Time: 1155 Depth to Water: 5.66

Sample I.D.: MW-4 Laboratory: TA

Analyzed for: see SOW Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: MW-8	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 12.23	Depth to Water (DTW): 4.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.05	

Purge Method: Disposable Bailor Waterra Sampling Method: Disposable Bailor
 Positive Air Displacement 2" Rediflo pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Flow Rate = _____

1.2 (Gals.) X	3	= 3.6 Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1035	63.8	6.77	6070	395	—	—	1.2	
1036	65.9	6.78	9629	521	—	—	2.4	
1037	66.2	6.78	9672	755	—	—	3.6	
								NOT 80%

Did well dewater? Yes No Gallons actually evacuated: 3.6

Sampling Date: 2/5/14 Sampling Time: 1350 Depth to Water: 9.05 (2hr)

Sample I.D.: MW-8 Laboratory: TA-SF

Analyzed for: SEE COC Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205 MW1	Site: 8400 PARDEE DR, OAKLAND CA
Sampler: 2NW	Date: 2/5/14
Well I.D.: MW-9	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 1336	Depth to Water (DTW): 6.80
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.11	

Purge Method:

- Disposable Bailer
- Positive Air Displacement
- Electric Submersible

- Waterra
- 2" Rediflo pump
- Extraction Pump
- Other _____

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

Flow Rate= _____

1.1 (Gals.)	X 3	=	3.3 Gals.
1 Case Volume	Specified Volumes		Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1058	64.0	7.68	15.04	114	---	---	1.1	
1100	65.6	7.74	22.33	274	---	---	2.2	
1103	68.6	6.73	21.09	423	---	---	3.3	
WELL DEWATERED DURING SAMPLING								
FILLED: 6 VOAS + 3-1L A&B.								

Did well dewater? Yes No Gallons actually evacuated: 3.3

Sampling Date: 2/5/14 Sampling Time: 1450 Depth to Water: 11.42 (SAMPLED PER PM)

Sample I.D.: MW-9 Laboratory: TA

Analyzed for: see saw Other: _____

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205 MW1	Site: 8100 PARADE DR. OAKLAND, CA
Sampler: MW	Date: 2/5/14
Well I.D.: MW-10	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 12.31	Depth to Water (DTW): 9.41
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.99	

Purge Method:

- | | |
|--|--|
| <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible | <ul style="list-style-type: none"> <input type="checkbox"/> Waterra <input type="checkbox"/> 2" Rediflo pump <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other _____ |
|--|--|

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Flow Rate=

0.5 (Gals.) X 3 = 1.5 Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1020	63.3	6.81	3174	116	---	---	0.5	
1022	62.8	6.64	3147	458	---	---	1.0	
1025	63.8	6.73	3139	506	---	---	1.5	

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 2/5/14 Sampling Time: 1030 Depth to Water: 9.67

Sample I.D.: MW-10 Laboratory: TA

Analyzed for: See Saw Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 145205-LW1	Site: 8400 PAROLEE DR, OAKLAND, CA
Sampler: LW	Date: 2/5/14
Well I.D.: MW-11	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 12.64	Depth to Water (DTW): 6.98
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.11	

Purge Method:

- Disposable Bailer
- Positive Air Displacement
- Electric Submersible

Waters

- 2" Rediflo pump
- Extraction Pump
- Other _____

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other:

Flow Rate=

0.9 (Gals.) X	3	= 2.7 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1125	63.1	7.16	10.96	194	---	---	0.9	
1128	65.6	6.76	12.54	636	---	---	1.8	
well dewatered				@ 2.3 GALS				
1430	61.4	7.08	11.44	302	---	---	---	
DFWATER ED DURING SAMPLING.								
FLOW = 5 UPAS + 3.75 A6B (1L)								

Did well dewater? Yes No Gallons actually evacuated: 2

Sampling Date: 2/5/14 Sampling Time: 1430 Depth to Water: 8.09

Sample I.D.: MW-11 Laboratory: TA

Analyzed for: SLL SW Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
○.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205-ww1	Site: 8400 PARAKE DR, OAKLAND, CA
Sampler: ww	Date: 2/5/14
Well I.D.: MW-12	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD):	Depth to Water (DTW): 6.82
Depth to Free Product:	Thickness of Free Product (feet): 0.35
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

Disposable Bailer
Positive Air Displacement
Electric Submersible

Waterra

2" Rediflo pump
Extraction Pump
Other MASTERFLEX 1/2" pe tubing

Sampling Method:

Disposable Bailer
Extraction Port
Dedicated Tubing

Flow Rate= _____

(Gals.) X _____	= _____	Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
* 2	12	mL	SPM	removed	1		gals thro	

Did well dewater?	Yes	No	Gallons actually evacuated:
Sampling Date:	Sampling Time:	Depth to Water:	
Sample I.D.:	Laboratory:		
Analyzed for:	Other:		
EB I.D. (if applicable):	@ Time	Duplicate I.D. (if applicable):	
FB I.D. (if applicable):	@ Time	Analyzed for:	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardee Dr, Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: MW-13	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 9.20	Depth to Water (DTW): 5.80
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.48	

Purge Method: Disposable Bailer Waterra Sampling Method: Disposable Bailer
 Positive Air Displacement 2" Rediflo pump Extraction Port
 Electric Submersible Extraction Pump Dedicated Tubing
 Other _____

Flow Rate= _____
 0.5 (Gals.) X 3 = 1.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1107	64.3	7.12	2779	71000	—	—	0.5	
1108	64.8	6.96	2767	71000	—	—	1.0	
1108	well dewatered @ 1.2 gals							
1450	64.6	7.03	2787	71000	—	—	—	

Did well dewater? Yes No Gallons actually evacuated: 1.2

Sampling Date: 2/5/14 Sampling Time: 1450 Depth to Water: 6.70 (2hr)

Sample I.D.: MW-13 Laboratory: TA-SF

Analyzed for: SEE COC Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: MW-14	Well Diameter: 2 3 4 6 8 <u> </u>
Total Well Depth (TD): 9.21	Depth to Water (DTW): 5.10
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.92	

Purge Method: Disposable Bailer Waterra Sampling Method: Disposable Bailer
 Positive Air Displacement 2" Rediflo pump Extraction Port
 Electric Submersible Extraction Pump Dedicated Tubing
 Other _____ Other: _____

Flow Rate= _____

0.7 (Gals.) X	3	= 2.1 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1022	62.5	6.75	9177	422	—	—	0.7	
1023	64.2	6.37	15,030	695	—	—	1.4	
1025	Well		Dewatered @		1.8 gals			
								5 HCL VOA'S 3 IL NP Ambers
1320	63.8	6.62	9975	71000	—	—		

Did well dewater? Yes No Gallons actually evacuated: 1.8

Sampling Date: 2/5/14 Sampling Time: 1320 Depth to Water: 7.63 (2hr)

Sample I.D.: MW-14 Laboratory: TA-SF

Analyzed for: SEE COC Other: _____

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205-ww1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: OW-1	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): _____	Depth to Water (DTW): 8.46
Depth to Free Product: 8.43	Thickness of Free Product (feet): 0.03
Referenced to: PVC Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

- Disposable Bailer
- Positive Air Displacement
- Electric Submersible

- ^{Water} 2" Rediflo pump
- Extraction Pump
- Other _____

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

Flow Rate= _____

(Gals.) X _____	=	Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
*	Emptied		Skimmer					
*	510ml of H ₂ O removed							
*	10 ml of SPH removed							
*	Replaced skimmer as found							
*	No Sample Taken							

Did well dewater? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Gallons actually evacuated: _____
Sampling Date: _____	Sampling Time: _____
Sample I.D.: _____	Depth to Water: _____
Analyzed for: _____	Laboratory: _____
EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____
FB I.D. (if applicable): _____ @ _____ Time	Analyzed for: _____
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV

WELL MONITORING DATA SHEET

Project #: 140205-ww1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: OW-1	Well Diameter: 2 3 4 (6) 8
Total Well Depth (TD): _____	Depth to Water (DTW): 8.46
Depth to Free Product: 8.43	Thickness of Free Product (feet): 0.03
Referenced to: PVC Grade	Flow Cell Type: _____
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____	

Purge Method:

Disposable Bailer
 Positive Air Displacement
 Electric Submersible

Watera
 2" Rediflo pump
 Extraction Pump
 Other: _____

Sampling Method:

Disposable Bailer
 Extraction Port
 Dedicated Tubing

Flow Rate= _____

_____	_____	_____
(Gals.) X	=	Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
*								Emptied Skimmer
*								510ml of H ₂ O removed
*								10 ml of SPH removed
*								Replaced skimmer as found
*								No Sample Taken

Did well dewater? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Gallons actually evacuated: _____
Sampling Date: _____	Sampling Time: _____ Depth to Water: _____
Sample I.D.: _____	Laboratory: _____
Analyzed for: _____	Other: _____
EB I.D. (if applicable): _____ @ _____ Time	Duplicate I.D. (if applicable): _____
FB I.D. (if applicable): _____ @ _____ Time	Analyzed for: _____
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 PARDEE DR, OAKLAND, CA
Sampler: ww	Date: 2/5/14
Well I.D.: 1W-1	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): —	Depth to Water (DTW): 6.69
Depth to Free Product:	Thickness of Free Product (feet): 0.11
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

- Disposable Bailer
- Positive Air Displacement
- Electric Submersible

Water

- 2" Rediflo pump
- Extraction Pump
- Other MASTERFLEX (1/2") PE tubing

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other:

Flow Rate=

(Gals.) X <u>2</u>	=	Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
*	66	ml	SPN	removed	+	0.5	gals	H ₂ O

Did well dewater? Yes No		Gallons actually evacuated:	
Sampling Date:		Sampling Time:	
Sample I.D.:		Depth to Water:	
Laboratory:		Other:	
Analyzed for:		Other:	
EB I.D. (if applicable): @ Time		Duplicate I.D. (if applicable):	
FB I.D. (if applicable): @ Time		Analyzed for:	
D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardee Dr., Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: JW-2	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 9.02	Depth to Water (DTW): 6.05
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.64	

Purge Method:

Disposable Bailor
Positive Air Displacement
Electric Submersible

Waterra
2" Rediflo pump
Extraction Pump
Other _____

Sampling Method:

Disposable Bailor
Extraction Port
Dedicated Tubing

Other: _____

Flow Rate= _____

0.5 (Gals.)	X 3	= 1.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1117	63.7	6.85	5399	71000	—	—	0.5	Heavy Sheen
1117	Well dewatered @ 0.8 gals							
1530	65.6	6.97	5472	71000	—	—	—	
Did well dewater?		<u>Yes</u>		No		Gallons actually evacuated: 0.8		
Sampling Date: 2/5/14		Sampling Time: 1530		Depth to Water: 6.45				
Sample I.D.: JW-2		Laboratory: TA-SF						
Analyzed for: SFE COC		Other:						
EB I.D. (if applicable):		@ Time		Duplicate I.D. (if applicable):				
FB I.D. (if applicable):		@ Time		Analyzed for:				
D.O. (if req'd):		Pre-purge:		mg/L		Post-purge:		mg/L
O.R.P. (if req'd):		Pre-purge:		mV		Post-purge:		mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardee Dr, Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: IW-3	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 9.12	Depth to Water (DTW): 5.83
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.49	

Purge Method:

Disposable Bailer
Positive Air Displacement
Electric Submersible

Waterra

2" Rediflo pump
Extraction Pump
Other _____

Sampling Method:

Disposable Bailer
Extraction Port
Dedicated Tubing

Other:

Flow Rate= _____

0.5 (Gals.) X	3	= 1.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1057	63.4	7.19	4134	71000	—	—	0.5	
1058	64.6	6.82	3974	71000	—	—	1.0	
1058	well dewatered @		1.2 gals					
1415	64.2	7.01	4035	71000	—	—	—	

Did well dewater? Yes No

Yes

No

Gallons actually evacuated: 1.0

Sampling Date: 2/5/14

2/5/14

Sampling Time: 1415

1415

Depth to Water: 6.30

6.30

Sample I.D.: IW-3

IW-3

Laboratory: TA-SF

TA-SF

Analyzed for: SEE COC

SEE COC

Other:

EB I.D. (if applicable):

@

Time

Duplicate I.D. (if applicable):

FB I.D. (if applicable):

@

Time

Analyzed for:

D.O. (if req'd):

Pre-purge:

mg/L

Post-purge:

mg/L

O.R.P. (if req'd):

Pre-purge:

mV

Post-purge:

mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 PARDEE PL, OAKLAND, CA
Sampler: MW	Date: 2/5/14
Well I.D.: 1W-4	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 9.75	Depth to Water (DTW): 6.86
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.44	

Purge Method:

Disposable Bailer
Positive Air Displacement
Electric Submersible

Waterra
2" Rediflo pump
Extraction Pump
Other _____

Sampling Method:

Disposable Bailer
Extraction Port
Dedicated Tubing

Other: _____

Flow Rate= _____

0.5 (Gals.) X	3	= 1.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1212	63.5	7.98	1673	243	—	—	0.5	
1213	63.9	7.75	2013	>1000	—	—	1	odor, gray
1215	64.7	7.15	1948	>1000	—	—	1.5	" "

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 2/5/14 Sampling Time: 1220 Depth to Water: 6.86

Sample I.D.: 1W-4 Laboratory: TA

Analyzed for: see sow Other: _____

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: <u>140205-DW1</u>	Site: <u>8400 Pardee Dr, Oakland CA</u>
Sampler: <u>DW</u>	Date: <u>2/5/14</u>
Well I.D.: <u>1W-5</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): <u>9.32</u>	Depth to Water (DTW): <u>6.91</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.39</u>	

Purge Method:

- Disposable Bailer
- Positive Air Displacement
- Electric Submersible

Waterra

- 2" Rediflo pump
- Extraction Pump
- Other _____

Sampling Method:

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

Flow Rate= _____

<u>0.4</u> (Gals.) X <u>3</u> = <u>1.2</u> Gals.
1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
<u>1158</u>	<u>63.6</u>	<u>7.11</u>	<u>1589</u>	<u>7000</u>	—	—	<u>0.4</u>	
<u>1159</u>	<u>65.2</u>	<u>6.80</u>	<u>1719</u>	<u>7000</u>	—	—	<u>0.8</u>	
<u>1159</u>	<u>65.4</u>	<u>6.77</u>	<u>1725</u>	<u>7000</u>	—	—	<u>1.2</u>	

Did well dewater? Yes No Gallons actually evacuated: 1.2

Sampling Date: 2/5/14 Sampling Time: 1205 Depth to Water: 7.07

Sample I.D.: 1W-5 Laboratory: TA-SF

Analyzed for: SFE COC Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

FB I.D. (if applicable): _____ @ _____ Time Analyzed for: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140205-WW1	Site: 8400 Pardlee Dr, Oakland CA
Sampler: DW	Date: 2/5/14
Well I.D.: IW-6	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): 9.30	Depth to Water (DTW): 5.55
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	Flow Cell Type:
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.30	

Purge Method:

Disposable Bailer
Positive Air Displacement
Electric Submersible

Water
2" Rediflo pump
Extraction Pump
Other _____

Sampling Method:

Disposable Bailer
Extraction Port
Dedicated Tubing

Other: _____

Flow Rate= _____

0.6 (Gals.) X	3	= 1.8 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS/cm)	Turbidity (NTUs)	D.O. (mg/L)	ORP (mV)	Gals. Removed	Observations
1012	61.3	6.16	15.73	71000	—	—	0.6	
1013	62.8	6.33	15.91	71000	—	—	1.2	
1014	63.0	6.36	15.96	71000	—	—	1.8	
								NOT 80%

Did well dewater? Yes No Gallons actually evacuated: 1.8

Sampling Date: 2/5/14 Sampling Time: 1255 Depth to Water: 5.64

Sample I.D.: IW-6 Laboratory: TA-SF

Analyzed for: SEE COC Other: _____

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

FB I.D. (if applicable): @ Time Analyzed for:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB TA - SF DHS #
 ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND
 EPA RWQCB REGION
 LIA
 OTHER

CHAIN OF CUSTODY
 CLIENT: ARCADIS U.S., Inc.
 SITE: UPS
 8400 Pardee Drive
 Oakland, CA

C = COMPOSITE ALL CONTAINERS

SAMPLE I.D.	DATE	TIME	MATRIX	CONTAINERS	TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's
			S= SOIL W=H ₂ O	TOTAL								
Mw-2	2/5/14	1405	W	13 mixed	0	0	0	0	0	0	0	0
Mw-4		1155		13	X	X	X	X	0	X	X	X
Mw-8		1350		13	0	0	0	0	0	0	0	0
Mw-9		1450		9	X	X	X					X
Mw-10		1030		13	0	0	0	0	0	0	0	0
Mw-11		1430		8	X	X	X					X
Mw-13		1450		13	0	0	0	0	0	0	0	0
Mw-14		1320		8	0	X	0					X
IW-2		1530		13	0	0	0	0	0	0	0	0
IW-3		1415		13	X	0	0	0	0	0	0	X

SPECIAL INSTRUCTIONS
 Invoice and Report to : Arcadis U.S., Inc.
 Attn: Hugh Devery hugh.devery@arcadis-us.com
 770-428-9009
Low Detection levels requested

ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #

SAMPLING COMPLETED: 2/5/14 1530
 SAMPLING PERFORMED BY: WILLIAM WOLF / DANIEL PULLEN
 RESULTS NEEDED NO LATER THAN: Standard TAT

RELEASED BY: [Signature] DATE: 2/5/14 TIME: 1712
 RECEIVED BY: [Signature] DATE: 2/5/14 TIME: 1712

RELEASED BY: [Signature] DATE: [] TIME: []
 RECEIVED BY: [Signature] DATE: [] TIME: []

RELEASED BY: [Signature] DATE: [] TIME: []
 RECEIVED BY: [Signature] DATE: [] TIME: []

SHIPPED VIA: [] DATE SENT: [] TIME SENT: [] COOLER #: []

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

P 2/2

CHAIN OF CUSTODY
 BTS# 140205-ww1

CLIENT
ARCADIS U.S., Inc.

SITE
UPS

8400 Pardee Drive

Oakland, CA

C = COMPOSITE ALL CONTAINERS

CONDUCT ANALYSIS TO DETECT												
TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's					
0	0	0	0	0	0	0	0					
0	0	0	0	0	0	0	0					
X	0	0	0	0	0	0	0					

LAB TA - SF DHS # _____

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

EPA RWQCB REGION _____

LIA

OTHER

SPECIAL INSTRUCTIONS

Invoice and Report to : Arcadis U.S., Inc.
 Attn: Hugh Devery hugh.devery@arcadis-us.com
 770-428-9009

SAMPLE I.D.	DATE	TIME	MATRIX		CONTAINERS		C	TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #	
			S= SOIL W=H ₂ O	TOTAL																
1w-4	2/5/14	1220	W	13	mixed			0	0	0	0	0	0	0	0					
1w-5	↓	1205	↓	13	↓			0	0	0	0	0	0	0	0					
1w-6	↓	1255	↓	13	↓			X	0	0	0	0	0	0	0					

Low Detection levels requested

SAMPLING COMPLETED 2/5/14 TIME _____ SAMPLING PERFORMED BY William work / DANIEL ALLEN RESULTS NEEDED NO LATER THAN Standard TAT

RELEASED BY [Signature] DATE 2/5/14 TIME 1712 RECEIVED BY [Signature] DATE 2/5/14 TIME 1712

RELEASED BY _____ DATE _____ TIME _____ RECEIVED BY _____ DATE _____ TIME _____

RELEASED BY _____ DATE _____ TIME _____ RECEIVED BY _____ DATE _____ TIME _____

SHIPPED VIA _____ DATE SENT _____ TIME SENT _____ COOLER # _____

Appendix B

SOS[®] Passive Skimmers
Specifications

SOS® Passive Skimmers

For Low Recovery Wells


The QED family of Passive Skimmers has been designed for free product recovery applications in sites where active pumping systems are not applicable due to existing conditions or extreme low permeability formations. The floating intake head follows the groundwater fluctuations in the recovery well, allowing only the free-floating phase (LNAPL) to be captured, without taking water, and stored in the built-in reservoir for further manual transfer to a tank.

Passive Skimmers are available for 2" (50 mm) and 4" (100 mm) extraction wells, with different reservoir capacities.

Advantages

1. Simple systems for extreme low recovery applications.
2. Inexpensive option if active system is not practical.





Specifications

Model No.	2 in. SOS 301079	2 in. SOS 301080	4 in. SOS 301032	4 in. SOS 301033
Canister Volume	20 oz. (600 cc)	30 oz. (900 cc)	101 oz. (3,000 cc)	203 oz. (6,000 cc)
Well Diameter	2 in. (5 cm)	2 in. (5 cm)	4 in. (10 cm)	4 in. (10 cm)
Float Travel Range	12 in. (30 cm)	12 in. (30 cm)	18 in. (46 cm)	18 in. (46 cm)
Overall Length	65 in. (165 cm)	48 in. (122 cm)	119 in. (302 cm)	11 in. (28 cm)

LNAPL Fluid Density	< 1.0 SG
Kinematic Viscosity @ 50 °F (10 °C)	200 centistokes
Recommended Initial LNAPL Layer	> .25 in. (> .64 cm)
Residual LNAPL Layer	0.25 in. (.64 cm)
Suitable Types of LNAPL	Gasoline, jet fuel
Materials	Stainless steel, Viton [®] , PVC, brass, closed cell foam.

Viton is registered trademark of DuPont Dow Elastomers.



Characterize Your Specific Site

The QED Test Kit enables you to measure the density and viscosity of your actual floating hydrocarbon layer. This FREE, do-it-yourself kit comes complete with simple, illustrated instructions. Once you have recorded the results of your hydrocarbon test, QED application specialists will be able to provide expert technical assistance in system design and specification.

Appendix C

Laboratory Analytical Results
and Chain-of-Custody
Documentation

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-55327-1
Client Project/Site: UPS-Oakland

For:
ARCADIS U.S. Inc
1000 Cobb Place Blvd NW
Suite 500-A
Kennesaw, Georgia 30144

Attn: Ms. Jennifer LeBeau



Authorized for release by:
2/13/2014 7:22:34 AM

Dimple Sharma, Senior Project Manager
(925)484-1919
dimple.sharma@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	11
QC Sample Results	34
QC Association Summary	45
Lab Chronicle	52
Certification Summary	58
Method Summary	59
Sample Summary	60
Chain of Custody	61
Receipt Checklists	63

Definitions/Glossary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits

GC Semi VOA

Qualifier	Qualifier Description
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
X	Surrogate is outside control limits

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Job ID: 720-55327-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative 720-55327-1

Comments

No additional comments.

Receipt

The samples were received on 2/5/2014 6:40 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 6 coolers at receipt time were 2.6° C, 2.6° C, 3.5° C, 4.1° C, 5.0° C and 5.3° C.

Except:

The container label for the following sample did not match the information listed on the Chain-of-Custody (COC): (#4) MW-9 received 8 containers, while the COC lists 9 containers. (Received 3 amber 1L's not 4.) (#6) MW-11 received 9 containers, while the COC lists 8 containers. (Received 4 amber 1L's not 3.) Received sufficient sample containers for all analyses requested.

GC/MS VOA

Method 8260B: The following sample were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory: IW-2 (720-55327-9), MW-11 (720-55327-6), MW-13 (720-55327-7), MW-14 (720-55327-8), MW-8 (720-55327-3), MW-9 (720-55327-4), (720-55327-1 MS), (720-55327-1 MSD), MW-2 (720-55327-1), IW-3 (720-55327-10).

No other analytical or quality issues were noted.

GC/MS Semi VOA

Method 8270C SIM: Surrogate recovery for the following sample was outside control limits: IW-6 (720-55327-13), MW-2 (720-55327-1), MW-4 (720-55327-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270C SIM: The following sample was diluted due to the abundance of non-target analytes: MW-4 (720-55327-2). Elevated reporting limits (RLs) are provided.

Method 8270C SIM: Surrogate recovery for the following sample was outside control limits: IW-4 (720-55327-11). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270C SIM: The following sample was diluted due to the abundance of non-target analytes: IW-4 (720-55327-11), IW-5 (720-55327-12). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The following sample were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: IW-2 (720-55327-9), IW-3 (720-55327-10), MW-11 (720-55327-6), MW-14 (720-55327-8), MW-2 (720-55327-1), MW-8 (720-55327-3), MW-9 (720-55327-4). pH=7.

No other analytical or quality issues were noted.

GC Semi VOA

Method 8015B: The following sample required a dilution due to the nature of the sample matrix: IW-4 (720-55327-11). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

Method 8015B: The following sample required a dilution due to the nature of the sample matrix: IW-2 (720-55327-9), IW-5 (720-55327-12), MW-2 (720-55327-1), MW-4 (720-55327-2). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

Case Narrative

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Job ID: 720-55327-1 (Continued)

Laboratory: TestAmerica Pleasanton (Continued)

Method 8015B: The Diesel Range Organics (DRO) concentration reported for the following sample is due to the presence of discrete peaks: MW-10 (720-55327-5).

No other analytical or quality issues were noted.

Metals

Method 3005A: The reference method requires samples to be preserved to a pH of <2. The following sample was received with insufficient preservation at a pH of >2: IW-2 (720-55327-9), IW-3 (720-55327-10), MW-2 (720-55327-1), MW-8 (720-55327-3). The sample was preserved to the appropriate pH in the laboratory. Added 1mL HNO₃ on 02/06/14. ref #: 153078

Method 3010A: The reference method requires samples to be preserved to a pH of <<<2>>. The following sample was received with insufficient preservation at a pH of <<>2>>: (720-55327-3 MS), (720-55327-3 MSD), IW-2 (720-55327-9), IW-3 (720-55327-10), IW-4 (720-55327-11), MW-8 (720-55327-3). The sample(s) was preserved to the appropriate pH in the laboratory. Reference # 153078 sample 55327

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for prep batch 153061 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 153169 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for prep batch 153221 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No other analytical or quality issues were noted.

General Chemistry

No analytical or quality issues were noted.

Organic Prep

Method 3510C SGC: A deviation from the Standard Operating Procedure (SOP) occurred. Details are as follows: The samples 720-55327-1, 2, 5,6,8,9,10,11,12,13 had sediment.

No other analytical or quality issues were noted.

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-2

Lab Sample ID: 720-55327-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO)	74		50		ug/L	1		8260B/CA_LUFT	Total/NA
-C5-C12								MS	
Fluorene	1.8		0.10		ug/L	1		8270C SIM	Total/NA
Phenanthrene	1.4		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.16		0.10		ug/L	1		8270C SIM	Total/NA
Chrysene	0.15		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[a]pyrene	0.13		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	0.20		0.10		ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.37		0.10		ug/L	1		8270C SIM	Total/NA
Pyrene	0.52		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	4.1		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	9100		250		ug/L	5		8015B	Silica Gel
									Cleanup
Magnesium	170		0.20		mg/L	1		6010B	Total/NA
Iron	5.2		0.20		mg/L	1		6010B	Dissolved
Manganese	3.4		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	3200		17		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 720-55327-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO)	90		50		ug/L	1		8260B/CA_LUFT	Total/NA
-C5-C12								MS	
Fluorene	5.7		0.48		ug/L	5		8270C SIM	Total/NA
Phenanthrene	2.0		0.48		ug/L	5		8270C SIM	Total/NA
Pyrene	0.63		0.48		ug/L	5		8270C SIM	Total/NA
Methane (TCD)	6.4		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	19000		520		ug/L	10		8015B	Silica Gel
									Cleanup
Magnesium	51		0.20		mg/L	1		6010B	Total/NA
Iron	3.2		0.20		mg/L	1		6010B	Dissolved
Manganese	6.1		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	1100		10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 720-55327-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.85		0.10		ug/L	1		8270C SIM	Total/NA
Acenaphthene	0.22		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	0.11		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	3.7		1.0		mg/L	1		RSK-175	Total/NA
Magnesium	220		0.20		mg/L	1		6010B	Total/NA
Iron	3.5		0.20		mg/L	1		6010B	Dissolved
Manganese	2.0		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	6500		33		mg/L	1		SM 2540C	Total/NA
Sulfide	3.6		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: MW-9

Lab Sample ID: 720-55327-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	3.1		1.0		mg/L	1		RSK-175	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-10

Lab Sample ID: 720-55327-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	3.7		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	130		47		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	320		0.20		mg/L	1		6010B	Total/NA
Iron	10		0.20		mg/L	1		6010B	Dissolved
Manganese	7.9		0.020		mg/L	1		6010B	Dissolved
Sulfate	40		10		mg/L	10		300.0	Total/NA
Total Dissolved Solids	7000		50		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 720-55327-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	2.9		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	78		52		ug/L	1		8015B	Silica Gel Cleanup

Client Sample ID: MW-13

Lab Sample ID: 720-55327-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.22		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	0.14		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	6.5		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	96		51		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	110		0.20		mg/L	1		6010B	Total/NA
Iron	2.5		0.20		mg/L	1		6010B	Dissolved
Manganese	2.0		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	1800		10		mg/L	1		SM 2540C	Total/NA
Sulfide	1.8		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: MW-14

Lab Sample ID: 720-55327-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	3.7		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	52		50		ug/L	1		8015B	Silica Gel Cleanup

Client Sample ID: IW-2

Lab Sample ID: 720-55327-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	180		10		ug/L	10		8260B/CA_LUFT MS	Total/NA
Naphthalene	30		1.0		ug/L	10		8270C SIM	Total/NA
Acenaphthene	69		1.0		ug/L	10		8270C SIM	Total/NA
Acenaphthylene	1.7		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	65		1.0		ug/L	10		8270C SIM	Total/NA
Phenanthrene	130		1.0		ug/L	10		8270C SIM	Total/NA
Anthracene	16		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[a]anthracene	9.3		0.10		ug/L	1		8270C SIM	Total/NA
Chrysene	7.7		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[a]pyrene	2.3		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[b]fluoranthene	4.1		0.10		ug/L	1		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-2 (Continued)

Lab Sample ID: 720-55327-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[k]fluoranthene	1.9		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[g,h,i]perylene	0.71		0.10		ug/L	1		8270C SIM	Total/NA
Indeno[1,2,3-cd]pyrene	0.72		0.10		ug/L	1		8270C SIM	Total/NA
Fluoranthene	50		1.0		ug/L	10		8270C SIM	Total/NA
Pyrene	32		1.0		ug/L	10		8270C SIM	Total/NA
Dibenz(a,h)anthracene	0.34		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	5.2		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	8700		270		ug/L	5		8015B	Silica Gel Cleanup
Magnesium	150		0.20		mg/L	1		6010B	Total/NA
Iron	14		0.20		mg/L	1		6010B	Dissolved
Manganese	2.3		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	3300		25		mg/L	1		SM 2540C	Total/NA
Sulfide	3.9		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-3

Lab Sample ID: 720-55327-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	15		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	8.1		0.10		ug/L	1		8270C SIM	Total/NA
Acenaphthene	1.6		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	0.97		0.10		ug/L	1		8270C SIM	Total/NA
Phenanthrene	0.66		0.10		ug/L	1		8270C SIM	Total/NA
Anthracene	0.17		0.10		ug/L	1		8270C SIM	Total/NA
Benzo[a]anthracene	0.10		0.10		ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.31		0.10		ug/L	1		8270C SIM	Total/NA
Pyrene	0.24		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	4.8		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	190		55		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	170		0.20		mg/L	1		6010B	Total/NA
Iron	22		0.20		mg/L	1		6010B	Dissolved
Manganese	2.8		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	2900		17		mg/L	1		SM 2540C	Total/NA
Sulfide	4.6		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-4

Lab Sample ID: 720-55327-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO) -C5-C12	600		500		ug/L	10		8260B/CA_LUFT MS	Total/NA
Naphthalene	4.0		0.95		ug/L	10		8270C SIM	Total/NA
Acenaphthene	3.8		0.95		ug/L	10		8270C SIM	Total/NA
Acenaphthylene	3.8		0.95		ug/L	10		8270C SIM	Total/NA
Fluorene	18		0.95		ug/L	10		8270C SIM	Total/NA
Phenanthrene	14		0.95		ug/L	10		8270C SIM	Total/NA
Anthracene	2.2		0.95		ug/L	10		8270C SIM	Total/NA
Benzo[a]anthracene	1.4		0.95		ug/L	10		8270C SIM	Total/NA
Chrysene	1.7		0.95		ug/L	10		8270C SIM	Total/NA
Benzo[b]fluoranthene	1.3		0.95		ug/L	10		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-4 (Continued)

Lab Sample ID: 720-55327-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoranthene	3.1		0.95		ug/L	10		8270C SIM	Total/NA
Pyrene	3.6		0.95		ug/L	10		8270C SIM	Total/NA
Methane (TCD)	2.7		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	170000		2600		ug/L	50		8015B	Silica Gel Cleanup
Magnesium	89		0.20		mg/L	1		6010B	Total/NA
Iron	3.7		0.20		mg/L	1		6010B	Dissolved
Manganese	6.0		0.020		mg/L	1		6010B	Dissolved
Nitrate as N	0.68		0.23		mg/L	1		300.0	Total/NA
Total Dissolved Solids	1200		10		mg/L	1		SM 2540C	Total/NA
Sulfide	5.8		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-5

Lab Sample ID: 720-55327-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	3.5		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	770		50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	10		0.95		ug/L	10		8270C SIM	Total/NA
Acenaphthene	4.8		0.95		ug/L	10		8270C SIM	Total/NA
Acenaphthylene	5.4		0.95		ug/L	10		8270C SIM	Total/NA
Fluorene	35		0.95		ug/L	10		8270C SIM	Total/NA
Phenanthrene	39		0.95		ug/L	10		8270C SIM	Total/NA
Anthracene	3.4		0.95		ug/L	10		8270C SIM	Total/NA
Chrysene	1.2		0.95		ug/L	10		8270C SIM	Total/NA
Fluoranthene	1.1		0.95		ug/L	10		8270C SIM	Total/NA
Pyrene	2.4		0.95		ug/L	10		8270C SIM	Total/NA
Methane (TCD)	6.6		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	88000		2400		ug/L	50		8015B	Silica Gel Cleanup
Magnesium	69		0.20		mg/L	1		6010B	Total/NA
Iron	10		0.20		mg/L	1		6010B	Dissolved
Manganese	7.1		0.020		mg/L	1		6010B	Dissolved
Sulfate	1.2		1.0		mg/L	1		300.0	Total/NA
Total Dissolved Solids	950		10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: IW-6

Lab Sample ID: 720-55327-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	1.8		1.0		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C5-C12	110		50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	0.23		0.097		ug/L	1		8270C SIM	Total/NA
Acenaphthene	0.51		0.097		ug/L	1		8270C SIM	Total/NA
Acenaphthylene	0.36		0.097		ug/L	1		8270C SIM	Total/NA
Fluorene	1.9		0.097		ug/L	1		8270C SIM	Total/NA
Phenanthrene	1.5		0.097		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	4.9		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	2000		49		ug/L	1		8015B	Silica Gel Cleanup

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-6 (Continued)

Lab Sample ID: 720-55327-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Magnesium	400		0.20		mg/L	1		6010B	Total/NA
Iron	52		0.20		mg/L	1		6010B	Dissolved
Manganese	3.4		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	10000		71		mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-2
Date Collected: 02/05/14 14:05
Date Received: 02/05/14 18:40

Lab Sample ID: 720-55327-1
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 14:57	1
Benzene	ND		0.50		ug/L			02/06/14 14:57	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 14:57	1
Naphthalene	ND		1.0		ug/L			02/06/14 14:57	1
Toluene	ND		0.50		ug/L			02/06/14 14:57	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 14:57	1
Gasoline Range Organics (GRO)	74		50		ug/L			02/06/14 14:57	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 14:57	1
EDB	ND		0.50		ug/L			02/06/14 14:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					02/06/14 14:57	1
1,2-Dichloroethane-d4 (Surr)	103		72 - 130					02/06/14 14:57	1
Toluene-d8 (Surr)	102		70 - 130					02/06/14 14:57	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Fluorene	1.8		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Phenanthrene	1.4		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Benzo[a]anthracene	0.16		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Chrysene	0.15		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Benzo[a]pyrene	0.13		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Benzo[b]fluoranthene	0.20		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Fluoranthene	0.37		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Pyrene	0.52		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	49		29 - 120				02/11/14 08:00	02/11/14 16:29	1
Terphenyl-d14	40	X	45 - 120				02/11/14 08:00	02/11/14 16:29	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	4.1		1.0		mg/L			02/10/14 16:25	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	9100		250		ug/L		02/06/14 11:00	02/06/14 22:57	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				02/06/14 11:00	02/06/14 22:57	5
p-Terphenyl	0	X D	31 - 150				02/06/14 11:00	02/06/14 22:57	5

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-2

Lab Sample ID: 720-55327-1

Date Collected: 02/05/14 14:05

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	170		0.20		mg/L		02/06/14 09:59	02/12/14 18:19	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	5.2		0.20		mg/L		02/08/14 12:14	02/10/14 20:43	1
Manganese	3.4		0.020		mg/L		02/08/14 12:14	02/10/14 20:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 19:24	1
Sulfate	ND		1.0		mg/L			02/05/14 19:24	1
Total Dissolved Solids	3200		17		mg/L			02/09/14 23:42	1
Sulfide	ND		1.0		mg/L			02/10/14 21:22	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-4
Date Collected: 02/05/14 11:55
Date Received: 02/05/14 18:40

Lab Sample ID: 720-55327-2
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 16:54	1
Benzene	ND		0.50		ug/L			02/06/14 16:54	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 16:54	1
Naphthalene	ND		1.0		ug/L			02/06/14 16:54	1
Toluene	ND		0.50		ug/L			02/06/14 16:54	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 16:54	1
Gasoline Range Organics (GRO)	90		50		ug/L			02/06/14 16:54	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 16:54	1
EDB	ND		0.50		ug/L			02/06/14 16:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		67 - 130					02/06/14 16:54	1
1,2-Dichloroethane-d4 (Surr)	111		72 - 130					02/06/14 16:54	1
Toluene-d8 (Surr)	101		70 - 130					02/06/14 16:54	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Acenaphthene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Acenaphthylene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Fluorene	5.7		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Phenanthrene	2.0		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Anthracene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Benzo[a]anthracene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Chrysene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Benzo[a]pyrene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Benzo[b]fluoranthene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Benzo[k]fluoranthene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Benzo[g,h,i]perylene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Indeno[1,2,3-cd]pyrene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Fluoranthene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Pyrene	0.63		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Dibenz(a,h)anthracene	ND		0.48		ug/L		02/11/14 08:00	02/11/14 23:50	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	60		29 - 120				02/11/14 08:00	02/11/14 23:50	5
Terphenyl-d14	43	X	45 - 120				02/11/14 08:00	02/11/14 23:50	5

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	6.4		1.0		mg/L			02/10/14 16:38	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	19000		520		ug/L		02/06/14 11:00	02/06/14 22:33	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				02/06/14 11:00	02/06/14 22:33	10
p-Terphenyl	0	X D	31 - 150				02/06/14 11:00	02/06/14 22:33	10

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-4

Lab Sample ID: 720-55327-2

Date Collected: 02/05/14 11:55

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	51		0.20		mg/L		02/06/14 09:59	02/12/14 18:24	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.2		0.20		mg/L		02/08/14 12:14	02/10/14 17:19	1
Manganese	6.1		0.020		mg/L		02/08/14 12:14	02/10/14 17:19	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 19:59	1
Sulfate	ND		1.0		mg/L			02/05/14 19:59	1
Total Dissolved Solids	1100		10		mg/L			02/09/14 23:44	1
Sulfide	ND		1.0		mg/L			02/10/14 21:25	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-8

Lab Sample ID: 720-55327-3

Date Collected: 02/05/14 13:50

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 17:23	1
Benzene	ND		0.50		ug/L			02/06/14 17:23	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 17:23	1
Naphthalene	ND		1.0		ug/L			02/06/14 17:23	1
Toluene	ND		0.50		ug/L			02/06/14 17:23	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 17:23	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 17:23	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 17:23	1
EDB	ND		0.50		ug/L			02/06/14 17:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		67 - 130					02/06/14 17:23	1
1,2-Dichloroethane-d4 (Surr)	105		72 - 130					02/06/14 17:23	1
Toluene-d8 (Surr)	101		70 - 130					02/06/14 17:23	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.85		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Acenaphthene	0.22		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Fluorene	0.11		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	55		29 - 120				02/11/14 08:00	02/11/14 17:16	1
Terphenyl-d14	66		45 - 120				02/11/14 08:00	02/11/14 17:16	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.7		1.0		mg/L			02/10/14 16:51	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		49		ug/L		02/06/14 11:00	02/06/14 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.009		0 - 5				02/06/14 11:00	02/06/14 20:32	1
p-Terphenyl	82		31 - 150				02/06/14 11:00	02/06/14 20:32	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-8

Lab Sample ID: 720-55327-3

Date Collected: 02/05/14 13:50

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	220		0.20		mg/L		02/07/14 10:49	02/10/14 19:45	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.5		0.20		mg/L		02/08/14 12:14	02/10/14 18:04	1
Manganese	2.0		0.020		mg/L		02/08/14 12:14	02/10/14 18:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 20:34	1
Sulfate	ND		1.0		mg/L			02/05/14 20:34	1
Total Dissolved Solids	6500		33		mg/L			02/09/14 23:47	1
Sulfide	3.6		1.0		mg/L			02/10/14 21:28	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-9

Lab Sample ID: 720-55327-4

Date Collected: 02/05/14 14:50

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 17:52	1
Benzene	ND		0.50		ug/L			02/06/14 17:52	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 17:52	1
Naphthalene	ND		1.0		ug/L			02/06/14 17:52	1
Toluene	ND		0.50		ug/L			02/06/14 17:52	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 17:52	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 17:52	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 17:52	1
EDB	ND		0.50		ug/L			02/06/14 17:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					02/06/14 17:52	1
1,2-Dichloroethane-d4 (Surr)	102		72 - 130					02/06/14 17:52	1
Toluene-d8 (Surr)	101		70 - 130					02/06/14 17:52	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Fluorene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	56		29 - 120				02/11/14 08:00	02/11/14 17:39	1
Terphenyl-d14	51		45 - 120				02/11/14 08:00	02/11/14 17:39	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.1		1.0		mg/L			02/10/14 17:06	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		52		ug/L		02/06/14 11:00	02/06/14 21:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.009		0 - 5				02/06/14 11:00	02/06/14 21:20	1
p-Terphenyl	83		31 - 150				02/06/14 11:00	02/06/14 21:20	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-10

Lab Sample ID: 720-55327-5

Date Collected: 02/05/14 10:30

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 18:22	1
Benzene	ND		0.50		ug/L			02/06/14 18:22	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 18:22	1
Naphthalene	ND		1.0		ug/L			02/06/14 18:22	1
Toluene	ND		0.50		ug/L			02/06/14 18:22	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 18:22	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 18:22	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 18:22	1
EDB	ND		0.50		ug/L			02/06/14 18:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130					02/06/14 18:22	1
1,2-Dichloroethane-d4 (Surr)	105		72 - 130					02/06/14 18:22	1
Toluene-d8 (Surr)	99		70 - 130					02/06/14 18:22	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Fluorene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	55		29 - 120				02/11/14 08:00	02/11/14 18:02	1
Terphenyl-d14	52		45 - 120				02/11/14 08:00	02/11/14 18:02	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.7		1.0		mg/L			02/10/14 17:19	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	130		47		ug/L		02/06/14 11:00	02/06/14 20:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.06		0 - 5				02/06/14 11:00	02/06/14 20:56	1
p-Terphenyl	96		31 - 150				02/06/14 11:00	02/06/14 20:56	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-10

Lab Sample ID: 720-55327-5

Date Collected: 02/05/14 10:30

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	320		0.20		mg/L		02/06/14 09:59	02/12/14 18:29	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	10		0.20		mg/L		02/08/14 12:14	02/10/14 17:28	1
Manganese	7.9		0.020		mg/L		02/08/14 12:14	02/10/14 17:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 21:08	1
Sulfate	40		10		mg/L			02/05/14 21:25	10
Total Dissolved Solids	7000		50		mg/L			02/09/14 23:49	1
Sulfide	ND		1.0		mg/L			02/10/14 21:30	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-11

Lab Sample ID: 720-55327-6

Date Collected: 02/05/14 14:30

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 18:51	1
Benzene	ND		0.50		ug/L			02/06/14 18:51	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 18:51	1
Naphthalene	ND		1.0		ug/L			02/06/14 18:51	1
Toluene	ND		0.50		ug/L			02/06/14 18:51	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 18:51	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 18:51	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 18:51	1
EDB	ND		0.50		ug/L			02/06/14 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130					02/06/14 18:51	1
1,2-Dichloroethane-d4 (Surr)	113		72 - 130					02/06/14 18:51	1
Toluene-d8 (Surr)	100		70 - 130					02/06/14 18:51	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Acenaphthene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Acenaphthylene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Fluorene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Phenanthrene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Anthracene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Benzo[a]anthracene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Chrysene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Benzo[a]pyrene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Benzo[b]fluoranthene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Benzo[k]fluoranthene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Benzo[g,h,i]perylene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Indeno[1,2,3-cd]pyrene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Fluoranthene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Pyrene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Dibenz(a,h)anthracene	ND		0.14		ug/L		02/11/14 08:00	02/11/14 18:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	59		29 - 120				02/11/14 08:00	02/11/14 18:26	1
Terphenyl-d14	60		45 - 120				02/11/14 08:00	02/11/14 18:26	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.9		1.0		mg/L			02/10/14 17:31	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	78		52		ug/L		02/06/14 11:00	02/06/14 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.0007		0 - 5				02/06/14 11:00	02/06/14 20:32	1
p-Terphenyl	83		31 - 150				02/06/14 11:00	02/06/14 20:32	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-13

Lab Sample ID: 720-55327-7

Date Collected: 02/05/14 14:50

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 19:21	1
Benzene	ND		0.50		ug/L			02/06/14 19:21	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 19:21	1
Naphthalene	ND		1.0		ug/L			02/06/14 19:21	1
Toluene	ND		0.50		ug/L			02/06/14 19:21	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 19:21	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 19:21	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 19:21	1
EDB	ND		0.50		ug/L			02/06/14 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					02/06/14 19:21	1
1,2-Dichloroethane-d4 (Surr)	109		72 - 130					02/06/14 19:21	1
Toluene-d8 (Surr)	102		70 - 130					02/06/14 19:21	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.22		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Fluorene	0.14		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 18:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	59		29 - 120				02/11/14 08:00	02/11/14 18:49	1
Terphenyl-d14	58		45 - 120				02/11/14 08:00	02/11/14 18:49	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	6.5		1.0		mg/L			02/10/14 17:44	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	96		51		ug/L		02/06/14 11:00	02/06/14 21:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.03		0 - 5				02/06/14 11:00	02/06/14 21:20	1
p-Terphenyl	81		31 - 150				02/06/14 11:00	02/06/14 21:20	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-13

Lab Sample ID: 720-55327-7

Date Collected: 02/05/14 14:50

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	110		0.20		mg/L		02/06/14 10:01	02/12/14 18:34	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	2.5		0.20		mg/L		02/08/14 12:14	02/10/14 17:33	1
Manganese	2.0		0.020		mg/L		02/08/14 12:14	02/10/14 17:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 21:43	1
Sulfate	ND		1.0		mg/L			02/05/14 21:43	1
Total Dissolved Solids	1800		10		mg/L			02/09/14 23:52	1
Sulfide	1.8		1.0		mg/L			02/10/14 21:33	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-14

Lab Sample ID: 720-55327-8

Date Collected: 02/05/14 13:20

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 19:50	1
Benzene	ND		0.50		ug/L			02/06/14 19:50	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 19:50	1
Naphthalene	ND		1.0		ug/L			02/06/14 19:50	1
Toluene	ND		0.50		ug/L			02/06/14 19:50	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 19:50	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 19:50	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 19:50	1
EDB	ND		0.50		ug/L			02/06/14 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					02/06/14 19:50	1
1,2-Dichloroethane-d4 (Surr)	109		72 - 130					02/06/14 19:50	1
Toluene-d8 (Surr)	102		70 - 130					02/06/14 19:50	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Fluorene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 19:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	68		29 - 120				02/11/14 08:00	02/11/14 19:12	1
Terphenyl-d14	55		45 - 120				02/11/14 08:00	02/11/14 19:12	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.7		1.0		mg/L			02/10/14 17:58	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	52		50		ug/L		02/06/14 11:00	02/06/14 20:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.0006		0 - 5				02/06/14 11:00	02/06/14 20:56	1
p-Terphenyl	96		31 - 150				02/06/14 11:00	02/06/14 20:56	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-2

Lab Sample ID: 720-55327-9

Date Collected: 02/05/14 15:30

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		5.0		ug/L			02/06/14 20:19	10
Benzene	ND		5.0		ug/L			02/06/14 20:19	10
Ethylbenzene	ND		5.0		ug/L			02/06/14 20:19	10
Naphthalene	180		10		ug/L			02/06/14 20:19	10
Toluene	ND		5.0		ug/L			02/06/14 20:19	10
Xylenes, Total	ND		10		ug/L			02/06/14 20:19	10
Gasoline Range Organics (GRO)	ND		500		ug/L			02/06/14 20:19	10
-C5-C12									
1,2-DCA	ND		5.0		ug/L			02/06/14 20:19	10
EDB	ND		5.0		ug/L			02/06/14 20:19	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		67 - 130					02/06/14 20:19	10
1,2-Dichloroethane-d4 (Surr)	102		72 - 130					02/06/14 20:19	10
Toluene-d8 (Surr)	99		70 - 130					02/06/14 20:19	10

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	30		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Acenaphthene	69		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Acenaphthylene	1.7		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Fluorene	65		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Phenanthrene	130		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Anthracene	16		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Benzo[a]anthracene	9.3		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Chrysene	7.7		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Benzo[a]pyrene	2.3		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Benzo[b]fluoranthene	4.1		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Benzo[k]fluoranthene	1.9		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Benzo[g,h,i]perylene	0.71		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Indeno[1,2,3-cd]pyrene	0.72		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Fluoranthene	50		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Pyrene	32		1.0		ug/L		02/11/14 08:00	02/12/14 14:17	10
Dibenz(a,h)anthracene	0.34		0.10		ug/L		02/11/14 08:00	02/11/14 19:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	73		29 - 120				02/11/14 08:00	02/11/14 19:35	1
2-Fluorobiphenyl	54		29 - 120				02/11/14 08:00	02/12/14 14:17	10
Terphenyl-d14	63		45 - 120				02/11/14 08:00	02/11/14 19:35	1
Terphenyl-d14	55		45 - 120				02/11/14 08:00	02/12/14 14:17	10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	5.2		1.0		mg/L			02/10/14 18:43	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	8700		270		ug/L		02/06/14 11:00	02/07/14 00:10	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				02/06/14 11:00	02/07/14 00:10	5

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-2

Lab Sample ID: 720-55327-9

Date Collected: 02/05/14 15:30

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl	0	X D	31 - 150	02/06/14 11:00	02/07/14 00:10	5

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	150		0.20		mg/L		02/07/14 10:49	02/10/14 19:50	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	14		0.20		mg/L		02/08/14 12:14	02/10/14 18:08	1
Manganese	2.3		0.020		mg/L		02/08/14 12:14	02/10/14 18:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 22:51	1
Sulfate	ND		1.0		mg/L			02/05/14 22:51	1
Total Dissolved Solids	3300		25		mg/L			02/09/14 23:54	1
Sulfide	3.9		1.0		mg/L			02/10/14 21:35	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-3

Lab Sample ID: 720-55327-10

Date Collected: 02/05/14 14:15

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/10/14 12:10	1
Benzene	ND		0.50		ug/L			02/10/14 12:10	1
Ethylbenzene	ND		0.50		ug/L			02/10/14 12:10	1
Naphthalene	15		1.0		ug/L			02/10/14 12:10	1
Toluene	ND		0.50		ug/L			02/10/14 12:10	1
Xylenes, Total	ND		1.0		ug/L			02/10/14 12:10	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/10/14 12:10	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/10/14 12:10	1
EDB	ND		0.50		ug/L			02/10/14 12:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105		67 - 130					02/10/14 12:10	1
1,2-Dichloroethane-d4 (Surr)	100		72 - 130					02/10/14 12:10	1
Toluene-d8 (Surr)	101		70 - 130					02/10/14 12:10	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	8.1		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Acenaphthene	1.6		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Fluorene	0.97		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Phenanthrene	0.66		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Anthracene	0.17		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Benzo[a]anthracene	0.10		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Fluoranthene	0.31		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Pyrene	0.24		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/12/14 13:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	53		29 - 120				02/11/14 08:00	02/12/14 13:07	1
Terphenyl-d14	61		45 - 120				02/11/14 08:00	02/12/14 13:07	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	4.8		1.0		mg/L			02/10/14 18:57	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	190		55		ug/L		02/06/14 11:00	02/06/14 21:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.0007		0 - 5				02/06/14 11:00	02/06/14 21:45	1
p-Terphenyl	78		31 - 150				02/06/14 11:00	02/06/14 21:45	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-3

Lab Sample ID: 720-55327-10

Date Collected: 02/05/14 14:15

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	170		0.20		mg/L		02/07/14 10:49	02/10/14 20:05	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	22		0.20		mg/L		02/08/14 12:14	02/10/14 18:13	1
Manganese	2.8		0.020		mg/L		02/08/14 12:14	02/10/14 18:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 23:26	1
Sulfate	ND		1.0		mg/L			02/05/14 23:26	1
Total Dissolved Solids	2900		17		mg/L			02/09/14 23:57	1
Sulfide	4.6		1.0		mg/L			02/10/14 21:38	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-4

Lab Sample ID: 720-55327-11

Date Collected: 02/05/14 12:20

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		5.0		ug/L			02/06/14 21:17	10
Benzene	ND		5.0		ug/L			02/06/14 21:17	10
Ethylbenzene	ND		5.0		ug/L			02/06/14 21:17	10
Naphthalene	ND		10		ug/L			02/06/14 21:17	10
Toluene	ND		5.0		ug/L			02/06/14 21:17	10
Xylenes, Total	ND		10		ug/L			02/06/14 21:17	10
Gasoline Range Organics (GRO)	600		500		ug/L			02/06/14 21:17	10
-C5-C12									
1,2-DCA	ND		5.0		ug/L			02/06/14 21:17	10
EDB	ND		5.0		ug/L			02/06/14 21:17	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		67 - 130					02/06/14 21:17	10
1,2-Dichloroethane-d4 (Surr)	103		72 - 130					02/06/14 21:17	10
Toluene-d8 (Surr)	99		70 - 130					02/06/14 21:17	10

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	4.0		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Acenaphthene	3.8		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Acenaphthylene	3.8		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Fluorene	18		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Phenanthrene	14		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Anthracene	2.2		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Benzo[a]anthracene	1.4		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Chrysene	1.7		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Benzo[a]pyrene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Benzo[b]fluoranthene	1.3		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Benzo[k]fluoranthene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Benzo[g,h,i]perylene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Indeno[1,2,3-cd]pyrene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Fluoranthene	3.1		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Pyrene	3.6		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Dibenz(a,h)anthracene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:31	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	44		29 - 120				02/11/14 08:00	02/12/14 13:31	10
Terphenyl-d14	24	X	45 - 120				02/11/14 08:00	02/12/14 13:31	10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.7		1.0		mg/L			02/10/14 19:09	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	170000		2600		ug/L		02/06/14 11:00	02/07/14 00:10	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				02/06/14 11:00	02/07/14 00:10	50
p-Terphenyl	0	X D	31 - 150				02/06/14 11:00	02/07/14 00:10	50

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-4

Lab Sample ID: 720-55327-11

Date Collected: 02/05/14 12:20

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	89		0.20		mg/L		02/07/14 10:49	02/10/14 20:09	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.7		0.20		mg/L		02/08/14 12:14	02/10/14 17:37	1
Manganese	6.0		0.020		mg/L		02/08/14 12:14	02/10/14 17:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.68		0.23		mg/L			02/06/14 00:00	1
Sulfate	ND		1.0		mg/L			02/06/14 00:00	1
Total Dissolved Solids	1200		10		mg/L			02/09/14 23:59	1
Sulfide	5.8		1.0		mg/L			02/10/14 21:41	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-5

Lab Sample ID: 720-55327-12

Date Collected: 02/05/14 12:05

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 21:46	1
Benzene	ND		0.50		ug/L			02/06/14 21:46	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 21:46	1
Naphthalene	3.5		1.0		ug/L			02/06/14 21:46	1
Toluene	ND		0.50		ug/L			02/06/14 21:46	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 21:46	1
Gasoline Range Organics (GRO)	770		50		ug/L			02/06/14 21:46	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 21:46	1
EDB	ND		0.50		ug/L			02/06/14 21:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130					02/06/14 21:46	1
1,2-Dichloroethane-d4 (Surr)	108		72 - 130					02/06/14 21:46	1
Toluene-d8 (Surr)	100		70 - 130					02/06/14 21:46	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	10		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Acenaphthene	4.8		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Acenaphthylene	5.4		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Fluorene	35		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Phenanthrene	39		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Anthracene	3.4		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Benzo[a]anthracene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Chrysene	1.2		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Benzo[a]pyrene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Benzo[b]fluoranthene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Benzo[k]fluoranthene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Benzo[g,h,i]perylene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Indeno[1,2,3-cd]pyrene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Fluoranthene	1.1		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Pyrene	2.4		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Dibenz(a,h)anthracene	ND		0.95		ug/L		02/11/14 08:00	02/12/14 13:54	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	60		29 - 120				02/11/14 08:00	02/12/14 13:54	10
Terphenyl-d14	46		45 - 120				02/11/14 08:00	02/12/14 13:54	10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	6.6		1.0		mg/L			02/10/14 19:22	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	88000		2400		ug/L		02/06/14 11:00	02/06/14 23:22	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				02/06/14 11:00	02/06/14 23:22	50
p-Terphenyl	0 X D		31 - 150				02/06/14 11:00	02/06/14 23:22	50

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-5

Lab Sample ID: 720-55327-12

Date Collected: 02/05/14 12:05

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	69		0.20		mg/L		02/06/14 10:01	02/12/14 18:53	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	10		0.20		mg/L		02/08/14 12:14	02/10/14 20:38	1
Manganese	7.1		0.020		mg/L		02/08/14 12:14	02/10/14 20:38	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/06/14 00:34	1
Sulfate	1.2		1.0		mg/L			02/06/14 00:34	1
Total Dissolved Solids	950		10		mg/L			02/10/14 00:02	1
Sulfide	ND		1.0		mg/L			02/10/14 21:43	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-6

Lab Sample ID: 720-55327-13

Date Collected: 02/05/14 12:55

Matrix: Water

Date Received: 02/05/14 18:40

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/10/14 12:40	1
Benzene	ND		0.50		ug/L			02/10/14 12:40	1
Ethylbenzene	ND		0.50		ug/L			02/10/14 12:40	1
Naphthalene	1.8		1.0		ug/L			02/10/14 12:40	1
Toluene	ND		0.50		ug/L			02/10/14 12:40	1
Xylenes, Total	ND		1.0		ug/L			02/10/14 12:40	1
Gasoline Range Organics (GRO)	110		50		ug/L			02/10/14 12:40	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/10/14 12:40	1
EDB	ND		0.50		ug/L			02/10/14 12:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		67 - 130					02/10/14 12:40	1
1,2-Dichloroethane-d4 (Surr)	99		72 - 130					02/10/14 12:40	1
Toluene-d8 (Surr)	99		70 - 130					02/10/14 12:40	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.23		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Acenaphthene	0.51		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Acenaphthylene	0.36		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Fluorene	1.9		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Phenanthrene	1.5		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Anthracene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Benzo[a]anthracene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Chrysene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Benzo[a]pyrene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Benzo[b]fluoranthene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Benzo[k]fluoranthene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Benzo[g,h,i]perylene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Indeno[1,2,3-cd]pyrene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Fluoranthene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Pyrene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Dibenz(a,h)anthracene	ND		0.097		ug/L		02/11/14 08:00	02/12/14 00:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	29		29 - 120				02/11/14 08:00	02/12/14 00:59	1
Terphenyl-d14	27	X	45 - 120				02/11/14 08:00	02/12/14 00:59	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	4.9		1.0		mg/L			02/10/14 19:36	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	2000		49		ug/L		02/06/14 11:00	02/06/14 22:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	2		0 - 5				02/06/14 11:00	02/06/14 22:09	1
p-Terphenyl	99		31 - 150				02/06/14 11:00	02/06/14 22:09	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-6

Lab Sample ID: 720-55327-13

Date Collected: 02/05/14 12:55

Matrix: Water

Date Received: 02/05/14 18:40

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	400		0.20		mg/L		02/06/14 10:01	02/12/14 18:58	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	52		0.20		mg/L		02/08/14 12:14	02/10/14 17:55	1
Manganese	3.4		0.020		mg/L		02/08/14 12:14	02/10/14 17:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/06/14 01:09	1
Sulfate	ND		1.0		mg/L			02/06/14 01:09	1
Total Dissolved Solids	10000		71		mg/L			02/10/14 00:04	1
Sulfide	ND		1.0		mg/L			02/10/14 21:46	1

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-153054/5

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/06/14 11:26	1
Benzene	ND		0.50		ug/L			02/06/14 11:26	1
Ethylbenzene	ND		0.50		ug/L			02/06/14 11:26	1
Naphthalene	ND		1.0		ug/L			02/06/14 11:26	1
Toluene	ND		0.50		ug/L			02/06/14 11:26	1
Xylenes, Total	ND		1.0		ug/L			02/06/14 11:26	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/06/14 11:26	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/06/14 11:26	1
EDB	ND		0.50		ug/L			02/06/14 11:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		67 - 130		02/06/14 11:26	1
1,2-Dichloroethane-d4 (Surr)	114		72 - 130		02/06/14 11:26	1
Toluene-d8 (Surr)	101		70 - 130		02/06/14 11:26	1

Lab Sample ID: LCS 720-153054/6

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methyl tert-butyl ether	25.0	23.8		ug/L		95	62 - 130
Benzene	25.0	21.2		ug/L		85	79 - 130
Ethylbenzene	25.0	22.6		ug/L		91	80 - 120
Naphthalene	25.0	29.2		ug/L		117	70 - 130
Toluene	25.0	21.8		ug/L		87	78 - 120
m-Xylene & p-Xylene	50.0	44.2		ug/L		88	70 - 142
o-Xylene	25.0	24.6		ug/L		99	70 - 130
1,2-DCA	25.0	24.1		ug/L		96	61 - 132
EDB	25.0	25.9		ug/L		104	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	103		67 - 130
1,2-Dichloroethane-d4 (Surr)	105		72 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: LCS 720-153054/8

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)	500	517		ug/L		103	62 - 120
-C5-C12							

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	100		67 - 130
1,2-Dichloroethane-d4 (Surr)	99		72 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-153054/8

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

<i>Surrogate</i>	<i>%Recovery</i>	<i>LCS Qualifier</i>	<i>Limits</i>
<i>Toluene-d8 (Surr)</i>	103		70 - 130

Lab Sample ID: LCSD 720-153054/7

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCSD Result</i>	<i>LCSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
Methyl tert-butyl ether	25.0	23.8		ug/L		95	62 - 130	0	20
Benzene	25.0	21.3		ug/L		85	79 - 130	0	20
Ethylbenzene	25.0	22.6		ug/L		90	80 - 120	0	20
Naphthalene	25.0	29.9		ug/L		119	70 - 130	2	20
Toluene	25.0	21.8		ug/L		87	78 - 120	0	20
m-Xylene & p-Xylene	50.0	43.7		ug/L		87	70 - 142	1	20
o-Xylene	25.0	24.5		ug/L		98	70 - 130	1	20
1,2-DCA	25.0	23.9		ug/L		96	61 - 132	1	20
EDB	25.0	25.7		ug/L		103	70 - 130	1	20

<i>Surrogate</i>	<i>%Recovery</i>	<i>LCSD Qualifier</i>	<i>Limits</i>
<i>4-Bromofluorobenzene</i>	102		67 - 130
<i>1,2-Dichloroethane-d4 (Surr)</i>	106		72 - 130
<i>Toluene-d8 (Surr)</i>	102		70 - 130

Lab Sample ID: LCSD 720-153054/9

Matrix: Water

Analysis Batch: 153054

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	<i>LCSD Result</i>	<i>LCSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
Gasoline Range Organics (GRO) -C5-C12	500	499		ug/L		100	62 - 120	4	20

<i>Surrogate</i>	<i>%Recovery</i>	<i>LCSD Qualifier</i>	<i>Limits</i>
<i>4-Bromofluorobenzene</i>	99		67 - 130
<i>1,2-Dichloroethane-d4 (Surr)</i>	103		72 - 130
<i>Toluene-d8 (Surr)</i>	102		70 - 130

Lab Sample ID: 720-55327-1 MS

Matrix: Water

Analysis Batch: 153054

Client Sample ID: MW-2

Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MS Result</i>	<i>MS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
Methyl tert-butyl ether	ND		25.0	21.1		ug/L		84	60 - 138
Benzene	ND		25.0	21.2		ug/L		83	60 - 140
Ethylbenzene	ND		25.0	22.8		ug/L		91	60 - 140
Naphthalene	ND		25.0	27.4		ug/L		106	56 - 140
Toluene	ND		25.0	21.5		ug/L		86	60 - 140
m-Xylene & p-Xylene	ND		50.0	44.6		ug/L		89	60 - 140
o-Xylene	ND		25.0	24.8		ug/L		99	60 - 140
1,2-DCA	ND		25.0	21.9		ug/L		88	60 - 140

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: 720-55327-1 MS

Matrix: Water

Analysis Batch: 153054

Client Sample ID: MW-2

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
EDB	ND		25.0	22.7		ug/L		91	60 - 140
Surrogate	%Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene	102		67 - 130						
1,2-Dichloroethane-d4 (Surr)	97		72 - 130						
Toluene-d8 (Surr)	101		70 - 130						

Lab Sample ID: 720-55327-1 MSD

Matrix: Water

Analysis Batch: 153054

Client Sample ID: MW-2

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	ND		25.0	20.7		ug/L		83	60 - 138	2	20
Benzene	ND		25.0	21.2		ug/L		83	60 - 140	0	20
Ethylbenzene	ND		25.0	23.2		ug/L		93	60 - 140	1	20
Naphthalene	ND		25.0	29.7		ug/L		115	56 - 140	8	20
Toluene	ND		25.0	21.6		ug/L		86	60 - 140	0	20
m-Xylene & p-Xylene	ND		50.0	45.1		ug/L		90	60 - 140	1	20
o-Xylene	ND		25.0	24.9		ug/L		100	60 - 140	0	20
1,2-DCA	ND		25.0	21.7		ug/L		87	60 - 140	1	20
EDB	ND		25.0	23.0		ug/L		92	60 - 140	1	20
Surrogate	%Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene	104		67 - 130								
1,2-Dichloroethane-d4 (Surr)	97		72 - 130								
Toluene-d8 (Surr)	102		70 - 130								

Lab Sample ID: MB 720-153229/5

Matrix: Water

Analysis Batch: 153229

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			02/10/14 09:41	1
Benzene	ND		0.50		ug/L			02/10/14 09:41	1
Ethylbenzene	ND		0.50		ug/L			02/10/14 09:41	1
Naphthalene	ND		1.0		ug/L			02/10/14 09:41	1
Toluene	ND		0.50		ug/L			02/10/14 09:41	1
Xylenes, Total	ND		1.0		ug/L			02/10/14 09:41	1
Gasoline Range Organics (GRO)	ND		50		ug/L			02/10/14 09:41	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			02/10/14 09:41	1
EDB	ND		0.50		ug/L			02/10/14 09:41	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					02/10/14 09:41	1
1,2-Dichloroethane-d4 (Surr)	96		72 - 130					02/10/14 09:41	1
Toluene-d8 (Surr)	100		70 - 130					02/10/14 09:41	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-153229/6

Matrix: Water

Analysis Batch: 153229

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methyl tert-butyl ether	25.0	29.5		ug/L		118	62 - 130
Benzene	25.0	24.9		ug/L		100	79 - 130
Ethylbenzene	25.0	25.0		ug/L		100	80 - 120
Naphthalene	25.0	29.8		ug/L		119	70 - 130
Toluene	25.0	25.2		ug/L		101	78 - 120
m-Xylene & p-Xylene	50.0	49.6		ug/L		99	70 - 142
o-Xylene	25.0	26.8		ug/L		107	70 - 130
1,2-DCA	25.0	24.2		ug/L		97	61 - 132
EDB	25.0	27.5		ug/L		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	103		67 - 130
1,2-Dichloroethane-d4 (Surr)	92		72 - 130
Toluene-d8 (Surr)	102		70 - 130

Lab Sample ID: LCS 720-153229/8

Matrix: Water

Analysis Batch: 153229

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C5-C12	500	490		ug/L		98	62 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	103		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 720-153229/7

Matrix: Water

Analysis Batch: 153229

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	25.0	27.9		ug/L		112	62 - 130	5	20
Benzene	25.0	24.8		ug/L		99	79 - 130	0	20
Ethylbenzene	25.0	25.3		ug/L		101	80 - 120	1	20
Naphthalene	25.0	30.3		ug/L		121	70 - 130	2	20
Toluene	25.0	25.8		ug/L		103	78 - 120	2	20
m-Xylene & p-Xylene	50.0	50.8		ug/L		102	70 - 142	2	20
o-Xylene	25.0	27.1		ug/L		108	70 - 130	1	20
1,2-DCA	25.0	23.0		ug/L		92	61 - 132	5	20
EDB	25.0	26.8		ug/L		107	70 - 130	3	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	103		67 - 130
1,2-Dichloroethane-d4 (Surr)	89		72 - 130
Toluene-d8 (Surr)	102		70 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-153229/9

Matrix: Water

Analysis Batch: 153229

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	500	472		ug/L		94	62 - 120	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	104		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Method: 8270C SIM - PAHs by GCMS (SIM)

Lab Sample ID: MB 720-153295/1-A

Matrix: Water

Analysis Batch: 153328

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 153295

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Acenaphthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Acenaphthylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Fluorene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Phenanthrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Benzo[a]anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Chrysene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Benzo[a]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Benzo[b]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Benzo[k]fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Fluoranthene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Pyrene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		02/11/14 08:00	02/11/14 16:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	51		29 - 120	02/11/14 08:00	02/11/14 16:06	1
Terphenyl-d14	83		45 - 120	02/11/14 08:00	02/11/14 16:06	1

Lab Sample ID: LCS 720-153295/2-A

Matrix: Water

Analysis Batch: 153328

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 153295

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Naphthalene	10.0	5.33		ug/L		53	19 - 120
Acenaphthene	10.0	5.56		ug/L		56	24 - 120
Acenaphthylene	10.0	5.62		ug/L		56	24 - 120
Fluorene	10.0	5.74		ug/L		57	27 - 120
Phenanthrene	10.0	6.33		ug/L		63	31 - 120
Anthracene	10.0	7.28		ug/L		73	44 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8270C SIM - PAHs by GCMS (SIM) (Continued)

Lab Sample ID: LCS 720-153295/2-A

Matrix: Water

Analysis Batch: 153328

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 153295

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzo[a]anthracene	10.0	8.40		ug/L		84	48 - 120
Chrysene	10.0	7.84		ug/L		78	47 - 120
Benzo[a]pyrene	10.0	8.00		ug/L		80	43 - 120
Benzo[b]fluoranthene	10.0	9.16		ug/L		92	42 - 120
Benzo[k]fluoranthene	10.0	7.63		ug/L		76	42 - 120
Benzo[g,h,i]perylene	10.0	6.73		ug/L		67	35 - 120
Indeno[1,2,3-cd]pyrene	10.0	7.03		ug/L		70	36 - 120
Fluoranthene	10.0	8.11		ug/L		81	43 - 120
Pyrene	10.0	7.90		ug/L		79	47 - 120
Dibenz(a,h)anthracene	10.0	7.08		ug/L		71	33 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl	66		29 - 120
Terphenyl-d14	81		45 - 120

Lab Sample ID: LCSD 720-153295/3-A

Matrix: Water

Analysis Batch: 153328

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 153295

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Naphthalene	10.0	4.47		ug/L		45	19 - 120	17	35
Acenaphthene	10.0	4.55		ug/L		46	24 - 120	20	35
Acenaphthylene	10.0	4.68		ug/L		47	24 - 120	18	35
Fluorene	10.0	4.72		ug/L		47	27 - 120	19	35
Phenanthrene	10.0	5.44		ug/L		54	31 - 120	15	35
Anthracene	10.0	6.61		ug/L		66	44 - 120	10	35
Benzo[a]anthracene	10.0	8.56		ug/L		86	48 - 120	2	35
Chrysene	10.0	7.94		ug/L		79	47 - 120	1	35
Benzo[a]pyrene	10.0	8.21		ug/L		82	43 - 120	3	35
Benzo[b]fluoranthene	10.0	8.85		ug/L		88	42 - 120	3	35
Benzo[k]fluoranthene	10.0	7.89		ug/L		79	42 - 120	3	35
Benzo[g,h,i]perylene	10.0	7.53		ug/L		75	35 - 120	11	35
Indeno[1,2,3-cd]pyrene	10.0	7.73		ug/L		77	36 - 120	9	35
Fluoranthene	10.0	7.84		ug/L		78	43 - 120	3	35
Pyrene	10.0	7.97		ug/L		80	47 - 120	1	35
Dibenz(a,h)anthracene	10.0	7.92		ug/L		79	33 - 120	11	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Fluorobiphenyl	52		29 - 120
Terphenyl-d14	85		45 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 440-161144/8

Matrix: Water

Analysis Batch: 161144

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (FID)	ND		0.00099		mg/L			02/10/14 16:08	1
Methane (TCD)	ND		1.0		mg/L			02/10/14 16:08	1

Lab Sample ID: LCS 440-161144/4

Matrix: Water

Analysis Batch: 161144

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (TCD)	4.19	4.72		mg/L		112	80 - 120

Lab Sample ID: LCS 440-161144/6

Matrix: Water

Analysis Batch: 161144

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methane (FID)	0.0839	0.0847		mg/L		101	80 - 120

Lab Sample ID: LCSD 440-161144/5

Matrix: Water

Analysis Batch: 161144

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (TCD)	4.19	4.70		mg/L		112	80 - 120	0	20

Lab Sample ID: LCSD 440-161144/7

Matrix: Water

Analysis Batch: 161144

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methane (FID)	0.0839	0.0901		mg/L		107	80 - 120	6	20

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-153072/1-A

Matrix: Water

Analysis Batch: 153041

Client Sample ID: Method Blank

Prep Type: Silica Gel Cleanup

Prep Batch: 153072

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		50		ug/L		02/06/14 11:00	02/07/14 01:23	1

Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.009		0 - 5	02/06/14 11:00	02/07/14 01:23	1
p-Terphenyl	91		31 - 150	02/06/14 11:00	02/07/14 01:23	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 720-153072/2-A

Matrix: Water

Analysis Batch: 153041

Client Sample ID: Lab Control Sample

Prep Type: Silica Gel Cleanup

Prep Batch: 153072

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	2500	792		ug/L		32	32 - 119
Surrogate		LCS %Recovery	LCS Qualifier				Limits
p-Terphenyl		75					31 - 150

Lab Sample ID: LCSD 720-153072/3-A

Matrix: Water

Analysis Batch: 153041

Client Sample ID: Lab Control Sample Dup

Prep Type: Silica Gel Cleanup

Prep Batch: 153072

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	2500	811		ug/L		32	32 - 119	2	35
Surrogate		LCSD %Recovery	LCSD Qualifier				Limits		
p-Terphenyl		73					31 - 150		

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 720-153061/1-A

Matrix: Water

Analysis Batch: 153440

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 153061

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	ND		0.20		mg/L		02/06/14 09:59	02/12/14 17:55	1

Lab Sample ID: LCS 720-153061/2-A

Matrix: Water

Analysis Batch: 153440

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 153061

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Magnesium	10.0	11.4		mg/L		114	80 - 120

Lab Sample ID: LCSD 720-153061/3-A

Matrix: Water

Analysis Batch: 153440

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 153061

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Magnesium	10.0	11.4		mg/L		114	80 - 120	0	20

Lab Sample ID: 720-55327-1 MS

Matrix: Water

Analysis Batch: 153440

Client Sample ID: MW-2

Prep Type: Total/NA

Prep Batch: 153061

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Magnesium	170		10.0	170	4	mg/L		1	75 - 125

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 720-55327-1 MSD

Matrix: Water

Analysis Batch: 153440

Client Sample ID: MW-2

Prep Type: Total/NA

Prep Batch: 153061

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Magnesium	170		10.0	172	4	mg/L		28	75 - 125	2	20

Lab Sample ID: MB 720-153169/1-A

Matrix: Water

Analysis Batch: 153283

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 153169

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	ND		0.20		mg/L		02/07/14 10:49	02/10/14 18:19	1

Lab Sample ID: LCS 720-153169/2-A

Matrix: Water

Analysis Batch: 153283

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 153169

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Magnesium	10.0	10.6		mg/L		106	80 - 120

Lab Sample ID: LCSD 720-153169/3-A

Matrix: Water

Analysis Batch: 153283

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 153169

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Magnesium	10.0	10.6		mg/L		106	80 - 120	0	20

Lab Sample ID: 720-55327-3 MS

Matrix: Water

Analysis Batch: 153283

Client Sample ID: MW-8

Prep Type: Total/NA

Prep Batch: 153169

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Magnesium	220		10.0	215	4	mg/L		-39	75 - 125

Lab Sample ID: 720-55327-3 MSD

Matrix: Water

Analysis Batch: 153283

Client Sample ID: MW-8

Prep Type: Total/NA

Prep Batch: 153169

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Magnesium	220		10.0	228	4	mg/L		93	75 - 125	6	20

Lab Sample ID: MB 720-153221/1-A

Matrix: Water

Analysis Batch: 153280

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 153221

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.20		mg/L		02/08/14 12:14	02/10/14 16:58	1
Manganese	ND		0.020		mg/L		02/08/14 12:14	02/10/14 16:58	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 720-153221/2-A
Matrix: Water
Analysis Batch: 153280

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 153221

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	8.56		mg/L		86	80 - 120
Manganese	1.00	0.836		mg/L		84	80 - 120

Lab Sample ID: LCSD 720-153221/3-A
Matrix: Water
Analysis Batch: 153280

Client Sample ID: Lab Control Sample Dup
Prep Type: Total Recoverable
Prep Batch: 153221

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	10.0	8.39		mg/L		84	80 - 120	2	20
Manganese	1.00	0.838		mg/L		84	80 - 120	0	20

Lab Sample ID: 720-55327-2 MS
Matrix: Water
Analysis Batch: 153286

Client Sample ID: MW-4
Prep Type: Dissolved
Prep Batch: 153221

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	3.2		10.0	11.4		mg/L		83	75 - 125
Manganese	6.1		1.00	6.63	4	mg/L		57	75 - 125

Lab Sample ID: 720-55327-2 MSD
Matrix: Water
Analysis Batch: 153280

Client Sample ID: MW-4
Prep Type: Dissolved
Prep Batch: 153221

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Iron	3.2		10.0	11.6		mg/L		84	75 - 125	1	20
Manganese	6.1		1.00	6.66	4	mg/L		60	75 - 125	0	20

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 720-152988/4
Matrix: Water
Analysis Batch: 152988

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0		mg/L			02/05/14 13:05	1

Lab Sample ID: LCS 720-152988/5
Matrix: Water
Analysis Batch: 152988

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	10.0	9.61		mg/L		96	90 - 110

Lab Sample ID: MB 720-152989/4
Matrix: Water
Analysis Batch: 152989

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L			02/05/14 13:05	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 720-152989/5

Matrix: Water

Analysis Batch: 152989

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	2.26	2.19		mg/L		97	90 - 110

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-222598/1

Matrix: Water

Analysis Batch: 222598

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10		mg/L			02/09/14 23:37	1

Lab Sample ID: LCS 500-222598/2

Matrix: Water

Analysis Batch: 222598

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	250	278		mg/L		111	80 - 120

Method: SM 4500 S2 F - Sulfide, Total

Lab Sample ID: MB 500-222741/1

Matrix: Water

Analysis Batch: 222741

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		1.0		mg/L			02/10/14 21:15	1

Lab Sample ID: LCS 500-222741/2

Matrix: Water

Analysis Batch: 222741

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	3.71	3.76		mg/L		101	80 - 120

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

GC/MS VOA

Analysis Batch: 153054

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-1 MS	MW-2	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-1 MSD	MW-2	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-2	MW-4	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-3	MW-8	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-4	MW-9	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-5	MW-10	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-6	MW-11	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-7	MW-13	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-8	MW-14	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-9	IW-2	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-11	IW-4	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-12	IW-5	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-153054/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-153054/8	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-153054/7	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-153054/9	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-153054/5	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 153229

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-10	IW-3	Total/NA	Water	8260B/CA_LUFT MS	
720-55327-13	IW-6	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-153229/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-153229/8	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-153229/7	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-153229/9	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-153229/5	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

GC/MS Semi VOA

Prep Batch: 153295

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	3510C	
720-55327-2	MW-4	Total/NA	Water	3510C	
720-55327-3	MW-8	Total/NA	Water	3510C	
720-55327-4	MW-9	Total/NA	Water	3510C	
720-55327-5	MW-10	Total/NA	Water	3510C	
720-55327-6	MW-11	Total/NA	Water	3510C	
720-55327-7	MW-13	Total/NA	Water	3510C	
720-55327-8	MW-14	Total/NA	Water	3510C	
720-55327-9	IW-2	Total/NA	Water	3510C	
720-55327-10	IW-3	Total/NA	Water	3510C	
720-55327-11	IW-4	Total/NA	Water	3510C	
720-55327-12	IW-5	Total/NA	Water	3510C	
720-55327-13	IW-6	Total/NA	Water	3510C	
LCS 720-153295/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 720-153295/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MB 720-153295/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 153328

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	8270C SIM	153295
720-55327-2	MW-4	Total/NA	Water	8270C SIM	153295
720-55327-3	MW-8	Total/NA	Water	8270C SIM	153295
720-55327-4	MW-9	Total/NA	Water	8270C SIM	153295
720-55327-5	MW-10	Total/NA	Water	8270C SIM	153295
720-55327-6	MW-11	Total/NA	Water	8270C SIM	153295
720-55327-7	MW-13	Total/NA	Water	8270C SIM	153295
720-55327-8	MW-14	Total/NA	Water	8270C SIM	153295
720-55327-9	IW-2	Total/NA	Water	8270C SIM	153295
720-55327-13	IW-6	Total/NA	Water	8270C SIM	153295
LCS 720-153295/2-A	Lab Control Sample	Total/NA	Water	8270C SIM	153295
LCSD 720-153295/3-A	Lab Control Sample Dup	Total/NA	Water	8270C SIM	153295
MB 720-153295/1-A	Method Blank	Total/NA	Water	8270C SIM	153295

Analysis Batch: 153397

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-9	IW-2	Total/NA	Water	8270C SIM	153295
720-55327-10	IW-3	Total/NA	Water	8270C SIM	153295
720-55327-11	IW-4	Total/NA	Water	8270C SIM	153295
720-55327-12	IW-5	Total/NA	Water	8270C SIM	153295

GC VOA

Analysis Batch: 161144

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	RSK-175	
720-55327-2	MW-4	Total/NA	Water	RSK-175	
720-55327-3	MW-8	Total/NA	Water	RSK-175	
720-55327-4	MW-9	Total/NA	Water	RSK-175	
720-55327-5	MW-10	Total/NA	Water	RSK-175	
720-55327-6	MW-11	Total/NA	Water	RSK-175	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

GC VOA (Continued)

Analysis Batch: 161144 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-7	MW-13	Total/NA	Water	RSK-175	
720-55327-8	MW-14	Total/NA	Water	RSK-175	
720-55327-9	IW-2	Total/NA	Water	RSK-175	
720-55327-10	IW-3	Total/NA	Water	RSK-175	
720-55327-11	IW-4	Total/NA	Water	RSK-175	
720-55327-12	IW-5	Total/NA	Water	RSK-175	
720-55327-13	IW-6	Total/NA	Water	RSK-175	
LCS 440-161144/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 440-161144/6	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 440-161144/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCS 440-161144/7	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 440-161144/8	Method Blank	Total/NA	Water	RSK-175	

GC Semi VOA

Analysis Batch: 153041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Silica Gel Cleanup	Water	8015B	153072
720-55327-2	MW-4	Silica Gel Cleanup	Water	8015B	153072
720-55327-3	MW-8	Silica Gel Cleanup	Water	8015B	153072
720-55327-4	MW-9	Silica Gel Cleanup	Water	8015B	153072
720-55327-5	MW-10	Silica Gel Cleanup	Water	8015B	153072
720-55327-9	IW-2	Silica Gel Cleanup	Water	8015B	153072
720-55327-12	IW-5	Silica Gel Cleanup	Water	8015B	153072
LCS 720-153072/2-A	Lab Control Sample	Silica Gel Cleanup	Water	8015B	153072
LCS 720-153072/3-A	Lab Control Sample Dup	Silica Gel Cleanup	Water	8015B	153072
MB 720-153072/1-A	Method Blank	Silica Gel Cleanup	Water	8015B	153072

Analysis Batch: 153042

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-6	MW-11	Silica Gel Cleanup	Water	8015B	153072
720-55327-7	MW-13	Silica Gel Cleanup	Water	8015B	153072
720-55327-8	MW-14	Silica Gel Cleanup	Water	8015B	153072
720-55327-10	IW-3	Silica Gel Cleanup	Water	8015B	153072
720-55327-11	IW-4	Silica Gel Cleanup	Water	8015B	153072
720-55327-13	IW-6	Silica Gel Cleanup	Water	8015B	153072

Prep Batch: 153072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Silica Gel Cleanup	Water	3510C SGC	
720-55327-2	MW-4	Silica Gel Cleanup	Water	3510C SGC	
720-55327-3	MW-8	Silica Gel Cleanup	Water	3510C SGC	
720-55327-4	MW-9	Silica Gel Cleanup	Water	3510C SGC	
720-55327-5	MW-10	Silica Gel Cleanup	Water	3510C SGC	
720-55327-6	MW-11	Silica Gel Cleanup	Water	3510C SGC	
720-55327-7	MW-13	Silica Gel Cleanup	Water	3510C SGC	
720-55327-8	MW-14	Silica Gel Cleanup	Water	3510C SGC	
720-55327-9	IW-2	Silica Gel Cleanup	Water	3510C SGC	
720-55327-10	IW-3	Silica Gel Cleanup	Water	3510C SGC	
720-55327-11	IW-4	Silica Gel Cleanup	Water	3510C SGC	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

GC Semi VOA (Continued)

Prep Batch: 153072 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-12	IW-5	Silica Gel Cleanup	Water	3510C SGC	
720-55327-13	IW-6	Silica Gel Cleanup	Water	3510C SGC	
LCS 720-153072/2-A	Lab Control Sample	Silica Gel Cleanup	Water	3510C SGC	
LCSD 720-153072/3-A	Lab Control Sample Dup	Silica Gel Cleanup	Water	3510C SGC	
MB 720-153072/1-A	Method Blank	Silica Gel Cleanup	Water	3510C SGC	

Metals

Prep Batch: 153061

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	3010A	
720-55327-1 MS	MW-2	Total/NA	Water	3010A	
720-55327-1 MSD	MW-2	Total/NA	Water	3010A	
720-55327-2	MW-4	Total/NA	Water	3010A	
720-55327-5	MW-10	Total/NA	Water	3010A	
720-55327-7	MW-13	Total/NA	Water	3010A	
720-55327-12	IW-5	Total/NA	Water	3010A	
720-55327-13	IW-6	Total/NA	Water	3010A	
LCS 720-153061/2-A	Lab Control Sample	Total/NA	Water	3010A	
LCSD 720-153061/3-A	Lab Control Sample Dup	Total/NA	Water	3010A	
MB 720-153061/1-A	Method Blank	Total/NA	Water	3010A	

Prep Batch: 153169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-3	MW-8	Total/NA	Water	3010A	
720-55327-3 MS	MW-8	Total/NA	Water	3010A	
720-55327-3 MSD	MW-8	Total/NA	Water	3010A	
720-55327-9	IW-2	Total/NA	Water	3010A	
720-55327-10	IW-3	Total/NA	Water	3010A	
720-55327-11	IW-4	Total/NA	Water	3010A	
LCS 720-153169/2-A	Lab Control Sample	Total/NA	Water	3010A	
LCSD 720-153169/3-A	Lab Control Sample Dup	Total/NA	Water	3010A	
MB 720-153169/1-A	Method Blank	Total/NA	Water	3010A	

Prep Batch: 153221

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Dissolved	Water	3005A	
720-55327-2	MW-4	Dissolved	Water	3005A	
720-55327-2 MS	MW-4	Dissolved	Water	3005A	
720-55327-2 MSD	MW-4	Dissolved	Water	3005A	
720-55327-3	MW-8	Dissolved	Water	3005A	
720-55327-5	MW-10	Dissolved	Water	3005A	
720-55327-7	MW-13	Dissolved	Water	3005A	
720-55327-9	IW-2	Dissolved	Water	3005A	
720-55327-10	IW-3	Dissolved	Water	3005A	
720-55327-11	IW-4	Dissolved	Water	3005A	
720-55327-12	IW-5	Dissolved	Water	3005A	
720-55327-13	IW-6	Dissolved	Water	3005A	
LCS 720-153221/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCSD 720-153221/3-A	Lab Control Sample Dup	Total Recoverable	Water	3005A	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Metals (Continued)

Prep Batch: 153221 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-153221/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 153280

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-2	MW-4	Dissolved	Water	6010B	153221
720-55327-2 MSD	MW-4	Dissolved	Water	6010B	153221
720-55327-3	MW-8	Dissolved	Water	6010B	153221
720-55327-5	MW-10	Dissolved	Water	6010B	153221
720-55327-7	MW-13	Dissolved	Water	6010B	153221
720-55327-9	IW-2	Dissolved	Water	6010B	153221
720-55327-10	IW-3	Dissolved	Water	6010B	153221
720-55327-11	IW-4	Dissolved	Water	6010B	153221
720-55327-13	IW-6	Dissolved	Water	6010B	153221
LCS 720-153221/2-A	Lab Control Sample	Total Recoverable	Water	6010B	153221
LCSD 720-153221/3-A	Lab Control Sample Dup	Total Recoverable	Water	6010B	153221
MB 720-153221/1-A	Method Blank	Total Recoverable	Water	6010B	153221

Analysis Batch: 153283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-3	MW-8	Total/NA	Water	6010B	153169
720-55327-3 MS	MW-8	Total/NA	Water	6010B	153169
720-55327-3 MSD	MW-8	Total/NA	Water	6010B	153169
720-55327-9	IW-2	Total/NA	Water	6010B	153169
720-55327-10	IW-3	Total/NA	Water	6010B	153169
720-55327-11	IW-4	Total/NA	Water	6010B	153169
LCS 720-153169/2-A	Lab Control Sample	Total/NA	Water	6010B	153169
LCSD 720-153169/3-A	Lab Control Sample Dup	Total/NA	Water	6010B	153169
MB 720-153169/1-A	Method Blank	Total/NA	Water	6010B	153169

Analysis Batch: 153286

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Dissolved	Water	6010B	153221
720-55327-2 MS	MW-4	Dissolved	Water	6010B	153221
720-55327-12	IW-5	Dissolved	Water	6010B	153221

Analysis Batch: 153440

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	6010B	153061
720-55327-1 MS	MW-2	Total/NA	Water	6010B	153061
720-55327-1 MSD	MW-2	Total/NA	Water	6010B	153061
720-55327-2	MW-4	Total/NA	Water	6010B	153061
720-55327-5	MW-10	Total/NA	Water	6010B	153061
720-55327-7	MW-13	Total/NA	Water	6010B	153061
720-55327-12	IW-5	Total/NA	Water	6010B	153061
720-55327-13	IW-6	Total/NA	Water	6010B	153061
LCS 720-153061/2-A	Lab Control Sample	Total/NA	Water	6010B	153061
LCSD 720-153061/3-A	Lab Control Sample Dup	Total/NA	Water	6010B	153061
MB 720-153061/1-A	Method Blank	Total/NA	Water	6010B	153061

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

General Chemistry

Analysis Batch: 152988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	300.0	
720-55327-2	MW-4	Total/NA	Water	300.0	
720-55327-3	MW-8	Total/NA	Water	300.0	
720-55327-5	MW-10	Total/NA	Water	300.0	
720-55327-7	MW-13	Total/NA	Water	300.0	
720-55327-9	IW-2	Total/NA	Water	300.0	
720-55327-10	IW-3	Total/NA	Water	300.0	
720-55327-11	IW-4	Total/NA	Water	300.0	
720-55327-12	IW-5	Total/NA	Water	300.0	
720-55327-13	IW-6	Total/NA	Water	300.0	
LCS 720-152988/5	Lab Control Sample	Total/NA	Water	300.0	
MB 720-152988/4	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 152989

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	300.0	
720-55327-2	MW-4	Total/NA	Water	300.0	
720-55327-3	MW-8	Total/NA	Water	300.0	
720-55327-5	MW-10	Total/NA	Water	300.0	
720-55327-7	MW-13	Total/NA	Water	300.0	
720-55327-9	IW-2	Total/NA	Water	300.0	
720-55327-10	IW-3	Total/NA	Water	300.0	
720-55327-11	IW-4	Total/NA	Water	300.0	
720-55327-12	IW-5	Total/NA	Water	300.0	
720-55327-13	IW-6	Total/NA	Water	300.0	
LCS 720-152989/5	Lab Control Sample	Total/NA	Water	300.0	
MB 720-152989/4	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 222598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	SM 2540C	
720-55327-2	MW-4	Total/NA	Water	SM 2540C	
720-55327-3	MW-8	Total/NA	Water	SM 2540C	
720-55327-5	MW-10	Total/NA	Water	SM 2540C	
720-55327-7	MW-13	Total/NA	Water	SM 2540C	
720-55327-9	IW-2	Total/NA	Water	SM 2540C	
720-55327-10	IW-3	Total/NA	Water	SM 2540C	
720-55327-11	IW-4	Total/NA	Water	SM 2540C	
720-55327-12	IW-5	Total/NA	Water	SM 2540C	
720-55327-13	IW-6	Total/NA	Water	SM 2540C	
LCS 500-222598/2	Lab Control Sample	Total/NA	Water	SM 2540C	
MB 500-222598/1	Method Blank	Total/NA	Water	SM 2540C	

Analysis Batch: 222741

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-1	MW-2	Total/NA	Water	SM 4500 S2 F	
720-55327-2	MW-4	Total/NA	Water	SM 4500 S2 F	
720-55327-3	MW-8	Total/NA	Water	SM 4500 S2 F	
720-55327-5	MW-10	Total/NA	Water	SM 4500 S2 F	
720-55327-7	MW-13	Total/NA	Water	SM 4500 S2 F	
720-55327-9	IW-2	Total/NA	Water	SM 4500 S2 F	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

General Chemistry (Continued)

Analysis Batch: 222741 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-55327-10	IW-3	Total/NA	Water	SM 4500 S2 F	
720-55327-11	IW-4	Total/NA	Water	SM 4500 S2 F	
720-55327-12	IW-5	Total/NA	Water	SM 4500 S2 F	
720-55327-13	IW-6	Total/NA	Water	SM 4500 S2 F	
LCS 500-222741/2	Lab Control Sample	Total/NA	Water	SM 4500 S2 F	
MB 500-222741/1	Method Blank	Total/NA	Water	SM 4500 S2 F	

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-2

Lab Sample ID: 720-55327-1

Date Collected: 02/05/14 14:05

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 14:57	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 16:29	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 16:25	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		5	153041	02/06/14 22:57	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153286	02/10/14 20:43	SLK	TAL PLS
Total/NA	Prep	3010A			153061	02/06/14 09:59	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:19	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:42	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:22		
					(End)	02/10/14 21:25		
Total/NA	Analysis	300.0		1	152988	02/05/14 19:24	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 19:24	MJK	TAL PLS

Client Sample ID: MW-4

Lab Sample ID: 720-55327-2

Date Collected: 02/05/14 11:55

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 16:54	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		5	153328	02/11/14 23:50	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 16:38	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		10	153041	02/06/14 22:33	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 17:19	SLK	TAL PLS
Total/NA	Prep	3010A			153061	02/06/14 09:59	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:24	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:44	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:25		
					(End)	02/10/14 21:28		
Total/NA	Analysis	300.0		1	152988	02/05/14 19:59	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 19:59	MJK	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-8

Lab Sample ID: 720-55327-3

Date Collected: 02/05/14 13:50

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 17:23	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 17:16	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 16:51	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153041	02/06/14 20:32	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 18:04	SLK	TAL PLS
Total/NA	Prep	3010A			153169	02/07/14 10:49	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153283	02/10/14 19:45	SLK	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:47	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:28		
					(End)	02/10/14 21:30		
Total/NA	Analysis	300.0		1	152988	02/05/14 20:34	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 20:34	MJK	TAL PLS

Client Sample ID: MW-9

Lab Sample ID: 720-55327-4

Date Collected: 02/05/14 14:50

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 17:52	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 17:39	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 17:06	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153041	02/06/14 21:20	DCH	TAL PLS

Client Sample ID: MW-10

Lab Sample ID: 720-55327-5

Date Collected: 02/05/14 10:30

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 18:22	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 18:02	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 17:19	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153041	02/06/14 20:56	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 17:28	SLK	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-10

Lab Sample ID: 720-55327-5

Date Collected: 02/05/14 10:30

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3010A			153061	02/06/14 09:59	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:29	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:49	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:30		
					(End)	02/10/14 21:33		
Total/NA	Analysis	300.0		10	152988	02/05/14 21:25	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 21:08	MJK	TAL PLS

Client Sample ID: MW-11

Lab Sample ID: 720-55327-6

Date Collected: 02/05/14 14:30

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 18:51	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 18:26	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 17:31	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153042	02/06/14 20:32	JL	TAL PLS

Client Sample ID: MW-13

Lab Sample ID: 720-55327-7

Date Collected: 02/05/14 14:50

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 19:21	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 18:49	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 17:44	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153042	02/06/14 21:20	JL	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 17:33	SLK	TAL PLS
Total/NA	Prep	3010A			153061	02/06/14 10:01	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:34	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:52	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:33		
					(End)	02/10/14 21:35		
Total/NA	Analysis	300.0		1	152988	02/05/14 21:43	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 21:43	MJK	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: MW-14

Lab Sample ID: 720-55327-8

Date Collected: 02/05/14 13:20

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 19:50	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 19:12	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 17:58	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153042	02/06/14 20:56	JL	TAL PLS

Client Sample ID: IW-2

Lab Sample ID: 720-55327-9

Date Collected: 02/05/14 15:30

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	153054	02/06/14 20:19	ASC	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/11/14 19:35	MQL	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		10	153397	02/12/14 14:17	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 18:43	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		5	153041	02/07/14 00:10	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 18:08	SLK	TAL PLS
Total/NA	Prep	3010A			153169	02/07/14 10:49	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153283	02/10/14 19:50	SLK	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:54	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741	02/10/14 21:35 (Start) 02/10/14 21:38 (End)	CLB	TAL CHI
Total/NA	Analysis	300.0		1	152988	02/05/14 22:51	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 22:51	MJK	TAL PLS

Client Sample ID: IW-3

Lab Sample ID: 720-55327-10

Date Collected: 02/05/14 14:15

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153229	02/10/14 12:10	PDR	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153397	02/12/14 13:07	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 18:57	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153042	02/06/14 21:45	JL	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-3

Lab Sample ID: 720-55327-10

Date Collected: 02/05/14 14:15

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Analysis	6010B		1	153280	02/10/14 18:13	SLK	TAL PLS
Total/NA	Prep	3010A			153169	02/07/14 10:49	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153283	02/10/14 20:05	SLK	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:57	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:38		
					(End)	02/10/14 21:41		
Total/NA	Analysis	300.0		1	152988	02/05/14 23:26	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/05/14 23:26	MJK	TAL PLS

Client Sample ID: IW-4

Lab Sample ID: 720-55327-11

Date Collected: 02/05/14 12:20

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	153054	02/06/14 21:17	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		10	153397	02/12/14 13:31	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 19:09	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		50	153042	02/07/14 00:10	JL	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 17:37	SLK	TAL PLS
Total/NA	Prep	3010A			153169	02/07/14 10:49	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153283	02/10/14 20:09	SLK	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/09/14 23:59	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:41		
					(End)	02/10/14 21:43		
Total/NA	Analysis	300.0		1	152988	02/06/14 00:00	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/06/14 00:00	MJK	TAL PLS

Client Sample ID: IW-5

Lab Sample ID: 720-55327-12

Date Collected: 02/05/14 12:05

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153054	02/06/14 21:46	ASC	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		10	153397	02/12/14 13:54	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 19:22	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Client Sample ID: IW-5

Lab Sample ID: 720-55327-12

Date Collected: 02/05/14 12:05

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Silica Gel Cleanup	Analysis	8015B		50	153041	02/06/14 23:22	DCH	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153286	02/10/14 20:38	SLK	TAL PLS
Total/NA	Prep	3010A			153061	02/06/14 10:01	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:53	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/10/14 00:02	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:43		
					(End)	02/10/14 21:46		
Total/NA	Analysis	300.0		1	152988	02/06/14 00:34	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/06/14 00:34	MJK	TAL PLS

Client Sample ID: IW-6

Lab Sample ID: 720-55327-13

Date Collected: 02/05/14 12:55

Matrix: Water

Date Received: 02/05/14 18:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	153229	02/10/14 12:40	PDR	TAL PLS
Total/NA	Prep	3510C			153295	02/11/14 08:00	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	153328	02/12/14 00:59	MQL	TAL PLS
Total/NA	Analysis	RSK-175		1	161144	02/10/14 19:36	SC	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			153072	02/06/14 11:00	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	153042	02/06/14 22:09	JL	TAL PLS
Dissolved	Prep	3005A			153221	02/08/14 12:14	ASB	TAL PLS
Dissolved	Analysis	6010B		1	153280	02/10/14 17:55	SLK	TAL PLS
Total/NA	Prep	3010A			153061	02/06/14 10:01	ECT	TAL PLS
Total/NA	Analysis	6010B		1	153440	02/12/14 18:58	CAM	TAL PLS
Total/NA	Analysis	SM 2540C		1	222598	02/10/14 00:04	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	222741		CLB	TAL CHI
					(Start)	02/10/14 21:46		
					(End)	02/10/14 21:48		
Total/NA	Analysis	300.0		1	152988	02/06/14 01:09	MJK	TAL PLS
Total/NA	Analysis	300.0		1	152989	02/06/14 01:09	MJK	TAL PLS

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

Certification Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Laboratory: TestAmerica Pleasanton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-16

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-14
California	NELAP	9	01132CA	04-30-14 *
Georgia	State Program	4	N/A	04-30-14
Hawaii	State Program	9	N/A	04-30-14
Illinois	NELAP	5	100201	04-30-14
Indiana	State Program	5	C-IL-02	04-30-14 *
Iowa	State Program	7	82	05-01-14
Kansas	NELAP	7	E-10161	10-31-14
Kentucky (UST)	State Program	4	66	04-30-14
Louisiana	NELAP	6	30720	06-30-14
Massachusetts	State Program	1	M-IL035	06-30-14
Mississippi	State Program	4	N/A	04-30-14
North Carolina DENR	State Program	4	291	12-31-14
North Dakota	State Program	8	R-194	04-30-14
Oklahoma	State Program	6	8908	08-31-14
South Carolina	State Program	4	77001	04-30-14
Texas	NELAP	6	T104704252-09-TX	02-28-14
USDA	Federal		P330-12-00038	02-06-15
Wisconsin	State Program	5	999580010	08-31-14
Wyoming	State Program	8	8TMS-Q	04-30-14

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-14
Arizona	State Program	9	AZ0671	10-13-14
California	LA Cty Sanitation Districts	9	10256	01-31-15
California	State Program	9	2706	06-30-14
Guam	State Program	9	Cert. No. 12.002r	01-23-14 *
Hawaii	State Program	9	N/A	01-31-14 *
Nevada	State Program	9	CA015312007A	07-31-14
New Mexico	State Program	6	N/A	01-31-14 *
Northern Mariana Islands	State Program	9	MP0002	01-31-14 *
Oregon	NELAP	10	4005	01-29-15
USDA	Federal		P330-09-00080	06-06-14
USEPA UCMR	Federal	1	CA01531	01-31-15

* Expired certification is currently pending renewal and is considered valid.

Method Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Method	Method Description	Protocol	Laboratory
8260B/CA_LUFTM S	8260B / CA LUFT MS	SW846	TAL PLS
8270C SIM	PAHs by GCMS (SIM)	SW846	TAL PLS
RSK-175	Dissolved Gases (GC)	RSK	TAL IRV
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL PLS
6010B	Metals (ICP)	SW846	TAL PLS
300.0	Anions, Ion Chromatography	MCAWW	TAL PLS
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL CHI
SM 4500 S2 F	Sulfide, Total	SM	TAL CHI

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

Sample Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-55327-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-55327-1	MW-2	Water	02/05/14 14:05	02/05/14 18:40
720-55327-2	MW-4	Water	02/05/14 11:55	02/05/14 18:40
720-55327-3	MW-8	Water	02/05/14 13:50	02/05/14 18:40
720-55327-4	MW-9	Water	02/05/14 14:50	02/05/14 18:40
720-55327-5	MW-10	Water	02/05/14 10:30	02/05/14 18:40
720-55327-6	MW-11	Water	02/05/14 14:30	02/05/14 18:40
720-55327-7	MW-13	Water	02/05/14 14:50	02/05/14 18:40
720-55327-8	MW-14	Water	02/05/14 13:20	02/05/14 18:40
720-55327-9	IW-2	Water	02/05/14 15:30	02/05/14 18:40
720-55327-10	IW-3	Water	02/05/14 14:15	02/05/14 18:40
720-55327-11	IW-4	Water	02/05/14 12:20	02/05/14 18:40
720-55327-12	IW-5	Water	02/05/14 12:05	02/05/14 18:40
720-55327-13	IW-6	Water	02/05/14 12:55	02/05/14 18:40

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CHAIN OF CUSTODY
 BTS # 140205-mw1

CLIENT
 ARCADIS U.S., Inc.

SITE
 UPS

8400 Pardee Drive
 Oakland, CA

C = COMPOSITE ALL CONTAINERS

TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's
---	------------	---------	-------------------------------------	---------	--	-----------	-------

LAB TA - SF
 DHS #

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

EPA
 LIA
 OTHER

RWQCB REGION

SPECIAL INSTRUCTIONS
151636
720-55327


Invoice and Report to : Arcadis U.S., Inc.
 Attn: Hugh Devery hugh.devery@arcadis-us.com
 770-428-9009

SAMPLE I.D.	DATE	TIME	MATRIX		CONTAINERS	C = COMPOSITE ALL CONTAINERS	TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
			S= SOIL	W=H ₂ O														
MW-2	2/5/14	1405	W		13 mixed		0	0	0	0	0	0	0	0				1
MW-4		1155			13		X	X	X	X	0	X	X	0				2
MW-8		1350			13		0	0	0	0	0	0	0	0				3
MW-9		1450			9		X	X	0					X				4
MW-10		1030			13		0	0	0	0	0	0	0	0				5
MW-11		1430			8		X	X	X					X				6
MW-13		1450			13		0	0	0	0	0	0	0	0				7
MW-14		1320			8		0	X	0					X				8
IW-2		1530			13		0	0	0	0	0	0	0	0				9
IW-3		1415			13		0	0	0	0	0	0	0	0				10

SAMPLING COMPLETED DATE 2/5/14 TIME 1530 SAMPLING PERFORMED BY WILLIAM WOLF / DANIEL PULAN

RESULTS NEEDED NO LATER THAN Standard TAT

RELEASED BY	DATE <u>2/5/14</u>	TIME <u>1712</u>	RECEIVED BY	DATE <u>2/5/14</u>	TIME <u>1712</u>
RELEASED BY	DATE <u>2-5-14</u>	TIME <u>1840</u>	RECEIVED BY	DATE <u>2/5/14</u>	TIME <u>1840</u>
RELEASED BY	DATE	TIME	RECEIVED BY	DATE	TIME



720-55327 Chain of Custody

DATE SENT	TIME SENT	COOLER #
-----------	-----------	----------

3.5°C / 4.1°C / 2.6°C / 5.3°C / 5.0°C / 2.6°C

BLAINE

TECH SERVICES, INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

DHS #

LAB TA - SF

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

- EPA
- LIA
- OTHER
- RWQCB REGION _____

CHAIN OF CUSTODY
 BTS# 14205-wu1

CLIENT
ARCADIS U.S., Inc.

SITE
UPS

8400 Pardee Drive

Oakland, CA

C = COMPOSITE ALL CONTAINERS

CONDUCT ANALYSIS TO DETECT												
TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's					
0	0	0	0	0	0	0	0					
0	0	0	0	0	0	0	0					
0	0	0	0	0	0	0	0					

SPECIAL INSTRUCTIONS 151636
720-55327

Invoice and Report to : Arcadis U.S., Inc.
 Attn: Hugh Devery hugh.devery@arcadis-us.com
 770-428-9009

Low Detection levels requested

SAMPLE I.D.	DATE	TIME	MATRIX S= SOIL W=H ₂ O	CONTAINERS		C	TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Nitrate, Sulfate, TDS (Short holds)	Sulfide	Total Diss. Iron, Manganese (Field Filtered)	Magnesium	PAH's	ADD'L INFORMATION	STATUS	CONDITION	LAB SAMPLE #
				TOTAL														
1w-4	2/5/14	1220	W	13	mixed		0	0	0	0	0	0	0	0				11
1w-5	↓	1205	↓	13	↓		0	0	0	0	0	0	0	0				12
1w-6	↓	1255	↓	13	↓		0	0	0	0	0	0	0	0				13

SAMPLING COMPLETED DATE 2/5/14 TIME 1220 SAMPLING PERFORMED BY William / DANIEL ALLEN RESULTS NEEDED NO LATER THAN Standard TAT

RELEASED BY [Signature] DATE 2/5/14 TIME 1712 RECEIVED BY [Signature] DATE 2/5/14 TIME 1712

RELEASED BY [Signature] DATE 2-5-14 TIME 1840 RECEIVED BY [Signature] DATE 2/5/14 TIME 1840

RELEASED BY _____ DATE _____ TIME _____ RECEIVED BY _____ DATE _____ TIME _____

SHIPPED VIA _____ DATE SENT _____ TIME SENT _____ COOLER # _____

Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-55327-1

Login Number: 55327

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Bullock, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-55327-1

Login Number: 55327

List Number: 1

Creator: Kelsey, Shawn M

List Source: TestAmerica Chicago

List Creation: 02/07/14 11:38 AM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	



Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-55327-1

Login Number: 55327

List Number: 1

Creator: Chy, Jonathan

List Source: TestAmerica Irvine

List Creation: 02/07/14 01:46 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	5816 9346 1758
Cooler Temperature is acceptable.	True	2.8/1.6 3.3/2.1 IR-63
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

