

RECEIVED

By Alameda County Environmental Health 1:27 pm, Jan 08, 2016



55 Glenlake Parkway, NE
Atlanta, GA 30328-3474

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502

Subject:
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, CA 94621
Global ID #T0600100939
State ID #583
EPA ID #CAD 09707509

Dear Mr. Nowell:

Attached please find the Second Semiannual 2014 Groundwater Monitoring Report for the above-referenced site. The report, which was prepared for United Parcel Service by ARCADIS U.S., Inc., presents the results of the semiannual groundwater monitoring event that was performed at the site in August 2014.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached Groundwater Monitoring Report are true and correct.

Please feel free to contact me directly at 404.828.8991 if you have any questions or comments.

Sincerely,

United Parcel Service

A blue ink signature of the name "Paul Harper".

Paul Harper
Remediation and Assessment Manager

Enclosure

ARCADIS U.S., Inc.
100 Montgomery Street
Suite 300
San Francisco
California 94104
Tel 415 374 2744
Fax 415 374 2745
www.arcadis-us.com

Mr. Keith Nowell
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502

Subject:
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California 94621
Global ID #T0600100939
State ID #583
USEPA ID #CAD 09707509

ENVIRONMENT

Date:
September 14, 2015

Dear Mr. Nowell:

On behalf of United Parcel Service (UPS), ARCADIS U.S., Inc. (ARCADIS) is pleased to submit this Second Semiannual 2014 Groundwater Monitoring Report, which documents the groundwater monitoring event performed in August 2014 at the UPS Oakland Hub, located at 8400 Pardee Drive, Oakland, Alameda County, California (site). A Site Location Map, Facility Layout Map, and Site Map are included as **Figures 1, 2, and 3**, respectively.

Background

Historical aerial photographs from 1937 to the present indicate that the site, which UPS leases from the Port of Oakland, was originally a tidal marsh. In 1968, the site and site vicinity were raised above mean sea level (amsl) with suspected imported fill and graded. This artificial fill has been documented in both the northern and southern former fueling areas at depths ranging from 2 to 10 feet (ft). Currently, the grade at the site is approximately 10 ft amsl. The site is located on a narrow peninsula south of San Leandro Bay.

Review of the aerial photographs indicates that no structures existed on the site until 1975, when the current UPS facility was constructed. The southern former fueling area (current release area) is visible on photographs from 1985. Detailed historical information since 1985 has been provided in previous reports.

The site is used as an active package distribution facility with vehicle maintenance. The area around the site is characterized by medium to heavy industrial use and includes the nearby Oakland International Airport.

Contact:
Gregory Albright

Phone:
609.366.9067

Email:
gregory.albright@arcadis-us.com

Our ref:
B0038398.0013

In 2010, multiple soil and groundwater investigation activities were performed at the site, including high-vacuum extraction events, a preferential pathway study, a well survey, and soil and groundwater sampling. These activities were documented in the Summary of Soil and Groundwater Investigation Activities Report, dated February 15, 2011 (ARCADIS 2011a), which was submitted to the Alameda County Department of Environmental Health. This report was updated in 2012 (Revised Summary of Soil and Groundwater Investigation Activities Report [ARCADIS 2012]) to include information regarding newly installed monitoring and injection wells at the site.

In 2011, ARCADIS submitted a Corrective Action Plan (ARCADIS 2011b) to address residual soil and groundwater impacts in the immediate area of the former diesel underground storage tanks. The proposed corrective action was the installation of injection wells and the implementation of injection events to reduce concentrations of constituents of concern to levels protective of both human health and the environment, as specified in the State Water Resources Control Board's (SWRCB's) Low-Threat Underground Storage Tank Case Closure Policy adopted by SWRCB on May 1, 2012 and effective August 17, 2012 (SWRCB 2012). A risk assessment report will be submitted to Alameda County Department of Environmental Health when the levels stated in this policy are achieved.

In 2013, semiannual groundwater monitoring continued as outlined in the Corrective Action Plan (ARCADIS 2011b). High-vacuum extraction events were conducted in February, April, and May 2013 to extract groundwater and free product from monitoring wells MW-12 and MW-13 and injection wells IW-1 through IW-3.

2014 Groundwater Monitoring and Laboratory Analysis

During the second semiannual groundwater monitoring event, which was conducted on August 29, 2014, the depth to free product, if present, and depth to water were measured in the monitoring and injection wells. Groundwater samples were collected for laboratory analysis from monitoring wells MW-3, MW-4, MW-8, MW-9, MW-10, MW-11, MW-13, and MW-14 and injection wells IW-2, IW-3, IW-4, IW-5, and IW-6. Groundwater samples were not collected from monitoring wells MW-2 and MW-12, observation well OW-1, and injection well IW-1 due to the presence of free product.

During low-flow purging of the wells, groundwater parameters (pH, temperature, turbidity, and conductivity) were monitored to evaluate stabilization. Samples were collected when groundwater parameters varied less than ± 10 percent (**Attachment A**).

Groundwater samples collected during the August 2014 monitoring event were analyzed for the following constituents of concern:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX compounds), methyl tertiary-butyl ether (MTBE), and naphthalene by United States Environmental Protection Agency (USEPA) Method 8260
- Total petroleum hydrocarbons-diesel range organics (TPH-DRO) with silica gel cleanup by USEPA Method 8015B
- TPH-gasoline range organics (TPH-GRO) by USEPA Method 8260B/California Leaking Underground Fuel Tank
- Polynuclear aromatic hydrocarbons by USEPA Method 8270
- 1,2-dichloroethane by USEPA Method 8260
- Ethylene dibromide by USEPA Method 8260

Analyses were conducted by TestAmerica Laboratories, Inc., in Pleasanton, California, an analytical laboratory certified by the California Department of Health Services for environmental analyses. Additional analyses of specific conductivity (field analysis), methane, nitrate as nitrogen, magnesium, sulfate, sulfide, iron, and total dissolved solids (TDS) were conducted.

Purge water was contained in United States Department of Transportation-approved drums for subsequent disposal.

Water Levels

The depth to free product, if present, and the depth to water in each well were gauged on August 29, 2014, prior to purging and groundwater sample collection. Groundwater elevations during the August 2014 monitoring event ranged from 1.38 ft amsl in monitoring well MW-10 to 8.25 ft amsl in monitoring well MW-9.

Historical groundwater gauging and elevation data are presented in **Table 1**. A groundwater contour map was prepared using the August 2014 groundwater elevation data and is presented as **Figure 4**. The direction of groundwater flow was generally to the southeast during the August 2014 monitoring event, which is consistent with historical groundwater flow at the site.

SOS® Passive Skimmers were installed in observation well OW-1 and monitoring wells MW-2 and MW-3 in April 2011. The monthly skimmer free product recovery data collected from June 2011 to August 2014 are presented in **Table 1**, which also includes the historical records of free product thickness and volume recovered since 1990. The skimmers are operating effectively, and free product has been recovered on a consistent basis.

During the August 2014 monitoring event, free product was observed in monitoring wells MW-2 and MW-12, observation well OW-1, and injection well IW-1. Free product was removed from monitoring well MW-12 and injection well IW-1 using disposable bailers, and from observation well OW-1 via use of a passive skimmer. A total of 151 milliliters (mL) of free product were removed from monitoring well MW-12, 5 mL were removed from observation well OW-1, and 85 mL were removed from injection well IW-1. Free product was observed in monitoring well MW-2 (free product thickness of 0.02 ft); however, the skimmer contained 0 mL of free product and 5 mL of water.

As of August 29, 2014, approximately 9.06 gallons of free product had been removed from the site. Approximately 2.05 gallons were removed prior to installation of the skimmers, 4.31 gallons have been removed since the skimmers were installed, and an additional 2.72 gallons have been removed from the wells that do not contain skimmers. The specifications for the SOS® Passive Skimmers are presented in **Attachment B**.

Groundwater Data

The laboratory analytical results from the August 2014 groundwater monitoring event are as follows:

- BTEX and MTBE were not detected above the laboratory reporting limits in the wells that were sampled.
- TPH-GRO was detected above the California Regional Water Quality Control Board (RWQCB) San Francisco Bay Region environmental screening level (ESL) of 100 micrograms per liter ($\mu\text{g}/\text{L}$) for drinking water and above the RWQCB ESL of 210 $\mu\text{g}/\text{L}$ for non-drinking water in monitoring well MW-4 (430 $\mu\text{g}/\text{L}$) and injection wells IW-2 (490 $\mu\text{g}/\text{L}$), IW-4 (2,500 $\mu\text{g}/\text{L}$), and IW-5 (1,600 $\mu\text{g}/\text{L}$). To properly analyze the groundwater sample from monitoring well MW-3, the laboratory had to dilute the sample. As a result, the MW-3 sample reporting limit for TPH-GRO was 500 $\mu\text{g}/\text{L}$, above the RWQCB ESL for drinking water and for non-drinking water.

- TPH-DRO was detected above the RWQCB ESL of 100 µg/L for drinking water in monitoring wells MW-3 (2,800 µg/L), MW-4 (7,300 µg/L), and MW-11 (150 µg/L) and injection wells IW-2 (7,500 µg/L), IW-3 (160 µg/L), IW-4 (46,000 µg/L), IW-5 (86,000 µg/L), and IW-6 (1,200 µg/L). TPH-DRO also exceeded the non-drinking water RWQCB ESL of 210 µg/L in monitoring wells MW-3 and MW-4 and injection wells IW-2, IW-4, IW-5, and IW-6.
- Naphthalene was detected above the RWQCB ESL of 6.1 µg/L for drinking water in injection wells IW-2 (66 µg/L), IW-4 (13 µg/L), and IW-5 (14 µg/L). Naphthalene also exceeded the non-drinking water RWQCB ESL of 24 µg/L in injection well IW-2. These detections were identified using USEPA Method 8270; USEPA Method 8260 results did not reveal detections exceeding RWQCB ESLs in injection wells IW-4 and IW-5. Concentrations of naphthalene in the remaining wells did not exceed the RWQCB ESL for drinking water.

Current and historical groundwater analytical data are presented in **Table 2**. Groundwater data for the August 2014 monitoring event are presented on **Figure 5**. Laboratory analytical results and chain-of-custody documentation for the August 2014 monitoring event are provided in **Attachment C**.

Biogeochemical Indicator Parameter Data

Aquifers impacted by petroleum hydrocarbons are typically anaerobic because dissolved oxygen is energetically favorable and is preferentially consumed by indigenous microbes during aerobic oxidation of petroleum hydrocarbons, serving as an electron donor in the microbial metabolism reactions. Following the depletion of oxygen, alternative electron acceptors (i.e., nitrate, iron, manganese, sulfate, and carbon dioxide) are used in the continued oxidation of petroleum hydrocarbons. The anaerobic oxidation of petroleum hydrocarbons under various dominant electron-accepting processes (e.g., sulfate-reducing, iron-reducing, methanogenesis) is well founded in existing literature (Finneran and Lovley 2001; Aronson and Howard 1997; Beller et al. 1992).

Anaerobic processes generally occur at slower kinetic rates than those observed with oxygen. Non-oxygen electron acceptors can be advantageous to oxygen because they can be highly soluble, can be supplied at elevated dissolved concentrations, and have minimal abiotic or non-target reactions that typically limit oxygen persistence in the subsurface. For example, the higher concentrations of sulfate that can be maintained in a petroleum hydrocarbon-impacted aquifer accompanied by electron acceptor persistence allows for effective hydrocarbon degradation. Comparatively, active oxygen sparging approaches are fundamentally limited by low oxygen

solubility in groundwater and gas transfer inefficiencies that limit the effective dissolved oxygen concentrations typically maintained in engineered aerobic reactive zones. While the kinetic rates of anaerobic oxidation may be slower than aerobic oxidation, a natural attenuation approach relying on anaerobic processes can be cost-effective for addressing petroleum hydrocarbons.

The laboratory analytical results from the August 2014 monitoring event for the biogeochemical indicator parameters are as follows:

- Nitrate as nitrogen in all sampled wells was below the laboratory reporting limit. Groundwater at the site has been analyzed for nitrate since August 2012, and all samples submitted to the laboratory for nitrate analysis have been below the laboratory reporting limit, except for injection well IW-4 during the February 2014 monitoring event. Given the elevated concentrations of hydrocarbons and the strong anaerobic conditions at the site, low nitrate concentrations would be expected. After oxygen, nitrate is a thermodynamically favorable electron acceptor that can be readily used by microbes in numerous petroleum hydrocarbon oxidation metabolisms.
- Iron concentrations ranged from 2,800 µg/L in monitoring well MW-8 to 54,000 µg/L in injection well IW-6. Groundwater at the site has been analyzed for iron since March 2012, and in general, the concentrations have ranged from approximately 1,000 µg/L to approximately 52,000 µg/L. Initial iron concentrations in monitoring well MW-13 and in all of the injection wells were as high as 210,000 to 390,000 µg/L in March 2012, but this was likely related to sediment from the newly installed and developed wells. Iron (in the form of ferrous [Fe²⁺] or ferric [Fe³⁺] iron) can be an indicator of the oxidation-reduction (redox) condition of the groundwater. The presence of ferric iron (along with other biogeochemical data) is an indication of more oxidizing groundwater, and the presence of ferrous iron (along with other biogeochemical data) is an indication of more reducing groundwater. Ferric iron is slightly soluble and typically, total iron is a representation of ferric iron. Ferrous iron is highly soluble and typically, dissolved iron is a representation of ferrous iron. Future sampling for iron at the site will evaluate total iron and dissolved iron to discern the difference in the oxidation state of the iron.
- Sulfate concentrations ranged from 1,200 µg/L in monitoring well MW-3 to 2,500 µg/L in monitoring well MW-4. Concentrations in the remaining wells were less than the laboratory reporting limit. Similar to nitrate and iron, the presence of sulfate suggests some available electron acceptors to facilitate anaerobic oxidation of petroleum hydrocarbons. The sulfur element in sulfate is the most oxidized form

of sulfur, and, as microbes use sulfate to facilitate the oxidation of hydrocarbons, electrons are transferred to the sulfur and create sulfide. Therefore, data for sulfate and sulfide (along with other biogeochemical data) can provide an indication of the redox condition of the water. Depending on the environmental setting, background sulfate concentrations can range from 10,000 µg/L (typical) to 1,000,000 µg/L (tidally influenced areas). The ambient concentrations of sulfate at the site are generally within the typical range, and the numerous locations with concentrations less than laboratory reporting limits indicate that most of the available sulfate has been used in the natural anaerobic oxidation of petroleum hydrocarbons.

- Sulfide concentrations ranged from 1,100 µg/L in injection well IW-6 to 3,500 µg/L in monitoring well MW-8. Concentrations in wells MW-3, MW-4, MW-9, MW-11, MW-13, MW-14, and IW-5 were less than the laboratory reporting limit. Sulfide is highly reactive with available metals in the aquifer (e.g., iron); as a result, in most anaerobic aquifers, the observed concentrations of sulfide are less than 1,000 µg/L. This is because sulfide forms insoluble compounds with metals and is therefore no longer present in groundwater. Observations of sulfide in groundwater in excess of 1,000 µg/L with iron concentrations in excess of 10,000 µg/L are considerable, which suggests that enough sulfide is present to react with the iron and still be detected in groundwater. Because sulfide is the result of anaerobic reduction of sulfate and oxidation of petroleum hydrocarbons, the detection of concentrations of sulfide in excess of 1,000 µg/L provides strong evidence of naturally occurring anaerobic hydrocarbon oxidation.
- Methane concentrations ranged from 2,000 µg/L in monitoring well MW-8 to 7,600 µg/L in monitoring well MW-4. These concentrations are similar to the 2012, 2013, and 2014 monitoring results, which are the only other times methane has been analyzed. The solubility of methane in water at ambient temperatures is approximately 20,000 to 25,000 µg/L, and methane concentrations greater than 1,000 µg/L in groundwater are generally indicative of anaerobic processes. As indicated in **Table 2**, elevated concentrations of methane (above 1,000 µg/L) were detected at the site; however, not all of the wells with detected methane concentrations have the same elevated petroleum hydrocarbon concentrations. For example, methane concentrations observed during the August 2014 event at wells MW-8, MW-9, MW-10, and MW-14 ranged from 2,000 to 4,400 µg/L, and in general, these wells represent some of the lowest TPH-GRO and TPH-DRO concentrations on site. A possible explanation for this is a slow groundwater velocity that is not bringing oxygen downgradient into the plume. Biological oxidation of methane in the presence of oxygen is a well-recognized process. It is not advised to disrupt the anaerobic conditions at the site, and methane will be addressed over time as oxygen infiltrates the former source areas.

- TDS concentrations ranged from 1,100 milligrams per liter (mg/L) in monitoring well MW-3 to 13,000 mg/L in monitoring well MW-9. RWQCB generally limits drinking water sources to 3,000 mg/L of TDS to be protective. Groundwater at the site is not a drinking water source, and numerous locations have TDS concentrations exceeding the 3,000 mg/L standard (MW-8, MW-9, MW-10, MW-11, MW-14, IW-2, and IW-6).

Summary

- Groundwater elevations during the August 2014 monitoring event ranged from 1.38 ft amsl in monitoring well MW-10 to 8.25 ft amsl in monitoring well MW-9.
- Groundwater elevations indicated that the apparent groundwater flow direction was generally to the southeast on August 29, 2014, which is consistent with historical groundwater flow.
- BTEX and MTBE were not detected above the laboratory reporting limits in the sampled monitoring wells during the August 2014 monitoring event.
- TPH-GRO was detected above the RWQCB ESL for drinking water and for non-drinking water in monitoring well MW-4 and injection wells IW-2, IW-4, and IW-5.
- TPH-DRO was detected above the RWQCB ESL for drinking water in monitoring wells MW-3, MW-4, and MW-11 and injection wells IW-2, IW-3, IW-4, IW-5, and IW-6. TPH-DRO also exceeded the non-drinking water RWQCB ESL in monitoring wells MW-3 and MW-4 and injection wells IW-2, IW-4, IW-5, and IW-6.
- Naphthalene was detected above the RWQCB ESL for drinking water in injection wells IW-2, IW-4, and IW-5. Naphthalene also exceeded the non-drinking water RWQCB ESL in injection well IW-2.

Recommendations

ARCADIS will continue semiannual groundwater monitoring.

If you have any questions regarding this report, please do not hesitate to contact Gregory Albright at 609.366.9067. Please send correspondence regarding this report to Mr. Paul Harper of UPS at the address provided below. Please copy ARCADIS on all correspondence.

ARCADIS

Mr. Keith Nowell
September 14, 2015
UPS Oakland Hub
Global ID #T0600100939

Sincerely,

ARCADIS U.S., Inc.

Gregory R. Albright, P.G.
Gregory R. Albright, P.G.
Principal Geologist
California P.G. No. 5098



Jennifer Halcomb-LeBeau
Staff Geologist

Attachments:

- Table 1 Historical Groundwater Elevation Summary
- Table 2 Historical Groundwater Monitoring Results and Baseline Sampling Summary

- Figure 1 Site Location Map
- Figure 2 Facility Layout Map
- Figure 3 Site Map
- Figure 4 Groundwater Contour Map, August 29, 2014
- Figure 5 Groundwater Quality Map, August 29, 2014

- Attachment A Field Data Sheets
- Attachment B SOS® Passive Skimmers Specifications
- Attachment C Laboratory Analytical Results and Chain-of-Custody Documentation

Copies:

- Paul Harper – UPS Corporate Plant Engineering, 55 Glenlake Parkway NE, Atlanta, GA 30328
- Douglas Herman – Port of Oakland, 530 Water Street, Oakland, CA 94607
- Michael Minerva – Director of Environmental, Comcast, 3055 Comcast Place, Livermore, CA 94551
- Stacey Hanna – UPS West Region Environmental Manager, 25201 Paseo De Alicia, Suite 250, Laguna Hills, CA 92653
- Hugh Devery – ARCADIS, 1000 Cobb Place Boulevard, Building 500A, Kennesaw, GA 30144

References

- ARCADIS. 2011a. Summary of Soil and Groundwater Investigation Activities Report, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. February 15.
- ARCADIS. 2011b. Corrective Action Plan, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. December.
- ARCADIS. 2012. Revised Summary of Soil and Groundwater Investigation Activities Report, UPS Oakland Hub, 8400 Pardee Drive, Oakland, CA. August 17.
- Aronson, D. and P.H. Howard. 1997. Anaerobic biodegradation of organic chemicals in groundwater-A summary of field and laboratory studies. Final report prepared for the American Petroleum Institute by Environmental Science Center, Syracuse Research Corporation, North Syracuse, NY, 262 p.
- Beller, H.R., D. Grbic-Galic, and M. Reinhard. 1992. Microbial degradation of toluene under sulfate-reducing conditions and the influence of iron on the process. *Applied and Environmental Microbiology*, vol. 58, p. 786-793.
- California Regional Water Quality Control Board, San Francisco Bay Region. 2008. ESLs for Environmental Concerns at Sites with Contaminated Soil and Groundwater INTERIM FINAL - November 2007. Revised May 2008.
- Finneran, K.T., and D.R. Lovley. 2001. Anaerobic degradation of methyl-*tert*-butyl ether (MTBE) and *tert*-butyl ether (TBA). *Environmental Science and Technology*, v. 35, no. 10, p 1785-1790.
- State Water Resources Control Board (SWRCB). 2012. Low-Threat Underground Storage Tank Case Closure Policy. Adopted May 1, 2012, Effective August 17, 2012. (http://www.swrcb.ca.gov/ust/ltr_cls_pclcy.shtml).

Tables

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-1	7.43	8/28/1990	3.80	3.63	0.00	NR
		9/20/1990	3.99	3.44	0.00	NR
		6/19/1991	3.47	3.96	NM	NR
		7/23/1991	3.70	3.73	NM	NR
		8/26/1991	3.92	3.51	NM	NR
		11/18/1991	4.21	3.22	NM	NR
		2/3/1992	3.99	3.44	NM	NR
		6/29/1992	3.38	4.05	NM	NR
		6/23/1993	2.72	4.71	NM	NR
		10/11/1993	3.87	3.56	NM	NR
		1/4/1994	3.34	4.09	NM	NR
		5/10/1994	2.14	5.29	NM	NR
		2/1/1995	1.84	5.59	NM	NR
		8/2/1995	3.10	4.33	NM	NR
		10/16/1995	3.75	3.68	NM	NR
		12/28/1995	3.56	3.87	NM	NR
		6/4/1997	3.16	4.27	0.00	NR
		9/30/1999	3.75	3.68	0.00	NR
		10/11/2000	3.88	3.55	0.00	NR
		9/3/2002	3.73	3.70	0.00	NR
		10/22/2002	5.11	2.32	0.05	NR
		12/23/2002	3.51	3.92	0.00	NR
		3/28/2003	3.52	3.91	0.00	NR
		5/30/2003	3.37	4.06	0.00	NR
		6/20/2003	3.50	3.93	0.00	NR
		7/14/2003	3.65	3.78	0.00	NR
		8/25/2003	3.87	3.56	0.00	NR
		9/9/2003	4.02	3.41	0.00	NR
		9/25/2003	4.10	3.33	0.00	NR
		10/28/2003	4.29	3.14	0.00	NR
		11/18/2003	4.32	3.11	0.00	NR
		12/2/2003	4.34	3.09	0.00	NR
		1/27/2004	3.88	3.55	0.00	NR
		2/24/2004	2.75	4.68	0.00	NR
		3/29/2004	3.45	3.98	0.00	NR
		4/19/2004	3.55	3.88	0.00	NR
		5/20/2004	3.69	3.74	0.00	NR
		6/22/2004	3.81	3.62	0.00	NR
		7/27/2004	3.99	3.44	0.00	NR
		8/24/2004	4.14	3.29	0.00	NR
		9/29/2004	4.32	3.11	0.00	NR
		10/25/2004	3.89	3.54	0.00	NR
		12/15/2004	3.18	4.25	0.00	NR
		1/24/2005	2.69	4.74	0.00	NR
		2/23/2005	2.48	4.95	0.00	NR
		3/23/2005	2.21	5.22	0.00	NR
		4/29/2005	2.57	4.86	0.00	NR
		5/27/2005	2.68	4.75	0.00	NR
		6/29/2005	2.97	4.46	0.00	NR
		7/20/2005	3.13	4.30	0.00	NR
		8/24/2005	3.48	3.95	0.00	NR
		9/27/2005	3.69	3.74	0.00	NR
		10/19/2005	3.87	3.56	0.00	NR
		11/29/2005	3.79	3.64	0.00	NR
		12/29/2005	3.08	4.35	0.00	NR
		1/31/2006	2.91	4.52	0.00	NR
		2/28/2006	2.84	4.59	0.00	NR
		3/27/2006	2.26	5.17	0.00	NR
		4/28/2006	2.40	5.03	0.00	NR
		6/27/2006	3.09	4.34	0.00	NR
		7/31/2006	3.35	4.08	0.00	NR
		8/29/2006	3.60	3.83	0.00	NR
		9/28/2006	3.90	3.53	0.00	NR
		10/27/2006	3.97	3.46	0.00	NR
		11/22/2006	3.64	3.79	0.00	NR
		12/26/2006	3.04	4.39	0.00	NR
		1/25/2007	3.26	4.17	0.00	NR

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-1	7.43	2/16/2007	3.12	4.31	0.00	NR
		3/19/2007	2.91	4.52	0.00	NR
		4/26/2007	2.93	4.50	0.00	NR
		5/29/2007	3.15	4.28	0.00	NR
		6/28/2007	3.42	4.01	0.00	NR
		7/30/2007	3.60	3.83	0.00	NR
		8/30/2007	3.85	3.58	0.00	NR
		9/25/2007	4.00	3.43	0.00	NR
		10/29/2007	4.05	3.38	0.00	NR
		11/29/2007	4.10	3.33	0.00	NR
		12/28/2007	3.80	3.63	0.00	NR
		1/24/2008	3.14	4.29	0.00	NR
		2/21/2008	2.44	4.99	0.00	NR
		3/28/2008	2.84	4.59	0.00	NR
		4/30/2008	3.00	4.43	0.00	NR
		5/29/2008	3.24	4.19	0.00	NR
		6/25/2008	3.39	4.04	0.00	NR
		7/29/2008	3.64	3.79	0.00	NR
		8/27/2008	3.85	3.58	0.00	NR
		9/30/2008	4.08	3.35	0.00	NR
		10/31/2008	4.20	3.23	0.00	NR
		11/26/2008	4.14	3.29	0.00	NR
		12/30/2008	3.94	3.49	0.00	NR
		1/22/2009	3.93	3.50	0.00	NR
		4/3/2009			ABANDONED	
MW-2	7.15	8/28/1990	4.98	2.17	0.00	NR
		9/20/1990	4.94	2.21	N/A	NR
		6/19/1991	4.66	2.49	N/A	NR
		7/23/1991	4.81	2.34	N/A	NR
		8/26/1991	4.89	2.26	N/A	NR
		11/18/1991	4.93	2.22	N/A	NR
		2/3/1992	4.44	2.71	N/A	NR
		6/29/1992	4.80	2.35	N/A	NR
		6/23/1993	4.38	2.77	N/A	NR
		10/11/1993	5.20	1.95	N/A	NR
		1/4/1994	4.56	2.59	N/A	NR
		5/10/1994	4.20	2.95	N/A	NR
		2/1/1995	4.00	3.15	N/A	NR
		8/2/1995	4.71	2.44	N/A	NR
		10/16/1995	5.02	2.13	N/A	NR
		12/28/1995	4.56	2.59	N/A	NR
		6/12/1996	NM	—	0.25	NR
		6/4/1997	6.02	1.13	Small globules	NR
		9/30/1999	4.95	2.20	0.00	NR
		10/11/2000	4.97	2.18	0.08	NR
		2/12/2002	4.26	2.89	0.01	24.00
		9/3/2002	5.02	2.13	0.07	NR
		9/27/2002	4.89	2.26	0.09	222.30
		10/22/2002	5.11	2.04	0.05	125.00
		12/23/2002	4.25	2.90	0.04	99.00
		1/16/2003	4.28	2.87	0.02	49.00
		2/12/2003	4.26	2.89	0.01	24.00
		3/28/2003	4.35	2.80	0.01	25.00
		5/30/2003	3.60	3.55	0.02	49.00
		6/20/2003	4.55	2.60	0.01	NR
		7/14/2003	4.56	2.59	0.00	NR
		8/25/2003	4.79	2.36	0.01	25.00
		9/9/2003	4.90	2.25	0.01	NR
		9/25/2003	4.97	2.18	0.01	25.00
		10/28/2003	4.98	2.17	0.04	104.00
		11/18/2003	4.83	2.32	0.00	NR
		12/3/2003	4.87	2.28	0.00	NR
		1/27/2004	7.39	-0.24	0.00	NR
		2/24/2004	4.56	2.59	0.01	NR
		3/29/2004	4.24	2.91	0.01	NR
		4/19/2004	4.50	2.65	0.01	25.00
		5/20/2004	4.53	2.62	0.00	NR

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-2	7.15	6/22/2004	4.65	2.50	0.00	NR
		7/27/2004	4.80	2.35	0.00	NR
		8/24/2004	5.93	1.22	0.00	NR
		9/29/2004	5.00	2.15	0.02	50.00
		10/25/2004	4.68	2.47	0.00	NR
		12/15/2004	4.34	2.81	0.02	50.00
		1/24/2005	4.15	3.00	0.00	NR
		2/23/2005	4.95	2.20	0.03	74.00
		3/23/2005	4.96	2.19	0.02	49.00
		4/29/2005	4.23	2.92	0.10	246.00
		5/27/2005	4.20	2.95	0.02	50.00
		6/29/2005	4.29	2.86	0.00	NR
		7/20/2005	4.48	2.67	0.04	98.00
		8/24/2005	4.71	2.44	0.00	NR
		9/27/2005	4.98	2.17	0.03	70.00
		10/19/2005	5.08	2.07	0.00	NR
		11/29/2005	4.68	2.47	0.01	NR
		12/29/2005	4.19	2.96	0.01	NR
		1/31/2006	4.05	3.10	0.00	NR
		2/28/2006	4.16	2.99	0.00	25.00
		3/27/2006	4.11	3.04	0.01	NR
		4/28/2006	4.03	3.12	0.00	NR
		6/27/2006	4.45	2.70	0.01	NR
		7/31/2006	4.60	2.55	0.02	NR
		8/29/2006	4.84	2.31	0.01	NR
		9/28/2006	4.96	2.19	0.03	NR
		10/27/2006	4.98	2.17	0.00	NR
		11/22/2006	4.58	2.57	0.00	NR
		12/26/2006	4.22	2.93	0.02	NR
		1/25/2007	4.44	2.71	0.00	NR
		2/16/2007	4.13	3.02	0.00	NR
		3/19/2007	4.30	2.85	0.01	NR
		4/26/2007	4.17	2.98	0.03	NR
		5/29/2007	4.42	2.73	0.01	25.00
		6/28/2007	5.16	1.99	0.01	25.00
		7/30/2007	4.71	2.44	0.00	NR
		8/30/2007	4.94	2.21	0.03	NR
		9/25/2007	5.06	2.09	0.01	25.00
		10/29/2007	4.75	2.40	0.01	25.00
		11/29/2007	4.69	2.46	0.00	NR
		12/28/2007	4.35	2.80	0.00	NR
		1/24/2008	4.08	3.07	0.00	NR
		2/21/2008	3.97	3.18	0.01	25.00
		3/28/2008	4.18	2.97	0.00	NR
		4/30/2008	4.40	2.75	0.00	NR
		5/29/2008	4.58	2.57	0.01	20.00
		6/25/2008	4.58	2.57	0.00	NR
		7/29/2008	4.85	2.30	0.00	NR
		8/27/2008	4.89	2.26	0.01	25.00
		9/30/2008	5.14	2.01	0.04	98.00
		10/31/2008	5.23	1.92	0.03	NR
		11/26/2008	4.74	2.41	0.04	NR
		12/30/2008	4.33	2.82	0.01	25.00
		1/22/2009	4.45	2.70	0.01	25.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)	
MW-2	9.63	5/5/2010	4.03	5.60	0.13	NR	
		10/29/2010	4.98	4.65	0.08	NR	
		2/25/2011	3.73	5.90	0.00	NR	
		6/14/2011	4.23	5.40	0.00	0.00	
		7/19/2011	4.72	4.91	0.01	59.15	
		8/18/2011	4.80	4.83	sheen	0.00	
		9/1/2011	4.96	4.67	sheen	0.00	
		9/20/2011	5.08	4.56	0.01	591.47	
		10/19/2011	4.77	4.86	0.01	591.47	
		11/22/2011	4.92	4.71	0.01	532.32	
		12/26/2011	4.92	4.71	0.01	532.32	
		1/23/2012	5.20	4.43	0.28	561.83	
		2/15/2012	5.16	4.47	0.03	591.40	
		2/29/2012	4.75	4.88	0.02	NR	
		3/19/2012	4.42	5.21	0.00	NR	
		5/1/2012	4.18	5.45	0.03	532.32	
		6/5/2012	4.61	5.02	0.01	NR	
		7/3/2012	4.91	4.72	0.03	532.32	
		8/1/2012	4.93	4.70	0.01	NR	
		8/3/2012	4.985	4.65	0.05	591.47	
		10/25/2012	5.49	4.14	0.02	5.0	
		11/19/2012	5.21	4.42	0.00	25.0	
		12/20/2012	5.76	3.87	0.01	2.0	
		1/24/2013	4.81	4.82	0.00	0.0	
		2/25/2013	NM	--	--	--	
		2/26/2013	4.73	4.90	0.00	5.0	
		4/14/2013	NM	--	--	--	
		4/22/2013	4.69	4.94	0.00	5.0	
		5/15/2013	NM	--	--	--	
		5/30/2013	4.99	4.64	0.01	5.0	
		6/26/2013	5.23	4.40	0.00	NR	
		7/22/2013	5.15	4.48	0.06	NR	
		8/12/2013	5.15	4.48	0.02	0.0	
		9/25/2013	5.13	4.50	0.00	0.0	
		10/28/2013	5.39	4.24	0.01	5.0	
		11/27/2013	5.20	4.43	0.02	NR	
		12/27/2013	5.52	4.11	0.00	0.0	
		1/29/2014	5.50	4.13	0.02	0.0	
		2/5/2014	5.45	4.18	0.00	0.0	
		3/28/2014	4.43	5.20	0.00	NR	
		4/29/2014	4.71	4.92	0.02	5.0	
		5/28/2014	4.69	4.94	0.00	NR	
		6/27/2014	5.01	4.62	0.13	NR	
		7/31/2014	4.99	4.64	0.08	0.0	
		8/29/2014	5.30	4.33	0.02	NR	
MW-2 Product recovered prior to skimmer installation (Pre 6/14/2011):						1826.30	
MW-2 Product recovered post skimmer installation (Post 6/14/2011):						5173.07	
MW-2 Total product recovered:						6999.37	

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-3	7.42	8/28/1990	3.88	3.54	0.00	NR
		9/20/1990	3.99	3.43	0.00	NR
		6/19/1991	3.49	3.93	0.00	NR
		7/23/1991	3.71	3.71	0.00	NR
		8/26/1991	3.94	3.48	0.00	NR
		11/18/1991	4.23	3.19	0.00	NR
		2/3/1992	4.01	3.41	0.00	NR
		6/29/1992	3.40	4.02	0.00	NR
		6/23/1993	2.75	4.67	0.00	NR
		10/11/1993	3.84	3.58	0.00	NR
		1/4/1994	3.40	4.02	0.00	NR
		5/10/1994	2.25	5.17	0.00	NR
		2/1/1995	2.43	4.99	0.00	NR
		8/2/1995	3.20	4.22	0.00	NR
		10/16/1995	3.72	3.70	0.00	NR
		12/28/1995	3.56	3.86	0.00	NR
		6/4/1997	3.20	4.22	0.00	NR
		6/3/1998	NM	--	0.00	NM
		9/30/1999	3.72	3.70	0.00	NR
		10/11/2000	3.88	3.54	0.00	NR
		9/3/2002	3.75	3.67	0.00	NR
		12/23/2002	3.50	3.92	0.00	NR
		3/28/2003	3.56	3.86	0.00	NR
		5/30/2003	3.38	4.04	0.00	NR
		6/20/2003	3.52	3.90	0.00	NR
		7/14/2003	3.65	3.77	0.00	NR
		8/25/2003	3.99	3.43	0.00	NR
		9/9/2003	3.99	3.43	0.00	NR
		9/25/2003	4.06	3.36	0.00	NR
		10/28/2003	4.15	3.27	0.00	NR
		11/18/2003	4.28	3.14	0.00	NR
		12/2/2003	4.31	3.11	0.00	NR
		1/27/2004	3.85	3.57	0.00	NR
		2/24/2004	3.70	3.72	0.00	NR
		3/29/2004	3.47	3.95	0.00	NR
		4/19/2004	3.55	3.87	0.00	NR
		5/20/2004	3.65	3.77	0.00	NR
		6/22/2004	3.83	3.59	0.00	NR
		7/27/2004	3.98	3.44	0.00	NR
		8/24/2004	4.14	3.28	0.00	NR
		9/29/2004	4.30	3.12	0.00	NR
		10/25/2004	3.85	3.57	0.00	NR
		12/15/2004	3.16	4.26	0.00	NR
		1/24/2005	2.65	4.77	0.00	NR
		2/23/2005	2.50	4.92	0.00	NR
		3/23/2005	2.48	4.94	0.00	NR
		4/29/2005	2.59	4.83	0.00	NR
		5/27/2005	2.75	4.67	0.00	NR
		6/29/2005	3.05	4.37	0.00	NR
		7/20/2005	3.10	4.32	0.00	NR
		8/24/2005	3.45	3.97	0.00	NR
		9/27/2005	3.71	3.71	0.00	NR
		10/19/2005	3.73	3.69	0.00	NR
		11/29/2005	3.75	3.67	0.00	NR
		12/29/2005	3.08	4.34	0.00	NR
		1/31/2006	2.99	4.43	0.00	NR
		2/28/2006	2.95	4.47	0.00	NR
		3/27/2006	2.60	4.82	0.00	NR
		4/28/2006	2.90	4.52	0.00	NR
		6/27/2006	3.01	4.41	0.00	NR
		7/31/2006	4.33	3.09	0.00	NR
		8/29/2006	3.62	3.80	0.00	NR
		9/28/2006	3.80	3.62	0.00	NR
		10/27/2006	3.90	3.52	0.00	NR
		11/22/2006	3.60	3.82	0.00	NR
		12/26/2006	3.07	4.35	0.00	NR
		1/25/2007	3.25	4.17	0.00	NR

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)	
7.42	MW-3	2/16/2007	3.09	4.33	0.00	NR	
		3/19/2007	2.83	4.59	0.00	NR	
		4/26/2007	2.94	4.48	0.00	NR	
		5/29/2007	3.18	4.24	0.00	NR	
		6/28/2007	3.41	4.01	0.00	NR	
		7/30/2007	3.62	3.80	0.00	NR	
		8/30/2007	3.84	3.58	0.00	NR	
		9/25/2007	4.03	3.39	0.00	NR	
		10/29/2007	4.06	3.36	0.00	NR	
		11/29/2007	4.10	3.32	0.00	NR	
		12/28/2007	3.78	3.64	0.00	NR	
		1/24/2008	3.16	4.27	0.00	NR	
		2/21/2008	2.41	5.02	0.00	NR	
		3/28/2008	2.94	4.48	0.00	NR	
		4/30/2008	3.08	4.34	0.00	NR	
		5/29/2008	3.24	4.18	0.00	NR	
		6/25/2008	3.30	4.12	0.00	NR	
		7/29/2008	3.50	3.92	0.00	NR	
		8/27/2008	3.84	3.58	0.00	NR	
		9/30/2008	4.03	3.39	0.00	NR	
		10/31/2008	4.20	3.22	0.00	NR	
		11/26/2008	4.23	3.19	0.00	NR	
		12/30/2008	3.96	3.46	0.00	NR	
		1/22/2009	3.96	3.46	0.00	NR	
	9.89	5/5/2010	3.13	6.76	0.02	NR	
		10/29/2010	4.70	5.19	0.00	NR	
		2/25/2011	1.54	8.35	0.02	NR	
		6/14/2011	3.25	6.64	0.05	NR	
		7/19/2011	3.53	6.36	0.02	532.32	
		8/18/2011	3.98	5.91	sheen	591.47	
		9/1/2011	4.12	5.77	sheen	591.47	
		9/20/2011	4.41	5.48	sheen	591.47	
		10/19/2011	4.34	5.55	sheen	561.90	
		11/22/2011	4.75	5.14	sheen	532.32	
		12/26/2011	4.70	5.19	sheen	532.32	
		1/23/2012	4.11	5.78	0.01	532.26	
		2/15/2012	4.90	4.99	0.02	591.40	
		2/29/2012	4.14	5.75	0.03	NR	
		3/19/2012	2.98	6.91	0.00	NR	
		5/1/2012	2.91	6.98	0.01	532.32	
		6/5/2012	3.80	6.09	0.00	NR	
		7/3/2012	4.22	5.67	0.01	532.32	
		8/1/2012	4.58	5.31	0.00	NR	
		8/3/2012	4.61	5.28	0.00	532.32	
		10/25/2012	5.20	4.69	0.00	NR	
		11/19/2012	4.90	4.99	0.00	NR	
		12/20/2012	4.00	5.89	0.00	NR	
		1/24/2013	3.95	5.94	0.00	NR	
		2/25/2013	NM	--	--	--	
		2/26/2013	4.25	5.64	0.00	NR	
		4/14/2013	NM	--	--	--	
		4/22/2013	4.54	5.35	0.00	10.00	
		5/15/2013	NM	-	-	-	
		5/30/2013	5.01	4.88	0.01	10.00	
		6/26/2013	5.13	4.76	0.01	NR	
		7/22/2013	5.48	4.41	0.00	NR	
		8/12/2013	5.44	4.45	0.00	NR	
		9/25/2013	5.50	4.39	0.00	NR	
		10/28/2013	5.62	4.27	0.00	NR	
		11/27/2013	5.67	4.22	0.02	2.00	
		12/27/2013	5.80	4.09	0.02	2.00	
		1/29/2014	5.90	3.99	0.05	0.00	
		2/5/2014	5.84	4.05	0.04	2.00	
		3/28/2014	4.74	5.15	0.01	0.00	
		4/29/2014	4.12	5.77	0.00	0.00	
		5/28/2014	4.45	5.44	0.00	5.00	
		6/27/2014	5.60	4.29	0.00	0.00	
		7/31/2014	4.74	5.15	0.00	0.00	
		8/29/2014	5.00	4.89	0.00	0.00	
MW-3 Product recovered prior to skimmer installation (Pre 6/14/2011):							
MW-3 Product recovered post skimmer installation (Post 6/14/2011):							
MW-3 Total product recovered:							

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-4	9.77	5/5/2010	2.96	6.81	0.00	
		10/29/2010	4.53	5.24	0.00	NR
		2/25/2011	1.34	8.43	0.00	NR
		9/1/2011	3.99	5.78	0.00	NR
		2/29/2012	3.91	5.86	0.00	NR
		3/19/2012	2.81	6.96	0.00	NR
		6/5/2012	3.59	6.18	0.00	NR
		8/1/2012	4.45	5.32	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	4.09	5.68	0.01	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	5.10	4.67	0.00	NR
		8/12/2013	5.25	4.52	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.03	3.74	0.00	NR
		2/5/2014	5.64	4.13	0.00	NR
		3/28/2014	4.57	5.20	0.00	NR
		4/29/2014	3.98	5.79	0.00	NR
		5/28/2014	4.72	5.05	0.00	NR
		6/27/2014	4.37	5.40	0.00	NR
		7/31/2014	4.61	5.16	0.00	NR
		8/29/2014	4.84	4.93	0.00	0.00
MW-8	8.22	5/5/2010	2.56	5.66	0.00	NR
		10/29/2010	4.39	3.83	0.00	NR
		2/25/2011	2.69	5.53	0.00	NR
		9/1/2011	3.67	4.55	0.00	NR
		2/29/2012	3.63	4.59	0.00	NR
		3/19/2012	3.37	4.85	0.00	NR
		6/5/2012	3.15	5.07	0.00	NR
		8/1/2012	3.77	4.45	0.00	NR
		2/25/2013	NM	--	--	--
		2/26/2013	3.38	4.84	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	3.90	4.32	0.00	NR
		8/12/2013	4.08	4.14	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	4.73	3.49	0.00	NR
		2/5/2014	4.50	3.72	0.00	NR
		3/28/2014	3.34	4.88	0.00	NR
		4/29/2014	2.98	5.24	0.00	NR
		5/28/2014	3.20	5.02	0.00	NR
		6/27/2014	3.53	4.69	0.00	NR
		7/31/2014	3.76	4.46	0.00	NR
		8/29/2014	4.03	4.19	0.00	0.00
MW-9	14.63	5/5/2010	6.28	8.35	0.00	NR
		10/29/2010	6.28	8.35	0.00	NR
		2/25/2011	5.55	9.08	0.00	NR
		9/1/2011	6.05	8.58	0.00	NR
		2/29/2012	5.98	8.65	0.00	NR
		3/19/2012	5.68	8.95	0.00	NR
		6/5/2012	3.76	10.87	0.00	NR
		8/1/2012	6.11	8.52	0.00	NR
		2/25/2013	NM	--	--	--
		2/26/2013	5.91	8.72	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	6.13	8.50	0.00	NR
		8/12/2013	6.29	8.34	0.00	NR

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-9	14.63	9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	7.15	7.48	0.00	NR
		2/5/2014	6.80	7.83	0.00	NR
		3/28/2014	5.13	9.50	0.00	NR
		4/29/2014	5.68	8.95	0.00	NR
		5/28/2014	5.57	9.06	0.00	NR
		6/27/2014	6.01	8.62	0.00	NR
		7/31/2014	6.12	8.51	0.00	NR
		8/29/2014	6.38	8.25	0.00	0.00
		5/5/2010	8.28	1.40	0.00	NR
		10/29/2010	8.27	1.41	0.00	NR
MW-10	9.68	2/25/2011	4.45	5.23	0.00	NR
		9/1/2011	8.35	1.33	0.00	NR
		2/29/2012	8.32	1.36	0.00	NR
		3/19/2012	7.11	2.57	0.00	NR
		6/5/2012	8.20	1.48	0.00	NR
		8/1/2012	8.34	1.34	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	8.28	1.40	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	--	--	--
		7/22/2013	8.31	1.37	0.00	NR
		8/12/2013	8.64	1.04	0.00	NR
		9/25/2013	NM	--	NM	--
MW-11	9.49	10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	9.43	0.25	0.00	NR
		2/5/2014	9.41	0.27	0.00	NR
		3/28/2014	8.18	1.50	0.00	NR
		4/29/2014	8.21	1.47	0.00	NR
		5/28/2014	5.59	4.09	0.00	NR
		6/27/2014	8.29	1.39	0.00	NR
		7/31/2014	8.31	1.37	0.00	NR
		8/29/2014	8.30	1.38	0.00	0.00
		5/5/2010	7.21	2.28	0.00	NR
		10/29/2010	6.83	2.66	0.00	NR
		2/25/2011	2.83	6.66	0.00	NR
		9/1/2011	6.05	3.44	0.00	NR
MW-11	9.49	2/29/2012	5.89	3.60	0.00	NR
		3/19/2012	8.88	0.61	0.00	NR
		6/5/2012	5.68	3.81	0.00	NR
		8/1/2012	6.16	3.33	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	5.96	3.53	0.00	NR
		4/14/2013				
		5/15/2013	NM	--	--	--
		7/22/2013	6.05	3.44	0.00	NR
		8/12/2013	6.43	3.06	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	7.06	2.43	0.00	NR
		2/5/2014	6.98	2.51	0.00	NR
		3/28/2014	5.21	4.28	0.00	NR
		4/29/2014	5.43	4.06	0.00	NR
		5/28/2014	5.59	3.90	0.00	NR
		6/27/2014	5.84	3.65	0.00	NR
		7/31/2014	6.09	3.40	0.00	NR
		8/29/2014	6.30	3.19	0.00	0.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-12	9.43	3/19/2012	4.40	5.03	0.18	NR
		6/5/2012	6.31	3.12	0.72	NR
		8/1/2012	7.39	2.04	1.40	NR
		8/3/2012	7.15	2.28	1.30	NR
		10/25/2012	6.74	2.69	0.72	NR
		11/19/2012	6.45	2.98	0.80	NR
		12/20/2012	5.90	3.53	0.90	NR
		1/24/2013	6.53	2.90	1.19	725.00
		2/25/2013	6.55	2.88	1.05	ND
		2/26/2013	7.75	1.68	0.05	30.00
		4/14/2013	5.70	3.73	0.25	ND
		4/22/2013	6.27	3.16	0.46	278.00
		5/15/2013	6.51	2.92	0.42	ND
		5/30/2013	6.67	2.76	0.25	151.00
		6/26/2013	6.82	2.61	0.33	200.00
		7/22/2013	6.69	2.74	0.16	97.00
		8/12/2013	6.73	2.70	0.17	0.00
		9/25/2013	6.83	2.60	0.52	322.00
		10/28/2013	6.83	2.60	0.39	236.00
		11/27/2013	6.86	2.57	0.61	606.00
		12/27/2013	6.75	2.68	0.14	84.00
		1/29/2014	6.80	2.63	0.35	200.00
		2/5/2014	6.82	2.61	0.35	212.00
		3/28/2014	5.95	3.48	0.40	242.00
		4/29/2014	5.49	3.94	0.31	188.00
		5/28/2014	5.37	4.06	0.26	157.00
		6/27/2014	5.29	4.14	0.48	400.00
		7/31/2014	5.79	3.64	0.41	1009.00
		8/29/2014	5.80	3.63	0.25	151.00
MW-12 Total product recovered:						5288.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
MW-13	9.10	3/19/2012	3.56	5.54	--	NR
		6/5/2012	4.50	4.60	0.00	NR
		8/1/2012	5.15	3.95	0.01	NR
		2/25/2013	4.61	4.49	0.00	NR
		2/26/2013	3.40	5.70	--	NR
		4/14/2013	4.88	4.22	0.00	NR
		5/15/2013	5.26	3.84	0.00	NR
		7/22/2013	5.58	3.52	0.00	NR
		8/12/2013	5.69	3.41	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.47	2.63	0.00	NR
		2/5/2014	5.80	3.30	0.00	NR
		3/28/2014	4.84	4.26	0.00	NR
		4/29/2014	4.35	4.75	0.00	NR
		5/28/2014	4.34	4.76	0.00	NR
		6/27/2014	4.58	4.52	0.00	NR
		7/31/2014	4.63	4.47	0.00	NR
		8/29/2014	4.86	4.24	0.00	0.00
MW-14	9.29	3/19/2012	1.86	7.43	--	NR
		6/5/2012	2.53	6.76	--	NR
		8/1/2012	3.69	5.60	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	2.66	6.63	--	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	-	-	-
		7/22/2013	4.56	4.73	0.00	NR
		8/12/2013	6.05	3.24	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.38	3.91	0.00	NR
		2/5/2014	5.10	4.19	0.00	NR
		3/28/2014	1.64	7.65	0.00	NR
		4/29/2014	1.74	7.55	0.00	NR
		5/28/2014	3.09	6.20	0.00	NR
		6/27/2014	3.49	5.80	0.00	NR
		7/31/2014	3.92	5.37	0.00	NR
		8/29/2014	4.50	4.79	0.00	0.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
OW-1	N/A	6/4/1997	7.22	NC	0.01	NR
		9/30/1999	8.35	NC	0.01	NR
		10/11/2000	6.90	NC	0.09	NR
		2/12/2002	5.23	NC	0.01	38.00
		9/27/2002	7.02	NC	0.14	345.78
		10/22/2002	7.34	NC	0.01	40.00
		12/23/2002	5.17	NC	0.03	167.00
		1/16/2003	4.97	NC	0.01	40.00
		2/12/2003	5.23	NC	0.01	38.00
		3/28/2003	5.16	NC	0.01	25.00
		5/30/2003	4.41	NC	0.02	77.00
		6/20/2003	4.93	NC	0.01	NR
		7/14/2003	5.33	NC	0.00	NR
		8/25/2003	5.85	NC	0.00	NR
		9/9/2003	6.33	NC	0.00	NR
		9/25/2003	6.52	NC	0.01	25.00
		10/28/2003	7.26	NC	0.03	176.00
		11/18/2003	7.29	NC	0.00	NR
		12/2/2003	7.23	NC	0.03	NR
		1/27/2004	7.96	NC	0.01	NR
		2/24/2004	6.26	NC	0.02	NR
		3/29/2004	6.08	NC	0.02	NR
		4/19/2004	6.29	NC	0.03	116.00
		5/20/2004	6.16	NC	0.00	NR
		6/22/2004	6.37	NC	0.00	NR
		7/27/2004	5.67	NC	0.04	225.00
		8/24/2004	6.81	NC	0.00	NR
		9/29/2004	7.08	NC	0.04	153.00
		10/25/2004	6.74	NC	0.04	NR
		12/15/2004	5.33	NC	0.04	155.00
		1/24/2005	3.98	NC	0.00	NR
		2/23/2005	3.44	NC	0.01	NR
		3/23/2005	3.34	NC	0.02	77.00
		4/29/2005	6.89	NC	0.13	501.00
		5/27/2005	7.18	NC	0.11	425.00
		6/29/2005	7.12	NC	0.10	450.00
		7/20/2005	7.20	NC	0.10	556.00
		8/24/2005	7.15	NC	0.06	249.00
		9/27/2005	7.43	NC	0.12	450.00
		10/19/2005	7.48	NC	0.11	425.00
		11/29/2005	7.00	NC	0.04	NR
		12/29/2005	5.22	NC	0.00	NR
		1/31/2006	5.64	NC	0.00	NR
		2/28/2006	6.53	NC	0.01	39.00
		3/27/2006	5.80	NC	0.01	NR
		4/28/2006	6.39	NC	0.00	NR
		6/27/2006	7.82	NC	0.06	NR
		7/31/2006	5.82	NC	0.05	NR
		8/29/2006	7.05	NC	0.07	NR
		9/28/2006	7.10	NC	0.02	NR
		10/27/2006	7.27	NC	0.02	NR
		11/22/2006	7.05	NC	0.02	NR
		12/26/2006	6.73	NC	0.03	NR
		1/25/2007	7.15	NC	0.00	NR
		2/16/2007	7.71	NC	0.01	NR
		3/19/2007	6.77	NC	0.02	NR
		4/26/2007	6.66	NC	0.01	NR
		5/29/2007	6.86	NC	0.02	76.00
		6/28/2007	6.97	NC	0.20	75.00
		7/30/2007	7.06	NC	0.01	NR
		8/30/2007	7.25	NC	0.03	NR
		9/25/2007	7.25	NC	0.03	115.00
		10/29/2007	7.43	NC	0.02	78.00
		11/29/2007	7.37	NC	0.00	NR
		12/28/2007	7.28	NC	0.01	40.00
		1/24/2008	6.61	NC	0.01	38.00
		2/21/2008	6.33	NC	0.01	37.00
		3/28/2008	6.80	NC	0.01	NR
		4/30/2008	7.44	NC	0.03	166.90
		5/29/2008	7.09	NC	0.01	38.00
		6/25/2008	7.07	NC	0.02	112.00
		7/29/2008	7.34	NC	0.00	NR
		8/27/2008	7.28	NC	0.02	78.00
		9/30/2008	7.82	NC	0.03	167.00
		10/31/2008	7.31	NC	0.01	NR
		11/26/2008	6.93	NC	0.01	NR
		12/30/2008	7.25	NC	0.02	112.00
		1/22/2009	7.05	NC	0.01	56.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)	
OW-1	9.55	5/5/2010	7.08	2.47	0.06	NR	
		10/29/2010	7.37	2.18	0.08	NR	
		2/25/2011	6.17	3.38	0.05	NR	
		6/14/2011	6.78	2.77	0.08	0.00	
		7/19/2011	7.30	2.25	0.20	118.29	
		8/18/2011	7.35	2.20	0.03	147.87	
		9/1/2011	7.35	2.20	0.03	147.87	
		9/20/2011	7.41	2.14	0.04	591.47	
		10/19/2011	7.42	2.13	0.03	532.32	
		11/22/2011	7.09	2.46	0.03	29.57	
		12/26/2011	7.32	2.23	0.02	147.87	
		1/23/2012	6.90	2.65	0.30	532.26	
		2/15/2012	7.32	2.23	0.02	591.40	
		2/29/2012	7.54	2.01	0.08	NR	
		3/19/2012	7.25	2.30	0.01	NR	
		5/1/2012	7.14	2.41	0.01	532.32	
		6/5/2012	8.55	1.00	0.01	NR	
		7/3/2012	7.63	1.92	0.04	295.70	
		8/1/2012	7.81	1.74	0.00	NR	
		8/3/2012	7.50	2.05	0.14	591.47	
		10/25/2012	7.34	2.21	0.02	5.0	
		11/19/2012	7.26	2.29	0.20	10.0	
		12/20/2012	6.93	2.62	0.03	5.0	
		1/24/2013	6.89	2.66	0.03	10.0	
		2/25/2013	NM	--	--	--	
		2/26/2013	7.72	1.83	0.03	15.0	
		4/14/2013	NM	--	--	--	
		4/22/2013	7.68	1.87	0.03	15.0	
		5/15/2013	NM	--	--	--	
		5/30/2013	7.50	2.05	0.05	20.0	
		6/26/2013	7.56	1.99	0.05	NR	
		7/22/2013	7.84	1.71	0.10	5.0	
		8/12/2013	7.55	2.00	0.01	NR	
		9/25/2013	7.36	2.19	0.03	10.0	
		10/28/2013	7.10	2.45	0.06	5.0	
		11/27/2013	7.16	2.39	0.06	10.0	
		12/27/2013	7.33	2.22	0.04	5.0	
		1/29/2014	7.02	2.53	0.05	25.0	
		2/5/2014	8.40	1.15	0.03	10.0	
		3/28/2014	7.15	2.40	0.01	2.0	
		4/29/2014	5.48	4.07	0.01	5.0	
		5/28/2014	7.74	1.81	0.06	10.0	
		6/27/2014	7.61	1.94	0.03	5.0	
		7/31/2014	7.66	1.89	0.05	50.0	
		8/29/2014	7.36	2.19	0.06	5.0	
OW-1 Product recovered prior to skimmer installation (Pre 6/14/2011):						5943.68	
OW-1 Product recovered post skimmer installation (Post 6/14/2011):						4485.41	
OW-1 Total product recovered:						10429.09	
IW-1	9.50	3/19/2012	4.38	5.12	0.00	NR	
		6/5/2012	6.24	3.26	0.59	NR	
		8/1/2012	7.29	2.21	1.23	NR	
		8/3/2012	7.01	2.49	1.10	NR	
		10/25/2012	7.05	2.45	1.00	NR	
		11/19/2012	6.50	3.00	0.90	NR	
		12/20/2012	5.85	3.65	0.74	NR	
		1/24/2013	6.54	2.96	1.13	690.00	
		2/25/2013	6.50	3.00	0.85	ND	
		2/26/2013	8.72	0.78	0.91	550.00	
		4/14/2013	5.64	3.86	0.84	ND	
		4/22/2013	6.56	2.94	0.66	400.00	
		5/15/2013	6.79	2.71	0.23	ND	
		5/30/2013	6.93	2.57	0.47	284.00	
		6/26/2013	6.98	2.52	0.54	327.00	
		7/22/2013	6.89	2.61	0.36	218.00	
		8/12/2013	6.95	2.55	0.61	370.00	
		9/25/2013	6.73	2.77	0.33	205.00	
		10/28/2013	6.76	2.74	0.24	145.00	
		11/27/2013	6.80	2.70	0.58	351.00	
		12/27/2013	6.71	2.79	0.24	145.00	
		1/29/2014	6.69	2.81	0.14	150.00	
		2/5/2014	6.69	2.81	0.11	66.00	
		3/28/2014	5.64	3.86	0.19	115.00	
		4/29/2014	5.31	4.19	0.05	30.00	
		5/28/2014	5.20	4.30	0.10	60.00	
		6/27/2014	5.64	3.86	0.27	180.00	
		7/31/2014	5.70	3.80	0.22	542.00	
		8/29/2014	5.77	3.73	0.14	85.00	
IW-1 Total product recovered:						4913.00	

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)
IW-2	9.02	3/19/2012	4.15	4.87	0.00	NR
		6/5/2012	4.76	4.26	0.00	NR
		8/1/2012	5.54	3.48	0.00	NR
		2/25/2013	7.04	1.98	0.00	NR
		2/26/2013	5.85	3.17	0.00	NR
		4/14/2013	5.16	3.86	0.00	NR
		5/15/2013	5.21	3.81	0.00	NR
		7/22/2013	5.60	3.42	0.00	NR
		8/12/2013	5.71	3.31	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.37	2.65	0.00	NR
		2/5/2014	6.05	2.97	0.00	NR
		3/28/2014	5.13	3.89	0.00	NR
		4/29/2014	4.63	4.39	0.00	NR
		5/28/2014	4.60	4.42	0.00	NR
		6/27/2014	4.94	4.08	0.00	NR
		7/31/2014	5.13	3.89	0.00	NR
		8/29/2014	5.31	3.71	0.00	0.00
IW-3	8.93	3/19/2012	4.23	4.70	0.00	NR
		6/5/2012	3.82	5.11	0.00	NR
		8/1/2012	4.77	4.16	0.00	NR
		2/25/2013	5.90	3.03	0.00	NR
		2/26/2013	4.42	4.51	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	--	--	--
		7/22/2013	4.80	4.13	0.00	NR
		8/12/2013	5.23	3.70	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.63	3.30	0.00	NR
		2/5/2014	5.83	3.10	0.00	NR
		3/28/2014	4.80	4.13	0.00	NR
		4/29/2014	4.24	4.69	0.00	NR
		5/28/2014	3.99	4.94	0.00	NR
		6/27/2014	4.33	4.60	0.00	NR
		7/31/2014	4.61	4.32	0.00	NR
		8/29/2014	4.86	4.07	0.00	0.00
IW-4	9.96	3/19/2012	3.00	6.96	0.00	NR
		6/5/2012	3.77	6.19	0.00	NR
		8/1/2012	4.64	5.32	0.01	NR
		2/25/2013	NM	--	--	--
		2/26/2013	4.29	5.67	0.01	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	--	--	--
		7/22/2013	NM	--	--	--
		8/12/2013	5.45	4.51	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	5.87	4.09	0.00	NR
		2/5/2014	6.86	3.10	0.00	NR
		3/28/2014	5.24	4.72	0.00	NR
		4/29/2014	4.19	5.77	0.00	NR
		5/28/2014	4.79	5.17	0.00	NR
		6/27/2014	5.04	4.92	0.00	NR
		7/31/2014	4.78	5.18	0.00	NR
		8/29/2014	5.02	4.94	0.00	0.00
IW-5	9.88	3/19/2012	2.92	6.96	0.00	NR
		6/5/2012	3.68	6.20	0.00	NR
		8/1/2012	4.72	5.16	0.00	NR
		2/25/2013	NM	--	--	--
		2/26/2013	4.58	5.30	0.00	NR
		4/14/2013	NM	--	--	--
		5/15/2013	NM	--	--	--
		7/22/2013	5.38	4.50	0.00	NR
		8/12/2013	5.25	4.63	0.00	NR
		9/25/2013	NM	--	NM	--
		10/28/2013	NM	--	NM	--
		11/27/2013	NM	--	NM	--
		12/27/2013	NM	--	NM	--
		1/29/2014	6.15	3.73	0.00	NR
		2/5/2014	6.91	2.97	0.00	NR
		3/28/2014	5.13	4.75	0.00	NR
		4/29/2014	4.27	5.61	0.00	NR
		5/28/2014	4.44	5.44	0.00	NR
		6/27/2014	4.65	5.23	0.00	NR
		7/31/2014	4.88	5.00	0.00	NR
		8/29/2014	5.10	4.78	0.00	0.00

Table 1
Historical Groundwater Elevation Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Reference Elevation* (ft-amsl)	Date	Depth to Groundwater (ft-btoc)	Groundwater Elevation (ft-amsl)	Product Thickness (feet)	Volume of Product Recovered (mL)	
IW-6	9.67	3/19/2012	3.15	6.52	0.00	NR	
		6/5/2012	3.74	5.93	0.00	NR	
		8/1/2012	4.36	5.31	0.01	NR	
		2/25/2013	NM	-	-	-	
		2/26/2013	4.10	5.57	0.00	NR	
		4/14/2013	NM	-	--	--	
		5/15/2013	NM	-	-	-	
		7/22/2013	5.09	4.58	0.00	NR	
		8/12/2013	5.23	4.44	0.00	NR	
		9/25/2013	NM	--	NM	--	
		10/28/2013	NM	--	NM	--	
		11/27/2013	NM	--	NM	--	
		12/27/2013	NM	--	NM	--	
		1/29/2014	5.75	3.92	0.00	NR	
		2/5/2014	5.55	4.12	0.00	NR	
		3/28/2014	3.93	5.74	0.00	NR	
		4/29/2014	3.71	5.96	0.00	NR	
		5/28/2014	3.90	5.77	0.00	NR	
		6/27/2014	4.54	5.13	0.00	NR	
		7/31/2014	4.81	4.86	0.00	NR	
		8/29/2014	5.00	4.67	0.00	0.00	
Total product recovered from skimmers (MW-2, MW-3 and OW-1):							
Total product recovered prior to skimmer installation (mL):							
262.0							
Total product recovered prior to skimmer installation (oz):							
2.05							
Total product recovered post skimmer installation (mL):							
16343.4							
Total product recovered post skimmer installation (oz):							
552.0							
Total product recovered post skimmer installation (gal):							
4.31							
Total product recovered from wells without skimmers (mL):							
10201.00							
Total product recovered from wells without skimmers (oz):							
348.00							
Total product recovered from wells without skimmers (gal):							
2.72							
Total product recovered (mL):							
34314.4							
Total product recovered (oz):							
1160.0							
Total product recovered (gal):							
9.06							

Notes:

* Reference elevation surveyed relative to mean sea level and California State Coordinate System, Zone III (NAD83)

Source: Geraghty and Miller 1996

- = no data

ft-amsl = feet above mean sea level

ft-btoc = feet below top of casing

gal = gallons

mL = milliliters

N/A = not available

NC = not calculated

ND = not determined; due to the method used for high-vacuum extraction (HVE), a distinction could not be made between the volume and water and volume of product recovered

NM = not measured

NR = not recovered

Volume of product recovered on 9/27/02 and 3/23/05 calculated based on measurements from field data sheets

Table 2
Historical Groundwater Monitoring Results and Baseline Sampling Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	DO (mg/L)	Temperature °C	pH	Conductivity µS	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene¹ µg/L	TDS (mg/L)
Field Analysis	--	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	3,000	
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	--	--	0.05	0.5	--	--	--	--	--	--	6.1	--	
ESL - Non-Drinking Water	--	46	130	43	100	1,800	500	640	--	--	--	770	1,000	--	--	--	--	--	--	24	--	
MW-1	8/28/1990	3.00	1.40	4.00	2.40	NA	NA	21,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/19/1991	1.70	0.70	0.50	0.90	NA	NA	7,100	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/23/1991	1.60	1.10	0.50	1.50	NA	220	8,700	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/26/1991	180.00	120.00	31.00	160.00	NA	NA	2,800	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/18/1991	1.10	0.40	0.50	< 0.3	NA	NA	6,600	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/3/1992	0.90	< 0.3	0.80	0.70	NA	NA	2,200	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/29/1992	0.80	0.40	0.40	0.90	NA	NA	2,100	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/23/1993	0.66	< 0.5	0.50	< 0.5	NA	NA	3,200	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/1993	1.30	< 0.5	< 0.5	< 0.5	NA	NA	9,600	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/4/1994	2.10	0.65	1.30	2.10	NA	NA	12,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/10/1994	0.54	0.53	< 0.5	1.10	NA	NA	6,400	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/1/1995	< 1.0	< 1.0	1.00	< 1.0	NA	510	10,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/2/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	510	8,700	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/16/1995	2.80	< 0.5	< 0.5	< 0.5	NA	830	15,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/28/1995	2.10	< 0.5	< 0.5	< 0.5	NA	560	15,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/4/1997	NA	NA	NA	NA	NA	NA	28,000	0.76	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/1999	< 0.5	0.60	< 0.5	1.80	< 3.0	1,600	28,000	9.90	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/2000	< 0.5	< 0.5	< 0.5	< 1.0	< 5	260	21,000	0.39	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/3/2002	< 0.5	< 0.5	< 0.5	0.50	< 0.5	1,00	38,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/28/2003	< 5	< 5	< 5	< 10	< 5.0	250	35,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/9/2003	< 0.5	< 0.5	< 0.5	< 1.0	0.60	440	11,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/19/2004	3.20	< 2.5	< 2.5	< 5.0	< 2.5	280	24,000 ndp	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/29/2004	< 1.0	< 1.0	< 1.0	< 2.0	2.10	1,400 g	150,000 ndp	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/23/2005	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	550 Q1	15,000 Q2	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/29/2005	< 0.50	< 0.50	< 0.50	< 1.0	0.94	310	7,800	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/27/2006	< 0.50	< 0.50	< 0.50	< 1.0	0.62	420	11,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/28/2006	< 0.50	< 0.50	< 0.50	< 1.0	0.87	220	28,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/19/2007	< 0.50	< 0.50	< 0.50	< 1.0	< 1.0	940	11,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/25/2007	< 0.50	< 0.50	< 0.50	1.1	< 0.50	240	9,700	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/28/2008	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	55	13,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/2008	< 0.50	< 0.50	< 0.50	< 1.0	< 0.50	280	9,800	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/3/2009																					
MW-2	8/28/1990	0.60	0.40	0.60	0.70	NA	NA	3,500	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/19/1991	0.50	< 0.3	< 0.3	< 0.3	NA	NA	< 500	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/23/1991	0.70	< 0.3	< 0.3	< 0.3	NA	NA	< 500	660	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/26/1991	0.70	< 0.3	< 0.3	< 0.3	NA	NA	< 500	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/18/1991	0.80	< 0.3	< 0.3	< 0.3	NA	NA	3,200	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/3/1992	0.70	< 0.3	< 0.3	0.50	NA	NA	400	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/29/1992	0.60	< 0.3</																			

Table 2
Historical Groundwater Monitoring Results and Baseline Sampling Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	DO (mg/L)	Temperature °C	pH	Conductivity µS	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene¹ µg/L	TDS (mg/L)
Field Analysis	--	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	3,000	
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	--	--	0.05	0.5	--	--	--	--	--	--	6.1	--	
ESL - Non-Drinking Water	--	46	130	43	100	1,800	500	640	--	--	--	770	1,000	--	--	--	--	--	--	24	--	
MW-3	8/28/1990	0.50	0.80	4.30	2.30	NA	NA	18,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/19/1991	0.40	0.40	1.70	1.40	NA	NA	1,300	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/23/1991	0.30	< 0.3	1.50	0.50	NA	330	6,800	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/26/1991	13.00	13.00	5.80	26.00	NA	NA	<50	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/18/1991	0.60	< 0.3	< 0.3	< 0.3	NA	NA	2,500	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/3/1992	0.40	< 0.3	1.30	0.60	NA	NA	1,100	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/29/1992	< 0.3	< 0.3	1.30	0.30	NA	NA	3,200	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/23/1993	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	8,100	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/1993	1.00	< 0.5	1.50	2.40	NA	NA	7,100	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/4/1994	< 0.5	< 0.5	1.60	< 0.5	NA	NA	7,400	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/10/1994	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	5,700	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/1/1995	< 1.0	< 1.0	2.70	4.10	NA	810	10,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/2/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	1200	6,500	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/16/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	930	9,800	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/28/1995	< 0.5	< 0.5	< 0.5	< 0.5	NA	NA	690	11,000	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/4/1997	NA	NA	NA	NA	NA	NA	34,000	0.84	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/1999	< 0.5	0.60	0.70	1.20	< 3.0	1300	8,700	8.60	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/11/2000	< 0.5	< 0.5	< 0.5	< 1.0	< 5.0	430	20,000	0.51	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/3/2002	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	2,300	14,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/28/2003	< 25	< 25	< 25	< 50	< 25	2,500	19,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/9/2003	< 0.5	< 0.5	< 1.0	< 0.5	700	73,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	4/19/2004	<0.50	<0.50	<0.50	<1.0	<0.50	99	14,000 ndp	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/29/2004	<2.5	<2.5	<2.5	<5.0	<2.5	390 g	10,000 ndp	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/24/2005	<2.5	<2.5	<2.5	<5.0	<2.5	330 Q1	14,000 Q2	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/29/2005	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	1,200	8,300	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/27/2006	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	430	13,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/28/2006	< 1.0	< 1.0	< 1.0	< 2.0	< 1.0	370	17,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/19/2007	< 1.0	< 1.0	< 2.0	< 1.0	510	26,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/25/2007	< 1.0	< 1.0	< 2.0	< 1.0	390	11,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/28/2008	<0.50	<0.50	<0.50	<1.0	<0.50	280	21,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/30/2008	<0.50	<0.50	<0.50	<1.0	<0.50	270	9,500	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/5/2010	NA	NA	NA	NA	NA	<150	24,000	NA	NM	NM	<0.50	<0.50	NA	NA	NA	NA	NA	NA	2.2	910	
	2/25/2011	NA	NA	NA	NA	NA	NA	5,200	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/1/2011	<0.50	1.70	<0.50	2.1	<0.50	450	24,000	NA	NM	1,378	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	2/29/2012	<0.50	<0.50	<0.50	<1.0	<0.50	520	13,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	2.1	NA	
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	770 H	NA	
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	<0.50	<0.50	<0.50	1.1	<0.50	1,200	43,000	NA	NM	NA	NA	3,200	<230	NA	<1,000	<1,000	4,600	NA	780	NA	

Table 2
Historical Groundwater Monitoring Results and Baseline Sampling Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939


Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	DO (mg/L)	Temperature °C	pH	Conductivity µS	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene¹ µg/L	TDS (mg/L)	
Field Analysis	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	--	--	3,000		
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	--	--	0.05	0.5	--	--	--	--	--	--	6.1	--		
ESL - Non-Drinking Water	--	46	130	43	100	1,800	500	640	--	--	--	770	1,000	--	--	--	--	--	--	24	--		
MW-10	2/25/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	5,600	NA	NM	3,508	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	9/1/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	250	NA	NM	9,334	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2/29/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	170	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	NA		
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	0.61	NM	3,540	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	280	NA	NM	NA	NA	2,800	<230 H	NA	<1,000	<1,000	4,200	NA	3,700	NA		
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	440	NA	18.20	7.43	9,646	NA	2,000	<230	110,000	21,000	<1,000	2,300	<1.0	3,000	NA	
	7/22/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	62	NA	22.83	6.84	9,721	<0.50	<0.50	7,700	<230	210,000	1,900	<1,000	7,700	<1.0	5,200	NA
	2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	130	NA	17.60	6.73	3,139	<0.50	<0.50	3,700	<230	320,000	40,000	<1,000	10,000	<0.10	7,000	NA
	8/29/2014	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<54	NM	23.6	6.68	11,800	<0.5	<0.5	4,400	<230	170,000	<1,000	1,200	6,500	<0.11	5,200	NA
MW-11	5/5/2010	NA	NA	NA	NA	NA	<50	430	NA	NM	<0.50	<0.50	NA	NA	NA	NA	NA	NA	NA	<1.0	10,000	NA	
	10/29/2010	<0.5	<0.5	<0.5	<1.0	<0.5	<50	7,200	NA	NM	17,500	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	NA		
	2/25/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,900	NA	NM	525	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	9/1/2011	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,100	NA	NM	7,444	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2/29/2012	0.53	<0.50	<0.50	<1.0	<0.50	<50	1,200	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	<1.0	NA	NA		
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	4/19/2012	NA	NA	NA	NA	NA	NA	0.91	NM	NA	3,097	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	<50	860	NA	NM	NA	NA	2,800	<230 H	NA	<1,000	1,400	3,900	NA	4,900	NA		
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	1,200	NA	17.80	7.32	8,974	NA	2,100	<230	120,000	<1,000	3,100	630	<1.0	4,700	NA	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	78	NA	21.83	6.76	9,905	<0.50	<0.50	7,000	<230	180,000	<1,000	<1,000	5,900	<1.0	5,700	NA
MW-12	2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	78	NA	16.30	7.08	11,440	<0.50	<0.50	2,900	NA	NA	NA	NA	<0.14	NA	NA	
	8/29/2014	<0.5	<0.5	<0.5	<1.0	<0.5	<50	150	NM	24.5	6.67	7,817	<0.5	<0.5	3,900	<230	140,000	<1,000	<1,000	13,000	0.25	6,100	NA
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	4/19/2012	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	NS	NS	NS	NS	NS	NS	NS	NS	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-13	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	2,500	24,000	NA	18.50	7.37	2,377	NA	1,600	<230	75,000	1,300	<1,000	9,200	3.9	1,500	NA
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2/5/2014	NS	NS	NS	NS	NS	NS	NS	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	8/29/2014	NS	NS	NS	NS	NS	NS	NS	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
MW-14	4/19/2012	NA	NA	NA	NA	NA	NA	NA	NA	0.52	NM	2,972	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	8/1/2012	<0.50	<0.50	<0.50	1.0	<0.50	<50	750	NA	NM	NA	NA	4,500	<230 H	98,000	3,300	4,300	1,100	NA	1,400	NA		
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	880	NA	17.70	7.46	2,056	NA	3,600	<230	93,000	1,300	3,800	560	<1.0	1,300	NA	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	<50	88	NA	25.78	6.90	2,022	<0.50	<0.50	13,000	<230	81,000	2,100	<1,000	3,200	<1.0	1,400	NA
	2/5/2014	<0.50																					

Table 2
Historical Groundwater Monitoring Results and Baseline Sampling Summary
Second Semiannual 2014 Groundwater Monitoring Report
UPS Oakland Hub
8400 Pardee Drive, Oakland, California
Global ID #T0600100939

Monitoring Well	Date	Benzene µg/L	Toluene µg/L	Ethyl-benzene µg/L	Total Xylenes µg/L	MTBE µg/L	TPH as gasoline µg/L	TPH as diesel µg/L	DO (mg/L)	Temperature °C	pH	Conductivity µS	EDB µg/L	1,2-DCA µg/L	Methane µg/L	Nitrate as Nitrogen µg/L	Magnesium µg/L	Sulfate µg/L	Sulfide µg/L	Iron µg/L	Naphthalene ¹ µg/L	TDS (mg/L)
Field Analysis	--	--	--	--	--	--	--	--	--	5,000	--	--	--	--	--	--	--	--	--	--	3,000	
ESL - Drinking Water	--	1	40	30	20	5	100	100	--	--	--	0.05	0.5	--	--	--	--	--	--	6.1	--	
ESL - Non-Drinking Water	--	46	130	43	100	1,800	500	640	--	--	--	770	1,000	--	--	--	--	--	--	24	--	
IW-1	3/19/2012	NA	NA	NA	NA	NA	16,000	NA	NM	NM	NA	NA	NA	97,000	4,500	NA	210,000	NA	1,500 H			
	4/19/2012	NA	NA	NA	NA	NA	0.48	NM	NM	2,639	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	NS	NS	NS	NS	NS	NS	NS	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	32,000	59,000	NA	18.80	7.28	2,468	NA	NA	2,500	<230	71,000	<1,000	<1,000	15,000	42	1,500
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2/5/2014	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	8/29/2014	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
IW-2	3/19/2012	NA	NA	NA	NA	NA	2,500	NA	NM	NM	NA	NA	NA	95,000	99,000	NA	8,200	NA	3,000			
	4/19/2012	NA	NA	NA	NA	NA	0.51	NM	NM	1,443	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<5.0	<5.0	0.74	1.4	<0.50	130	3,000	NA	NM	NM	NA	4,500	<230	180,000	4,000	6,400	8,000	NA	2,800		
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	<500	6,200	NA	17.90	7.45	4,494	NA	NA	1,500	<230	150,000	<1,000	5,400	6,400	480	
	7/23/2013	<5.0	<5.0	<5.0	<10	<5.0	<500	3,400	NA	25.28	6.46	5,531	<5.0	<5.0	3,900	<230	180,000	<1,000	3,500	13,000	430	
	2/5/2014	<5.0	<5.0	<5.0	<10	<5.0	<500	8,700	NA	18.60	6.97	5,472	<5.0	<5.0	5,200	<230	150,000	<1,000	3,900	14,000	180	
	8/29/2014	<0.5	<0.5	<0.5	<1.0	<0.5	490	7,500	NM	24.1	6.84	7,183	<0.5	<0.5	3,000	<230	150,000	<1,000	3,100	10,000	66	
IW-3	3/19/2012	NA	NA	NA	NA	NA	2,400	NA	NM	NM	NA	NA	NA	110,000	43,000	NA	30,000	NA	3,100			
	4/19/2012	NA	NA	NA	NA	NA	0.61	NM	NM	2,471	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	91	650	NA	NM	NM	NA	3,800	<230	130,000	<1,000	2,200	16,000	NA	2,700		
	2/26/2013	<0.50	<0.50	0.58	<1.0	<0.50	<50	1,100	NA	17.70	7.02	3,890	NA	NA	2,800	<230	140,000	<1,000	8,200	20,000	430	
	7/23/2013	<2.5	<2.5	<2.5	<5.0	<2.5	<250	95	NA	25.56	6.79	3,475	<2.5	<2.5	4,400	<230	170,000	<1.0	5,400	15,000	150	
	2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	<50	190	NA	17.80	7.01	4,035	<0.50	<0.50	4,800	<230	170,000	<1,000	4,600	22,000	15	
	8/29/2014	<0.5	<0.5	<0.5	<1.0	<0.5	<50	160	NM	24.1	6.77	7,112	<0.5	<0.5	3,600	<230	150,000	<1,000	2,000	16,000	2,0	
IW-4	3/19/2012	NA	NA	NA	NA	NA	110,000	NA	NM	NM	NA	NA	NA	190,000	17,000	NA	350,000	NA	1,400 H			
	4/19/2012	NA	NA	NA	NA	NA	0.45	NM	NM	1,809	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<0.50	0.76	<0.50	<1.0	<0.50	160	250,000	NA	NM	NM	NA	1,900	<230 H	300,000	5,300	12,000	1,700	NA	1,100		
	2/26/2013	<5.0	<5.0	<5.0	<10	<5.0	5,600	34,000	NA	17.00	7.02	2,058	NA	NA	3,900	<230	53,000	5,100	1,000	3,500	24	
	7/23/2013	NS	NS	NS	NS	NS	NS	NS	NA	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	2/5/2014	<5.0	<5.0	<5.0	<10	<5.0	600	170,000	NA	18.10	7.15	1948.00	<5.0	<5.0	2,700	680	89,000	<1,000	5,800	3,700	4.0	
	8/29/2014	<5.0	<5.0	<5.0	<10	<5.0	2,500	46,000	NM	24.1	6.78	1,885	<5.0	<5.0	5,000	<230	130,000	<1,000	2,400	4,900	13	
IW-5	3/19/2012	NA	NA	NA	NA	NA	220,000	NA	NM	NM	NA	NA	NA	150,000	25,000	NA	270,000	NA	910 H			
	4/19/2012	NA	NA	NA	NA	NA	0.70	NM	NM	1,253	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	8/1/2012	<0.50	<0.50	<0.50	<1.0	<0.50	920	36,000	NA	NM	NM	NA	6,200	<230 H	85,000	<1,000	2,300	4,900	NA	810 H		
	2/26/2013	<0.50	<0.50	<0.50	<1.0	<0.50	3,200	25,000	NA	16.10	7.17	1,469	NA	NA	3,200	<230	45,000	1,200	<1,000	6,000	3.8	
	7/23/2013	<0.50	<0.50	<0.50	<1.0	<0.50	3,500	35,000	NA	26.06	6.75	1,316	<0.50	<0.50	13,000	<230	6,300	<1,000	5,800	7,400	5.0	
	8/12/2013	NA	NA	NA	NA	NA	39,000	NA	NM	NM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
	2/5/2014	<0.50	<0.50	<0.50	<1.0	<0.50	770	88,000	NA	18.50	6.77	1725.00	<0.50	<0.50	6,600	<230	69,000</					


ARCADIS

Figures



NOTES:

1. Base Map Source: USGS 7.5 Minute Topographic Quadrangle, San Leandro, California (1993)
2. Property Location is Approximate.




UPS OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID #T0600100939

SITE LOCATION MAP

 **ARCADIS**

FIGURE
1



PROPERTY BOUNDARY

UST UNDERGROUND STORAGE TANK

0 200' 400'

GRAPHIC SCALE

UPS OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID #T0600100939

FACILITY LAYOUT MAP

 **ARCADIS**


FIGURE
2






LEGEND

- MONITORING WELL
- TEMPORARY VACUUM TEST WELL
- PHASE I INJECTION WELL
- (●) ABANDONED MONITORING WELL
- PROPERTY BOUNDARY
- E UNDERGROUND ELECTRICAL LINE
- S STORM WATER/SEWER LINE
- W WATER/FIRE SERVICE/IRRIGATION
- UG ELECTRIC/WATER LINE
- CATCH BASIN/STORM DRAIN
- LIGHT POST/ POWER POLE
- UST UNDERGROUND STORAGE TANK
- 5 WATER-TABLE ELEVATION CONTOUR
DASHED WHERE INFERRED
CONTOUR INTERVAL = 1.0 FEET
- (4.94) WATER-TABLE ELEVATION (FEET)
- ↔ APPARENT DIRECTION OF
GROUNDWATER FLOW
- * DATA NOT USED FOR CONTOURING



UPS OAKLAND HUB
 8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
 GLOBAL ID #T0600100939

GROUNDWATER CONTOUR MAP AUGUST 29, 2014



LEGEND

- MONITORING WELL
- TEMPORARY VACUUM TEST WELL
- PHASE I INJECTION WELL
- ABANDONED MONITORING WELL
- PROPERTY BOUNDARY
- CATCH BASIN/STORM DRAIN
- LIGHT POST/ POWER POLE
- UNDERGROUND ELECTRICAL LINE
- STORM WATER/SEWER LINE
- WATER/FIRE SERVICE/IRRIGATION
- ELECTRIC/WATER LINE
- UNDERGROUND STORAGE TANK

SAMPLE LOCATION

DATE	SAMPLE DATE
B	BENZENE
T	TOLEUNE
E	ETHYLBENZENE
X	TOTAL XYLENES
M	METHYL TERT-BUTYL ETHER
TPHG	TOTAL PETROLEUM HYDROCARBON GASOLINE
TPHD	TOTAL PETROLEUM HYDROCARBON DIESEL
DO	DISSOLVED OXYGEN
COND	CONDUCTIVITY
METH	METHANE
NIT	NITRATE AS NITROGEN
MAG	MAGNESIUM
SULF	SULFATE
SULD	SULFIDE
IRON	IRON
NAP	NAPHTHALENE
TDS	TOTAL DISSOLVED SOLIDS

ALL RESULTS REPORTED IN MICROGRAMS PER LITER ($\mu\text{g/L}$), EXCEPT DO AND TDS REPORTED IN MILLIGRAMS PER LITER (mg/L) AND CONDUCTIVITY REPORTED IN MICROSIEMENS (μs)

< = INDICATES THAT THE COMPOUND WAS ANALYZED FOR BUT NOT DETECTED

BOLD VALUES INDICATE THE CONCENTRATION EXCEEDS THE CLEANUP TARGET LEVEL LISTED IN TABLE I OF CHAPTER 62-77 F.A.C.C.

BOLD AND ITALICIZED VALUES INDICATE ANALYTICAL DETECTIONS ABOVE NON-DRINKING WATER MAXIMUM CONTAMINANT LEVEL.

NS = NOT SAMPLED

NM = NOT MEASURED

0 50' 100'
GRAPHIC SCALE

UPS OAKLAND HUB
8400 PARDEE DRIVE, OAKLAND, CALIFORNIA
GLOBAL ID #T0600100939

GROUNDWATER QUALITY MAP
AUGUST 29, 2014

ARCADIS

FIGURE
5

ARCADIS

Attachment A

Field Data Sheets

WELL GAUGING DATA

Project # 140829-Dw1 Date 8/29/14 Client Arcadis

Site 8400 Pardee Dr., Oakland CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-2	0857	4	Bole	5.28	0.02		5.30	—		
MW-3	0850	4					5.00	14.50		
MW-4	0840	2					4.84	14.21		
MW-8	0835	2					4.03	12.17		
MW-9	0853	2					6.38	13.36		
MW-10	0904	2					8.30	12.25		
MW-11	0833	2					6.30	12.55		
MW-12	0900	2		5.55	0.25	151	5.80	—		
MW-13	0849	2	sheen				4.86	9.20		
MW-14	0847	2					4.50	9.20		
OW-1	0853	6		87.30	0.06		7.36	—		
IW-1	0901	2		5.63	0.14		5.77	—		
IW-2	0844	2					5.31	9.15		
IW-3	0846	2					4.86	9.12		
IW-4	0900	2	sheen				5.02	9.74		
IW-5	0843	2					5.10	9.30		
IW-6	0845	2					5.00	9.35	↓	

WELLHEAD INSPECTION CHECKLIST

Page 1 of 1

Client Arcadis Date 8/29/14

Site Address 8400 Pardee Dr., Oakland CA

Job Number 140829-DW1 Technician Daniel Allen

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-2	X							
MW-3						X		
MW-4	X							
MW-8	X							
MW-9	X							
MW-10.	X							
MW-11	X							
MW-12	X							
MW-13	X							
MW-14	X							
OW-1	X							
IW-1	X							
IW-2	X							
IW-3	X							
IW-4	X①					X		
IW-5	X							
IW-6	X							

NOTES:

70

- * MW-3 2/2 tabs stripped
- * IW-4 2/2 tabs broken

WELL MONITORING DATA SHEET

Project #: 140829-DWI	Client: Arcadis
Sampler: DW	Date: 8/29/14
Well I.D.: MW-2	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): —	Depth to Water (DTW): 5.30
Depth to Free Product: 0.02 5.28	Thickness of Free Product (feet): 0.02
Referenced to: PVC	Grade D.O. Meter (if req'd): YSI HACH

DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Method:	Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other	Sampling Method:	Bailer Disposable Bailer Extraction Port Dedicated Tubing																
$\frac{(\text{Gals.}) X}{\text{1 Case Volume}} = \frac{\text{Specified Volumes}}{\text{Calculated Volume}}$		Other:																		
				<table border="1"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>$\text{radius}^2 * 0.163$</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	$\text{radius}^2 * 0.163$
Well Diameter	Multiplier	Well Diameter	Multiplier																	
1"	0.04	4"	0.65																	
2"	0.16	6"	1.47																	
3"	0.37	Other	$\text{radius}^2 * 0.163$																	

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* Detected 0.02' of SPH w/ Interface Probe						
* 0ml of SPH + 5ml H ₂ O removed from Skinner						
* Replaced Skinner as found						
* No Sample Collected						

Did well dewater? Yes / No Gallons actually evacuated:

Sampling Date:	Sampling Time:	Depth to Water:
Sample I.D.:	Laboratory: Kiff CalScience	Other
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other:
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other:
D.O. (if req'd): Pre-purge:	mg/L	mg/L
O.R.P. (if req'd): Pre-purge:	mV	mV

WELL MONITORING DATA SHEET

1 of 2

Project #: 140829-DW1	Client: Arcadis
Sampler: DW	Date: 8/29/14
Well I.D.: MW-3	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 14.50	Depth to Water (DTW): 5.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:	Bailer	Waterra	Sampling Method:	Bailer
Disposable Bailer		Peristaltic	Disposable Bailer	
Positive Air Displacement		Extraction Pump	Extraction Port	
Electric Submersible		Other _____	Dedicated Tubing	
(Gals.) X	=	Gals.	Other:	
1 Case Volume	Specified Volumes	Calculated Volume	Well Diameter	Multiplier
			1"	0.04
			2"	0.16
			3"	0.37
			4"	0.65
			6"	1.47
			Other	$\text{radius}^2 * 0.163$

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* No Product						
* 575 ml	of H ₂ O	Removed				From Skimmer
* 0 ml	of SPT	Removed				From Skimmer
* Replaced	Skimmer	as found				

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date:	Sampling Time:	Depth to Water:	
Sample I.D.:	Laboratory:	Kiff CalScience Other	
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other:	
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):		
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other:	
D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

ZAF2

Project #:	140829-DW		Client:	Arcadis				
Sampler:	DW		Date:	8/29/14				
Well I.D.:	MW-3		Well Diameter:	2	3	4	6	8
Total Well Depth (TD):	14.50		Depth to Water (DTW):	5.00				
Depth to Free Product:			Thickness of Free Product (feet):					
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH			
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:						6.90		

Purge Method:	Bailer	Waterra	Sampling Method:	Bailer
Disposable Bailer		Peristaltic		Disposable Bailer
Positive Air Displacement		Extraction Pump		Extraction Port
Electric Submersible		Other _____		Dedicated Tubing
			Other: _____	

6.2	(Gals.) X	3	=	18.6	Gals.
1 Case Volume	Specified Volumes		Calculated Volume		

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1118	75.5	6.95	2060	459	6.2	
	Well	Dewatered @	8.0 gals			
1135	76.0	6.31	1746	109	—	

Did well dewater? Yes Gallons actually evacuated: 8.0

Sampling Date:	8/29/14		Sampling Time:	1135	Depth to Water:	6.84
Sample I.D.:	MW-3		Laboratory:	Kiff	CalScience	Other TA-SF
Analyzed for:	TPH-G BTEX MTBE TPH-D		Oxygenates (5)	Other:	SFE COC	
EB I.D. (if applicable):	@ _____		Duplicate I.D. (if applicable):			
Analyzed for:	TPH-G BTEX MTBE TPH-D		Oxygenates (5)	Other:		
D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

WELL MONITORING DATA SHEET

Project #:	140829-DW		Client:	Arcades	
Sampler:	DW		Date:	8/29/14	
Well I.D.:	MW-4		Well Diameter:	2	3 4 6 8
Total Well Depth (TD):	16.21		Depth to Water (DTW):	4.84	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.11					

Purge Method:	Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method:	Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____		
1.8 1 Case Volume	(Gals.) X Specified Volumes	= Calculated Volume	Well Diameter 1" 2" 3"	Multiplier 0.04 0.16 0.37	Well Diameter 4" 6" Other	Multiplier 0.65 1.47 radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1020	73.8	7.03	1699	>1000	1.8	
1022	75.0	6.82	1726	>1000	3.6	
1044	75.3	6.78	1739	>1000	5.4	

Did well dewater? Yes No Gallons actually evacuated: 5.4

Sampling Date: 8/29/14 Sampling Time: 1050 Depth to Water: 4.96

Sample I.D.: MW-4 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SFE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #:	140829-Dw1		Client:	Arcadis	
Sampler:	BW		Date:	8/28/14	
Well I.D.:	MW-8		Well Diameter:	(2)	3 4 6 8
Total Well Depth (TD):	12.17		Depth to Water (DTW):	4.03	
Depth to Free Product:	—		Thickness of Free Product (feet):	—	
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.66					

Purge Method:	Bailer	Waterra	Sampling Method:	Bailer
<input checked="" type="checkbox"/> Disposable Bailer				<input checked="" type="checkbox"/> Disposable Bailer
Positive Air Displacement		Peristaltic		Extraction Port
Electric Submersible		Extraction Pump		Dedicated Tubing
	Other _____		Other: _____	

1.3	(Gals.) X	3	=	3.9	Gals.
1 Case Volume	Specified Volumes		Calculated Volume		

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0920	24.3	6.82	4995	25	1.3	
0924	22.6	6.81	9372	37	2.6	
X Dewatered @ 3.0 gallons						
1150	22.1	6.84	10.21 mg/L	62	—	

Did well dewater? Yes No Gallons actually evacuated: 3.0

Sampling Date: 8/28/14 Sampling Time: 1150 Depth to Water: 5.10

Sample I.D.: MW-8 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec 10C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #:	140829-DW1	Client:	Arcadis
Sampler:	BW	Date:	8/28/14
Well I.D.:	MW-9	Well Diameter:	(2) 3 4 6 8
Total Well Depth (TD):	12.36	Depth to Water (DTW):	6.38
Depth to Free Product:	—	Thickness of Free Product (feet):	—
Referenced to:	PVC	Grade:	YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.56			

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	$\text{radius}^2 * 0.163$

1.0 (Gals.) X 3' = 3.0 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Time	Temp (°F or °C)	pH	Cond (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0939	29.4	6.64	11.62	31	1.0	
* Dewatered @ 1.2 gallons						
1250	23.8	6.70	9842	71	—	

Did well dewater? Yes No Gallons actually evacuated: 1.2

Sampling Date: 8/28/14 Sampling Time: 1250 Depth to Water: 6.85

Sample I.D.: MW-9 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See COC

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #:	140829-DW 1		Client:	Arcadis	
Sampler:	DW		Date:	8/29/14	
Well I.D.:	MW-10		Well Diameter:	2	3 4 6 8
Total Well Depth (TD):	12.25		Depth to Water (DTW):	8.30	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.09					

Purge Method:	Bailer <input checked="" type="checkbox"/> Disposable Bailer	Waterra Peristaltic Extraction Pump Other _____	Sampling Method:	Bailer <input checked="" type="checkbox"/> Disposable Bailer Extraction Port Dedicated Tubing Other _____																
$\frac{0.16 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = \frac{1.8 \text{ Gals.}}{\text{Specified Volumes}}$		<table border="1"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>$\text{radius}^2 * 0.163$</td> </tr> </tbody> </table>			Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	$\text{radius}^2 * 0.163$
Well Diameter	Multiplier	Well Diameter	Multiplier																	
1"	0.04	4"	0.65																	
2"	0.16	6"	1.47																	
3"	0.37	Other	$\text{radius}^2 * 0.163$																	

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0926	73.4	6.74	11.35	215	0.6	
0926	74.3	6.70	11.74	296	1.2	
0927	74.5	6.68	11.80	354	1.8	

Did well dewater? Yes No Gallons actually evacuated: 1.8

Sampling Date: 8/29/14 Sampling Time: 0935 Depth to Water: 8.83

Sample I.D.: MW-10 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

WELL MONITORING DATA SHEET

Project #:	140829-DW		Client:	Arcadis	
Sampler:	DW		Date:	8/29/14	
Well I.D.:	MW-11		Well Diameter:	2	3 4 6 8
Total Well Depth (TD):	12.55		Depth to Water (DTW):	6.30	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.55					

Purge Method:	Bailer Disposable Bailer	Waterra Peristaltic Extraction Pump	Sampling Method:	Bailer Disposable Bailer
Positive Air Displacement			Extraction Port	
Electric Submersible		Other _____	Dedicated Tubing	
			Other: _____	
1.0 (Gals.) X 3 = 3.0 Gals.	1 Case Volume Specified Volumes Calculated Volume	Well Diameter Multiplier Well Diameter Multiplier	1" 0.04 4" 0.65	2" 0.16 6" 1.47
		3"	0.37 Other radius ² * 0.163	

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1000	74.3	6.63	8076	156	1.0	
1000	Well		Dewatered @ 1.5 gals			
1205	76.1	6.67	7817	625	—	

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 8/29/14 Sampling Time: 1205 Depth to Water: 8.01 (2 hr)

Sample I.D.: MW-11 Laboratory: Kiff CalScience Other TA-SK

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140829-DWI	Client: Arcadis
Sampler: BW	Date: 8/29/14
Well I.D.: MW-12	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): -	Depth to Water (DTW): 5.80
Depth to Free Product: 5.55	Thickness of Free Product (feet): 0.25
Referenced to: PVC	D.O. Meter (if req'd): YSI HACH

DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____																
(Gals.) X 1 Case Volume	= Specified Volumes	Gals. Calculated Volume																
		<table border="1"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>$\text{radius}^2 * 0.163$</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	$\text{radius}^2 * 0.163$
Well Diameter	Multiplier	Well Diameter	Multiplier															
1"	0.04	4"	0.65															
2"	0.16	6"	1.47															
3"	0.37	Other	$\text{radius}^2 * 0.163$															

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* Detected 0.25' of SPH				w/ Interface Probe		
* Bailed 151 ml of SPH + 0.5 gallons H ₂ O						
* No Sample Collected						

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date:	Sampling Time:	Depth to Water:	
Sample I.D.:	Laboratory: Kiff CalScience	Other: _____	
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other: _____	
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):		
Analyzed for: TPH-G BTEX MTBE TPH-D	Oxygenates (5)	Other: _____	
D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #:	140829-Dw1		Client:	Arcadis	
Sampler:	BW		Date:	8/28/14	
Well I.D.:	MW-13		Well Diameter:	(2)	3 4 6 8
Total Well Depth (TD):	9.20		Depth to Water (DTW):	4.86	
Depth to Free Product:	—		Thickness of Free Product (feet):	—	
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.73					

Purge Method:	Bailer	Waterra	Sampling Method:	Bailer
<input checked="" type="checkbox"/> Disposable Bailer		Peristaltic	<input checked="" type="checkbox"/> Disposable Bailer	
Positive Air Displacement		Extraction Pump	Extraction Port	
Electric Submersible		Other _____	Dedicated Tubing	
			Other: _____	

0.7	(Gals.) X	3	=	2.1	Gals.
1 Case Volume	Specified Volumes				

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1017	25.9	7.04	2226	188	0.7	
* Dewatered @	1.0		gallons			
1315	24.9	7.05	2287	397	—	

Did well dewater? Yes No Gallons actually evacuated: 1.0

Sampling Date: 8/29/14 Sampling Time: 1315 Depth to Water: 6.31

Sample I.D.: MW-13 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SGE CUC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140829-DW1	Client: Arcadis
Sampler: BW	Date: 8/28/14
Well I.D.: MW-14	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 9.20	Depth to Water (DTW): 4.50
Depth to Free Product: -	Thickness of Free Product (feet): -
Referenced to: PVC	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.44	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other:

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

0.8 (Gals.) X 3 = 2.4 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1030	25.5	6.61	8870	87	0.8	
* Dewatered @		1.1 gallons				
1350	25.1	6.50	8731	135	-	
1315	24.9	7.05	2609	397	(DW)	

Did well dewater? Yes No Gallons actually evacuated: 1.1

Sampling Date: 8/29/14 Sampling Time: +2 +350 Depth to Water: -6.7 + 6.56 (2hr)

Sample I.D.: MW-14 Laboratory: Kiff CalScience Other TA-SR

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #:	140829-DW			Client:	Arcadis		
Sampler:	DW			Date:	8/29/14		
Well I.D.:	DW-1			Well Diameter:	2	3	4 (6) 8
Total Well Depth (TD):	-			Depth to Water (DTW):	7.36		
Depth to Free Product:	7.30			Thickness of Free Product (feet):	0.06		
Referenced to:	PVC	Grade		D.O. Meter (if req'd):	YSI	HACH	

DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Method:	Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Water	Peristaltic Extraction Pump Other	Sampling Method:	Bailer Disposable Bailer Extraction Port Dedicated Tubing
(Gals.) X		=	Gals.	Other:	
1 Case Volume	Specified Volumes		Calculated Volume	Well Diameter	Multiplier
				1"	0.04
				2"	0.16
				3"	0.37
				4"	0.65
				6"	1.47
				Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* 0.06'	of	SP1	Defeated w/ Interface Probe			
* 85m	of	SP1	Removed from Skimmer			
* 10 ml	of	H ₂ O	Removed from Skimmer			
* Replaced		Skimmer as Found				

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date:	Sampling Time:	Depth to Water:
Sample I.D.:	Laboratory:	Kiff CalScience Other
Analyzed for:	TPH-G BTEX MTBE TPH-D	Oxygenates (5) Other:
EB I.D. (if applicable):	@ Time	Duplicate I.D. (if applicable):
Analyzed for:	TPH-G BTEX MTBE TPH-D	Oxygenates (5) Other:
D.O. (if req'd):	Pre-purge:	mg/L Post-purge:
O.R.P. (if req'd):	Pre-purge:	mV Post-purge:

WELL MONITORING DATA SHEET

Project #: 140829-DW1	Client: Arradis	
Sampler: BW	Date: 8/29/14	
Well I.D.: IW-1	Well Diameter (2) 3 4 6 8	
Total Well Depth (TD): -	Depth to Water (DTW): 5.77	
Depth to Free Product: 5.63	Thickness of Free Product (feet): 0.14	
Referenced to: PVC	Grade	D.O. Meter (if req'd): YSI HACH

DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump <input type="checkbox"/> Other _____	Sampling Method: Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing <input type="checkbox"/> Other _____																
(Gals.) X 1 Case Volume	= Specified Volumes	Gals. Calculated Volume																
		<table border="1"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier															
1"	0.04	4"	0.65															
2"	0.16	6"	1.47															
3"	0.37	Other	radius ² * 0.163															

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
* Detected 0.14' of SPH w/ Interface Probe						
* Bailed 85 ml SPH + 0.5 gallons H ₂ O						
* No Sample Collected						

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date: Sampling Time: Depth to Water:

Sample I.D.: Laboratory: Kiff CalScience Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140829-001	Client: Arcadis
Sampler: BW	Date: 8/28/14
Well I.D.: IW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 9.15	Depth to Water (DTW): 5.31
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.08	

Purge Method: Bailer	Waterra	Sampling Method: Bailer																
<input checked="" type="checkbox"/> Disposable Bailer	Peristaltic	<input checked="" type="checkbox"/> Disposable Bailer																
Positive Air Displacement	Extraction Pump	Extraction Port																
Electric Submersible	Other _____	Dedicated Tubing																
		Other: _____																
$\frac{0.6 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = \frac{1.8 \text{ Gals.}}{\text{Calculated Volume}}$		<table border="1"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier															
1"	0.04	4"	0.65															
2"	0.16	6"	1.47															
3"	0.37	Other	radius ² * 0.163															

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1009	25.7	6.80	4469	>1000	0.6	Very Heavy Sheen
* Dewatered @	0.9 gallons					
1350	24.1	6.84	7183	>1000	—	Very Heavy Sheen

Did well dewater? Yes No Gallons actually evacuated: 0.9

Sampling Date: 8/28/14 Sampling Time: 1350 Depth to Water:

Sample I.D.: IW-2 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 190829-0w1	Client: Arcadis
Sampler: BW	Date: 8/28/14
Well I.D.: TW-3	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 9.12	Depth to Water (DTW): 4.86
Depth to Free Product: —	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.71	

Purge Method:	Bailer	Waterra	Sampling Method:	Bailer
<input checked="" type="checkbox"/> Disposable Bailer			<input checked="" type="checkbox"/> Disposable Bailer	
Positive Air Displacement	Peristaltic		Extraction Port	
Electric Submersible	Extraction Pump		Dedicated Tubing	
	Other _____		Other: _____	

0.7 (Gals.) X	3	=	2.1 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume		

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0954	25.8	6.88	3474	281	0.7	
<i>& Dewatered @ 1.0 gallons</i>						
1320	24.1	6.77	7112	148	—	

Did well dewater? Yes No Gallons actually evacuated: 1.0

Sampling Date: 8/28/14 Sampling Time: 1320 Depth to Water: 5.44

Sample I.D.: TW-3 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See VOC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #:	140829-M1		Client:	Arcadi's	
Sampler:	DW		Date:	8/29/14	
Well I.D.:	IW-4		Well Diameter:	2	3 4 6 8
Total Well Depth (TD):	9.74		Depth to Water (DTW):	5.02	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.96					

Purge Method:	Bailer <u>Disposable Bailer</u> Positive Air Displacement Electric Submersible		Sampling Method:	Bailer <u>Disposable Bailer</u> Extraction Port Dedicated Tubing Other: _____
0.8 (Gals.) X 3 = 2.4 Gals.		Well Diameter Multiplier Well Diameter Multiplier 1" 0.04 4" 0.65 2" 0.16 6" 1.47 3" 0.37 Other radius ² * 0.163		
1 Case Volume Specified Volumes Calculated Volume				

Time	Temp (F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1011	74.3	6.95	1918	>1000	0.8	
1011	75.0	6.81	1864	>1000	1.6	
1012	75.3	6.78	1885	>1000	2.4	

Did well dewater? Yes No Gallons actually evacuated: 2.4

Sampling Date: 8/29/14 Sampling Time: 1015 Depth to Water: 5.04

Sample I.D.: IW-4 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE LOC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL MONITORING DATA SHEET

Project #: 140829-DW1	Client: Arcades		
Sampler: BW	Date: 8/28/14		
Well I.D.: IW-S	Well Diameter: (2) 3 4 6 8		
Total Well Depth (TD): 7.30	Depth to Water (DTW): 5.10		
Depth to Free Product: —	Thickness of Free Product (feet): —		
Referenced to: PVC	Grade	D.O. Meter (if req'd): YSI	HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.94			

Purge Method: Bailer	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer															
<input checked="" type="checkbox"/> Disposable Bailer		<input checked="" type="checkbox"/> Disposable Bailer															
Positive Air Displacement		Extraction Port															
Electric Submersible		Dedicated Tubing															
Other: _____																	
$\frac{0.7 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = \frac{2.1}{\text{Specified Volumes}} \text{ Gals. Calculated Volume}$	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1105	25.6	6.87	2496	>1000	0.7	Sheen
1108	25.7	6.76	2136	>1000	1.4	
1111	25.8	6.74	2147	>1000	2.1	

Did well dewater? Yes No Gallons actually evacuated: 2.1

Sampling Date: 8/28/14	Sampling Time: 1115	Depth to Water: 5.12	
Sample I.D.: IW-S	Laboratory: Kiff CalScience Other TA-SF		
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)	Other: See COC		
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):		
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)	Other:		
D.O. (if req'd): Pre-purge:	^{mg/L}	Post-purge:	^{mg/L}
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

WELL MONITORING DATA SHEET

Project #: 140829-Dw1	Client: Arcadis
Sampler: BW	Date: 8/28/14
Well I.D.: IW-6	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 9.35	Depth to Water (DTW): 5.00
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.87	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	$\text{radius}^2 * 0.163$

0.7 (Gals.) X 3 = 2.1 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Time	Temp (°F or °C)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1046	25.6	6.49	14.82	>1000	0.7	
1050	25.1	6.54	14.84	>1000	1.4	
+ Dewatored. @ 1.5 gallons						
1420	23.8	6.61	12.81	>1000	—	

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 8/28/14 Sampling Time: 1420 Depth to Water: 5.64

Sample I.D.: IW-6 Laboratory: Kiff CalScience Other TA-SF

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See COL

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

TEST EQUIPMENT CALIBRATION LOG

BLAINE

TECH SERVICES, INC.
1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

CHAIN OF CUSTODY BTS # 146829-00-1

CLIENT ARCADIS U.S., Inc.

SITE UPS

8400 Pardue Drive

Oakland, CA

	MATRIX	CONTAINERS		
SAMPLE I.D.	DATE	TIME	S = SOIL W = H ₂ O	TOTAL
Mw-3	8/29/14	1135	w	14 mix
Mw-4				
Mw-8				
Mw-9				
Mw-10				
Mw-11				
Mw-13				
Mw-14				
Tw-2				
Tw-3				

	DATE	TIME	SAMPLING	PERFORMED BY
SAMPLING COMPLETED	8/29/14	1430	Daniel A, Brian W,	

CONDUCT ANALYSIS TO DETECT		LAB	TA - SF	
		ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND		
		<input type="checkbox"/> EPA	<input type="checkbox"/> RWQCB REGION	
		<input type="checkbox"/> LIA		
		<input type="checkbox"/> OTHER		
SPECIAL INSTRUCTIONS				
Invoice and Report to : Arcadis U.S., Inc.				
Attr: Hugh Devery <u>hugh.devery@arcadis-us.com</u>				
770-428-9009				
TPH-Gro, BTEX, MTBE, Naphthalene, 1,2-DCS, EDB (8260)				
DRO w/ SGC				
Methane				
Nitrate, Sulfate, TDS (Short holds)				
Sulfide				
Magnesium				
Total Diss. Iron, Manganese (Field Filtered)				
PAH's				
ADD'L INFORMATION		STATUS		CONDITION
				LAB SAMPLE #

BLAINE

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

TECH SERVICES, INC.

CHAIN OF CUSTODY **BTS # 146829-01**

CLIENT ARCADIS U.S., Inc.

SITE UPS

8400 Pardue Drive

Oakland, CA

CONTAINERS

SAMPLE I.D.	DATE	TIME	MATRIX	W=H ₂ O	TOTAL	PH-Gro, BTEX, MTBE, Napthalene, 1,2-DCS, EDB (8260)	DRO w/ SGC	Methane	Sulfide	Magnesium	PAH's	ADDL INFORMATION	STATUS	CONDITION	LAB SAMPLE #
Tw-4	8/29/14	1015	S	W	14	MinY	X	X	X	X	X				
Tw-5		1115					X	X	X	X	X				
Tw-6		1420					X	X	X	X	X				
BTS-1		0810			3	Voa's	X						On Hold		

SAMPLING DATE	SAMPLING TIME	PERFORMED BY	RESULTS NEEDED NO LATER THAN	Standard TAT
COMPLETED 8/29/14	1420	Daniel Allen, Brian Weeks		
RELEASED BY <i>D. Allen</i>	DATE 8/29/14	TIME 1630	RECEIVED BY <i>J. Johnson</i>	DATE 8/29/14 TIME 1630
RELEASED BY <i>D. Allen</i>	DATE	TIME	RECEIVED BY	DATE TIME
RELEASED BY	DATE	TIME	RECEIVED BY	DATE TIME
SHIPPED VIA	DATE SENT	TIME SENT	COOLER #	DATE TIME

ARCADIS

Attachment B

SOS® Passive Skimmers
Specifications

SOS® Passive Skimmers



For Low Recovery Wells


The QED family of Passive Skimmers has been designed for free product recovery applications in sites where active pumping systems are not applicable due to existing conditions or extreme low permeability formations. The floating intake head follows the groundwater fluctuations in the recovery well, allowing only the free-floating phase (LNAPL) to be captured, without taking water, and stored in the built-in reservoir for further manual transfer to a tank.

Passive Skimmers are available for 2" (50 mm) and 4" (100 mm) extraction wells, with different reservoir capacities.

Advantages

1. Simple systems for extreme low recovery applications.
2. Inexpensive option if active system is not practical.

SOS® Passive Skimmers



Specifications

Model No.	2 in. SOS 301079	2 in. SOS 301080	4 in. SOS 301032	4 in. SOS 301033
Canister Volume	20 oz. (600 cc)	30 oz. (900 cc)	101 oz. (3,000 cc)	203 oz. (6,000 cc)
Well Diameter	2 in. (5 cm)	2 in. (5 cm)	4 in. (10 cm)	4 in. (10 cm)
Float Travel Range	12 in. (30 cm)	12 in. (30 cm)	18 in. (46 cm)	18 in. (46 cm)
Overall Length	65 in. (165 cm)	48 in. (122 cm)	119 in. (302 cm)	11 in. (28 cm)

LNAPL Fluid Density	< 1.0 SG
Kinematic Viscosity @ 50 °F (10 °C)	200 centistokes
Recommended Initial LNAPL Layer	> .25 in. (> .64 cm)
Residual LNAPL Layer	0.25 in. (.64 cm)
Suitable Types of LNAPL	Gasoline, jet fuel
Materials	Stainless steel, Viton®, PVC, brass, closed cell foam.

Viton is registered trademark of DuPont Dow Elastomers.



Characterize Your Specific Site

The QED Test Kit enables you to measure the density and viscosity of your actual floating hydrocarbon layer. This FREE, do-it-yourself kit comes complete with simple, illustrated instructions. Once you have recorded the results of your hydrocarbon test, QED application specialists will be able to provide expert technical assistance in system design and specification.

ARCADIS

Attachment C

Laboratory Analytical Results
and Chain-of-Custody
Documentation

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pleasanton

1220 Quarry Lane

Pleasanton, CA 94566

Tel: (925)484-1919

TestAmerica Job ID: 720-59616-1

Client Project/Site: UPS-Oakland

For:

ARCADIS U.S. Inc

1000 Cobb Place Blvd NW

Suite 500-A

Kennesaw, Georgia 30144

Attn: Mr. Hugh B. Devery

Authorized for release by:

9/12/2014 12:51:58 PM

Dimple Sharma, Senior Project Manager

(925)484-1919

dimple.sharma@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	10
QC Sample Results	36
QC Association Summary	49
Lab Chronicle	57
Certification Summary	64
Method Summary	65
Sample Summary	66
Chain of Custody	67
Receipt Checklists	71

Definitions/Glossary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits

GC Semi VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Case Narrative

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Job ID: 720-59616-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative 720-59616-1

Comments

No additional comments.

Receipt

The samples were received on 8/29/2014 7:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 5 coolers at receipt time were 1.0° C, 1.8° C, 1.9° C, 2.3° C and 2.7° C.

Except:

PAH's logged as PAH-SIM Low Level PAH's, same as history.

Received 2 TB-1, not 3 as listed on the COC.

GC/MS VOA

Method 8260B: The following samples were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory: IW-2 (720-59616-9), IW-3 (720-59616-10), IW-6 (720-59616-13), MW-11 (720-59616-6), MW-14 (720-59616-8), MW-8 (720-59616-3), MW-9 (720-59616-4).

Method 8260B: The following sample was diluted due to the abundance of non-target analytes and matrix interference: MW-3 (720-59616-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

Method 8270C SIM: Surrogate recovery for the following sample was outside control limits: MW-11 (720-59616-6), IW-4 (720-59616-11). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270C SIM: The following sample was diluted due to the abundance of non-target analytes: IW-2 (720-59616-9), IW-5 (720-59616-12), MW-3 (720-59616-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

Method 8015B: The following sample required a dilution due to the nature of the sample matrix: IW-4 (720-59616-11), IW-5 (720-59616-12). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

Method 8015B: Capric acid Surrogate recovery for the following sample(s) was outside control limits: MW-3 (720-59616-1), IW-2 (720-59616-9). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B: The Diesel Range Organics (DRO) concentration reported for the following samples is due to the presence of discrete peaks: MW-11 (720-59616-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for prep batch 166091 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Case Narrative

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Job ID: 720-59616-1 (Continued)

Laboratory: TestAmerica Pleasanton (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-3

Lab Sample ID: 720-59616-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	1.9		1.1		ug/L		10	8270C SIM	Total/NA
Acenaphthene	3.6		1.1		ug/L		10	8270C SIM	Total/NA
Acenaphthylene	2.5		1.1		ug/L		10	8270C SIM	Total/NA
Fluorene	8.2		1.1		ug/L		10	8270C SIM	Total/NA
Phenanthrene	6.6		1.1		ug/L		10	8270C SIM	Total/NA
Methane (TCD)	5.4		1.0		mg/L		1	RSK-175	Total/NA
Diesel Range Organics [C10-C28]	2800		53		ug/L		1	8015B	Silica Gel Cleanup
Magnesium	64		0.20		mg/L		1	6010B	Total/NA
Iron	8.0		0.50		mg/L		1	6010B	Dissolved
Manganese	7.2		0.020		mg/L		1	6010B	Dissolved
Sulfate	1.2		1.0		mg/L		1	300.0	Total/NA
Total Dissolved Solids	1100		10		mg/L		1	SM 2540C	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 720-59616-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO)-C5-C12	430		50		ug/L		1	8260B/CA_LUFT MS	Total/NA
Naphthalene	0.21		0.11		ug/L		1	8270C SIM	Total/NA
Acenaphthene	1.0		0.11		ug/L		1	8270C SIM	Total/NA
Acenaphthylene	0.84		0.11		ug/L		1	8270C SIM	Total/NA
Fluorene	1.9		0.11		ug/L		1	8270C SIM	Total/NA
Phenanthrene	0.78		0.11		ug/L		1	8270C SIM	Total/NA
Anthracene	0.51		0.11		ug/L		1	8270C SIM	Total/NA
Benzo[a]anthracene	0.12		0.11		ug/L		1	8270C SIM	Total/NA
Fluoranthene	0.15		0.11		ug/L		1	8270C SIM	Total/NA
Pyrene	0.27		0.11		ug/L		1	8270C SIM	Total/NA
Methane (TCD)	7.6		1.0		mg/L		1	RSK-175	Total/NA
Diesel Range Organics [C10-C28]	7300		160		ug/L		3	8015B	Silica Gel Cleanup
Magnesium	64		0.20		mg/L		1	6010B	Total/NA
Iron	3.8		0.50		mg/L		1	6010B	Dissolved
Manganese	5.9		0.020		mg/L		1	6010B	Dissolved
Sulfate	2.5		1.0		mg/L		1	300.0	Total/NA
Total Dissolved Solids	1200		10		mg/L		1	SM 2540C	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 720-59616-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	1.4		1.0		ug/L		1	8260B/CA_LUFT MS	Total/NA
Naphthalene	1.3		0.10		ug/L		1	8270C SIM	Total/NA
Acenaphthene	0.25		0.10		ug/L		1	8270C SIM	Total/NA
Fluorene	0.11		0.10		ug/L		1	8270C SIM	Total/NA
Methane (TCD)	2.0		1.0		mg/L		1	RSK-175	Total/NA
Magnesium	170		0.20		mg/L		1	6010B	Total/NA
Iron	2.8		0.50		mg/L		1	6010B	Dissolved
Manganese	2.2		0.020		mg/L		1	6010B	Dissolved
Total Dissolved Solids	5000		25		mg/L		1	SM 2540C	Total/NA
Sulfide	3.5		1.0		mg/L		1	SM 4500 S2 F	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-9

Lab Sample ID: 720-59616-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	2.7		1.0		mg/L	1		RSK-175	Total/NA
Magnesium	310		0.20		mg/L	1		6010B	Total/NA
Iron	20		0.50		mg/L	1		6010B	Dissolved
Manganese	4.2		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	13000		130		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-10

Lab Sample ID: 720-59616-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane (TCD)	4.4		1.0		mg/L	1		RSK-175	Total/NA
Magnesium	170		0.20		mg/L	1		6010B	Total/NA
Iron	6.5		1.0		mg/L	2		6010B	Dissolved
Manganese	4.4		0.040		mg/L	2		6010B	Dissolved
Total Dissolved Solids	5200		33		mg/L	1		SM 2540C	Total/NA
Sulfide	1.2		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 720-59616-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.25		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	3.9		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	150		52		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	140		0.20		mg/L	1		6010B	Total/NA
Iron	13		0.50		mg/L	1		6010B	Dissolved
Manganese	1.3		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	6100		50		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-13

Lab Sample ID: 720-59616-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.46		0.11		ug/L	1		8270C SIM	Total/NA
Acenaphthene	0.11		0.11		ug/L	1		8270C SIM	Total/NA
Fluorene	0.26		0.11		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	4.7		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	100		56		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	87		0.20		mg/L	1		6010B	Total/NA
Iron	5.6		0.50		mg/L	1		6010B	Dissolved
Manganese	2.0		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	1500		10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: MW-14

Lab Sample ID: 720-59616-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.15		0.11		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	2.7		1.0		mg/L	1		RSK-175	Total/NA
Magnesium	280		0.20		mg/L	1		6010B	Total/NA
Iron	24		0.50		mg/L	1		6010B	Dissolved
Manganese	2.2		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	8600		71		mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-2

Lab Sample ID: 720-59616-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	11		1.0		ug/L	1		8260B/CA_LUFT	Total/NA
Gasoline Range Organics (GRO)	490		50		ug/L	1		MS	
-C5-C12								8260B/CA_LUFT	Total/NA
Naphthalene	66		2.0		ug/L	20		8270C SIM	Total/NA
Acenaphthene	82		2.0		ug/L	20		8270C SIM	Total/NA
Acenaphthylene	4.5		2.0		ug/L	20		8270C SIM	Total/NA
Fluorene	74		2.0		ug/L	20		8270C SIM	Total/NA
Phenanthrene	140		2.0		ug/L	20		8270C SIM	Total/NA
Anthracene	20		2.0		ug/L	20		8270C SIM	Total/NA
Benzo[a]anthracene	5.4		2.0		ug/L	20		8270C SIM	Total/NA
Chrysene	4.0		2.0		ug/L	20		8270C SIM	Total/NA
Benzo[b]fluoranthene	2.3		2.0		ug/L	20		8270C SIM	Total/NA
Fluoranthene	32		2.0		ug/L	20		8270C SIM	Total/NA
Pyrene	19		2.0		ug/L	20		8270C SIM	Total/NA
Methane (TCD)	3.0		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	7500		150		ug/L	3		8015B	Silica Gel Cleanup
Magnesium	150		0.20		mg/L	1		6010B	Total/NA
Iron	10		0.50		mg/L	1		6010B	Dissolved
Manganese	2.3		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	3400		25		mg/L	1		SM 2540C	Total/NA
Sulfide	3.1		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-3

Lab Sample ID: 720-59616-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	1.6		1.0		ug/L	1		8260B/CA_LUFT	Total/NA
Naphthalene	2.0		0.10		ug/L	1		MS	
Acenaphthene	1.0		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	0.60		0.10		ug/L	1		8270C SIM	Total/NA
Phenanthrene	0.43		0.10		ug/L	1		8270C SIM	Total/NA
Fluoranthene	0.10		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	3.6		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	160		50		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	150		0.20		mg/L	1		6010B	Total/NA
Iron	16		0.50		mg/L	1		6010B	Dissolved
Manganese	3.3		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	2400		17		mg/L	1		SM 2540C	Total/NA
Sulfide	2.0		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-4

Lab Sample ID: 720-59616-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO)	2500		500		ug/L	10		8260B/CA_LUFT	Total/NA
-C5-C12								MS	
Naphthalene	13		4.2		ug/L	20		8270C SIM	Total/NA
Acenaphthene	10		4.2		ug/L	20		8270C SIM	Total/NA
Acenaphthylene	14		4.2		ug/L	20		8270C SIM	Total/NA
Fluorene	46		4.2		ug/L	20		8270C SIM	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Detection Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-4 (Continued)

Lab Sample ID: 720-59616-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Phenanthrene	35		4.2		ug/L	20		8270C SIM	Total/NA
Anthracene	8.2		4.2		ug/L	20		8270C SIM	Total/NA
Fluoranthene	4.8		4.2		ug/L	20		8270C SIM	Total/NA
Pyrene	9.7		4.2		ug/L	20		8270C SIM	Total/NA
Methane (TCD)	5.0		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	46000		520		ug/L	10		8015B	Silica Gel Cleanup
Magnesium	130		0.20		mg/L	1		6010B	Total/NA
Iron	4.9		0.50		mg/L	1		6010B	Dissolved
Manganese	7.0		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	1200		10		mg/L	1		SM 2540C	Total/NA
Sulfide	2.4		1.0		mg/L	1		SM 4500 S2 F	Total/NA

Client Sample ID: IW-5

Lab Sample ID: 720-59616-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (GRO)-C5-C12	1600		50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Naphthalene	14		10		ug/L	100		8270C SIM	Total/NA
Acenaphthene	66		10		ug/L	100		8270C SIM	Total/NA
Acenaphthylene	12		10		ug/L	100		8270C SIM	Total/NA
Fluorene	49		10		ug/L	100		8270C SIM	Total/NA
Phenanthrene	50		10		ug/L	100		8270C SIM	Total/NA
Methane (TCD)	6.4		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	86000		2600		ug/L	50		8015B	Silica Gel Cleanup
Magnesium	120		0.20		mg/L	1		6010B	Total/NA
Iron	9.0		0.50		mg/L	1		6010B	Dissolved
Manganese	7.6		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	1200		10		mg/L	1		SM 2540C	Total/NA

Client Sample ID: IW-6

Lab Sample ID: 720-59616-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	1.1		0.10		ug/L	1		8270C SIM	Total/NA
Acenaphthene	0.43		0.10		ug/L	1		8270C SIM	Total/NA
Acenaphthylene	0.32		0.10		ug/L	1		8270C SIM	Total/NA
Fluorene	2.1		0.10		ug/L	1		8270C SIM	Total/NA
Phenanthrene	1.5		0.10		ug/L	1		8270C SIM	Total/NA
Anthracene	0.23		0.10		ug/L	1		8270C SIM	Total/NA
Methane (TCD)	2.4		1.0		mg/L	1		RSK-175	Total/NA
Diesel Range Organics [C10-C28]	1200		52		ug/L	1		8015B	Silica Gel Cleanup
Magnesium	350		0.20		mg/L	1		6010B	Total/NA
Iron	54		0.50		mg/L	1		6010B	Dissolved
Manganese	3.5		0.020		mg/L	1		6010B	Dissolved
Total Dissolved Solids	10000		100		mg/L	1		SM 2540C	Total/NA
Sulfide	1.1		1.0		mg/L	1		SM 4500 S2 F	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-3

Lab Sample ID: 720-59616-1

Matrix: Water

Date Collected: 08/29/14 11:35

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		5.0		ug/L			09/03/14 13:48	10
Benzene	ND		5.0		ug/L			09/03/14 13:48	10
Ethylbenzene	ND		5.0		ug/L			09/03/14 13:48	10
Naphthalene	ND		10		ug/L			09/03/14 13:48	10
Toluene	ND		5.0		ug/L			09/03/14 13:48	10
Xylenes, Total	ND		10		ug/L			09/03/14 13:48	10
Gasoline Range Organics (GRO)	ND		500		ug/L			09/03/14 13:48	10
-C5-C12									
1,2-DCA	ND		5.0		ug/L			09/03/14 13:48	10
EDB	ND		5.0		ug/L			09/03/14 13:48	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130					09/03/14 13:48	10
1,2-Dichloroethane-d4 (Surr)	93		72 - 130					09/03/14 13:48	10
Toluene-d8 (Surr)	96		70 - 130					09/03/14 13:48	10

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	1.9		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Acenaphthene	3.6		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Acenaphthylene	2.5		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Fluorene	8.2		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Phenanthrene	6.6		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Anthracene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Benzo[a]anthracene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Chrysene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Benzo[a]pyrene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Benzo[b]fluoranthene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Benzo[k]fluoranthene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Benzo[g,h,i]perylene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Indeno[1,2,3-cd]pyrene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Fluoranthene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Pyrene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Dibenz(a,h)anthracene	ND		1.1		ug/L		09/05/14 07:57	09/06/14 14:07	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	87		29 - 120				09/05/14 07:57	09/06/14 14:07	10
Terphenyl-d14	59		45 - 120				09/05/14 07:57	09/06/14 14:07	10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	5.4		1.0		mg/L			09/11/14 14:01	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	2800		53		ug/L		09/05/14 10:07	09/05/14 23:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	6	X	0 - 5				09/05/14 10:07	09/05/14 23:32	1
p-Terphenyl	76		31 - 150				09/05/14 10:07	09/05/14 23:32	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-3
Date Collected: 08/29/14 11:35
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-1
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	64		0.20		mg/L		08/30/14 15:02	09/02/14 16:57	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	8.0		0.50		mg/L		09/03/14 10:22	09/03/14 14:51	1
Manganese	7.2		0.020		mg/L		09/03/14 10:22	09/03/14 14:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 19:41		1
Sulfate	1.2		1.0		mg/L			08/29/14 19:41	1
Total Dissolved Solids	1100		10		mg/L			09/03/14 23:19	1
Sulfide	ND		1.0		mg/L			09/04/14 01:20	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-4

Date Collected: 08/29/14 10:50
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-2

Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 14:16	1
Benzene	ND		0.50		ug/L			09/03/14 14:16	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 14:16	1
Naphthalene	ND		1.0		ug/L			09/03/14 14:16	1
Toluene	ND		0.50		ug/L			09/03/14 14:16	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 14:16	1
Gasoline Range Organics (GRO)	430		50		ug/L			09/03/14 14:16	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 14:16	1
EDB	ND		0.50		ug/L			09/03/14 14:16	1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130		09/03/14 14:16	1
1,2-Dichloroethane-d4 (Surr)	89		72 - 130		09/03/14 14:16	1
Toluene-d8 (Surr)	98		70 - 130		09/03/14 14:16	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.21		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Acenaphthene	1.0		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Acenaphthylene	0.84		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Fluorene	1.9		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Phenanthrene	0.78		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Anthracene	0.51		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Benzo[a]anthracene	0.12		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Chrysene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Benzo[a]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Benzo[b]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Benzo[k]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Benzo[g,h,i]perylene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Indeno[1,2,3-cd]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Fluoranthene	0.15		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Pyrene	0.27		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1
Dibenz(a,h)anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 16:14	1

Surrogate

	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	71		29 - 120		09/05/14 07:57	09/05/14 16:14
Terphenyl-d14	55		45 - 120		09/05/14 07:57	09/05/14 16:14

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	7.6		1.0		mg/L			09/11/14 14:15	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	7300		160		ug/L		09/05/14 10:07	09/07/14 17:41	3
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	4		0 - 5				09/05/14 10:07	09/07/14 17:41	3
p-Terphenyl	85		31 - 150				09/05/14 10:07	09/07/14 17:41	3

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-4
Date Collected: 08/29/14 10:50
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-2
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	64		0.20		mg/L		08/30/14 15:02	09/02/14 17:01	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	3.8		0.50		mg/L		09/03/14 10:22	09/03/14 15:00	1
Manganese	5.9		0.020		mg/L		09/03/14 10:22	09/03/14 15:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 20:00		1
Sulfate	2.5		1.0		mg/L		08/29/14 20:00		1
Total Dissolved Solids	1200		10		mg/L		09/03/14 23:24		1
Sulfide	ND		1.0		mg/L		09/04/14 01:23		1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-8

Lab Sample ID: 720-59616-3

Matrix: Water

Date Collected: 08/29/14 11:50

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 14:45	1
Benzene	ND		0.50		ug/L			09/03/14 14:45	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 14:45	1
Naphthalene	1.4		1.0		ug/L			09/03/14 14:45	1
Toluene	ND		0.50		ug/L			09/03/14 14:45	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 14:45	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 14:45	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 14:45	1
EDB	ND		0.50		ug/L			09/03/14 14:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		67 - 130					09/03/14 14:45	1
1,2-Dichloroethane-d4 (Surr)	96		72 - 130					09/03/14 14:45	1
Toluene-d8 (Surr)	99		70 - 130					09/03/14 14:45	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	1.3		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Acenaphthene	0.25		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Acenaphthylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Fluorene	0.11		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Phenanthren	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Benzo[a]anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Chrysene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Benzo[a]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Benzo[b]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Benzo[k]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 16:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	73		29 - 120				09/05/14 07:57	09/05/14 16:38	1
Terphenyl-d14	68		45 - 120				09/05/14 07:57	09/05/14 16:38	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.0		1.0		mg/L			09/11/14 14:28	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		50		ug/L		09/05/14 10:07	09/06/14 00:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				09/05/14 10:07	09/06/14 00:21	1
p-Terphenyl	86		31 - 150				09/05/14 10:07	09/06/14 00:21	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-8

Lab Sample ID: 720-59616-3

Date Collected: 08/29/14 11:50

Matrix: Water

Date Received: 08/29/14 19:00

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	170		0.20		mg/L		08/30/14 15:02	09/02/14 17:06	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	2.8		0.50		mg/L		09/03/14 10:22	09/03/14 15:05	1
Manganese	2.2		0.020		mg/L		09/03/14 10:22	09/03/14 15:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 20:17		1
Sulfate	ND		1.0		mg/L		08/29/14 20:17		1
Total Dissolved Solids	5000		25		mg/L		09/03/14 23:26		1
Sulfide	3.5		1.0		mg/L		09/04/14 01:26		1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-9

Lab Sample ID: 720-59616-4

Matrix: Water

Date Collected: 08/29/14 12:50

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 15:13	1
Benzene	ND		0.50		ug/L			09/03/14 15:13	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 15:13	1
Naphthalene	ND		1.0		ug/L			09/03/14 15:13	1
Toluene	ND		0.50		ug/L			09/03/14 15:13	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 15:13	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 15:13	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 15:13	1
EDB	ND		0.50		ug/L			09/03/14 15:13	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102			67 - 130				09/03/14 15:13	1
1,2-Dichloroethane-d4 (Surr)	96			72 - 130				09/03/14 15:13	1
Toluene-d8 (Surr)	99			70 - 130				09/03/14 15:13	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L			09/05/14 07:57	1
Acenaphthene	ND		0.10		ug/L			09/05/14 07:57	1
Acenaphthylene	ND		0.10		ug/L			09/05/14 07:57	1
Fluorene	ND		0.10		ug/L			09/05/14 07:57	1
Phenanthrene	ND		0.10		ug/L			09/05/14 07:57	1
Anthracene	ND		0.10		ug/L			09/05/14 07:57	1
Benzo[a]anthracene	ND		0.10		ug/L			09/05/14 07:57	1
Chrysene	ND		0.10		ug/L			09/05/14 07:57	1
Benzo[a]pyrene	ND		0.10		ug/L			09/05/14 07:57	1
Benzo[b]fluoranthene	ND		0.10		ug/L			09/05/14 07:57	1
Benzo[k]fluoranthene	ND		0.10		ug/L			09/05/14 07:57	1
Benzo[g,h,i]perylene	ND		0.10		ug/L			09/05/14 07:57	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L			09/05/14 07:57	1
Fluoranthene	ND		0.10		ug/L			09/05/14 07:57	1
Pyrene	ND		0.10		ug/L			09/05/14 07:57	1
Dibenz(a,h)anthracene	ND		0.10		ug/L			09/05/14 07:57	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	78			29 - 120				09/05/14 07:57	1
Terphenyl-d14	68			45 - 120				09/05/14 07:57	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.7		1.0		mg/L			09/11/14 14:42	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		51		ug/L			09/05/14 10:07	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0			0 - 5				09/05/14 10:07	1
p-Terphenyl	84			31 - 150				09/05/14 10:07	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-9

Lab Sample ID: 720-59616-4

Date Collected: 08/29/14 12:50

Matrix: Water

Date Received: 08/29/14 19:00

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	310		0.20		mg/L		08/30/14 15:02	09/02/14 17:11	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	20		0.50		mg/L		09/03/14 10:22	09/03/14 15:10	1
Manganese	4.2		0.020		mg/L		09/03/14 10:22	09/03/14 15:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 20:34		1
Sulfate	ND		1.0		mg/L			08/29/14 20:34	1
Total Dissolved Solids	13000		130		mg/L			09/05/14 00:02	1
Sulfide	ND		1.0		mg/L			09/05/14 02:15	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-10

Lab Sample ID: 720-59616-5

Matrix: Water

Date Collected: 08/29/14 09:35

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 15:42	1
Benzene	ND		0.50		ug/L			09/03/14 15:42	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 15:42	1
Naphthalene	ND		1.0		ug/L			09/03/14 15:42	1
Toluene	ND		0.50		ug/L			09/03/14 15:42	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 15:42	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 15:42	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 15:42	1
EDB	ND		0.50		ug/L			09/03/14 15:42	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100			67 - 130				09/03/14 15:42	1
1,2-Dichloroethane-d4 (Surr)	98			72 - 130				09/03/14 15:42	1
Toluene-d8 (Surr)	97			70 - 130				09/03/14 15:42	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.11		ug/L			09/05/14 07:57	1
Acenaphthene	ND		0.11		ug/L			09/05/14 07:57	1
Acenaphthylene	ND		0.11		ug/L			09/05/14 07:57	1
Fluorene	ND		0.11		ug/L			09/05/14 07:57	1
Phenanthren	ND		0.11		ug/L			09/05/14 07:57	1
Anthracene	ND		0.11		ug/L			09/05/14 07:57	1
Benzo[a]anthracene	ND		0.11		ug/L			09/05/14 07:57	1
Chrysene	ND		0.11		ug/L			09/05/14 07:57	1
Benzo[a]pyrene	ND		0.11		ug/L			09/05/14 07:57	1
Benzo[b]fluoranthene	ND		0.11		ug/L			09/05/14 07:57	1
Benzo[k]fluoranthene	ND		0.11		ug/L			09/05/14 07:57	1
Benzo[g,h,i]perylene	ND		0.11		ug/L			09/05/14 07:57	1
Indeno[1,2,3-cd]pyrene	ND		0.11		ug/L			09/05/14 07:57	1
Fluoranthene	ND		0.11		ug/L			09/05/14 07:57	1
Pyrene	ND		0.11		ug/L			09/05/14 07:57	1
Dibenz(a,h)anthracene	ND		0.11		ug/L			09/05/14 07:57	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	71			29 - 120				09/05/14 07:57	1
Terphenyl-d14	51			45 - 120				09/05/14 07:57	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	4.4		1.0		mg/L			09/11/14 14:55	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		54		ug/L			09/05/14 10:07	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.05			0 - 5				09/05/14 10:07	1
p-Terphenyl	80			31 - 150				09/05/14 10:07	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-10
Date Collected: 08/29/14 09:35
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-5
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	170		0.20		mg/L		08/30/14 15:02	09/02/14 17:16	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	6.5		1.0		mg/L		09/03/14 10:22	09/03/14 22:40	2
Manganese	4.4		0.040		mg/L		09/03/14 10:22	09/03/14 22:40	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 20:51		1
Sulfate	ND		1.0		mg/L			08/29/14 20:51	1
Total Dissolved Solids	5200		33		mg/L			09/05/14 00:04	1
Sulfide	1.2		1.0		mg/L			09/05/14 02:26	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-11

Lab Sample ID: 720-59616-6

Date Collected: 08/29/14 12:05

Matrix: Water

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 16:10	1
Benzene	ND		0.50		ug/L			09/03/14 16:10	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 16:10	1
Naphthalene	ND		1.0		ug/L			09/03/14 16:10	1
Toluene	ND		0.50		ug/L			09/03/14 16:10	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 16:10	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 16:10	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 16:10	1
EDB	ND		0.50		ug/L			09/03/14 16:10	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101			67 - 130				09/03/14 16:10	1
1,2-Dichloroethane-d4 (Surr)	97			72 - 130				09/03/14 16:10	1
Toluene-d8 (Surr)	98			70 - 130				09/03/14 16:10	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.25		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Acenaphthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Acenaphthylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Fluorene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Phenanthrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Benzo[a]anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Chrysene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Benzo[a]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Benzo[b]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Benzo[k]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 17:47	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	73			29 - 120			09/05/14 07:57	09/05/14 17:47	1
Terphenyl-d14	41	X		45 - 120			09/05/14 07:57	09/05/14 17:47	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.9		1.0		mg/L			09/11/14 15:39	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	150		52		ug/L		09/05/14 10:07	09/06/14 01:33	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0			0 - 5			09/05/14 10:07	09/06/14 01:33	1
p-Terphenyl	78			31 - 150			09/05/14 10:07	09/06/14 01:33	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-11
Date Collected: 08/29/14 12:05
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-6
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	140		0.20		mg/L		08/30/14 15:02	09/02/14 17:21	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	13		0.50		mg/L		09/03/14 10:22	09/03/14 15:20	1
Manganese	1.3		0.020		mg/L		09/03/14 10:22	09/03/14 15:20	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 21:09		1
Sulfate	ND		1.0		mg/L			08/29/14 21:09	1
Total Dissolved Solids	6100		50		mg/L			09/05/14 00:07	1
Sulfide	ND		1.0		mg/L			09/05/14 02:30	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-13

Lab Sample ID: 720-59616-7

Date Collected: 08/29/14 13:15

Matrix: Water

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 16:39	1
Benzene	ND		0.50		ug/L			09/03/14 16:39	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 16:39	1
Naphthalene	ND		1.0		ug/L			09/03/14 16:39	1
Toluene	ND		0.50		ug/L			09/03/14 16:39	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 16:39	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 16:39	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 16:39	1
EDB	ND		0.50		ug/L			09/03/14 16:39	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100			67 - 130				09/03/14 16:39	1
1,2-Dichloroethane-d4 (Surr)	94			72 - 130				09/03/14 16:39	1
Toluene-d8 (Surr)	97			70 - 130				09/03/14 16:39	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.46		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Acenaphthene	0.11		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Acenaphthylene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Fluorene	0.26		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Phenanthenrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Benzo[a]anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Chrysene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Benzo[a]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Benzo[b]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Benzo[k]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Benzo[g,h,i]perylene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Indeno[1,2,3-cd]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Dibenz(a,h)anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:10	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	74			29 - 120				09/05/14 07:57	09/05/14 18:10
Terphenyl-d14	68			45 - 120				09/05/14 07:57	09/05/14 18:10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	4.7		1.0		mg/L			09/11/14 15:52	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	100		56		ug/L		09/05/14 10:07	09/06/14 01:58	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.0002			0 - 5			09/05/14 10:07	09/06/14 01:58	1
p-Terphenyl	77			31 - 150			09/05/14 10:07	09/06/14 01:58	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-13
Date Collected: 08/29/14 13:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-7
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	87		0.20		mg/L		08/30/14 15:02	09/02/14 17:26	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	5.6		0.50		mg/L		09/03/14 10:22	09/03/14 15:25	1
Manganese	2.0		0.020		mg/L		09/03/14 10:22	09/03/14 15:25	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 21:26		1
Sulfate	ND		1.0		mg/L			08/29/14 21:26	1
Total Dissolved Solids	1500		10		mg/L			09/05/14 00:09	1
Sulfide	ND		1.0		mg/L			09/05/14 02:33	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-14

Lab Sample ID: 720-59616-8

Date Collected: 08/29/14 13:50

Matrix: Water

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 17:07	1
Benzene	ND		0.50		ug/L			09/03/14 17:07	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 17:07	1
Naphthalene	ND		1.0		ug/L			09/03/14 17:07	1
Toluene	ND		0.50		ug/L			09/03/14 17:07	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 17:07	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 17:07	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 17:07	1
EDB	ND		0.50		ug/L			09/03/14 17:07	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100			67 - 130				09/03/14 17:07	1
1,2-Dichloroethane-d4 (Surr)	97			72 - 130				09/03/14 17:07	1
Toluene-d8 (Surr)	98			70 - 130				09/03/14 17:07	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.15		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Acenaphthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Acenaphthylene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Fluorene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Phenanthren	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Benzo[a]anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Chrysene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Benzo[a]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Benzo[b]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Benzo[k]fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Benzo[g,h,i]perylene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Indeno[1,2,3-cd]pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Fluoranthene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Pyrene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Dibenz(a,h)anthracene	ND		0.11		ug/L		09/05/14 07:57	09/05/14 18:33	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	70			29 - 120			09/05/14 07:57	09/05/14 18:33	1
Terphenyl-d14	64			45 - 120			09/05/14 07:57	09/05/14 18:33	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.7		1.0		mg/L			09/11/14 16:06	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		53		ug/L		09/05/14 10:07	09/06/14 02:22	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.05			0 - 5			09/05/14 10:07	09/06/14 02:22	1
p-Terphenyl	88			31 - 150			09/05/14 10:07	09/06/14 02:22	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-14
Date Collected: 08/29/14 13:50
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-8
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	280		0.20		mg/L		08/30/14 15:02	09/02/14 17:31	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	24		0.50		mg/L		09/03/14 10:22	09/03/14 15:39	1
Manganese	2.2		0.020		mg/L		09/03/14 10:22	09/03/14 15:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 21:43		1
Sulfate	ND		1.0		mg/L			08/29/14 21:43	1
Total Dissolved Solids	8600		71		mg/L			09/05/14 00:12	1
Sulfide	ND		1.0		mg/L			09/05/14 02:37	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-2

Lab Sample ID: 720-59616-9

Matrix: Water

Date Collected: 08/29/14 13:50

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/04/14 17:31	1
Benzene	ND		0.50		ug/L			09/04/14 17:31	1
Ethylbenzene	ND		0.50		ug/L			09/04/14 17:31	1
Naphthalene	11		1.0		ug/L			09/04/14 17:31	1
Toluene	ND		0.50		ug/L			09/04/14 17:31	1
Xylenes, Total	ND		1.0		ug/L			09/04/14 17:31	1
Gasoline Range Organics (GRO)	490		50		ug/L			09/04/14 17:31	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/04/14 17:31	1
EDB	ND		0.50		ug/L			09/04/14 17:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130					09/04/14 17:31	1
1,2-Dichloroethane-d4 (Surr)	92		72 - 130					09/04/14 17:31	1
Toluene-d8 (Surr)	98		70 - 130					09/04/14 17:31	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	66		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Acenaphthene	82		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Acenaphthylene	4.5		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Fluorene	74		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Phenanthrene	140		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Anthracene	20		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Benzo[a]anthracene	5.4		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Chrysene	4.0		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Benzo[a]pyrene	ND		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Benzo[b]fluoranthene	2.3		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Benzo[k]fluoranthene	ND		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Benzo[g,h,i]perylene	ND		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Indeno[1,2,3-cd]pyrene	ND		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Fluoranthene	32		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Pyrene	19		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Dibenz(a,h)anthracene	ND		2.0		ug/L		09/05/14 07:57	09/06/14 14:53	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	88		29 - 120				09/05/14 07:57	09/06/14 14:53	20
Terphenyl-d14	64		45 - 120				09/05/14 07:57	09/06/14 14:53	20

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.0		1.0		mg/L			09/11/14 16:19	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	7500		150		ug/L		09/05/14 10:07	09/07/14 18:06	3
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	6	X	0 - 5				09/05/14 10:07	09/07/14 18:06	3
p-Terphenyl	84		31 - 150				09/05/14 10:07	09/07/14 18:06	3

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-2
Date Collected: 08/29/14 13:50
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-9
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	150		0.20		mg/L		08/30/14 15:02	09/02/14 17:45	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	10		0.50		mg/L		09/03/14 10:22	09/03/14 15:44	1
Manganese	2.3		0.020		mg/L		09/03/14 10:22	09/03/14 15:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/29/14 23:43		1
Sulfate	ND		1.0		mg/L			08/29/14 23:43	1
Total Dissolved Solids	3400		25		mg/L			09/05/14 00:14	1
Sulfide	3.1		1.0		mg/L			09/05/14 02:41	1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-3

Lab Sample ID: 720-59616-10

Matrix: Water

Date Collected: 08/29/14 13:20

Date Received: 08/29/14 19:00

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/04/14 02:36	1
Benzene	ND		0.50		ug/L			09/04/14 02:36	1
Ethylbenzene	ND		0.50		ug/L			09/04/14 02:36	1
Naphthalene	1.6		1.0		ug/L			09/04/14 02:36	1
Toluene	ND		0.50		ug/L			09/04/14 02:36	1
Xylenes, Total	ND		1.0		ug/L			09/04/14 02:36	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/04/14 02:36	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/04/14 02:36	1
EDB	ND		0.50		ug/L			09/04/14 02:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130					09/04/14 02:36	1
1,2-Dichloroethane-d4 (Surr)	96		72 - 130					09/04/14 02:36	1
Toluene-d8 (Surr)	99		70 - 130					09/04/14 02:36	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	2.0		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Acenaphthene	1.0		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Acenaphthylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Fluorene	0.60		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Phenanthrene	0.43		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Benzo[a]anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Chrysene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Benzo[a]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Benzo[b]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Benzo[k]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Fluoranthene	0.10		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 18:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	53		29 - 120				09/05/14 07:57	09/05/14 18:56	1
Terphenyl-d14	69		45 - 120				09/05/14 07:57	09/05/14 18:56	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	3.6		1.0		mg/L			09/11/14 16:42	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	160		50		ug/L		09/05/14 10:07	09/06/14 00:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0.08		0 - 5				09/05/14 10:07	09/06/14 00:03	1
p-Terphenyl	83		31 - 150				09/05/14 10:07	09/06/14 00:03	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-3
Date Collected: 08/29/14 13:20
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-10
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	150		0.20		mg/L		08/30/14 15:02	09/02/14 17:50	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	16		0.50		mg/L		09/03/14 10:22	09/03/14 15:49	1
Manganese	3.3		0.020		mg/L		09/03/14 10:22	09/03/14 15:49	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/30/14 00:00		1
Sulfate	ND		1.0		mg/L		08/30/14 00:00		1
Total Dissolved Solids	2400		17		mg/L		09/05/14 00:17		1
Sulfide	2.0		1.0		mg/L		09/05/14 02:45		1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-4

Date Collected: 08/29/14 10:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-11

Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		5.0		ug/L			09/04/14 03:04	10
Benzene	ND		5.0		ug/L			09/04/14 03:04	10
Ethylbenzene	ND		5.0		ug/L			09/04/14 03:04	10
Naphthalene	ND		10		ug/L			09/04/14 03:04	10
Toluene	ND		5.0		ug/L			09/04/14 03:04	10
Xylenes, Total	ND		10		ug/L			09/04/14 03:04	10
Gasoline Range Organics (GRO)	2500			500	ug/L			09/04/14 03:04	10
-C5-C12									
1,2-DCA	ND		5.0		ug/L			09/04/14 03:04	10
EDB	ND		5.0		ug/L			09/04/14 03:04	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130					09/04/14 03:04	10
1,2-Dichloroethane-d4 (Surr)	94		72 - 130					09/04/14 03:04	10
Toluene-d8 (Surr)	96		70 - 130					09/04/14 03:04	10

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	13		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Acenaphthene	10		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Acenaphthylene	14		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Fluorene	46		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Phenanthrene	35		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Anthracene	8.2		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Benzo[a]anthracene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Chrysene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Benzo[a]pyrene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Benzo[b]fluoranthene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Benzo[k]fluoranthene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Benzo[g,h,i]perylene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Indeno[1,2,3-cd]pyrene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Fluoranthene	4.8		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Pyrene	9.7		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Dibenz(a,h)anthracene	ND		4.2		ug/L		09/05/14 07:57	09/08/14 11:05	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	86		29 - 120				09/05/14 07:57	09/08/14 11:05	20
Terphenyl-d14	38	X	45 - 120				09/05/14 07:57	09/08/14 11:05	20

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	5.0		1.0		mg/L			09/11/14 16:59	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	46000		520		ug/L		09/05/14 10:07	09/07/14 18:30	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	0		0 - 5				09/05/14 10:07	09/07/14 18:30	10
p-Terphenyl	0	XD	31 - 150				09/05/14 10:07	09/07/14 18:30	10

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-4
Date Collected: 08/29/14 10:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-11
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	130		0.20		mg/L		08/30/14 15:02	09/02/14 17:55	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	4.9		0.50		mg/L		09/03/14 10:22	09/03/14 15:54	1
Manganese	7.0		0.020		mg/L		09/03/14 10:22	09/03/14 15:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/30/14 00:18		1
Sulfate	ND		1.0		mg/L		08/30/14 00:18		1
Total Dissolved Solids	1200		10		mg/L		09/05/14 00:19		1
Sulfide	2.4		1.0		mg/L		09/05/14 02:48		1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-5

Date Collected: 08/29/14 11:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-12

Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/04/14 03:33	1
Benzene	ND		0.50		ug/L			09/04/14 03:33	1
Ethylbenzene	ND		0.50		ug/L			09/04/14 03:33	1
Naphthalene	ND		1.0		ug/L			09/04/14 03:33	1
Toluene	ND		0.50		ug/L			09/04/14 03:33	1
Xylenes, Total	ND		1.0		ug/L			09/04/14 03:33	1
Gasoline Range Organics (GRO)	1600		50		ug/L			09/04/14 03:33	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/04/14 03:33	1
EDB	ND		0.50		ug/L			09/04/14 03:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		67 - 130		09/04/14 03:33	1
1,2-Dichloroethane-d4 (Surr)	93		72 - 130		09/04/14 03:33	1
Toluene-d8 (Surr)	98		70 - 130		09/04/14 03:33	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	14		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Acenaphthene	66		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Acenaphthylene	12		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Fluorene	49		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Phenanthrene	50		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Anthracene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Benzo[a]anthracene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Chrysene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Benzo[a]pyrene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Benzo[b]fluoranthene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Benzo[k]fluoranthene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Benzo[g,h,i]perylene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Indeno[1,2,3-cd]pyrene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Fluoranthene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Pyrene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Dibenz(a,h)anthracene	ND		10		ug/L		09/05/14 07:57	09/06/14 14:30	100
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
2-Fluorobiphenyl	106		29 - 120		09/05/14 07:57	09/06/14 14:30	100		
Terphenyl-d14	65		45 - 120		09/05/14 07:57	09/06/14 14:30	100		

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	6.4		1.0		mg/L			09/11/14 17:13	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	86000		2600		ug/L		09/05/14 10:07	09/08/14 10:49	50
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
Capric Acid (Surr)	0		0 - 5		09/05/14 10:07	09/08/14 10:49	50		
p-Terphenyl	0	DX	31 - 150		09/05/14 10:07	09/08/14 10:49	50		

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-5
Date Collected: 08/29/14 11:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-12
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	120		0.20		mg/L		08/30/14 15:02	09/02/14 17:59	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	9.0		0.50		mg/L		09/03/14 10:22	09/03/14 15:59	1
Manganese	7.6		0.020		mg/L		09/03/14 10:22	09/03/14 15:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/30/14 00:35		1
Sulfate	ND		1.0		mg/L		08/30/14 00:35		1
Total Dissolved Solids	1200		10		mg/L		09/05/14 00:22		1
Sulfide	ND		1.0		mg/L		09/05/14 02:52		1

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-6

Date Collected: 08/29/14 14:20
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-13

Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			09/04/14 04:01	1
Benzene	ND		0.50		ug/L			09/04/14 04:01	1
Ethylbenzene	ND		0.50		ug/L			09/04/14 04:01	1
Naphthalene	ND		1.0		ug/L			09/04/14 04:01	1
Toluene	ND		0.50		ug/L			09/04/14 04:01	1
Xylenes, Total	ND		1.0		ug/L			09/04/14 04:01	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/04/14 04:01	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/04/14 04:01	1
EDB	ND		0.50		ug/L			09/04/14 04:01	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101			67 - 130				09/04/14 04:01	1
1,2-Dichloroethane-d4 (Surr)	97			72 - 130				09/04/14 04:01	1
Toluene-d8 (Surr)	98			70 - 130				09/04/14 04:01	1

Method: 8270C SIM - PAHs by GCMS (SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Naphthalene	1.1		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Acenaphthene	0.43		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Acenaphthylene	0.32		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Fluorene	2.1		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Phenanthrene	1.5		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Anthracene	0.23		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Benzo[a]anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Chrysene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Benzo[a]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Benzo[b]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Benzo[k]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Benzo[g,h,i]perylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Dibenz(a,h)anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 19:19	1	
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
2-Fluorobiphenyl	98			29 - 120				09/05/14 07:57	09/05/14 19:19	1
Terphenyl-d14	81			45 - 120				09/05/14 07:57	09/05/14 19:19	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane (TCD)	2.4		1.0		mg/L			09/11/14 17:26	1

Method: 8015B - Diesel Range Organics (DRO) (GC) - Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1200		52		ug/L		09/05/14 10:07	09/06/14 02:46	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Capric Acid (Surr)	2			0 - 5			09/05/14 10:07	09/06/14 02:46	1
p-Terphenyl	87			31 - 150			09/05/14 10:07	09/06/14 02:46	1

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-6
Date Collected: 08/29/14 14:20
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-13
Matrix: Water

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	350		0.20		mg/L		08/30/14 15:02	09/02/14 18:04	1

Method: 6010B - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	54		0.50		mg/L		09/03/14 10:30	09/03/14 16:04	1
Manganese	3.5		0.020		mg/L		09/03/14 10:30	09/03/14 16:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		0.23		mg/L		08/30/14 00:52		1
Sulfate	ND		1.0		mg/L		08/30/14 00:52		1
Total Dissolved Solids	10000		100		mg/L		09/05/14 00:24		1
Sulfide	1.1		1.0		mg/L		09/05/14 02:56		1

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-166066/4

Matrix: Water

Analysis Batch: 166066

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Methyl tert-butyl ether	ND		0.50		ug/L			09/03/14 09:02	1
Benzene	ND		0.50		ug/L			09/03/14 09:02	1
Ethylbenzene	ND		0.50		ug/L			09/03/14 09:02	1
Naphthalene	ND		1.0		ug/L			09/03/14 09:02	1
Toluene	ND		0.50		ug/L			09/03/14 09:02	1
Xylenes, Total	ND		1.0		ug/L			09/03/14 09:02	1
Gasoline Range Organics (GRO)	ND		50		ug/L			09/03/14 09:02	1
-C5-C12									
1,2-DCA	ND		0.50		ug/L			09/03/14 09:02	1
EDB	ND		0.50		ug/L			09/03/14 09:02	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
4-Bromofluorobenzene	98		67 - 130					09/03/14 09:02	1
1,2-Dichloroethane-d4 (Surr)	88		72 - 130					09/03/14 09:02	1
Toluene-d8 (Surr)	96		70 - 130					09/03/14 09:02	1

Lab Sample ID: LCS 720-166066/5

Matrix: Water

Analysis Batch: 166066

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits		
	Added	Result	Qualifier						
Methyl tert-butyl ether	25.0	23.3		ug/L		93	62 - 130		
Benzene	25.0	24.4		ug/L		98	79 - 130		
Ethylbenzene	25.0	24.8		ug/L		99	80 - 120		
Naphthalene	25.0	26.3		ug/L		105	70 - 130		
Toluene	25.0	24.3		ug/L		97	78 - 120		
m-Xylene & p-Xylene	25.0	24.7		ug/L		99	70 - 142		
o-Xylene	25.0	23.8		ug/L		95	70 - 130		
1,2-DCA	25.0	21.8		ug/L		87	61 - 132		
EDB	25.0	24.3		ug/L		97	70 - 130		
Surrogate	LCS	LCS	Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
4-Bromofluorobenzene	95		67 - 130					09/03/14 09:02	1
1,2-Dichloroethane-d4 (Surr)	85		72 - 130					09/03/14 09:02	1
Toluene-d8 (Surr)	98		70 - 130					09/03/14 09:02	1

Lab Sample ID: LCS 720-166066/7

Matrix: Water

Analysis Batch: 166066

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits		
	Added	Result	Qualifier						
Gasoline Range Organics (GRO)	500	541		ug/L		108	62 - 120		
-C5-C12									
Surrogate	LCS	LCS	Limits	Prepared	Analyzed	Dil Fac			
	%Recovery	Qualifier							
4-Bromofluorobenzene	101		67 - 130					09/03/14 09:02	1
1,2-Dichloroethane-d4 (Surr)	89		72 - 130					09/03/14 09:02	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-166066/7

Matrix: Water

Analysis Batch: 166066

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
Toluene-d8 (Surr)	97		70 - 130

Lab Sample ID: LCSD 720-166066/6

Matrix: Water

Analysis Batch: 166066

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Qualifier				Limits		
Methyl tert-butyl ether	25.0	24.1		ug/L		96	62 - 130	4	20
Benzene	25.0	24.3		ug/L		97	79 - 130	1	20
Ethylbenzene	25.0	24.1		ug/L		96	80 - 120	3	20
Naphthalene	25.0	25.5		ug/L		102	70 - 130	3	20
Toluene	25.0	23.7		ug/L		95	78 - 120	2	20
m-Xylene & p-Xylene	25.0	24.0		ug/L		96	70 - 142	3	20
o-Xylene	25.0	24.5		ug/L		98	70 - 130	3	20
1,2-DCA	25.0	22.3		ug/L		89	61 - 132	2	20
EDB	25.0	25.0		ug/L		100	70 - 130	3	20

Surrogate	LCSD	LCSD	
	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	99		67 - 130
1,2-Dichloroethane-d4 (Surr)	84		72 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: LCSD 720-166066/8

Matrix: Water

Analysis Batch: 166066

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Qualifier				Limits		
Gasoline Range Organics (GRO) -C5-C12	500	529		ug/L		106	62 - 120	2	20

Surrogate	LCSD	LCSD	
	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	102		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		72 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: MB 720-166117/4

Matrix: Water

Analysis Batch: 166117

Analyte	MB	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Methyl tert-butyl ether	ND			0.50		ug/L			09/03/14 19:01	1
Benzene	ND			0.50		ug/L			09/03/14 19:01	1
Ethylbenzene	ND			0.50		ug/L			09/03/14 19:01	1
Naphthalene	ND			1.0		ug/L			09/03/14 19:01	1
Toluene	ND			0.50		ug/L			09/03/14 19:01	1
Xylenes, Total	ND			1.0		ug/L			09/03/14 19:01	1
Gasoline Range Organics (GRO) -C5-C12	ND			50		ug/L			09/03/14 19:01	1

Client Sample ID: Method Blank
Prep Type: Total/NA

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: MB 720-166117/4

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,2-DCA	ND		0.50		ug/L			09/03/14 19:01	1
EDB	ND		0.50		ug/L			09/03/14 19:01	1
Surrogate									
4-Bromofluorobenzene	98		67 - 130					09/03/14 19:01	1
1,2-Dichloroethane-d4 (Surr)	92		72 - 130					09/03/14 19:01	1
Toluene-d8 (Surr)	98		70 - 130					09/03/14 19:01	1

Lab Sample ID: LCS 720-166117/5

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	LCS		Result	Qualifier	Unit	D	%Rec	Limits	%Rec.
	Spike	Added							
Methyl tert-butyl ether		25.0	24.0		ug/L		96	62 - 130	
Benzene		25.0	23.9		ug/L		96	79 - 130	
Ethylbenzene		25.0	23.7		ug/L		95	80 - 120	
Naphthalene		25.0	24.7		ug/L		99	70 - 130	
Toluene		25.0	23.2		ug/L		93	78 - 120	
m-Xylene & p-Xylene		25.0	23.7		ug/L		95	70 - 142	
o-Xylene		25.0	24.3		ug/L		97	70 - 130	
1,2-DCA		25.0	22.8		ug/L		91	61 - 132	
EDB		25.0	25.5		ug/L		102	70 - 130	
Surrogate									
4-Bromofluorobenzene	%Recovery	98	Limits		67 - 130				
1,2-Dichloroethane-d4 (Surr)		86	Limits		72 - 130				
Toluene-d8 (Surr)		100	Limits		70 - 130				

Lab Sample ID: LCS 720-166117/7

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	LCS		Result	Qualifier	Unit	D	%Rec	Limits	%Rec.
	Spike	Added							
Gasoline Range Organics (GRO)		500	528		ug/L		106	62 - 120	
Surrogate									
4-Bromofluorobenzene	%Recovery	100	Limits		67 - 130				
1,2-Dichloroethane-d4 (Surr)		91	Limits		72 - 130				
Toluene-d8 (Surr)		98	Limits		70 - 130				

Lab Sample ID: LCSD 720-166117/6

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	LCSD		Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
	Spike	Added								
Methyl tert-butyl ether		25.0	23.0		ug/L		92	62 - 130	4	20
Benzene		25.0	23.4		ug/L		94	79 - 130	2	20

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-166117/6

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD		Unit	D	%Rec.		RPD	RPD Limit
		Result	Qualifier			%Rec.	Limits		
Ethylbenzene	25.0	23.2		ug/L	93	80 - 120	2	20	
Naphthalene	25.0	24.1		ug/L	96	70 - 130	2	20	
Toluene	25.0	22.7		ug/L	91	78 - 120	2	20	
m-Xylene & p-Xylene	25.0	23.2		ug/L	93	70 - 142	2	20	
o-Xylene	25.0	23.7		ug/L	95	70 - 130	2	20	
1,2-DCA	25.0	22.1		ug/L	88	61 - 132	3	20	
EDB	25.0	24.5		ug/L	98	70 - 130	4	20	
Surrogate		LCSD	LCSD						
		%Recovery	Qualifier	Limits					
4-Bromofluorobenzene	97			67 - 130					
1,2-Dichloroethane-d4 (Surr)	83			72 - 130					
Toluene-d8 (Surr)	99			70 - 130					

Lab Sample ID: LCSD 720-166117/8

Matrix: Water

Analysis Batch: 166117

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD		Unit	D	%Rec.		RPD	RPD Limit
		Result	Qualifier			%Rec.	Limits		
Gasoline Range Organics (GRO)	500	528		ug/L	106	62 - 120	0	20	
-C5-C12									
Surrogate		LCSD	LCSD						
		%Recovery	Qualifier	Limits					
4-Bromofluorobenzene	99			67 - 130					
1,2-Dichloroethane-d4 (Surr)	92			72 - 130					
Toluene-d8 (Surr)	98			70 - 130					

Lab Sample ID: MB 720-166147/4

Matrix: Water

Analysis Batch: 166147

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	Result	Qualifier	MB		Dil Fac				
			RL	MDL		Prepared	Analyzed		
Methyl tert-butyl ether	ND		0.50	ug/L		09/04/14 08:54	1		
Benzene	ND		0.50	ug/L		09/04/14 08:54	1		
Ethylbenzene	ND		0.50	ug/L		09/04/14 08:54	1		
Naphthalene	ND		1.0	ug/L		09/04/14 08:54	1		
Toluene	ND		0.50	ug/L		09/04/14 08:54	1		
Xylenes, Total	ND		1.0	ug/L		09/04/14 08:54	1		
Gasoline Range Organics (GRO)	ND		50	ug/L		09/04/14 08:54	1		
-C5-C12									
1,2-DCA	ND		0.50	ug/L		09/04/14 08:54	1		
EDB	ND		0.50	ug/L		09/04/14 08:54	1		
Surrogate		MB	MB						
		%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	96			67 - 130		09/04/14 08:54		1	
1,2-Dichloroethane-d4 (Surr)	88			72 - 130		09/04/14 08:54		1	
Toluene-d8 (Surr)	97			70 - 130		09/04/14 08:54		1	

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-166147/5

Matrix: Water

Analysis Batch: 166147

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				Limits
Methyl tert-butyl ether	25.0	24.1		ug/L		96	62 - 130
Benzene	25.0	23.8		ug/L		95	79 - 130
Ethylbenzene	25.0	23.3		ug/L		93	80 - 120
Naphthalene	25.0	25.6		ug/L		102	70 - 130
Toluene	25.0	23.2		ug/L		93	78 - 120
m-Xylene & p-Xylene	25.0	23.7		ug/L		95	70 - 142
o-Xylene	25.0	23.9		ug/L		96	70 - 130
1,2-DCA	25.0	22.3		ug/L		89	61 - 132
EDB	25.0	25.8		ug/L		103	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	84		72 - 130
Toluene-d8 (Surr)	99		70 - 130

Lab Sample ID: LCS 720-166147/7

Matrix: Water

Analysis Batch: 166147

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				Limits
Gasoline Range Organics (GRO)	500	546		ug/L		109	62 - 120
-C5-C12							

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	100		67 - 130
1,2-Dichloroethane-d4 (Surr)	94		72 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: LCSD 720-166147/6

Matrix: Water

Analysis Batch: 166147

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Qualifier				Limits		
Methyl tert-butyl ether	25.0	23.5		ug/L		94	62 - 130	2	20
Benzene	25.0	23.2		ug/L		93	79 - 130	2	20
Ethylbenzene	25.0	23.2		ug/L		93	80 - 120	1	20
Naphthalene	25.0	25.3		ug/L		101	70 - 130	1	20
Toluene	25.0	22.8		ug/L		91	78 - 120	2	20
m-Xylene & p-Xylene	25.0	23.4		ug/L		94	70 - 142	1	20
o-Xylene	25.0	23.5		ug/L		94	70 - 130	2	20
1,2-DCA	25.0	21.9		ug/L		88	61 - 132	2	20
EDB	25.0	24.9		ug/L		100	70 - 130	3	20

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	98		67 - 130
1,2-Dichloroethane-d4 (Surr)	87		72 - 130
Toluene-d8 (Surr)	99		70 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-166147/8

Matrix: Water

Analysis Batch: 166147

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD Limit
Gasoline Range Organics (GRO) -C5-C12	500	570		ug/L		114	62 - 120	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	103		67 - 130
1,2-Dichloroethane-d4 (Surr)	93		72 - 130
Toluene-d8 (Surr)	99		70 - 130

Method: 8270C SIM - PAHs by GCMS (SIM)

Lab Sample ID: MB 720-166237/1-A

Matrix: Water

Analysis Batch: 166166

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 166237

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Acenaphthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Acenaphthylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Fluorene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Phenanthrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Benzo[a]anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Chrysene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Benzo[a]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Benzo[b]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Benzo[k]fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Benzo[g,h,i]perylene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Indeno[1,2,3-cd]pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Fluoranthene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Pyrene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1
Dibenz(a,h)anthracene	ND		0.10		ug/L		09/05/14 07:57	09/05/14 15:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	68		29 - 120			
Terphenyl-d14	100		45 - 120			

Lab Sample ID: LCS 720-166237/2-A

Matrix: Water

Analysis Batch: 166166

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 166237

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Naphthalene	10.0	6.65		ug/L		67	19 - 120
Acenaphthene	10.0	6.43		ug/L		64	24 - 120
Acenaphthylene	10.0	7.19		ug/L		72	24 - 120
Fluorene	10.0	7.16		ug/L		72	27 - 120
Phenanthrene	10.0	8.02		ug/L		80	31 - 120
Anthracene	10.0	7.87		ug/L		79	44 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8270C SIM - PAHs by GCMS (SIM) (Continued)

Lab Sample ID: LCS 720-166237/2-A

Matrix: Water

Analysis Batch: 166166

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 166237

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Benzo[a]anthracene	10.0	8.97		ug/L		90	48 - 120
Chrysene	10.0	8.13		ug/L		81	47 - 120
Benzo[a]pyrene	10.0	8.96		ug/L		90	43 - 120
Benzo[b]fluoranthene	10.0	9.38		ug/L		94	42 - 120
Benzo[k]fluoranthene	10.0	8.36		ug/L		84	42 - 120
Benzo[g,h,i]perylene	10.0	9.38		ug/L		94	35 - 120
Indeno[1,2,3-cd]pyrene	10.0	9.45		ug/L		94	36 - 120
Fluoranthene	10.0	8.72		ug/L		87	43 - 120
Pyrene	10.0	8.88		ug/L		89	47 - 120
Dibenz(a,h)anthracene	10.0	9.20		ug/L		92	33 - 120

Surrogate	LCS %Recovery	LCS		Limits
		Qualifier		
2-Fluorobiphenyl	67			29 - 120
Terphenyl-d14	89			45 - 120

Lab Sample ID: LCSD 720-166237/3-A

Matrix: Water

Analysis Batch: 166166

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 166237

Analyte	Spike Added	LCSD		Unit	D	%Rec	Limits	RPD	Limit
		Result	Qualifier						
Naphthalene	10.0	6.54		ug/L		65	19 - 120	2	35
Acenaphthene	10.0	6.40		ug/L		64	24 - 120	1	35
Acenaphthylene	10.0	7.07		ug/L		71	24 - 120	2	35
Fluorene	10.0	6.86		ug/L		69	27 - 120	4	35
Phenanthrene	10.0	7.64		ug/L		76	31 - 120	5	35
Anthracene	10.0	7.11		ug/L		71	44 - 120	10	35
Benzo[a]anthracene	10.0	8.89		ug/L		89	48 - 120	1	35
Chrysene	10.0	7.54		ug/L		75	47 - 120	7	35
Benzo[a]pyrene	10.0	8.86		ug/L		89	43 - 120	1	35
Benzo[b]fluoranthene	10.0	9.43		ug/L		94	42 - 120	1	35
Benzo[k]fluoranthene	10.0	8.10		ug/L		81	42 - 120	3	35
Benzo[g,h,i]perylene	10.0	9.19		ug/L		92	35 - 120	2	35
Indeno[1,2,3-cd]pyrene	10.0	9.30		ug/L		93	36 - 120	2	35
Fluoranthene	10.0	8.67		ug/L		87	43 - 120	1	35
Pyrene	10.0	8.63		ug/L		86	47 - 120	3	35
Dibenz(a,h)anthracene	10.0	8.87		ug/L		89	33 - 120	4	35

Surrogate	LCSD %Recovery	LCSD		Limits
		Qualifier		
2-Fluorobiphenyl	63			29 - 120
Terphenyl-d14	87			45 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 440-205253/9

Matrix: Water

Analysis Batch: 205253

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Methane (FID)	ND		0.00099		mg/L			09/11/14 13:17	1
Methane (TCD)	ND		1.0		mg/L			09/11/14 13:17	1

Lab Sample ID: LCS 440-205253/5

Matrix: Water

Analysis Batch: 205253

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Methane (TCD)	4.19	4.08		mg/L		97	80 - 120	

Lab Sample ID: LCS 440-205253/7

Matrix: Water

Analysis Batch: 205253

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Methane (FID)	0.0839	0.0860		mg/L		103	80 - 120	

Lab Sample ID: LCSD 440-205253/6

Matrix: Water

Analysis Batch: 205253

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Methane (TCD)	4.19	4.21		mg/L		100	80 - 120	3

Lab Sample ID: LCSD 440-205253/8

Matrix: Water

Analysis Batch: 205253

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec.	Limits	RPD
	Added	Result	Qualifier					
Methane (FID)	0.0839	0.0871		mg/L		104	80 - 120	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 720-166261/1-A

Matrix: Water

Analysis Batch: 166234

Client Sample ID: Method Blank
Prep Type: Silica Gel Cleanup
Prep Batch: 166261

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics [C10-C28]	ND		50		ug/L		09/05/14 10:07	09/06/14 03:10	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Capric Acid (Sur)	0		0 - 5	09/05/14 10:07	09/06/14 03:10	1
p-Terphenyl	92		31 - 150	09/05/14 10:07	09/06/14 03:10	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 720-166261/2-A

Matrix: Water

Analysis Batch: 166235

Client Sample ID: Lab Control Sample

Prep Type: Silica Gel Cleanup

Prep Batch: 166261

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Diesel Range Organics [C10-C28]	2500	1230		ug/L		49	32 - 119
<i>LCS LCS</i>							
Surrogate	%Recovery	Qualifier	Limits				
p-Terphenyl	73		31 - 150				

Lab Sample ID: LCSD 720-166261/3-A

Matrix: Water

Analysis Batch: 166235

Client Sample ID: Lab Control Sample Dup

Prep Type: Silica Gel Cleanup

Prep Batch: 166261

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
Diesel Range Organics [C10-C28]	2500	1290		ug/L		51	32 - 119	5	5	35
<i>LCSD LCSD</i>										
Surrogate	%Recovery	Qualifier	Limits							
p-Terphenyl	81		31 - 150							

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 720-165965/1-A

Matrix: Water

Analysis Batch: 166043

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 165965

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Magnesium	ND		0.20		mg/L		08/30/14 15:02	09/02/14 15:50	1

Lab Sample ID: LCS 720-165965/2-A

Matrix: Water

Analysis Batch: 166043

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 165965

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
Magnesium	10.0	10.0		mg/L		100	80 - 120

Lab Sample ID: LCSD 720-165965/3-A

Matrix: Water

Analysis Batch: 166043

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 165965

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
Magnesium	10.0	10.1		mg/L		101	80 - 120	1	1	20

Lab Sample ID: MB 720-166091/1-A

Matrix: Water

Analysis Batch: 166126

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 166091

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.50		mg/L		09/03/14 10:22	09/03/14 14:19	1
Manganese	ND		0.020		mg/L		09/03/14 10:22	09/03/14 14:19	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 720-166091/2-A

Matrix: Water

Analysis Batch: 166126

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits	Prep Type: Total Recoverable	Client Sample ID: Lab Control Sample	Prep Batch: 166091
	Added	Result	Qualifier							
Iron	10.0	9.54		mg/L		95	80 - 120			
Manganese	1.00	0.875		mg/L		87	80 - 120			

Lab Sample ID: LCSD 720-166091/3-A

Matrix: Water

Analysis Batch: 166126

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	Limits	Prep Type: Total Recoverable	Client Sample ID: Lab Control Sample Dup	Prep Batch: 166091
	Added	Result	Qualifier							
Iron	10.0	9.19		mg/L		92	80 - 120			
Manganese	1.00	0.848		mg/L		85	80 - 120			

Lab Sample ID: 720-59616-1 MS

Matrix: Water

Analysis Batch: 166126

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits	Prep Type: Dissolved	Client Sample ID: MW-3
	Result	Qualifier	Added	Result	Qualifier						
Iron	8.0		10.0	16.8		mg/L		88	75 - 125		
Manganese	7.2		1.00	7.68	4	mg/L		45	75 - 125		

Lab Sample ID: 720-59616-1 MSD

Matrix: Water

Analysis Batch: 166126

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	Prep Type: Dissolved	Client Sample ID: MW-3
	Result	Qualifier	Added	Result	Qualifier						
Iron	8.0		10.0	16.4		mg/L		84	75 - 125		
Manganese	7.2		1.00	7.84	4	mg/L		61	75 - 125		

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 720-165905/4

Matrix: Water

Analysis Batch: 165905

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	Client Sample ID: Method Blank
	Result	Qualifier								
Sulfate	ND		1.0	mg/L				08/29/14 13:00	1	

Lab Sample ID: LCS 720-165905/5

Matrix: Water

Analysis Batch: 165905

Analyte	Spike	LCS	LCS	Unit	D	%Rec	Limits	Prep Type: Total/NA	Client Sample ID: Lab Control Sample
	Added	Result	Qualifier						
Sulfate	10.0	9.72		mg/L		97	90 - 110		

Lab Sample ID: MB 720-165906/4

Matrix: Water

Analysis Batch: 165906

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	Client Sample ID: Method Blank
	Result	Qualifier								
Nitrate as N	ND		0.23	mg/L				08/29/14 13:00	1	

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 720-165906/5

Matrix: Water

Analysis Batch: 165906

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
Nitrate as N	2.26	2.25		mg/L		100	90 - 110

Lab Sample ID: MB 720-166036/37

Matrix: Water

Analysis Batch: 166036

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Sulfate	ND		1.0		mg/L			08/29/14 22:52	1

Lab Sample ID: LCS 720-166036/38

Matrix: Water

Analysis Batch: 166036

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
Sulfate	10.0	9.30		mg/L		93	90 - 110

Lab Sample ID: LCSD 720-166036/39

Matrix: Water

Analysis Batch: 166036

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD
	Added	Result	Qualifier					
Sulfate	10.0	9.41		mg/L		94	90 - 110	1

Lab Sample ID: MB 720-166037/37

Matrix: Water

Analysis Batch: 166037

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	ND		0.23		mg/L			08/29/14 22:52	1

Lab Sample ID: LCS 720-166037/38

Matrix: Water

Analysis Batch: 166037

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
	Added	Result	Qualifier				
Nitrate as N	2.26	2.15		mg/L		95	90 - 110

Lab Sample ID: LCSD 720-166037/39

Matrix: Water

Analysis Batch: 166037

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD
	Added	Result	Qualifier					
Nitrate as N	2.26	2.15		mg/L		95	90 - 110	0

TestAmerica Pleasonton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-252861/1

Matrix: Water

Analysis Batch: 252861

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10		mg/L			09/03/14 22:29	1

Lab Sample ID: LCS 500-252861/2

Matrix: Water

Analysis Batch: 252861

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	250	258		mg/L		103	80 - 120

Lab Sample ID: 720-59616-1 DU

Matrix: Water

Analysis Batch: 252861

Client Sample ID: MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	1100		1120		mg/L		0.5	5

Lab Sample ID: MB 500-253081/1

Matrix: Water

Analysis Batch: 253081

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10		mg/L			09/04/14 23:47	1

Lab Sample ID: LCS 500-253081/2

Matrix: Water

Analysis Batch: 253081

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Total Dissolved Solids	250	256		mg/L		102	80 - 120

Method: SM 4500 S2 F - Sulfide, Total

Lab Sample ID: MB 500-252867/1

Client Sample ID: Method Blank
Prep Type: Total/NA

Analysis Batch: 252867

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		1.0		mg/L			09/04/14 00:29	1

Lab Sample ID: LCS 500-252867/2

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analysis Batch: 252867

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec.	Limits
Sulfide	3.46	3.55		mg/L		103	80 - 120

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method: SM 4500 S2 F - Sulfide, Total (Continued)

Lab Sample ID: MB 500-253086/1

Matrix: Water

Analysis Batch: 253086

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Sulfide	ND		1.0		mg/L			09/05/14 02:00	1

Lab Sample ID: LCS 500-253086/2

Matrix: Water

Analysis Batch: 253086

Analyte	Spike	LCS	LCS	Unit	D	%Rec.	Limits
	Added	Result	Qualifier				
Sulfide	3.46	3.38		mg/L		98	80 - 120

Lab Sample ID: 720-59616-4 MS

Matrix: Water

Analysis Batch: 253086

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier				
Sulfide	ND		8.65	8.00		mg/L		92	75 - 125

Lab Sample ID: 720-59616-4 MSD

Matrix: Water

Analysis Batch: 253086

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec.	Limits	RPD
	Result	Qualifier	Added	Result	Qualifier					
Sulfide	ND		8.65	7.68		mg/L		89	75 - 125	4

Client Sample ID: MW-9

Prep Type: Total/NA

Client Sample ID: MW-9

Prep Type: Total/NA

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

GC/MS VOA

Analysis Batch: 166066

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	8260B/CA_LUFT MS	1
720-59616-2	MW-4	Total/NA	Water	8260B/CA_LUFT MS	2
720-59616-3	MW-8	Total/NA	Water	8260B/CA_LUFT MS	3
720-59616-4	MW-9	Total/NA	Water	8260B/CA_LUFT MS	4
720-59616-5	MW-10	Total/NA	Water	8260B/CA_LUFT MS	5
720-59616-6	MW-11	Total/NA	Water	8260B/CA_LUFT MS	6
720-59616-7	MW-13	Total/NA	Water	8260B/CA_LUFT MS	7
720-59616-8	MW-14	Total/NA	Water	8260B/CA_LUFT MS	8
LCS 720-166066/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	9
LCS 720-166066/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	10
LCSD 720-166066/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	11
LCSD 720-166066/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	12
MB 720-166066/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	13

Analysis Batch: 166117

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-10	IW-3	Total/NA	Water	8260B/CA_LUFT MS	1
720-59616-11	IW-4	Total/NA	Water	8260B/CA_LUFT MS	2
720-59616-12	IW-5	Total/NA	Water	8260B/CA_LUFT MS	3
720-59616-13	IW-6	Total/NA	Water	8260B/CA_LUFT MS	4
LCS 720-166117/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	5
LCS 720-166117/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	6
LCSD 720-166117/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	7
LCSD 720-166117/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	8
MB 720-166117/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	9

Analysis Batch: 166147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-9	IW-2	Total/NA	Water	8260B/CA_LUFT MS	1
LCS 720-166147/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	2
LCS 720-166147/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	3

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

GC/MS VOA (Continued)

Analysis Batch: 166147 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 720-166147/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	5
LCSD 720-166147/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	6
MB 720-166147/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	7

GC/MS Semi VOA

Analysis Batch: 166166

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-2	MW-4	Total/NA	Water	8270C SIM	166237
720-59616-3	MW-8	Total/NA	Water	8270C SIM	166237
720-59616-4	MW-9	Total/NA	Water	8270C SIM	166237
720-59616-5	MW-10	Total/NA	Water	8270C SIM	166237
720-59616-6	MW-11	Total/NA	Water	8270C SIM	166237
720-59616-7	MW-13	Total/NA	Water	8270C SIM	166237
720-59616-8	MW-14	Total/NA	Water	8270C SIM	166237
720-59616-10	IW-3	Total/NA	Water	8270C SIM	166237
720-59616-13	IW-6	Total/NA	Water	8270C SIM	166237
LCS 720-166237/2-A	Lab Control Sample	Total/NA	Water	8270C SIM	166237
LCSD 720-166237/3-A	Lab Control Sample Dup	Total/NA	Water	8270C SIM	166237
MB 720-166237/1-A	Method Blank	Total/NA	Water	8270C SIM	166237

Prep Batch: 166237

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	3510C	
720-59616-2	MW-4	Total/NA	Water	3510C	
720-59616-3	MW-8	Total/NA	Water	3510C	
720-59616-4	MW-9	Total/NA	Water	3510C	
720-59616-5	MW-10	Total/NA	Water	3510C	
720-59616-6	MW-11	Total/NA	Water	3510C	
720-59616-7	MW-13	Total/NA	Water	3510C	
720-59616-8	MW-14	Total/NA	Water	3510C	
720-59616-9	IW-2	Total/NA	Water	3510C	
720-59616-10	IW-3	Total/NA	Water	3510C	
720-59616-11	IW-4	Total/NA	Water	3510C	
720-59616-12	IW-5	Total/NA	Water	3510C	
720-59616-13	IW-6	Total/NA	Water	3510C	
LCS 720-166237/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 720-166237/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MB 720-166237/1-A	Method Blank	Total/NA	Water	3510C	

Analysis Batch: 166312

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	8270C SIM	166237
720-59616-9	IW-2	Total/NA	Water	8270C SIM	166237
720-59616-12	IW-5	Total/NA	Water	8270C SIM	166237

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

GC/MS Semi VOA (Continued)

Analysis Batch: 166336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-11	IW-4	Total/NA	Water	8270C SIM	166237

GC VOA

Analysis Batch: 205253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	RSK-175	
720-59616-2	MW-4	Total/NA	Water	RSK-175	
720-59616-3	MW-8	Total/NA	Water	RSK-175	
720-59616-4	MW-9	Total/NA	Water	RSK-175	
720-59616-5	MW-10	Total/NA	Water	RSK-175	
720-59616-6	MW-11	Total/NA	Water	RSK-175	
720-59616-7	MW-13	Total/NA	Water	RSK-175	
720-59616-8	MW-14	Total/NA	Water	RSK-175	
720-59616-9	IW-2	Total/NA	Water	RSK-175	
720-59616-10	IW-3	Total/NA	Water	RSK-175	
720-59616-11	IW-4	Total/NA	Water	RSK-175	
720-59616-12	IW-5	Total/NA	Water	RSK-175	
720-59616-13	IW-6	Total/NA	Water	RSK-175	
LCS 440-205253/5	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 440-205253/7	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 440-205253/6	Lab Control Sample Dup	Total/NA	Water	RSK-175	
LCSD 440-205253/8	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 440-205253/9	Method Blank	Total/NA	Water	RSK-175	

GC Semi VOA

Analysis Batch: 166234

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 720-166261/1-A	Method Blank	Silica Gel Cleanup	Water	8015B	166261

Analysis Batch: 166235

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Silica Gel Cleanup	Water	8015B	166261
720-59616-3	MW-8	Silica Gel Cleanup	Water	8015B	166261
720-59616-4	MW-9	Silica Gel Cleanup	Water	8015B	166261
720-59616-5	MW-10	Silica Gel Cleanup	Water	8015B	166261
720-59616-6	MW-11	Silica Gel Cleanup	Water	8015B	166261
720-59616-7	MW-13	Silica Gel Cleanup	Water	8015B	166261
720-59616-8	MW-14	Silica Gel Cleanup	Water	8015B	166261
720-59616-13	IW-6	Silica Gel Cleanup	Water	8015B	166261
LCS 720-166261/2-A	Lab Control Sample	Silica Gel Cleanup	Water	8015B	166261
LCSD 720-166261/3-A	Lab Control Sample Dup	Silica Gel Cleanup	Water	8015B	166261

Analysis Batch: 166241

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-10	IW-3	Silica Gel Cleanup	Water	8015B	166261

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

GC Semi VOA (Continued)

Prep Batch: 166261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Silica Gel Cleanup	Water	3510C SGC	
720-59616-2	MW-4	Silica Gel Cleanup	Water	3510C SGC	
720-59616-3	MW-8	Silica Gel Cleanup	Water	3510C SGC	
720-59616-4	MW-9	Silica Gel Cleanup	Water	3510C SGC	
720-59616-5	MW-10	Silica Gel Cleanup	Water	3510C SGC	
720-59616-6	MW-11	Silica Gel Cleanup	Water	3510C SGC	
720-59616-7	MW-13	Silica Gel Cleanup	Water	3510C SGC	
720-59616-8	MW-14	Silica Gel Cleanup	Water	3510C SGC	
720-59616-9	IW-2	Silica Gel Cleanup	Water	3510C SGC	
720-59616-10	IW-3	Silica Gel Cleanup	Water	3510C SGC	
720-59616-11	IW-4	Silica Gel Cleanup	Water	3510C SGC	
720-59616-12	IW-5	Silica Gel Cleanup	Water	3510C SGC	
720-59616-13	IW-6	Silica Gel Cleanup	Water	3510C SGC	
LCS 720-166261/2-A	Lab Control Sample	Silica Gel Cleanup	Water	3510C SGC	
LCSD 720-166261/3-A	Lab Control Sample Dup	Silica Gel Cleanup	Water	3510C SGC	
MB 720-166261/1-A	Method Blank	Silica Gel Cleanup	Water	3510C SGC	

Analysis Batch: 166317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-2	MW-4	Silica Gel Cleanup	Water	8015B	166261
720-59616-9	IW-2	Silica Gel Cleanup	Water	8015B	166261
720-59616-11	IW-4	Silica Gel Cleanup	Water	8015B	166261

Analysis Batch: 166320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-12	IW-5	Silica Gel Cleanup	Water	8015B	166261

Metals

Prep Batch: 165965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	3010A	
720-59616-2	MW-4	Total/NA	Water	3010A	
720-59616-3	MW-8	Total/NA	Water	3010A	
720-59616-4	MW-9	Total/NA	Water	3010A	
720-59616-5	MW-10	Total/NA	Water	3010A	
720-59616-6	MW-11	Total/NA	Water	3010A	
720-59616-7	MW-13	Total/NA	Water	3010A	
720-59616-8	MW-14	Total/NA	Water	3010A	
720-59616-9	IW-2	Total/NA	Water	3010A	
720-59616-10	IW-3	Total/NA	Water	3010A	
720-59616-11	IW-4	Total/NA	Water	3010A	
720-59616-12	IW-5	Total/NA	Water	3010A	
720-59616-13	IW-6	Total/NA	Water	3010A	
LCS 720-165965/2-A	Lab Control Sample	Total/NA	Water	3010A	
LCSD 720-165965/3-A	Lab Control Sample Dup	Total/NA	Water	3010A	
MB 720-165965/1-A	Method Blank	Total/NA	Water	3010A	

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Metals (Continued)

Analysis Batch: 166043

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	6010B	165965
720-59616-2	MW-4	Total/NA	Water	6010B	165965
720-59616-3	MW-8	Total/NA	Water	6010B	165965
720-59616-4	MW-9	Total/NA	Water	6010B	165965
720-59616-5	MW-10	Total/NA	Water	6010B	165965
720-59616-6	MW-11	Total/NA	Water	6010B	165965
720-59616-7	MW-13	Total/NA	Water	6010B	165965
720-59616-8	MW-14	Total/NA	Water	6010B	165965
720-59616-9	IW-2	Total/NA	Water	6010B	165965
720-59616-10	IW-3	Total/NA	Water	6010B	165965
720-59616-11	IW-4	Total/NA	Water	6010B	165965
720-59616-12	IW-5	Total/NA	Water	6010B	165965
720-59616-13	IW-6	Total/NA	Water	6010B	165965
LCS 720-165965/2-A	Lab Control Sample	Total/NA	Water	6010B	165965
LCSD 720-165965/3-A	Lab Control Sample Dup	Total/NA	Water	6010B	165965
MB 720-165965/1-A	Method Blank	Total/NA	Water	6010B	165965

Prep Batch: 166091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Dissolved	Water	3005A	
720-59616-1 MS	MW-3	Dissolved	Water	3005A	
720-59616-1 MSD	MW-3	Dissolved	Water	3005A	
720-59616-2	MW-4	Dissolved	Water	3005A	
720-59616-3	MW-8	Dissolved	Water	3005A	
720-59616-4	MW-9	Dissolved	Water	3005A	
720-59616-5	MW-10	Dissolved	Water	3005A	
720-59616-6	MW-11	Dissolved	Water	3005A	
720-59616-7	MW-13	Dissolved	Water	3005A	
720-59616-8	MW-14	Dissolved	Water	3005A	
720-59616-9	IW-2	Dissolved	Water	3005A	
720-59616-10	IW-3	Dissolved	Water	3005A	
720-59616-11	IW-4	Dissolved	Water	3005A	
720-59616-12	IW-5	Dissolved	Water	3005A	
720-59616-13	IW-6	Dissolved	Water	3005A	
LCS 720-166091/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
LCSD 720-166091/3-A	Lab Control Sample Dup	Total Recoverable	Water	3005A	
MB 720-166091/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 166126

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Dissolved	Water	6010B	166091
720-59616-1 MS	MW-3	Dissolved	Water	6010B	166091
720-59616-1 MSD	MW-3	Dissolved	Water	6010B	166091
720-59616-2	MW-4	Dissolved	Water	6010B	166091
720-59616-3	MW-8	Dissolved	Water	6010B	166091
720-59616-4	MW-9	Dissolved	Water	6010B	166091
720-59616-6	MW-11	Dissolved	Water	6010B	166091
720-59616-7	IW-3	Dissolved	Water	6010B	166091
720-59616-8	IW-4	Dissolved	Water	6010B	166091
720-59616-9	IW-2	Dissolved	Water	6010B	166091
720-59616-10	IW-3	Dissolved	Water	6010B	166091

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Metals (Continued)

Analysis Batch: 166126 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-11	IW-4	Dissolved	Water	6010B	166091
720-59616-12	IW-5	Dissolved	Water	6010B	166091
720-59616-13	IW-6	Dissolved	Water	6010B	166091
LCS 720-166091/2-A	Lab Control Sample	Total Recoverable	Water	6010B	166091
LCSD 720-166091/3-A	Lab Control Sample Dup	Total Recoverable	Water	6010B	166091
MB 720-166091/1-A	Method Blank	Total Recoverable	Water	6010B	166091

Analysis Batch: 166155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-5	MW-10	Dissolved	Water	6010B	166091

General Chemistry

Analysis Batch: 165905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	300.0	12
720-59616-2	MW-4	Total/NA	Water	300.0	13
720-59616-3	MW-8	Total/NA	Water	300.0	14
720-59616-4	MW-9	Total/NA	Water	300.0	
720-59616-5	MW-10	Total/NA	Water	300.0	
720-59616-6	MW-11	Total/NA	Water	300.0	
720-59616-7	MW-13	Total/NA	Water	300.0	
720-59616-8	MW-14	Total/NA	Water	300.0	
LCS 720-165905/5	Lab Control Sample	Total/NA	Water	300.0	
MB 720-165905/4	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 165906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	300.0	
720-59616-2	MW-4	Total/NA	Water	300.0	
720-59616-3	MW-8	Total/NA	Water	300.0	
720-59616-4	MW-9	Total/NA	Water	300.0	
720-59616-5	MW-10	Total/NA	Water	300.0	
720-59616-6	MW-11	Total/NA	Water	300.0	
720-59616-7	MW-13	Total/NA	Water	300.0	
720-59616-8	MW-14	Total/NA	Water	300.0	
LCS 720-165906/5	Lab Control Sample	Total/NA	Water	300.0	
MB 720-165906/4	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 166036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-9	IW-2	Total/NA	Water	300.0	
720-59616-10	IW-3	Total/NA	Water	300.0	
720-59616-11	IW-4	Total/NA	Water	300.0	
720-59616-12	IW-5	Total/NA	Water	300.0	
720-59616-13	IW-6	Total/NA	Water	300.0	
LCS 720-166036/38	Lab Control Sample	Total/NA	Water	300.0	
LCSD 720-166036/39	Lab Control Sample Dup	Total/NA	Water	300.0	
MB 720-166036/37	Method Blank	Total/NA	Water	300.0	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

General Chemistry (Continued)

Analysis Batch: 166037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-9	IW-2	Total/NA	Water	300.0	
720-59616-10	IW-3	Total/NA	Water	300.0	
720-59616-11	IW-4	Total/NA	Water	300.0	
720-59616-12	IW-5	Total/NA	Water	300.0	
720-59616-13	IW-6	Total/NA	Water	300.0	
LCS 720-166037/38	Lab Control Sample	Total/NA	Water	300.0	
LCSD 720-166037/39	Lab Control Sample Dup	Total/NA	Water	300.0	
MB 720-166037/37	Method Blank	Total/NA	Water	300.0	

Analysis Batch: 252861

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	SM 2540C	
720-59616-1 DU	MW-3	Total/NA	Water	SM 2540C	
720-59616-2	MW-4	Total/NA	Water	SM 2540C	
720-59616-3	MW-8	Total/NA	Water	SM 2540C	
LCS 500-252861/2	Lab Control Sample	Total/NA	Water	SM 2540C	
MB 500-252861/1	Method Blank	Total/NA	Water	SM 2540C	

Analysis Batch: 252867

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-1	MW-3	Total/NA	Water	SM 4500 S2 F	
720-59616-2	MW-4	Total/NA	Water	SM 4500 S2 F	
720-59616-3	MW-8	Total/NA	Water	SM 4500 S2 F	
LCS 500-252867/2	Lab Control Sample	Total/NA	Water	SM 4500 S2 F	
MB 500-252867/1	Method Blank	Total/NA	Water	SM 4500 S2 F	

Analysis Batch: 253081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-4	MW-9	Total/NA	Water	SM 2540C	
720-59616-5	MW-10	Total/NA	Water	SM 2540C	
720-59616-6	MW-11	Total/NA	Water	SM 2540C	
720-59616-7	MW-13	Total/NA	Water	SM 2540C	
720-59616-8	MW-14	Total/NA	Water	SM 2540C	
720-59616-9	IW-2	Total/NA	Water	SM 2540C	
720-59616-10	IW-3	Total/NA	Water	SM 2540C	
720-59616-11	IW-4	Total/NA	Water	SM 2540C	
720-59616-12	IW-5	Total/NA	Water	SM 2540C	
720-59616-13	IW-6	Total/NA	Water	SM 2540C	
LCS 500-253081/2	Lab Control Sample	Total/NA	Water	SM 2540C	
MB 500-253081/1	Method Blank	Total/NA	Water	SM 2540C	

Analysis Batch: 253086

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-4	MW-9	Total/NA	Water	SM 4500 S2 F	
720-59616-4 MS	MW-9	Total/NA	Water	SM 4500 S2 F	
720-59616-4 MSD	MW-9	Total/NA	Water	SM 4500 S2 F	
720-59616-5	MW-10	Total/NA	Water	SM 4500 S2 F	
720-59616-6	MW-11	Total/NA	Water	SM 4500 S2 F	
720-59616-7	MW-13	Total/NA	Water	SM 4500 S2 F	
720-59616-8	MW-14	Total/NA	Water	SM 4500 S2 F	
720-59616-9	IW-2	Total/NA	Water	SM 4500 S2 F	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

General Chemistry (Continued)

Analysis Batch: 253086 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-59616-10	IW-3	Total/NA	Water	SM 4500 S2 F	
720-59616-11	IW-4	Total/NA	Water	SM 4500 S2 F	
720-59616-12	IW-5	Total/NA	Water	SM 4500 S2 F	
720-59616-13	IW-6	Total/NA	Water	SM 4500 S2 F	
LCS 500-253086/2	Lab Control Sample	Total/NA	Water	SM 4500 S2 F	
MB 500-253086/1	Method Blank	Total/NA	Water	SM 4500 S2 F	

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-3

Date Collected: 08/29/14 11:35

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	166066	09/03/14 13:48	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		10	166312	09/06/14 14:07	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 14:01	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/05/14 23:32	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 14:51	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 16:57	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 19:41	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 19:41	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	252861	09/03/14 23:19	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	252867		CLB	TAL CHI
					(Start)	09/04/14 01:20		
					(End)	09/04/14 01:23		

Client Sample ID: MW-4

Date Collected: 08/29/14 10:50

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 14:16	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 16:14	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 14:15	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		3	166317	09/07/14 17:41	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:00	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:01	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 20:00	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 20:00	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	252861	09/03/14 23:24	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	252867		CLB	TAL CHI
					(Start)	09/04/14 01:23		
					(End)	09/04/14 01:26		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-8

Date Collected: 08/29/14 11:50

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 14:45	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 16:38	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 14:28	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 00:21	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:05	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:06	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 20:17	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 20:17	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	252861	09/03/14 23:26	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	252867		CLB	TAL CHI
					(Start)	09/04/14 01:26		
					(End)	09/04/14 01:29		

Client Sample ID: MW-9

Date Collected: 08/29/14 12:50

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 15:13	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 17:01	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 14:42	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 00:45	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:10	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:11	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 20:34	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 20:34	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:02	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:15		
					(End)	09/05/14 02:18		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-10

Date Collected: 08/29/14 09:35
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 15:42	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 17:24	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 14:55	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 01:09	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		2	166155	09/03/14 22:40	SLK	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:16	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 20:51	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 20:51	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:04	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:26		
					(End)	09/05/14 02:30		

Client Sample ID: MW-11

Date Collected: 08/29/14 12:05
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 16:10	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 17:47	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 15:39	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 01:33	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:20	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:21	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 21:09	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 21:09	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:07	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:30		
					(End)	09/05/14 02:33		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: MW-13

Date Collected: 08/29/14 13:15
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 16:39	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 18:10	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 15:52	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 01:58	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:25	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:26	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 21:26	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 21:26	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:09	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:33		
					(End)	09/05/14 02:37		

Client Sample ID: MW-14

Date Collected: 08/29/14 13:50
Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166066	09/03/14 17:07	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 18:33	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 16:06	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 02:22	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:39	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:31	SLK	TAL PLS
Total/NA	Analysis	300.0		1	165905	08/29/14 21:43	MJK	TAL PLS
Total/NA	Analysis	300.0		1	165906	08/29/14 21:43	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:12	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:37		
					(End)	09/05/14 02:41		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-2

Date Collected: 08/29/14 13:50

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166147	09/04/14 17:31	ASC	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		20	166312	09/06/14 14:53	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 16:19	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		3	166317	09/07/14 18:06	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:44	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:45	SLK	TAL PLS
Total/NA	Analysis	300.0		1	166036	08/29/14 23:43	MJK	TAL PLS
Total/NA	Analysis	300.0		1	166037	08/29/14 23:43	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:14	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:41		
					(End)	09/05/14 02:45		

Client Sample ID: IW-3

Date Collected: 08/29/14 13:20

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166117	09/04/14 02:36	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 18:56	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 16:42	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166241	09/06/14 00:03	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:49	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:50	SLK	TAL PLS
Total/NA	Analysis	300.0		1	166036	08/30/14 00:00	MJK	TAL PLS
Total/NA	Analysis	300.0		1	166037	08/30/14 00:00	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:17	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:45		
					(End)	09/05/14 02:48		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-4

Date Collected: 08/29/14 10:15

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		10	166117	09/04/14 03:04	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		20	166336	09/08/14 11:05	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 16:59	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		10	166317	09/07/14 18:30	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:54	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:55	SLK	TAL PLS
Total/NA	Analysis	300.0		1	166036	08/30/14 00:18	MJK	TAL PLS
Total/NA	Analysis	300.0		1	166037	08/30/14 00:18	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:19	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:48		
					(End)	09/05/14 02:52		

Client Sample ID: IW-5

Date Collected: 08/29/14 11:15

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	166117	09/04/14 03:33	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		100	166312	09/06/14 14:30	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 17:13	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		50	166320	09/08/14 10:49	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:22	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 15:59	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 17:59	SLK	TAL PLS
Total/NA	Analysis	300.0		1	166036	08/30/14 00:35	MJK	TAL PLS
Total/NA	Analysis	300.0		1	166037	08/30/14 00:35	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:22	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:52		
					(End)	09/05/14 02:56		

TestAmerica Pleasanton

Lab Chronicle

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Client Sample ID: IW-6

Date Collected: 08/29/14 14:20

Date Received: 08/29/14 19:00

Lab Sample ID: 720-59616-13

Matrix: Water

Prep Type	Batch	Batch	Run	Dilution	Batch	Prepared		Lab
	Type	Method		Factor	Number	or Analyzed	Analyst	
Total/NA	Analysis	8260B/CA_LUFTMS		1	166117	09/04/14 04:01	PDR	TAL PLS
Total/NA	Prep	3510C			166237	09/05/14 07:57	NVP	TAL PLS
Total/NA	Analysis	8270C SIM		1	166166	09/05/14 19:19	JZT	TAL PLS
Total/NA	Analysis	RSK-175		1	205253	09/11/14 17:26	EI	TAL IRV
Silica Gel Cleanup	Prep	3510C SGC			166261	09/05/14 10:07	NDU	TAL PLS
Silica Gel Cleanup	Analysis	8015B		1	166235	09/06/14 02:46	JL	TAL PLS
Dissolved	Prep	3005A			166091	09/03/14 10:30	JCR	TAL PLS
Dissolved	Analysis	6010B		1	166126	09/03/14 16:04	EFH	TAL PLS
Total/NA	Prep	3010A			165965	08/30/14 15:02	CTD	TAL PLS
Total/NA	Analysis	6010B		1	166043	09/02/14 18:04	SLK	TAL PLS
Total/NA	Analysis	300.0		1	166036	08/30/14 00:52	MJK	TAL PLS
Total/NA	Analysis	300.0		1	166037	08/30/14 00:52	MJK	TAL PLS
Total/NA	Analysis	SM 2540C		1	253081	09/05/14 00:24	CLB	TAL CHI
Total/NA	Analysis	SM 4500 S2 F		1	253086		CLB	TAL CHI
					(Start)	09/05/14 02:56		
					(End)	09/05/14 03:00		

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

TestAmerica Pleasanton

Certification Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Laboratory: TestAmerica Pleasanton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-16

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-15
California	State Program	9	2903	04-30-15
Georgia	State Program	4	N/A	04-30-15
Georgia	State Program	4	939	04-30-15
Hawaii	State Program	9	N/A	04-30-15
Illinois	NELAP	5	100201	04-30-15
Indiana	State Program	5	C-IL-02	04-30-15
Iowa	State Program	7	82	05-01-16
Kansas	NELAP	7	E-10161	10-31-14 *
Kentucky (UST)	State Program	4	66	04-30-15
Kentucky (WW)	State Program	4	KY90023	12-31-14
Massachusetts	State Program	1	M-IL035	06-30-15
Mississippi	State Program	4	N/A	04-30-15
New York	NELAP	2	IL00035	03-31-15
North Carolina (WW/SW)	State Program	4	291	12-31-14
North Dakota	State Program	8	R-194	04-30-14 *
Oklahoma	State Program	6	8908	08-31-15
South Carolina	State Program	4	77001	04-30-15
USDA	Federal		P330-12-00038	02-06-15
Wisconsin	State Program	5	999580010	08-31-15 *
Wyoming	State Program	8	8TMS-Q	04-30-15

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-15
Arizona	State Program	9	AZ0671	10-13-14 *
California	LA Cty Sanitation Districts	9	10256	01-31-15
California	State Program	9	2706	06-30-16
Guam	State Program	9	Cert. No. 12.002r	01-23-15
Hawaii	State Program	9	N/A	01-29-15 *
Nevada	State Program	9	CA015312007A	07-31-15
New Mexico	State Program	6	N/A	01-29-15
Northern Mariana Islands	State Program	9	MP0002	01-29-15
Oregon	NELAP	10	4005	01-29-15
USDA	Federal		P330-09-00080	06-06-15
USEPA UCMR	Federal	1	CA01531	01-31-15

* Certification renewal pending - certification considered valid.

TestAmerica Pleasanton

Method Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Method	Method Description	Protocol	Laboratory
8260B/CA_LUFTM S	8260B / CA LUFT MS	SW846	TAL PLS
8270C SIM	PAHs by GCMS (SIM)	SW846	TAL PLS
RSK-175	Dissolved Gases (GC)	RSK	TAL IRV
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL PLS
6010B	Metals (ICP)	SW846	TAL PLS
300.0	Anions, Ion Chromatography	MCAWW	TAL PLS
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL CHI
SM 4500 S2 F	Sulfide, Total	SM	TAL CHI

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

Sample Summary

Client: ARCADIS U.S. Inc
Project/Site: UPS-Oakland

TestAmerica Job ID: 720-59616-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-59616-1	MW-3	Water	08/29/14 11:35	08/29/14 19:00
720-59616-2	MW-4	Water	08/29/14 10:50	08/29/14 19:00
720-59616-3	MW-8	Water	08/29/14 11:50	08/29/14 19:00
720-59616-4	MW-9	Water	08/29/14 12:50	08/29/14 19:00
720-59616-5	MW-10	Water	08/29/14 09:35	08/29/14 19:00
720-59616-6	MW-11	Water	08/29/14 12:05	08/29/14 19:00
720-59616-7	MW-13	Water	08/29/14 13:15	08/29/14 19:00
720-59616-8	MW-14	Water	08/29/14 13:50	08/29/14 19:00
720-59616-9	IW-2	Water	08/29/14 13:50	08/29/14 19:00
720-59616-10	IW-3	Water	08/29/14 13:20	08/29/14 19:00
720-59616-11	IW-4	Water	08/29/14 10:15	08/29/14 19:00
720-59616-12	IW-5	Water	08/29/14 11:15	08/29/14 19:00
720-59616-13	IW-6	Water	08/29/14 14:20	08/29/14 19:00

TestAmerica Pleasanton

JURGERS AVENUE
CALIFORNIA 95112-1105
FAX (408) 573-7771
ONE (408) 573-0555

BLAINE
TECH SERVICES INC.

BLAINE TECH SERVICES, INC.		1680 ROGERS AVENUE SAN JOSE, CALIFORNIA 95112-1105 FAX (408) 573-7771 PHONE (408) 573-0555		TA - SF DHS # 155555																																																																																																																																		
CHAIN OF CUSTODY		BTS # 146829-0-1		ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND <input type="checkbox"/> EPA <input type="checkbox"/> LIA <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> RWQCB REGION																																																																																																																																		
CLIENT	ARCADIS U.S., Inc.	SITE	UPS	SPECIAL INSTRUCTIONS Invoice and Report to : Arcadis U.S., Inc. Attn: Hugh Devery hugh.devery@arcadis-us.com 770-428-9009																																																																																																																																		
<table border="1"> <thead> <tr> <th colspan="3">CONDUCT ANALYSIS TO DETECT</th> <th colspan="3">LAB</th> </tr> </thead> <tbody> <tr> <td colspan="3">Total Diss. Iron, Manganese (Field Filtered)</td> <td colspan="3">ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND <input type="checkbox"/> EPA <input type="checkbox"/> LIA <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> RWQCB REGION</td> </tr> <tr> <td colspan="3">Nitrate, Sulfate, TDS (Short holds)</td> <td colspan="3">SPECIAL INSTRUCTIONS Invoice and Report to : Arcadis U.S., Inc. Attn: Hugh Devery hugh.devery@arcadis-us.com 770-428-9009</td> </tr> <tr> <td colspan="3">DRO w/ SGC</td> <td colspan="3"></td> </tr> <tr> <td colspan="3">Methane</td> <td colspan="3"></td> </tr> <tr> <td colspan="3">Sulfide</td> <td colspan="3"></td> </tr> <tr> <td colspan="3">Magnesium</td> <td colspan="3"></td> </tr> <tr> <td colspan="3">PHAs</td> <td colspan="3"></td> </tr> <tr> <td colspan="3">Low Detection levels requested</td> <td colspan="3"></td> </tr> </tbody> </table>						CONDUCT ANALYSIS TO DETECT			LAB			Total Diss. Iron, Manganese (Field Filtered)			ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND <input type="checkbox"/> EPA <input type="checkbox"/> LIA <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> RWQCB REGION			Nitrate, Sulfate, TDS (Short holds)			SPECIAL INSTRUCTIONS Invoice and Report to : Arcadis U.S., Inc. Attn: Hugh Devery hugh.devery@arcadis-us.com 770-428-9009			DRO w/ SGC						Methane						Sulfide						Magnesium						PHAs						Low Detection levels requested																																																																																
CONDUCT ANALYSIS TO DETECT			LAB																																																																																																																																			
Total Diss. Iron, Manganese (Field Filtered)			ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND <input type="checkbox"/> EPA <input type="checkbox"/> LIA <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> RWQCB REGION																																																																																																																																			
Nitrate, Sulfate, TDS (Short holds)			SPECIAL INSTRUCTIONS Invoice and Report to : Arcadis U.S., Inc. Attn: Hugh Devery hugh.devery@arcadis-us.com 770-428-9009																																																																																																																																			
DRO w/ SGC																																																																																																																																						
Methane																																																																																																																																						
Sulfide																																																																																																																																						
Magnesium																																																																																																																																						
PHAs																																																																																																																																						
Low Detection levels requested																																																																																																																																						
<table border="1"> <thead> <tr> <th rowspan="2">SAMPLE ID</th> <th rowspan="2">DATE</th> <th rowspan="2">TIME</th> <th colspan="3">ADD'L INFORMATION</th> </tr> <tr> <th>MATRIX</th> <th>CONTAINERS</th> <th>STATUS</th> <th>CONDITION</th> <th>LAB SAMPLE #</th> </tr> </thead> <tbody> <tr> <td>Mw-3</td> <td>8/29/14</td> <td>1135</td> <td>S = SOIL H₂O</td> <td>TOTAL</td> <td></td> <td>1</td> </tr> <tr> <td>Mw-4</td> <td>1050</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>2</td> </tr> <tr> <td>Mw-8</td> <td>1150</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>3</td> </tr> <tr> <td>Mw-9</td> <td>1250</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>4</td> </tr> <tr> <td>Mw-10</td> <td>1355</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>5</td> </tr> <tr> <td>Mw-11</td> <td>1205</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>6</td> </tr> <tr> <td>Mw-13</td> <td>1315</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>7</td> </tr> <tr> <td>Mw-14</td> <td>1350</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>8</td> </tr> <tr> <td>Tw-2</td> <td>1350</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>9</td> </tr> <tr> <td>Tw-3</td> <td>1320</td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>10</td> </tr> <tr> <td colspan="3">SAMPLING DATE TIME</td> <td colspan="3">RESULTS NEEDED NO LATER THAN</td> </tr> <tr> <td colspan="3">COMPLETED 8/29/14 1410</td> <td colspan="3">Standard TAT</td> </tr> <tr> <td colspan="2">RELEASED BY <i>John</i></td> <td>DATE 8/29/14</td> <td>TIME 1630</td> <td>RECEIVED BY <i>John</i></td> <td>DATE 8/29/14</td> </tr> <tr> <td colspan="2">RELEASED BY <i>John</i></td> <td>DATE 8/29/14</td> <td>TIME 1600</td> <td>RECEIVED BY <i>John</i></td> <td>DATE 8/29/14</td> </tr> <tr> <td colspan="2">RELEASED BY <i>John</i></td> <td>DATE 8/29/14</td> <td>TIME 1600</td> <td>RECEIVED BY <i>John</i></td> <td>DATE 8/29/14</td> </tr> <tr> <td colspan="2">COOLER #</td> <td colspan="4">TIME SENT</td> </tr> <tr> <td colspan="2">2.3, 2.7, 1.0, 1.8, 1.9 °C</td> <td colspan="4">DATE SENT</td> </tr> <tr> <td colspan="6">SHIPPED VIA</td> </tr> </tbody> </table>						SAMPLE ID	DATE	TIME	ADD'L INFORMATION			MATRIX	CONTAINERS	STATUS	CONDITION	LAB SAMPLE #	Mw-3	8/29/14	1135	S = SOIL H ₂ O	TOTAL		1	Mw-4	1050		X	X	X	2	Mw-8	1150		X	X	X	3	Mw-9	1250		X	X	X	4	Mw-10	1355		X	X	X	5	Mw-11	1205		X	X	X	6	Mw-13	1315		X	X	X	7	Mw-14	1350		X	X	X	8	Tw-2	1350		X	X	X	9	Tw-3	1320		X	X	X	10	SAMPLING DATE TIME			RESULTS NEEDED NO LATER THAN			COMPLETED 8/29/14 1410			Standard TAT			RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1630	RECEIVED BY <i>John</i>	DATE 8/29/14	RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1600	RECEIVED BY <i>John</i>	DATE 8/29/14	RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1600	RECEIVED BY <i>John</i>	DATE 8/29/14	COOLER #		TIME SENT				2.3, 2.7, 1.0, 1.8, 1.9 °C		DATE SENT				SHIPPED VIA					
SAMPLE ID	DATE	TIME	ADD'L INFORMATION																																																																																																																																			
			MATRIX	CONTAINERS	STATUS	CONDITION	LAB SAMPLE #																																																																																																																															
Mw-3	8/29/14	1135	S = SOIL H ₂ O	TOTAL		1																																																																																																																																
Mw-4	1050		X	X	X	2																																																																																																																																
Mw-8	1150		X	X	X	3																																																																																																																																
Mw-9	1250		X	X	X	4																																																																																																																																
Mw-10	1355		X	X	X	5																																																																																																																																
Mw-11	1205		X	X	X	6																																																																																																																																
Mw-13	1315		X	X	X	7																																																																																																																																
Mw-14	1350		X	X	X	8																																																																																																																																
Tw-2	1350		X	X	X	9																																																																																																																																
Tw-3	1320		X	X	X	10																																																																																																																																
SAMPLING DATE TIME			RESULTS NEEDED NO LATER THAN																																																																																																																																			
COMPLETED 8/29/14 1410			Standard TAT																																																																																																																																			
RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1630	RECEIVED BY <i>John</i>	DATE 8/29/14																																																																																																																																	
RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1600	RECEIVED BY <i>John</i>	DATE 8/29/14																																																																																																																																	
RELEASED BY <i>John</i>		DATE 8/29/14	TIME 1600	RECEIVED BY <i>John</i>	DATE 8/29/14																																																																																																																																	
COOLER #		TIME SENT																																																																																																																																				
2.3, 2.7, 1.0, 1.8, 1.9 °C		DATE SENT																																																																																																																																				
SHIPPED VIA																																																																																																																																						

Page 67 of 73

9/12/2014

Chain of Custody Record



TestAmerica Pleasanton

1220 Quarry Lane
Pleasanton, CA 94566
Phone (925) 484-1919 Fax (925) 600-3002

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-59616-1

Login Number: 59616

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Bullock, Tracy

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	False	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-59616-1

Login Number: 59616

List Source: TestAmerica Chicago

List Number: 2

List Creation: 09/03/14 11:50 AM

Creator: Kelsey, Shawn M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

Login Sample Receipt Checklist

Client: ARCADIS U.S. Inc

Job Number: 720-59616-1

Login Number: 59616

List Source: TestAmerica Irvine

List Number: 3

List Creation: 09/03/14 12:51 PM

Creator: Ornelas, Olga

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	