

RECEIVED

2:46 pm, Aug 13, 2009

Alameda County
Environmental Health



**Second Quarter 2009 Groundwater Monitoring Report for
Fuel Leak Case No. RO0000324, Livermore Gas and Mini Mart
160 Holmes Street, Livermore, California**

Date:
July 28, 2009

Project No.:
160

Prepared For:
Livermore Gas and Mini mart
Attention: Manwel and Samira Shuwayhat
54 Wolfe Canyon Road
Kentfield, California 94904

Allterra Environmental, Inc.
849 Almar Avenue, Suite C, No. 281
Santa Cruz, California 95060

Phone: (831) 425-2608
Fax: (831) 425-2609
<http://www.allterraenv.com>



July 28, 2009
Project No.: 160

Manwel and Samira Shuwayhat
Livermore Gas and Mini Mart
54 Wolfe Canyon Road
Kentfield, California 94904

**Subject: Second Quarter 2009 Groundwater Monitoring Report for Fuel Leak Case
No. RO0000324, Livermore Gas and Mini Mart, 160 Holmes Street,
Livermore, California**

Dear Mr. and Mrs. Shuwayhat:

On your behalf, Allterra Environmental, Inc. (Allterra) has prepared this second quarter 2009 groundwater monitoring for the property located at 160 Holmes Street in Livermore, California (Site). This report describes the field and analytical methods, provides a summary of groundwater monitoring and interim remedial results, and presents conclusions and recommendations regarding groundwater conditions at the Site.

Site Location and Description

The Site is located on the southwest corner of Holmes Street and Second Street at 160 Holmes Street in Livermore, California (Figure 1). The Site currently operates as a service station and convenience store. Pertinent site features, such as monitoring well locations, are presented in Figure 2.

Groundwater Monitoring

Groundwater monitoring activities are completed on a quarterly basis in order to evaluate groundwater quality beneath and downgradient of the Site over time. For this quarter, groundwater monitoring of fifteen wells (MW-1A through MW-9B) and three extraction wells (EW-1, EW-2, and EW-3) was completed on February 4, 2009.

Groundwater Monitoring Field Activities

Groundwater monitoring activities included measuring the depth to static groundwater in wells MW-1A through MW-9B relative to the top of well casings (TOC), evaluating groundwater in each well for the presence of petroleum hydrocarbon odor and sheen, and purging and sampling groundwater from wells for laboratory analysis. During this quarter, water levels in eight monitoring wells and three extraction wells were too low to collect samples; therefore, only seven monitoring wells were sampled for laboratory analysis (MW-1B, MW-5B, MW-6, MW-7B, MW-7C, MW-8B, and MW-9B). Groundwater monitoring field activities were completed in accordance with Alameda County Environmental Health Services (ACEHS), Regional Water Quality Control Board (RWQCB) guidelines, and Allterra protocols presented in Appendix A. Data and observations gathered during this quarter were recorded in Groundwater Sampling Field Logs, which are included in Appendix B.

Laboratory Analysis of Groundwater Samples

Groundwater samples from monitoring wells were submitted under chain-of-custody documentation to McCampbell Analytical, Inc., of Pacheco, California, a State of California certified laboratory (ELAP #1644). The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by EPA method 8015C, and for benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tert-butyl ether (MTBE) by EPA Method 8021B. The samples were not analyzed for MTBE, ethyl tert-butyl ether (ETBE), tert-amyl methyl ether (TAME), di-isopropyl ether (DIPE), tert-butyl alcohol (TBA), methanol, ethanol, 1,2-dibromoethane (EDB), and 1,2-dichloroethane (1,2-DCA) by EPA Method 8260B as a cost saving measure due to the lack of funding from the UST Cleanup Fund. A copy of the chain-of-custody documentation for the samples and the certified analytical report, including quality assurance and quality control (QA/QC) data, are included in Appendix C.

Purge water

Purge water generated during purging of the groundwater monitoring wells was stored on-site in Department of Transportation (DOT) approved 55-gallon drums pending disposal.

Groundwater Monitoring Results

Groundwater Elevation and Gradient Results

On April 21, 2009, recorded depths to groundwater in monitoring wells MW-1A through MW-9B ranged from 35.94 to 38.75 feet below ground surface (bgs). Groundwater elevations are summarized in Table 1 and depicted in Figure 3. For the April 2009 groundwater monitoring event, eight monitoring wells were dry; therefore, there was an insufficient number of wells to calculate a groundwater flow direction and gradient. Historically, groundwater flow is toward the northwest at gradients of less than 0.01 feet per foot.

Analytical Results

Fuel-related compounds were detected at or above laboratory detection limits in four of the seven wells sampled. In well MW-7B, TPHg was detected at a concentration of 170 micrograms per kilogram ($\mu\text{g}/\text{L}$); MTBE was detected at a concentration of 190 $\mu\text{g}/\text{L}$; benzene was detected at a concentration of 2.1 $\mu\text{g}/\text{L}$; toluene was detected at a concentration of 5.8 $\mu\text{g}/\text{L}$; and xylenes were detected at a concentration of 0.78 $\mu\text{g}/\text{L}$. In well MW-8B, TPHg was detected at a concentration of 50 micrograms per kilogram ($\mu\text{g}/\text{L}$) and MTBE was detected at a concentration of 1,300 $\mu\text{g}/\text{L}$. In wells MW-5B and MW-9B, MTBE was detected at concentrations of 48 $\mu\text{g}/\text{L}$ and 470 $\mu\text{g}/\text{L}$, respectively. Groundwater analytical results from well samples are presented in Table 2 and the distribution of TPHg, TPHd, benzene, and MTBE in groundwater is presented in Figure 4.

Status Update of UST Cleanup Fund

As reported in the previous quarter, the UST Cleanup Fund is still in a financial crisis and reimbursement payments to claimants continue to be significantly delayed. Therefore, Allterra continues its immediate cost-saving measures to help the involved parties survive this difficult period, by limiting laboratory analyses to TPHg, BTEX, and MTBE by EPA Method 8015C/8021B, thereby reducing costs by more than \$150 per sample.

The November 4, 2008 Work Plan for Pilot Scale Vapor Extraction System has been delayed due to the UST Cleanup Fund financial situation. We plan to begin the permitting process in third quarter 2009.

Conclusions

Based on the current groundwater monitoring and interim cleanup data, Allterra concludes the following:

- Due to continued low water table conditions, eight monitoring wells and three extraction wells were dry and were not sampled.
- For the February 2009 monitoring event, fuel-related compounds were detected at or above laboratory detection limits in four of the seven wells sampled.
- Wells MW-1A and MW-7A (wells screened to 30 feet bgs) have historically had high levels of contaminants; however, due to the depressed water table, these wells have not been sampled since April 2007.

Recommendations

Based on the conclusions presented above, Allterra recommends the following:

- Continue with the quarterly groundwater monitoring program at the Site.
- Implement the Work Plan for Pilot Scale Vapor Extraction System as soon as feasible.

Limitations

Allterra prepared this report for the use of Livermore Gas and Mini Mart and ACEHS in evaluating groundwater quality at selected on-site locations at the time of this study. Statements, conclusions, and recommendations in this report are based solely on the field observations and analytical results related to work performed by Allterra and there is no warranty, expressed or implied. Site conditions and data can change over time; therefore, data presented in this report is only applicable to the timeframe of this study. Allterra's services have been performed in accordance with environmental principles generally accepted at this time and location. Should you have any questions, please contact Allterra at (831) 425-2608.

Sincerely,
Allterra Environmental, Inc.



Nathaniel Allen
Project Manager



Michael Killoran, P.G. 6670
Senior Geologist

ALLTERRA

List of Figures

Figure 1, Site Vicinity Map

Figure 2, Site Plan

Figure 3, Groundwater Elevations Map for 4/21/09

Figure 4, Concentrations of Fuel-Related Hydrocarbons in Groundwater

List of Tables

Table 1, Groundwater Elevation Data

Table 2, Groundwater Analytical Results

List of Appendices


Appendix A, Groundwater Monitoring Field Protocol

Appendix B, Groundwater Sampling Field Logs

Appendix C, Certified Analytical Reports and Chain of Custody

cc: Jerry Wickham, ACEHS

FIGURES 1-4




Site Vicinity Map

Livermore Gas and Minimart
160 Holmes Street
Livermore, California

Figure 1

7/28/09

ALLTERRA
849 Almar Avenue, Suite C, No. 281
Santa Cruz, California
<http://www.allterraenv.com>



PREPARED BY:

ALL TERRA

160 HOLMES STREET SOIL AND GROUNDWATER INVESTIGATION AND REMEDIATION PROJECT

0	DRAFT/REVIEW	5/29
No.	Revision/Issue	Date

Firm Name and Address
ALL TERRA ENVIRONMENTAL, INC.
849 ALMAR AVE., SUITE C, NO. 281
SANTA CRUZ, CALIFORNIA 95060
831-425-2608 FAX 831-425-2609
www.allterraenv.com


Sheet Name and Address
SITE PLAN
SECOND QUARTER 2009
GROUNDWATER MONITORING
REPORT

Project	160	Sheet	FIGURE
Date	5-29-09	see drawing	2
Scale			


General Notes

stamp

USER REVDATE FNAME



General Notes		
stamp		
160 HOLMES STREET, LIVERMORE, CALIFORNIA GROUNDWATER MONITORING REPORT		
PREPARED BY: ALLTERRA		
0	DRAFT/REVIEW	5/29
No.	Revision/Issue	Date
Firm Name and Address ALL TERRA ENVIRONMENTAL, INC. 849 ALMAR AVE., SUITE C, NO. 281 SANTA CRUZ, CALIFORNIA 831-425-2608 FAX 831-425-2609 www.allterraenv.com		
Sheet Name and Address GROUNDWATER ELEVATIONS MAP FOR 4/21/09		
SECOND QUARTER 2009 GROUNDWATER MONITORING REPORT		
Project 160	Sheet FIGURE 3	see drawing



TABLES 1-2

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
MW-1*	8/11/00	465.03	15-30	NM	NC
	10/19/00	465.03		21.94	443.09
	2/22/01	465.03		22.91	442.12
	5/30/01	465.03		Dry	NC
	11/14/01	465.03		Dry	NC
	5/7/02	465.03		Dry	NC
	9/11/02	465.03		26.16	438.87
	12/1/02	465.03		27.55	437.48
	3/14/03	465.03		22.63	442.40
	6/25/03	465.03		22.10	442.93
	9/16/03	465.03		24.91	440.12
	12/22/03	465.03		21.75	443.28
	3/10/04	465.03		17.45	447.58
	6/15/04	465.03		22.38	442.65
	9/17/04	465.03		25.61	439.42
	12/10/04	465.03		22.18	442.85
	3/2/05	465.03		16.95	448.08
	5/27/05	465.03		18.42	446.61
	7/21/05	465.03		21.38	443.65
	10/10/05	465.03		22.49	442.54
	1/9/06	465.03		18.05	446.98
MW-1A*	4/6/06	465.03	15-30	15.60	449.43
	7/27/06	465.03		22.42	442.61
	10/12/06	465.03		23.46	441.57
	1/3/07	465.03		21.00	444.03
	4/13/07	465.03		23.24	441.79
	7/16/07	465.03		Dry	NC
	10/29/07	465.03		Dry	NC
	2/1/08	465.03		Dry	NC
	4/18/08	465.03		27.34	437.69
	7/28/08	465.03		Dry	NC
	11/18/08	465.03		Dry	NC
	2/4/09	465.03		Dry	NC
	4/21/09	465.03		Dry	NC
MW-1B**	4/6/06	465.02	50-55	15.59	449.43
	7/27/06	465.02		22.47	442.55
	10/12/06	465.02		23.51	441.51
	1/3/07	465.02		21.04	443.98
	4/13/07	465.02		23.30	441.72
	7/16/07	465.02		35.57	429.45
	10/29/07	465.02		47.32	417.70
	2/1/08	465.02		33.90	431.12
	4/18/08	465.02		27.35	437.67
	7/28/08	465.02		44.03	420.99
	11/18/08	465.02		48.50	416.52
	2/4/09	465.02		46.83	418.19
	4/21/09	465.02		37.10	427.92
MW-2	8/11/00	464.94	15-30	NM	NC
	10/19/00	464.94		21.80	443.14
	2/22/01	464.94		22.87	442.07
	5/30/01	464.94		Dry	NC
	11/14/01	464.94		Dry	NC
	5/7/02	464.94		26.70	438.24
	9/11/02	464.94		25.96	438.98
	12/11/02	464.94		27.56	437.38
	3/14/03	464.94		22.41	442.53
	6/25/03	464.94		21.97	442.97
	9/16/03	464.94		24.70	440.24
	12/22/03	464.94		21.58	443.36

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
MW-2	3/10/04	464.94		17.31	447.63
(cont.)	6/15/04	464.94		22.18	442.76
	9/17/04	464.94		25.44	439.50
	12/10/04	464.94		22.00	442.94
	3/2/05	464.94		16.75	448.19
	5/27/05	464.94		18.29	446.65
	7/21/05	464.94		20.46	444.48
	10/10/05	464.94		22.30	442.64
	1/9/06	464.94		17.67	447.27
MW-2A	4/6/06	464.94	15-30	15.47	449.47
	7/27/06	464.94		22.27	442.67
	10/12/06	464.94		23.35	441.59
	1/3/07	464.94		20.90	444.04
	4/13/07	464.94		23.16	441.78
	7/16/07	464.94		Dry	NC
	10/29/07	464.94		Dry	NC
	2/1/08	464.94		Dry	NC
	4/18/08	464.94		27.26	437.68
	7/28/08	464.94		Dry	NC
	11/18/08	464.94		Dry	NC
	2/4/09	464.94		Dry	NC
	4/21/09	464.94		Dry	NC
MW-3	8/11/00	465.84	15-30	NM	NC
	10/19/00	465.84		22.45	443.39
	2/22/01	465.84		23.51	442.33
	5/30/01	465.84		Dry	NC
	11/14/01	465.84		Dry	NC
	5/7/02	465.84		Dry	NC
	9/11/02	465.84		26.61	439.23
	12/11/02	465.84		28.18	437.66
	3/14/03	465.84		23.04	442.80
	6/25/03	465.84		22.59	443.25
	9/16/03	465.84		25.33	440.51
	12/22/03	465.84		22.37	443.47
	3/10/04	465.84		17.88	447.96
	6/15/04	465.84		22.82	443.02
	9/17/04	465.84		26.09	439.75
	12/10/04	465.84		22.65	443.19
	3/5/05	465.84		17.33	448.51
	5/27/05	465.84		18.89	446.95
	7/21/05	465.84		21.10	444.74
	10/10/05	465.84		22.94	442.90
	1/9/06	465.84		18.24	447.60
Well Destroyed					
MW-3A	4/6/06	465.84	15-30	16.02	449.82
	7/27/06	465.84		22.90	442.94
	10/12/06	465.84		23.99	441.85
	1/3/07	465.84		21.52	444.32
	4/13/07	465.84		23.78	442.06
	7/16/07	465.84		Dry	NC
	10/29/07	465.84		Dry	NC
	2/1/08	465.84		Dry	NC
	4/18/08	465.84		27.86	437.98
	7/28/08	465.84		Dry	NC
	11/18/08	465.84		Dry	NC
	2/4/09	465.84		Dry	NC
	4/21/09	465.84		Dry	NC

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
MW-4***	11/14/01	465.15	15-30	33.84	431.31
	5/7/02	465.15		26.75	438.40
	9/11/02	465.15		26.66	438.49
	12/11/02	465.15		28.39	436.76
	3/14/03	465.15		23.14	442.01
	6/25/03	465.15		22.72	442.43
	9/16/03	465.15		25.39	439.76
	12/22/03	465.15		22.42	442.73
	3/4/04	465.15		18.20	446.95
	6/15/04	465.15		22.95	442.20
	9/17/04	465.15		26.12	439.03
	12/10/04	465.15		22.73	442.42
	3/2/05	465.15		17.60	447.55
	5/27/05	465.15		19.14	446.01
	7/21/05	465.15		21.25	443.90
	10/10/05	465.15		22.85	442.30
	1/9/06	465.15		18.54	446.61
MW-4A**	4/6/06	464.96	15-30	16.19	448.77
	7/27/06	464.96		22.87	442.09
	10/12/06	464.96		23.90	441.06
	1/3/07	464.96		21.52	443.44
	4/13/07	464.96		23.78	441.18
	7/16/07	464.96		Dry	NC
	10/29/07	464.96		Dry	NC
	2/1/08	464.96		Dry	NC
	4/18/08	464.96		27.91	437.05
	7/28/08	464.96		Dry	NC
	11/18/08	464.96		Dry	NC
	2/4/09	464.96		Dry	NC
	4/21/09	464.96		Dry	NC
MW-5***	11/14/01	464.65	20-50	34.94	429.71
	5/7/02	464.65		27.90	436.75
	9/11/02	464.65		27.99	436.66
	12/11/02	464.65		29.50	435.15
	3/14/03	464.65		24.26	440.39
	6/25/03	464.65		24.01	440.64
	9/16/03	464.65		26.83	437.82
	12/22/03	464.65		23.68	440.97
	3/10/04	464.65		19.22	445.43
	6/15/04	464.65		24.20	440.45
	9/17/04	464.65		27.68	436.97
	12/10/04	464.65		23.93	440.72
	3/2/05	464.65		18.56	446.09
	5/27/05	464.65		20.15	444.50
	7/21/05	464.65		22.55	442.10
	10/10/05	464.65		23.35	441.30
	1/9/06	464.65		19.53	445.12

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
MW-5A**	4/6/06	464.64	20-35	17.35	447.29
	7/27/06	464.64		24.40	440.24
	10/12/06	464.64		25.58	439.06
	1/3/07	464.64		22.53	442.11
	4/13/07	464.64		24.77	439.87
	7/16/07	464.64		Dry	NC
	10/29/07	464.64		Dry	NC
	2/1/08	464.64		34.03	430.61
	4/18/08	464.64		28.13	436.51
	7/28/08	464.64		Dry	NC
	11/18/08	464.64		33.82	430.82
	2/4/09	464.64		Dry	NC
	4/21/09	464.64		Dry	NC
MW-5B**	4/6/06	464.59	50-55	17.44	447.15
	7/27/06	464.59		24.09	440.50
	10/12/06	464.59		25.17	439.42
	1/3/07	464.59		22.44	442.15
	4/13/07	464.59		25.33	439.26
	7/16/07	464.59		36.50	428.09
	10/29/07	464.59		47.90	416.69
	2/1/08	464.59		33.25	431.34
	4/18/08	464.59		28.77	435.82
	7/28/08	464.59		44.76	419.83
	11/18/08	464.59		51.65	412.94
	2/4/09	464.59		47.63	416.96
	4/21/09	464.59		37.00	427.59
MW-6	11/14/01	464.13	20-50	33.88	430.25
	5/7/02	464.13		27.01	437.12
	9/11/02	464.13		27.03	437.10
	12/11/02	464.13		28.77	435.36
	3/14/03	464.13		23.46	440.67
	6/25/03	464.13		23.08	441.05
	9/16/03	464.13		25.77	438.36
	12/22/03	464.13		22.59	441.54
	3/10/04	464.13		18.65	445.48
	6/15/04	464.13		23.31	440.82
	9/17/04	464.13		26.56	437.57
	12/10/04	464.13		23.09	441.04
	3/2/05	464.13		18.04	446.09
	5/27/05	464.13		19.57	444.56
	7/21/05	464.13		21.60	442.53
	10/10/05	464.13		22.21	441.92
	1/9/06	464.13		18.99	445.14
	4/6/06	464.13		17.00	447.13
	7/27/06	464.13		23.45	440.68
	10/12/06	464.13		24.36	439.77
	1/3/07	464.13		22.03	442.10
	4/13/07	464.13		24.40	439.73
	7/16/07	464.13	Well obstructed	NM	NC
	10/29/07	464.13		Dry	NC
	2/1/08	464.13		33.05	431.08
	4/18/08	464.13		28.20	435.93
	7/28/08	464.13		Dry	NC
	11/18/08	464.13		Dry	NC
	2/4/09	464.13		Dry	NC
	4/21/09	464.13		38.71	425.42

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
MW-7A**	4/6/06	465.32	15-30	16.61	448.71
	7/27/06	465.32		23.40	441.92
	10/12/06	465.32		24.50	440.82
	1/3/07	465.32		21.80	443.52
	4/13/07	465.32		24.05	441.27
	7/16/07	465.32		Dry	NC
	10/29/07	465.32		Dry	NC
	2/1/08	465.32		Dry	NC
	4/18/08	465.32		28.16	437.16
	7/28/08	465.32		Dry	NC
	11/18/08	465.32		Dry	NC
	2/4/09	465.32		Dry	NC
	4/21/09	465.32		Dry	NC
MW-7B**	4/6/06	465.39	45-50	16.85	448.54
	7/27/06	465.39		23.72	441.67
	10/12/06	465.39		24.74	440.65
	1/3/07	465.39		22.18	443.21
	4/13/07	465.39		24.41	440.98
	7/16/07	465.39		36.40	428.99
	10/29/07	465.39		Dry	NC
	2/1/08	465.39		33.84	431.55
	4/18/08	465.39		28.52	436.87
	7/28/08	465.39		44.92	420.47
	11/18/08	465.39		Dry	NC
	2/4/09	465.39		46.65	418.74
	4/21/09	465.39		36.83	428.56
MW-7C**	4/6/06	465.39	65-70	17.18	448.21
	7/27/06	465.39		24.15	441.24
	10/12/06	465.39		24.74	440.65
	1/3/07	465.39		22.53	442.86
	4/13/07	465.39		24.73	440.66
	7/16/07	465.39		36.70	428.69
	10/29/07	465.39		48.25	417.14
	2/1/08	465.39		34.00	431.39
	4/18/08	465.39		28.75	436.64
	7/28/08	465.39		45.00	420.39
	11/18/08	465.39		49.62	415.77
	2/4/09	465.39		47.89	417.50
	4/21/09	465.39		36.98	428.41
EW-1**	4/6/06	465.45	15-40	15.99	449.46
	7/27/06	465.45		23.85	441.60
	10/12/06	465.45		23.51	441.94
	1/3/07	465.45		21.45	444.00
	4/13/07	465.45		23.69	441.76
	10/29/07	465.45		NM	NC
	2/1/08	465.45		NM	NC
	4/18/08	465.45		27.83	437.62
	7/28/08	465.45		NM	NC
	11/18/08	465.45		Dry	NC
	2/4/09	465.45		Dry	NC
	4/21/09	465.45		Dry	NC

Table 1
Groundwater Elevation Data
160 Holmes Street, Livermore

Monitoring Well ID	Date	Top of Casing Elevation* (feet, msl)	Screen Interval (feet, bgs)	Depth to Groundwater (feet)	Groundwater Elevation (feet, msl)
EW-2**	4/6/06	465.99	15-40	16.20	449.79
	7/27/06	465.99		23.10	442.89
	10/12/06	465.99		21.48	444.51
	1/3/07	465.99		21.66	444.33
	4/13/07	465.99		23.93	442.06
	10/29/07	465.99		Dry	NC
	2/1/08	465.99		NM	NC
	4/18/08	465.99		28.04	437.95
	7/28/08	465.99		NM	NC
	11/18/08	465.99		Dry	NC
	2/4/09	465.99		Dry	NC
	4/21/09	465.99		Dry	NC
EW-3	11/18/08	NC		Dry	NC
	2/4/09	NC		33.80	NC
	4/21/09	NC		Dry	NC
MW-8A	7/28/08	NC	16-36	Dry	NC
	11/18/08	NC		35.40	NC
	2/4/09	NC		Dry	NC
	4/21/09	NC		Dry	NC
MW-8B	7/28/08	NC	46-51	44.90	NC
	11/18/08	NC		49.85	NC
	2/4/09	NC		47.95	NC
	4/21/09	NC		38.75	NC
MW-9A	7/28/08	NC	14-36	Dry	NC
	11/18/08	NC		48.97	NC
	2/4/09	NC		Dry	NC
	4/21/09	NC		Dry	NC
MW-9B	7/28/08	NC	47-52	44.05	NC
	11/18/08	NC		38.28	NC
	2/4/09	NC		47.03	NC
	4/21/09	NC		35.94	NC
EX-1***	11/14/01	465.30	30-55	33.41	431.89
	5/7/02	465.30		27.58	437.72
	9/11/02	465.30		NM	NC
	12/11/02	465.30		27.98	437.32
	3/14/03	465.30		23.02	442.28
	6/25/03	465.30		22.41	442.89
	9/16/03	465.30		24.65	440.65
	3/10/04	465.30		17.99	447.31
	6/15/04	465.30		22.48	442.82
	9/17/04	465.30		25.91	439.39
	12/10/04	465.30		NM	NC
	3/2/05	465.30		NM	NC
	5/27/05	465.30		18.68	446.62
	7/21/05	465.30		21.55	443.75
	10/10/05	465.30		22.73	442.57
	1/9/06	465.30		18.05	447.25

MSL: Mean sea level

bgs: Below ground surface

NC: elevation not calculated

NA: well not accessible

NM: well not measured

* = Well MW-1 renamed MW-1A

** = Well installed on 2/22/06-2/28/06

*** = Well destroyed on 2/22/06-2/28/06

Table 2
Groundwater Analytical Results
160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL.)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)					Lead Scavengers (µg/L)			
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB	1,2-DCA
MW-1A*	8/11/00	NC	170,000	57,000	6,400	7,600	4,200	9,700	320,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/19/00	443.09	170,000	17,000	8,400	3,200	2,700	10,000	200,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/22/01	442.12	82,000	11,000	5,100	1,000	13,000	8,700	190,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/30/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/14/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/7/02	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/11/02	438.87	130,000	NA	7,700	1,100	NS	1,500	<5000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/1/02	437.48	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/14/03	442.40	180,000	3,800	7,100	3,200	4,300	6,000	220,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/25/03	442.93	71,000	3,100	7,500	4,700	4,800	8,900	210,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/16/03	440.12	37,000	3,600	4,600	220	3,600	930	150,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/22/03	443.28	44,000	4,000	6,800	1,500	4,000	3,800	180,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/10/04	447.58	72,000	3,100	6,000	11,000	3,900	10,000	260,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/15/04	442.65	42,000	4,300	5,000	1,800	3,700	6,000	210,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/17/04	439.42	24,000	2,900	2,800	<33	2,900	500	83,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/04	442.85	31,000	2,700	4,600	190	4,400	2,800	200,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/2/05	448.08	58,000	2,800	4,000	2,500	4,500	7,800	230,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/27/05	446.61	79,000	4,600	4,300	6,200	5,100	13,000	240,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/21/05	443.65	80,000	NS	4,300	5,300	5,400	14,000	300,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/05	442.54	58,000	NS	4,300	240	5,600	8,300	170,000	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1/9/06	446.98	47,000	3,700	3,100	1,100	4,400	5,900	180,000	<2,500	<25,000	<2,500	<2,500	240,000	<250,000	<2,500,000	<2,500	<2,500
	4/6/06	449.43	18,000	1,900	1,200	280	2,400	2,200	110,000	<2,500	<25,000	<2,500	<2,500	87,000	<250,000	<2,500,000	<2,500	<2,500
	7/27/06	442.61	24,000	2,400	2,100	350	3,400	5,300	130,000	<5000	<50,000	<5000	<5000	160,000	NA	NA	NA	NA
	10/12/06	441.57	19,000	1,700	1,000	26	2,000	1,000	68,000	<1,200	<12,000	<1,200	<1,200	84,000	<120,000	<1,200,000	NA	NA
	1/3/07	444.03	27,000	2,300	1,300	53	2,500	1,900	120,000	<1,700	<1,700	<1,700	<1,700	110,000	<170,000	<1,700,000	<1,700	<1,700
	4/13/07	441.79	28,000	3,000	1,600	74	3,700	1,800	190,000	<5,000	<50,000	<5,000	<5,000	200,000	<500,000	<5,000,000	<5,000	<5,000
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.69	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-1B	3/13/06	446.44	<50	<50	<0.5	<0.5	<0.5	<0.5	8.2	<0.5	<5.0	<0.5	<0.5	7.9	<50	<500	<0.5	<0.5
	4/6/06	449.43	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	1.0	<50	<500	<0.5	<0.5
	7/27/06	442.55	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.5	NA	NA	NA	NA
	10/12/06	441.51	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	NA	NA	NA
	1/3/07	443.98	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5
	4/13/07	441.72	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5
	7/16/07	429.45	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	NA	NA	NA	NA
	10/29/07	417.70	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5
	2/1/08	431.12	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<2.0	<0.5	<50	<500	<0.5	<0.5	<0.5
	4/18/08	437.67	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<2.0	<0.5	<50	<500	<0.5	<0.5	<0.5
	7/29/08	420.99	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<2.0	<0.5	<50	<500	<0.5	<0.5	<0.5
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	418.19	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/21/09	427.92	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)					Lead Scavengers (µg/L)		
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB
MW- 2A*	8/11/00	NC	4,500	1,900	220	52	160	170	3,000	NA	NA	NA	NA	NA	NA	NA	NA
	10/19/00	443.14	3,400	1,300	150	21	100	70	1,900	NA	NA	NA	NA	NA	NA	NA	NA
	2/22/01	442.07	7,600	880	25	<10	69	25	2,200	NA	NA	NA	NA	NA	NA	NA	NA
	5/30/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA
	11/14/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA
	5/7/02	438.24	400	86	5.4	<0.5	1.9	2.3	230	NA	NA	NA	NA	NA	NA	NA	NA
	9/11/02	438.98	260	NA	1.3	<0.5	0.57	0.77	200	NA	NA	NA	NA	NA	NA	NA	NA
	12/1/02	437.38	250	120	7.9	1.6	13	9.9	180	NA	NA	NA	NA	NA	NA	NA	NA
	3/14/03	442.53	830	110	56	<0.5	<0.5	<1.0	1,200	NA	NA	NA	NA	NA	NA	NA	NA
	6/25/03	442.97	260	180	0.92	2.9	3.1	8.1	2,000	NA	NA	NA	NA	NA	NA	NA	NA
	9/16/03	440.24	420	260	3.6	3.4	5.2	2.4	1,300	NA	NA	NA	NA	NA	NA	NA	NA
	12/22/03	443.36	240	120	0.82	3.1	7.8	3.9	1,400	NA	NA	NA	NA	NA	NA	NA	NA
	3/10/04	447.63	280	210	9.4	4.2	14	11	1,400	NA	NA	NA	NA	NA	NA	NA	NA
	6/15/04	442.76	150	150	2.1	2.4	2.2	1.3	1,500	NA	NA	NA	NA	NA	NA	NA	NA
	9/17/04	439.50	61	70	<0.5	1.0	<0.5	<0.5	730	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/04	442.94	84	110	<0.5	1.2	<0.5	1.5	1,300	NA	NA	NA	NA	NA	NA	NA	NA
	3/2/05	448.19	63	91	0.55	<0.5	0.63	0.51	1,000	NA	NA	NA	NA	NA	NA	NA	NA
	5/27/05	446.65	270	59	14	3.9	19	6.8	1,100	NA	NA	NA	NA	NA	NA	NA	NA
	7/21/05	444.48	280	NS	8.6	2.5	17	2.5	1,500	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/05	442.64	<50	NS	<.5	<.5	<.5	<.5	680	NA	NA	NA	NA	NA	NA	NA	NA
	1/9/06	447.27	1,700	890	4.4	1.3	120	18	530	<10	330	<10	<10	590	<1000	<10,000	<10
	4/7/06	449.47	110	160	0.61	0.80	4.1	<0.5	270	<5.0	660	<5.0	<5.0	240	<500	<5,000	<5.0
	7/27/06	442.67	<50	120	<0.5	0.84	<0.5	<0.5	87	<5.0	870	<5.0	<5.0	110	NA	NA	NA
	10/12/06	441.59	<50	70	<0.5	<0.5	<0.5	<0.5	29	<5.0	480	<5.0	<5.0	30	<500	<5000	NA
	1/3/07	444.04	55	60	0.57	<0.5	<0.5	<0.5	8.5	<2.5	590	<2.5	<2.5	7.8	<250	<2,500	<2.5
	4/13/07	441.78	86	130	<0.5	0.60	<0.5	<0.5	16	<5.0	740	<5.0	<5.0	16	<500	<5,000	<5.0
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.68	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW- 3A*	8/11/00	NC	59	260	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	10/19/00	443.39	<50	<65	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	2/22/01	442.33	<50	100	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	5/30/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA
	11/14/01	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA
	5/7/02	NC	not sampled - well dry							NA	NA	NA	NA	NA	NA	NA	NA
	9/11/02	439.23	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	12/1/02	437.66	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA
	3/14/03	442.80	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	6/25/03	443.25	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	9/16/03	440.51	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	12/22/03	443.47	<50	69	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)					Lead Scavengers (µg/L)		
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB
MW-3A (cont.)	3/10/04	447.96	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	6/15/04	443.02	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	9/17/04	439.75	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/04	443.19	<50	<50	<0.5	<0.5	<0.5	<0.5	7.6	NA	NA	NA	NA	NA	NA	NA	NA
	3/2/05	448.51	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	5/27/05	446.95	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	7/21/05	444.74	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/05	442.90	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	1/9/06	447.60	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5
	4/7/06	449.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5
	7/27/06	442.94	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	NA	NA
	10/12/06	441.85	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	NA	NA
	1/3/07	444.32	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5
	4/13/07	442.06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-4**	11/14/01	431.31	510	90	4.0	<0.5	<0.5	<0.5	14	NA	NA	NA	NA	NA	NA	NA	NA
	5/7/02	438.40	150	<50	3.5	0.5	<0.5	<0.5	48	NA	NA	NA	NA	NA	NA	NA	NA
	9/11/02	438.49	<50	NA	<0.5	<0.5	<0.5	<0.5	15	NA	NA	NA	NA	NA	NA	NA	NA
	12/1/02	436.76	<50	<50	<0.5	<0.5	<0.5	<0.5	24	NA	NA	NA	NA	NA	NA	NA	NA
	3/14/03	442.01	<50	<50	<0.5	<0.5	<0.5	<0.5	<1.0	NA	NA	NA	NA	NA	NA	NA	NA
	6/25/03	442.43	<50	<50	<0.5	<0.5	<0.5	<0.5	<1.0	NA	NA	NA	NA	NA	NA	NA	NA
	9/16/03	439.76	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	12/22/03	442.73	<50	69	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	3/10/04	446.95	<50	<50	<0.5	<0.5	<0.5	<0.5	37	NA	NA	NA	NA	NA	NA	NA	NA
	6/15/04	442.20	<50	<50	<0.5	<0.5	<0.5	<0.5	7.4	NA	NA	NA	NA	NA	NA	NA	NA
	9/17/04	439.03	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/04	442.42	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	3/2/05	447.55	<50	<50	<0.5	<0.5	<0.5	<0.5	14	NA	NA	NA	NA	NA	NA	NA	NA
	5/27/05	446.01	<50	<50	<0.5	<0.5	<0.5	<0.5	9.6	NA	NA	NA	NA	NA	NA	NA	NA
	7/21/05	443.90	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/05	442.30	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA
	1/9/06	446.61	<50	<50	<0.5	<0.5	<0.5	<0.5	0.86	<0.5	<5.0	<0.5	<5.0	0.86	<50	<500	<5.0
MW-4A	3/13/06	445.87	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.70	<50	<500	<0.5
	4/7/06	448.77	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	1.1	<50	<500	<0.5
	7/28/06	442.09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	3.0	NA	NA	NA
	10/13/06	441.06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	2.0	<50	<500	NA
	1/4/07	443.44	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	0.79	<50	<500	<0.5
	4/16/07	441.18	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	0.51	<50	<500	<0.5
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.05	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL.)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)					Lead Scavengers (µg/L)				
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB	1,2-DCA	
MW-5**	11/14/01	429.71	<50	<66	<0.5	<0.5	<0.5	<0.5	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/7/02	436.75	140	<50	<0.5	<0.5	<0.5	<0.5	110	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/11/02	436.66	<50	NA	<0.5	<0.5	<0.5	<0.5	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/1/02	435.15	73	<50	<0.5	<0.5	<0.5	<0.5	160	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/14/03	440.39	110	<50	<0.5	<0.5	<0.5	<0.5	170	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/25/03	440.64	<50	<50	<0.5	<0.5	<0.5	<0.5	89	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/16/03	437.82	630	<50	<0.5	3.5	<0.5	2.6	1500	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/22/03	440.97	<0.5	<50	<0.5	<0.5	<0.5	<0.5	630	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/10/04	445.43	57	<50	<0.5	<0.5	<0.5	<0.5	1100	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	6/15/04	440.45	<50	<50	<0.5	<0.5	<0.5	<0.5	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	9/17/04	436.97	<50	<50	<0.5	<0.5	<0.5	<0.5	780	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	12/10/04	440.72	<50	<50	<0.5	<0.5	<0.5	<0.5	120	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	3/2/05	446.09	<50	<50	<0.5	<0.5	<0.5	<0.5	320	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	5/27/05	444.50	<50	<50	<0.5	<0.5	<0.5	<0.5	120	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	7/21/05	442.10	<50	NS	<0.5	<0.5	<0.5	<0.5	97	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	10/10/05	441.30	<50	NS	<0.5	<0.5	<0.5	<0.5	41	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	1/9/06	445.12	<50	<50	<0.5	<0.5	<0.5	<0.5	37	<0.5	<5.0	<0.5	<5.0	<5.0	<500	<0.5	<0.5	<0.5	
MW-5A	3/13/06	444.48	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5	
	4/7/06	447.29	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5	
	7/28/06	440.24	<50	62	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	NA	NA	NA	NA	
	10/13/06	439.06	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	6.3	<0.5	<0.5	0.61	<50	<500	NA	NA	
	1/4/07	442.11	<50	320	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5	
	4/16/07	439.87	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5	
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/1/08	430.61	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	1.3	<50	<500	<0.5	<0.5	<0.5
	4/18/08	436.51	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11/18/08	464.64	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-5B	3/13/06	444.46	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.69	<50	<500	<0.5	<0.5	<0.5
	4/7/06	447.15	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.98	<50	<500	<0.5	<0.5	<0.5
	7/28/06	440.50	<50	<50	<0.5	<0.5	<0.5	<0.5	6.8	<0.5	6.3	<0.5	<0.5	0.61	NA	NA	NA	NA	NA
	10/13/06	439.42	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	3.6	<50	<500	NA	NA	NA
	1/4/07	442.15	<50	89	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	1.3	<50	<500	<0.5	<0.5	<0.5
	4/16/07	439.26	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	1.5	<50	<500	<0.5	<0.5	<0.5
	7/17/07	428.09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	1.4	NA	NA	NA	NA	NA
	10/29/07	416.69	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<50	<500	<0.5	<0.5	<0.5	<0.5
	2/1/08	431.34	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	1.9	<50	<500	<0.5	<0.5	<0.5
	4/18/08	435.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	1.5	<50	<500	<0.5	<0.5	<0.5
	7/29/08	419.83	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<5	<50	<500	<0.5	<0.5	<0.5
	11/18/08	412.94	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	1.2	<50	<500	<0.5	<0.5	<0.5
	2/4/09	416.96	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/22/09	427.59	<50	NA	<0.5	<0.5	<0.5	<0.5	48	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL.)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)				Oxygenated Volatile Organics (µg/L)						Lead Scavengers (µg/L)			
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB	1,2-DCA
MW-6	11/14/01	430.25	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	5/7/02	437.12	<50	<67	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	9/11/02	437.10	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	12/1/02	435.36	<50	<50	<0.5	<0.5	<0.5	<0.5	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	
	3/14/03	440.67	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	
	6/25/03	441.05	<50	<50	<0.5	<0.5	<0.5	<1.0	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	
	9/16/03	438.36	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	12/22/03	441.54	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	3/10/04	445.48	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	6/15/04	440.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	9/17/04	437.57	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	12/10/04	441.04	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	3/2/05	446.09	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	5/27/05	444.56	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	7/21/05	442.53	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	10/10/05	441.92	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
	1/9/06	445.14	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	0.86	<50	<500	<0.5	
	4/6/06	447.13	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	<0.5	<50	<500	<0.5	
	7/28/06	440.68	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	<0.5	NA	NA	NA	
	10/13/06	439.77	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	<0.5	<50	<500	NA	
	1/4/07	442.10	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	<0.5	<50	<500	<0.5	
	4/16/07	439.73	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<5.0	<0.5	<50	<500	<0.5	
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/1/08	431.08	<50	<50	<0.5	<0.5	<0.5	0.91	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5	<50	<500	<0.5	
	4/18/08	435.93	<50	<50	<0.5	<0.5	<0.5	0.91	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5	<50	<500	<0.5	
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	4/22/09	425.42	<50	NS	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	
MW-7A	3/13/06	445.85	6,200	1,800	140	21	200	560	6,900	<100	4400	<100	<100	6,300	<10,000	<100,000	<100	<100
	4/7/06	448.71	5,300	1,700	130	26	330	420	5,900	<100	7,500	<100	<100	6,600	<10,000	<100,000	<100	<100
	7/28/06	441.92	2,200	470	28	18	60	0.85	240	<25	4,700	<25	<25	240	NA	NA	NA	NA
	10/12/06	440.82	6,500	2,400	83	38	300	160	980	<17	4,700	<10	<17	1200	<1700	<17,000	NA	NA
	11/21/06	NM	1,400	NA	25	17	65	<0.5	45	<10	1,400	<10	<10	42	<1,000	<10,000	<10	<10
	1/4/07	443.52	1,000	440	12	18	48	8.3	75	<5.0	1,100	<5.0	<5.0	73	<500	<5000	<5.0	<5.0
	4/16/07	441.27	520	470	17	5.6	2.6	0.88	140	<12	2,500	<12	<12	170	<1,200	<12,000	<12	<12
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	4/18/08	437.16	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)				Oxygenated Volatile Organics (µg/L)						Lead Scavengers (µg/L)			
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBEE	MTBE	ethanol	methanol	EDB	1,2-DCA
MW-7B	3/13/06	445.64	230	<50	1.8	4.7	<0.5	2.2	1,500	<50	7300	<50	<50	1,300	<5,000	<50,000	<50	<50
	4/7/06	448.54	81	<50	1.9	1.6	1.1	0.58	1,000	<50	9,200	<50	<50	930	<5,000	<50,000	<50	<50
	7/28/06	441.67	150	<50	<0.5	1.9	<0.5	<0.5	1,500	<50	16,000	<50	<50	1,900	NA	NA	NA	NA
	10/12/06	440.65	110	<50	<0.5	1.3	<0.5	<0.5	900	<17	15,000	<17	<17	860	<1700	<17,000	NA	NA
	11/21/06	NM	61	NA	<0.5	0.76	<0.5	<0.5	740	<50	10,000	<50	<50	680	<5,000	<50,000	<50	<50
	1/4/07	443.21	91	<50	<0.5	2.1	<0.5	<0.5	200	<50	11,000	<50	<50	180	<5000	<50,000	<50	<50
	4/16/07	440.98	94	<50	<0.5	2.6	<0.5	<0.5	35	<50	10,000	<50	<50	<50	<5000	<50,000	<50	<50
	7/17/07	428.99	<50	<50	0.61	0.63	<0.5	<0.5	13	<17	4,000	<17	<17	<17	NA	NA	NA	NA
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	431.55	420	<50	0.77	17	<0.5	0.97	45	<25	4,000	<25	<25	49	<2500	<25000	<25	<25
	4/18/08	436.87	650	100	3.4	15	8.3	<0.5	150	<25	3800	<25	<25	140	<2500	<25000	<25	<25
	7/28/08	420.47	<50	<50	<0.5	0.56	<0.5	<0.5	17	<5.0	760	<5.0	<5.0	22	<500	<5000	<5.0	<5.0
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	418.74	620	NA	<0.5	23	<0.5	2.7	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/21/09	428.56	170	NA	2.1	5.8	<0.5	0.78	190	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-7C	3/13/06	445.34	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	0.60	<50	<500	<0.5	<0.5
	4/7/06	448.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	7/28/06	441.24	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5	<50	<500	NA	NA
	10/13/06	440.65	89	<50	<0.5	1.4	<0.5	<0.5	900	<17	12,000	<17	<17	820	<1700	<17,000	NA	NA
	11/21/06	NM	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	24	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	1/4/07	442.86	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	24	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	4/16/07	440.66	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	7/17/07	428.69	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5	<50	<500	NA	NA
	10/29/07	417.14	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<5.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	2/1/08	431.39	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	4/18/08	436.64	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	7/28/08	420.39	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	<0.5	<50	<500	<0.5	<0.5
	11/18/08	415.77	97	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<90	<1.0	<4.0	<1.0	<1.0	<100	<1000	<1.0	<1.0
	2/4/09	417.50	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/22/09	428.41	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-8A	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	67	<50	<0.5	2.6	<0.5	1.6	<5.0	<0.5	<2.0	<0.5	<0.5	4.9	<50	<500	<0.5	<0.5
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-8B	7/28/08	NC	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	2.5	<50	<500	<0.5	<0.5
	11/18/08	NC	<50	120	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	<2.0	<0.5	<0.5	5.1	<50	<500	<0.5	<0.5
	2/4/09	NC	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/22/09	NC	50	NA	<0.5	<0.5	<0.5	<0.5	1300	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-9A	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-9B	7/29/08	NC	<50	63	<0.5	<0.5	<0.5	<0.5	100	<10	2,800	<10	<10	160	<1,000	<10,000	<10	<10
	11/18/08	NC	<50	1000	<0.5	<0.5	<0.5	<0.5	7.0	<0.5	4.6	<0.5	<0.5	7.5	<50	<500	<0.5	<0.5
	2/4/09	NC	<50	NA	<0.5	<0.5	<0.5	<0.5	<5.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
	4/22/09	NC	<50	NA	<0.5	<0.5	<0.5	<0.5	470	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)						Lead Scavengers (µg/L)		
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB	1,2-DCA
EX-1**	11/14/01	431.89	13,000	2,000	180	1,000	330	3,200	2,200	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/7/02	437.72	7,700	560	320	<25	66	150	6,200	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/11/02	NC	2,800	NA	32	<13	14	<13	2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/1/02	437.32	3,000	100	81	<0.5	44	<1.0	4,800	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/14/03	442.28	750	50	<0.5	<0.5	7.7	13	1,200	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/25/03	442.89	120	<50	3.2	3.7	4.2	7.6	260	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/16/03	440.65	170	<50	0.5	1.5	<0.5	0.9	1,600	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/10/04	447.31	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/15/04	442.82	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	9/17/04	439.39	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/04	NC	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/2/05	NC	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/27/05	446.62	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/21/05	443.75	<50	NS	<0.5	<0.5	<0.5	<0.5	610	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/05	442.57	<50	NS	<0.5	<0.5	<0.5	<0.5	31	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1/9/06	447.25	580	55	40	25	45	43	4,200	<170	<1,700	<170	<170	5,200	<170,000	<17,000	<170	<170
EW-1	3/13/06	446.47	210	120	5.0	4.1	7.5	12	3,400	<50	<100	<50	<50	2,300	<5,000	<50,000	<50	<50
	4/7/06	449.46	1,900	190	66	170	110	380	7,900	<100	<1000	<100	<100	6,400	<10,000	<100,000	<100	<100
	7/27/06	441.60	280	100	7.4	5.5	12	28	8,400	<500	<5,000	<500	<500	12,000	NA	NA	NA	NA
	10/12/06	441.94	2,100	130	86	19	100	310	2,400	<50	1,400	<50	<50	2,800	<5,000	180,000	NA	NA
	1/4/07	444.00	1,600	150	56	27	110	240	5,000	<50	2,900	<50	<50	4,900	<5,000	<50,000	<50	<50
	4/13/07	441.76	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.62	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
EW-2	3/13/06	446.81	<250	69	<2.5	<2.5	<2.5	<2.5	5,400	<100	<1,000	<100	<100	5,100	<10,000	<100,000	<100	<100
	4/7/06	449.79	470	160	15	2.5	24	13	2,000	<50	<500	<50	<50	1,800	<5,000	<50,000	<50	<50
	7/27/06	442.89	260	350	2.2	1.7	6.1	3.0	8,700	<500	<5,000	<500	<500	12,000	NA	NA	NA	NA
	10/12/06	444.51	110	<50	2.0	1.0	3.1	3.9	620	<12	<120	<12	<12	680	<1200	<12,000	NA	NA
	1/4/07	444.33	<500	<50	5.3	<5.0	16	7.1	4,500	<50	<500	<50	<50	4,200	<5000	<50,000	<50	<50
	4/13/07	442.06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/16/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10/29/07	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/1/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/18/08	437.95	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7/28/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Table 2
Groundwater Analytical Results
 160 Holmes Street, Livermore, California

Well ID	Date Collected	Groundwater Elevation (feet above MSL.)	Total Petroleum Hydrocarbons (µg/L)		Aromatic Volatile Organic Compounds (µg/L)					Oxygenated Volatile Organics (µg/L)					Lead Scavengers (µg/L)		
			Gasoline	Diesel	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	TAME	TBA	DIPE	ETBE	MTBE	ethanol	methanol	EDB
EW-3	11/18/08	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/4/09	NC	<10,000	NA	<100	<100	<100	<100	420,000	NA	NA	NA	NA	NA	NA	NA	NA
	4/21/09	NC	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
B1	2/2/01	30	650,000	13,000	6,300	10000.0	<2,500	12,000	290,000	NA	NA	NA	NA	NA	NA	NA	NA
B2	2/2/01	30	56	<0.5	<0.5	<0.5	<0.5	<0.5	47	NA	NA	NA	NA	NA	NA	NA	NA
B3	2/2/01	30	6,200	NA	<50	<50	<50	<50	3,800	NA	NA	NA	NA	NA	NA	NA	NA
B4	2/2/01	30	12,000	NA	<50	<50	<50	<50	6,000	NA	NA	NA	NA	NA	NA	NA	NA
B5	2/2/01	30	<25,000	960	<250	<250	<250	<250	16,000	NA	NA	NA	NA	NA	NA	NA	NA
MB-1-A	11/10/01	28	21,000	4,300	970	<25	3,300	1200	NA	<2,500	<25,000	<2,500	<2,500	100,000	NA	NA	NA
MB-1-B	11/10/01	50	470	210	7.8	0.97	31	48	NA	<25	<250	<25	<25	1,500	NA	NA	NA
MB-1-C	11/10/01	70	990	NA	17	1.3	89	160	NA	<25	<250	<25	<25	1,200	NA	NA	NA
MB-2-A	11/9/01	28	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
MB-2-B	11/10/01	50	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
MB-3-A	11/10/01	28	40,000	41,000	120	130	1,700	2,800	NA	<50	2,500	<50	<50	<4,500	NA	NA	NA
MB-3-B	11/13/01	50	1,400	210	0.93	9.3	14	27	NA	<50	6,200	<50	<50	190	NA	NA	NA
MB-3-C	11/13/01	70	930	260	1.7	3.8	33	100	NA	<100	16,000	<100	<100	330	NA	NA	NA
DB-1-A	11/9/01	28	160	NA	<0.5	<0.5	<0.5	<0.5	NA	<1.7	<17	<1.7	<1.7	86	NA	NA	NA
DB-2-A	11/10/01	28	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
DB-3-A	11/13/01	28	<50	51	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
DB-4-A	11/13/01	28	<50	57	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
DB-5-A	11/10/01	28	<50	910	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	<0.5	NA	NA	NA
B-1-A	11/9/01	28	<50	230	<0.5	<0.5	<0.5	<0.5	NA	<0.5	<5.0	<0.5	<0.5	28	NA	NA	NA
B-2-A	11/9/01	28	25,000	6,200	900	<50	2,000	2,600	NA	<1,700	<17,000	<1,700	<1,700	80,000	NA	NA	NA
B-3-A	11/9/01	28	42,000	14,000	530	140	2,400	7,800	NA	<500	<5,000	<500	<500	19,000	NA	NA	NA
HP-1-A	11/13/01	28	<50	NA	<0.5	<0.5	0.80	NA	<50	24	<50	<50	<50	12	NA	NA	NA
GP-1	1/10/07	28	270	--	<0.5	<0.5	2.6	0.85	61	--	--	--	--	--	--	--	--
GP-2	1/10/07	28	2,000	--	61	46	93	280	2,600	--	--	--	--	--	--	--	--
GP-3	1/10/07	28	11,000	--	38	27	1,100	980	37,000	--	--	--	--	--	--	--	--
GP-4	1/10/07	28	20,000	--	820	260	1,400	3,200	35,000	--	--	--	--	--	--	--	--
GP-5	1/10/07	28	4,100	--	64	6.6	13	550	780	--	--	--	--	--	--	--	--
GP-6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
GP-6A	1/11/07	28	11,000	--	360	150	1,500	480	6,100	--	--	--	--	--	--	--	--
GP-7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
GP-8	1/10/07	28	61,000	--	2,800	490	2,600	4,400	190,000	--	--	--	--	--	--	--	--
GP-9	1/10/07	28	100,000	--	5,600	3,400	3,500	24,000	260,000	--	--	--	--	--	--	--	--
GP-10	1/10/07	28	44,000	--	2,400	590	3,600	3,300	92,000	--	--	--	--	--	--	--	--
GP-11	1/11/07	28	550	--	1.4	1.3	2.1	36	110	--	--	--	--	--	--	--	--
GP-12	1/11/07	28	15,000	--	68	20	1,800	94	6,600	--	--	--	--	--	--	--	--
GP-13	1/11/07	28	88,000	--	5,100	<50	5,500	7,400	87,000	--	--	--	--	--	--	--	--
GP-14	1/11/07	28	210,000	--	11,000	26,000	4,600	21,000	1,500,000	--	--	--	--	--	--	--	--
GP-15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
GP-16	1/11/07	28	160	--	5.2	3.2	18	7.5	210	--	--	--	--	--	--	--	--
GP-17	1/11/07	28	460	--	7.7	4.8	8.0	7.4	790	--	--	--	--	--	--	--	--
GP-18	1/11/07	28	35,000	--	250	72	2,800	380	13,000	--	--	--	--	--	--	--	--
GP-19	1/11/07	28	430	--	8.9	1.6	24	31	430	--	--	--	--	--	--	--	--

Notes:

Samples analyzed for TPHg and TPHd by EPA Method 8015Cm, BTEX by EPA Method 8021B, MTBE by EPA Method 8021B and/or 8260B, and the fuel oxygenates DIPE, ETBE, TAME, EDB, 1,2-DCA, ethanol, methanol, and TBA by EPA Method 8260B.

µg/L = micrograms per liter

MTBE = methyl tertiary butyl ether

NA = Not Analyzed

DIPE = Di-isopropyl Ether

EDB = 1,2-Dibromoether

ETBE = Ethyl tert-Butyl Ether

NS = Not Sampled

TAME = tert-Amyl Methyl Ether

1,2-DCA = 1,2-Dichloroethane

TBA = tert-Butanol

* = Well MW-1 renamed MW-1A, well MW-2 renamed MW-2A, Well MW-3 renamed MW-3A in February 2006

** = Well destroyed in February 2006

*** = Anomalous data observed in MW-7C from October 12, 2006 sample. Therfore, wells MW-7A, MW-7B, and MW-7C were resampled on November 21, 2006.

APPENDIX A
Groundwater Monitoring Field Protocol

Appendix A

Groundwater Monitoring Protocol

Well Monitoring and Sample Collection

A Teflon bailer or submersible pump was used to purge a minimum of three well volumes of groundwater from each well. After each well volume is purged, field parameters such as pH, temperature, and conductivity are recorded. Wells are purged until field parameters have stabilized or a maximum of ten (10) well volumes of groundwater have been removed. When possible, purge rates will not exceed the recharge rate for the well. However, if the well yield is low and the well was dewatered, the well is allowed to recharge to 80% of its original volume prior to sample collection. Field parameter measurements and pertinent qualitative observations, such as groundwater color and odor, are recorded in Groundwater Sampling Field Logs. Groundwater samples are collected in appropriate bottles and stored on ice for delivery, under chain-of-custody documentation, to a state-certified laboratory for analysis.

Equipment Decontamination

All drilling, sampling, and well development equipment was cleaned in a solution of laboratory grade detergent and distilled water or steam cleaned before use at each sampling point.

Field Personnel

During groundwater sampling activities, sampling personnel will wear pertinent attire to minimize risks to health and safety. Field personnel will also use a pair of clean, powderless, surgical gloves for each successive sampling point. Used surgical gloves will be placed into waste barrels for future disposal.

Waste Disposal

Water generated during well purging and sampling activities will be placed into DOT-approved 55-gallon waste drums. Waste drums will be temporarily stored on-site pending proper disposal of wastewater to an approved transport, storage, and disposal (TSD) facility.

APPENDIX B
Groundwater Sampling Field Logs

ALLTERRA**Groundwater Sampling Field Log**

Site Address	160 Holmes	Date	4-21-09
Project Number		Field Personnel	JR. MK

Monitoring Well Information

Monitoring Well ID	MW-1A	Monitoring Well Diameter (inches)	2.0
Depth to Water (feet)	87.90	Water Column (feet)	
Total Depth (feet)	35.0	80% Recharge Depth (feet)	
Depth to Product (feet)		1 Well Volume (gallons)	307

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
				DIZY				

Total Purge Volume	Comments
--------------------	----------

Groundwater Sampling Information

Sample ID	Sample Time
Sample Containers (Number/Type)	
Comments	

Groundwater Sampling Field Log

Site Address	160 Holmes	Date	4-21-09
Project Number		Field Personnel	JR. MK

Monitoring Well Information

Monitoring Well ID	MW-1B	Monitoring Well Diameter (inches)	2.0
Depth to Water (feet)	37.10	Water Column (feet)	17.9
Total Depth (feet)	55.0	80% Recharge Depth (feet)	
Depth to Product (feet)		1 Well Volume (gallons)	3.04

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
37.10	7.04	625 ⁺ s	21.8°C	7.63	low	green	new	
		552 ⁺ s	21.0°C	7.57		1	1	7
		513 ⁺ s	20.8°C	7.53				

Total Purge Volume	Comments
--------------------	----------

Groundwater Sampling Information

Sample ID	Sample Time
Sample Containers (Number/Type)	
Comments	

Groundwater Sampling Field Log

Site Address	160 Holmes	Date	4-21-09
--------------	------------	------	---------

Project Number		Field Personnel	J.B. MIC
----------------	--	-----------------	----------

Monitoring Well Information

Monitoring Well ID	MW-ZA	Monitoring Well Diameter (inches)	2.0
--------------------	-------	-----------------------------------	-----

Depth to Water (feet)		Water Column (feet)	
-----------------------	--	---------------------	--

Total Depth (feet)	35.0	80% Recharge Depth (feet)	
--------------------	------	---------------------------	--

Depth to Product (feet)		1 Well Volume (gallons)	
-------------------------	--	-------------------------	--

Comments	
----------	--

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor

DR\1

Total Purge Volume	Comments
--------------------	----------

Groundwater Sampling Information

Sample ID	Sample Time
-----------	-------------

Sample Containers (Number/Type)	
---------------------------------	--

Comments	
----------	--

Groundwater Sampling Field Log

Site Address	160 Holmes	Date	
--------------	------------	------	--

Project Number		Field Personnel	
----------------	--	-----------------	--

Monitoring Well Information

Monitoring Well ID	MW-ZA	Monitoring Well Diameter (inches)	2.0
--------------------	-------	-----------------------------------	-----

Depth to Water (feet)		Water Column (feet)	
-----------------------	--	---------------------	--

Total Depth (feet)	35.0	80% Recharge Depth (feet)	
--------------------	------	---------------------------	--

Depth to Product (feet)		1 Well Volume (gallons)	
-------------------------	--	-------------------------	--

Comments	
----------	--

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor

DR\1

Total Purge Volume	Comments
--------------------	----------

Groundwater Sampling Information

Sample ID	Sample Time
-----------	-------------

Sample Containers (Number/Type)	
---------------------------------	--

Comments	
----------	--

ALLTERRA**Groundwater Sampling Field Log**

Site Address	160 Holmes		Date
Project Number	Field Personnel		
Monitoring Well Information			
Monitoring Well ID	MIN-4A		Monitoring Well Diameter (inches)
Depth to Water (feet)			Water Column (feet)
Total Depth (feet)	35.0		80% Recharge Depth (feet)
Depth to Product (feet)			1 Well Volume (gallons)
Comments			
Field Measurements and Observations			
Time	Depth to Water	Purge Volume	Conductivity
			Temperature
			pH
			Turbidity
			Color
			Odor
DRY			
Total Purge Volume		Comments	
Groundwater Sampling Information			
Sample ID	Sample Time		
Sample Containers (Number/Type)			
Comments			
Groundwater Sampling Field Log			
Site Address	160 Holmes		Date
Project Number	Field Personnel		
Monitoring Well Information			
Monitoring Well ID	MIN-5A		Monitoring Well Diameter (inches)
Depth to Water (feet)			Water Column (feet)
Total Depth (feet)	35.0		80% Recharge Depth (feet)
Depth to Product (feet)			1 Well Volume (gallons)
Comments			
Field Measurements and Observations			
Time	Depth to Water	Purge Volume	Conductivity
			Temperature
			pH
			Turbidity
			Color
			Odor
DRY			
Total Purge Volume		Comments	
Groundwater Sampling Information			
Sample ID	Sample Time		
Sample Containers (Number/Type)			
Comments			

ALLTERRA
Groundwater Sampling Field Log

Site Address 160 Date 4-22-05

Project Number _____ Field Personnel _____

Monitoring Well Information

Monitoring Well ID MW-5B Monitoring Well Diameter (inches) 2.0

Depth to Water (feet) 37.05 Water Column (feet) ~~8.6~~ 18.6

Total Depth (feet) 55.0 80% Recharge Depth (feet)

Depth to Product (feet) 1 Well Volume (gallons) ~~1000~~ 318

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
37.00	3.89	554.5	23.4°C	8.17	moderate	brown	none	
1	1	597.5 605	22.5°C 21.7°C	8.07 8.08	7	1	1	

Total Purge Volume Comments

Groundwater Sampling Information

Sample ID Sample Time

Sample Containers (Number/Type)

Comments

Groundwater Sampling Field Log

Site Address 160 Holmes Date 1-22-09

Project Number J12-M15 Field Personnel

Monitoring Well Information

Monitoring Well ID MW-6 Monitoring Well Diameter (inches)

Depth to Water (feet) 38.71 Water Column (feet) 8.64

Total Depth (feet) 80% Recharge Depth (feet)

Depth to Product (feet) 1 Well Volume (gallons) 6,477

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
	0.64	1.5	690	20.3	7.87	High	Brown	-
	1.5	698	20.5	20.76	7.76	-	-	-
	1.5	703	20.6	7.75	-	-	-	-

Total Purge Volume 4 Comments _____

Groundwater Sampling Information

Sample ID Sample Time

Sample Containers (Number/Type)

Groundwater Sampling Field Log

Site Address	Date 4.22.09								
Project Number	Field Personnel SR								
Monitoring Well Information									
Monitoring Well ID	MWL-7A		Monitoring Well Diameter (inches)						
Depth to Water (feet)	—		Water Column (feet)						
Total Depth (feet)	35.0		80% Recharge Depth (feet)						
Depth to Product (feet)			1 Well Volume (gallons)						
Comments									
Field Measurements and Observations									
Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor	
				DRY					
Total Purge Volume				Comments					
Groundwater Sampling Information									
Sample ID	Sample Time								
Sample Containers (Number/Type)									
Comments									
Groundwater Sampling Field Log									
Site Address	160 ft bsl		Date 4-21-09						
Project Number			Field Personnel SC						
Monitoring Well Information									
Monitoring Well ID	MWL-7B		Monitoring Well Diameter (inches) 2.0						
Depth to Water (feet)	36.83		Water Column (feet) 18.9						
Total Depth (feet)	55.0		80% Recharge Depth (feet)						
Depth to Product (feet)			1 Well Volume (gallons) 3.08						
Comments									
Field Measurements and Observations									
Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor	
36.83	3.08	815 gal	21.6°C	7.32	High	Grey	slight		
/	/	8775	21.2°C	7.25	/	L	/		
		795	21.5°C	7.26					
Total Purge Volume				Comments					
Groundwater Sampling Information									
Sample ID	Sample Time								
Sample Containers (Number/Type)									
Comments									

ALLTERRA**Groundwater Sampling Field Log**

Site Address	160 Holmes	Date	4-22-09
Project Number		Field Personnel	3C
Monitoring Well Information			
Monitoring Well ID	MW-7C	Monitoring Well Diameter (inches)	2.0
Depth to Water (feet)	36.98	Water Column (feet)	38.62
Total Depth (feet)	75.0	80% Recharge Depth (feet)	
Depth to Product (feet)		1 Well Volume (gallons)	646
Comments			

Field Measurements and Observations									
Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor	
	76.98	6.46	444 μs	20.3°C	8.21	low	clear	none	
		1	505 μs	20.3°C	7.99	moderate	brown	none	
			529 μs	20.0°C	7.89	ml	/	/	

Total Purge Volume	Comments
Groundwater Sampling Information	

Sample ID	Sample Time
Sample Containers (Number/Type)	3 VOA
Comments	

Groundwater Sampling Field Log									
Site Address		Date							
Project Number		Field Personnel							
Monitoring Well Information									
Monitoring Well ID	MW-8A	Monitoring Well Diameter (inches)							
Depth to Water (feet)		Water Column (feet)							
Total Depth (feet)		80% Recharge Depth (feet)							
Depth to Product (feet)		1 Well Volume (gallons)							
Comments									

Field Measurements and Observations									
Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor	
									DRY

Total Purge Volume	Comments
Groundwater Sampling Information	

Sample ID	Sample Time
Sample Containers (Number/Type)	
Comments	

GWT

Groundwater Sampling Field Log

Site Address	160 Holmes	Date	4/22/09
Project Number	Field Personnel		

Monitoring Well Information

Monitoring Well ID	MW-8B	Monitoring Well Diameter (inches)	2.0
Depth to Water (feet)	38.75	Water Column (feet)	16.25
Total Depth (feet)	55.0	80% Recharge Depth (feet)	
Depth to Product (feet)		1 Well Volume (gallons)	2.76

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
	38.75	2.8	600	71.0	7.99	None	Clear	-
		2.8	622	70.7	7.95	M-H	Brown	-
		2.8	619	70.4	7.90	M-H	Brown	-

Total Purge Volume	8.4	Comments
--------------------	-----	----------

Groundwater Sampling Information

Sample ID	Sample Time
Sample Containers (Number/Type)	
Comments	

Groundwater Sampling Field Log

Site Address	160 Holmes	Date
Project Number	Field Personnel	
Monitoring Well Information		
Monitoring Well ID	MW-9A	Monitoring Well Diameter (inches)
Depth to Water (feet)		Water Column (feet)
Total Depth (feet)		80% Recharge Depth (feet)
Depth to Product (feet)		1 Well Volume (gallons)

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor

DRY

Total Purge Volume	Comments
--------------------	----------

Groundwater Sampling Information

Sample ID	Sample Time
Sample Containers (Number/Type)	
Comments	

Groundwater Sampling Field Log

Site Address 160 Holmes Date 4-22-09

Project Number Field Personnel 32

Monitoring Well Information

Monitoring Well ID MW-913 Monitoring Well Diameter (inches) 2.0

Depth to Water (feet) 35.94 Water Column (feet) 19.04

Total Depth (feet) 55.0 80% Recharge Depth (feet)

Depth to Product (feet)

1 Well Volume (gallons) 3,241

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor
	35.94	3.24	826 vs	21.1°C	7.36	N.L.	brown	sulfidic
1	1	837 vs		20.7°C	7.28	/	/	/
		833 vs		20.2°C	7.28			

Total Purge Volume Comments

Groundwater Sampling Information

Sample ID Sample Time

Sample Containers (Number/Type)

Comments

Groundwater Sampling Field Log

Site Address Date

Project Number Field Personnel

Monitoring Well Information

Monitoring Well ID Monitoring Well Diameter (inches)

Depth to Water (feet) Water Column (feet)

Total Depth (feet) 80% Recharge Depth (feet)

Depth to Product (feet) 1 Well Volume (gallons)

Comments

Field Measurements and Observations

Time	Depth to Water	Purge Volume	Conductivity	Temperature	pH	Turbidity	Color	Odor

Total Purge Volume Comments

Groundwater Sampling Information

Sample ID Sample Time

Sample Containers (Number/Type)

Comments

APPENDIX C
Certified Analytical Reports and Chain of Custody



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Allterra Environmental, Inc 849 Almar Ave, Ste. C #281 Santa Cruz, CA 95060	Client Project ID: 160 Holmes	Date Sampled: 04/21/09-04/22/09
		Date Received: 04/27/09
	Client Contact: James Allen	Date Reported: 05/04/09
	Client P.O.:	Date Completed: 04/30/09

WorkOrder: 0904636

May 04, 2009

Dear James:

Enclosed within are:

- 1) The results of the 7 analyzed samples from your project: **160 Holmes**,
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing
McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.

0904636

ALLTERRA

849 Almar Avenue, Suite C, #281

Santa Cruz, California 95060

Website: www.allterraenv.com

Phone: (831) 425-2608 Facsimile: (831) 425-2609

Report and Bill to: Allterra Environmental, Inc.

Project Number:

Project Location: 160 holmes

Project Name:

Sampler Signature:

Chain of Custody Record

Sample ID	Sample Collection		Sample Containers		Matrix			Preservation			TPHg/BTEX/MTBE (EPA 8015/8021)	BTEX (EPA 8020)	TPHd (EPA 8015)	5-fuel oxy's (EPA 8260)	Ethanol and Methanol (EPA 8260)	Lead Scavengers (8260)	Total HVOCs (EPA 8260)	Hardness/Total dissolved solids	CAM-17 Metals (EPA 6010/6020)	LUFT 5 Metals (EPA 6010/6020)	PAH's/ PNA's (EPA 82270/625/8310)	Fish Toxicity/Bioassay	Lead (EPA 6010/200.9/200.8)	EDF required
	Date	Time	Number of Containers	Container Type	Air	Water	Soil	Sludge	Other	Ice	HCl	HNO ₃	Other											
MW-1B	4/21/09		3	VOA	X					X	X			X										X
MW-5B	4/22/09		3	VOA	X					X	X			X										X
MW-6	4/22/09		3	VOA	X					X	X			X										X
MW-7B	4/21/09		3	VOA	X					X	X			X										X
MW-7C	4/22/09		3	VOA	X					X	X			X										X
MW-8B	4/22/09		3	VOA	X					X	X			X										X
MW-9B	4/22/09		3	VOA	X					X	X			X										X
Sampled By:		4/24/09	Time:	Received By:	Comments: ICE 1 t° <u>18.6°</u> GOOD CONDITION <input checked="" type="checkbox"/> APPROPRIATE CONTAINERS <input checked="" type="checkbox"/> HEAD SPACE ABSENT <input checked="" type="checkbox"/> DECHLORINATED IN LAB <input checked="" type="checkbox"/> PRESERVED IN LAB <input checked="" type="checkbox"/> PRESERVATION VOA <input checked="" type="checkbox"/> O & G <input checked="" type="checkbox"/> METALS <input checked="" type="checkbox"/> OTHER <input checked="" type="checkbox"/>																			
Received By:	Date:	Time:	Received By:																					
Received By:	Date:	Time:	Received By:																					

- One VOA received broken
- Two VOAs received broken

REC'D SEALED & INTACT VIA C/O 4/29/09

McCampbell Analytical, Inc.

 1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WorkOrder: 0904636

ClientCode: ATRS

WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:

James Allen
Allterra Environmental, Inc
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060
831-425-2608 FAX 831-425-2609

Email: allterraenvironmental@yahoo.com
cc:
PO:
ProjectNo: 160 Holmes

Bill to:

Accounts Payable
Allterra Environmental
849 Almar Ave, Ste. C #281
Santa Cruz, CA 95060
micah@allterraenv.com

Requested TAT: 5 days

Date Received: 04/27/2009

Date Printed: 04/27/2009

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
0904636-001	MW-1B	Water	4/21/2009	<input type="checkbox"/>	A	A										
0904636-002	MW-5B	Water	4/22/2009	<input type="checkbox"/>	A											
0904636-003	MW-6	Water	4/22/2009	<input type="checkbox"/>	A											
0904636-004	MW-7B	Water	4/21/2009	<input type="checkbox"/>	A											
0904636-005	MW-7C	Water	4/22/2009	<input type="checkbox"/>	A											
0904636-006	MW-8B	Water	4/22/2009	<input type="checkbox"/>	A											
0904636-007	MW-9B	Water	4/22/2009	<input type="checkbox"/>	A											

Test Legend:

1	G-MBTEX_W
6	
11	

2	PREDF REPORT
7	
12	

3	
8	

4	
9	

5	
10	

Prepared by: Melissa Valles

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

**McCampbell Analytical, Inc.**

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Sample Receipt Checklist

Client Name: **Allterra Environmental, Inc**Date and Time Received: **4/27/09 1:09:48 PM**Project Name: **160 Holmes**Checklist completed and reviewed by: **Melissa Valles**WorkOrder N°: **0904636** Matrix WaterCarrier: CA OverNight

Chain of Custody (COC) Information

- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Sample IDs noted by Client on COC? Yes No
- Date and Time of collection noted by Client on COC? Yes No
- Sampler's name noted on COC? Yes No

Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes No NA
- Shipping container/cooler in good condition? Yes No
- Samples in proper containers/bottles? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes No
- Container/Temp Blank temperature Cooler Temp: 18.6°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
- Sample labels checked for correct preservation? Yes No
- TTLC Metal - pH acceptable upon receipt (pH<2)? Yes No NA
- Samples Received on Ice? Yes No

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments: Samples MW-1B and MW-6 had one VOA broken and sample MW-8B had two VOAs broken.



McCampbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701

Web: www.mccampbell.com E-mail: main@mccampbell.com

Telephone: 877-252-9262 Fax: 925-252-9269

Allterra Environmental, Inc 849 Almar Ave, Ste. C #281 Santa Cruz, CA 95060	Client Project ID: 160 Holmes			Date Sampled: 04/21/09-04/22/09
	Client Contact: James Allen			Date Received: 04/27/09
	Client P.O.:		Date Extracted: 04/29/09-05/01/09	
	Client P.O.:		Date Analyzed: 04/29/09-05/01/09	

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 0904636

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1B	W	ND	ND	ND	ND	ND	ND	1	100	
002A	MW-5B	W	ND	48	ND	ND	ND	ND	1	117	
003A	MW-6	W	ND	ND	ND	ND	ND	ND	1	99	
004A	MW-7B	W	170	190	2.1	5.8	ND	0.78	1	107	d9
005A	MW-7C	W	ND	ND	ND	ND	ND	ND	1	102	
006A	MW-8B	W	50	1300	ND	ND	ND	ND	1	111	d6
007A	MW-9B	W	ND	470	ND	ND	ND	ND	1	103	

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	μg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	mg/Kg

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in μg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:

d6) one to a few isolated non-target peaks present in the TPH(g) chromatogram

d9) no recognizable pattern



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 42911

WorkOrder 0904636

EPA Method SW8021B/8015Bm		Extraction SW5030B								Spiked Sample ID: 0904636-005A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)				
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH(btex) ^f	ND	60	105	106	1.41	76.2	81.3	6.51	70 - 130	20	70 - 130	20	
MTBE	ND	10	95.8	102	6.02	98	86	13.1	70 - 130	20	70 - 130	20	
Benzene	ND	10	85.4	85.9	0.622	106	110	3.80	70 - 130	20	70 - 130	20	
Toluene	ND	10	84.4	84.7	0.425	99.3	108	8.49	70 - 130	20	70 - 130	20	
Ethylbenzene	ND	10	83.7	83.4	0.288	96.4	102	5.70	70 - 130	20	70 - 130	20	
Xylenes	ND	30	84.8	84.2	0.697	89.4	99.6	10.8	70 - 130	20	70 - 130	20	
%SS:	102	10	97	96	0.764	108	105	2.80	70 - 130	20	70 - 130	20	

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 42911 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0904636-001A	04/21/09	04/29/09	04/29/09 2:51 AM	0904636-002A	04/22/09	04/29/09	04/29/09 3:21 AM
0904636-003A	04/22/09	04/29/09	04/29/09 6:49 AM	0904636-004A	04/21/09	04/30/09	04/30/09 2:10 AM
0904636-005A	04/22/09	04/29/09	04/29/09 1:21 AM	0904636-006A	04/22/09	04/29/09	04/29/09 4:08 PM
0904636-006A	04/22/09	05/01/09	05/01/09 2:21 AM	0904636-007A	04/22/09	04/29/09	04/29/09 4:38 PM
0904636-007A	04/22/09	05/01/09	05/01/09 10:08 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

^f TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.