



CONESTOGA-ROVERS & ASSOCIATES

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: October 20, 2011

REFERENCE NO.: 511000

PROJECT NAME: 2345 International Blvd, Oakland

TO: Mr. Jerry Wickham
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED

2:04 pm, Oct 21, 2011

Alameda County Environmental Health

Please find enclosed: Draft Final
 Originals Other _____
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other Geotracker and ACEH ftp uploads

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - Second Half 2011

As Requested For Review and Comment
 For Your Use Review, Sign, and Return

COMMENTS:

Should you have any questions regarding the content of this document, please contact Bryan Fong at (510) 420-3369.

Copy to: Mr. Stanley and Mr. Aaron Wong
Mr. Hasmukh Patel
Mr. Richard S. Cochran

Completed by: Bryan A. Fong
[Please Print]

Signed: _____

Filing: Correspondence File

With respect to:

Groundwater Monitoring Report - SECOND HALF 2011

Dated 10/20/11

Fuel Leak Case No. RO0000327

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Stanley Wong
Aaron and Stanley Wong

10-19-11
Date



GROUNDWATER MONITORING REPORT - SECOND HALF 2011

**CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
(FORMERLY E. 14TH STREET)
OAKLAND, CALIFORNIA**

AGENCY CASE NO. RO0000327

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: 510-420-0700
Fax: 510-420-9170

web: <http://www.CRAworld.com>

OCTOBER 20, 2011

REF. NO. 511000 (11)

This report is printed on recycled paper.

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
1.1 SITE INFORMATION.....	1
2.0 SITE ACTIVITIES AND RESULTS	2
2.1 CURRENT ACTIVITIES	2
2.2 CURRENT SAMPLING EVENT RESULTS	3
2.2.1 GROUNDWATER FLOW DIRECTION.....	3
2.2.2 SPH DISTRIBUTION	3
2.2.3 HYDROCARBON DISTRIBUTION IN GROUNDWATER	4
2.2.4 FUEL OXYGENATE DISTRIBUTION IN GROUNDWATER.....	4
2.3 PROPOSED ACTIVITIES	4
2.3.1 MONITORING ACTIVITIES	4
2.3.2 DUAL-PHASE EXTRACTION REMEDIATION	5

LIST OF FIGURES
(Following Text)

FIGURE 1 VICINITY MAP

FIGURE 2 GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP - SEPTEMBER 15-16, 2011

LIST OF TABLES
(Following Text)

TABLE 1 WELL CONSTRUCTION DETAILS

TABLE 2 GROUNDWATER ELEVATION AND ANALYTICAL DATA

TABLE 3 SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY

LIST OF APPENDICES

APPENDIX A STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

APPENDIX B CERTIFIED ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

APPENDIX C FIELD DATA SHEETS

1.0 INTRODUCTION

On behalf of Messrs. Aaron and Stanley Wong, Conestoga-Rovers & Associates (CRA) submits this *Groundwater Monitoring Report – Second Half 2011* for the Credit World Auto Sales site (Figure 1), Alameda County Environmental Health (ACEH) Fuel Leak Case No. RO0000327. Included in this report is a summary of the Second Half 2011 activities and the anticipated First Half 2012 activities.

1.1 SITE INFORMATION

Site Address	2345 International Boulevard, (Formerly E. 14 th Street) Oakland, CA
Site Use	Credit World Auto Sales
Client and Contact	Aaron and Stanley Wong
Consultant and Contact Person	CRA, Bryan Fong
Lead Agency and Contact Person	ACEH, Jerry Wickham, P.G.

Groundwater monitoring and sampling occurred September 15 and 16, 2011. Prior to May 2009, groundwater elevations and separate-phase hydrocarbons (SPH) measurements occurred on a monthly basis. These were discontinued in May 2009 in accordance with a revised groundwater monitoring and sampling program approved by the ACEH in a letter dated April 21, 2009. A groundwater elevation contour map generated from the Second Half 2011 data is included as Figure 2.

Table 1 contains well construction details. Table 2 contains recent and historical groundwater elevation and analytical data, along with documented measurements of SPH accumulations. Table 3 is a summary of SPH accumulation thickness measurements and volumes removed. Appendix A presents CRA's *Standard Field Procedures for Groundwater Monitoring and Sampling*. Appendix B presents the laboratory analytical report from the September 15 and 16, 2011 groundwater sampling event. Appendix C contains field data sheets for the Second Half 2011 sampling event.

2.0 SITE ACTIVITIES AND RESULTS

2.1 CURRENT ACTIVITIES

On September 15 and 16, 2011, Muskan Environmental Services (MES) performed monitoring activities. MES measured depth to groundwater, inspected each well for the presence of SPH and, if no SPH was observed, collected groundwater samples. Groundwater samples were collected from monitoring wells MW-1B, MW-3A, TMW-4A, MW-6 through MW-12, and RW-1 (Figure 2). Table 2 presents groundwater analytical data, water level data and measured thicknesses of SPH, if present. Groundwater monitoring field data sheets are provided in Appendix C. Water level data has been uploaded to the GeoTracker database.

Field activities associated with well sampling included micro-purging of wells, collection and documentation of water quality parameters, sample collection and equipment decontamination. Prior to sampling, each well was purged by placing the intake tube of a clean peristaltic pump approximately 1 foot below the initial water level. Depth to groundwater was measured prior to low-flow purging, during purging, at termination of purging, and immediately prior to sample collection. Temperature, pH, specific conductivity, oxygen reduction potential (ORP) and dissolved oxygen (DO) were measured initially and at regular volume intervals. Well purging continued until consecutive pH, specific conductivity and temperature measurements were relatively stable.

Groundwater samples were collected from each well using a peristaltic pump. The samples were collected in 40-milliliter (mL) glass volatile organic analysis (VOA) vials supplied by McCampbell Analytical, Inc. (McCampbell) of Pittsburg, California. Sample containers were labeled, sealed in a plastic bag, placed on ice in a chilled cooler and delivered to McCampbell for analyses. A chain-of-custody record was maintained and is included in Appendix B.

To minimize the potential of cross-contamination, groundwater monitoring equipment was decontaminated prior to use in the first well and between successive wells. Tubing for the peristaltic pump was discarded after use at each well. Clean sampling containers were provided by the analytical laboratory.

Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg), aromatic hydrocarbon compounds [benzene, toluene, ethylbenzene, total xylenes (BTEX)] and methyl tertiary-butyl ether (MTBE) by modified Environmental Protection Agency (EPA) Method SW8021B/SW8015Bm. EPA Method SW8021B MTBE

detections were confirmed by EPA Method SW8260B analysis. Groundwater samples collected from wells MW-3A, MW-11 and MW-12 were analyzed for fuel oxygenates [MTBE, tert-amyl methyl ether (TAME), t-butyl alcohol (TBA), di-isopropyl ether (DIPE), and ethyl tert-butyl ether (ETBE)] by EPA Method SW8260B. The laboratory analytical report is included in Appendix B. Analytical results are summarized on Figure 2 and presented in Table 2. Analytical data has been uploaded to the GeoTracker database.

2.2 CURRENT SAMPLING EVENT RESULTS

Groundwater Flow Direction	Southwest
Hydraulic Gradient	0.017
Range of Measured Water Depth from Top of Casing in Monitoring Wells	7.56 to 13.13 feet
Were Measureable Separate Phase	
Hydrocarbons Observed	Yes (MW-1A, MW-2A, and TMW-5)

2.2.1 GROUNDWATER FLOW DIRECTION

Based on depth-to-water measurements collected on September 15, 2011, groundwater flowed to the southwest at a gradient of 0.017. The groundwater elevation calculated in well MW-1B, was not used in contouring because the well is screened deeper than the other site wells. Top of casing elevations of wells MW-1A, MW-2A and RW-1 have been modified as a result of remediation system installation activities. Groundwater elevations of these wells were not used in contouring either. Depth to water and groundwater elevation data from this monitoring event are summarized on Figure 2 and presented in Table 2.

2.2.2 SPH DISTRIBUTION

Monthly SPH measurements ceased in May 2009 after ACEH approved revision of the groundwater monitoring and sampling program in a letter dated April 21, 2009. As noted at the bottom of Table 3, approximately 72.93 gallons of SPH have been removed from the wells since SPH removal activities were initiated in 1992. A total of 0.32 gallon of SPH was removed during this groundwater sampling event.

2.2.3 HYDROCARBON DISTRIBUTION IN GROUNDWATER

Groundwater analytical results from the Second Half 2011 indicated the following:

- TPHg was detected in wells MW-3A, MW-6, MW-12 and RW-1 ranging from 320 micrograms per liter ($\mu\text{g}/\text{L}$) in MW-3A to 5,400 $\mu\text{g}/\text{L}$ in RW-1.
- Benzene was detected in wells MW-3A, MW-6, MW-12, and RW-1 ranging from 4.7 $\mu\text{g}/\text{L}$ in MW-12 to 860 $\mu\text{g}/\text{L}$ in RW-1.
- Toluene was detected in wells MW-3A, MW-6, MW-12 and RW-1, ranging from 0.61 $\mu\text{g}/\text{L}$ in MW-3A to 19 $\mu\text{g}/\text{L}$ in RW-1.
- Ethylbenzene was detected in wells MW-3A, MW-6, MW-12 and RW-1, ranging from 0.59 $\mu\text{g}/\text{L}$ in MW-12 to 110 $\mu\text{g}/\text{L}$ in RW-1.
- Xylenes were detected in wells MW-3A, MW-6, MW-12 and RW-1, ranging from 0.64 $\mu\text{g}/\text{L}$ in MW-3A to 21 $\mu\text{g}/\text{L}$ in RW-1.

2.2.4 FUEL OXYGENATE DISTRIBUTION IN GROUNDWATER

MTBE was detected in offsite well MW-12 at 8,700 $\mu\text{g}/\text{L}$ by EPA Method SW8021B and at 8,900 $\mu\text{g}/\text{L}$ by EPA Method SW8260B. No MTBE was detected in any other site well at or above the laboratory reporting limit during the Second Half 2011. Groundwater samples from wells MW-3A, MW-11, and MW-12 were also analyzed for fuel oxygenates TAME, TBA, DIPE, and ETBE, by EPA Method SW8260B. TBA was detected at 4.9 $\mu\text{g}/\text{L}$ in well MW-11. No additional analytes were detected at or above the laboratory reporting limit during the Second Half 2011.

2.3 PROPOSED ACTIVITIES

2.3.1 MONITORING ACTIVITIES

Historical hydrocarbon detections in monitoring wells TMW-4A, MW-8, MW-9, and MW-10 have almost entirely been non-detected since initial sampling in 2005. Based on the lack of hydrocarbon detections, CRA requests that these wells be removed from the sampling schedule.

During the First Quarter 2012 and following agency approval of the removal of wells TMW-4A, MW-8, MW-9, and MW-10 from the sampling schedule, CRA will

contract MES to measure water levels, inspect each well for the presence of SPH and, if present, measure and record SPH thicknesses. MES will collect groundwater samples from wells not containing measurable thicknesses of SPH. Groundwater samples will be analyzed for TPHg by modified EPA Method SW8015C; and BTEX and MTBE by EPA Method SW8021B. Detected MTBE concentrations will be confirmed by EPA Method SW8260B. Wells MW-3A, MW-11 and MW-12 will be analyzed for fuel oxygenates (MTBE, TBA, TAME, ETBE, and DIPE) by EPA Method SW8260B. CRA will summarize groundwater monitoring activities and analytical results in a groundwater monitoring report.

2.3.2 DUAL-PHASE EXTRACTION REMEDIATION

Installation of the dual phase extraction (DPE) remediation system was completed during the First Half 2011. Beginning July 1, 2011, the Underground Storage Tank (UST) Fund assigned a budget cap of \$10,000 for the Site for the current fiscal year. Therefore, system start-up activities and System Start-Up reporting will be implemented when additional funds become available.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES



Bryan A. Fong




Robert Foss, P.G.



Conestoga-Rovers & Associates, Inc. (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

FIGURES




Credit World Auto Sales

2345 International Boulevard
Oakland, California



CONESTOGA-ROVERS
& ASSOCIATES

Vicinity Map



TABLES

TABLE 1

Page 1 of 1

WELL CONSTRUCTION DETAILS
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Installation Date	Destruction Date	Borehole Depth (ft bgs)	Boring Diameter (in)	Casing Diameter (in)	Well Depth (ft bgs)	Screen Interval (ft bgs)	Screen Size (in)	Filter Pack (ft bgs)	Surface Seal (ft bgs)	TOC Elevation (feet msl)
MW-1	5/22/1991	8/8/2005	35	8	2	35	15-35	0.010	12-35	0-12	n/a
MW-1A	8/8/2005	--	20	10	4	20	10-20	0.010	9.5-20	0-9.5	26.95
MW-1B*	8/8/2005	--	35	10	4	35	30-35	0.010	29-35	0-29	26.85
MW-2	8/21/1991	8/9/2005	35	8	2	35	15-35	0.010	12-35	0-12	n/a
MW-2A*	8/9/2005	--	35	10	4	18	8-18	0.010	7.5-18	0-7.5	25.82
MW-3	8/21/1991	8/10/2005	35	8	2	35	15-35	0.010	12-35	0-12	n/a
MW-3A*	8/10/2005	--	35	10	4	20	10-20	0.010	9.5-20	0-9.5	26.70
TMW-4	7/22/1993	8/9/2005	34.5	8	2	36	14-34	0.010	12-34	0-12	n/a
TMW-4A*	8/9/2005	--	35	10	4	20	10-20	0.010	9.5-20	0-9.5	26.42
TMW-5	7/23/1993	--	24	8	2	27	17-24	0.010	15-24	0-15	n/a
MW-6	5/22/2001	--	20	6.75	4	20	15-20	0.020	13-20	0-13	n/a
MW-7	8/10/2005	--	20.5	10	4	18	8-18	0.010	7.5-18	0-7.5	25.12
MW-8	8/11/2005	--	20	10	4	18	8-18	0.010	7.5-18	0-7.5	26.09
MW-9	8/9/2005	--	21.5	10	4	20	10-20	0.010	9.5-20	0-9.5	25.31
MW-10	8/11/2005	--	20	10	4	18	8-18	0.010	7.5-18	0-7.5	24.30
MW-11	10/20/2005	--	18.5	10	4	18	8-18	0.010	7-18	0-7	23.57
MW-12	10/20/2005	--	24	10	4	20	10-20	0.010	9-20	0-9	22.95
RW-1	8/9/2005	--	24.5	10	4	23	8-23	0.010	7.5-23	0-7.5	26.71
RW-2	2/16/2007	--	22	10	4	22	8-22	0.010	7-22	0-7	--
RW-3	2/15/2007	--	22	10	4	22	8-22	0.010	7-22	0-7	--
RW-4	2/15/2007	--	22	10	4	22	8-22	0.010	7-22	0-7	--
RW-5	2/16/2007	--	22	10	4	22	8-22	0.010	7-22	0-7	--

Abbreviations and Notes:

in = inches

ft = feet

bgs = below ground surface

GW = groundwater

TOC = top of casing

msl = measured relative to mean sea level

* = Drill-out and reconstruction of original

n/a = not applicable

-- = no data available

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
California Environmental Consultants (Soil and Groundwater Investigation)														
B-1-W	10/2/1984	--	--	--	67,000	14,000	2,400	2,500	9,100	--	--	--	--	--
B-2-W	10/2/1984	--	--	--	110,000	17,000	2,600	3,000	12,000	--	--	--	--	--
B-3-W	10/2/1984	--	--	--	--	(490)	(160)	(770)	(1,300)	--	--	--	--	--
Tank Protect Engineering (Site Assessment)														
SB-1W	4/21/1997	--	--	--	ND<50.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
SB-2W	4/21/1997	--	--	--	6,100	870	35	17	28	ND<5.0	--	--	--	--
SB-3W	5/1/1997	--	--	--	ND<50.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
SB-4W	5/1/1997	--	--	--	ND<50.0	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
SB-5W	5/1/1997	--	--	--	890	5.4	ND<0.5	1.4	ND<0.5	12	--	--	--	--
Sequoia Environmental (Subsurface Investigation)														
SB-1	5/22/2001	--	--	--	11,000	8.1	23	81	7.1	ND<20	--	--	--	--
SB-2	5/22/2001	--	--	--	1,200	ND<0.5	3.5	5.5	ND<0.5	ND<5.0	--	--	--	--
SB-3	5/22/2001	--	--	--	53,000	790	110	2,000	2,000	ND<200	--	--	--	--
SB-4	5/22/2001	--	--	--	170,000	420	ND<45	1,500	800	ND<200	--	--	--	--
SB-5	5/22/2001	--	--	--	27,000	8,400	99	230	120	ND<500	--	--	--	--
SB-6	5/22/2001	--	--	--	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
Monitoring Well Sampling Data														
MW-1	8/23/1991	15.42	0.00	11.91	2,090,000	2,150	9,345	2,145	23,150	--	--	--	--	--
27.37	12/30/1997	10.96	0.17	16.51	61,000	4,300	1,800	1,600	6,900	1,400	--	--	--	--
	3/24/1998	9.33	0.00	18.04	24,000	1,000	1,000	1,300	4,300	2,000	--	--	--	--
	6/29/1998	12.20	0.00	15.17	130,000	3,800	370	1,200	4,200	3,300	--	--	--	--
	10/2/1998	13.46	0.00	13.91	22,000	66	21	26	140	ND<0.50	--	--	--	--
	12/10/1998	10.49	0.00	16.88	32,000	4,600	970	1,700	4,900	ND<250	--	--	--	--
	3/26/1999	9.44	0.00	17.93	230,000	370	290	280	720	ND<0.50	--	--	--	--
	6/11/1999	12.56	0.01	14.82	180,000	210	170	220	400	ND<0.50	--	--	--	--
	9/15/1999	14.85	1.00	13.32	21,000	3,800	280	590	2,200	ND<250	--	--	--	--
	12/28/1999	14.50	1.32	13.93	27,000	48	36	46	83	ND<0.5	--	--	--	--
	6/13/2001	15.83	4.36	12.03	--	--	--	--	--	--	--	--	--	--
	12/27/2002	8.31	0.16	16.19	--	--	--	--	--	--	--	--	--	--
	3/23/2003	10.65	0.05	16.72	--	--	--	--	--	--	--	--	--	--
	5/29/2003	12.11	0.28	15.44	--	--	--	--	--	--	--	--	--	--
	9/26/2003	12.84	0.29	14.72	--	--	--	--	--	--	--	--	--	--
	12/4/2003	12.50	0.10	14.91	--	--	--	--	--	--	--	--	--	--
	3/12/2004	10.45	0.52	17.30	--	--	--	--	--	--	--	--	--	--
	6/18/2004	12.01	0.46	15.69	--	--	--	--	--	--	--	--	--	--
	9/23/2004	13.56	0.50	14.21	--	--	--	--	--	--	--	--	--	--
	12/10/2004	12.94	0.10	14.51	--	--	--	--	--	--	--	--	--	--
	2/9/2005	10.53	0.52	17.26	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-1	3/25/2005	7.76	0.06	19.66	--	--	--	--	--	--	--	--	--	--
cont.	6/24/2005	11.00	0.06	16.42	--	--	--	--	--	--	--	--	--	--
← 8/8/2005 - Well MW-1 reconstructed as well MW-1B →														
MW-1A	9/29/2005	11.92	0.00	15.03	--	--	--	--	--	--	--	--	--	--
26.95	12/29-30/2005	6.85	0.00	20.10	47,000 b	4,400	2,100	2,000	6,300	ND<500	--	--	--	--
	3/27-28/2006	6.70	0.00	20.25	65,000 b,c	6,500	2,600	2,600	8,600	ND<800	--	--	--	--
	4/28/2006	8.42	0.00	18.53	--	--	--	--	--	--	--	--	--	--
	5/31/2006	10.74	0.00	16.21	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	11.49	Sheen Field	15.46	37,000 b	2,700	810	1,100	3,500	ND<300	--	--	--	--
	7/26/2006	12.51	0.00	14.44	--	--	--	--	--	--	--	--	--	--
	8/25/2006	12.21	0.00	14.74	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	12.55	Sheen Field & Lab	14.40	81,000 b,c	8,200	1,500	3,100	8,700	ND<500	--	--	--	--
	10/26/2006	13.32	0.00	13.63	--	--	--	--	--	--	--	--	--	--
	11/28/2006	12.70	0.00	14.25	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	9.82	Sheen Field & Lab	17.13	79,000 b,c	8,700	1,500	2,500	7,600	ND<1,000	--	--	--	--
	1/25/2007	12.97	0.00	13.98	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.51	0.00	18.44	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	10.65	Sheen Field	16.30	79,000 b,c	8,300	1,500	3,000	8,800	ND<1,000	--	--	--	--
	4/26/2007	9.60	0.00	17.35	--	--	--	--	--	--	--	--	--	--
	5/29/2007	12.61	0.00	14.34	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	12.15	Sheen Field & Lab	14.80	28,000 b,c	2,500	300	1,000	3,000	ND<400 (ND<5.0 h)	--	--	--	--
	7/24/2007	12.56	0.00	14.39	--	--	--	--	--	--	--	--	--	--
	8/27/2007	12.97	0.00	13.98	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	13.10	Sheen Field & Lab	13.85	68,000 b,c	4,400	620	2,500	7,600	ND<1,000 (ND<17 h)	--	--	--	--
	10/30/2007	13.14	0.01	13.82	--	--	--	--	--	--	--	--	--	--
	11/29/2007	13.16	0.01	13.80	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	10.04	Sheen Field & Lab	16.91	43,000 b,c	4,500	490	2,100	6,700	ND<500	--	--	--	--
	1/17/2008	10.30	0.00	16.65	--	--	--	--	--	--	--	--	--	--
	2/15/2008	10.59	0.00	16.36	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	10.83	0.00	16.12	52,000 b,c	2,500	270	1,300	3,000	ND<350	--	--	--	--
	4/11/2008	12.81	0.00	14.14	--	--	--	--	--	--	--	--	--	--
	5/8/2008	13.02	0.01	13.94	--	--	--	--	--	--	--	--	--	--
	6/12/2008	12.25	Sheen Field & Lab	14.70	44,000 b,c	3,000	240	1,400	4,300	<250	--	--	--	--
	7/16/2008	13.55	0.01	13.41	--	--	--	--	--	--	--	--	--	--
	8/20/2008	13.66	0.01	13.30	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	13.24	0.01	13.72	30,000 b,c	2,100	170	1,200	4,000	ND<100 (ND<5.0 h)	--	--	--	--
	10/23/2008	13.60	0.01	13.36	--	--	--	--	--	--	--	--	--	--
	11/26/2008	13.26	0.01	13.70	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	12.41	Sheen Field & Lab	14.54	31,000 b,c	2,800	180	1,200	3,400	ND<500	--	--	--	--
	1/26/2009	10.50	0.00	16.45	--	--	--	--	--	--	--	--	--	--
	2/23/2009	10.11	0.00	16.84	--	--	--	--	--	--	--	--	--	--

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-1A	3/11/2009	7.23	0.00*	19.72	--	--	--	--	--	--	--	--	--	--
cont.	4/16/2009	11.48	0.01	15.48	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	11.89	Sheen ^{Lab}	15.06	61,000 b	4,200	240	2,300	6,500	ND<250	--	--	--	--
	9/23-24/2009	12.70	0.03	14.27	--	--	--	--	--	--	--	--	--	--
	3/22-23/2010	9.18	Sheen ^{Lab}	17.77	85,000 b,c	6,400	280	3,300	8,300	ND<1,200	--	--	--	--
	9/27-28/2010	12.15	0.12	14.90	--	--	--	--	--	--	--	--	--	--
	3/31/2011**	6.68	0.12	--	--	--	--	--	--	--	--	--	--	--
	9/15/2011**	11.49	0.12	--	--	--	--	--	--	--	--	--	--	--
MW-1B	9/29/2005	13.62	0.00	13.23	--	--	--	--	--	--	--	--	--	--
26.85	12/29-30/2005	10.38	0.00	16.47	1,200 b	19	2.5	0.91	2.7	ND<5.0	--	--	--	--
	3/27-28/2006	10.54	0.00	16.31	950 b,d	2.0	1.3	0.54	ND<0.5	ND<5.0	--	--	--	--
	4/28/2006	11.15	0.00	15.70	--	--	--	--	--	--	--	--	--	--
	5/31/2006	12.40	0.00	14.45	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	12.80	0.00	14.05	480 b	0.80	2.1	ND<0.5	1.0	ND<10	--	--	--	--
	7/26/2006	13.20	0.00	13.65	--	--	--	--	--	--	--	--	--	--
	8/25/2006	13.42	0.00	13.43	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	13.50	0.00	13.35	420 d	ND<0.5	3.0	1.2	1.1	ND<5.0	--	--	--	--
	10/26/2006	13.74	0.00	13.11	--	--	--	--	--	--	--	--	--	--
	11/28/2006	13.18	0.00	13.67	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	12.20	0.00	14.65	250 d	ND<0.5	2.1	ND<0.5	0.83	ND<5.0	--	--	--	--
	1/25/2007	14.09	0.00	12.76	--	--	--	--	--	--	--	--	--	--
	2/23/2007	11.73	0.00	15.12	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	12.82	0.00	14.03	220 d	ND<0.5	2.4	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/26/2007	12.20	0.00	14.65	--	--	--	--	--	--	--	--	--	--
	5/29/2007	12.75	0.00	14.10	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	13.62	0.00	13.23	200 d	ND<0.5	1.6	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/24/2007	14.29	0.00	12.56	--	--	--	--	--	--	--	--	--	--
	8/27/2007	14.21	0.00	12.64	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	14.27	0.00	12.58	160 d	ND<0.5	1.6	ND<0.5	0.63	ND<5.0	--	--	--	--
	10/30/2007	13.72	0.00	13.13	--	--	--	--	--	--	--	--	--	--
	11/29/2007	13.61	0.00	13.24	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	12.22	0.00	14.63	140 d	ND<0.5	1.4	ND<0.5	1.6	ND<5.0	--	--	--	--
	1/17/2008	12.27	0.00	14.58	--	--	--	--	--	--	--	--	--	--
	2/15/2008	11.68	0.00	15.17	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	12.50	0.00	14.35	120 b	0.66	1.1	ND<0.5	0.79	ND<5.0	--	--	--	--
	4/11/2008	16.18	0.00	10.67	--	--	--	--	--	--	--	--	--	--
	5/8/2008	15.35	0.00	11.50	--	--	--	--	--	--	--	--	--	--
	6/12/2008	13.70	0.00	13.15	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
	7/16/2008	14.16	0.00	12.69	--	--	--	--	--	--	--	--	--	--
	8/20/2008	14.27	0.00	12.58	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	14.21	0.00	12.64	54 d	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-1B	10/23/2008	14.57	0.00	12.28	--	--	--	--	--	--	--	--	--	--
cont.	11/26/2008	14.08	0.00	12.77	--	--	--	--	--	--	--	--	--	--
	12/8/2008	13.63	0.00	13.22	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	1/26/2009	12.35	0.00	14.50	--	--	--	--	--	--	--	--	--	--
	2/23/2009	11.98	0.00	14.87	--	--	--	--	--	--	--	--	--	--
	3/11/2009	11.10	0.00	15.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	4/16/2009	13.69	0.00	13.16	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	13.02	0.00	13.83	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/23-24/2009	13.75	0.00	13.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/22-23/2010	12.08	0.00	14.77	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/27-28/2010	13.41	0.00	13.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/31/2011	11.37	0.00	15.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/15/2011	13.13	0.00	13.72	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
MW-2	8/23/1991	13.77	0.00	12.15	10,000	ND<5	ND<5	ND<5	ND<5	--	--	--	--	--
26.16 ^a	4/16/1992	15.38	2.81	12.79	--	--	--	--	--	--	--	--	--	--
	6/11/1993	13.19	0.00	12.98	--	--	--	--	--	--	--	--	--	--
	8/17/1993	14.04	0.01	12.13	49,000	94	240	250	980	--	--	--	--	--
	3/28/1994	13.61	0.54	12.98	14,000	4,200	ND<250	910	1,400	--	--	--	--	--
	6/27/1994	14.24	0.80	12.56	24,000	4,400	72	1,100	1,700	--	--	--	--	--
	9/16/1994	17.82	4.46	11.91	40,000	2,300	250	2,000	4,100	--	--	--	--	--
	3/31/1995	16.72	7.44	15.39	28,000	4,000	ND<120	1,100	1,400	--	--	--	--	--
	6/28/1995	13.50	0.73	13.24	40,000	2,700	130	1,700	2,900	--	--	--	--	--
	9/28/1995	14.63	0.54	11.96	7,500	420	14	250	190	ND<62	--	--	--	--
	12/26/1995	12.58	0.90	14.30	22,000	1,300	88	950	1,800	ND<250	--	--	--	--
	3/22/1996	11.46	0.15	14.82	9,800	2,200	ND<120	400	ND<380	ND<1,200	--	--	--	--
	6/20/1996	13.08	0.37	13.38	35,000	770	ND<0.50	240	ND<0.50	550	--	--	--	--
	9/30/1996	16.67	3.75	12.49	58,000	1,600	230	2,200	4,000	ND<5.0	--	--	--	--
	12/27/1996	15.74	7.57	16.48	29,000	2,100	ND<0.50	1,200	1,800	ND<5.0	--	--	--	--
	3/7/1997	12.55	0.00	13.61	13,000	1,300	37	290	180	ND<5.0	--	--	--	--
	6/28/1997	11.98	0.04	14.21	12,000	840	ND<0.50	640	360	ND<5.0	--	--	--	--
	9/18/1997	13.44	0.00	12.72	12,000	680	ND<0.50	320	84	ND<5.0	--	--	--	--
	12/30/1997	11.31	0.00	14.85	13,000	1,100	40	350	220	ND<5.0	--	--	--	--
	3/25/1998	10.02	0.00	16.14	8,100	1,300	51	410	230	670	--	--	--	--
	6/29/1998	11.96	0.00	14.20	12,000	880	13	180	72	430	--	--	--	--
	10/2/1998	13.74	0.00	12.42	47,000	140	100	110	200	ND<0.50	--	--	--	--
	12/10/1998	12.91	2.10	14.93	26,000	1,000	210	1,500	1,900	ND<1,000	--	--	--	--
	3/26/1999	9.06	0.20	17.26	110,000	190	150	120	380	ND<0.50	--	--	--	--
	6/11/1999	12.18	0.00	13.98	190,000	310	250	320	540	ND<0.50	--	--	--	--
	9/15/1999	15.59	3.00	12.97	25,000	720	ND<100	1,300	1,600	ND<1,000	--	--	--	--
	12/28/1999	16.81	4.50	12.95	75,000	130	98	130	230	ND<0.50	--	--	--	--
	6/13/2001	14.84	3.15	10.84	--	--	--	--	--	--	--	--	--	--

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-2	6/20/2002	14.80	0.70	8.92	53,000	2,200	140	3,300	3,000	ND<1,000	--	--	--	--
cont.	10/21/2002	16.98	0.24	6.37	--	--	--	--	--	--	--	--	--	--
	12/27/2002	13.58	0.43	9.92	--	--	--	--	--	--	--	--	--	--
	3/23/2003	15.49	0.29	10.66	--	--	--	--	--	--	--	--	--	--
	5/29/2003	16.08	0.44	10.19	--	--	--	--	--	--	--	--	--	--
	9/26/2003	17.14	0.87	9.48	--	--	--	--	--	--	--	--	--	--
	12/4/2003	16.75	1.01	9.98	--	--	--	--	--	--	--	--	--	--
	3/12/2004	11.19	2.14	16.44	--	--	--	--	--	--	--	--	--	--
	6/18/2004	12.66	0.87	13.96	--	--	--	--	--	--	--	--	--	--
	9/23/2004	15.39	0.10	10.85	--	--	--	--	--	--	--	--	--	--
	12/10/2004	14.81	0.41	11.68	--	--	--	--	--	--	--	--	--	--
	2/9/2005	10.95	0.77	15.83	--	--	--	--	--	--	--	--	--	--
	3/25/2005	7.83	0.08	18.39	--	--	--	--	--	--	--	--	--	--
	6/24/2005	11.73	0.85	15.11	--	--	--	--	--	--	--	--	--	--
← 8/9/2005 - Well MW-2 reconstructed as well MW-2A →														
MW-2A	9/29/2005	10.95	0.00	14.87	--	--	--	--	--	--	--	--	--	--
25.82	12/29-30/2005	5.41	Sheen Field	20.41	14,000 b,c	610	21	1,500	320	ND<90	--	--	--	--
	3/27-28/2006	5.04	0.00	20.78	18,000 b	500	21	900	180	ND<100	--	--	--	--
	4/28/2006	6.92	0.00	18.90	--	--	--	--	--	--	--	--	--	--
	5/31/2006	8.85	0.00	16.97	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	9.75	Sheen Field	16.07	19,000 b	810	27	1,600	260	ND<100	--	--	--	--
	7/26/2006	10.44	0.00	15.38	--	--	--	--	--	--	--	--	--	--
	8/25/2006	10.80	0.00	15.02	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	10.93	Sheen Field	14.89	23,000 b	980	20	1,700	260	ND<180	--	--	--	--
	10/26/2006	11.15	0.00	14.67	--	--	--	--	--	--	--	--	--	--
	11/28/2006	9.73	0.00	16.09	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	7.77	Sheen Field & Lab	18.05	24,000 b,c	660	23	1,900	280	ND<200	--	--	--	--
	1/25/2007	10.20	0.00	15.62	--	--	--	--	--	--	--	--	--	--
	2/23/2007	6.98	0.00	18.84	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	9.10	Sheen Field & Lab	16.72	28,000 b,c	610	20	1,800	270	ND<100	--	--	--	--
	4/26/2007	7.68	0.00	18.14	--	--	--	--	--	--	--	--	--	--
	5/29/2007	10.02	0.00	15.80	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	10.66	Sheen Field & Lab	15.16	25,000 b,c	600	34	2,000	290	ND<250 (ND<2.5 h)	--	--	--	--
	7/24/2007	11.11	0.00	14.71	--	--	--	--	--	--	--	--	--	--
	8/27/2007	11.61	0.00	14.21	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	11.69	Sheen Field & Lab	14.13	20,000 b,c	570	29	1,500	240	ND<100 (ND<2.5 h)	--	--	--	--
	10/30/2007	10.63	0.00	15.19	--	--	--	--	--	--	--	--	--	--
	11/29/2007	10.62	0.00	15.20	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	8.13	Sheen Field & Lab	17.69	28,000 b,c	730	42	2,500	330	ND<170	--	--	--	--
	1/17/2008	7.28	0.00	18.54	--	--	--	--	--	--	--	--	--	--
	2/15/2008	7.36	0.00	18.46	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-2A	3/17-18/2008	9.00	0.00	16.82	28,000 b	440	27	1,600	210	ND<140	--	--	--	--
cont.	4/11/2008	9.89	0.00	15.93	--	--	--	--	--	--	--	--	--	--
	5/8/2008	10.45	0.00	15.37	--	--	--	--	--	--	--	--	--	--
	6/12/2008	10.95	Sheen Field & Lab	14.87	33,000 b,c	530	42	1,900	230	ND<100	--	--	--	--
	7/16/2008	11.29	0.00	14.53	--	--	--	--	--	--	--	--	--	--
	8/20/2008	11.55	0.00	14.27	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	11.78	Sheen Field & Lab	14.04	24,000 b,c	550	29	1,900	230	ND<250 (ND<5.0 h)	--	--	--	--
	10/23/2008	11.82	Sheen Field	14.00	--	--	--	--	--	--	--	--	--	--
	11/26/2008	10.55	Sheen Field	15.27	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	10.83	Sheen Field & Lab	14.99	27,000 b,c	480	28	2,000	220	ND<100	--	--	--	--
	1/26/2009	8.13	Sheen Field	17.69	--	--	--	--	--	--	--	--	--	--
	2/23/2009	7.95	Sheen Field	17.87	--	--	--	--	--	--	--	--	--	--
	3/11/2009	6.10	0.00*	19.72	--	--	--	--	--	--	--	--	--	--
	4/16/2009	9.02	0.00	16.80	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	10.20	Sheen Lab	15.62	92,000 b	450	28	2,100	230	ND<100	--	--	--	--
	9/23-24/2009	11.15	0.05	14.71	--	--	--	--	--	--	--	--	--	--
	3/22-23/2010	7.10	0.00	18.72	9,900 b	100	9.2	260	40	ND<350	--	--	--	--
	9/27-28/2010	9.73	0.00	16.09	9,800 b,c	210	8.6	590	44	ND<50	--	--	--	--
	3/31-4/01/2011**	4.68	0.00	--	15,000 b	210	11	780	80	ND<110	--	--	--	--
	9/15/2011**	9.60	0.07	--	--	--	--	--	--	--	--	--	--	--
MW-3	8/23/1991	15.07	0.00	12.50	ND<5,000	ND<5	ND<5	ND<5	ND<5	--	--	--	--	--
27.57 ^a	4/16/1992	14.14	0.16	13.56	--	--	--	--	--	--	--	--	--	--
	6/11/1993	14.28	0.00	13.30	--	--	--	--	--	--	--	--	--	--
	8/17/1993	15.77	0.00	11.80	9,600	4.1	17	28	54	--	--	--	--	--
	3/28/1994	14.35	0.00	13.22	8,400	2,400	56	67	200	--	--	--	--	--
	6/27/1994	14.77	0.00	12.80	9,900	3,300	ND<22	ND<25	73	--	--	--	--	--
	9/16/1994	15.42	0.05	12.19	16,000	2,300	80	620	240	--	--	--	--	--
	3/31/1995	12.98	0.46	14.96	16,000	2,800	70	ND<25	920	--	--	--	--	--
	6/28/1995	14.20	0.05	13.41	11,000	2,300	32	81	240	--	--	--	--	--
	9/28/1995	15.17	0.00	12.40	6,300	1,900	ND<42	200	ND<120	ND<420	--	--	--	--
	12/26/1995	13.33	0.06	14.29	25,000	3,800	97	94	1,600	ND<250	--	--	--	--
	3/22/1995	12.81	0.04	14.79	16,000	3,100	75	69	350	250	--	--	--	--
	6/20/1996	13.95	0.07	13.68	8,500	1,400	28	140	15	220	--	--	--	--
	9/24/1996	14.86	0.04	12.74	12,000	2,400	87	340	110	ND<5.0	--	--	--	--
	12/27/1996	11.04	0.06	16.58	5,800	1,700	28	ND<0.50	42	240	--	--	--	--
	3/10/1997	13.80	0.00	13.77	9,000	1,700	ND<0.50	110	ND<0.50	ND<5.0	--	--	--	--
	6/28/1997	13.72	0.06	13.90	15,000	2,200	ND<0.50	160	190	ND<5.0	--	--	--	--
	9/18/1997	14.76	0.00	12.81	28,000	3,800	ND<0.50	100	ND<0.50	ND<5.0	--	--	--	--
	12/30/1997	12.97	0.00	14.60	21,000	2,200	ND<0.50	31	ND<0.50	300	--	--	--	--
	3/24/1998	11.75	0.00	15.82	2,300	870	7.2	20	ND<0.50	85	--	--	--	--
	6/29/1998	13.38	0.00	14.19	6,500	1,300	12	62	14	140	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-3	10/2/1998	14.42	0.00	13.15	11,000	31	27	35	69	ND<0.50	--	--	--	--
cont.	12/10/1998	12.55	0.00	15.02	ND<2,500	2,800	68	42	55	ND<250	--	--	--	--
	3/26/1999	10.54	0.00	17.03	10,000	21	14	10	41	ND<0.50	--	--	--	--
	6/15/1999	13.91	0.00	13.66	87,000	90	71	92	180	ND<0.50	--	--	--	--
	9/15/1999	14.70	0.00	12.87	8,700	2,100	71	110	66	ND<100	--	--	--	--
	12/28/1999	15.16	0.25	12.61	4,300	7.7	5.2	7.2	13	ND<0.50	--	--	--	--
	6/13/2001	14.70	0.40	13.19	8,400	1,300	25	64	32	ND<20	--	--	--	--
	6/20/2002	14.68	0.02	12.91	7,800	1,100	23	66	15	ND<50	--	--	--	--
	12/27/2002	11.37	0.17	16.34	--	--	--	--	--	--	--	--	--	--
	3/23/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
	5/29/2003	13.99	0.08	13.64	--	--	--	--	--	--	--	--	--	--
	9/26/2003	14.51	0.05	13.10	--	--	--	--	--	--	--	--	--	--
	12/4/2003	14.28	0.10	13.37	--	--	--	--	--	--	--	--	--	--
	3/12/2004	11.95	0.42	15.96	--	--	--	--	--	--	--	--	--	--
	6/18/2004	13.33	0.55	14.68	--	--	--	--	--	--	--	--	--	--
	9/23/2004	16.17	0.02	11.42	--	--	--	--	--	--	--	--	--	--
	12/10/2004	16.51	0.10	11.14	--	--	--	--	--	--	--	--	--	--
	2/9/2005	13.98	0.33	13.85	--	--	--	--	--	--	--	--	--	--
	3/25/2005	11.29	0.16	16.41	--	--	--	--	--	--	--	--	--	--
	6/24/2005	13.47	0.09	14.17	--	--	--	--	--	--	--	--	--	--
← 8/10/2005 - Well MW-3 reconstructed as well MW-3A →														
MW-3A	9/29/2005	12.52	0.00	14.18	--	--	--	--	--	--	--	--	--	--
26.70	12/29-30/2005	5.37	0.00	21.33	5,600 b	420	5.5	210	140	ND<50	--	--	--	--
	3/27-28/2006	5.59	0.00	21.11	8,200 b	210	4.4	120	150	ND<25 (ND<1.0)	ND<1.0	ND<10	ND<1.0	ND<1.0
	4/28/2006	7.94	0.00	18.76	--	--	--	--	--	--	--	--	--	--
	5/31/2006	10.82	0.00	15.88	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	11.63	0.00	15.07	8,600 b	190	ND<5.0	120	170	ND<50 (ND<1.0)	ND<1.0	ND<10	ND<1.0	ND<1.0
	7/26/2006	12.00	0.00	14.70	--	--	--	--	--	--	--	--	--	--
	8/25/2006	12.35	0.00	14.35	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	12.60	Sheen ^{Field}	14.10	11,000 b	250	3.5	ND<1.7	62	ND<100 (ND<1.0)	ND<1.0	ND<10	ND<1.0	ND<1.0
	10/26/2006	12.81	0.00	13.89	--	--	--	--	--	--	--	--	--	--
	11/28/2006	10.42	0.00	16.28	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	8.94	Sheen ^{Field}	17.76	7,900 b	48	ND<5.0	65	130	ND<50 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	1/25/2007	11.73	0.00	14.97	--	--	--	--	--	--	--	--	--	--
	2/23/2007	7.30	0.00	19.40	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	10.74	Sheen ^{Field}	15.96	7,000 b	34	ND<2.5	37	93	ND<120 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	4/26/2007	8.90	0.00	17.80	--	--	--	--	--	--	--	--	--	--
	5/29/2007	11.68	0.00	15.02	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	12.30	Sheen ^{Lab}	14.40	13,000 b,c	61	19	180	290	ND<50 (ND<1.0)	ND<1.0	ND<10	ND<1.0	ND<1.0
	7/24/2007	12.61	0.00	14.09	--	--	--	--	--	--	--	--	--	--
	8/27/2007	13.03	0.00	13.67	--	--	--	--	--	--	--	--	--	--

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-3A	9/26-27/2007	13.03	Sheen Field	13.67	8,000 b	240	ND<2.5	31	65	ND<25 (ND<5.0)	ND<5.0	ND<50	ND<5.0	ND<5.0
cont.	10/30/2007	12.03	0.00	14.67	--	--	--	--	--	--	--	--	--	--
	11/29/2007	12.19	0.00	14.51	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	8.02	Sheen Field	18.68	5,600 b	28	3.9	53	120	ND<17 (ND<5.0)	ND<5.0	ND<50	ND<5.0	ND<5.0
	1/17/2008	8.04	0.00	18.66	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.52	0.00	18.18	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	10.57	0.00	16.13	5,500 b	19	ND<17	66	86	ND<170 (ND<5.0)	ND<5.0	ND<20	ND<5.0	ND<5.0
	4/11/2008	11.29	0.00	15.41	--	--	--	--	--	--	--	--	--	--
	5/8/2008	11.87	0.00	14.83	--	--	--	--	--	--	--	--	--	--
	6/12/2008	12.38	Sheen Lab	14.32	7,600 b,c	94	4.5	8.3	68	ND<25 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	7/16/2008	12.87	0.00	13.83	--	--	--	--	--	--	--	--	--	--
	8/20/2008	13.02	0.00	13.68	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	13.31	Sheen Field	13.39	7,900 b	340	3.8	29.0	37	ND<25 (ND<1.7 h)	ND<1.7	ND<6.7	ND<1.7	ND<1.7
	10/23/2008	13.35	0.00	13.35	--	--	--	--	--	--	--	--	--	--
	11/26/2008	12.09	0.00	14.61	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	12.27	Sheen Field	14.43	5,100 b	55	5.5	ND<5.0	32	ND<50 (ND<1.7)	ND<1.7	13	ND<1.7	ND<1.7
	1/26/2009	9.35	0.00	17.35	--	--	--	--	--	--	--	--	--	--
	2/23/2009	8.91	0.00	17.79	--	--	--	--	--	--	--	--	--	--
	3/11-12/2009	6.15	Sheen Field & Lab	20.55	4,500 d,i,c	ND<5.0	7.8	6.3	9.6	ND<50 (ND<5.0)	ND<5.0	ND<20	ND<5.0	ND<5.0
	4/16/2009	10.61	0.00	16.09	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	11.77	Sheen Lab	14.93	4,000 b	15	ND<2.5	21.0	15.0	ND<25 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/23-24/2009	12.74	0.00	13.96	680 b	7.9	1.7	ND<1.0	ND<1.0	ND<10 (ND<0.5)	ND<0.5	17	ND<0.5	ND<0.5
	3/22-23/2010	8.69	0.00	18.01	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/27-28/2010	12.40	0.00	14.30	640 b	13	0.75	22	1.7	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	3/31-4/01/2011	5.47	0.00	21.23	<50	<0.5	<0.5	<0.5	<0.5	ND<5.0	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/15-16/2011	12.17	0.00	14.53	320 b	8.8	0.61	7.7	0.64	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
TMW-4	8/17/1993	13.26	0.00	13.24	150	ND<0.50	0.8	1.4	3.7	--	--	--	--	--
26.50 ^a	3/28/1994	12.40	0.00	14.10	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	--	--	--	--	--
	6/27/1994	12.84	0.00	13.66	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	--	--	--	--	--
	9/16/1994	13.58	0.00	12.92	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	--	--	--	--	--
	3/31/1995	10.23	0.00	16.27	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	--	--	--	--	--
	6/28/1995	12.21	0.00	14.29	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	--	--	--	--	--
	9/28/1995	13.38	0.00	13.12	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	ND<5.0	--	--	--	--
	12/26/1995	11.32	0.00	15.18	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	ND<5.0	--	--	--	--
	3/22/1996	10.54	0.00	15.96	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	ND<5.0	--	--	--	--
	6/20/1996	12.14	0.00	14.36	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	9/24/1996	13.01	0.00	13.49	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	12/27/1996	9.51	0.00	16.99	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	3/10/1997	11.92	0.00	14.58	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	6/27/1997	10.70	0.00	15.80	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	9/18/1997	12.94	0.00	13.56	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
TMW-4	12/30/1997	10.92	0.00	15.58	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
cont.	3/25/1998	9.60	0.00	16.90	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	6/29/1998	11.32	0.00	15.18	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	10/2/1998	12.56	0.00	13.94	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	12/10/1998	10.44	0.00	16.06	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	3/26/1999	9.38	0.00	17.12	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	6/15/1999	11.58	0.00	14.92	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	9/15/1999	12.89	0.00	13.61	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	12/28/1999	12.92	0.00	13.58	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	--	--	--
	10/21/2002	12.70	0.00	13.80	--	--	--	--	--	--	--	--	--	--
	12/27/2002	9.07	0.12	17.53	--	--	--	--	--	--	--	--	--	--
	3/23/2003	10.73	0.03	15.79	--	--	--	--	--	--	--	--	--	--
	5/29/2003	12.50	0.02	14.02	--	--	--	--	--	--	--	--	--	--
	9/26/2003	13.27	0.06	13.28	--	--	--	--	--	--	--	--	--	--
	12/4/2003	13.07	0.10	13.51	--	--	--	--	--	--	--	--	--	--
	3/12/2004	9.82	0.02	16.70	--	--	--	--	--	--	--	--	--	--
	6/18/2004	10.49	0.03	16.03	--	--	--	--	--	--	--	--	--	--
	9/23/2004	13.29	0.01	13.22	--	--	--	--	--	--	--	--	--	--
	12/10/2004	12.75	0.01	13.76	--	--	--	--	--	--	--	--	--	--
	2/9/2005	9.95	0.02	16.57	--	--	--	--	--	--	--	--	--	--
	3/25/2005	8.13	0.02	18.39	--	--	--	--	--	--	--	--	--	--
	6/24/2005	10.40	0.00	16.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	← 8/9/2005 - Well TMW-4 reconstructed as well TMW-4A →													
TMW-4A	9/29/2005	10.00	0.00	16.42	--	--	--	--	--	--	--	--	--	--
26.42	12/29/2005	5.03	0.00	21.39	ND<50	ND<0.5	ND<0.5	ND<0.5	0.68	ND<5.0	--	--	--	--
	3/27/2006	4.63	0.00	21.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/28/2006	5.70	0.00	20.72	--	--	--	--	--	--	--	--	--	--
	5/31/2006	7.48	0.00	18.94	--	--	--	--	--	--	--	--	--	--
	6/26/2006	8.41	0.00	18.01	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/26/2006	9.11	0.00	17.31	--	--	--	--	--	--	--	--	--	--
	8/25/2006	9.51	0.00	16.91	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	9.85	0.00	16.57	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/26/2006	9.91	0.00	16.51	--	--	--	--	--	--	--	--	--	--
	11/28/2006	9.46	0.00	16.96	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	8.32	0.00	18.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/25/2007	9.24	0.00	17.18	--	--	--	--	--	--	--	--	--	--
	2/23/2007	6.90	0.00	19.52	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	7.56	0.00	18.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/26/2007	6.96	0.00	19.46	--	--	--	--	--	--	--	--	--	--
	5/29/2007	7.59	0.00	18.83	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	9.43	0.00	16.99	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)	TAME (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)
TMW-4A	7/24/2007	10.01	0.00	16.41	--	--	--	--	--	--	--	--	--	--
cont.	8/27/2007	10.48	0.00	15.94	--	--	--	--	--	--	--	--	--	--
9/26-27/2007	10.71	0.00	15.71	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
10/30/2007	9.44	0.00	16.98	--	--	--	--	--	--	--	--	--	--	--
11/29/2007	9.46	0.00	16.96	--	--	--	--	--	--	--	--	--	--	--
12/19-20/2007	7.37	0.00	19.05	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
1/17/2008	6.08	0.00	20.34	--	--	--	--	--	--	--	--	--	--	--
2/15/2008	6.14	0.00	20.28	--	--	--	--	--	--	--	--	--	--	--
3/17-18/2008	7.56	0.00	18.86	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
4/11/2008	8.74	0.00	17.68	--	--	--	--	--	--	--	--	--	--	--
5/8/2008	9.33	0.00	17.09	--	--	--	--	--	--	--	--	--	--	--
6/12/2008	9.90	0.00	16.52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
7/16/2008	10.37	0.00	16.05	--	--	--	--	--	--	--	--	--	--	--
8/20/2008	10.67	0.00	15.75	--	--	--	--	--	--	--	--	--	--	--
9/17-18/2008	10.84	0.00	15.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
10/23/2008	11.08	0.00	15.34	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	9.70	0.00	16.72	--	--	--	--	--	--	--	--	--	--	--
12/8-9/2008	9.84	0.00	16.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
1/26/2009	7.35	0.00	19.07	--	--	--	--	--	--	--	--	--	--	--
2/23/2009	6.97	0.00	19.45	--	--	--	--	--	--	--	--	--	--	--
3/11-12/2009	5.43	0.00	20.99	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
4/16/2009	7.72	0.00	18.70	--	--	--	--	--	--	--	--	--	--	--
6/11/2009	8.77	0.00	17.65	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/23-24/2009	9.76	0.00	16.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
3/22-23/2010	5.99	0.00	20.43	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/27/2010	8.97	0.00	17.45	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
3/31/2011	6.51	0.00	19.91	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/15/2011	9.04	0.00	17.38	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
TMW-5	8/17/1993	12.98	0.03	13.55	120,000	640	730	790	3,600	--	--	--	--	--
26.85 ^a	3/28/1994	11.39	0.00	15.46	70,000	23,000	1,500	4,100	15,000	--	--	--	--	--
	6/28/1994	12.24	0.00	14.61	56,000	26,000	940	5,500	26,000	--	--	--	--	--
	9/16/1994	13.02	0.05	13.87	96,000	17,000	720	3,500	12,000	--	--	--	--	--
	3/31/1995	7.38	0.00	19.47	64,000	13,000	470	3,500	6,100	--	--	--	--	--
	6/28/1995	11.31	0.06	15.59	65,000	9,000	240	2,600	5,300	--	--	--	--	--
	9/28/1995	14.42	0.00	12.43	79,000	17,000	1,800	2,700	7,000	ND<1,200	--	--	--	--
	12/26/1995	10.16	0.05	16.73	110,000	11,000	800	2,300	4,500	ND<1,200	--	--	--	--
	3/22/1996	7.59	0.05	19.30	--	--	--	--	--	--	--	--	--	--
	6/26/1996	7.12	0.00	--	30,000	4,000	180	1,500	2,500	830	--	--	--	--
	9/30/1996	7.42	0.00	--	6,900	1,600	79	130	370	ND<5.0	--	--	--	--
	12/27/1996	6.38	0.00	--	78,000	12,000	1,900	2,900	9,700	ND<5.0	--	--	--	--
	3/10/1997	11.12	0.00	--	84,000	9,900	1,100	2,600	8,800	ND<5.0	--	--	--	--

TABLE 2

Page 11 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
TMW-5	8/17/1997	12.98	0.03	--	--	--	--	--	--	--	--	--	--	--
cont.	9/18/1997	12.00	0.00	--	65,000	8,000	ND<0.5	2,000	4,700	ND<5.0	--	--	--	--
	12/30/1997	8.97	0.00	--	79,000	6,400	340	2,300	5,500	ND<5.0	--	--	--	--
	3/25/1998	7.32	0.00	--	20,000	6,000	260	2,700	5,800	2,400	--	--	--	--
	6/29/1998	11.50	0.00	--	--	--	--	--	--	--	--	--	--	--
	10/8/1998	12.56	0.00	--	46,000	120	98	120	240	ND<0.50	--	--	--	--
	12/8/1998	10.14	0.00	--	46,000	5,900	320	2,200	5,400	ND<1,200	--	--	--	--
	3/26/1999	7.08	0.00	--	35,000	69	61	37	120	ND<0.50	--	--	--	--
	6/11/1999	11.40	0.00	--	26,000	29	32	43	72	ND<0.50	--	--	--	--
	9/15/1999	12.52	0.00	--	37,000	7,300	400	2,400	6,000	ND<1,000	--	--	--	--
	12/28/1999	12.44	0.00	--	25,000	44	32	41	75	ND<0.50	--	--	--	--
	6/13/2000	11.31	0.00	12.54	--	--	--	--	--	--	--	--	--	--
	6/20/2002	11.29	0.05	15.60	51,000	5,100	290	2,300	5,800	ND<250	--	--	--	--
	10/21/2002	13.60	0.10	13.33	--	--	--	--	--	--	--	--	--	--
	12/27/2002	6.60	0.07	20.31	--	--	--	--	--	--	--	--	--	--
	3/23/2003	9.79	0.04	16.75	--	--	--	--	--	--	--	--	--	--
	5/29/2003	11.29	0.04	15.25	--	--	--	--	--	--	--	--	--	--
	9/26/2003	12.47	0.07	14.10	--	--	--	--	--	--	--	--	--	--
	12/4/2003	12.35	0.10	14.24	--	--	--	--	--	--	--	--	--	--
	3/12/2004	8.15	0.02	18.38	--	--	--	--	--	--	--	--	--	--
	6/18/2004	9.66	0.03	16.87	--	--	--	--	--	--	--	--	--	--
	9/23/2004	12.42	0.01	14.44	--	--	--	--	--	--	--	--	--	--
	12/10/2004	11.86	0.01	15.00	--	--	--	--	--	--	--	--	--	--
	2/9/2005	8.77	0.02	18.10	--	--	--	--	--	--	--	--	--	--
	3/25/2005	6.22	0.02	20.65	--	--	--	--	--	--	--	--	--	--
	6/24/2005	9.84	Sheen Field	17.01	38,000 b,c	2,700	66	2,100	3,100	ND<350	--	--	--	--
26.60	9/29/2005	11.72	Sheen Field & Lab	14.88	--	--	--	--	--	--	--	--	--	--
	9/30/2005	--	--	--	31,000 b,c	1,800	ND<50	1,900	2,400	ND<500	--	--	--	--
	12/29-30/2005	5.82	Sheen Field	20.78	43,000 b, c	3,600	110	2,500	3,500	ND<500	--	--	--	--
	3/27-28/2006	5.19	Sheen Field & Lab	21.41	63,000 b,c	3,800	120	2,600	3,900	ND<500	--	--	--	--
	4/28/2006	7.03	0.00	19.57	--	--	--	--	--	--	--	--	--	--
	5/31/2006	9.35	0.00	17.25	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	10.34	Sheen Field	16.26	29,000 b	2,100	67	1,300	1,600	ND<250	--	--	--	--
	7/26/2006	11.02	0.00	15.58	--	--	--	--	--	--	--	--	--	--
	8/25/2006	11.52	0.00	15.08	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	11.84	Sheen Field & Lab	14.76	46,000 b,c	2,100	49	1,800	2,000	ND<300	--	--	--	--
	10/26/2006	11.93	0.00	14.67	--	--	--	--	--	--	--	--	--	--
	11/28/2006	10.71	0.00	15.89	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	8.17	Sheen Field & Lab	18.43	38,000 b,c	3,000	83	2,200	2,500	ND<300	--	--	--	--
	1/25/2007	12.90	0.00	13.70	--	--	--	--	--	--	--	--	--	--
	2/23/2007	7.59	0.00	19.01	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	9.59	Sheen Field & Lab	17.01	53,000 b,c	5,100	190	3,600	6,100	ND<1,000	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
TMW-5	4/26/2007	8.19	0.00	18.41	--	--	--	--	--	--	--	--	--	--
cont.	5/29/2007	10.55	0.00	16.05	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	11.40	Sheen Field & Lab	15.20	45,000 b,c	2,900	110	2,100	3,000	ND<250 (ND<5.0 h)	--	--	--	--
	7/24/2007	11.83	0.00	14.77	--	--	--	--	--	--	--	--	--	--
	8/27/2007	12.38	0.00	14.22	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	12.55	Sheen Field & Lab	14.05	100,000 b,c	4,900	220	4,100	6,000	ND<1,000 (ND<17 h)	--	--	--	--
	10/30/2007	14.03	0.01	12.58	--	--	--	--	--	--	--	--	--	--
	11/29/2007	11.41	0.01	15.20	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	9.40	Sheen Field & Lab	17.20	77,000 b,c	3,600	210	3,400	4,900	ND<1000	--	--	--	--
	1/17/2008	9.60	0.00	17.00	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.35	0.00	18.25	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	9.30	0.00	17.30	57,000 b,c	2,500	150	2,200	2,900	ND<500	--	--	--	--
	4/11/2008	10.11	0.01	16.50	--	--	--	--	--	--	--	--	--	--
	5/8/2008	11.05	0.01	15.56	--	--	--	--	--	--	--	--	--	--
	6/12/2008	11.64	Sheen Field & Lab	14.96	47,000 b,c	2,400	110	2,700	3,700	ND<500	--	--	--	--
	7/16/2008	12.46	0.01	14.15	--	--	--	--	--	--	--	--	--	--
	8/20/2008	12.68	0.01	13.93	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	12.68	0.01	13.93	31,000 b,c	2,200	81	2,000	2,200	ND<250 (ND<5.0 h)	--	--	--	--
	10/23/2008	12.81	0.01	13.80	--	--	--	--	--	--	--	--	--	--
	11/26/2008	11.24	0.01	15.37	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	11.64	0.01	14.97	110,000 b,c	2,200	200	2,800	2,400	ND<450	--	--	--	--
	1/26/2009	8.85	0.01	17.76	--	--	--	--	--	--	--	--	--	--
	2/23/2009	8.31	0.01	18.30	--	--	--	--	--	--	--	--	--	--
	3/11/2009	5.95	0.07	20.71	--	--	--	--	--	--	--	--	--	--
	4/16/2009	9.07	0.46	17.90	--	--	--	--	--	--	--	--	--	--
	6/11/2009	10.89	0.03	15.73	--	--	--	--	--	--	--	--	--	--
	9/23-24/2009	12.07	0.08	14.59	--	--	--	--	--	--	--	--	--	--
	3/22-23/2010	7.42	0.00	19.18	12,000 b	390	19	340	240	ND<150	--	--	--	--
	9/27/2010	11.09	0.06	15.56	--	--	--	--	--	--	--	--	--	--
	3/31/2011	5.30	0.05	21.34	--	--	--	--	--	--	--	--	--	--
	9/15/2011	10.84	0.05	15.80	--	--	--	--	--	--	--	--	--	--
MW-6	6/13/2001	12.47	0.00	11.34	7,600	1,400	42	19	14	ND<10	--	--	--	--
26.81 ^a	6/20/2002	12.45	0.00	14.36	79	5.7	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	12/27/2002	7.24	0.04	19.60	--	--	--	--	--	--	--	--	--	--
	3/23/2003	--	--	--	--	--	--	--	--	--	--	--	--	--
	5/29/2003	11.95	0.02	14.88	--	--	--	--	--	--	--	--	--	--
	9/26/2003	13.11	0.03	10.72	--	--	--	--	--	--	--	--	--	--
	12/4/2003	13.14	0.10	10.75	--	--	--	--	--	--	--	--	--	--
	3/12/2004	8.93	0.02	14.90	--	--	--	--	--	--	--	--	--	--
	6/18/2004	10.30	0.03	13.53	--	--	--	--	--	--	--	--	--	--
	9/23/2004	12.44	0.01	14.38	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-6	12/10/2004	11.88	0.01	14.94	--	--	--	--	--	--	--	--	--	--
cont.	2/9/2005	9.23	0.02	17.60	--	--	--	--	--	--	--	--	--	--
	3/25/2005	6.82	0.02	20.01	--	--	--	--	--	--	--	--	--	--
	6/24/2005	10.10	Sheen Field	16.71	6,200 b	1,100	33	43	15	ND<200	--	--	--	--
26.50	9/29/2005	11.50	0.00	15.00	5,500 b	920	27	ND<2.5	14	ND<50	--	--	--	--
	12/29-30/2005	6.34	0.00	20.16	4,500 b	820	32	21	15	ND<50	--	--	--	--
	3/27-28/2006	6.23	0.00	20.27	6,000 b	650	30	20	14	ND<120	--	--	--	--
	4/28/2006	7.42	0.00	19.08	--	--	--	--	--	--	--	--	--	--
	5/31/2006	10.02	0.00	16.48	--	--	--	--	--	--	--	--	--	--
	6/26/2006	10.74	0.00	15.76	5,700 b	970	36	21	17	ND<100	--	--	--	--
	7/26/2006	11.17	0.00	15.33	--	--	--	--	--	--	--	--	--	--
	8/25/2006	11.52	0.00	14.98	--	--	--	--	--	--	--	--	--	--
	9/28/2006	11.70	Sheen Field	14.80	6,100 b	720	19	7.6	12	ND<80	--	--	--	--
	10/26/2006	12.25	0.00	14.25	--	--	--	--	--	--	--	--	--	--
	11/28/2006	10.48	0.00	16.02	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	9.07	Sheen Field	17.43	8,100 b	780	30	7.6	12	ND<100	--	--	--	--
	1/25/2007	12.43	0.00	14.07	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.38	0.00	18.12	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	10.14	0.00	16.36	570 b	77	2.7	0.92	0.98	ND<100	--	--	--	--
	4/26/2007	8.89	0.00	17.61	--	--	--	--	--	--	--	--	--	--
	5/29/2007	10.35	0.00	16.15	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	11.48	0.00	15.02	7,600 b	790	33	9.4	19	ND<130 (ND<2.5 h)	--	--	--	--
	7/24/2007	11.88	0.00	14.62	--	--	--	--	--	--	--	--	--	--
	8/27/2007	12.30	0.00	14.20	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	12.52	0.00	13.98	6,700 b	570	15	ND<5.0	8.5	ND<90 (ND<1.7 h)	--	--	--	--
	10/30/2007	12.20	0.00	14.30	--	--	--	--	--	--	--	--	--	--
	11/29/2007	11.90	0.00	14.60	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	9.35	0.00	17.15	4,100 b	540	19	3.2	6.6	ND<70	--	--	--	--
	1/17/2008	8.60	0.00	17.90	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.41	0.00	18.09	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	9.95	0.00	16.55	5,200 b	670	27	9.6	15	ND<50	--	--	--	--
	4/11/2008	10.31	0.00	16.19	--	--	--	--	--	--	--	--	--	--
	5/8/2008	11.17	0.00	15.33	--	--	--	--	--	--	--	--	--	--
	6/12/2008	11.57	0.00	14.93	5,300 b	620	22	5.6	10	ND<90	--	--	--	--
	7/16/2008	11.83	0.00	14.67	--	--	--	--	--	--	--	--	--	--
	8/20/2008	12.07	0.00	14.43	--	--	--	--	--	--	--	--	--	--
	9/17/2008	12.64	0.00	13.86	7,300 b	460	15	3.1	8.6	ND<90 (ND<2.5 h)	--	--	--	--
	10/23/2008	12.80	0.00	13.70	--	--	--	--	--	--	--	--	--	--
	11/26/2008	11.57	0.00	14.93	--	--	--	--	--	--	--	--	--	--
	12/8/2008	11.81	0.00	14.69	4,400 b	430	14	2.5	7.6	ND<25	--	--	--	--
	1/26/2009	9.45	0.00	17.05	--	--	--	--	--	--	--	--	--	--
	2/23/2009	8.97	0.00	17.53	--	--	--	--	--	--	--	--	--	--

TABLE 2

Page 14 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-6	3/11/2009	6.63	0.00	19.87	3,300 b	290	9.6	1.7	6.1	ND<10	--	--	--	--
cont.	4/16/2009	9.92	0.00	16.58	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	11.00	Sheen ^{Lab}	15.50	5,000 b	510	17	6.0	7.7	ND<17	--	--	--	--
	9/23-24/2009	11.95	0.00	14.55	3,700 b	370	15	3.2	9.2	ND<60	--	--	--	--
	3/22-23/2010	8.52	0.00	17.98	4,800 b	400	14	4.2	4.3	ND<200	--	--	--	--
	9/27-28/2010	11.50	0.00	15.00	3,500 b	330	14	2.5	5.4	ND<15	--	--	--	--
	3/31/2011	5.81	0.00	20.69	3,100 b	83	7.2	2.0	1.7	ND<30	--	--	--	--
	9/15-16/2011	11.10	0.00	15.40	3,100 b	420	17	4.2	4.2	ND<50	--	--	--	--
MW-7	9/29/2005	8.80	0.00	16.32	--	--	--	--	--	--	--	--	--	--
25.12	12/29/2005	7.45	0.00	17.67	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/27/2006	7.56	0.00	17.56	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/28/2006	7.93	0.00	17.19	--	--	--	--	--	--	--	--	--	--
	5/31/2006	8.20	0.00	16.92	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	8.37	0.00	16.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/26/2006	8.60	0.00	16.52	--	--	--	--	--	--	--	--	--	--
	8/25/2006	8.74	0.00	16.38	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	8.81	0.00	16.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/26/2006	8.98	0.00	16.14	--	--	--	--	--	--	--	--	--	--
	11/28/2006	8.23	0.00	16.89	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	8.07	0.00	17.05	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/25/2007	8.79	0.00	16.33	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.28	0.00	16.84	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	8.29	0.00	16.83	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/26/2007	8.13	0.00	16.99	--	--	--	--	--	--	--	--	--	--
	5/29/2007	8.64	0.00	16.48	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	8.89	0.00	16.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/24/2007	9.31	0.00	15.81	--	--	--	--	--	--	--	--	--	--
	8/27/2007	9.61	0.00	15.51	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	9.72	0.00	15.40	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/30/2007	8.77	0.00	16.35	--	--	--	--	--	--	--	--	--	--
	11/29/2007	8.99	0.00	16.13	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	7.51	0.00	17.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/17/2008	7.58	0.00	17.54	--	--	--	--	--	--	--	--	--	--
	2/15/2008	7.92	0.00	17.20	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	8.15	0.00	16.97	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/11/2008	8.42	0.00	16.70	--	--	--	--	--	--	--	--	--	--
	5/8/2008	8.81	0.00	16.31	--	--	--	--	--	--	--	--	--	--
	6/12/2008	9.12	0.00	16.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/16/2008	9.53	0.00	15.59	--	--	--	--	--	--	--	--	--	--
	8/20/2008	9.70	0.00	15.42	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	9.84	0.00	15.28	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--

TABLE 2

Page 15 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-7	10/23/2008	10.03	0.00	15.09	--	--	--	--	--	--	--	--	--	--
cont.	11/26/2008	9.04	0.00	16.08	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	9.17	0.00	15.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	1/26/2009	7.96	0.00	17.16	--	--	--	--	--	--	--	--	--	--
	2/23/2009	7.59	0.00	17.53	--	--	--	--	--	--	--	--	--	--
	3/11-12/2009	7.62	0.00	17.50	80 b,g	0.94	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	4/16/2009	10.07	0.00	15.05	--	--	--	--	--	--	--	--	--	--
	6/11/2009	8.57	0.00	16.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/23-24/2009	9.23	0.00	15.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/22-23/2010	7.91	0.00	17.21	63	0.73	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/27/2010	9.03	0.00	16.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/31/2011	7.53	0.00	17.59	260 b	3.4	0.69	ND<0.5	1.2	ND<5.0	--	--	--	--
	9/15/2011	8.36	0.00	16.76	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
MW-8	9/29/2005	10.08	0.00	16.01	--	--	--	--	--	--	--	--	--	--
26.09	12/29-30/2005	7.65	0.00	18.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/27-28/2006	7.59	0.00	18.50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/28/2006	8.29	0.00	17.80	--	--	--	--	--	--	--	--	--	--
	5/31/2006	9.09	0.00	17.00	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	9.37	0.00	16.72	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/26/2006	9.62	0.00	16.47	--	--	--	--	--	--	--	--	--	--
	8/25/2006	9.75	0.00	16.34	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	9.80	0.00	16.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/26/2006	10.00	0.00	16.09	--	--	--	--	--	--	--	--	--	--
	11/28/2006	9.33	0.00	16.76	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	8.73	0.00	17.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/25/2007	9.66	0.00	16.43	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.35	0.00	17.74	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	9.25	0.00	16.84	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/26/2007	8.85	0.00	17.24	--	--	--	--	--	--	--	--	--	--
	5/29/2007	9.70	0.00	16.39	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	9.95	0.00	16.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/24/2007	10.30	0.00	15.79	--	--	--	--	--	--	--	--	--	--
	8/27/2007	10.62	0.00	15.47	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	10.80	0.00	15.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/30/2007	9.87	0.00	16.22	--	--	--	--	--	--	--	--	--	--
	11/29/2007	10.06	0.00	16.03	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	8.62	0.00	17.47	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/17/2008	8.01	0.00	18.08	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.44	0.00	17.65	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	9.11	0.00	16.98	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/11/2008	9.60	0.00	16.49	--	--	--	--	--	--	--	--	--	--

TABLE 2

Page 16 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-8	5/8/2008	8.75	0.00	17.34	--	--	--	--	--	--	--	--	--	--
cont.	6/12/2008	10.02	0.00	16.07	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/16/2008	10.56	0.00	15.53	--	--	--	--	--	--	--	--	--	--
	8/20/2008	10.73	0.00	15.36	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	10.90	0.00	15.19	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	10/23/2008	11.12	0.00	14.97	--	--	--	--	--	--	--	--	--	--
	11/26/2008	10.16	0.00	15.93	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	10.25	0.00	15.84	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	1/26/2009	8.83	0.00	17.26	--	--	--	--	--	--	--	--	--	--
	2/23/2009	8.58	0.00	17.51	--	--	--	--	--	--	--	--	--	--
	3/11-12/2009	7.74	0.00	18.35	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	4/16/2009	9.85	0.00	16.24	--	--	--	--	--	--	--	--	--	--
	6/11/2009	9.45	0.00	16.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/23-24/2009	10.15	0.00	15.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/22-23/2010	8.93	0.00	17.16	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/27/2010	10.01	0.00	16.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/31/2011	7.45	0.00	18.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/15/2011	9.49	0.00	16.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
MW-9	9/29/2005	9.40	0.00	15.91	--	--	--	--	--	--	--	--	--	--
25.31	12/29/2005	5.41	0.00	19.90	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/27/2006	5.43	0.00	19.88	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/28/2006	8.67	0.00	16.64	--	--	--	--	--	--	--	--	--	--
	5/31/2006	8.10	0.00	17.21	--	--	--	--	--	--	--	--	--	--
	6/26/2006	7.90	0.00	17.41	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/26/2006	8.63	0.00	16.68	--	--	--	--	--	--	--	--	--	--
	8/25/2006	9.05	0.00	16.26	--	--	--	--	--	--	--	--	--	--
	9/28/2006	9.35	0.00	15.96	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/26/2006	9.49	0.00	15.82	--	--	--	--	--	--	--	--	--	--
	11/28/2006	9.04	0.00	16.27	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	7.50	0.00	17.81	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/25/2007	9.55	0.00	15.76	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.25	0.00	17.06	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	7.86	0.00	17.45	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/26/2007	7.72	0.00	17.59	--	--	--	--	--	--	--	--	--	--
	5/29/2007	7.92	0.00	17.39	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	9.01	0.00	16.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/24/2007	9.53	0.00	15.78	--	--	--	--	--	--	--	--	--	--
	8/27/2007	9.95	0.00	15.36	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	10.06	0.00	15.25	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/30/2007	9.40	0.00	15.91	--	--	--	--	--	--	--	--	--	--
	11/29/2007	9.30	0.00	16.01	--	--	--	--	--	--	--	--	--	--

TABLE 2
GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-9	12/19-20/2007	7.74	0.00	17.57	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
cont.	1/17/2008	8.90	0.00	16.41	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.23	0.00	17.08	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	7.71	0.00	17.60	ND<50 g	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	4/11/2008	9.47	0.00	15.84	--	--	--	--	--	--	--	--	--	--
	5/8/2008	8.75	0.00	16.56	--	--	--	--	--	--	--	--	--	--
	6/12/2008	9.30	0.00	16.01	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	7/16/2008	9.70	0.00	15.61	--	--	--	--	--	--	--	--	--	--
	8/20/2008	10.03	0.00	15.28	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	10.19	0.00	15.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	10/23/2008	10.45	0.00	14.86	--	--	--	--	--	--	--	--	--	--
	11/26/2008	9.40	0.00	15.91	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	9.19	0.00	16.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	1/26/2009	7.49	0.00	17.82	--	--	--	--	--	--	--	--	--	--
	2/23/2009	7.02	0.00	18.29	--	--	--	--	--	--	--	--	--	--
	3/11-12/2009	5.80	0.00	19.51	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
	4/16/2009	8.63	0.00	16.68	--	--	--	--	--	--	--	--	--	--
	6/11/2009	8.40	0.00	16.91	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/23-24/2009	9.18	0.00	16.13	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/22-23/2010	6.15	0.00	19.16	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/27/2010	7.85	0.00	17.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/31/2011	5.52	0.00	19.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	9/15/2011	8.19	0.00	17.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
MW-10	9/29/2005	9.43	0.00	14.87	--	--	--	--	--	--	--	--	--	--
24.30	12/29/2005	5.34	0.00	18.96	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	3/27/2006	5.21	0.00	19.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	12 (13)	--	--	--	--
	4/28/2006	6.64	0.00	17.66	--	--	--	--	--	--	--	--	--	--
	5/31/2006	7.23	0.00	17.07	--	--	--	--	--	--	--	--	--	--
	6/26/2006	8.19	0.00	16.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	13 (15)	--	--	--	--
	7/26/2006	8.80	0.00	15.50	--	--	--	--	--	--	--	--	--	--
	8/25/2006	9.20	0.00	15.10	--	--	--	--	--	--	--	--	--	--
	9/28/2006	9.32	0.00	14.98	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	10/26/2006	9.52	0.00	14.78	--	--	--	--	--	--	--	--	--	--
	11/28/2006	8.57	0.00	15.73	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	7.16	0.00	17.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
	1/25/2007	8.82	0.00	15.48	--	--	--	--	--	--	--	--	--	--
	2/23/2007	7.01	0.00	17.29	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	7.91	0.00	16.39	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	6.5	--	--	--	--
	4/26/2007	7.03	0.00	17.27	--	--	--	--	--	--	--	--	--	--
	5/29/2007	8.10	0.00	16.20	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	9.13	0.00	15.17	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	5.0 (7.5)	--	--	--	--

TABLE 2

Page 18 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-10	7/24/2007	9.56	0.00	14.74	--	--	--	--	--	--	--	--	--	--
cont.	8/27/2007	9.92	0.00	14.38	--	--	--	--	--	--	--	--	--	--
9/26-27/2007	10.10	0.00	14.20	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
10/30/2007	8.80	0.00	15.50	--	--	--	--	--	--	--	--	--	--	--
11/29/2007	8.92	0.00	15.38	--	--	--	--	--	--	--	--	--	--	--
12/19-20/2007	7.40	0.00	16.90	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
1/17/2008	7.75	0.00	16.55	--	--	--	--	--	--	--	--	--	--	--
2/15/2008	7.20	0.00	17.10	--	--	--	--	--	--	--	--	--	--	--
3/17-18/2008	7.90	0.00	16.40	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	7.0 (7.7)	--	--	--	--
4/11/2008	8.52	0.00	15.78	--	--	--	--	--	--	--	--	--	--	--
5/8/2008	8.72	0.00	15.58	--	--	--	--	--	--	--	--	--	--	--
6/12/2008	9.40	0.00	14.90	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
7/16/2008	9.65	0.00	14.65	--	--	--	--	--	--	--	--	--	--	--
8/20/2008	9.90	0.00	14.40	--	--	--	--	--	--	--	--	--	--	--
9/17-18/2008	10.07	0.00	14.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
10/23/2008	10.27	0.00	14.03	--	--	--	--	--	--	--	--	--	--	--
11/26/2008	8.72	0.00	15.58	--	--	--	--	--	--	--	--	--	--	--
12/8/2008	9.16	0.00	15.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
1/26/2009	7.14	0.00	17.16	--	--	--	--	--	--	--	--	--	--	--
2/23/2009	6.81	0.00	17.49	--	--	--	--	--	--	--	--	--	--	--
3/11/2009	6.01	0.00	18.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	--	--	--	--
4/16/2009	8.85	0.00	15.45	--	--	--	--	--	--	--	--	--	--	--
6/11/2009	8.69	0.00	15.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/23-24/2009	9.36	0.00	14.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
3/22/2010	6.26	0.00	18.04	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/27/2010	7.69	0.00	16.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
3/31/2011	5.30	0.00	19.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
9/15/2011	8.01	0.00	16.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	--	--	--	--
MW-11	12/29/2005	2.73	Sheen Field & Lab	20.84	1,700 c,d	ND<0.5	0.53	0.64	1.6	ND<5.0	--	--	--	--
23.57	3/27/2006	2.63	Sheen Field & Lab	20.94	880 e,d,c	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<20 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	4/28/2006	4.68	0.00	18.89	--	--	--	--	--	--	--	--	--	--
	5/31/2006	6.65	0.00	16.92	--	--	--	--	--	--	--	--	--	--
	6/26/2006	7.54	Sheen Field	16.03	590 d,e	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	7/26/2006	8.10	0.00	15.47	--	--	--	--	--	--	--	--	--	--
	8/25/2006	8.65	0.00	14.92	--	--	--	--	--	--	--	--	--	--
	9/28/2006	8.84	0.00	14.73	180 d	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	10/26/2006	9.34	0.00	14.23	--	--	--	--	--	--	--	--	--	--
	11/28/2006	7.50	0.00	16.07	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	5.45	Sheen Field	18.12	480 d,e	ND<0.5	0.62	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	1/25/2007	8.06	0.00	15.51	--	--	--	--	--	--	--	--	--	--
	2/23/2007	4.12	0.00	19.45	--	--	--	--	--	--	--	--	--	--

TABLE 2

Page 19 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-11	3/26-27/2007	6.93	0.00	16.64	300 d	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
cont.	4/26/2007	5.02	0.00	18.55	--	--	--	--	--	--	--	--	--	--
	5/29/2007	7.02	0.00	16.55	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	8.37	Sheen Field	15.20	470 a,d	ND<0.5	0.91	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	7/24/2007	8.97	0.00	14.60	--	--	--	--	--	--	--	--	--	--
	8/27/2007	9.86	0.00	13.71	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	9.88	0.00	13.69	350 e,d	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	10/30/2007	8.16	0.00	15.41	--	--	--	--	--	--	--	--	--	--
	11/29/2007	8.86	0.00	14.71	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	5.39	Sheen Field	18.18	470 e,d	ND<0.5	0.93	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<5.0	ND<0.5	ND<0.5
	1/17/2008	4.96	0.00	18.61	--	--	--	--	--	--	--	--	--	--
	2/15/2008	5.09	0.00	18.48	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	6.01	0.00	17.56	400 e,d	ND<0.5	ND<0.5	ND<0.5	0.97	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	4/11/2008	7.30	0.00	16.27	--	--	--	--	--	--	--	--	--	--
	5/8/2008	8.48	0.00	15.09	--	--	--	--	--	--	--	--	--	--
	6/12/2008	9.23	0.00	14.34	340 i,d	ND<0.5	0.59	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	7/16/2008	9.52	0.00	14.05	--	--	--	--	--	--	--	--	--	--
	8/20/2008	9.79	0.00	13.78	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	10.08	Sheen Field	13.49	550 d,i	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	10/23/2008	10.30	0.00	13.27	--	--	--	--	--	--	--	--	--	--
	11/26/2008	8.32	0.00	15.25	--	--	--	--	--	--	--	--	--	--
	12/8/2008	8.79	Sheen Field	14.78	350 i	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	1/26/2009	5.72	0.00	17.85	--	--	--	--	--	--	--	--	--	--
	2/23/2009	5.57	0.00	18.00	--	--	--	--	--	--	--	--	--	--
	3/11/2009	3.65	Sheen Field	19.92	630 d,i	ND<0.5	1.7	ND<0.5	ND<0.5	ND<5 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	4/16/2009	6.95	0.00	16.62	--	--	--	--	--	--	--	--	--	--
	6/11/2009	7.99	0.00	15.58	440 d,i	ND<0.5	0.60	0.52	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/23-24/2009	9.29	0.00	14.28	270 d,i	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	3/22/2010	4.59	0.00	18.98	540 d,i	ND<0.5	1.0	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/27/2010	7.89	0.00	15.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	3/31/2011	3.49	0.00	20.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	ND<2.0	ND<0.5	ND<0.5
	9/15/2011	7.56	0.00	16.01	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0 (ND<0.5)	ND<0.5	4.9	ND<0.5	ND<0.5
MW-12	12/29/2005	1.38	0.00	21.57	1,500 b	38	ND<5.0	77	60	10,000 (12,000)	--	--	--	--
22.95	3/27-28/2006	2.35	0.00	20.60	1,200 b	34	ND<2.5	76	47	8,200 (8,000)	190	ND<1,700	ND<170	ND<170
	4/28/2006	7.72	0.00	15.23	--	--	--	--	--	--	--	--	--	--
	5/31/2006	8.16	0.00	14.79	--	--	--	--	--	--	--	--	--	--
	6/26-27/2006	9.01	0.00	13.94	1,000 b	14	ND<5.0	17	ND<5.0	9,800 (8,200)	ND<500	ND<5,000	ND<500	ND<500
	7/26/2006	9.35	0.00	13.60	--	--	--	--	--	--	--	--	--	--
	8/25/2006	9.80	0.00	13.15	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	9.98	0.00	12.97	1,100 f	ND<5.0	ND<5.0	ND<5.0	ND<5.0	10,000 (9,700)	210	ND<1,700	ND<170	ND<170
	10/26/2006	10.02	0.00	12.93	--	--	--	--	--	--	--	--	--	--

TABLE 2

Page 20 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
MW-12	11/28/2006	8.70	0.00	14.25	--	--	--	--	--	--	--	--	--	--
cont.	12/21-22/2006	6.83	0.00	16.12	1,000 b	20	ND<5.0	30	ND<5.0	11,000 (10,000)	ND<500	ND<5,000	ND<500	ND<500
	1/25/2007	9.78	0.00	13.17	--	--	--	--	--	--	--	--	--	--
	2/23/2007	4.40	0.00	18.55	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	8.61	0.00	14.34	1,400 b	16	ND<5.0	24	ND<5.0	11,000 (14,000)	ND<250	ND<2,500	ND<250	ND<250
	4/26/2007	6.71	0.00	16.24	--	--	--	--	--	--	--	--	--	--
	5/29/2007	8.18	0.00	14.77	--	--	--	--	--	--	--	--	--	ND<120
	6/19-20/2007	9.59	Sheen Field	13.36	820 b	10	1.9	20	0.99	11,000 (11,000)	200	ND<1,200	ND<120	ND<120
	7/24/2007	10.07	0.00	12.88	--	--	--	--	--	--	--	--	--	--
	8/27/2007	10.48	0.00	12.47	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	10.62	0.00	12.33	530 f	ND<5.0	ND<5.0	ND<5.0	ND<5.0	9,700 (8,700)	ND<250	ND<2,500	ND<250	ND<250
	10/30/2007	9.35	0.00	13.60	--	--	--	--	--	--	--	--	--	--
	11/29/2007	8.88	0.00	14.07	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	5.64	0.00	17.31	360 b	5.2	ND<2.5	9.5	ND<2.5	7,800 (9,500)	ND<250	ND<2,500	ND<250	ND<250
	1/17/2008	5.37	0.00	17.58	--	--	--	--	--	--	--	--	--	--
	2/15/2008	5.45	0.00	17.50	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	8.12	0.00	14.83	780 b	13	ND<2.5	25	ND<2.5	7,700 (9,800)	130	ND<400	ND<100	ND<100
	4/11/2008	9.02	0.00	13.93	--	--	--	--	--	--	--	--	--	--
	5/8/2008	9.40	0.00	13.55	--	--	--	--	--	--	--	--	--	--
	6/12/2008	9.88	0.00	13.07	640 b	6.7	ND<5.0	5.4	ND<5.0	9,300 (9,000)	ND<250	ND<1,000	ND<250	ND<250
	7/16/2008	10.34	0.00	12.61	--	--	--	--	--	--	--	--	--	--
	8/20/2008	10.53	0.00	12.42	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	10.71	0.00	12.24	500 f	ND<2.5	ND<2.5	ND<2.5	ND<2.5	7,400 (8000)	200	ND<500	ND<120	ND<120
	10/23/2008	10.88	0.00	12.07	--	--	--	--	--	--	--	--	--	--
	11/26/2008	9.63	0.00	13.32	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	9.99	0.00	12.96	300 f	2.6	ND<2.5	2.9	ND<2.5	7,000 (7,300)	180	1,300	ND<170	ND<170
	1/26/2009		Inaccessible		--	--	--	--	--	--	--	--	--	--
	2/23/2009	7.74	0.00	15.21	--	--	--	--	--	--	--	--	--	--
	3/11-12/2009	3.62	0.00	19.33	2,000 b	18	5.1	ND<2.5	6.3	6,300 (7,300)	220	ND<800	ND<200	ND<200
	4/16/2009	6.89	0.00	16.06	--	--	--	--	--	--	--	--	--	--
	6/11/2009	9.31	0.00	13.64	2,600 b	7.8	ND<2.5	ND<2.5	6.0	6,400 (9,600)	200	ND<670	ND<170	ND<170
	9/23-24/2009	10.21	0.00	12.74	1,300 b	ND<2.5	3.7	ND<2.5	ND<2.5	8,200 (6,900)	ND<250	ND<1,000	ND<250	ND<250
	3/22-23/2010	6.58	0.00	16.37	2,400 b	12	5.8	ND<5.0	ND<5.0	11,000 (13,000)	ND<250	ND<1,000	ND<250	ND<250
	9/27/2010	9.83	0.00	13.12	2,200 b	3.5	9.0	0.72	1.4	10,000 (8,900)	240	ND<670	ND<170	ND<170
	3/31/2011	2.42	0.00	20.53	2,200 b	1.3	8.1	ND<0.5	2.2	5,500 (7,100)	160	ND<400	ND<100	ND<100
	9/15-16/2011	9.51	0.00	13.44	2,400 b	4.7	7.9	0.59	2.7	8,700 (8,900)	ND<250	ND<1000	ND<250	ND<250
RW-1	9/29/2005	11.60	0.00	15.11	--	--	--	--	--	--	--	--	--	--
26.71	12/29/2005	--		--	--	--	--	--	--	--	--	--	--	--
	3/27-28/2006	6.60	Sheen Lab	20.11	19,000 b,c	1,800	45	340	92	ND<180	--	--	--	--
	4/28/2006	7.80	0.00	18.91	--	--	--	--	--	--	--	--	--	--
	5/31/2006	10.15	0.00	16.56	--	--	--	--	--	--	--	--	--	--

TABLE 2

Page 21 of 22

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID TOC	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
RW-1	6/26-27/2006	10.85	Sheen Field	15.86	8,800 b	1,400	30	85	36	ND<50	--	--	--	--
cont.	7/26/2006	11.24	0.00	15.47	--	--	--	--	--	--	--	--	--	--
	8/25/2006	11.60	0.00	15.11	--	--	--	--	--	--	--	--	--	--
	9/28-29/2006	11.81	0.00	14.90	6,500 b	1,000	18	47	20	ND<100	--	--	--	--
	10/26/2006	11.98	0.00	14.73	--	--	--	--	--	--	--	--	--	--
	11/28/2006	10.73	0.00	15.98	--	--	--	--	--	--	--	--	--	--
	12/21-22/2006	9.10	Sheen Field & Lab	17.61	13,000 b,c	1,500	22	200	57	ND<120	--	--	--	--
	1/25/2007	11.10	0.00	15.61	--	--	--	--	--	--	--	--	--	--
	2/23/2007	8.28	0.00	18.43	--	--	--	--	--	--	--	--	--	--
	3/26-27/2007	10.21	Sheen Field	16.50	11,000 b	1,200	17	110	43	ND<130	--	--	--	--
	4/26/2007	9.07	0.00	17.64	--	--	--	--	--	--	--	--	--	--
	5/29/2007	11.00	0.00	15.71	--	--	--	--	--	--	--	--	--	--
	6/19-20/2007	11.59	0.00	15.12	9,100 b	1,100	33	170	72	ND<100 (ND<5.0 h)	--	--	--	--
	7/24/2007	11.96	0.00	14.75	--	--	--	--	--	--	--	--	--	--
	8/27/2007	12.41	0.00	14.30	--	--	--	--	--	--	--	--	--	--
	9/26-27/2007	12.57	0.00	14.14	8,900 b	980	17	84	35	ND<90 (ND<2.5 h)	--	--	--	--
	10/30/2007	11.53	0.00	15.18	--	--	--	--	--	--	--	--	--	--
	11/29/2007	11.60	0.00	15.11	--	--	--	--	--	--	--	--	--	--
	12/19-20/2007	9.59	Sheen Field	17.12	9,800 b	1,500	39	250	94	ND<150	--	--	--	--
	1/17/2008	8.22	0.00	18.49	--	--	--	--	--	--	--	--	--	--
	2/15/2008	8.50	0.00	18.21	--	--	--	--	--	--	--	--	--	--
	3/17-18/2008	10.13	0.00	16.58	13,000 b,c	1,500	46	420	130	ND<250	--	--	--	--
	4/11/2008	10.76	0.00	15.95	--	--	--	--	--	--	--	--	--	--
	5/8/2008	11.37	0.00	15.34	--	--	--	--	--	--	--	--	--	--
	6/12/2008	11.68	Sheen Field	15.03	8,400 b	1,100	25	130	41	ND<110	--	--	--	--
	7/16/2008	12.18	0.00	14.53	--	--	--	--	--	--	--	--	--	--
	8/20/2008	12.35	0.00	14.36	--	--	--	--	--	--	--	--	--	--
	9/17-18/2008	12.74	0.01	13.98	11,000 b	740	14	100	43	ND<110 (ND<2.5 h)	--	--	--	--
	10/23/2008	12.86	Sheen Field	13.85	--	--	--	--	--	--	--	--	--	--
	11/26/2008	11.61	Sheen Field	15.10	--	--	--	--	--	--	--	--	--	--
	12/8-9/2008	11.90	Sheen Field & Lab	14.81	13,000 b,c	1,300	32	390	110	ND<100	--	--	--	--
	1/26/2009	9.58	0.00	17.13	--	--	--	--	--	--	--	--	--	--
	2/23/2009	9.04	0.00	17.67	--	--	--	--	--	--	--	--	--	--
	3/11/2009	6.86	0.00*	19.85	--	--	--	--	--	--	--	--	--	--
	4/16/2009	10.25	0.01	16.47	--	--	--	--	--	--	--	--	--	--
	6/11-12/2009	11.14	Sheen Lab	15.57	19,000 b	1,500	32	420	99	ND<210	--	--	--	--
	9/23-24/2009	12.12	0.04	14.62	--	--	--	--	--	--	--	--	--	--
	3/22-23/2010	8.69	0.00	18.02	9,000 b	960	22	130	32	ND<100	--	--	--	--
	9/27-28/2010	11.66	0.00	15.05	8,500 b	1,300	27	230	71	ND<350	--	--	--	--
	3/31/2011**	5.30	0.00	--	4,300 b	340	9.7	87	16	ND<60	--	--	--	--
	9/15-16/2011**	11.19	0.00	--	5,400	860	19	110	21	ND<110	--	--	--	--

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date Sampled	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Groundwater Elevation (feet above msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)
---------	--------------	--	-------------------------	--	-----------------------------	--------------------------------	--------------------------------	-------------------------------------	--------------------------------	-----------------------------	-----------------------------	----------------------------	-----------------------------	-----------------------------

Abbreviations and Notes:

TOC = Top of well casing elevation, measured in feet above mean sea level

msl = mean sea level

SPH = Separate phase hydrocarbons

Groundwater elevation calculated according to the relationship Groundwater Elevation = TOC - (Depth to Groundwater) + (0.8)(SPH Thickness)

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method SW8015C

Benzene, Toluene, Ethylbenzene, Xylenes by EPA Method SW8021B (by SW8260B if in parenthesis)

MTBE = Methyl tertiary butyl ether by EPA Method SW8021B (by SW8260B if in parenthesis)

TAME = Tertiary amyl methyl ether by EPA Method SW8260B

TBA = Tertiary butyl alcohol by EPA Method SW8260B

DIPE = Diisopropyl ether by EPA Method SW8260B

ETBE = Ethyl tertiary butyl ether by EPA Method SW8260B

 $\mu\text{g/L}$ = Micrograms per liter

ND = not detected above laboratory detection limits

Sheen = A sheen was observed on the water's surface

Field = Observed in the field

Lab = Observed in analytical laboratory

* = SPH observed in well after purging

** = TOC lowered during DPE installation activities; not surveyed

-- = Not available, not analyzed, does not apply, or no SPH was measured or observed.

a = Top of casing elevation surveyed 6/13/01 to City of Oakland datum by Renner Survey Company of Burlingame, California for Sequoia Environmental.

b = Unmodified or weakly modified gasoline is significant.

c = Lighter than water immiscible sheen / product is present.

d = No recognizable pattern.

e = Heavier gasoline range compounds are significant (aged gasoline?).

f = One to a few isolated non-target peaks present.

g = Liquid sample that contains greater than ~1 vol. % sediment

h = Sample diluted due to high organic content/matrix interference

i = Strongly aged gasoline or diesel range compounds are significant in the TPH(g) chromatogram

Wells were surveyed on December 7, 2005 by Virgil Chavez Land Surveying (PLS 6323). The benchmark was a pin in monument well located at the centerline of International Boulevard and Miller Avenue.

The benchmark elevation is 25.86 feet above msl (NGVD 29).

TABLE 3

Page 1 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-1	12/30/1997	10.79	10.96	0.17	0.10	0.03	0.03
	6/11/1999	12.55	12.56	0.01	0.01	0.00	0.03
	9/15/1999	13.85	14.85	1.00	0.60	0.16	0.19
	12/28/1999	8.15	8.31	0.16	0.10	0.03	0.21
	6/13/2001	11.47	15.83	4.36	2.62	0.69	0.90
	12/27/2003	8.15	8.31	0.16	3.00	0.79	1.70
	3/23/2003	10.60	10.65	0.05	1.26	0.33	2.03
	4/4/2003	10.19	10.23	0.04	0.94	0.25	2.28
	5/1/2003	9.80	9.85	0.05	0.49	0.13	2.40
	5/29/2003	11.83	12.11	0.28	1.00	0.26	2.67
	7/25/2003	11.99	12.24	0.25	0.50	0.13	2.80
	8/11/2003	12.07	12.37	0.30	0.50	0.13	2.93
	8/29/2003	12.07	12.40	0.33	0.50	0.13	3.06
	9/12/2003	12.59	12.90	0.31	0.48	0.13	3.19
	9/26/2003	12.55	12.84	0.29	0.50	0.13	3.32
	10/10/2003	12.61	12.72	0.11	0.11	0.03	3.35
	10/30/2003	12.68	12.75	0.07	0.08	0.02	3.37
	11/25/2003	12.59	12.69	0.10	0.10	0.03	3.40
	12/4/2003	12.40	12.50	0.10	0.10	0.03	3.43
	12/23/2003	11.97	12.08	0.11	0.10	0.03	3.45
	1/30/2004	9.64	10.05	0.41	0.75	0.20	3.65
	2/20/2004	9.50	9.97	0.47	0.50	0.13	3.78
	3/12/2004	9.93	10.45	0.52	1.00	0.26	4.05
	3/30/2004	10.35	11.21	0.86	1.11	0.29	4.34
	4/14/2004	11.77	12.65	0.88	1.00	0.26	4.60
	4/23/2004	11.60	12.11	0.51	1.00	0.26	4.87
	5/7/2004	11.63	12.05	0.42	1.00	0.26	5.13
	5/28/2004	11.68	12.08	0.40	1.00	0.26	5.40
	6/4/2004	11.51	11.94	0.43	0.50	0.13	5.53
	6/18/2004	11.55	12.01	0.46	0.33	0.09	5.62
	7/29/2004	12.65	13.25	0.60	1.00	0.26	5.88
	8/13/2004	12.97	13.40	0.43	1.00	0.26	6.14
	8/27/2004	12.96	13.46	0.50	1.00	0.26	6.41
	9/10/2004	12.96	13.48	0.52	1.50	0.40	6.81
	9/23/2004	13.06	13.56	0.50	2.50	0.66	7.47
	10/5/2004	13.00	13.50	0.50	2.50	0.66	8.13
	10/21/2004	13.49	13.59	0.10	2.50	0.66	8.79
	11/2/2004	13.00	13.10	0.10	2.00	0.53	9.31
	11/12/2004	12.83	12.97	0.14	1.50	0.40	9.71
	12/2/2004	12.81	12.91	0.10	1.50	0.40	10.11
	12/10/2004	12.84	12.94	0.10	1.50	0.40	10.50
	2/9/2005	10.01	10.53	0.52	0.51	0.13	10.64
	2/25/2005	8.01	8.51	0.50	1.00	0.26	10.90
	3/11/2005	8.32	8.40	0.08	0.20	0.05	10.96
	3/25/2005	7.70	7.76	0.06	0.05	0.01	10.97
	4/7/2005	8.26	8.29	0.03	0.10	0.03	10.99
	4/22/2005	9.71	9.93	0.22	0.66	0.17	11.17
	5/13/2005	9.71	9.81	0.10	0.30	0.08	11.25
	5/27/2005	10.55	10.63	0.08	0.45	0.12	11.37
	6/10/2005	10.10	10.38	0.28	0.70	0.18	11.55
	6/24/2005	10.94	11.00	0.06	0.55	0.15	11.70
	7/7/2005	11.63	11.70	0.07	0.24	0.06	11.76
	7/22/2005	11.90	11.95	0.05	0.05	0.01	11.77
	8/5/2005	12.20	12.29	0.09	0.03	0.01	11.78
	8/8/2005						0.083

Well MW-1 reconstructed as well MW-1A

TABLE 3

Page 2 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-1A	9/29/2005	--	11.92	0.00	0.00	0.00	0.00
	12/29-30/2005	--	6.85	0.00	0.00	0.00	0.00
	3/27-28/2006	--	6.70	0.00	0.00	0.00	0.00
	4/28/2006	--	8.42	0.00	0.00	0.00	0.00
	5/31/2006	--	10.74	0.00	0.00	0.00	0.00
	6/26-27/2006	--	11.49	0.00	0.00	0.00	0.00
	7/26/2006	--	12.51	0.00	0.00	0.00	0.00
	8/25/2006	--	12.21	0.00	0.00	0.00	0.00
	9/28-29/2006	--	12.55	0.00	0.00	0.00	0.00
	10/26/2006	--	13.32	0.00	0.00	0.00	0.00
	11/28/2006	--	12.70	0.00	0.00	0.00	0.00
	12/21-22/2006	--	9.82	0.00	0.00	0.00	0.00
	1/25/2007	--	12.97	0.00	0.00	0.00	0.00
	2/23/2007	--	8.51	0.00	0.00	0.00	0.00
	3/26-27/2007	--	10.65	0.00	0.00	0.00	0.00
	4/26/2007	--	9.60	0.00	0.00	0.00	0.00
	5/29/2007	--	12.61	0.00	0.00	0.00	0.00
	6/19/2007	--	12.15	0.00	0.00	0.00	0.00
	7/24/2007	--	12.56	0.00	0.00	0.00	0.00
	8/27/2007	--	12.97	0.00	0.00	0.00	0.00
	9/26/2007	--	13.10	0.00	0.00	0.00	0.00
	10/30/2007	13.13	13.14	0.01	0.00	0.00	0.00
	11/29/2007	13.15	13.16	0.01	0.00	0.00	0.00
	12/19/2007	--	10.04	0.00	0.00	0.00	0.00
	1/17/2008	--	10.30	0.00	0.00	0.00	0.00
	2/15/2008	--	10.59	0.00	0.00	0.00	0.00
	3/17/2008	--	10.83	0.00	0.00	0.00	0.00
	4/11/2008	--	12.81	0.00	0.00	0.00	0.00
	5/8/2008	13.01	13.02	0.01	0.00	0.00	0.00
	6/12/2008	--	12.25	0.00	0.00	0.00	0.00
	7/16/2008	13.54	13.55	0.01	0.00	0.00	0.00
	8/20/2008	13.65	13.66	0.01	0.00	0.00	0.00
	9/17/2008	13.23	13.24	0.01	0.00	0.00	0.00
	10/23/2008	13.59	13.60	0.01	0.00	0.00	0.00
	11/26/2008	13.25	13.26	0.01	0.00	0.00	0.00
	12/8/2008	--	12.41	0.00	0.00	0.00	0.00
	1/26/2009	--	10.50	0.00	0.00	0.00	0.00
	2/23/2009	--	10.11	0.00	0.00	0.00	0.00
	3/11/2009	10.13	10.27	0.14	0.10	0.03	0.03
	4/16/2009	11.47	11.48	0.01	0.005	0.00	0.03
	6/11/2009	--	11.89	0.00	0.00	0.00	0.03
	9/23/2009	12.67	12.70	0.03	0.05	0.01	0.04
	3/22/2010	--	9.18	0.00	0.00	0.00	0.04
	9/27/2010	12.03	12.15	0.12	0.30	0.08	0.12
	3/31/2011	6.56	6.68	0.12	0.50	0.13	0.25
	9/15/2011	11.37	11.49	0.12	0.50	0.13	0.38
MW-1B	9/29/2005	--	13.62	0.00	0.00	0.00	0.00
	12/29-30/2005	--	10.38	0.00	0.00	0.00	0.00
	3/27-28/2006	--	10.54	0.00	0.00	0.00	0.00
	4/28/2006	--	11.15	0.00	0.00	0.00	0.00
	5/31/2006	--	12.40	0.00	0.00	0.00	0.00
	6/26-27/2006	--	12.80	0.00	0.00	0.00	0.00

TABLE 3

Page 3 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-1B	7/26/2006	--	13.20	0.00	0.00	0.00	0.00
(cont.)	8/25/2006	--	13.42	0.00	0.00	0.00	0.00
	9/28-29/2006	--	13.50	0.00	0.00	0.00	0.00
	10/26/2006	--	13.74	0.00	0.00	0.00	0.00
	11/28/2006	--	13.18	0.00	0.00	0.00	0.00
	12/21-22/2006	--	12.20	0.00	0.00	0.00	0.00
	1/25/2007	--	14.09	0.00	0.00	0.00	0.00
	2/23/2007	--	11.73	0.00	0.00	0.00	0.00
	3/26-27/2007	--	12.82	0.00	0.00	0.00	0.00
	4/26/2007	--	12.20	0.00	0.00	0.00	0.00
	5/29/2007	--	12.75	0.00	0.00	0.00	0.00
	6/19/2007	--	13.62	0.00	0.00	0.00	0.00
	7/24/2007	--	14.29	0.00	0.00	0.00	0.00
	8/27/2007	--	14.21	0.00	0.00	0.00	0.00
	9/26/2007	--	14.27	0.00	0.00	0.00	0.00
	10/30/2007	--	13.72	0.00	0.00	0.00	0.00
	11/29/2007	--	13.61	0.00	0.00	0.00	0.00
	12/19/2007	--	12.22	0.00	0.00	0.00	0.00
	1/17/2008	--	12.27	0.00	0.00	0.00	0.00
	2/15/2008	--	11.68	0.00	0.00	0.00	0.00
	3/17/2008	--	12.50	0.00	0.00	0.00	0.00
	4/11/2008	--	16.18	0.00	0.00	0.00	0.00
	5/8/2008	--	15.35	0.00	0.00	0.00	0.00
	6/12/2008	--	13.70	0.00	0.00	0.00	0.00
	7/16/2008	--	14.16	0.00	0.00	0.00	0.00
	8/20/2008	--	14.27	0.00	0.00	0.00	0.00
	9/17/2008	--	14.21	0.00	0.00	0.00	0.00
	10/23/2008	--	14.57	0.00	0.00	0.00	0.00
	11/26/2008	--	14.08	0.00	0.00	0.00	0.00
	12/8/2008	--	13.63	0.00	0.00	0.00	0.00
	1/26/2009	--	12.35	0.00	0.00	0.00	0.00
	2/23/2009	--	11.98	0.00	0.00	0.00	0.00
	3/11/2009	--	11.10	0.00	0.00	0.00	0.00
	4/16/2009	--	13.69	0.00	0.00	0.00	0.00
	6/11/2009	--	13.02	0.00	0.00	0.00	0.00
	9/23/2009	--	13.75	0.00	0.00	0.00	0.00
	3/22/2010	--	12.08	0.00	0.00	0.00	0.00
	9/27/2010	--	13.41	0.00	0.00	0.00	0.00
	3/31/2011	--	11.37	0.00	0.00	0.00	0.00
	9/15/2011	--	13.13	0.00	0.00	0.00	0.00
MW-2	6/28/1995	12.77	13.50	0.73	0.44	0.12	0.12
	9/28/1995	14.09	14.63	0.54	0.32	0.09	0.20
	12/26/1995	11.68	12.58	0.90	0.54	0.14	0.34
	3/22/1996	11.31	11.46	0.15	0.09	0.02	0.37
	6/20/1996	12.71	13.08	0.37	0.22	0.06	0.43
	9/30/1996	12.92	16.67	3.75	2.25	0.59	1.02
	12/27/1996	8.17	15.74	7.57	4.54	1.20	2.22
	6/28/1997	11.94	11.98	0.04	0.02	0.01	2.23
	9/18/1997	13.44	13.44	0.00	0.00	0.00	2.23
	12/10/1998	10.81	12.91	2.10	1.26	0.33	2.56
	3/26/1999	8.86	9.06	0.20	0.12	0.03	2.59
	9/15/1999	12.59	15.59	3.00	1.80	0.48	3.07

TABLE 3

Page 4 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-2	12/28/1999	12.31	16.81	4.50	2.70	0.71	3.78
(cont.)	6/13/2001	11.69	14.84	3.15	1.89	0.50	4.28
	6/20/2002	14.10	14.80	0.70	0.42	0.11	4.39
	10/21/2002	16.74	16.98	0.24	0.14	0.04	4.43
	12/27/2002	13.15	13.58	0.43	3.00	0.79	5.22
	3/23/2003	15.20	15.49	0.29	5.68	1.50	6.72
	4/4/2003	14.72	14.80	0.08	3.78	1.00	7.72
	5/1/2003	13.59	13.63	0.04	0.49	0.13	7.85
	5/29/2003	15.64	16.08	0.44	1.00	0.26	8.11
	7/25/2003	15.81	16.31	0.50	0.50	0.13	8.24
	8/11/2003	15.99	16.44	0.45	0.50	0.13	8.37
	8/29/2003	15.92	16.75	0.83	0.50	0.13	8.51
	9/12/2003	16.29	17.10	0.81	0.95	0.25	8.76
	9/26/2003	16.27	17.14	0.87	1.90	0.50	9.26
	10/10/2003	16.35	17.10	0.75	1.89	0.50	9.76
	10/30/2003	16.41	17.03	0.62	0.95	0.25	10.01
	11/25/2003	16.08	16.98	0.90	3.79	1.00	11.01
	12/4/2003	15.74	16.75	1.01	3.79	1.00	12.01
	12/11/2003	15.81	16.90	1.09	3.79	1.00	13.01
	12/23/2003	15.60	16.55	0.95	3.79	1.00	14.01
	1/30/2004	8.91	10.69	1.78	3.00	0.79	14.80
	2/20/2004	8.74	10.72	1.98	4.00	1.06	15.86
	3/12/2004	9.05	11.19	2.14	6.41	1.69	17.55
	3/30/2004	10.16	10.67	0.51	0.51	0.13	17.69
	4/14/2004	11.18	12.61	1.43	1.50	0.40	18.08
	4/23/2004	11.79	12.84	1.05	3.50	0.92	19.01
	5/7/2004	11.75	12.89	1.14	5.00	1.32	20.33
	5/28/2004	11.83	12.77	0.94	5.00	1.32	21.65
	6/4/2004	11.77	12.62	0.85	4.50	1.19	22.84
	6/18/2004	11.79	12.66	0.87	5.00	1.32	24.16
	7/29/2004	15.05	15.10	0.05	1.00	0.26	24.42
	8/13/2004	15.23	15.28	0.05	1.50	0.40	24.82
	8/27/2004	15.31	15.39	0.08	1.50	0.40	25.22
	9/10/2004	15.24	15.33	0.09	2.00	0.53	25.74
	9/23/2004	15.29	15.39	0.10	2.00	0.53	26.27
	10/5/2004	15.17	15.33	0.16	2.00	0.53	26.80
	10/21/2004	15.23	15.46	0.23	2.00	0.53	27.33
	11/2/2004	14.28	14.96	0.68	3.50	0.92	28.25
	11/12/2004	14.38	14.83	0.45	3.00	0.79	29.05
	12/2/2004	14.34	14.79	0.45	2.50	0.66	29.71
	12/10/2004	14.40	14.81	0.41	2.50	0.66	30.37
	2/9/2005	10.18	10.95	0.77	2.28	0.60	30.97
	2/25/2005	8.21	8.65	0.44	1.50	0.40	31.37
	3/11/2005	8.83	8.89	0.06	1.10	0.29	31.66
	3/25/2005	7.75	7.83	0.08	0.70	0.18	31.84
	4/7/2005	8.49	8.53	0.04	1.15	0.30	32.14
	4/22/2005	9.76	10.08	0.32	1.66	0.44	32.58
	5/13/2005	9.85	9.98	0.13	1.20	0.32	32.90
	5/27/2005	10.38	10.97	0.59	2.00	0.53	33.43
	6/10/2005	9.98	10.01	0.03	1.20	0.32	33.75
	6/24/2005	10.88	11.73	0.85	1.90	0.50	34.25
	7/7/2005	11.50	12.08	0.58	1.75	0.46	34.71
	7/22/2005	11.74	12.49	0.75	1.50	0.40	35.10
	8/5/2005	12.00	12.37	0.37	1.36	0.36	35.46
	8/9/2005						1.217

Well MW-2 reconstructed as well MW-2A

TABLE 3

Page 5 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-2A	9/29/2005	--	10.95	0.00	0.00	0.00	0.00
	12/29-30/2005	--	5.41	0.00	0.00	0.00	0.00
	3/27-28/2006	--	5.04	0.00	0.00	0.00	0.00
	4/28/2006	--	6.92	0.00	0.00	0.00	0.00
	5/31/2006	--	8.85	0.00	0.00	0.00	0.00
	6/26-27/2006	--	9.75	0.00	0.00	0.00	0.00
	7/26/2006	--	10.44	0.00	0.00	0.00	0.00
	8/25/2006	--	10.80	0.00	0.00	0.00	0.00
	9/28-29/2006	--	10.93	0.00	0.00	0.00	0.00
	10/26/2006	--	11.15	0.00	0.00	0.00	0.00
	11/28/2006	--	9.73	0.00	0.00	0.00	0.00
	12/21-22/2006	--	7.77	0.00	0.00	0.00	0.00
	1/25/2007	--	10.20	0.00	0.00	0.00	0.00
	2/23/2007	--	6.98	0.00	0.00	0.00	0.00
	3/26-27/2007	--	9.10	0.00	0.00	0.00	0.00
	4/26/2007	--	7.68	0.00	0.00	0.00	0.00
	5/29/2007	--	10.02	0.00	0.00	0.00	0.00
	6/19/2007	--	10.66	0.00	0.00	0.00	0.00
	7/24/2007	--	11.11	0.00	0.00	0.00	0.00
	8/27/2007	--	11.61	0.00	0.00	0.00	0.00
	9/26/2007	--	11.69	0.00	0.00	0.00	0.00
	10/30/2007	--	10.63	0.00	0.00	0.00	0.00
	11/29/2007	--	10.62	0.00	0.00	0.00	0.00
	12/19/2007	--	8.13	0.00	0.00	0.00	0.00
	1/17/2008	--	7.28	0.00	0.00	0.00	0.00
	2/15/2008	--	7.36	0.00	0.00	0.00	0.00
	3/17/2008	--	9.00	0.00	0.00	0.00	0.00
	4/11/2008	--	9.89	0.00	0.00	0.00	0.00
	5/8/2008	--	10.45	0.00	0.00	0.00	0.00
	6/12/2008	--	10.95	0.00	0.00	0.00	0.00
	7/16/2008	--	11.29	0.00	0.00	0.00	0.00
	8/20/2008	--	11.55	0.00	0.00	0.00	0.00
	9/17/2008	--	11.78	0.00	0.00	0.00	0.00
	10/23/2008	--	11.82	0.00	0.00	0.00	0.00
	11/26/2008	--	10.55	0.00	0.00	0.00	0.00
	12/8/2008	--	10.83	0.00	0.00	0.00	0.00
	1/26/2009	--	8.13	0.00	0.00	0.00	0.00
	2/23/2009	--	7.95	0.00	0.00	0.00	0.00
	3/11/2009	9.47	9.66	0.19	0.18	0.05	0.05
	4/16/2009	--	9.02	0.00	0.00	0.00	0.05
	6/11/2009	--	10.20	0.00	0.00	0.00	0.05
	9/23/2009	11.10	11.15	0.05	0.11	0.03	0.08
	3/22/2010	--	7.10	0.00	0.00	0.00	0.08
	9/27/2010	--	9.73	0.00	0.00	0.00	0.08
	3/31/2011	--	4.68	0.00	0.00	0.00	0.08
	9/15/2011	9.53	9.60	0.07	0.30	0.08	0.16
MW-3	4/16/1992	13.98	14.14	0.16	0.10	0.03	0.03
	9/16/1994	15.37	15.42	0.05	0.03	0.01	0.04
	3/31/1995	12.52	12.98	0.46	0.28	0.07	0.11
	6/28/1995	14.15	14.20	0.05	0.03	0.01	0.12
	12/26/1995	13.27	13.33	0.06	0.04	0.01	0.13
	3/22/1995	12.77	12.81	0.04	0.02	0.01	0.13
	6/20/1996	13.88	13.95	0.07	0.04	0.01	0.15

TABLE 3

Page 6 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-3	9/24/1996	14.82	14.86	0.04	0.02	0.01	0.15
(cont.)	12/27/1996	10.98	11.04	0.06	0.04	0.01	0.16
	6/28/1997	13.66	13.72	0.06	0.04	0.01	0.17
	12/28/1999	14.91	15.16	0.25	0.15	0.04	0.21
	6/13/2001	14.30	14.70	0.40	0.24	0.06	0.27
	6/20/2002	14.66	14.68	0.02	0.01	0.00	0.28
	12/27/2002	11.20	11.37	0.17	3.00	0.79	1.07
	5/29/2003	13.91	13.99	0.08	0.01	0.03	1.10
	7/25/2003	14.02	14.12	0.10	0.20	0.05	1.15
	8/11/2003	14.25	14.35	0.10	0.15	0.04	1.19
	8/29/2003	14.18	14.33	0.15	0.15	0.04	1.23
	9/12/2003	14.41	14.55	0.14	0.10	0.03	1.25
	9/26/2003	14.46	14.51	0.05	0.15	0.04	1.29
	10/10/2003	14.50	14.58	0.08	0.20	0.05	1.35
	10/30/2003	14.59	14.63	0.04	0.12	0.03	1.38
	11/25/2003	14.30	14.40	0.10	0.11	0.03	1.41
	12/4/2003	14.18	14.28	0.10	0.10	0.03	1.43
	12/23/2003	13.81	13.91	0.10	0.05	0.01	1.45
	1/30/2004	10.16	10.53	0.37	1.00	0.26	1.71
	2/20/2004	10.08	10.48	0.40	1.00	0.26	1.98
	3/12/2004	11.53	11.95	0.42	2.25	0.59	2.57
	3/30/2004	12.14	12.18	0.04	0.60	0.16	2.73
	4/14/2004	12.81	13.42	0.61	1.50	0.40	3.13
	4/23/2004	12.94	13.53	0.59	3.50	0.92	4.05
	5/7/2004	12.99	13.43	0.44	4.50	1.19	5.24
	5/28/2004	12.74	13.32	0.58	5.00	1.32	6.56
	6/4/2004	12.70	13.29	0.59	5.00	1.32	7.88
	6/18/2004	12.78	13.33	0.55	5.00	1.32	9.20
	7/29/2004	15.80	15.81	0.01	0.05	0.01	9.21
	8/13/2004	15.97	15.99	0.02	0.10	0.03	9.24
	8/27/2004	16.05	16.07	0.02	0.50	0.13	9.37
	9/10/2004	16.03	16.05	0.02	0.75	0.20	9.57
	9/23/2004	16.15	16.17	0.02	0.50	0.13	9.70
	10/5/2004	16.05	16.10	0.05	0.75	0.20	9.90
	10/21/2004	16.17	16.22	0.05	1.00	0.26	10.17
	11/2/2004	16.58	16.68	0.10	1.00	0.26	10.43
	11/12/2004	16.50	16.60	0.10	1.50	0.40	10.83
	12/2/2004	16.40	16.53	0.13	2.00	0.53	11.35
	12/10/2004	16.41	16.51	0.10	2.00	0.53	11.88
	2/9/2005	13.65	13.98	0.33	2.55	0.67	12.56
	2/25/2005	10.85	11.15	0.30	1.50	0.40	12.95
	3/11/2005	13.06	13.19	0.13	0.60	0.16	13.11
	3/25/2005	11.13	11.29	0.16	0.60	0.16	13.27
	4/7/2005	11.75	11.88	0.13	1.45	0.38	13.65
	4/22/2005	13.59	13.91	0.32	1.31	0.35	14.00
	5/13/2005	13.02	13.07	0.05	1.17	0.31	14.31
	5/27/2005	13.50	13.52	0.02	1.30	0.34	14.65
	6/10/2005	12.64	12.70	0.06	1.40	0.37	15.02
	6/24/2005	13.38	13.47	0.09	1.10	0.29	15.31
	7/7/2005	14.65	14.81	0.16	1.32	0.35	15.66
	7/22/2005	14.23	14.70	0.47	1.20	0.32	15.98
	8/5/2005	14.31	14.40	0.09	1.10	0.29	16.27
	8/10/2005						0.956
					Well MW-3 reconstructed as well MW-3A		
MW-3A	9/29/2005	--	12.52	0.00	0.00	0.00	0.00
	12/29-30/2005	--	5.37	0.00	0.00	0.00	0.00

TABLE 3

Page 7 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-3A	3/27-28/2006	--	5.59	0.00	0.00	0.00	0.00
(cont.)	4/28/2006	--	7.94	0.00	0.00	0.00	0.00
	5/31/2006	--	10.82	0.00	0.00	0.00	0.00
	6/26-27/2006	--	11.63	0.00	0.00	0.00	0.00
	7/26/2006	--	12.00	0.00	0.00	0.00	0.00
	8/25/2006	--	12.35	0.00	0.00	0.00	0.00
	9/28-29/2006	--	12.60	0.00	0.00	0.00	0.00
	10/26/2006	--	12.81	0.00	0.00	0.00	0.00
	11/28/2006	--	10.42	0.00	0.00	0.00	0.00
	12/21-22/2006	--	8.94	0.00	0.00	0.00	0.00
	1/25/2007	--	11.73	0.00	0.00	0.00	0.00
	2/23/2007	--	7.30	0.00	0.00	0.00	0.00
	3/26-27/2007	--	10.74	0.00	0.00	0.00	0.00
	4/26/2007	--	8.90	0.00	0.00	0.00	0.00
	5/29/2007	--	11.68	0.00	0.00	0.00	0.00
	6/19/2007	--	12.30	0.00	0.00	0.00	0.00
	7/24/2007	--	12.61	0.00	0.00	0.00	0.00
	8/27/2007	--	13.03	0.00	0.00	0.00	0.00
	9/26/2007	--	13.03	0.00	0.00	0.00	0.00
	10/30/2007	--	12.03	0.00	0.00	0.00	0.00
	11/29/2007	--	12.19	0.00	0.00	0.00	0.00
	12/19/2007	--	8.02	0.00	0.00	0.00	0.00
	1/17/2008	--	8.04	0.00	0.00	0.00	0.00
	2/15/2008	--	8.52	0.00	0.00	0.00	0.00
	3/17/2008	--	10.57	0.00	0.00	0.00	0.00
	4/11/2008	--	11.29	0.00	0.00	0.00	0.00
	5/8/2008	--	11.87	0.00	0.00	0.00	0.00
	6/12/2008	--	12.38	0.00	0.00	0.00	0.00
	7/16/2008	--	12.87	0.00	0.00	0.00	0.00
	8/20/2008	--	13.02	0.00	0.00	0.00	0.00
	9/17/2008	--	13.31	0.00	0.00	0.00	0.00
	10/23/2008	--	13.35	0.00	0.00	0.00	0.00
	11/26/2008	--	12.09	0.00	0.00	0.00	0.00
	12/8/2008	--	12.27	0.00	0.00	0.00	0.00
	1/26/2009	--	9.35	0.00	0.00	0.00	0.00
	2/23/2009	--	8.91	0.00	0.00	0.00	0.00
	3/11/2009	--	6.15	0.00	0.00	0.00	0.00
	4/16/2009	--	10.61	0.00	0.00	0.00	0.00
	6/11/2009	--	11.77	0.00	0.00	0.00	0.00
	9/23/2009	--	12.74	0.00	0.00	0.00	0.00
	3/22/2010	--	8.69	0.00	0.00	0.00	0.00
	9/27/2010	--	12.40	0.00	0.00	0.00	0.00
	3/31/2011	--	5.47	0.00	0.00	0.00	0.00
	9/15/2011	--	12.17	0.00	0.00	0.00	0.00
TMW-4	12/27/2002	8.95	9.07	0.12	1.50	0.40	0.40
	3/23/2003	10.70	10.73	0.03	0.95	0.25	0.65
	4/4/2003	10.35	10.40	0.05	0.95	0.25	0.90
	5/1/2003	10.07	10.09	0.02	0.49	0.13	1.02
	5/29/2003	12.48	12.50	0.02	0.00	0.00	1.02
	7/25/2003	12.61	12.67	0.06	0.05	0.01	1.03
	8/11/2003	14.49	14.59	0.10	0.10	0.03	1.06
	8/29/2003	12.93	12.95	0.02	0.05	0.01	1.07
	9/12/2003	13.24	13.29	0.05	0.03	0.01	1.08

TABLE 3

Page 8 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
TMW-4	9/26/2003	13.21	13.27	0.06	0.04	0.01	1.09
(cont.)	10/10/2003	13.31	13.40	0.09	0.05	0.01	1.11
	10/30/2003	13.30	13.38	0.08	0.04	0.01	1.12
	11/25/2003	13.09	13.19	0.10	0.02	0.01	1.12
	12/4/2003	12.97	13.07	0.10	0.05	0.01	1.14
	12/23/2003	13.59	13.69	0.10	0.05	0.01	1.15
	1/30/2004	9.45	9.47	0.02	0.01	0.00	1.15
	2/20/2004	9.37	9.39	0.02	0.01	0.00	1.15
	3/12/2004	9.80	9.82	0.02	0.01	0.00	1.16
	3/30/2004	10.11	10.12	0.01	0.00	0.00	1.16
	4/14/2004	10.89	10.93	0.04	0.01	0.00	1.16
	4/23/2004	10.68	10.71	0.03	0.01	0.00	1.16
	5/7/2004	10.50	10.53	0.03	0.04	0.01	1.17
	5/28/2004	10.56	10.60	0.04	0.01	0.00	1.18
	6/4/2004	10.49	10.52	0.03	0.01	0.00	1.18
	6/18/2004	10.46	10.49	0.03	0.01	0.00	1.18
	7/29/2004	11.99	12.00	0.01	0.05	0.01	1.19
	8/13/2004	12.06	12.07	0.01	0.10	0.03	1.22
	8/27/2004	12.09	12.11	0.02	0.10	0.03	1.25
	9/10/2004	13.16	13.18	0.02	0.10	0.03	1.27
	9/23/2004	13.28	13.29	0.01	0.10	0.03	1.30
	10/5/2004	13.25	13.26	0.01	0.01	0.00	1.30
	10/21/2004	13.34	13.35	0.01	0.01	0.00	1.30
	11/2/2004	12.81	12.82	0.01	0.01	0.00	1.31
	11/12/2004	12.77	12.78	0.01	0.01	0.00	1.31
	12/2/2004	12.71	12.72	0.01	0.01	0.00	1.31
	12/10/2004	12.74	12.75	0.01	0.01	0.00	1.32
	2/9/2005	9.92	9.94	0.02	0.01	0.00	1.32
	2/25/2005	8.63	8.65	0.02	0.01	0.00	1.32
	3/11/2005	8.84	8.86	0.02	0.01	0.00	1.32
	3/25/2005	8.11	8.13	0.02	0.01	0.00	1.33
	4/7/2005	8.42	8.44	0.02	0.01	0.00	1.33
	4/22/2005	9.55	9.57	0.02	0.01	0.00	1.33
	8/9/2005				Well TMW-4 reconstructed as well TMW-4A		
TMW-4A	9/29/2005	--	10.00	0.00	0.00	0.00	0.00
	12/29/2005	--	5.03	0.00	0.00	0.00	0.00
	3/27/2006	--	4.63	0.00	0.00	0.00	0.00
	4/28/2006	--	5.70	0.00	0.00	0.00	0.00
	5/31/2006	--	7.48	0.00	0.00	0.00	0.00
	6/26/2006	--	8.41	0.00	0.00	0.00	0.00
	7/26/2006	--	9.11	0.00	0.00	0.00	0.00
	8/25/2006	--	9.51	0.00	0.00	0.00	0.00
	9/28-29/2006	--	9.85	0.00	0.00	0.00	0.00
	10/26/2006	--	9.91	0.00	0.00	0.00	0.00
	11/28/2006	--	9.46	0.00	0.00	0.00	0.00
	12/21-22/2006	--	8.32	0.00	0.00	0.00	0.00
	1/25/2007	--	9.24	0.00	0.00	0.00	0.00
	2/23/2007	--	6.90	0.00	0.00	0.00	0.00
	3/26-27/2007	--	7.56	0.00	0.00	0.00	0.00
	4/26/2007	--	6.96	0.00	0.00	0.00	0.00
	5/29/2007	--	7.59	0.00	0.00	0.00	0.00
	6/19/2007	--	9.43	0.00	0.00	0.00	0.00
	7/24/2007	--	10.01	0.00	0.00	0.00	0.00
	8/27/2007	--	10.48	0.00	0.00	0.00	0.00

TABLE 3

Page 9 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
TMW-4A	9/26/2007	--	10.71	0.00	0.00	0.00	0.00
(cont.)	10/30/2007	--	9.44	0.00	0.00	0.00	0.00
	11/29/2007	--	9.46	0.00	0.00	0.00	0.00
	12/19/2007	--	7.37	0.00	0.00	0.00	0.00
	1/17/2008	--	6.08	0.00	0.00	0.00	0.00
	2/15/2008	--	6.14	0.00	0.00	0.00	0.00
	3/17/2008	--	7.56	0.00	0.00	0.00	0.00
	4/11/2008	--	8.74	0.00	0.00	0.00	0.00
	5/8/2008	--	9.33	0.00	0.00	0.00	0.00
	6/12/2008	--	9.90	0.00	0.00	0.00	0.00
	7/16/2008	--	10.37	0.00	0.00	0.00	0.00
	8/20/2008	--	10.67	0.00	0.00	0.00	0.00
	9/17/2008	--	10.84	0.00	0.00	0.00	0.00
	10/23/2008	--	11.08	0.00	0.00	0.00	0.00
	11/26/2008	--	9.70	0.00	0.00	0.00	0.00
	12/8/2008	--	9.84	0.00	0.00	0.00	0.00
	1/26/2009	--	7.35	0.00	0.00	0.00	0.00
	2/23/2009	--	6.97	0.00	0.00	0.00	0.00
	3/11/2009	--	5.43	0.00	0.00	0.00	0.00
	4/16/2009	--	7.72	0.00	0.00	0.00	0.00
	6/11/2009	--	8.77	0.00	0.00	0.00	0.00
	9/23/2009	--	9.76	0.00	0.00	0.00	0.00
	3/22/2010	--	5.99	0.00	0.00	0.00	0.00
	9/27/2010	--	8.97	0.00	0.00	0.00	0.00
	3/31/2011	--	6.51	0.00	0.00	0.00	0.00
	9/15/2011	--	9.04	0.00	0.00	0.00	0.00
TMW-5	8/17/1993	12.95	12.98	0.03	0.02	0.00	0.00
	9/16/1994	12.97	13.02	0.05	0.03	0.01	0.01
	6/28/1995	11.25	11.31	0.06	0.04	0.01	0.02
	12/26/1995	10.11	10.16	0.05	0.03	0.01	0.03
	3/22/1996	7.54	7.59	0.05	0.03	0.01	0.03
	8/17/1997	12.95	12.98	0.03	0.02	0.00	0.04
	5/23/2001	--	11.31	0.00	0.00	0.00	0.04
	6/20/2002	11.24	11.29	0.05	0.03	0.01	0.05
	10/21/2002	13.50	13.60	0.10	0.06	0.02	0.06
	12/27/2002	13.50	13.60	0.10	1.50	0.40	0.46
	3/23/2003	9.75	9.79	0.04	0.95	0.25	0.71
	4/4/2003	9.40	9.45	0.05	0.49	0.13	0.83
	5/1/2003	8.93	8.95	0.02	0.38	0.10	0.93
	5/29/2003	11.25	11.29	0.04	0.01	0.01	0.95
	7/25/2003	11.33	11.37	0.04	0.02	0.01	0.95
	8/11/2003	11.47	11.49	0.02	0.01	0.00	0.95
	8/29/2003	12.10	12.17	0.07	0.02	0.01	0.96
	9/12/2003	12.45	12.50	0.05	0.03	0.01	0.97
	9/26/2003	12.40	12.47	0.07	0.02	0.01	0.97
	10/10/2003	12.51	12.61	0.10	0.02	0.01	0.98
	10/30/2003	12.65	12.70	0.05	0.01	0.00	0.98
	11/25/2003	12.39	12.49	0.10	0.01	0.00	0.98
	12/4/2003	12.25	12.35	0.10	0.01	0.00	0.98
	12/23/2003	13.78	13.88	0.10	0.01	0.00	0.99
	1/30/2004	7.63	7.65	0.02	0.01	0.00	0.99
	2/20/2004	7.65	7.67	0.02	0.01	0.00	0.99
	3/12/2004	8.13	8.15	0.02	0.01	0.00	1.00
	3/30/2004	9.09	9.09	0.00	0.00	0.00	1.00
	4/14/2004	9.69	9.73	0.04	0.01	0.00	1.00

TABLE 3

Page 10 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
TMW-5	4/23/2004	9.74	9.77	0.03	0.01	0.00	1.00
(cont.)	5/7/2004	9.61	9.64	0.03	0.04	0.01	1.01
	5/28/2004	9.69	9.72	0.03	0.01	0.00	1.01
	6/4/2004	9.61	9.64	0.03	0.01	0.00	1.02
	6/18/2004	9.63	9.66	0.03	0.01	0.00	1.02
	7/29/2004	12.05	12.06	0.01	0.05	0.01	1.03
	8/13/2004	12.21	12.22	0.01	0.10	0.03	1.06
	8/27/2004	12.28	12.30	0.02	0.10	0.03	1.08
	9/10/2004	12.33	12.35	0.02	0.10	0.03	1.11
	9/23/2004	12.41	12.42	0.01	0.10	0.03	1.14
	10/5/2004	13.37	13.38	0.01	0.01	0.00	1.14
	10/21/2004	12.45	12.46	0.01	0.01	0.00	1.14
	11/2/2004	11.90	11.91	0.01	0.01	0.00	1.15
	11/12/2004	11.84	11.85	0.01	0.01	0.00	1.15
	12/2/2004	11.80	11.81	0.01	0.01	0.00	1.15
	12/10/2004	11.85	11.86	0.01	0.01	0.00	1.15
	2/9/2005	8.75	8.77	0.02	0.01	0.00	1.16
	2/25/2005	6.45	6.48	0.03	0.01	0.00	1.16
	3/11/2005	6.83	6.85	0.02	0.01	0.00	1.16
	3/25/2005	6.20	6.22	0.02	0.01	0.00	1.16
	4/7/2005	6.67	6.69	0.02	0.01	0.00	1.17
	4/22/2005	8.25	8.26	0.01	0.01	0.00	1.17
	7/22/2005	11.01	11.02	0.01	0.01	0.00	1.17
	8/5/2005	11.29	11.33	0.04	0.01	0.00	1.17
	9/29/2005	--	11.72	0.00	0.00	0.00	1.17
	12/29-30/2005	--	5.82	0.00	0.00	0.00	1.17
	3/27-28/2006	--	5.19	0.00	0.00	0.00	1.17
	4/28/2006	--	7.03	0.00	0.00	0.00	1.17
	5/31/2006	--	9.35	0.00	0.00	0.00	1.17
	6/26-27/2006	--	10.34	0.00	0.00	0.00	1.17
	7/26/2006	--	11.02	0.00	0.00	0.00	1.17
	8/25/2006	--	11.52	0.00	0.00	0.00	1.17
	9/28-29/2006	--	11.84	0.00	0.00	0.00	1.17
	10/26/2006	--	11.93	0.00	0.00	0.00	1.17
	11/28/2006	--	10.71	0.00	0.00	0.00	1.17
	12/21-22/2006	--	8.17	0.00	0.00	0.00	1.17
	1/25/2007	--	12.90	0.00	0.00	0.00	1.17
	2/23/2007	--	7.59	0.00	0.00	0.00	1.17
	3/26-27/2007	--	9.59	0.00	0.00	0.00	1.17
	4/26/2007	--	8.19	0.00	0.00	0.00	1.17
	5/29/2007	--	10.55	0.00	0.00	0.00	1.17
	6/19/2007	--	11.40	0.00	0.00	0.00	1.17
	7/24/2007	--	11.83	0.00	0.00	0.00	1.17
	8/27/2007	--	12.38	0.00	0.00	0.00	1.17
	9/26/2007	--	12.55	0.00	0.00	0.00	1.17
	10/30/2007	14.02	14.03	0.01	0.00	0.00	1.17
	11/29/2007	11.40	11.41	0.01	0.00	0.00	1.17
	12/19/2007	--	9.40	0.00	0.00	0.00	1.17
	1/17/2008	--	9.60	0.00	0.00	0.00	1.17
	2/15/2008	--	8.35	0.00	0.00	0.00	1.17
	3/17/2008	--	9.30	0.00	0.00	0.00	1.17
	4/11/2008	10.10	10.11	0.01	0.00	0.00	1.17
	5/8/2008	11.04	11.05	0.01	0.00	0.00	1.17
	6/12/2008	--	11.64	0.00	0.00	0.00	1.17

TABLE 3

Page 11 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
TMW-5	7/16/2008	12.45	12.46	0.01	0.00	0.00	1.17
(cont.)	8/20/2008	12.67	12.68	0.01	0.00	0.00	1.17
	9/17/2008	12.67	12.68	0.01	0.00	0.00	1.17
	10/23/2008	12.80	12.81	0.01	0.00	0.00	1.17
	11/26/2008	11.23	11.24	0.01	0.00	0.00	1.17
	12/8/2008	11.63	11.64	0.01	0.00	0.00	1.17
	1/26/2009	8.84	8.85	0.01	0.00	0.00	1.17
	2/23/2009	8.30	8.31	0.01	0.00	0.00	1.17
	3/11/2009	5.88	5.95	0.07	0.15	0.04	1.22
	4/16/2009	8.61	9.07	0.46	1.00	0.26	1.48
	6/11/2009	10.86	10.89	0.03	0.00	0.00	1.48
	9/23/2009	11.99	12.07	0.08	0.30	0.08	1.56
	3/22/2010	--	7.42	0.00	0.00	0.00	1.56
	9/27/2010	11.03	11.09	0.06	0.10	0.03	1.59
	3/31/2011	5.25	5.30	0.05	0.10	0.03	1.61
	9/15/2011	10.79	10.84	0.05	0.42	0.11	1.72
MW-6	12/27/2002	7.20	7.24	0.04	1.50	0.39	0.39
	5/29/2003	11.93	11.95	0.02	0.01	0.01	0.40
	7/25/2003	12.05	12.07	0.02	0.02	0.01	0.41
	8/11/2003	12.18	12.20	0.02	0.01	0.00	0.41
	8/29/2003	12.74	12.77	0.03	0.05	0.01	0.42
	9/12/2003	13.09	13.15	0.06	0.05	0.01	0.44
	9/26/2003	13.08	13.11	0.03	0.05	0.01	0.45
	10/10/2003	13.27	13.43	0.16	0.08	0.02	0.47
	10/30/2003	13.32	13.40	0.08	0.05	0.01	0.49
	11/25/2003	13.09	13.24	0.15	0.04	0.01	0.50
	12/4/2003	13.04	13.14	0.10	0.02	0.01	0.50
	12/23/2003	13.50	13.60	0.10	0.01	0.00	0.50
	1/30/2004	8.42	8.44	0.02	0.01	0.00	0.51
	2/20/2004	8.38	8.40	0.02	0.01	0.00	0.51
	3/12/2004	8.91	8.93	0.02	0.01	0.00	0.51
	3/30/2004	9.68	9.69	0.01	0.00	0.00	0.51
	4/14/2004	10.14	10.18	0.04	0.01	0.00	0.51
	4/23/2004	10.19	10.22	0.03	0.01	0.00	0.52
	5/7/2004	10.25	10.28	0.03	0.04	0.01	0.53
	5/28/2004	10.27	10.30	0.03	0.01	0.00	0.53
	6/4/2004	10.24	10.27	0.03	0.01	0.00	0.53
	6/18/2004	10.27	10.30	0.03	0.01	0.00	0.54
	7/29/2004	12.01	12.02	0.01	0.05	0.01	0.55
	8/13/2004	12.18	12.19	0.01	0.10	0.03	0.57
	8/27/2004	12.25	12.27	0.02	0.10	0.03	0.60
	9/10/2004	12.32	12.33	0.01	0.10	0.03	0.63
	9/23/2004	12.43	12.44	0.01	0.10	0.03	0.65
	10/5/2004	13.36	13.38	0.02	0.01	0.00	0.66
	10/21/2004	12.48	12.49	0.01	0.01	0.00	0.66
	11/2/2004	11.95	11.96	0.01	0.01	0.00	0.66
	11/12/2004	11.88	11.89	0.01	0.01	0.00	0.66
	12/2/2004	11.82	11.83	0.01	0.01	0.00	0.67
	12/10/2004	11.87	11.88	0.01	0.01	0.00	0.67
	2/9/2005	9.21	9.23	0.02	0.01	0.00	0.67
	2/25/2005	7.23	7.25	0.02	0.02	0.01	0.68
	3/11/2005	7.39	7.41	0.02	0.01	0.00	0.68
	3/25/2005	6.80	6.82	0.02	0.01	0.00	0.68
	4/7/2005	6.95	6.96	0.01	0.01	0.00	0.69

TABLE 3

Page 12 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-6	4/22/2005	8.95	8.97	0.02	0.01	0.00	0.69
(cont.)	6/24/2005	--	10.10	0.00	0.00	0.00	0.69
	9/29/2005	--	11.50	0.00	0.00	0.00	0.69
	12/29-30/2005	--	6.34	0.00	0.00	0.00	0.69
	3/27-28/2006	--	6.23	0.00	0.00	0.00	0.69
	4/28/2006	--	7.42	0.00	0.00	0.00	0.69
	5/31/2006	--	10.02	0.00	0.00	0.00	0.69
	6/26/2006	--	10.74	0.00	0.00	0.00	0.69
	7/26/2006	--	11.17	0.00	0.00	0.00	0.69
	8/25/2006	--	11.52	0.00	0.00	0.00	0.69
	9/28/2006	--	11.70	0.00	0.00	0.00	0.69
	10/26/2006	--	12.25	0.00	0.00	0.00	0.69
	11/28/2006	--	10.48	0.00	0.00	0.00	0.69
	12/21-22/2006	--	9.07	0.00	0.00	0.00	0.69
	1/25/2007	--	12.43	0.00	0.00	0.00	0.69
	2/23/2007	--	8.38	0.00	0.00	0.00	0.69
	3/26-27/2007	--	10.14	0.00	0.00	0.00	0.69
	4/26/2007	--	8.89	0.00	0.00	0.00	0.69
	5/29/2007	--	10.35	0.00	0.00	0.00	0.69
	6/19/2007	--	11.48	0.00	0.00	0.00	0.69
	7/24/2007	--	11.88	0.00	0.00	0.00	0.69
	8/27/2007	--	12.30	0.00	0.00	0.00	0.69
	9/26/2007	--	12.52	0.00	0.00	0.00	0.69
	10/30/2007	--	12.20	0.00	0.00	0.00	0.69
	11/29/2007	--	11.90	0.00	0.00	0.00	0.69
	12/19/2007	--	9.35	0.00	0.00	0.00	0.69
	1/17/2008	--	8.60	0.00	0.00	0.00	0.69
	2/15/2008	--	8.41	0.00	0.00	0.00	0.69
	3/17/2008	--	9.95	0.00	0.00	0.00	0.69
	4/11/2008	--	10.31	0.00	0.00	0.00	0.69
	5/8/2008	--	11.17	0.00	0.00	0.00	0.69
	6/12/2008	--	11.57	0.00	0.00	0.00	0.69
	7/16/2008	--	11.83	0.00	0.00	0.00	0.69
	8/20/2008	--	12.07	0.00	0.00	0.00	0.69
	9/17/2008	--	12.64	0.00	0.00	0.00	0.69
	10/23/2008	--	12.80	0.00	0.00	0.00	0.69
	11/26/2008	--	11.57	0.00	0.00	0.00	0.69
	12/8/2008	--	11.81	0.00	0.00	0.00	0.69
	1/26/2009	--	9.45	0.00	0.00	0.00	0.69
	2/23/2009	--	8.97	0.00	0.00	0.00	0.69
	3/11/2009	--	6.63	0.00	0.00	0.00	0.69
	4/16/2009	--	9.92	0.00	0.00	0.00	0.69
	6/11/2009	--	11.00	0.00	0.00	0.00	0.69
	9/23/2009	--	11.95	0.00	0.00	0.00	0.69
	3/22/2010	--	8.52	0.00	0.00	0.00	0.69
	9/27/2010	--	11.50	0.00	0.00	0.00	0.69
	3/31/2011	--	5.81	0.00	0.00	0.00	0.69
	9/15/2011	--	11.10	0.00	0.00	0.00	0.69
MW-7	9/29/2005	--	8.80	0.00	0.00	0.00	0.00
	12/29/2005	--	7.45	0.00	0.00	0.00	0.00
	3/27/2006	--	7.56	0.00	0.00	0.00	0.00
	4/28/2006	--	7.93	0.00	0.00	0.00	0.00

TABLE 3

Page 13 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-7	5/31/2006	--	8.20	0.00	0.00	0.00	0.00
(cont.)	6/26-27/2006	--	8.37	0.00	0.00	0.00	0.00
	7/26/2006	--	8.60	0.00	0.00	0.00	0.00
	8/25/2006	--	8.74	0.00	0.00	0.00	0.00
	9/28-29/2006	--	8.81	0.00	0.00	0.00	0.00
	10/26/2006	--	8.98	0.00	0.00	0.00	0.00
	11/28/2006	--	8.23	0.00	0.00	0.00	0.00
	12/21-22/2006	--	8.07	0.00	0.00	0.00	0.00
	1/25/2007	--	8.79	0.00	0.00	0.00	0.00
	2/23/2007	--	8.28	0.00	0.00	0.00	0.00
	3/26-27/2007	--	8.29	0.00	0.00	0.00	0.00
	4/26/2007	--	8.13	0.00	0.00	0.00	0.00
	5/29/2007	--	8.64	0.00	0.00	0.00	0.00
	6/19/2007	--	8.89	0.00	0.00	0.00	0.00
	7/24/2007	--	9.31	0.00	0.00	0.00	0.00
	8/27/2007	--	9.61	0.00	0.00	0.00	0.00
	9/26/2007	--	9.72	0.00	0.00	0.00	0.00
	10/30/2007	--	8.77	0.00	0.00	0.00	0.00
	11/29/2007	--	8.99	0.00	0.00	0.00	0.00
	12/19/2007	--	7.51	0.00	0.00	0.00	0.00
	1/17/2008	--	7.58	0.00	0.00	0.00	0.00
	2/15/2008	--	7.92	0.00	0.00	0.00	0.00
	3/17/2008	--	8.15	0.00	0.00	0.00	0.00
	4/11/2008	--	8.42	0.00	0.00	0.00	0.00
	5/8/2008	--	8.81	0.00	0.00	0.00	0.00
	6/12/2008	--	9.12	0.00	0.00	0.00	0.00
	7/16/2008	--	9.53	0.00	0.00	0.00	0.00
	8/20/2008	--	9.70	0.00	0.00	0.00	0.00
	9/17/2008	--	9.84	0.00	0.00	0.00	0.00
	10/23/2008	--	10.03	0.00	0.00	0.00	0.00
	11/26/2008	--	9.04	0.00	0.00	0.00	0.00
	12/8/2008	--	9.17	0.00	0.00	0.00	0.00
	1/26/2009	--	7.96	0.00	0.00	0.00	0.00
	2/23/2009	--	7.59	0.00	0.00	0.00	0.00
	3/11/2009	--	7.62	0.00	0.00	0.00	0.00
	4/16/2009	--	10.07	0.00	0.00	0.00	0.00
	6/11/2009	--	8.57	0.00	0.00	0.00	0.00
	9/23/2009	--	9.23	0.00	0.00	0.00	0.00
	3/22/2010	--	7.91	0.00	0.00	0.00	0.00
	9/27/2010	--	9.03	0.00	0.00	0.00	0.00
	3/31/2011	--	7.53	0.00	0.00	0.00	0.00
	9/15/2011	--	8.36	0.00	0.00	0.00	0.00
MW-8	9/29/2005	--	10.08	0.00	0.00	0.00	0.00
	12/29-30/2005	--	7.65	0.00	0.00	0.00	0.00
	3/27-28/2006	--	7.59	0.00	0.00	0.00	0.00
	4/28/2006	--	8.29	0.00	0.00	0.00	0.00
	5/31/2006	--	9.09	0.00	0.00	0.00	0.00
	6/26-27/2006	--	9.37	0.00	0.00	0.00	0.00
	7/26/2006	--	9.62	0.00	0.00	0.00	0.00
	8/25/2006	--	9.75	0.00	0.00	0.00	0.00
	9/28-29/2006	--	9.80	0.00	0.00	0.00	0.00
	10/26/2006	--	10.00	0.00	0.00	0.00	0.00

TABLE 3

Page 14 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-8	11/28/2006	--	9.33	0.00	0.00	0.00	0.00
(cont.)	12/21-22/2006	--	8.73	0.00	0.00	0.00	0.00
	1/25/2007	--	9.66	0.00	0.00	0.00	0.00
	2/23/2007	--	8.35	0.00	0.00	0.00	0.00
	3/26-27/2007	--	9.25	0.00	0.00	0.00	0.00
	39198.00	--	8.85	0.00	0.00	0.00	0.00
	5/29/2007	--	9.70	0.00	0.00	0.00	0.00
	6/19/2007	--	9.95	0.00	0.00	0.00	0.00
	7/24/2007	--	10.30	0.00	0.00	0.00	0.00
	8/27/2007	--	10.62	0.00	0.00	0.00	0.00
	9/26/2007	--	10.80	0.00	0.00	0.00	0.00
	10/30/2007	--	9.87	0.00	0.00	0.00	0.00
	11/29/2007	--	10.06	0.00	0.00	0.00	0.00
	12/19/2007	--	8.62	0.00	0.00	0.00	0.00
	1/17/2008	--	8.01	0.00	0.00	0.00	0.00
	2/15/2008	--	8.44	0.00	0.00	0.00	0.00
	3/17/2008	--	9.11	0.00	0.00	0.00	0.00
	4/11/2008	--	9.60	0.00	0.00	0.00	0.00
	5/8/2008	--	9.75	0.00	0.00	0.00	0.00
	6/12/2008	--	10.02	0.00	0.00	0.00	0.00
	7/16/2008	--	10.56	0.00	0.00	0.00	0.00
	8/20/2008	--	10.73	0.00	0.00	0.00	0.00
	9/17/2008	--	10.90	0.00	0.00	0.00	0.00
	10/23/2008	--	11.12	0.00	0.00	0.00	0.00
	11/26/2008	--	10.16	0.00	0.00	0.00	0.00
	12/8/2008	--	10.25	0.00	0.00	0.00	0.00
	1/26/2009	--	8.83	0.00	0.00	0.00	0.00
	2/23/2009	--	8.58	0.00	0.00	0.00	0.00
	3/11/2009	--	7.74	0.00	0.00	0.00	0.00
	4/16/2009	--	9.85	0.00	0.00	0.00	0.00
	6/11/2009	--	9.45	0.00	0.00	0.00	0.00
	9/23/2009	--	10.15	0.00	0.00	0.00	0.00
	3/22/2010	--	8.93	0.00	0.00	0.00	0.00
	9/27/2010	--	10.01	0.00	0.00	0.00	0.00
	3/31/2011	--	7.45	0.00	0.00	0.00	0.00
	9/15/2011	--	9.49	0.00	0.00	0.00	0.00
MW-9	9/29/2005	--	9.40	0.00	0.00	0.00	0.00
	12/29/2005	--	5.41	0.00	0.00	0.00	0.00
	3/27/2006	--	5.43	0.00	0.00	0.00	0.00
	4/28/2006	--	8.67	0.00	0.00	0.00	0.00
	5/31/2006	--	8.10	0.00	0.00	0.00	0.00
	6/26/2006	--	7.90	0.00	0.00	0.00	0.00
	7/26/2006	--	8.63	0.00	0.00	0.00	0.00
	8/25/2006	--	9.05	0.00	0.00	0.00	0.00
	9/28/2006	--	9.35	0.00	0.00	0.00	0.00
	10/26/2006	--	9.49	0.00	0.00	0.00	0.00
	11/28/2006	--	9.04	0.00	0.00	0.00	0.00
	12/21-22/2006	--	7.50	0.00	0.00	0.00	0.00
	1/25/2007	--	9.55	0.00	0.00	0.00	0.00
	2/23/2007	--	8.25	0.00	0.00	0.00	0.00
	3/26-27/2007	--	7.86	0.00	0.00	0.00	0.00
	4/26/2007	--	7.72	0.00	0.00	0.00	0.00
	5/29/2007	--	7.92	0.00	0.00	0.00	0.00

TABLE 3

Page 15 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-9	6/19/2007	--	9.01	0.00	0.00	0.00	0.00
(cont.)	7/24/2007	--	9.53	0.00	0.00	0.00	0.00
	8/27/2007	--	9.95	0.00	0.00	0.00	0.00
	9/26/2007	--	10.06	0.00	0.00	0.00	0.00
	10/30/2007	--	9.40	0.00	0.00	0.00	0.00
	11/29/2007	--	9.30	0.00	0.00	0.00	0.00
	12/19/2007	--	7.74	0.00	0.00	0.00	0.00
	1/17/2008	--	8.90	0.00	0.00	0.00	0.00
	2/15/2008	--	8.23	0.00	0.00	0.00	0.00
	3/17/2008	--	7.71	0.00	0.00	0.00	0.00
	4/11/2008	--	9.47	0.00	0.00	0.00	0.00
	5/8/2008	--	8.75	0.00	0.00	0.00	0.00
	6/12/2008	--	9.30	0.00	0.00	0.00	0.00
	7/16/2008	--	9.70	0.00	0.00	0.00	0.00
	8/20/2008	--	10.03	0.00	0.00	0.00	0.00
	9/17/2008	--	10.19	0.00	0.00	0.00	0.00
	10/23/2008	--	10.45	0.00	0.00	0.00	0.00
	11/26/2008	--	9.40	0.00	0.00	0.00	0.00
	12/8/2008	--	9.19	0.00	0.00	0.00	0.00
	1/26/2009	--	7.49	0.00	0.00	0.00	0.00
	2/23/2009	--	7.02	0.00	0.00	0.00	0.00
	3/11/2009	--	5.80	0.00	0.00	0.00	0.00
	4/16/2009	--	8.63	0.00	0.00	0.00	0.00
	6/11/2009	--	8.40	0.00	0.00	0.00	0.00
	9/23/2009	--	9.18	0.00	0.00	0.00	0.00
	3/22/2010	--	6.15	0.00	0.00	0.00	0.00
	9/27/2010	--	7.85	0.00	0.00	0.00	0.00
	3/31/2011	--	5.52	0.00	0.00	0.00	0.00
	9/15/2011	--	8.19	0.00	0.00	0.00	0.00
MW-10	9/29/2005	--	9.43	0.00	0.00	0.00	0.00
	12/29/2005	--	5.34	0.00	0.00	0.00	0.00
	3/27/2006	--	5.21	0.00	0.00	0.00	0.00
	4/28/2006	--	6.64	0.00	0.00	0.00	0.00
	5/31/2006	--	7.23	0.00	0.00	0.00	0.00
	6/26/2006	--	8.19	0.00	0.00	0.00	0.00
	7/26/2006	--	8.80	0.00	0.00	0.00	0.00
	8/25/2006	--	9.20	0.00	0.00	0.00	0.00
	9/28/2006	--	9.32	0.00	0.00	0.00	0.00
	10/26/2006	--	9.52	0.00	0.00	0.00	0.00
	11/28/2006	--	8.57	0.00	0.00	0.00	0.00
	12/21-22/2006	--	7.16	0.00	0.00	0.00	0.00
	1/25/2007	--	8.82	0.00	0.00	0.00	0.00
	2/23/2007	--	7.01	0.00	0.00	0.00	0.00
	3/26-27/2007	--	7.91	0.00	0.00	0.00	0.00
	4/26/2007	--	7.03	0.00	0.00	0.00	0.00
	5/29/2007	--	8.10	0.00	0.00	0.00	0.00
	6/19/2007	--	9.13	0.00	0.00	0.00	0.00
	7/24/2007	--	9.56	0.00	0.00	0.00	0.00
	8/27/2007	--	9.92	0.00	0.00	0.00	0.00
	9/26/2007	--	10.10	0.00	0.00	0.00	0.00
	10/30/2007	--	8.80	0.00	0.00	0.00	0.00
	11/29/2007	--	8.92	0.00	0.00	0.00	0.00
	12/19/2007	--	7.40	0.00	0.00	0.00	0.00

TABLE 3

Page 16 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-10	1/17/2008	--	7.75	0.00	0.00	0.00	0.00
(cont.)	2/15/2008	--	7.20	0.00	0.00	0.00	0.00
	3/17/2008	--	7.90	0.00	0.00	0.00	0.00
	4/11/2008	--	8.52	0.00	0.00	0.00	0.00
	5/8/2008	--	8.72	0.00	0.00	0.00	0.00
	6/12/2008	--	9.40	0.00	0.00	0.00	0.00
	7/16/2008	--	9.65	0.00	0.00	0.00	0.00
	8/20/2008	--	9.90	0.00	0.00	0.00	0.00
	9/17/2008	--	10.07	0.00	0.00	0.00	0.00
	10/23/2008	--	10.27	0.00	0.00	0.00	0.00
	11/26/2008	--	8.72	0.00	0.00	0.00	0.00
	12/8/2008	--	9.16	0.00	0.00	0.00	0.00
	1/26/2009	--	7.14	0.00	0.00	0.00	0.00
	2/23/2009	--	6.81	0.00	0.00	0.00	0.00
	3/11/2009	--	6.01	0.00	0.00	0.00	0.00
	4/16/2009	--	8.85	0.00	0.00	0.00	0.00
	6/11/2009	--	8.69	0.00	0.00	0.00	0.00
	9/23/2009	--	9.36	0.00	0.00	0.00	0.00
	3/22/2010	--	6.26	0.00	0.00	0.00	0.00
	9/27/2010	--	7.69	0.00	0.00	0.00	0.00
	3/31/2011	--	5.30	0.00	0.00	0.00	0.00
	9/15/2011	--	8.01	0.00	0.00	0.00	0.00
MW-11	12/29/2005	--	2.73	0.00	0.00	0.00	0.00
	3/27/2006	--	2.63	0.00	0.00	0.00	0.00
	4/28/2006	--	4.68	0.00	0.00	0.00	0.00
	5/31/2006	--	6.65	0.00	0.00	0.00	0.00
	6/26/2006	--	7.54	0.00	0.00	0.00	0.00
	7/26/2006	--	8.10	0.00	0.00	0.00	0.00
	8/25/2006	--	8.65	0.00	0.00	0.00	0.00
	9/28/2006	--	8.84	0.00	0.00	0.00	0.00
	10/26/2006	--	9.34	0.00	0.00	0.00	0.00
	11/28/2006	--	7.50	0.00	0.00	0.00	0.00
	12/21-22/2006	--	5.45	0.00	0.00	0.00	0.00
	1/25/2007	--	8.06	0.00	0.00	0.00	0.00
	2/23/2007	--	4.12	0.00	0.00	0.00	0.00
	3/26-27/2007	--	6.93	0.00	0.00	0.00	0.00
	4/26/2007	--	5.02	0.00	0.00	0.00	0.00
	5/29/2007	--	7.02	0.00	0.00	0.00	0.00
	6/19/2007	--	8.37	0.00	0.00	0.00	0.00
	7/24/2007	--	8.97	0.00	0.00	0.00	0.00
	8/27/2007	--	9.86	0.00	0.00	0.00	0.00
	9/26/2007	--	9.88	0.00	0.00	0.00	0.00
	10/30/2007	--	8.16	0.00	0.00	0.00	0.00
	11/29/2007	--	8.86	0.00	0.00	0.00	0.00
	12/19/2007	--	5.39	0.00	0.00	0.00	0.00
	1/17/2008	--	4.96	0.00	0.00	0.00	0.00
	2/15/2008	--	5.09	0.00	0.00	0.00	0.00
	3/17/2008	--	6.01	0.00	0.00	0.00	0.00
	4/11/2008	--	7.30	0.00	0.00	0.00	0.00
	5/8/2008	--	8.48	0.00	0.00	0.00	0.00
	6/12/2008	--	9.23	0.00	0.00	0.00	0.00
	7/16/2008	--	9.52	0.00	0.00	0.00	0.00
	8/20/2008	--	9.79	0.00	0.00	0.00	0.00

TABLE 3

Page 17 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-11	9/17/2008	--	10.08	0.00	0.00	0.00	0.00
(cont.)	10/23/2008	--	10.30	0.00	0.00	0.00	0.00
	11/26/2008	--	8.32	0.00	0.00	0.00	0.00
	12/8/2008	--	8.79	0.00	0.00	0.00	0.00
	1/26/2009	--	5.72	0.00	0.00	0.00	0.00
	2/23/2009	--	5.57	0.00	0.00	0.00	0.00
	3/11/2009	--	3.65	0.00	0.00	0.00	0.00
	4/16/2009	--	6.95	0.00	0.00	0.00	0.00
	6/11/2009	--	7.99	0.00	0.00	0.00	0.00
	9/23/2009	--	9.29	0.00	0.00	0.00	0.00
	3/22/2010	--	4.59	0.00	0.00	0.00	0.00
	9/27/2010	--	7.89	0.00	0.00	0.00	0.00
	3/31/2011	--	3.49	0.00	0.00	0.00	0.00
	9/15/2011	--	7.56	0.00	0.00	0.00	0.00
MW-12	12/29/2005	--	1.38	0.00	0.00	0.00	0.00
	3/27-28/2006	--	2.35	0.00	0.00	0.00	0.00
	4/28/2006	--	7.72	0.00	0.00	0.00	0.00
	5/31/2006	--	8.16	0.00	0.00	0.00	0.00
	6/26-27/2006	--	9.01	0.00	0.00	0.00	0.00
	7/26/2006	--	9.35	0.00	0.00	0.00	0.00
	8/25/2006	--	9.80	0.00	0.00	0.00	0.00
	9/28-29/2006	--	9.98	0.00	0.00	0.00	0.00
	10/26/2006	--	10.02	0.00	0.00	0.00	0.00
	11/28/2006	--	8.70	0.00	0.00	0.00	0.00
	12/21-22/2006	--	6.83	0.00	0.00	0.00	0.00
	1/25/2007	--	9.78	0.00	0.00	0.00	0.00
	2/23/2007	--	4.40	0.00	0.00	0.00	0.00
	3/26-27/2007	--	8.61	0.00	0.00	0.00	0.00
	4/26/2007	--	6.71	0.00	0.00	0.00	0.00
	5/29/2007	--	8.18	0.00	0.00	0.00	0.00
	6/19/2007	--	9.59	0.00	0.00	0.00	0.00
	7/24/2007	--	10.07	0.00	0.00	0.00	0.00
	8/27/2007	--	10.48	0.00	0.00	0.00	0.00
	9/26/2007	--	10.62	0.00	0.00	0.00	0.00
	10/30/2007	--	9.35	0.00	0.00	0.00	0.00
	11/29/2007	--	8.88	0.00	0.00	0.00	0.00
	12/19/2007	--	5.64	0.00	0.00	0.00	0.00
	1/17/2008	--	5.37	0.00	0.00	0.00	0.00
	2/15/2008	--	5.45	0.00	0.00	0.00	0.00
	3/17/2008	--	8.12	0.00	0.00	0.00	0.00
	4/11/2008	--	9.02	0.00	0.00	0.00	0.00
	5/8/2008	--	9.40	0.00	0.00	0.00	0.00
	6/12/2008	--	9.88	0.00	0.00	0.00	0.00
	7/16/2008	--	10.34	0.00	0.00	0.00	0.00
	8/20/2008	--	10.53	0.00	0.00	0.00	0.00
	9/17/2008	--	10.71	0.00	0.00	0.00	0.00
	10/23/2008	--	10.88	0.00	0.00	0.00	0.00
	11/26/2008	--	9.63	0.00	0.00	0.00	0.00
	12/8/2008	--	9.99	0.00	0.00	0.00	0.00
	1/26/2009	Inaccessible			0.00	0.00	0.00
	2/23/2009	--	7.74	0.00	0.00	0.00	0.00
	3/11/2009	--	3.62	0.00	0.00	0.00	0.00
	4/16/2009	--	6.89	0.00	0.00	0.00	0.00

TABLE 3

Page 18 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
MW-12	6/11/2009	--	9.31	0.00	0.00	0.00	0.00
(cont.)	9/23/2009	--	10.21	0.00	0.00	0.00	0.00
	3/22/2010	--	6.58	0.00	0.00	0.00	0.00
	9/27/2010	--	9.83	0.00	0.00	0.00	0.00
	3/31/2011	--	2.42	0.00	0.00	0.00	0.00
	9/15/2011	--	9.51	0.00	0.00	0.00	0.00
RW-1	9/29/2005	--	11.60	0.00	0.00	0.00	0.00
	3/27-28/2006	--	6.60	0.00	0.00	0.00	0.00
	4/28/2006	--	7.80	0.00	0.00	0.00	0.00
	5/31/2006	--	10.15	0.00	0.00	0.00	0.00
	6/26-27/2006	--	10.85	0.00	0.00	0.00	0.00
	7/26/2006	--	11.24	0.00	0.00	0.00	0.00
	8/25/2006	--	11.60	0.00	0.00	0.00	0.00
	9/28-29/2006	--	11.81	0.00	0.00	0.00	0.00
	10/26/2006	--	11.98	0.00	0.00	0.00	0.00
	11/28/2006	--	10.73	0.00	0.00	0.00	0.00
	12/21-22/2006	--	9.10	0.00	0.00	0.00	0.00
	1/25/2007	--	11.10	0.00	0.00	0.00	0.00
	2/23/2007	--	8.28	0.00	0.00	0.00	0.00
	3/26-27/2007	--	10.21	0.00	0.00	0.00	0.00
	4/26/2007	--	9.07	0.00	0.00	0.00	0.00
	5/29/2007	--	11.00	0.00	0.00	0.00	0.00
	6/19/2007	--	11.59	0.00	0.00	0.00	0.00
	7/24/2007	--	11.96	0.00	0.00	0.00	0.00
	8/27/2007	--	12.41	0.00	0.00	0.00	0.00
	9/26/2007	--	12.57	0.00	0.00	0.00	0.00
	10/30/2007	--	11.53	0.00	0.00	0.00	0.00
	11/29/2007	--	11.60	0.00	0.00	0.00	0.00
	12/19/2007	--	9.59	0.00	0.00	0.00	0.00
	1/17/2008	--	8.22	0.00	0.00	0.00	0.00
	2/15/2008	--	8.50	0.00	0.00	0.00	0.00
	3/17/2008	--	10.13	0.00	0.00	0.00	0.00
	4/11/2008	--	10.76	0.00	0.00	0.00	0.00
	5/8/2008	--	11.37	0.00	0.00	0.00	0.00
	6/12/2008	--	11.68	0.00	0.00	0.00	0.00
	7/16/2008	--	12.18	0.00	0.00	0.00	0.00
	8/20/2008	--	12.35	0.00	0.00	0.00	0.00
	9/17/2008	12.73	12.74	0.01	0.00	0.00	0.00
	10/23/2008	--	12.86	0.00	0.00	0.00	0.00
	11/26/2008	--	11.61	0.00	0.00	0.00	0.00
	12/8/2008	--	11.90	0.00	0.00	0.00	0.00
	1/26/2009	--	9.58	0.00	0.00	0.00	0.00
	2/23/2009	--	9.04	0.00	0.00	0.00	0.00
	3/11/2009	8.29	8.52	0.23	0.40	0.11	0.11
	4/16/2009	10.24	10.25	0.01	0.005	0.00	0.11
	6/11/2009	--	11.14	0.00	0.00	0.00	0.11
	9/23/2009	12.08	12.12	0.04	0.08	0.02	0.13
	3/22/2010	--	8.69	0.00	0.00	0.00	0.13
	9/27/2010	--	11.66	0.00	0.00	0.00	0.13
	3/31/2011	--	5.30	0.00	0.00	0.00	0.13
	9/15/2011	--	11.19	0.00	0.00	0.00	0.13

TABLE 3

Page 19 of 19

SEPARATE-PHASE HYDROCARBON REMOVAL SUMMARY
CREDIT WORLD AUTO SALES
2345 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

Well ID	Date	Depth to SPH (feet below TOC)	Depth to Groundwater (feet below TOC)	SPH Thickness (feet)	Hydrocarbons Removed (liters)	Hydrocarbons Removed (gallons)	Cumulative Hydrocarbons Removed (gallons)
					<i>Hydrocarbons removed during the 3rd Quarter 2011 (gallons) =</i>	0.32	
					<i>Cumulative hydrocarbons removed by bailing or purging (gallons) =</i>	67.93	
					<i>Hydrocarbons removed by Tank Protect (see below) (gallons) =</i>	5.0	
					<i>Cumulative estimated hydrocarbons removed to date (gallons) =</i>	72.93	

Abbreviations and Notes:

SPH = Separate phase hydrocarbons

Depths measured in feet from top of well casing.

The volume of hydrocarbons removed prior to 12/27/2002 was estimated by multiplying casing volume (2" diameter casing = 0.60 liters/foot) by the SPH thickness (feet). After 12/27/2002 SPH volumes were measured in the field and recorded.

Note = approximately 3 to 5 gallons were reported to have been removed by Tank Protect between 8/20/97 and 1/14/98 with continuous free product removal system.

APPENDIX A

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

Conestoga-Rovers & Associates

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

This document presents standard field methods for groundwater monitoring, purging and sampling, and well development. These procedures are designed to comply with Federal, State and local regulatory guidelines. Conestoga-Rovers and Associate's field procedures are summarized below.

Groundwater Elevation Monitoring

Prior to performing monitoring activities, the historical monitoring and analytical data of each monitoring well shall be reviewed to determine if any of the wells are likely to contain non-aqueous phase liquid (NAPL) and to determine the order in which the wells will be monitored (i.e. cleanest to dirtiest). Groundwater monitoring should not be performed when the potential exists for surface water to enter the well (i.e. flooding during a rainstorm).

Prior to monitoring, each well shall be opened and the well cap removed to allow water levels to stabilize and equilibrate. The condition of the well box and well cap shall be observed and recommended repairs noted. Any surface water that may have entered and flooded the well box should be evacuated prior to removing the well cap. In wells with no history of NAPL, the static water level and total well depth shall be measured to the nearest 0.01 foot with an electronic water level meter. Wells with the highest contaminant concentrations shall be measured last. In wells with a history of NAPL, the NAPL level/thickness and static water level shall be measured to the nearest 0.01 foot using an electronic interface probe. The water level meter and/or interface probe shall be thoroughly cleaned and decontaminated at the beginning of the monitoring event and between each well. Monitoring equipment shall be washed using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water.

Groundwater Purging and Sampling

Prior to groundwater purging and sampling, the historical analytical data of each monitoring well shall be reviewed to determine the order in which the wells should be purged and sampled (i.e. cleanest to dirtiest). No purging or groundwater sampling shall be performed on wells with a measurable thickness of NAPL or floating NAPL globules. If a sheen is observed, the well should be purged and a groundwater sample collected only if no NAPL is present.

Wells shall be purged according to low flow protocol using an aboveground peristaltic pump. Groundwater wells shall be purged at a low flow rate not to exceed 500 milliliters per minute (mL/min) until groundwater parameters of conductivity and/or dissolved oxygen have stabilized to within 10% for three consecutive readings. Temperature, pH, and conductivity shall also be measured and recorded approximately every 3 to 5 minutes. The total volume of groundwater removed shall be recorded along with any other notable physical characteristic such as color and odor. If required, field parameters such as turbidity shall also be measured prior to collection of each groundwater sample.

Conestoga-Rovers & Associates

Groundwater samples shall be collected after well parameters have stabilized at a low flow rate not to exceed 500 mL/min. Groundwater samples shall be decanted into clean containers supplied by the analytical laboratory. New latex gloves and Teflon lined tubing shall be used for sampling each well.

Sample Handling

Except for samples that will be tested in the field, or that require special handling or preservation, samples shall be stored in coolers chilled to 4° C for shipment to the analytical laboratory. Samples shall be labeled, placed in protective foam sleeves or bubble wrap as needed, stored on crushed ice at or below 4° C, and submitted under chain-of-custody (COC) to the laboratory. The laboratory shall be notified of the sample shipment schedule and arrival time. Samples shall be shipped to the laboratory within a time frame to allow for extraction and analysis to be performed within the standard sample holding times.

Sample labels shall be filled out using indelible ink and must contain the site name; field identification number; the date, time, and location of sample collection; notation of the type of sample; identification of preservatives used; remarks; and the signature of the sampler. Field identification must be sufficient to allow easy cross-reference with the field datasheet.

All samples submitted to the laboratory shall be accompanied by a COC record to ensure adequate documentation. A copy of the COC shall be retained in the project file. Information on the COC shall consist of the project name and number; project location; sample numbers; sampler/recorder's signature; date and time of collection of each sample; sample type; analyses requested; name of person receiving the sample; and date of receipt of sample.

Laboratory-supplied trip blanks shall accompany the samples and be analyzed to check for cross-contamination, if requested by the project manager.

Waste Handling and Disposal

Groundwater extracted during sampling shall be stored onsite in sealed U.S. DOT H17 55-gallon drums and shall be labeled with the contents, date of generation, generator identification, and consultant contact. Extracted groundwater may be disposed offsite by a licensed waste handler or may be treated and discharged via an operating onsite groundwater extraction/treatment system.

APPENDIX B

CERTIFIED ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION



Analytical Report

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #511000; Wong, Oakland Client Contact: Bryan Fong Client P.O.:	Date Sampled: 09/15/11-09/16/11 Date Received: 09/16/11 Date Reported: 09/22/11 Date Completed: 09/22/11
--	---	---

WorkOrder: 1109413

September 22, 2011

Dear Bryan:

Enclosed within are:

- 1) The results of the **11** analyzed samples from your project: **#511000; Wong, Oakland,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing
McCampbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McCampbell Analytical, Inc.

The analytical results relate only to the items tested.



McCAMPBELL ANALYTICAL, INC.

1534 WILLOW PASS ROAD
PITTSBURG, CA 94565-1701Website: www.mccampbell.com Email: main@mccampbell.com
Telephone: (877) 252-9262 Fax: (925) 252-9269

1109413

CHAIN OF CUSTODY RECORD

TURN AROUND TIME
 RUSH 24 HR 48 HR 72 HR 5 DAY
GeoTracker EDF PDF Excel Write On (DW)

 Check if sample is effluent and "J" flag is required

Report To: Bryan Fong Bill To: Conestoga-Rovers & Associates
Company: Conestoga-Rovers & Associates
5900 Hollis St., Ste A bfon@carworld.com
Emeryville, CA E-Mail: ches@carworld.com
Tele: (510)420-3369 Fax: (510)420-9170
Project #: 511000 Project Name: Long, Oakland
Project Location: 2345 International Blvd, Oakland, CA
Sampler Signature: Muskan Environmental Sampling

Other

Comments

** Indicate here if these samples are potentially dangerous to handle:

SAMPLE ID	LOCATION/ Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX	METHOD PRESERVED	Analysis Request												Other	Comments							
		Date	Time					Water	Soil	Air	Sludge	Other	ICE	HCL	HNO ₃	Other	BTEX & TPH as Gas (602 / 8021 + 8015) / MTBE	TPH as Diesel (8015)	Total Petroleum Oil & Grease (1664 / 5520 E/B&F)	Total Petroleum Hydrocarbons (418.1)	EPA 502.2 / 601 / 8010 / 8021 (HVOCS)	MTBE / BTEX ONLY (EPA 602 / 8021)	EPA 505 / 608 / 8081 (Cl Pesticides)	EPA 608 / 8082 PCB's ONLY; Aroclors / Congeners	EPA 507 / 8141 (NP Pesticides)	EPA 515 / 8151 (Acidic Cl Herbicides)	EPA 524.2 / 624 / 8260 (VOCs)	EPA 525.2 / 625 / 8270 (SVOCs)
MN-1B		9/15/11	14:38	4	VQA	X							X															
MN-3A		9/16/11	8:33																									
TMN-4A		9/15/11	13:43																									
MN-6		9/16/11	7:51																									
MN-7		9/15/11	13:03																									
MN-8		9/15/11	12:29																									
MN-9		9/15/11	11:50																									
MN-10		9/15/11	11:06																									
MN-11		9/15/11	10:27																									
MN-12		9/16/11	9:49																									
RW-1		9/16/11	9:14	1																								

**MAI clients MUST disclose any dangerous chemicals known to be present in their submitted samples in concentrations that may cause immediate harm or serious future health endangerment as a result of brief, gloved, open air, sample handling by MAI staff. Non-disclosure incurs an immediate \$250 surcharge and the client is subject to full legal liability for harm suffered. Thank you for your understanding and for allowing us to work safely.

Relinquished By:

Date: 9/16/11

Time: 1330

Received By:

COMMENTS:

Relinquished By:

Date:

Time:

Received By:

Relinquished By:

Date:

Time:

Received By:

ICE/t° 5.8
GOOD CONDITION
HEAD SPACE ABSENT
DECHLORINATED IN LAB
APPROPRIATE CONTAINERS
PRESERVED IN LAB

VOAS O&G METALS OTHER
PRESERVATION pH<2

McCampbell Analytical, Inc.

 1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:

Bryan Fong Email: bfong@craworld.com
Conestoga-Rovers & Associates cc: chee@craworld.com
5900 Hollis St, Suite A PO:
Emeryville, CA 94608 ProjectNo: #511000; Wong, Oakland
(510) 420-3369 FAX: (510) 420-9170

Bill to:

Accounts Payable
Conestoga-Rovers & Associates
5900 Hollis St, Ste. A
Emeryville, CA 94608

Requested TAT: 5 days

Date Received: 09/16/2011
Date Printed: 09/16/2011

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1109413-001	MW-1B	Water	9/15/2011 14:38	<input type="checkbox"/>		A	A									
1109413-002	MW-3A	Water	9/16/2011 8:33	<input type="checkbox"/>	B	A										
1109413-003	TMW-4A	Water	9/15/2011 13:43	<input type="checkbox"/>		A										
1109413-004	MW-6	Water	9/16/2011 7:51	<input type="checkbox"/>		A										
1109413-005	MW-7	Water	9/15/2011 13:03	<input type="checkbox"/>		A										
1109413-006	MW-8	Water	9/15/2011 12:29	<input type="checkbox"/>		A										
1109413-007	MW-9	Water	9/15/2011 11:50	<input type="checkbox"/>		A										
1109413-008	MW-10	Water	9/15/2011 11:06	<input type="checkbox"/>		A										
1109413-009	MW-11	Water	9/15/2011 10:27	<input type="checkbox"/>	B	A										
1109413-010	MW-12	Water	9/16/2011 9:49	<input type="checkbox"/>	B	A										
1109413-011	RW-1	Water	9/16/2011 9:14	<input type="checkbox"/>		A										

Test Legend:

1	5-OXYS_W	2	G-MBTEX_W	3	PREDF REPORT	4		5	
6		7		8		9		10	
11		12							

Prepared by: Maria Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **Conestoga-Rovers & Associates**

Date and Time Received: **9/16/2011 1:32:40 PM**

Project Name: **#511000; Wong, Oakland**

Checklist completed and reviewed by: **Maria Venegas**

WorkOrder N°: **1109413** Matrix: Water

Carrier: Client Drop-In

Chain of Custody (COC) Information

- | | | |
|---|---|-----------------------------|
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sample IDs noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Date and Time of collection noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Sampler's name noted on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |

Sample Receipt Information

- | | | | |
|---|---|-----------------------------|--|
| Custody seals intact on shipping container/coolier? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Shipping container/coolier in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper containers/bottles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

Sample Preservation and Hold Time (HT) Information

- | | | | |
|---|--|-----------------------------|---|
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Container/Temp Blank temperature | Cooler Temp: 5.8°C NA <input type="checkbox"/> | | |
| Water - VOA vials have zero headspace / no bubbles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | No VOA vials submitted <input type="checkbox"/> |
| Sample labels checked for correct preservation? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Metal - pH acceptable upon receipt (pH<2)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Samples Received on Ice? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

(Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments:



McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
 Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
<http://www.mccampbell.com> / E-mail: main@mccampbell.com

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #511000; Wong, Oakland	Date Sampled: 09/15/11-09/16/11
		Date Received: 09/16/11
	Client Contact: Bryan Fong	Date Extracted: 09/19/11-09/21/11
	Client P.O.:	Date Analyzed: 09/19/11-09/21/11

Oxygenated Volatile Organics by P&T and GC/MS*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1109413

Lab ID	1109413-002B	1109413-009B	1109413-010B		Reporting Limit for DF =1
Client ID	MW-3A	MW-11	MW-12		
Matrix	W	W	W		
DF	1	1	500		S W
Compound	Concentration				ug/kg µg/L
tert-Amyl methyl ether (TAME)	ND	ND	ND<250		NA 0.5
t-Butyl alcohol (TBA)	ND	4.9	ND<1000		NA 2.0
Diisopropyl ether (DIPE)	ND	ND	ND<250		NA 0.5
Ethyl tert-butyl ether (ETBE)	ND	ND	ND<250		NA 0.5
Methyl-t-butyl ether (MTBE)	ND	ND	8900		NA 0.5
Surrogate Recoveries (%)					
%SS1:	95	99	92		
Comments					
* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.					
ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor					
# surrogate diluted out of range or surrogate coelutes with another peak.					



Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #511000; Wong, Oakland	Date Sampled:	09/15/11-09/16/11
		Date Received:	09/16/11
	Client Contact: Bryan Fong	Date Extracted:	09/17/11-09/21/11
	Client P.O.:	Date Analyzed:	09/17/11-09/21/11

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method: SW5030B

Analytical methods: SW8021B/8015Bm

Work Order: 1109413

Lab ID	Client ID	Matrix	TPH(g)	MTBE	Benzene	Toluene	Ethylbenzene	Xylenes	DF	% SS	Comments
001A	MW-1B	W	ND	ND	ND	ND	ND	ND	1	100	
002A	MW-3A	W	320	ND	8.8	0.61	7.7	0.64	1	120	d1
003A	TMW-4A	W	ND	ND	ND	ND	ND	ND	1	101	
004A	MW-6	W	3100	ND<50	420	17	4.2	4.2	3.3	99	d1
005A	MW-7	W	ND	ND	ND	ND	ND	ND	1	103	
006A	MW-8	W	ND	ND	ND	ND	ND	ND	1	105	
007A	MW-9	W	ND	ND	ND	ND	ND	ND	1	99	
008A	MW-10	W	ND	ND	ND	ND	ND	ND	1	99	
009A	MW-11	W	ND	ND	ND	ND	ND	ND	1	98	
010A	MW-12	W	2400	8700	4.7	7.9	0.59	2.7	1	115	d1
011A	RW-1	W	5400	ND<110	860	19	110	21	10	110	d1

Reporting Limit for DF =1; ND means not detected at or above the reporting limit	W	50	5.0	0.5	0.5	0.5	0.5	µg/L
	S	1.0	0.05	0.005	0.005	0.005	0.005	mg/Kg

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts in mg/L.

cluttered chromatogram; sample peak coelutes w/surrogate peak; low surrogate recovery due to matrix interference. %SS = Percent Recovery of Surrogate Standard;
DF = Dilution Factor

The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation:
d1) weakly modified or unmodified gasoline is significant



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 61093

WorkOrder: 1109413

EPA Method: SW8260B			Extraction: SW5030B			Spiked Sample ID: 1109399-002A									
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)						
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD			
tert-Amyl methyl ether (TAME)	ND	10	91.4	88.5	3.30	102	96.9	4.69	70 - 130	30	70 - 130	30			
t-Butyl alcohol (TBA)	ND	50	103	107	4.18	129	123	4.77	70 - 130	30	70 - 130	30			
Diisopropyl ether (DIPE)	ND	10	119	117	1.71	115	110	3.84	70 - 130	30	70 - 130	30			
Ethyl tert-butyl ether (ETBE)	ND	10	108	107	1.60	113	109	4.24	70 - 130	30	70 - 130	30			
Methyl-t-butyl ether (MTBE)	ND	10	110	108	2.19	122	116	4.62	70 - 130	30	70 - 130	30			
%SS1:	97	25	102	101	0.701	109	108	1.25	70 - 130	30	70 - 130	30			

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 61093 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1109413-002B	09/16/11 8:33 AM	09/19/11	09/19/11 11:05 PM	1109413-009B	09/15/11 10:27 AM	09/19/11	09/19/11 11:46 PM
1109413-010B	09/16/11 9:49 AM	09/21/11	09/21/11 6:19 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 61125

WorkOrder: 1109413

EPA Method: SW8021B/8015Bm		Extraction: SW5030B		Spiked Sample ID: 1109413-009A									
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)				
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD	
TPH(btex) [£]	ND	60	106	104	1.96	107	105	2.09	70 - 130	20	70 - 130	20	
MTBE	ND	10	105	106	0.326	102	102	0	70 - 130	20	70 - 130	20	
Benzene	ND	10	99.9	100	0.462	102	99.2	2.86	70 - 130	20	70 - 130	20	
Toluene	ND	10	98	98.1	0.0981	102	99.3	2.68	70 - 130	20	70 - 130	20	
Ethylbenzene	ND	10	98.5	98.5	0	101	97.8	2.86	70 - 130	20	70 - 130	20	
Xylenes	ND	30	102	102	0	104	101	3.17	70 - 130	20	70 - 130	20	
%SS:	98	10	97	97	0	99	98	0.652	70 - 130	20	70 - 130	20	

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 61125 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1109413-001A	09/15/11 2:38 PM	09/17/11	09/17/11 11:06 PM	1109413-002A	09/16/11 8:33 AM	09/17/11	09/17/11 11:36 PM
1109413-003A	09/15/11 1:43 PM	09/18/11	09/18/11 12:06 AM	1109413-004A	09/16/11 7:51 AM	09/19/11	09/19/11 7:24 PM
1109413-005A	09/15/11 1:03 PM	09/18/11	09/18/11 4:08 AM	1109413-006A	09/15/11 12:29 PM	09/18/11	09/18/11 4:39 AM
1109413-007A	09/15/11 11:50 AM	09/18/11	09/18/11 5:09 AM	1109413-008A	09/15/11 11:06 AM	09/18/11	09/18/11 5:39 AM
1109413-009A	09/15/11 10:27 AM	09/19/11	09/19/11 4:05 PM	1109413-010A	09/16/11 9:49 AM	09/19/11	09/19/11 5:06 PM
1109413-010A	09/16/11 9:49 AM	09/21/11	09/21/11 7:36 PM	1109413-011A	09/16/11 9:14 AM	09/19/11	09/19/11 9:58 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.

APPENDIX C

FIELD DATA SHEETS



WELL GAUGING SHEET

Client: Conestoga-Rovers and Associates						
Site						
Address: 2345 International Boulevard, Oakland, CA						
Date: 9/15/2011			Signature:			
PE 1042						
Well ID	Time	Depth to SPH	Depth to Water	SPH Thickness	Depth to Bottom	Comments
MW-1A	9:49	11.37	11.49	0.12	-	
MW-1B	9:10		13.13		34.50	
MW-2A	9:37	9.53	9.60	0.07	-	
MW-3A	9:30		12.17		20.10	
TMW-4A	9:05		9.04		20.15	
TMW-5	9:55	10.79	10.84	0.05	-	
MW-6	9:15		11.10		18.80	
MW-7	8:50		8.36		18.65	
MW-8	8:45		9.49		18.09	
MW-9	8:55		8.19		19.40	
MW-10	9:00		8.01		18.32	



MUSKAN
ENVIRONMENTAL
SAMPLING

WELL GAUGING SHEET



MICRO PURGE WELL SAMPLING FORM

Date:	9/15/2011									
Client:	Conestoga-Rovers and Associates									
Site Address:	2345 Internatioanl Boulevard, Oakland, CA									
									Well ID: MN-1A	
									Well Diameter: 4"	
									Purging Device: Peristaltic Pump	
									Sampling Method: Peristaltic Pump	
									Total Well Depth from top of casing:	
									Water level at the start of purge from top of casing: 11.49	
									Approximate depth of water intake on pump from top of casing:	
TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments	
	--	--	--	--	--	--			$DTW = 11.49$	
									$SPH = 11.37$	
									$SPH \text{ thickness} = 0.12$	
									$SPH \text{ removed} = 500 \text{ ml}$	
									total purge volume = ml	
Sample ID:	Date:	Time	Container Type	Preservative	Analytes	Method				
			40 mL VOA	HCl	see coc	see coc				
										Signature:



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date: 9/15/2011

Client: Conestoga-Rovers and Associates

Site Address: 2345 Internatioanl Boulevard, Oakland, CA

Well ID:	MN-1B
Well Diameter:	4"

Purging Device: Peristaltic Pump

Sampling Method: Peristaltic Pump

Total Well Depth from top of casing: 34.50

Water level at the start of purge from top of casing: 13.15

Approximate depth of water intake on pump from top of casing: 31.0

TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
14:22	100	--	--	--	--	--	13.15	—	
14:25	100	19.5	6.89	650	39	0.92	13.17	12	
14:28	100	19.8	6.94	679	46	0.95	13.19	16	
14:31	100	19.9	6.97	681	47	0.96	13.19	14	
14:34	100	19.9	6.98	682	49	0.96	13.19	14	
14:37	100	20.1	6.98	683	49	0.96	13.19	17	
									total purge volume = 1500 ml
Sample ID:	Date:	Time	Container Type	Preservative		Analytes	Method		
MN-1B	9/15/11	14:38	40 mL VOA	HCl		see coc	see coc		
								JB	
								Signature:	



MICRO PURGE WELL SAMPLING FORM

Date: 9/15/2011

Client: Conestoga-Rovers and Associates

Site Address: 2345 International Boulevard, Oakland, CA

Well ID: MW-2A

4"

Purging Device: Peristaltic Pump

Sampling Method: Peristaltic Pump

Total Well Depth from top of casing:

9.60

Water level at the start of purge from top of casing:


Approximate depth of water intake on pump from top of casing:

TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
	--	--	--	--	--	--			
									DTW = 9.60
									SPH = 9.53
									SPH thickness = 0.07
<i>SPH removed = 300ml</i>									



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM



MICRO PURGE WELL SAMPLING FORM

Date: 9/15/2011

Client: Conestoga-Rovers and Associates

Site Address: 2345 Internatioanl Boulevard, Oakland, CA

Well ID: TMW-4A

Well Diameter: 4"

Purging Device: Peristaltic Pump

Sampling Method: Peristaltic Pump

Total Well Depth from top of casing: 20.15

Water level at the start of purge from top of casing: 9.04

Approximate depth of water intake on pump from top of casing: 11.0

TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
13:27	100	--	--	--	--	--	9.04	—	
13:30	100	20.6	7.09	568	625	2.14	9.07	31	
13:33	100	20.4	7.11	614	631	2.17	9.07	34	
13:36	100	20.4	7.12	615	632	2.17	9.07	36	
13:39	100	20.4	7.13	615	634	2.17	9.08	31	
13:42	100	20.4	7.13	615	634	2.17	9.08	37	
									total purge volume = 1500 ml
Sample ID:	Date:	Time	Container Type	Preservative		Analytes	Method		
TMW-4A	9/15/11	13:43	40 mL VOA	HCl		see coc	see coc		

Signature:



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date:		9/15/2011							
Client:		Conestoga-Rovers and Associates							
Site Address:		2345 Internatioanl Boulevard, Oakland, CA							
		<p>Well ID: TMW-5 Well Diameter: 2"</p> <p>Purging Device: Peristaltic Pump Sampling Method: Peristaltic Pump</p> <p>Total Well Depth from top of casing: _____</p> <p>Water level at the start of purge from top of casing: 10.84</p> <p>Approximate depth of water intake on pump from top of casing: _____</p>							
TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
	--	--	--	--	--	--			DW = 10.84
									SPH = 10.79
									SPH _{thi} = 0.15
									SPH removal = 420 ml
Sample ID:	Date:	Time	Container Type		Preservative		Analytes	Method	
			40 mL VOA		HCl		see coc	see coc	
Signature: 									



MUSKAN
ENVIRONMENTAL
SAMPLING


MICRO PURGE WELL SAMPLING FORM



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date:	9/15/2011								
Client:	Conestoga-Rovers and Associates								
Site Address:	2345 Internatioanl Boulevard, Oakland, CA								
									Well ID: MW-7
									Well Diameter: 4"
									Purging Device: Peristaltic Pump
									Sampling Method: Peristaltic Pump
									Total Well Depth from top of casing: 18.65
									Water level at the start of purge from top of casing: 8.35
									Approximate depth of water intake on pump from top of casing: 11.0
TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
12:47	100	--	--	--	--	--	8.35	—	
12:50	100	21.4	6.73	598	75	2.55	8.37	12	
12:53	100	21.4	6.73	596	77	2.52	8.38	12	
12:56	100	21.2	6.73	595	77	2.51	8.39	10	
12:59	100	21.2	6.72	593	77	2.49	8.39	13	
13:02	100	21.2	6.71	593	78	2.49	8.39	11	
									total purge volume = 1500 ml
Sample ID:	Date:	Time	Container Type		Preservative		Analytes	Method	
MW-7	9/15/11	13:03	40 mL VOA		HCl		see coc	see coc	
									Signature:



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM




MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date:	9/15/2011									
Client:	Conestoga-Rovers and Associates									
Site Address:	2345 International Boulevard, Oakland, CA									
									Well ID:	MN-10
									Well Diameter:	4"
									Purging Device:	Peristaltic Pump
									Sampling Method:	Peristaltic Pump
									Total Well Depth from top of casing:	18.32
									Water level at the start of purge from top of casing:	8.00
									Approximate depth of water intake on pump from top of casing:	11.0
TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments	
10:50	100	--	--	--	--	--	8.00	-		
10:53	100	19.7	7.34	6.82	108	1.26	8.03	19		
10:56	100	19.8	7.31	6.80	94	1.09	8.03	10		
10:59	100	20.0	7.30	6.80	91	1.07	8.03	14		
11:02	100	20.1	7.30	6.79	90	1.07	8.04	16		
11:05	100	20.1	7.30	6.79	90	1.06	8.04	13		
									total purge volume = 1500 ml	
Sample ID:	Date:	Time	Container Type		Preservative		Analytes	Method		
MN-10	9/15/11	11:06	40 mL VOA		HCl		see coc	see coc		
Signature: 										



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date:	9/15/2011								
Client:	Conestoga-Rovers and Associates								
Site Address:	2345 International Boulevard, Oakland, CA								
									Well ID: MN-11
									Well Diameter: 4"
									Purging Device: Peristaltic Pump
									Sampling Method: Peristaltic Pump
									Total Well Depth from top of casing: 17.70
									Water level at the start of purge from top of casing: 9.57
									Approximate depth of water intake on pump from top of casing: 12.0
TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. (µS/cm)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
10:08	100	--	--	--	--	--	9.57	-	
10:11	100	18.9	6.74	751	-43	1.11	9.59	58	
10:14	100	18.9	6.77	750	-36	0.89	9.59	40	
10:17	100	19.0	6.79	750	-29	0.87	9.61	19	
10:20	100	19.0	6.83	746	-21	0.84	9.62	22	
10:23	100	19.0	6.84	744	-21	0.81	9.62	17	
10:26	100	19.0	6.85	744	-20	0.80	9.63	21	
									total purge volume = 180 ml
Sample ID:	Date:	Time	Container Type	Preservative		Analytes	Method		
MN-11	9/15/11	10:27	40 mL VOA	HCl		see coc	see coc		

Signature:



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date: 9/15/2011

Client: Conestoga-Rovers and Associates

Site Address: 2345 International Boulevard, Oakland, CA

Well ID: MW-12

Well Diameter: 4"

Purging Device: Peristaltic Pump

Sampling Method: Peristaltic Pump

Total Well Depth from top of casing: 19.63

Water level at the start of purge from top of casing: 9.50

Approximate depth of water intake on pump from top of casing: 11.0

TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
9:33	100	--	--	--	--	--	9.50	—	
9:36	100	19.9	6.99	650	79	0.99	9.52	11	
9:39	100	19.8	7.03	671	74	0.86	9.54	15	
9:42	100	19.8	7.06	682	70	0.80	9.54	15	
9:45	100	19.7	7.07	684	70	0.78	9.54	12	
9:48	100	19.7	7.07	685	70	0.78	9.54	12	
									total purge volume = 1500 ml
Sample ID:	Date:	Time	Container Type	Preservative	Analytes	Method			
MW-12	9/16/11	9:49	40 mL VOA	HCl	see coc	see coc			

Signature:



MUSKAN
ENVIRONMENTAL
SAMPLING

MICRO PURGE WELL SAMPLING FORM

Date: 9/15/2011

Client: Conestoga-Rovers and Associates

Site Address: 2345 International Boulevard, Oakland, CA

Well ID: RW-1

Well Diameter: 4"

Purging Device: Peristaltic Pump

Sampling Method: Peristaltic Pump

Total Well Depth from top of casing: 23.30

Water level at the start of purge from top of casing: 11.21

Approximate depth of water intake on pump from top of casing: 14.5

TIME:	Purged Rate (ml/min)	TEMP (Celsius)	pH	COND. ($\mu\text{S}/\text{cm}$)	ORP (mV)	DO (mg/L)	Drawdown Water Level (ft)	Turbidity (NTU)	Comments
8:55	100	--	--	--	--	--	11.21	-	
8:58	100	19.1	6.73	1091	-29	0.82	11.24	10	
9:01	100	19.5	6.77	1094	-54	0.60	11.24	16	HCl Rx H ₂ O
9:04	100	19.6	6.78	1097	-61	0.44	11.24	10	
9:07	100	19.6	6.78	1102	-63	0.41	11.24	10	
9:10	100	19.6	6.79	1102	-63	0.39	11.24	13	
9:13	100	19.6	6.80	1102	-63	0.39	11.24	19	
									total purge volume = 1800 ml
Sample ID:	Date:	Time	Container Type	Preservative	Analytes	Method			
RW-1	9/16/11	9:14	40 mL VOA	HCl	see coc	see coc			

Signature: