DUBLIN TOYOTA

September 25, 2009

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Paresh Khatri

Subject: Second Quarter 2009 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 699

Ladies and Gentlemen:

Attached please find a copy of the *Second Quarter 2009 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California,* prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

Scott F. Anderson
Chief Financial Officer
Dublin Toyota

Doin' It Right!

6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025
www.dublintoyota.com

GRIBI
ASSOCIATES

September 25, 2009 GA Project No. 147-01-03

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Mr. Paresh Khatri

Subject: Second Quarter 2009 Groundwater Monitoring Report
Dublin Toyota UST Site
6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 699

Ladies and Gentlemen:

Gribi Associates is pleased to submit this Second Quarter 2009 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figure 1 and Figure 2). This report summarizes groundwater monitoring activities conducted at the site on June 26, 2009.

DESCRIPTION OF SAMPLING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for all 13 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7, MW-8, MW-9, MW-10) on June 26, 2009 (see Figure 3).
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
   a. measuring static water levels;
   b. checking for presence of free-product;
   c. and purging of approximately three well volumes while recording temperature, pH, conductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 3.73 feet (MW-9) to 7.21 feet (MW-1).
2. Groundwater elevations, which are shown on Figure 4, ranged from 320.76 feet (MW-5D) to 321.74 feet (MW-2 and MW-4D).
3. Groundwater elevations in shallow ("A" Zone) and deeper ("B" Zone) wells are variable and relatively flat.
    a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwesterly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 13 wells were analyzed for the following parameters with standard method turn around time on results:
    a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
    b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
    c. USEPA 8260B Methyl-t-butyl Ether (MTBE)
    d. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater MTBE results for this monitoring event are summarized on Figure 5 and Figure 6.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

CONCLUSIONS

1. During this quarterly sampling event, some groundwater MTBE concentrations were similar or lower than previous sampling events.
    a. Releases from the former USTs migrated laterally approximately 150 to 200 feet in a southwest direction in the upper "A" Zone.
    b. MTBE then migrated vertically to, and then laterally southwest in, the deeper "B" Zone.
    c. Reductions in oxygenates in downgradient site wells appear to be the result of: (1) Past removal of the UST sources; and (2) Natural attenuation over the ensuing years since source removal.

PLANNED ACTIVITIES

1. Gribi Associates plans to perform Third Quarter 2009 groundwater monitoring and sampling pending semi-annual status.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,

Aaron J. Garcia
Environmental Scientist

James E. Gribi
Professional Geologist
California No. 5843

Enclosure

c: Mr. Scott Anderson, Dublin Toyota

FIGURES



DESIGNED BY:	CHECKED BY:	**SITE VICINITY MAP**	DATE: 12/31/07	FIGURE: **1**
DRAWN BY: EGH	SCALE:	DUBLIN TOYOTA 6450 DUBLIN COURT DUBLIN, CALIFORNIA	GRIBI	
PROJECT NO: 147-01				



DESIGNED BY:	CHECKED BY: JEG	**AERIAL PHOTOGRAPH**	DATE: 09/25/2009 FIGURE: **2**
DRAWN BY: MAR	SCALE:		
PROJECT NO: 147-01-06		DUBLIN TOYOTA UST SITE DUBLIN, CALIFORNIA	GRIBI



DESIGNED BY:	CHECKED BY: JEG	**SITE PLAN**	DATE: 09/25/2009
DRAWN BY: MAR	SCALE:		FIGURE: 3
PROJECT NO: 147-01-06		DUBLIN TOYOTA UST SITE DUBLIN, CALIFORNIA	GRIBI



DESIGNED BY:	CHECKED BY: JEG	**GROUNDWATER ELEVATIONS 06/26/2009**	DATE: 09/25/2009
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE DUBLIN, CALIFORNIA	FIGURE: 4
PROJECT NO: 147-01-06			GRIBI



DESIGNED BY:	CHECKED BY: JEG	**"A" ZONE GROUNDWATER MTBE RESULTS**	DATE: 09/25/2009
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE DUBLIN, CALIFORNIA	FIGURE: 5
PROJECT NO: 147-01-06			GRIBI



DESIGNED BY:	CHECKED BY: JEG	"B" ZONE GROUNDWATER MTBE RESULTS	DATE: 09/25/2009
DRAWN BY: MAR	SCALE:	DUBLIN TOYOTA UST SITE DUBLIN, CALIFORNIA	FIGURE: 6
PROJECT NO: 147-01-06			GRIBI

TABLE

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
MW-1	12/15/98	5.74	323.14	**46,000**	<100	<100	<100	<100	--	--	--	--	**62,000**
"A" Zone	04/06/99	5.09	323.79	**45,000**	<50	<50	<50	<50	--	--	--	--	**86,000**[1]
<328.88>	07/14/99	6.18	322.7	**2,800**	<100	<100	<100	<100	--	--	--	--	**65,000**[1]
	10/14/99	6.86	322.02	**11,000**	<17	<17	<17	<17	--	--	--	--	**98,000**[1]
	08/18/00	6.98	321.9	**36,000**	<50	<50	<50	<50	--	--	--	--	**66,000**[1]
	05/29/02	6.42	322.46	**29,100**	<15	<15	<15	<30	**841**	<500	<100	N50	**27,800**[1]
	11/20/02	6.65	322.23	**110**	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	**20,000**
	04/06/03	5.95	322.93	**1,300**	<1.0	<1.0	<1.0	<1.0	**10**	**360**	<2.0	**2.2**	**15,000**
	07/13/03	6.55	322.33	**74**	<0.5	<0.5	<0.5	<1.0	**10**	**42**	<5.0	<5.0	**15,000**
	02/11/04	5.74	323.14	<50	<0.5	<0.5	<0.5	<1.0	**10**	**420**	<2.0	**2.5**	**34,000**
	06/16/04	6.37	322.51	**180**	<0.5	<0.5	<0.5	<1.0	**6.8**	**290**	<2.0	<2.0	**7,600**
	10/16/04	7.29	321.59	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**6,720**
	12/30/04	5.84	323.04	**92**	<0.5	<0.5	<0.5	<1.0	**5.2**	<10	<2.0	<2.0	**2,600**
	03/22/05	5.22	323.66	<50	<0.5	<0.5	<0.5	<1.0	**7.3**	<10	<2.0	<2.0	**6,900**
	06/10/05	6.17	322.71	**100**	<0.5	<0.5	<0.5	<1.0	**9.8**	<10	<2.0	<2.0	**25,000**
	10/04/05	7.49	321.39	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**2,500**
	12/21/05	7.18	321.70	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**6,800**
	03/30/06	5.81	323.07	<50	<0.5	<0.5	**1.1**	**2.6**	<2.0	<10	<2.0	<2.0	**6,900**
	06/01/06	7.20	321.68	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**5,100**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	**2.2**	**960**	<2.0	<2.0	**2,400**
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,200**	<2.0	<2.0	**930**
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**1,100**
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**1,500**	<2.0	<2.0	**1,100**
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	**640**	<2.0	<2.0	**280**
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	**1,400**	<2.0	<2.0	**260**
	02/28/08	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	**1,300**	<2.0	<2.0	**130**
	06/04/08	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,700**	<2.0	<2.0	**290**
	09/11/08	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**160**
	12/23/08	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**13**
	03/17/09	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**17**
	06/26/09	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**390**	<2.0	<2.0	**74**
MW-2	12/15/98	4.3	323.34	<50	<0.50	**0.90**	<0.50	**1.5**	--	--	--	--	<5.0
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	<5.0
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	**1.1**	--	--	--	--	**16**
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	**3.9**	<2.0	<10	<2.0	<2.0	**2.6**
	11/20/02	5.52	322.12	**57**	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	**9.1**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	**5.7**
	07/13/03	5.24	322.40	<50	<0.5	<0.5	<0.5	<1.0	<5.0	<10	<5.0	<5.0	**6.5**
	02/11/04	4.45	323.19	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**8.5**
	06/16/04	4.93	322.71	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**120**
	10/16/04	5.97	321.67	**78**	<0.5	<0.5	<0.5	<1.0	**4.1**	<10	<2.0	<2.0	**43.2**
	12/30/04	4.74	322.9	<50	<0.5	<0.5	<0.5	<1.0	**4.1**	<10	<2.0	<2.0	**14**
	03/22/05	3.86	323.78	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**13**
	06/10/05	4.83	322.81	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**14**
	10/04/05	6.19	321.45	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**5.2**
	12/21/05	5.81	321.83	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/30/06	4.55	323.09	<50	<0.5	<0.5	**1.7**	**3.9**	<2.0	<10	<2.0	<2.0	**13**
	06/01/06	5.93	321.71	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**14**
	09/12/06	8.65	318.99	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**22**
	11/21/06	6.42	321.22	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**19**
	02/27/07	5.14	322.50	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**13**
	06/07/07	6.18	321.46	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**30**
	09/14/07	6.31	321.33	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**25**
	11/17/07	5.90	321.74	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**13**
	02/28/08	4.19	323.45	NA	<0.5	<0.5	<0.5	<1.0	<2.0	<10.0	<2.0	<2.0	**14**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	06/04/08	5.58	322.06	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**18**
	09/11/08	5.92	321.72	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**38**
	12/23/08	5.56	322.08	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**39**
	03/17/09	4.64	323.00	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**36**
	06/26/09	5.90	321.74	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**18**
MW-3	08/18/00	5.67	321.77	**210**	<0.50	**0.58**	<0.50	**0.59**	--	--	--	--	**570**[1]
"A" Zone	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	**219**	<2.0	<10	<2.0	<2.0	**281**
<327.44>	11/20/02	5.56	321.88	**200**	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	**460**
	04/06/03	4.64	322.8	**270**	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	**340**
	07/13/03	5.48	321.96	<50	<0.5	<0.5	<0.5	<1.0	<5.0	<10	<5.0	<5.0	**460**
	02/11/04	4.47	322.97	<50	<0.5	<0.5	<0.5	<1.0	**2.2**	**1,000**	<2.0	<2.0	**4,000**
	06/16/04	5.23	322.21	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**240**
	10/16/04	5.92	321.52	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**210**
	12/30/04	4.54	322.9	<50	<0.5	<0.5	<0.5	<1.0	<2.0	**120**	<2.0	<2.0	**190**
	03/22/05	3.9	323.54	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**210**
	06/10/05	4.83	322.61	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**230**
	10/04/05	6.02	321.42	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**380**
	12/21/05	5.74	321.7	<50	<0.5	<0.5	<0.5	<1.0	<2.0	<10	<2.0	<2.0	**320**
	03/30/06	4.35	323.09	<50	<0.50	<0.50	**1.3**	**3.0**	<2.0	<10	<2.0	<2.0	**160**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**270**
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**90**
	02/27/07	–	–	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**39**
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	**270**
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**59**
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**75**
	02/28/08	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**36**
	06/04/08	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**20**	<2.0	<2.0	**30**
	09/11/08	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**51**	<2.0	<2.0	**36**
	12/23/08	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**41**
	03/17/09	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**
	06/26/09	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**
MW-4S	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"A" Zone	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2.1**
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.0**
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**27**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	09/14/07	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**73**
	02/28/08	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**360**
	06/04/08	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**110**	<2.0	<2.0	**820**
	09/11/08	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**190**	<2.0	<2.0	**400**
	12/23/08	5.93	321.87	**86**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**310**
	03/17/09	4.98	322.82	**540**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,100**
	06/26/09	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**170**
MW-4D	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"B" Zone	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/27/07	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	09/14/07	–	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	02/28/08	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1.2**
	09/11/08	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.0**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	12/23/08	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**5.0**
	03/17/09	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.9**
	06/26/09	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.9**
MW-5S	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	**4.6**	<10	<2.0	<2.0	**10,000**
"A" Zone	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8,300**
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	**3.5**	**340**	<2.0	<2.0	**6,500**
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	**3.5**	**1,200**	<2.0	<2.0	**4,700**
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	**2.9**	**1,400**	<2.0	<2.0	**3,800**
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	**3.2**	<10	<2.0	<2.0	**7,800**
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**640**	<2.0	<2.0	**2,700**
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**47**	<2.0	<2.0	**4,700**
	02/28/08	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,700**
	06/04/08	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	**2.7**	**1,500**	<2.0	<2.0	**7,300**
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,800**	<2.0	<2.0	**2,700**
	12/23/08	5.15	321.94	**600**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,400**
	03/17/09	4.29	322.80	**830**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,900**
	06/26/09	5.49	321.60	**150**	<0.50	<0.50	<0.50	<1.0	<2.0	**590**	<2.0	<2.0	**620**
MW-5D	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,900**
"B" Zone	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,300**
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	**2.6**	**150**	<2.0	<2.0	**3,900**
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	**4.0**	**1,300**	<2.0	<2.0	**2,600**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**440**	<2.0	<2.0	**1,900**
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,700**
	09/14/07	–	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**170**	<2.0	<2.0	**1,600**
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3,000**
	02/28/08	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**890**
	06/04/08	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**160**	<2.0	<2.0	**1,500**
	09/11/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**2,500**
	12/23/08	7.57	319.73	**670**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,800**
	03/17/09	5.35	321.95	**720**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,100**
	06/26/09	6.54	320.76	**360**	<0.50	<0.50	<0.50	<1.0	<2.0	**1,000**	<2.0	<2.0	**1,600**
MW-6S	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**<**10	<2.0	<2.0	**190**
"A" Zone	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**73**
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**140**
	02/27/07	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**87**
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**83**
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**72**
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**72**
	02/28/08	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**68**
	06/04/08	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**65**
	09/11/08	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**130**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	12/23/08	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**83**
	03/17/09	4.80	321.73	**61**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**160**
	06/26/09	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**81**
MW-6D	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**22**
"B" Zone	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.3**
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.8**
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**4.6**
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**8.5**
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**26**
	02/28/08	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**9.3**
	06/04/08	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**18**
	09/11/08	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**64**
	12/23/08	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**3.8**
	03/17/09	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**26**
	06/26/09	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
"A" Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**16**
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**81**
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**180**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**350**
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**520**
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**13**	<2.0	<2.0	**270**
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**710**
	02/28/08	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,800**
	06/04/08	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,100**	<2.0	<2.0	**4,300**
	09/11/08	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**1,100**	<2.0	<2.0	**3,200**
	12/23/08	4.24	321.92	**590**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,300**
	03/17/09	3.41	322.75	**1,700**	<0.50	<0.50	<0.50	<1.0	**2.9**	<10	<2.0	<2.0	**4,100**
	06/26/09	4.61	321.55	**440**	<0.50	<0.50	<0.50	<1.0	<2.0	**2,000**	<2.0	<2.0	**2,400**
MW-8	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**<**10	<2.0	<2.0	**2,000**
"B" Zone	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,000**
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**150**	<2.0	<2.0	**2,500**
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	**2.2**	**430**	<2.0	<2.0	**1,900**
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**330**	<2.0	<2.0	**1,600**
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,500**
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**58**	<2.0	<2.0	**630**
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**640**
	02/28/08	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**120**	<2.0	<2.0	**870**
	09/11/08	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**290**	<2.0	<2.0	**1,300**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	12/23/08	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**150**
	03/17/09	3.11	322.77	**640**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,400**
	06/26/09	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**85**
MW-9	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**2,200**
"B" Zone	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,000**
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**130**	<2.0	<2.0	**2,100**
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**180**	<2.0	<2.0	**1,200**
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**270**	<2.0	<2.0	**930**
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,400**
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	**35**	<2.0	<2.0	**460**
	11/17/07	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**910**
	02/28/08	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**1,200**
	06/04/08	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	**2.4**	**1,400**	<2.0	<2.0	**5,500**
	09/11/08	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	**810**	<2.0	<2.0	**2,700**
	12/23/08	3.29	322.00	**62**	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**260**
	03/17/09	2.59	322.70	**1,800**	<0.50	<0.50	<0.50	<1.0	**3.0**	<10	<2.0	<2.0	**3,800**
	06/26/09	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**41**
MW-10	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**
"B" Zone	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**15**

Table 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	*Sample Date*	*GW Depth*	*GW Elevation*	*Concentrations, in micrograms per liter (ug/l)*									
				TPH-G	*B*	*T*	*E*	*X*	*TAME*	*TBA*	*DIPE*	*ETBE*	*MTBE*
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**11**
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**12**
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**6.1**
	02/28/08	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/04/08	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**9.5**
	09/11/08	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	**7.8**
	12/23/08	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	03/17/09	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0
	06/26/09	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0

Table Notes:

GW Depth = Groundwater depth below top of casing.
GW Elevation = Groundwater mean sea level elevation.
TPH-D = Total Petroleum Hydrocarbons as Diesel
TPH-MO = Total Petroleum Hydrocarbons as Motor Oil
TPH-G = Total Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
TAME = Tert-amyl Methyl Ether
TBA = tert-Butanol
DIPE = Diisopropyle ether ETBE = Ethyl-tert-butyl ether
MTBE = Methyl-t-Butyl Ether
NA = Not analyzed for particular parameter
<0.050 = Not detected above the expressed value.
<328.88> = Surveyed top of casing mean sea level elevation.
"A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.
"B" Zone = Semi-continuos sand and gravel layer between about 30 and 35 feet in depth.
1 = MTBE result was confirmed using USEPA Method 8260B.

ATTACHMENT A

GROUNDWATER MONITORING FIELD DATA RECORDS

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel JSG

Date 6/26/09

Weather Conditions SUN

Well ID MW-1

Casing Diameter (inches) 2"

Depth to Water (ft) 7.21

Total Depth (ft) 24.9'

Water Column (ft) 17.69

One Well Volume (gal)

3X Well Volume (gal) 18

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	12 V pump

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
8:10	3	73.8	2247		8.17		
8:55	3	68.5	2258		7.47		
9:00	4	67.5	2230		7.27		

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	—				
Odor	—				
Turbidity	—				
Sheen	—				
Floating Particles					
Precipitate					

Sample Time 9:00

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel ASG

Date 6/26/09

Weather Conditions SUN

Well ID MW-2

Casing Diameter (inches) 2"

Depth to Water (ft) 5.90'

Total Depth (ft) 28.8'

Water Column (ft) 22.90'

One Well Volume (gal)

3X Well Volume (gal) 14

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	12 V pump

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
7:50	5	7.38	2074		6.85		
7:55	5	6.72	2140		7.06		
8:00	5	6.63	2121		7.17		

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 8:00

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel AJG

Date 6/26/08

Weather Conditions SUN

Well ID MW-3

Casing Diameter (inches) 2"

Depth to Water (ft) 5.78

Total Depth (ft) 28.2'

Water Column (ft) 22.42

One Well Volume (gal) _____

3X Well Volume (gal) 14

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	12 V pump

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
9:52	5	73.0	3977		7.71		
9:55	5	73.3	3747		7.08		
10:00	5	71.2	3753		7.07		

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 10:00

Sampler's Signature _____

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel ASG

Date 6/26/08

Weather Conditions SUN

Well ID MW-4S

Casing Diameter (inches) 3 1/4"

Depth to Water (ft) 6.13

Total Depth (ft) 20'

Water Column (ft) 13.87

One Well Volume (gal)

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
PURGE		X	PORTA PUMP

Field Parameters Equip. malf.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	1						
	1						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	/				
Odor	/				
Turbidity	/				
Sheen	/				
Floating Particles					
Precipitate					

Sample Time 11:45

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel ASG

Date 6/26/09

Weather Conditions Sun

Well ID MW-4D

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.93

Total Depth (ft) 40'

Water Column (ft) 34.07

One Well Volume (gal)

3X Well Volume (gal) 6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	Portable Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	2						
	2						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	—				
Odor	—				
Turbidity	—				
Sheen	—				
Floating Particles					
Precipitate					

Sample Time 11:00

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel AJG

Date 6/26/09

Weather Conditions Sun

Well ID MW-5S

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.49'

Total Depth (ft) 20'

Water Column (ft) 14.51

One Well Volume (gal)

3X Well Volume (gal) 2

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		x	PERIST. Pump

Field Parameters Equip MALFN.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	1						
	1						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 3:45

Sampler's Signature [signature]

Ground Water Monitoring Field Sheet

Site Dustin Toyota

Project Number

Sampling Personnel ASH

Date 6/24/09

Weather Conditions SUN

Well ID MW-5D

Casing Diameter (inches) 3/4"

Depth to Water (ft) 6.54

Total Depth (ft) 42'

Water Column (ft) 33.46

One Well Volume (gal)

3X Well Volume (gal) 6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
PURGE		X	PARAST Pump

Field Parameters

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	2						
	1						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 4:15

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel ASh

Date 6/24/09

Weather Conditions SUN

Well ID MW-65

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.44

Total Depth (ft) 20'

Water Column (ft) 14.56

One Well Volume (gal)

3X Well Volume (gal) 3

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
PURGE		X	PLAST Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	/				
Odor	/				
Turbidity	/				
Sheen	/				
Floating Particles					
Precipitate					

Sample Time 5:15

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel AJG

Date 6/26/09

Weather Conditions SUN

Well ID MW-6D

Casing Diameter (inches) 3/4"

Depth to Water (ft) 5.06

Total Depth (ft) 40'

Water Column (ft) 34.94

One Well Volume (gal)

3X Well Volume (gal) 6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	PARAST PMP

Field Parameters Equip malfn

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	2						
	2						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 5:45

Sampler's Signature [signature]

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel AGH

Date 6/20/09

Weather Conditions Sun

Well ID MW-7

Casing Diameter (inches) 3/4"

Depth to Water (ft) 4.61

Total Depth (ft) 20'

Water Column (ft) 15.39

One Well Volume (gal) _____

3X Well Volume (gal) 3

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	Peristaltic Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	/				
Odor	/				
Turbidity	/				
Sheen	/				
Floating Particles					
Precipitate					

Sample Time 2:45

Sampler's Signature _____

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel ADH

Date 6/26/09

Weather Conditions SUN

Well ID MW-8

Casing Diameter (inches) 3/4"

Depth to Water (ft) 4.27

Total Depth (ft) 40'

Water Column (ft) 35.73

One Well Volume (gal) _____

3X Well Volume (gal) 6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	Peristal. Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	/				
Odor	/				
Turbidity	/				
Sheen	/				
Floating Particles					
Precipitate					

Sample Time 12:45

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number

Sampling Personnel ASK

Date 6/26/09

Weather Conditions SUN

Well ID MW-9

Casing Diameter (inches) 3/4"

Depth to Water (ft) —

Total Depth (ft) 40'

Water Column (ft) —

One Well Volume (gal)

3X Well Volume (gal) —

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	Peristal. Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	1						
	1						
	1						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	/				
Odor	/				
Turbidity	/				
Sheen	/				
Floating Particles					
Precipitate					

Sample Time 1:45

Sampler's Signature

Ground Water Monitoring Field Sheet

Site Dublin Toyota

Project Number _____

Sampling Personnel ASK

Date 6/26/09

Weather Conditions SUN

Well ID MW-1R

Casing Diameter (inches) 3/4"

Depth to Water (ft) 4.63

Total Depth (ft) 40'

Water Column (ft) 35.37

One Well Volume (gal) _____

3X Well Volume (gal) 6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

* 0.059 for ¾ inch well, 0.17 for 2 inch well, 0.38 for 3 inch well, 0.66 for 4 inch well, 1.50 for 6 inch well

Field Methods (check appropriate box)

Activity	Bailer	Pump	Comments
Purge		X	Peristal. Pump

Field Parameters Equip Malfn.

Time	Volume Purged	Temp (Celsius)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mv)	Comments
	1						
	1						
	1						

Sample Observations

Characteristic	None	Slight	Moderate	Strong	Comments
Color	✓				
Odor	✓				
Turbidity	✓				
Sheen	✓				
Floating Particles					
Precipitate					

Sample Time 6:15

Sampler's Signature _____

ATTACHMENT B

LABORATORY DATA REPORTS AND CHAIN-OF-CUSTODY RECORDS

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

06 July 2009

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510

RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 06/30/09 09:42. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

John Shepler
Laboratory Director

SunStar Laboratories, Inc.
3002 Dow Ave, Suite 212
Tustin, CA 92780
1-800-781-6777

Chain of Custody Record

Client: GRIBI ASSOCIATES
Address: 1090 ADAMS STREET, SUITE K
Phone: (707) 748-7743 Fax: (707) 748-7763
Project Manager: JAMES GRIBI

Date: 6/29/09 Page: Of
Project Name: DUBLIN TOYOTA
Collector: Client Project #:
Batch #: T9006106 Proposal #:

Sample ID	Date Sampled	Time	Sample Type	Container Type	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Gas (M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB (8260B)	EPA 8260 (Full List)	Halogenated VOCs (8260B)		Laboratory ID #	Preservative	Comments	Total # of containers
MW-1	6/26/09	9:00	WATER	VOA						X							01			5
MW-2		8:00								X							02			5
MW-3		10:00								X							03			5
MW-4S		1:45								X							04			5
MW-4D		11:00								X							05			5
MW-5S		3:45								X							06			5
MW-5D		4:15								X							07			5
MW-6S		5:15								X							08			5
MW-6D		5:45								X							09			5
MW-7		2:45								X							10			5
MW-8		12:45								X							11			5
MW-9		1:45								X							12			5
MW-10		6:15								X							13			5

Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time
	6/29/09 6:33		6/29 1115
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time
GSO	6/30/09 942		
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time
			6/30/09 942

Total # of containers	52
Chain of Custody seals Y/N/NA	Y
Seals intact? Y/N/NA	Y
Received good condition/cold	5.6

Turn around time:

Notes
NEED EDF FILE

Sample disposal Instructions: Disposal @ $2.00 each ___ Return to client ___ Pickup ___

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T900606-01	Water	06/26/09 09:00	06/30/09 09:42
MW-2	T900606-02	Water	06/26/09 08:00	06/30/09 09:42
MW-3	T900606-03	Water	06/26/09 10:00	06/30/09 09:42
MW-4S	T900606-04	Water	06/26/09 11:45	06/30/09 09:42
MW-4D	T900606-05	Water	06/26/09 11:00	06/30/09 09:42
MW-5S	T900606-06	Water	06/26/09 15:45	06/30/09 09:42
MW-5D	T900606-07	Water	06/26/09 16:15	06/30/09 09:42
MW-6S	T900606-08	Water	06/26/09 17:15	06/30/09 09:42
MW-6D	T900606-09	Water	06/26/09 17:45	06/30/09 09:42
MW-7	T900606-10	Water	06/26/09 14:45	06/30/09 09:42
MW-8	T900606-11	Water	06/26/09 12:45	06/30/09 09:42
MW-9	T900606-12	Water	06/26/09 13:45	06/30/09 09:42
MW-10	T900606-13	Water	06/26/09 18:15	06/30/09 09:42

SunStar Laboratories, Inc.

John Shepler, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-1

T900606-01 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	**390**	50	"	5	"	"	07/02/09	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	07/02/09	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**74**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*98.4 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*92.1 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*98.2 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-2

T900606-02 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**18**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*102 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*91.9 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*101 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-3

T900606-03 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**12**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*95.9 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*93.8 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*101 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-4S

T900606-04 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**170**	5.0	"	5	"	"	07/02/09	"	
C6-C12 (GRO)	ND	50	"	1	"	"	07/02/09	"	
Surrogate: 4-Bromofluorobenzene		*99.0 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*94.2 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*100 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-4D

T900606-05 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**3.9**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*98.5 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*95.8 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*99.0 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-5S

T900606-06 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	**590**	250	"	25	"	"	07/02/09	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	07/02/09	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**620**	25	"	25	"	"	07/02/09	"	
C6-C12 (GRO)	**150**	50	"	1	"	"	07/02/09	"	
Surrogate: 4-Bromofluorobenzene		*92.0 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*98.1 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*99.4 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-5D

T900606-07 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	**1000**	500	"	50	"	"	07/02/09	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	07/02/09	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**1600**	50	"	50	"	"	07/02/09	"	
C6-C12 (GRO)	**360**	50	"	1	"	"	07/02/09	"	
Surrogate: 4-Bromofluorobenzene		*96.6 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*95.0 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*97.9 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-6S

T900606-08 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**81**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*99.0 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*96.0 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*99.5 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-6D

T900606-09 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*93.4 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*95.0 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*98.1 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-7

T900606-10 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	**2000**	10	"	"	"	"	07/02/09	"	E-1
Di-isopropyl ether	ND	2.0	"	"	"	"	07/02/09	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**2400**	100	"	100	"	"	07/02/09	"	
C6-C12 (GRO)	**440**	50	"	1	"	"	07/02/09	"	
Surrogate: 4-Bromofluorobenzene		*95.9 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*99.1 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*98.8 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-8

T900606-11 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**85**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*97.1 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*94.6 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*99.4 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-9

T900606-12 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	**41**	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*93.0 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*93.6 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*99.2 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

MW-10

T900606-13 (Water)

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	9063009	06/30/09	07/02/09	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*94.5 %*	*77.1-110*		"	"	"	"	
Surrogate: Dibromofluoromethane		*92.8 %*	*66.3-111*		"	"	"	"	
Surrogate: Toluene-d8		*98.0 %*	*84.7-109*		"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
Providing Quality Analytical Services Nationwide

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9063009 - EPA 5030 GCMS										
Blank (9063009-BLK1)				Prepared: 06/30/09 Analyzed: 07/02/09						
Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
1,1,2-trichloro-1,2,2-trifluoroethane (CFC 113)	ND	5.0	"							
Surrogate: 4-Bromofluorobenzene	*7.12*		"	*8.00*		*89.0*	*77.1-110*			
Surrogate: Dibromofluoromethane	*7.56*		"	*8.00*		*94.5*	*66.3-111*			
Surrogate: Toluene-d8	*7.57*		"	*8.00*		*94.6*	*84.7-109*			
LCS (9063009-BS1)				Prepared: 06/30/09 Analyzed: 07/02/09						
Chlorobenzene	23.6	1.0	ug/l	20.0		118	75-125			
1,1-Dichloroethene	17.5	1.0	"	20.0		87.6	75-125			
Trichloroethene	17.7	1.0	"	20.0		88.6	75-125			
Benzene	18.5	0.50	"	20.0		92.4	75-125			
Toluene	18.1	0.50	"	20.0		90.4	75-125			
Surrogate: 4-Bromofluorobenzene	*7.61*		"	*8.00*		*95.1*	*77.1-110*			
Surrogate: Dibromofluoromethane	*7.54*		"	*8.00*		*94.2*	*66.3-111*			
Surrogate: Toluene-d8	*7.72*		"	*8.00*		*96.5*	*84.7-109*			
LCS Dup (9063009-BSD1)				Prepared: 06/30/09 Analyzed: 07/02/09						
Chlorobenzene	22.8	1.0	ug/l	20.0		114	75-125	3.53	20	
1,1-Dichloroethene	17.6	1.0	"	20.0		88.2	75-125	0.569	20	
Trichloroethene	17.3	1.0	"	20.0		86.5	75-125	2.34	20	
Benzene	18.6	0.50	"	20.0		93.0	75-125	0.647	20	
Toluene	18.6	0.50	"	20.0		93.1	75-125	2.89	20	
Surrogate: 4-Bromofluorobenzene	*7.70*		"	*8.00*		*96.2*	*77.1-110*			
Surrogate: Dibromofluoromethane	*7.92*		"	*8.00*		*99.0*	*66.3-111*			
Surrogate: Toluene-d8	*7.66*		"	*8.00*		*95.8*	*84.7-109*			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

John Shepler, Laboratory Director

SunStar Laboratories, Inc.
PROVIDING QUALITY ANALYTICAL SERVICES NATIONWIDE

25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates	Project: Dublin Toyota	
1090 Adam Street, Suite K	Project Number: [none]	**Reported:**
Benicia CA, 94510	Project Manager: Jim Gribi	07/06/09 15:40

Notes and Definitions

E-1	The final dilution was lower than the original data or previous dilutions. The highest recovered concentration was reported even though it was above calibration range.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference