



August 22, 2012

Alameda County Department of  
Environmental Health  
1131 Harbor Bay Parkway, 2<sup>nd</sup> Floor  
Alameda, CA 94502

**RECEIVED**

**4:46 pm, Aug 27, 2012**

Alameda County  
Environmental Health

Attention: Mr. Dilan Roe

Subject: First Semi-Annual 2012 Groundwater Monitoring Report  
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California  
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *First Semi-Annual 2012 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in black ink, appearing to read "Scott F. Anderson".

Scott F. Anderson  
Chief Financial Officer  
Dublin Toyota



6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025

[www.dublintoys.com](http://www.dublintoys.com)



August 22, 2012

Alameda County Department of  
Environmental Health  
1131 Harbor Bay Parkway, 2<sup>nd</sup> Floor  
Alameda, CA 94502

Attention: Mr. Dilan Roe

Subject: First Semi-Annual 2012 Groundwater Monitoring Report  
Dublin Toyota UST Site  
6450 Dublin Court, Dublin, California  
**Alameda County LOP Site ID No. 0000333, Geotracker Global ID T0600102153**

Ladies and Gentlemen:

Gribi Associates is pleased to submit this First Semi-Annual 2012 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on July 12 and 13, 2012.

#### **DESCRIPTION OF MONITORING ACTIVITIES**

1. Gribi Associates personnel conducted groundwater monitoring activities for 22 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-7 through MW-17, EW-1, and EW-2) on July 12 and 13, 2012.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
  - a. measuring static water levels;
  - b. checking for presence of free-product; and
  - c. purging of approximately three well volumes while recording temperature, pH, electroconductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

## **RESULTS OF GROUNDWATER MONITORING**

### **Hydrologic Conditions**

1. Groundwater depths ranged from approximately 2.87 feet (MW-14) to 7.54 feet (MW-12).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 320.23 feet (MW-6S) to 321.66 feet (MW-5D).
3. Groundwater elevations in shallow (“A” Zone) and deeper (“B” Zone) wells are variable and relatively flat.
  - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

### **Laboratory Analytical Results**

1. Groundwater samples from the 22 wells were analyzed for the following parameters with standard method turn around time on results:
  - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
  - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
  - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater MTBE results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

## **OZONE REMEDIATION**

1. Gribi Associates initiated ozone remediation at the site on February 27, 2012.
2. The system experienced moderate amounts of downtime due to general wear and tear on various components that required repair and/or replacement.
3. Presently the system is operating.

## **CONCLUSIONS**

1. During this quarterly sampling event, groundwater MTBE concentrations were generally similar to or lower than previous sampling events.
2. Decreases in MTBE concentrations in “A” Zone wells MW-6S and MW-7, and in “B” Zone wells MW-5D and MW-8 seem to indicate that the ozone injection is beginning to reduce shallow and deep MTBE groundwater impacts beneath the site.

## PLANNED ACTIVITIES

1. Gribi Associates plans to perform semi-annual groundwater monitoring at the site during the fourth quarter of 2012.
2. Gribi Associates will continue ozone injection activities at the site.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman  
Project Engineer




James E. Gribi  
Professional Geologist  
California No. 5843



Enclosure

- c: Mr. Scott Anderson, Dublin Toyota, 4321 Toyota Drive, Dublin, CA 94568  
Mr. Nolan Davis, 50 Oak Court, Danville, CA 94526-4039

## FIGURES




DESIGNED BY:	CHECKED BY:
DRAWN BY: MAR	SCALE:
PROJECT NO:	

**SITE VICINITY MAP**


DUBLIN TOYOTA UST SITE  
6450 DUBLIN COURT  
DUBLIN, CALIFORNIA

DATE: 08/22/2012      FIGURE: 1





DESIGNED BY:	CHECKED BY:	<b>SITE AREA PLAN</b>  DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 08/22/2012	FIGURE: <b>2</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				



DESIGNED BY:	CHECKED BY:	<b>SITE PLAN</b>  DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 08/22/2012	FIGURE: <b>3</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				



- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-30 feet below surface grade.
- "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.
- Ozone Injection Well

Groundwater hydrocarbon concentration reported in micrograms per liter (ug/L)

**"A" ZONE  
GROUNDWATER  
MTBE/TBA = 100 UG/L**

**GWE: +321.58**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 1,100  
TBA: 370  
OTHER: ND



**GWE: +321.53**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 35  
TBA: 53  
OTHER: ND

**"A" ZONE  
GROUNDWATER  
MTBE/TBA = 1,000 UG/L**

**GWE: +321.61**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 49  
TBA: 16  
OTHER: ND

**GWE: +321.60**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 40  
TBA: 35  
OTHER: ND

**GWE: +321.58**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 8.6  
TBA: 26  
OTHER: ND

**GWE: +321.56**  
TPH-G: 980  
B: 22  
T: 1.4  
E: 4.6  
X: <1.0  
MTBE: 36  
TBA: 180  
OTHER: ND

**GWE: +321.56**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 51  
TBA: 84  
OTHER: ND

**GWE: +321.57**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 5.0  
TBA: <10  
OTHER: ND

**GWE: +321.59**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 8.3  
TBA: 88  
OTHER: ND

**GWE: +321.58**  
TPH-G: 570  
B: 19  
T: <0.5  
E: 8.1  
X: <1.0  
MTBE: 100  
TBA: 620  
OTHER: ND

**GWE: +321.61**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 8.8  
TBA: <10  
OTHER: ND

**GWE: +320.23**  
TPH-G: <50  
B: <0.5  
T: <0.5  
E: <0.5  
X: <1.0  
MTBE: 35  
TBA: 15  
OTHER: ND



0 30 60  
APPROXIMATE SCALE IN FEET

DESIGNED BY:

CHECKED BY:

**"A" ZONE GROUNDWATER ELEVATIONS  
AND HYDROCARBON RESULTS, 07/2012**

DATE: 08/22/2012

FIGURE: 4


DRAWN BY: MAR

SCALE:

DUBLIN TOYOTA UST SITE  
6450 DUBLIN COURT  
DUBLIN, CALIFORNIA

PROJECT NO:





DESIGNED BY:	CHECKED BY:	<b>“B” ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 07/2012</b>  DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 08/22/2012	FIGURE: <b>5</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				

## TABLE

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-1	12/15/98	5.74	323.14	<b>46,000</b>	<100	<100	<100	<100	-	-	-	-	<b>62,000</b>	-
"A" Zone	04/06/99	5.09	323.79	<b>45,000</b>	<50	<50	<50	<50	-	-	-	-	<b>86,000<sup>1</sup></b>	-
<328.88>	07/14/99	6.18	322.7	<b>2,800</b>	<100	<100	<100	<100	-	-	-	-	<b>65,000<sup>1</sup></b>	-
	10/14/99	6.86	322.02	<b>11,000</b>	<17	<17	<17	<17	-	-	-	-	<b>98,000<sup>1</sup></b>	-
	08/18/00	6.98	321.9	<b>36,000</b>	<50	<50	<50	<50	-	-	-	-	<b>66,000<sup>1</sup></b>	-
	05/29/02	6.42	322.46	<b>29,100</b>	<15	<15	<15	<30	<b>841</b>	<500	<100	N50	<b>27,800<sup>1</sup></b>	-
	11/20/02	6.65	322.23	<b>110</b>	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	<b>20,000</b>	-
	04/06/03	5.95	322.93	<b>1,300</b>	<1.0	<1.0	<1.0	<1.0	<b>10</b>	<b>360</b>	<2.0	<b>2.2</b>	<b>15,000</b>	-
	07/13/03	6.55	322.33	<b>74</b>	<0.50	<0.50	<0.50	<1.0	<b>10</b>	<b>42</b>	<5.0	<5.0	<b>15,000</b>	-
	02/11/04	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	<b>10</b>	<b>420</b>	<2.0	<b>2.5</b>	<b>34,000</b>	-
	06/16/04	6.37	322.51	<b>180</b>	<0.50	<0.50	<0.50	<1.0	<b>6.8</b>	<b>290</b>	<2.0	<2.0	<b>7,600</b>	-
	10/16/04	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6,720</b>	-
	12/30/04	5.84	323.04	<b>92</b>	<0.50	<0.50	<0.50	<1.0	<b>5.2</b>	<10	<2.0	<2.0	<b>2,600</b>	-
	03/22/05	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	<b>7.3</b>	<10	<2.0	<2.0	<b>6,900</b>	-
	06/10/05	6.17	322.71	<b>100</b>	<0.50	<0.50	<0.50	<1.0	<b>9.8</b>	<10	<2.0	<2.0	<b>25,000</b>	-
	10/04/05	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,500</b>	-
	12/21/05	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6,800</b>	-
	03/30/06	5.81	323.07	<50	<0.50	<0.50	<b>1.1</b>	<b>2.6</b>	<2.0	<10	<2.0	<2.0	<b>6,900</b>	-
	06/01/06	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5,100</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	09/12/06	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	<b>2.2</b>	<b>960</b>	<2.0	<2.0	<b>2,400</b>	-
	11/21/06	7.68	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>930</b>	-
	02/27/07	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>1,100</b>	-
	06/07/07	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,500</b>	<2.0	<2.0	<b>1,100</b>	-
	09/14/07	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>640</b>	<2.0	<2.0	<b>280</b>	-
	11/17/07	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,400</b>	<2.0	<2.0	<b>260</b>	-
	02/28/08	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,300</b>	<2.0	<2.0	<b>130</b>	-
	06/04/08	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,700</b>	<2.0	<2.0	<b>290</b>	-
	09/11/08	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>160</b>	-
	12/23/08	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-
	03/17/09	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>17</b>	-
	06/26/09	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>390</b>	<2.0	<2.0	<b>74</b>	-
	12/03/09	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>2,800</b>	<2.0	<2.0	<b>15</b>	-
	06/11/10	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>58</b>	-
	11/11/10	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>29</b>	-
	06/01/11	6.64	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>14</b>	-
	12/06/11	7.43	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>10</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>88</b>	<2.0	<2.0	<b>8.3</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
MW-2	12/15/98	4.3	323.34	<50	<0.50	<b>0.90</b>	<0.50	<b>1.5</b>	-	-	-	-	<5.0	-
"A" Zone	04/06/99	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
<327.64>	07/14/99	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
	10/14/99	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-	<5.0	-
	08/18/00	5.72	321.92	<50	<0.50	<0.50	<0.50	<b>1.1</b>	-	-	-	-	<b>16</b>	-
	05/29/02	5.18	322.46	<50	<0.3	<0.3	<0.3	<b>3.9</b>	<2.0	<10	<2.0	<2.0	<b>2.6</b>	-
	11/20/02	5.52	322.12	<b>57</b>	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	<b>9.1</b>	-
	04/06/03	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	<b>5.7</b>	-
	07/13/03	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	<b>6.5</b>	-
	02/11/04	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8.5</b>	-
	06/16/04	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>120</b>	-
	10/16/04	5.97	321.67	<b>78</b>	<0.50	<0.50	<0.50	<1.0	<b>4.1</b>	<10	<2.0	<2.0	<b>43.2</b>	-
	12/30/04	4.74	322.9	<50	<0.50	<0.50	<0.50	<1.0	<b>4.1</b>	<10	<2.0	<2.0	<b>14</b>	-
	03/22/05	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-
	06/10/05	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>14</b>	-
	10/04/05	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.2</b>	-
	12/21/05	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	03/30/06	4.55	323.09	<50	<0.50	<0.50	<0.50	<b>3.9</b>	<2.0	<10	<2.0	<2.0	<b>13</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/01/06	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>14</b>	-
	09/12/06	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>22</b>	-
	11/21/06	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-
	02/27/07	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-
	06/07/07	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>30</b>	-
	09/14/07	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>25</b>	-
	11/17/07	5.90	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-
	02/28/08	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0	<b>14</b>	-
	06/04/08	5.58	322.06	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>18</b>	-
	09/11/08	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>38</b>	-
	12/23/08	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>39</b>	-
	03/17/09	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>36</b>	-
	06/26/09	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>18</b>	-
	12/03/09	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-
	06/11/10	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.6</b>	-
	11/11/10	6.39	321.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.4</b>	-
	06/01/11	5.39	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.1</b>	-
	12/07/11	6.17	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.8</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	6.07	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.0</b>	-
<b>MW-3</b>	08/18/00	5.67	321.77	<b>210</b>	<0.50	<b>0.58</b>	<0.50	<b>0.59</b>	-	-	-	-	<b>570<sup>1</sup></b>	-
<b>"A" Zone</b>	05/29/02	5.1	322.34	<50	<0.3	<0.3	<0.3	<b>219</b>	<2.0	<10	<2.0	<2.0	<b>281</b>	-
<327.44>	11/20/02	5.56	321.88	<b>200</b>	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	<b>460</b>	-
	04/06/03	4.64	322.8	<b>270</b>	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	<b>340</b>	-
	07/13/03	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	<b>460</b>	-
	02/11/04	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	<b>2.2</b>	<b>1,000</b>	<2.0	<2.0	<b>4,000</b>	-
	06/16/04	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>240</b>	-
	10/16/04	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>210</b>	-
	12/30/04	4.54	322.9	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>190</b>	-
	03/22/05	3.9	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>210</b>	-
	06/10/05	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>230</b>	-
	10/04/05	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>380</b>	-
	12/21/05	5.74	321.7	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>320</b>	-
	03/30/06	4.35	323.09	<50	<0.50	<0.50	<b>1.3</b>	<b>3.0</b>	<2.0	<10	<2.0	<2.0	<b>160</b>	-
	06/01/06	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>270</b>	-
	09/12/06	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>130</b>	-
	11/21/06	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	<b>90</b>	-



**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate	
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE		
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	<b>39</b>	-
	06/7/07	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	<b>270</b>	-
	09/14/07	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>59</b>	-	
	11/17/07	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>75</b>	-	
	02/28/08	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>36</b>	-	
	06/04/08	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>20</b>	<2.0	<2.0	<b>30</b>	-	
	09/11/08	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>51</b>	<2.0	<2.0	<b>36</b>	-	
	12/23/08	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>41</b>	-	
	03/17/09	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>12</b>	-	
	06/26/09	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>12</b>	-	
	12/03/09	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>62</b>	<2.0	<2.0	<b>15</b>	-	
	06/10/10	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>20</b>	-	
	11/11/10	6.20	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>26</b>	<2.0	<2.0	<b>27</b>	-	
	06/01/11	5.17	322.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>10</b>	<2.0	<2.0	<b>7.9</b>	-	
	12/06/11	6.03	321.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8.5</b>	-	
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	07/12/12	5.83	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8.8</b>	-	
<b>MW-4S</b>	04/27/06	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	
<b>"A" Zone</b>	06/01/06	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	
<327.80>	9/12/06	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	11/21/06	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2.1</b>	-
	02/27/07	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.0</b>	-
	06/07/07	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>27</b>	-
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-
	11/17/07	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>73</b>	-
	02/28/08	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>360</b>	-
	06/04/08	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>110</b>	<2.0	<2.0	<b>820</b>	-
	09/11/08	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>190</b>	<2.0	<2.0	<b>400</b>	-
	12/23/08	5.93	321.87	<b>86</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>310</b>	-
	03/17/09	4.98	322.82	<b>540</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,100</b>	-
	06/26/09	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>170</b>	-
	12/03/09	6.33	321.47	<b>280</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>590</b>	-
	06/10/10	5.56	322.24	<b>160</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>690</b>	-
	11/11/10	6.50	321.30	<b>250</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>460</b>	-
	06/03/11	5.46	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>670</b>	-
	12/07/11	6.34	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>380</b>	<2.0	<2.0	<b>640</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	5.48	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>370</b>	<2.0	<2.0	<b>540</b>	<0.40 / <5,000
	04/27/12	5.07	322.73	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>460</b>	<2.0	<2.0	<b>770</b>	<0.40 / <5,000

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	07/13/12	6.22	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>370</b>	<2.0	<2.0	<b>1,100</b>	-
<b>MW-4D</b>	04/27/06	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<b>"B" Zone</b>	06/01/06	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<327.67>	09/12/06	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/21/06	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/07/07	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	09/14/07	-	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	11/17/07	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	02/28/08	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/04/08	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.2</b>	-
	09/11/08	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.0</b>	-
	12/23/08	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.0</b>	-
	03/17/09	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.9</b>	-
	06/26/09	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.9</b>	-
	12/03/09	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>56</b>	-
	06/10/10	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>54</b>	-
	11/10/10	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>59</b>	-
	06/03/11	5.07	322.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>11</b>	<2.0	<2.0	<b>40</b>	-
	12/07/11	6.12	321.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>40</b>	<2.0	<2.0	<b>60</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	3/22/12	5.43	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>51</b>	<0.20 / <5,000
	04/27/12	4.92	322.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>66</b>	<0.20 / <5,000
	07/13/12	6.19	321.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>12</b>	<2.0	<2.0	<b>41</b>	–
<b>MW-5S</b>	04/27/06	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	<b>4.6</b>	<10	<2.0	<2.0	<b>10,000</b>	–
<b>“A” Zone</b>	06/01/06	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8,300</b>	–
<327.09>	09/12/06	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	<b>3.5</b>	<b>340</b>	<2.0	<2.0	<b>6,500</b>	–
	11/21/06	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	<b>3.5</b>	<b>1,200</b>	<2.0	<2.0	<b>4,700</b>	–
	02/27/07	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	<b>2.9</b>	<b>1,400</b>	<2.0	<2.0	<b>3,800</b>	–
	06/07/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<b>3.2</b>	<10	<2.0	<2.0	<b>7,800</b>	–
	09/14/07	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>640</b>	<2.0	<2.0	<b>2,700</b>	–
	11/17/07	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>47</b>	<2.0	<2.0	<b>4,700</b>	–
	02/28/08	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,700</b>	–
	06/04/08	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	<b>2.7</b>	<b>1,500</b>	<2.0	<2.0	<b>7,300</b>	–
	09/11/08	–	–	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,800</b>	<2.0	<2.0	<b>2,700</b>	–
	12/23/08	5.15	321.94	<b>600</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,400</b>	–
	03/17/09	4.29	322.80	<b>830</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,900</b>	–
	06/26/09	5.49	321.60	<b>150</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>590</b>	<2.0	<2.0	<b>620</b>	–
	12/03/09	5.66	321.43	<b>160</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>190</b>	–

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/09/10	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>390</b>	<2.0	<2.0	<b>60</b>	-
	11/11/10	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>51</b>	-
	06/03/11	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>23</b>	<2.0	<2.0	<b>9.2</b>	-
	12/07/11	5.70	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>16</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.6</b>	<0.2 / <50
	04/27/12	4.46	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>13</b>	<2.0	<2.0	<b>20</b>	<0.2 / <50
	07/13/12	5.56	321.53	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>53</b>	<2.0	<2.0	<b>35</b>	-
<b>MW-5D</b>	04/27/06	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,900</b>	-
<b>"B" Zone</b>	06/01/06	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,300</b>	-
<327.30>	09/12/06	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	<b>2.6</b>	<b>150</b>	<2.0	<2.0	<b>3,900</b>	-
	11/21/06	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<b>4.0</b>	<b>1,300</b>	<2.0	<2.0	<b>2,600</b>	-
	02/27/07	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>440</b>	<2.0	<2.0	<b>1,900</b>	-
	06/07/07	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,700</b>	-
	09/14/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>170</b>	<2.0	<2.0	<b>1,600</b>	-
	11/17/07	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3,000</b>	-
	02/28/08	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>890</b>	-
	06/04/08	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>160</b>	<2.0	<2.0	<b>1,500</b>	-
	09/11/08	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>2,500</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	12/23/08	7.57	319.73	<b>670</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,800</b>	-
	03/17/09	5.35	321.95	<b>720</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,100</b>	-
	06/26/09	6.54	320.76	<b>360</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>1,600</b>	-
	12/03/09	5.81	321.49	<b>1,100</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>1,500</b>	-
	06/09/10	5.09	322.21	<b>560</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>560</b>	<2.0	<2.0	<b>2,200</b>	-
	11/11/10	6.08	321.22	<b>700</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>360</b>	<2.0	<2.0	<b>2,300</b>	-
	06/03/11	4.98	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>610</b>	<2.0	<2.0	<b>1,200</b>	-
	12/07/11	5.91	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>430</b>	<2.0	<2.0	<b>690</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	5.14	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>390</b>	<0.2 / <10,000
	04/27/12	4.59	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>16</b>	<2.0	<2.0	<b>450</b>	<0.2 / <10,000
	07/13/12	5.64	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>35</b>	<2.0	<2.0	<b>93</b>	-
<b>MW-6S</b>	04/27/06	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>190</b>	-
<b>"A" Zone</b>	06/01/06	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>73</b>	-
<326.53>	09/12/06	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>130</b>	-
	11/21/06	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>140</b>	-
	02/27/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>87</b>	-
	06/07/07	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>83</b>	-
	09/14/07	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>72</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	11/17/07	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>72</b>	-
	02/28/08	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>68</b>	-
	06/04/08	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>65</b>	-
	09/11/08	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>130</b>	-
	12/23/08	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>83</b>	-
	03/17/09	4.80	321.73	<b>61</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>160</b>	-
	06/26/09	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>81</b>	-
	12/03/09	5.03	321.50	<b>130</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>220</b>	-
	06/11/10	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>120</b>	-
	11/11/10	5.50	321.03	<b>110</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>170</b>	-
	06/03/11	4.06	322.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>31</b>	<2.0	<2.0	<b>110</b>	-
	12/07/11	4.73	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>62</b>	<2.0	<2.0	<b>98</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	1.21	325.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>90</b>	-
	04/27/12	8.14	318.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>39</b>	-
	07/13/12	6.30	320.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>15</b>	<2.0	<2.0	<b>35</b>	-
<b>MW-6D</b>	04/27/06	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>22</b>	-
<b>"B" Zone</b>	06/01/06	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-
<326.72>	09/12/06	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.3</b>	-
	11/21/06	5.52	321.2	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.8</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	02/27/07	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.6</b>	-
	06/07/07	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8.5</b>	-
	09/14/07	5.42	321.3	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-
	11/17/07	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>26</b>	-
	02/28/08	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>9.3</b>	-
	06/04/08	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>18</b>	-
	09/11/08	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>64</b>	-
	12/23/08	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.8</b>	-
	03/17/09	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>26</b>	-
	06/26/09	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/03/09	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>52</b>	-
	06/11/10	4.50	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-
	11/11/10	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>44</b>	-
	06/03/11	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>17</b>	-
	12/07/11	5.38	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>24</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-
	04/27/12	4.06	322.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-
	07/13/12	5.12	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-



**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
MW-7	04/27/06	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"A" Zone	06/01/06	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>16</b>	-
<326.16>	09/12/06	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>81</b>	-
	11/21/06	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>180</b>	-
	02/27/07	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>350</b>	-
	06/07/07	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>520</b>	-
	09/14/07	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>13</b>	<2.0	<2.0	<b>270</b>	-
	11/17/07	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>710</b>	-
	02/28/08	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,800</b>	-
	06/04/08	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,100</b>	<2.0	<2.0	<b>4,300</b>	-
	09/11/08	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,100</b>	<2.0	<2.0	<b>3,200</b>	-
	12/23/08	4.24	321.92	<b>590</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,300</b>	-
	03/17/09	3.41	322.75	<b>1,700</b>	<0.50	<0.50	<0.50	<1.0	<b>2.9</b>	<10	<2.0	<2.0	<b>4,100</b>	-
	06/26/09	4.61	321.55	<b>440</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>2,000</b>	<2.0	<2.0	<b>2,400</b>	-
	12/03/09	4.75	321.41	<b>2,500</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>21</b>	<2.0	<2.0	<b>3,400</b>	-
	06/11/10	4.03	322.13	<b>630</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>680</b>	<2.0	<2.0	<b>2,700</b>	-
	11/10/10	4.92	321.24	<b>790</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>790</b>	<2.0	<2.0	<b>2,700</b>	-
	06/03/11	3.92	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>830</b>	<2.0	<2.0	<b>2,000</b>	-
	12/07/11	4.88	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>950</b>	<2.0	<2.0	<b>1,200</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	3.64	322.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>320</b>	<2.0	<2.0	<b>780</b>	<0.40 / <5,000
	04/27/12	3.47	322.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>23</b>	<2.0	<2.0	<b>530</b>	<0.40 / <5,000
	07/13/12	4.55	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>16</b>	<2.0	<2.0	<b>49</b>	–
<b>MW-8</b>	04/27/06	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,000</b>	–
<b>“B” Zone</b>	06/01/06	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,000</b>	–
<325.88>	09/12/06	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>2,500</b>	–
	11/21/06	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	<b>2.2</b>	<b>430</b>	<2.0	<2.0	<b>1,900</b>	–
	02/27/07	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>330</b>	<2.0	<2.0	<b>1,600</b>	–
	06/07/07	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,500</b>	–
	09/14/07	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>58</b>	<2.0	<2.0	<b>630</b>	–
	11/17/07	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>640</b>	–
	02/28/08	–	–	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	–
	06/04/08	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>870</b>	–
	09/11/08	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>290</b>	<2.0	<2.0	<b>1,300</b>	–
	12/23/08	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>150</b>	–
	03/17/09	3.11	322.77	<b>640</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,400</b>	–
	06/26/09	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>85</b>	–
	12/03/09	4.45	321.43	<b>540</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>770</b>	–

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	06/11/10	3.74	322.14	220	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	1,100	-
	11/10/10	4.63	321.25	220	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	350	-
	06/03/11	3.67	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	220	<2.0	<2.0	100	-
	12/06/11	4.62	321.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	110	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	3.92	321.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	58	<0.40 / <5,000
	04/27/12	3.51	322.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	110	<0.40 / <5,000
	07/13/12	4.51	321.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	42	<2.0	<2.0	87	-
<b>MW-9</b>	04/27/06	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200	-
<b>"B" Zone</b>	06/01/06	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000	-
<325.29>	09/12/06	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100	-
	11/21/06	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200	-
	02/27/07	2.69	322.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930	-
	06/07/07	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400	-
	09/14/07	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460	-
	11/17/07	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910	-
	02/28/08	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200	-
	06/04/08	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.4	1,400	<2.0	<2.0	5,500	-
	09/11/08	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	2,700	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
	12/23/08	3.29	322.00	<b>62</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>260</b>	-
	03/17/09	2.59	322.70	<b>1,800</b>	<0.50	<0.50	<0.50	<1.0	<b>3.0</b>	<10	<2.0	<2.0	<b>3,800</b>	-
	06/26/09	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>41</b>	-
	12/03/09	-	-	<b>2,200</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>12</b>	<2.0	<2.0	<b>2,800</b>	-
	06/09/10	3.20	322.09	<b>850</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>660</b>	<2.0	<2.0	<b>3,800</b>	-
	11/10/10	-	-	<b>400</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>800</b>	-
	06/03/11	3.07	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>460</b>	<2.0	<2.0	<b>260</b>	-
	12/06/11	4.07	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>330</b>	<2.0	<2.0	<b>47</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	03/22/12	3.37	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>860</b>	<2.0	<2.0	<b>470</b>	<0.2 / <5.0
	04/27/12	3.00	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>340</b>	<2.0	<2.0	<b>1,500</b>	<0.2 / <5.0
	07/13/12	3.85	321.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>400</b>	<2.0	<2.0	<b>410</b>	-
<b>MW-10</b>	04/27/06	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-
<b>"B" Zone</b>	06/01/06	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<325.54>	09/12/06	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>12</b>	-
	11/21/06	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-
	02/27/07	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-
	06/07/07	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>12</b>	-
	09/14/07	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
	11/17/07	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.1</b>	-
	02/28/08	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/04/08	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>9.5</b>	-
	09/11/08	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.8</b>	-
	12/23/08	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	03/17/09	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	06/26/09	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/03/09	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.4</b>	-
	06/09/10	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.4</b>	-
	11/10/10	4.32	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.4</b>	-
	06/03/11	3.29	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.0</b>	-
	12/06/11	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.2</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/13/12	3.96	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.9</b>	-
<b>MW-11</b>	06/11/10	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>550</b>	<2.0	<2.0	<b>160</b>	-
<b>"A" Zone</b>	11/11/10	7.81	321.23	<b>110</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>530</b>	<2.0	<2.0	<b>180</b>	-
<329.04>	06/01/11	6.53	322.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>66</b>	-
	12/07/11	7.54	321.50	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>59</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.48	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>84</b>	<2.0	<2.0	<b>51</b>	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										Hex Chrome / Bromate
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	
<b>MW-12</b>	06/11/10	6.83	322.29	<b>190</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>2,400</b>	<2.0	<2.0	<b>870</b>	-
<b>"A" Zone</b>	11/11/10	7.92	321.20	<b>380</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,300</b>	<2.0	<2.0	<b>680</b>	-
<329.12>	06/01/11	6.90	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>230</b>	<2.0	<2.0	<b>230</b>	-
	12/07/11	7.69	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>87</b>	<2.0	<2.0	<b>110</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.54	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>26</b>	<2.0	<2.0	<b>8.6</b>	-
<b>MW-13</b>	06/11/10	6.64	322.29	<b>150</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>780</b>	<2.0	<2.0	<b>800</b>	-
<b>"A" Zone</b>	11/11/10	7.72	321.21	<b>320</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>810</b>	<2.0	<2.0	<b>550</b>	-
<328.93>	06/01/11	6.72	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>210</b>	<2.0	<2.0	<b>160</b>	-
	12/07/11	7.53	321.40	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>110</b>	<2.0	<2.0	<b>110</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.33	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>35</b>	<2.0	<2.0	<b>40</b>	-
<b>MW-14</b>	06/10/10	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>150</b>	-
<b>"B" Zone</b>	11/10/10	3.20	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.8</b>	-
<324.38>	06/01/11	2.38	322.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>12</b>	<2.0	<2.0	<b>36</b>	-
	12/06/11	3.23	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.4</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	2.87	321.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
MW-15	06/10/10	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"B" Zone	11/10/10	4.84	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<325.76>	06/01/11	4.18	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/06/11	4.95	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	4.40	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
MW-16	06/10/10	4.65	321.64	<b>230</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,200</b>	-
"B" Zone	11/10/10	5.42	320.87	<b>520</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>830</b>	-
<326.29>	06/01/11	4.58	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>230</b>	<2.0	<2.0	<b>960</b>	-
	12/06/11	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>510</b>	<2.0	<2.0	<b>730</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	5.00	321.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>350</b>	<2.0	<2.0	<b>750</b>	-
MW-17	06/10/10	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
"B" Zone	11/10/10	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
<326.46>	06/01/11	4.78	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-
	12/06/11	5.68	320.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2.8</b>	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	5.18	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-

**Table 1**  
**SUMMARY OF GROUNDWATER ANALYTICAL RESULTS**  
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elevation	Concentrations, in micrograms per liter (ug/l)										
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Hex Chrome / Bromate
EW-1	06/10/10	6.47	322.47	170	15	<0.50	4.4	1.2	<2.0	<10	<2.0	<2.0	76	-
"A" Zone	11/11/10	7.69	321.25	740	53	<0.50	7.5	<1.0	<2.0	150	<2.0	<2.0	140	-
<328.94>	06/03/11	6.68	322.26	<50	11	<0.50	1.7	<1.0	<2.0	140	<2.0	<2.0	35	-
	12/07/11	7.53	321.41	440	38	<0.50	3.5	<1.0	<2.0	110	<2.0	<2.0	48	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.38	321.56	980	22	1.4	4.6	<1.0	<2.0	180	<2.0	<2.0	36	-
EW-2	06/10/10	6.62	322.37	99	11	1.0	3.0	3.3	<2.0	<10	<2.0	<2.0	110	-
"A" Zone	11/11/10			Well was not gauged or sampled on this date.										-
<328.99>	06/01/11			Well was not gauged or sampled on this date.										-
	12/07/11	7.49	321.50	570	26	<0.50	42	1.9	<2.0	490	<2.0	<2.0	150	-
<b>Ozone Remediation Initiated on February 27, 2012</b>														
	07/12/12	7.41	321.58	570	19	<0.5	8.1	<1.0	<2.0	620	<2.0	<2.0	100	-

**Table Notes:**

GW Depth = Groundwater depth below top of casing.  
 GW Elevation = Groundwater mean sea level elevation.  
 TPH-D = Total Petroleum Hydrocarbons as Diesel  
 TPH-MO = Total Petroleum Hydrocarbons as Motor Oil  
 TPH-G = Total Petroleum Hydrocarbons as Gasoline  
 B = Benzene  
 T = Toluene  
 E = Ethylbenzene  
 X = Xylenes  
 TAME = Tert-amyl Methyl Ether

TBA = tert-Butanol  
 DIPE = Diisopropyle ether  
 ETBE = Ethyl-tert-butyl ether  
 MTBE = Methyl-t-Butyl Ether  
 NA = Not analyzed for particular parameter  
 <0.050 = Not detected above the expressed value.  
 <328.88> = Surveyed top of casing mean sea level elevation.  
 "A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.  
 "B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.  
 1 = MTBE result was confirmed using USEPA Method 8260B.



**ATTACHMENT A**  
**GROUNDWATER MONITORING FIELD DATA RECORDS**

**Groundwater Gauging Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Field Personnel M. Rasman Date 7/12-13/2012  
 Weather Conditions Clear, warm-hot

Well ID	Depth to Free Product (feet)	Depth to Groundwater (feet)	Casing Elevation (mss)	Groundwater Elevation (mss)	Total Well Depth (feet)	Well Box Conditions
MW-1	—	7.29	328.88	321.59	20.2	
MW-2	—	6.07	327.64	321.57	20.2	
MW-3	—	5.03	327.44	321.61	20.2	
MW-4S	—	6.22	327.80	321.58	20	
MW-4D	—	6.19	327.67	321.48	30.8	
MW-5S	—	5.56	327.09	321.53	20.2	
MW-5D	—	5.64	327.30	321.66	25.3	
MW-6S	—	6.30	326.53	320.23	19.0	
MW-6D	—	5.12	326.72	321.60	33.9	
MW-7	—	4.55	326.16	321.61	20.0	
MW-8	—	4.51	325.88	321.37	35.0	
MW-9	—	3.85	325.29	321.44	40	
MW-10	—	3.96	325.54	321.58	39.4	
MW-11	—	7.48	329.04	321.56	19.6	
MW-12	—	7.54	329.12	321.58	19.6	
MW-13	—	7.33	328.93	321.60	19.6	
MW-14	—	2.87	324.38	321.51	39.5	
MW-15	—	4.40	325.76	321.36	39.6	
MW-16	—	5.00	326.29	321.29	39.5	
MW-17	—	5.18	326.46	321.28	38.5	
EW-1	—	7.38	328.94	321.56	14.4	
EW-2	—	7.41	328.99	321.58	14.3	

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/12/2012  
 Weather Conditions Clear hot

Well ID MW-1  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2  
 Depth to Water 7.29 Depth to Free Product —  
 Water Column (ft) 12.91 Product Thickness Ø  
 One Well Volume (gal) 2.19 3x Well Volume (gal) 6.6

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1241							
1244	2	19.7	2.89		7.62		
1247	4	20.0	2.86		7.63		
1250	6	19.6	2.95		7.61		
1253	8	19.4	3.00		7.60		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1255 Sampler's Signature MARK

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID MW-2  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2  
 Depth to Water 6.07 Depth to Free Product —  
 Water Column (ft) 14.13 Product Thickness φ  
 One Well Volume (gal) 2.40 3x Well Volume (gal) 7.2

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1411							
1413	2	18.3	1.60		7.74		
1415	4	18.4	1.58		7.81		
1418	6	18.3	1.58		7.85		
1420	8	18.3	1.57		7.96		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1420 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID MW-3  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.0  
 Depth to Water 5.83 Depth to Free Product —  
 Water Column (ft) 14.17 Product Thickness φ  
 One Well Volume (gal) 2.41 3x Well Volume (gal) 7.2

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1215							
1217	2	22.7	3.86		7.79		
1220	4	23.4	3.23		7.77		
1222	6	22.1	4.43		7.75		
1225	8	21.6	5.51		7.69		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1225 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-4S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 20  
 Depth to Water 6.22 Depth to Free Product —  
 Water Column (ft) 13.78 Product Thickness φ  
 One Well Volume (gal) 0.81 3x Well Volume (gal) 2.4

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V Peristaltic Pump
Sample Method		X	12V Peristaltic Pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1347							
1352	1	21.2	4.89		7.20		
1358	2	21.0	4.88		7.21		
1403	3	20.9	4.89		7.21		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1405 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-4D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 30.8  
 Depth to Water 6.19 Depth to Free Product —  
 Water Column (ft) 24.61 Product Thickness φ  
 One Well Volume (gal) 1.45 3x Well Volume (gal) 4.4

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V Peristaltic Pump
Sample Method		X	12V Peristaltic Pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1343							
	2						
	3						
	4						
	5						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1415 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, cool

Well ID MW-5S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.2  
 Depth to Water 5.56 Depth to Free Product —  
 Water Column (ft) 14.64 Product Thickness φ  
 One Well Volume (gal) 0.86 3x Well Volume (gal) 2.6

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V Peristaltic pump
Sample Method		X	12V Peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1245							
1250	1	20.8	3.50		7.24		
1255	2	20.8	3.51		7.24		
1300	3	20.7	3.51		7.24		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1300 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, cool

Well ID MW-5D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 25.3  
 Depth to Water 5.64 Depth to Free Product —  
 Water Column (ft) 19.66 Product Thickness φ  
 One Well Volume (gal) 1.16 3x Well Volume (gal) 3.5

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V Peristaltic pump
Sample Method		X	12V Peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1240							
	1						Day 0 ~ 0.5 gal
	2						
	3						
	4						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			H. Brown
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1300 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, cool

Well ID MW-6S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 19.0  
 Depth to Water 6.30 Depth to Free Product —  
 Water Column (ft) 12.70 Product Thickness ∅  
 One Well Volume (gal) 0.75 3x Well Volume (gal) 2.2

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1129							
1136	1	20.2	4.68	/	7.27	/	Dry @ ~1 gal.
	2						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1210 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, cool

Well ID MW-6D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 33.9  
 Depth to Water 5.12 Depth to Free Product —  
 Water Column (ft) 28.78 Product Thickness ∅  
 One Well Volume (gal) 1.70 3x Well Volume (gal) 5.1

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method			12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1142							
1149	2	20.0	3.72	/	7.47	/	
1156	4	19.9	3.67	/	7.48	/	
1200	5	20.0	3.64	/	7.48	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1200 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-7  
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.0  
 Depth to Water 4.55 Depth to Free Product —  
 Water Column (ft) 15.45 Product Thickness ∅  
 One Well Volume (gal) 0.91 3x Well Volume (gal) 2.7

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1039							
1048	1	20.5	5.39		7.55		
1057	2	20.4	5.13		7.57		
1106	3	20.4	5.07		7.60		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1110 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-8  
 Casing Diameter (inches) 0.75 Total Depth (feet) 35.0  
 Depth to Water 4.51 Depth to Free Product —  
 Water Column (ft) 30.49 Product Thickness ∅  
 One Well Volume (gal) 1.80 3x Well Volume (gal) 5.4

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V Peristaltic pump
Sample Method		X	12V Peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0756							
0805	2	19.6	3.51		7.43		
0815	4	19.7	3.49		7.53		
0824	6	19.7	3.46		7.39		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0825 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-9  
 Casing Diameter (inches) 0.75 Total Depth (feet) 40  
 Depth to Water 3.85 Depth to Free Product —  
 Water Column (ft) 36.15 Product Thickness φ  
 One Well Volume (gal) 2.13 3x Well Volume (gal) 6.4

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0837							
0845	2	19.5	4.96		7.21		
0851	4	19.5	4.94		7.21		
0858	6	19.5	5.00		7.21		
0902	7	19.5	4.94		7.21		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0905 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/13/2012  
 Weather Conditions Clear, Cool

Well ID MW-10  
 Casing Diameter (inches) 0.75 Total Depth (feet) 39.4  
 Depth to Water 3.96 Depth to Free Product —  
 Water Column (ft) 35.44 Product Thickness φ  
 One Well Volume (gal) 2.09 3x Well Volume (gal) 6.3

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0926							
0939	2	19.9	4.31		7.59		
0951	4	19.9	4.34		7.58		
1003	6	19.9	4.33		7.59		
1009	7	20.0	4.29		7.57		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1010 Sampler's Signature MAR



**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID MW-11  
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6  
 Depth to Water 7.48 Depth to Free Product —  
 Water Column (ft) 12.12 Product Thickness ∅  
 One Well Volume (gal) 2.06 3x Well Volume (gal) 6.2

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1433							
1435	2	18.8	3.08	/	7.85	/	
1437	4	18.5	3.06	/	7.81	/	
1440	6	18.3	3.05	/	7.79	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			lt. grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1440 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID MW-12  
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6  
 Depth to Water 7.54 Depth to Free Product —  
 Water Column (ft) 12.06 Product Thickness ∅  
 One Well Volume (gal) 2.05 3x Well Volume (gal) 6.2

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1339							
1342	2	18.4	4.34	/	7.54	/	
1345	4	18.3	4.32	/	7.54	/	
1348	6	18.2	4.22	/	7.54	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1350 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID MW-13  
 Casing Diameter (inches) 2.0 Total Depth (feet) 19.6  
 Depth to Water 7.33 Depth to Free Product —  
 Water Column (ft) 12.27 Product Thickness ∅  
 One Well Volume (gal) 2.09 3x Well Volume (gal) 6.3

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1315							
1318	2	19.0	5.28		7.45		
1321	4	18.8	5.19		7.47		
1324	6	18.7	5.04		7.48		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			lt. grey
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 1325 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, warm

Well ID MW-14  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5  
 Depth to Water 2.87 Depth to Free Product —  
 Water Column (ft) 36.63 Product Thickness ∅  
 One Well Volume (gal) 6.23 3x Well Volume (gal) 18.7

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1134							
1137	4	19.4	4.54		7.57		
1140	8	19.4	4.62		7.57		
1143	12	19.4	4.57		7.57		
1146	16	19.4	4.46		7.58		
1148	17	19.4	4.44		7.58		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1150 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, warm

Well ID MW-15  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.6  
 Depth to Water 4.40 Depth to Free Product —  
 Water Column (ft) 35.20 Product Thickness φ  
 One Well Volume (gal) 5.24 3x Well Volume (gal) 15.7

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0938							
0943	4	18.6	5.49		7.56		
0948	8	18.7	6.59		7.57		
0954	12	18.7	6.53		7.59		
0959	16	18.7	6.46		7.60		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1000 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/12/2012  
 Weather Conditions Clear, warm

Well ID MW-16  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5  
 Depth to Water 5.00 Depth to Free Product —  
 Water Column (ft) 34.50 Product Thickness φ  
 One Well Volume (gal) 5.87 3x Well Volume (gal) 17.6

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1011							
1015	4	19.2	5.08		7.40		
1018	8	19.2	5.06		7.40		
1022	12	19.3	5.06		7.40		
1025	16	19.3	5.09		7.40		
1027	18	19.3	5.07		7.40		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1030 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/12/2012  
 Weather Conditions Clear, warm

Well ID MW-17  
 Casing Diameter (inches) 2.0 Total Depth (feet) 38.5  
 Depth to Water 5.18 Depth to Free Product —  
 Water Column (ft) 33.32 Product Thickness ∅  
 One Well Volume (gal) 5.66 3x Well Volume (gal) 17.0

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method			

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0908							
0913	4	19.7	5.50		7.55		
0920	8	19.7	5.44		7.53		stater purging
0930	12	19.7	5.40		7.52		Collect sample
	17						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color		X			H. gray
Odor	X				
Turbidity		X			
Sheen	X				
Other:					

Sample Time 0930 Sampler's Signature MARK

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID EW-1  
 Casing Diameter (inches) 2.0 Total Depth (feet) 14.4  
 Depth to Water 7.38 Depth to Free Product —  
 Water Column (ft) 7.02 Product Thickness ∅  
 One Well Volume (gal) 1.19 3x Well Volume (gal) 3.6

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1456							
1458	1	19.9	0.88		7.12		
1500	2	19.8	0.89		7.14		
1501	3	19.7	0.92		7.15		
1503	4	19.5	0.93		7.17		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor		X			HC
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1505 Sampler's Signature MARK

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MWR Date 7/12/2012  
 Weather Conditions Clear, hot

Well ID EW-2  
 Casing Diameter (inches) 2.0 Total Depth (feet) 14.3  
 Depth to Water 7.41 Depth to Free Product —  
 Water Column (ft) 6.89 Product Thickness φ  
 One Well Volume (gal) 1.17 3x Well Volume (gal) 3.5

Notes:

One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	RV purge pump
Sample Method		X	RV purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1513							
1515	1	20.1	1.13	/	7.23	/	
1516	2	20.1	1.13	/	7.23	/	
1517	3	20.1	1.13	/	7.23	/	
	4	20.0	1.14	/	7.23	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor		X			H <sub>2</sub> S
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1520 Sampler's Signature MWR

**ATTACHMENT B**  
**LABORATORY DATA REPORTS AND**  
**CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

25 July 2012

Jim Gribi  
 Gribi Associates  
 1090 Adam Street, Suite K  
 Benicia, CA 94510  
 RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 07/17/12 10:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Daniel Chavez  
 Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T121222-01	Water	07/12/12 12:55	07/17/12 10:00
MW-2	T121222-02	Water	07/12/12 14:20	07/17/12 10:00
MW-3	T121222-03	Water	07/12/12 12:25	07/17/12 10:00
MW-4S	T121222-04	Water	07/13/12 14:05	07/17/12 10:00
MW-4D	T121222-05	Water	07/13/12 14:15	07/17/12 10:00
MW-5S	T121222-06	Water	07/13/12 13:00	07/17/12 10:00
MW-5D	T121222-07	Water	07/13/12 13:10	07/17/12 10:00
MW-6S	T121222-08	Water	07/13/12 12:10	07/17/12 10:00
MW-6D	T121222-09	Water	07/13/12 12:00	07/17/12 10:00
MW-7	T121222-10	Water	07/13/12 11:10	07/17/12 10:00
MW-8	T121222-11	Water	07/13/12 08:25	07/17/12 10:00
MW-9	T121222-12	Water	07/13/12 09:05	07/17/12 10:00
MW-10	T121222-13	Water	07/13/12 10:10	07/17/12 10:00
MW-11	T121222-14	Water	07/12/12 14:40	07/17/12 10:00
MW-12	T121222-15	Water	07/12/12 13:50	07/17/12 10:00
MW-13	T121222-16	Water	07/12/12 13:25	07/17/12 10:00
MW-14	T121222-17	Water	07/12/12 11:50	07/17/12 10:00
MW-15	T121222-18	Water	07/12/12 10:00	07/17/12 10:00
MW-16	T121222-19	Water	07/12/12 10:30	07/17/12 10:00
MW-17	T121222-20	Water	07/12/12 09:30	07/17/12 10:00
EW-1	T121222-21	Water	07/12/12 15:05	07/17/12 10:00
EW-2	T121222-22	Water	07/12/12 15:20	07/17/12 10:00

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-1**  
**T121222-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>88</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>8.3</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.6 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	91.6 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-2**  
**T121222-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>5.0</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.4 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	93.2 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-3  
 T121222-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>8.8</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	95.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	92.4 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-4S  
 T121222-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>370</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>1100</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8	96.6 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	105 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	93.9 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-4D**  
**T121222-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>12</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>41</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.2 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		93.0 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-5S**  
**T121222-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>53</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>35</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98.5 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		94.9 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-5D**  
**T121222-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>35</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>93</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.4 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		93.0 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-6S**  
**T121222-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>15</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>35</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.9 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		101 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		91.0 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-6D**  
**T121222-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>13</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	89.9 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-7**  
**T121222-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>16</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>49</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.8 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	100 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	92.6 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-8  
T121222-11 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>42</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>87</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		96.5 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		93.4 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	<b>Reported:</b> 07/25/12 13:45
--	--	------------------------------------

**MW-9  
T121222-12 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>400</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>410</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.6 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		91.2 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-10**  
**T121222-13 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>3.9</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		96.9 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		107 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		94.2 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-11**  
**T121222-14 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>84</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>51</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		95.6 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		94.2 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] **Reported:**  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-12**  
**T121222-15 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>26</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>8.6</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		97.2 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		106 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		92.9 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager

Page 16 of 27



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] **Reported:**  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-13**  
**T121222-16 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>35</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>40</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95.1 %	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		94.0 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager

Page 17 of 27



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-14**  
**T121222-17 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	95.9 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	93.6 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-15**  
**T121222-18 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	97.6 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	95.6 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-16**  
**T121222-19 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>350</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>750</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8		95.9 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		103 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		93.5 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**MW-17**  
**T121222-20 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	2071715	07/17/12	07/19/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		97.9 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		101 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		95.5 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**EW-1**  
**T121222-21 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

<b>Benzene</b>	<b>22</b>	0.50	ug/l	1	2071714	07/17/12	07/18/12	EPA 8260B	
<b>Toluene</b>	<b>1.4</b>	0.50	"	"	"	"	"	"	
<b>Ethylbenzene</b>	<b>4.6</b>	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>180</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>36</b>	1.0	"	"	"	"	"	"	
<b>C6-C12 (GRO)</b>	<b>980</b>	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	107 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	92.8 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**EW-2**  
**T121222-22 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

<b>Benzene</b>	<b>19</b>	0.50	ug/l	1	2071714	07/17/12	07/18/12	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
<b>Ethylbenzene</b>	<b>8.1</b>	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>620</b>	50	"	5	"	"	07/18/12	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	07/18/12	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>100</b>	1.0	"	"	"	"	"	"	
<b>C6-C12 (GRO)</b>	<b>570</b>	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	96.5 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	107 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	91.0 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

**Batch 2071714 - EPA 5030 GCMS**

Blank (2071714-BLK1) Prepared & Analyzed: 07/17/12									
Benzene	ND	0.50	ug/l						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
m,p-Xylene	ND	1.0	"						
o-Xylene	ND	0.50	"						
Tert-amyl methyl ether	ND	2.0	"						
Tert-butyl alcohol	ND	10	"						
Di-isopropyl ether	ND	2.0	"						
Ethyl tert-butyl ether	ND	2.0	"						
Methyl tert-butyl ether	ND	1.0	"						
C6-C12 (GRO)	ND	50	"						
Surrogate: Toluene-d8	7.79		"	8.00	97.4	88.8-117			
Surrogate: 4-Bromofluorobenzene	7.95		"	8.00	99.4	83.5-119			
Surrogate: Dibromofluoromethane	7.15		"	8.00	89.4	81.1-136			

LCS (2071714-BS1) Prepared: 07/17/12 Analyzed: 07/18/12									
Benzene	20.4	0.50	ug/l	20.0	102	75-125			
Toluene	20.4	0.50	"	20.0	102	75-125			
Surrogate: Toluene-d8	7.32		"	8.00	91.5	88.8-117			
Surrogate: 4-Bromofluorobenzene	7.50		"	8.00	93.8	83.5-119			
Surrogate: Dibromofluoromethane	7.26		"	8.00	90.8	81.1-136			

Matrix Spike (2071714-MS1) Source: T121221-01 Prepared & Analyzed: 07/17/12									
Benzene	17.0	0.50	ug/l	20.0	ND	85.2	75-125		
Toluene	17.1	0.50	"	20.0	ND	85.6	75-125		
Surrogate: Toluene-d8	7.74		"	8.00	96.8	88.8-117			
Surrogate: 4-Bromofluorobenzene	7.74		"	8.00	96.8	83.5-119			
Surrogate: Dibromofluoromethane	7.67		"	8.00	95.9	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------------------	-----	-----------	-------

**Batch 2071714 - EPA 5030 GCMS**

Matrix Spike Dup (2071714-MSD1) Source: T121221-01 Prepared & Analyzed: 07/17/12									
Benzene	16.4	0.50	ug/l	20.0	ND	82.2	75-125	3.59	20
Toluene	16.8	0.50	"	20.0	ND	83.8	75-125	2.18	20
Surrogate: Toluene-d8	7.55		"	8.00		94.4	88.8-117		
Surrogate: 4-Bromofluorobenzene	8.17		"	8.00		102	83.5-119		
Surrogate: Dibromofluoromethane	8.68		"	8.00		108	81.1-136		

**Batch 2071715 - EPA 5030 GCMS**

Blank (2071715-BLK1) Prepared: 07/17/12 Analyzed: 07/18/12									
Benzene	ND	0.50	ug/l						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
m,p-Xylene	ND	1.0	"						
o-Xylene	ND	0.50	"						
Tert-amyl methyl ether	ND	2.0	"						
Tert-butyl alcohol	ND	10	"						
Di-isopropyl ether	ND	2.0	"						
Ethyl tert-butyl ether	ND	2.0	"						
Methyl tert-butyl ether	ND	1.0	"						
C6-C12 (GRO)	ND	50	"						
Surrogate: Toluene-d8	7.44		"	8.00	93.0	88.8-117			
Surrogate: 4-Bromofluorobenzene	7.93		"	8.00	99.1	83.5-119			
Surrogate: Dibromofluoromethane	7.18		"	8.00	89.8	81.1-136			

LCS (2071715-BS1) Prepared: 07/17/12 Analyzed: 07/19/12									
Benzene	17.7	0.50	ug/l	20.0		88.4	75-125		
Toluene	17.7	0.50	"	20.0		88.6	75-125		
Surrogate: Toluene-d8	7.35		"	8.00		91.9	88.8-117		
Surrogate: 4-Bromofluorobenzene	7.75		"	8.00		96.9	83.5-119		
Surrogate: Dibromofluoromethane	7.47		"	8.00		93.4	81.1-136		

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Daniel Chavez, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 2071715 - EPA 5030 GCMS**

<b>Matrix Spike (2071715-MS1)</b>		<b>Source: T121222-04</b>		<b>Prepared: 07/17/12</b>		<b>Analyzed: 07/19/12</b>	
Benzene	18.1	0.50	ug/l	20.0	ND	90.4	75-125
Toluene	18.4	0.50	"	20.0	ND	92.2	75-125
Surrogate: Toluene-d8	7.51		"	8.00		93.9	88.8-117
Surrogate: 4-Bromofluorobenzene	7.89		"	8.00		98.6	83.5-119
Surrogate: Dibromofluoromethane	7.17		"	8.00		89.6	81.1-136
<b>Matrix Spike Dup (2071715-MSD1)</b>		<b>Source: T121222-04</b>		<b>Prepared: 07/17/12</b>		<b>Analyzed: 07/19/12</b>	
Benzene	17.7	0.50	ug/l	20.0	ND	88.4	75-125 2.24 20
Toluene	18.0	0.50	"	20.0	ND	90.0	75-125 2.47 20
Surrogate: Toluene-d8	7.61		"	8.00		95.1	88.8-117
Surrogate: 4-Bromofluorobenzene	7.88		"	8.00		98.5	83.5-119
Surrogate: Dibromofluoromethane	7.33		"	8.00		91.6	81.1-136

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/25/12 13:45

**Notes and Definitions**

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

Daniel Chavez, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

7/12/22

<b>SUNSTAR LABORATORIES</b> 25712 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 Website: <a href="http://www.SUNSTARLABS.com">www.SUNSTARLABS.com</a> Email: <a href="mailto:john@sunstarlabs.com">john@sunstarlabs.com</a> Telephone: (949) 297-5020 Fax: (949) 297-5027				<b>CHAIN OF CUSTODY RECORD</b> <b>TURN AROUND TIME</b> <input type="checkbox"/> RUSH 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> 5 DAY <input checked="" type="checkbox"/> GeoTracker EDF <input type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Write On (DW)													
Report To: James Gribi		Bill To:		Analysis Request		Other	Comments										
Company: Gribi Associates		1090 Adams Street, Suite K		Benicia, CA 94510		E-Mail:	Filter Samples for Metals analysis: Yes / No										
Tele: ( 707 ) 748-7743		Client Name: Dublin Toyota		Project Name: Dublin Toyota		Fax: ( 707 ) 748-7763											
Global ID: T0600102153		Sampler Signature: <i>MJR</i>															
TPH-Gas, BTEX, MTBE (8015M)		TPH-Diesel (8015M)		TPH-Motor Oil (8015M)		TPH-Gas, BTEX, MTBE (8260B)											
TPH-Gas, BTEX, MTBE (8260B)		TPH-Gas, BTEX, 7 Oxygenates (8260B)		5 Oxygenates (8260B)		Lead Scavengers (1,2 DCA & 1,2 EDB) (8260B)											
VOC's - Full List (8260B)		Halogenated VOC's (8260B)		SVOC's (8270)													
SAMPLE ID	LOCATION/Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED						
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl					HNO <sub>3</sub>
15	MW-12	7/12	1350	4	VOA	X					X	X					
16	MW-13	7/12	1328	4	VOA	X					X	X					
17	MW-14	7/12	1150	4	VOA	X					X	X					
18	MW-15	7/12	1000	4	VOA	X					X	X					
19	MW-16	7/12	1030	4	VOA	X					X	X					
20	MW-17	7/12	0930	4	VOA	X					X	X					
22	EW-1	7/12	1505	4	VOA	X					X	X					
22	EW-2	7/12	1520	4	VOA	X					X	X					
Relinquished By: <i>MJR</i>		Date:	Time:	Received By: <i>WDO</i>		ICE# 34		GOOD CONDITION		HEAD SPACE ABSENT		DECLORINATED IN LAB		APPROPRIATE CONTAINERS		PRESERVED IN LAB	
Relinquished By: <i>GSO</i>		Date:	Time:	Received By: <i>JTH</i>		VOAS O&G METALS OTHER		PRESERVATION		pH-2							

**STD. TAT**  
7-17-12  
Page 2 of 2

7/12/22

<b>SUNSTAR LABORATORIES</b> 25712 COMMERCENTRE DRIVE LAKE FOREST, CA 92630 Website: <a href="http://www.SUNSTARLABS.com">www.SUNSTARLABS.com</a> Email: <a href="mailto:john@sunstarlabs.com">john@sunstarlabs.com</a> Telephone: (949) 297-5020 Fax: (949) 297-5027				<b>CHAIN OF CUSTODY RECORD</b> <b>TURN AROUND TIME</b> <input type="checkbox"/> RUSH 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> 5 DAY <input checked="" type="checkbox"/> GeoTracker EDF <input type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Write On (DW)													
Report To: James Gribi		Bill To:		Analysis Request		Other	Comments										
Company: Gribi Associates		1090 Adams Street, Suite K		Benicia, CA 94510		E-Mail:	Filter Samples for Metals analysis: Yes / No										
Tele: ( 707 ) 748-7743		Client Name: Dublin Toyota		Project Name: Dublin Toyota		Fax: ( 707 ) 748-7763											
Global ID: T0600102153		Sampler Signature: <i>MJR</i>															
TPH-Gas, BTEX, MTBE (8015M)		TPH-Diesel (8015M)		TPH-Motor Oil (8015M)		TPH-Gas, BTEX, MTBE (8260B)											
TPH-Gas, BTEX, MTBE (8260B)		TPH-Gas, BTEX, 5 Oxygenates (8260B)		5 Oxygenates (8260B)		Lead Scavengers (1,2 DCA & 1,2 EDB) (8260B)											
VOC's - Full List (8260B)		Halogenated VOC's (8260B)		SVOC's (8270)													
SAMPLE ID	LOCATION/Field Point Name	SAMPLING		# Containers	Type Containers	MATRIX					METHOD PRESERVED						
		Date	Time			Water	Soil	Air	Sludge	Other	Ice	HCl					HNO <sub>3</sub>
01	MW-1	7/12	1255	4	VOA	X					X	X					
02	MW-2	7/12	1420	4	VOA	X					X	X					
03	MW-3	7/12	1225	4	VOA	X					X	X					
04	MW-4S	7/13	1405	4	VOA	X					X	X					
05	MW-4D	7/13	1415	4	VOA	X					X	X					
06	MW-5S	7/13	1300	4	VOA	X					X	X					
07	MW-5D	7/13	1310	4	VOA	X					X	X					
08	MW-6S	7/13	1210	4	VOA	X					X	X					
09	MW-6D	7/13	1200	4	VOA	X					X	X					
10	MW-7	7/13	1110	4	VOA	X					X	X					
11	MW-8	7/13	0825	4	VOA	X					X	X					
12	MW-9	7/13	0905	4	VOA	X					X	X					
12	MW-10	7/13	1010	4	VOA	X					X	X					
14	MW-11	7/12	1440	4	VOA	X					X	X					
Relinquished By: <i>MJR</i>		Date:	Time:	Received By: <i>DW</i>		ICE# 34		GOOD CONDITION		HEAD SPACE ABSENT		DECLORINATED IN LAB		APPROPRIATE CONTAINERS		PRESERVED IN LAB	
Relinquished By: <i>GSO</i>		Date:	Time:	Received By: <i>JTH</i>		VOAS O&G METALS OTHER		PRESERVATION		pH-2							

**STD. TAT**  
7/17/12  
Page 1 of 2

### SAMPLE RECEIVING REVIEW SHEET

BATCH # 721222

Client Name: GRUB Project: DUBLIN TOYOTA

Received by: Sunny Date/Time Received: 7-17-12 / 10:00

Delivered by:  Client  SunStar Courier  GSO  FedEx  Other \_\_\_\_\_

Total number of coolers received 1 Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 3.6 °C +/- the CF (-0.2°C) = 3.4 °C corrected temperature

cooler #2 \_\_\_\_\_ °C +/- the CF (-0.2°C) = \_\_\_\_\_ °C corrected temperature

cooler #3 \_\_\_\_\_ °C +/- the CF (-0.2°C) = \_\_\_\_\_ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling.  Yes  No\*  N/A

Custody Seals Intact on Cooler/Sample  Yes  No\*  N/A

Sample Containers Intact  Yes  No\*

Sample labels match COC ID's  Yes  No\*

Total number of containers received match COC  Yes  No\*

Proper containers received for analyses requested on COC  Yes  No\*

Proper preservative indicated on COC/containers for analyses requested  Yes  No\*  N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times.  Yes  No\*

\* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date SL 7-17-12

Comments:

---

---

---

---