



**RECEIVED**

By Alameda County Environmental Health at 3:40 pm, Oct 24, 2014

October 24, 2014

Alameda County Department of  
Environmental Health  
1131 Harbor Bay Parkway, 2<sup>nd</sup> Floor  
Alameda, CA 94502

Attention: Mr. Jerry Wickham

Subject: First Semi-Annual 2014 Groundwater Monitoring Report  
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California  
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *First Semi-Annual 2014 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in black ink that reads "Scott F. Anderson".

Scott F. Anderson  
Chief Financial Officer  
Dublin Toyota



6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025

[www.dublintoysota.com](http://www.dublintoysota.com)



October 24, 2014

Alameda County Department of  
Environmental Health  
1131 Harbor Bay Parkway, 2<sup>nd</sup> Floor  
Alameda, CA 94502

Attention: Mr. Jerry Wickham

Subject: First Semi-Annual 2014 Groundwater Monitoring Report  
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California  
**Alameda County LOP Site ID No. 0000333,**  
**Geotracker Global ID T0600102153**

Ladies and Gentlemen:

Gribi Associates is pleased to submit this First Semi-Annual 2014 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the site on June 20 and July 1, 2014.

## **DESCRIPTION OF MONITORING ACTIVITIES**

1. Gribi Associates personnel conducted groundwater monitoring activities for 16 site wells (MW-1, MW-2, MW-3, MW-4S, MW-4D, MW-5S, MW-5D, MW-6S, MW-6D, MW-8 through MW-10, and MW-14 through MW-17, ) on December 10, 20, and 21, 2012.
  - a. Monitoring wells MW-7, MW-11, MW-12, MW-13, EW-1, and EW-2 were not accessible during the sampling event.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
  - a. measuring static water levels;
  - b. checking for presence of free-product; and
  - c. purging of approximately three well volumes while recording temperature, pH, electroconductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

## **RESULTS OF GROUNDWATER MONITORING**

### **Hydrologic Conditions**

1. Groundwater depths ranged from approximately 3.38 feet (MW-14) to 7.55 feet (MW-12).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 320.55 feet (MW-15) to 321.72 feet (MW-2).
3. Groundwater elevations in shallow ("A" Zone) and deeper ("B" Zone) wells are variable and relatively flat.
  - a. Based on the MTBE plume configuration, groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

### **Laboratory Analytical Results**

1. Groundwater samples from the 16 wells were analyzed for the following parameters with standard method turn-around-time on results:
  - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
  - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
  - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Groundwater analytical results are summarized in Table 1.
3. Groundwater hydrocarbon results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody are contained in Attachment B.

## **OZONE REMEDIATION**

1. Gribi Associates initiated ozone remediation at the site on February 27, 2012.
2. The system experienced moderate amounts of downtime due to general wear and tear on various components that required repair and/or replacement.
3. The system was shut down in late November 2012 when the present site tenants discontinued business activities and electrical service at the site.

## **CONCLUSIONS**

1. During this monitoring event, groundwater MTBE and TBA concentrations in onsite wells showed slight rebound relative to the most recent groundwater monitoring events; however, these MTBE and TBA concentrations are well below historical highs.
2. Post-ozone injection groundwater MTBE/TBA concentrations in "A" Zone and "B" Zone wells within the main plume area have generally remained low, indicating that concentration rebound is not occurring to a significant degree. Furthermore, an increase in TBA concentrations along with increase in MTBE show that bio-attenuation of MTBE is occurring.

## PLANNED ACTIVITIES


1. Unless otherwise directed by ACDEH, Gribi Associates plans to conduct semi-annual groundwater monitoring at the site during the fourth quarter of 2014.
2. Gribi Associates is currently preparing a Site Conceptual Model for the site;
3. After completing the SCM, Gribi Associates will evaluate the Site relative to the State Water Quality Control Board's *Low-Threat Closure Policy*.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman  
Project Engineer



James E. Gribi  
Professional Geologist  
California No. 5843



Enclosure

c: Mr. Scott Anderson, Dublin Toyota, 4321 Toyota Drive, Dublin, CA 94568  
Mr. Nolan Davis, 50 Oak Court, Danville, CA 94526-4039

## TABLE

**Table 1**  
**CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS**  
**Dublin Toyota UST Site**

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)												
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br	
MW-1	12/15/1998	5.74	323.14	<b>46,000</b>	<100	<100	<100	<100	-	-	-	-	-	<b>62,000</b> <sup>1</sup>	-	-
"A" Zone	4/6/1999	5.09	323.79	<b>45,000</b>	<50	<50	<50	<50	-	-	-	-	-	<b>86,000</b> <sup>1</sup>	-	-
<328.88>	7/14/1999	6.18	322.70	<b>2,800</b>	<100	<100	<100	<100	-	-	-	-	-	<b>65,000</b> <sup>1</sup>	-	-
	10/14/1999	6.86	322.02	<b>11,000</b>	<17	<17	<17	<17	-	-	-	-	-	<b>98,000</b> <sup>1</sup>	-	-
	8/18/2000	6.98	321.90	<b>36,000</b>	<50	<50	<50	<50	-	-	-	-	-	<b>66,000</b> <sup>1</sup>	-	-
	5/29/2002	6.42	322.46	<b>29,100</b>	<15	<15	<15	<30	<b>841</b>	<500	<100	N50		<b>27,800</b> <sup>1</sup>	-	-
	11/20/2002	6.65	322.23	<b>110</b>	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20		<b>20,000</b>	-	-
	4/6/2003	5.95	322.93	<b>1,300</b>	<1.0	<1.0	<1.0	<1.0	<b>10</b>	<b>360</b>	<2.0	2.2		<b>15,000</b>	-	-
	7/13/2003	6.55	322.33	<b>74</b>	<0.50	<0.50	<0.50	<1.0	<b>10</b>	<b>42</b>	<5.0	<5.0		<b>15,000</b>	-	-
	2/11/2004	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	<b>10</b>	<b>420</b>	<2.0	2.5		<b>34,000</b>	-	-
	6/16/2004	6.37	322.51	<b>180</b>	<0.50	<0.50	<0.50	<1.0	<b>6.8</b>	<b>290</b>	<2.0	<2.0		<b>7,600</b>	-	-
	10/16/2004	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>6,720</b>	-	-
	12/30/2004	5.84	323.04	<b>92</b>	<0.50	<0.50	<0.50	<1.0	<b>5.2</b>	<10	<2.0	<2.0		<b>2,600</b>	-	-
	3/22/2005	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	<b>7.3</b>	<10	<2.0	<2.0		<b>6,900</b>	-	-
	6/10/2005	6.17	322.71	<b>100</b>	<0.50	<0.50	<0.50	<1.0	<b>9.8</b>	<10	<2.0	<2.0		<b>25,000</b>	-	-
	10/4/2005	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>2,500</b>	-	-
	12/21/2005	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>6,800</b>	-	-
	3/30/2006	5.81	323.07	<50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	<2.0		<b>6,900</b>	-	-
	6/1/2006	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>5,100</b>	-	-
	9/12/2006	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	<b>2.2</b>	<b>960</b>	<2.0	<2.0		<b>2,400</b>	-	-
	11/21/2006	7.68	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0		<b>930</b>	-	-
	2/27/2007	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0		<b>1,100</b>	-	-
	6/7/2007	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,500</b>	<2.0	<2.0		<b>1,100</b>	-	-
	9/14/2007	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>640</b>	<2.0	<2.0		<b>280</b>	-	-
	11/17/2007	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,400</b>	<2.0	<2.0		<b>260</b>	-	-
	2/28/2008	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,300</b>	<2.0	<2.0		<b>130</b>	-	-
	6/4/2008	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,700</b>	<2.0	<2.0		<b>290</b>	-	-
	9/11/2008	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0		<b>160</b>	-	-
	12/23/2008	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>13</b>	-	-
	3/17/2009	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>17</b>	-	-
	6/26/2009	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>390</b>	<2.0	<2.0		<b>74</b>	-	-
	12/3/2009	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>2,800</b>	<2.0	<2.0		<b>15</b>	-	-
	6/11/2010	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>58</b>	-	-
	11/11/2010	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0		<b>29</b>	-	-
	6/1/2011	6.64	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0		<b>14</b>	-	-
	12/6/2011	7.43	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>10</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>																
	7/12/2012	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>88</b>	<2.0	<2.0		<b>8.3</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>																
	12/10/2012	6.21	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>38</b>	<2.0	<2.0		<b>8</b>	-	-
	6/26/2013	7.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>51</b>	<2.0	<2.0		<b>4.2</b>	-	-
	12/17/2013	7.32	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>4.1</b>	-	-
	6/20/2014	7.96	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>11</b>	<2.0	<b>3.3</b>		<b>32</b>	-	-
MW-2	12/15/1998	4.30	323.34	<50	<0.50	<b>0.9</b>	<0.50	<b>1.5</b>	-	-	-	-		<5.0	-	-
"A" Zone	4/6/1999	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-		<5.0	-	-
<327.64>	7/14/1999	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-		<5.0	-	-
	10/14/1999	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	-	-	-	-		<5.0	-	-
	8/18/2000	5.72	321.92	<50	<0.50	<0.50	<0.50	<b>1.1</b>	-	-	-	-		<b>16</b>	-	-
	5/29/2002	5.18	322.46	<50	<0.3	<0.3	<0.3	<b>3.9</b>	<2.0	<10	<2.0	<2.0		<b>2.6</b>	-	-
	11/20/2002	5.52	322.12	<b>57</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<50	<2.0	<2.0		<b>9.1</b>	-	-
	4/6/2003	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0		<b>5.7</b>	-	-
	7/13/2003	5.24	322.40	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0		<b>6.5</b>	-	-
	2/11/2004	4.45	323.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>8.5</b>	-	-
	6/16/2004	4.93	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>120</b>	-	-
	10/16/2004	5.97	321.67	<b>78</b>	<0.50	<0.50	<0.50	<1.0	<b>4.1</b>	<10	<2.0	<2.0		<b>43.2</b>	-	-
	12/30/2004	4.74	322.90	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0		<b>14</b>	-	-
	3/22/2005	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>13</b>	-	-
	6/10/2005	4.83	322.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>14</b>	-	-
	10/4/2005	6.19	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>5.2</b>	-	-
	12/21/2005	5.81	321.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<1.0	-	-
	3/30/2006	4.55	323.09	<50	<0.50	<0.50	<0.50	<b>3.9</b>	<2.0	<10	<2.0	<2.0		<b>13</b>	-	-
	6/1/2006	5.93	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>14</b>	-	-
	9/12/2006	8.65	318.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>22</b>	-	-
	11/21/2006	6.42	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>19</b>	-	-
	2/27/2007	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>13</b>	-	-
	6/7/2007	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>30</b>	-	-
	9/14/2007	6.31	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>25</b>	-	-
	11/17/2007	5.9	321.74	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0		<b>13</b>	-	-
	2/28/2008	4.19	323.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10.0	<2.0	<2.0		<b>14</b>	-	-
	6/4/2008	5.58	32													



**Table 1**  
**CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS**  
**Dublin Toyota UST Site**

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
<b>MW-4D</b> "B" Zone <327.67>	4/27/2006	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/1/2006	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	9/12/2006	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	11/21/2006	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	2/27/2007	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/7/2007	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	9/14/2007	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	11/17/2007	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	2/28/2008	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/4/2008	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.2</b>	-	-
	9/11/2008	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.0</b>	-	-
	12/23/2008	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>5.0</b>	-	-
	3/17/2009	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>6.9</b>	-	-
	6/26/2009	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.9</b>	-	-
	12/3/2009	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>56</b>	-	-
	6/10/2010	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>54</b>	-	-
	11/10/2010	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>59</b>	-	-
	6/3/2011	5.07	322.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	11	<2.0	<2.0	<b>40</b>	-	-
	12/7/2011	6.12	321.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	40	<2.0	<2.0	<b>60</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	5.43	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>51</b>	<0.20	<5,000
	4/27/2012	4.92	322.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>66</b>	<0.20	<5,000
	7/13/2012	6.19	321.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	<b>41</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.97	322.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>87</b>	-	-
	6/27/2013	6.29	321.38	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>53</b>	-	-
	12/18/2013	6.07	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>80</b>	-	-
	6/20/2014	6.74	320.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>18</b>	<2.0	<2.0	<b>180</b>	-	-
<b>MW-5S</b> "A" Zone <327.09>	4/27/2006	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	<b>4.6</b>	<10	<2.0	<2.0	<b>10,000</b>	-	-
	6/1/2006	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8,300</b>	-	-
	9/12/2006	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	<b>3.5</b>	<b>340</b>	<2.0	<2.0	<b>6,500</b>	-	-
	11/21/2006	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	<b>3.5</b>	<b>1,200</b>	<2.0	<2.0	<b>4,700</b>	-	-
	2/27/2007	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	<b>2.9</b>	<b>1,400</b>	<2.0	<2.0	<b>3,800</b>	-	-
	6/7/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<b>3.2</b>	<10	<2.0	<2.0	<b>7,800</b>	-	-
	9/14/2007	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>640</b>	<2.0	<2.0	<b>2,700</b>	-	-
	11/17/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	<b>4,700</b>	-	-
	2/28/2008	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,700</b>	-	-
	6/4/2008	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	<b>2.7</b>	<b>1,500</b>	<2.0	<2.0	<b>7,300</b>	-	-
	9/11/2008	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,800</b>	<2.0	<2.0	<b>2,700</b>	-	-
	12/23/2008	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,400</b>	-	-
	3/17/2009	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,900</b>	-	-
	6/26/2009	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	<b>590</b>	<2.0	<2.0	<b>620</b>	-	-
	12/3/2009	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>190</b>	-	-
	6/9/2010	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>390</b>	<2.0	<2.0	<b>60</b>	-	-
	11/11/2010	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>51</b>	-	-
	6/3/2011	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>23</b>	<2.0	<2.0	<b>9.2</b>	-	-
	12/7/2011	5.70	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>16</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.6</b>	<0.2	<50
	4/27/2012	4.46	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>13</b>	<2.0	<2.0	<b>20</b>	<0.2	<50
	7/13/2012	5.56	321.53	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>53</b>	<2.0	<2.0	<b>35</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.65	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>94</b>	-	-
	6/27/2013	5.89	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-	-
	12/18/2013	5.76	321.33	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.8</b>	-	-
	6/20/2014	6.21	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.0</b>	-	-
<b>MW-5D</b> "B" Zone <327.30>	4/27/2006	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,900</b>	-	-
	6/1/2006	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,300</b>	-	-
	9/12/2006	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	<b>2.6</b>	<b>150</b>	<2.0	<2.0	<b>3,900</b>	-	-
	11/21/2006	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<b>4.0</b>	<b>1,300</b>	<2.0	<2.0	<b>2,600</b>	-	-
	2/27/2007	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>440</b>	<2.0	<2.0	<b>1,900</b>	-	-
	6/7/2007	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,700</b>	-	-
	9/14/2007	--	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>170</b>	<2.0	<2.0	<b>1,600</b>	-	-
	11/17/2007	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3,000</b>	-	-
	2/28/2008	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>890</b>	-	-
	6/4/2008	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>160</b>	<2.0	<2.0	<b>1,500</b>	-	-
	9/11/2008	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>2,500</b>	-	-
	12/23/2008	7.57	319.73	<b>670</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,800</b>	-	-
	3/17/2009	5.35	321.95	<b>720</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,100</b>	-	-
	6/26/2009	6.54	320.76	<b>360</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,000</b>	<2.0	<2.0	<b>1,600</b>	-	-
	12/3/2009	5.81	321.49	<b>1,100</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>1,500</b>	-	-
	6/9/2010	5.09	322.21	<b>560</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>560</b>	<2.0	<2.0			



**Table 1**  
**CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS**  
**Dublin Toyota UST Site**

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	4/27/2012	4.59	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>16</b>	<2.0	<2.0	<b>450</b>	<0.2	<10,000
	7/13/2012	5.64	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>35</b>	<2.0	<2.0	<b>93</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.84	322.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>63</b>	-	-
	6/27/2013	6.10	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-	-
	12/18/2013	5.94	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>140</b>	-	-
	6/20/2014	6.39	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>42</b>	-	-
<b>MW-6S</b>	4/27/2006	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>190</b>	-	-
<b>"A" Zone</b>	6/1/2006	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>73</b>	-	-
<b>&lt;326.53&gt;</b>	9/12/2006	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>130</b>	-	-
	11/21/2006	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>140</b>	-	-
	2/27/2007	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>87</b>	-	-
	6/7/2007	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>83</b>	-	-
	9/14/2007	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>72</b>	-	-
	11/17/2007	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>72</b>	-	-
	2/28/2008	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>68</b>	-	-
	6/4/2008	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>65</b>	-	-
	9/11/2008	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>130</b>	-	-
	12/23/2008	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>83</b>	-	-
	3/17/2009	4.80	321.73	<b>61</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>160</b>	-	-
	6/26/2009	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>81</b>	-	-
	12/3/2009	5.03	321.50	<b>130</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>220</b>	-	-
	6/11/2010	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>120</b>	-	-
	11/11/2010	5.50	321.03	<b>110</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>170</b>	-	-
	6/3/2011	4.06	322.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>31</b>	<2.0	<2.0	<b>110</b>	-	-
	12/7/2011	4.73	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>62</b>	<2.0	<2.0	<b>98</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	1.21	325.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>90</b>	-	-
	4/27/2012	8.14	318.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>39</b>	-	-
	7/13/2012	6.30	320.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>15</b>	<2.0	<2.0	<b>35</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	5.14	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>70</b>	-	-
	6/27/2013	5.26	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-	-
	12/18/2013	5.31	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>86</b>	-	-
	6/20/2014	5.36	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>24</b>	<2.0	<2.0	<b>230</b>	-	-
<b>MW-6D</b>	4/27/2006	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>22</b>	-	-
<b>"B" Zone</b>	6/1/2006	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-	-
<b>&lt;326.72&gt;</b>	9/12/2006	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.3</b>	-	-
	11/21/2006	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>7.8</b>	-	-
	2/27/2007	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.6</b>	-	-
	6/7/2007	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>8.5</b>	-	-
	9/14/2007	5.42	321.30	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-	-
	11/17/2007	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>26</b>	-	-
	2/28/2008	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>9.3</b>	-	-
	6/4/2008	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>18</b>	-	-
	9/11/2008	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>64</b>	-	-
	12/23/2008	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.8</b>	-	-
	3/17/2009	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>26</b>	-	-
	6/26/2009	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/3/2009	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>52</b>	-	-
	6/11/2010	4.5	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-	-
	11/11/2010	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>44</b>	-	-
	6/3/2011	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>17</b>	-	-
	12/7/2011	5.38	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>24</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-	-
	4/27/2012	4.06	322.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-	-
	7/13/2012	5.12	321.6	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.28	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>20</b>	-	-
	6/27/2013	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>20</b>	-	-
	12/18/2013	5.42	321.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>27</b>	-	-
	6/20/2014	5.84	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>72</b>	-	-
<b>MW-7</b>	4/27/2006	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>"A" Zone</b>	6/1/2006	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>16</b>	-	-
<b>&lt;326.16&gt;</b>	9/12/2006	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>81</b>	-	-
	11/21/2006	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>180</b>	-	-
	2/27/2007	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>350</b>	-	-
	6/7/2007	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>520</b>	-	-
	9/14/2007	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>13</b>	<2.0	<2.0	<b>270</b>	-	-
	11/17/2007	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>710</b>	-	-
	2/28/2008	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,800</b>	-	-
	6/4/2008	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,100</b>	<2.0	<2.0	<b>4,300</b>	-	-
	9/11/2008	4.62													

**Table 1  
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS  
Dublin Toyota UST Site**

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/3/2009	4.75	321.41	<b>2,500</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>21</b>	<2.0	<2.0	<b>3,400</b>	-	-
	6/11/2010	4.03	322.13	<b>630</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>680</b>	<2.0	<2.0	<b>2,700</b>	-	-
	11/10/2010	4.92	321.24	<b>790</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>790</b>	<2.0	<2.0	<b>2,700</b>	-	-
	6/3/2011	3.92	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>830</b>	<2.0	<2.0	<b>2,000</b>	-	-
	12/7/2011	4.88	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>950</b>	<2.0	<2.0	<b>1,200</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	3.64	322.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>320</b>	<2.0	<2.0	<b>780</b>	<0.40	<5,000
	4/27/2012	3.47	322.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>23</b>	<2.0	<2.0	<b>530</b>	<0.40	<5,000
	7/13/2012	4.55	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>16</b>	<2.0	<2.0	<b>49</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	3.84	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>18</b>	-	-
	6/26/2013	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>170</b>	<2.0	<2.0	<b>130</b>	-	-
	12/17/2013	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>230</b>	<2.0	<2.0	<b>240</b>	-	-
	6/20/2014	Not Accessible													
<b>MW-8</b>	4/27/2006	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,000</b>	-	-
<b>"B" Zone</b>	6/1/2006	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,000</b>	-	-
<b>&lt;325.88&gt;</b>	9/12/2006	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>2,500</b>	-	-
	11/21/2006	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	<b>2.2</b>	<b>430</b>	<2.0	<2.0	<b>1,900</b>	-	-
	2/27/2007	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>330</b>	<2.0	<2.0	<b>1,600</b>	-	-
	6/7/2007	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,500</b>	-	-
	9/14/2007	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>58</b>	<2.0	<2.0	<b>630</b>	-	-
	11/17/2007	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>640</b>	-	-
	2/28/2008	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/4/2008	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>870</b>	-	-
	9/11/2008	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>290</b>	<2.0	<2.0	<b>1,300</b>	-	-
	12/23/2008	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>150</b>	-	-
	3/17/2009	3.11	322.77	<b>640</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,400</b>	-	-
	6/26/2009	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>85</b>	-	-
	12/3/2009	4.45	321.43	<b>540</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>770</b>	-	-
	6/11/2010	3.74	322.14	<b>220</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>130</b>	<2.0	<2.0	<b>1,100</b>	-	-
	11/10/2010	4.63	321.25	<b>220</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>350</b>	-	-
	6/3/2011	3.67	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>220</b>	<2.0	<2.0	<b>100</b>	-	-
	12/6/2011	4.62	321.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>110</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	3.92	321.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>130</b>	<2.0	<2.0	<b>58</b>	<0.40	<5,000
	4/27/2012	3.51	322.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>110</b>	<2.0	<2.0	<b>110</b>	<0.40	<5,000
	7/13/2012	4.51	321.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>42</b>	<2.0	<2.0	<b>87</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	3.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>120</b>	-	-
	6/27/2013	4.71	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>53</b>	-	-
	12/17/2013	4.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>34</b>	-	-
	6/20/2014	5.04	320.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>29</b>	<2.0	<b>2.4</b>	<b>160</b>	-	-
<b>MW-9</b>	4/27/2006	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>2,200</b>	-	-
<b>"B" Zone</b>	6/1/2006	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,000</b>	-	-
<b>&lt;325.29&gt;</b>	9/12/2006	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>130</b>	<2.0	<2.0	<b>2,100</b>	-	-
	11/21/2006	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>180</b>	<2.0	<2.0	<b>1,200</b>	-	-
	2/27/2007	2.69	322.6	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>270</b>	<2.0	<2.0	<b>930</b>	-	-
	6/7/2007	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,400</b>	-	-
	9/14/2007	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<b>35</b>	<2.0	<2.0	<b>460</b>	-	-
	11/17/2007	-	-	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>910</b>	-	-
	2/28/2008	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,200</b>	-	-
	6/4/2008	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	<b>2.4</b>	<b>1,400</b>	<2.0	<2.0	<b>5,500</b>	-	-
	9/11/2008	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>810</b>	<2.0	<2.0	<b>2,700</b>	-	-
	12/23/2008	3.29	322.00	<b>62</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>260</b>	-	-
	3/17/2009	2.59	322.70	<b>1,800</b>	<0.50	<0.50	<0.50	<1.0	<b>3.0</b>	<10	<2.0	<2.0	<b>3,800</b>	-	-
	6/26/2009	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>41</b>	-	-
	12/3/2009	-	-	<b>2,200</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>12</b>	<2.0	<2.0	<b>2,800</b>	-	-
	6/9/2010	3.20	322.09	<b>850</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>660</b>	<2.0	<2.0	<b>3,800</b>	-	-
	11/10/2010	-	-	<b>400</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,200</b>	<2.0	<2.0	<b>800</b>	-	-
	6/3/2011	3.07	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>460</b>	<2.0	<2.0	<b>260</b>	-	-
	12/6/2011	4.07	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>330</b>	<2.0	<2.0	<b>47</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	3/22/2012	3.37	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>860</b>	<2.0	<2.0	<b>470</b>	<0.2	<5.0
	4/27/2012	3.00	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>340</b>	<2.0	<2.0	<b>1,500</b>	<0.2	<5.0
	7/13/2012	3.85	321.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>400</b>	<2.0	<2.0	<b>410</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	2.95	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>700</b>	<2.0	<2.0	<b>140</b>	-	-
	6/26/2013	4.15	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>19</b>	-	-
	12/17/2013	4.11	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>32</b>	-	-
	6/20/2014	4.46	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>60</b>	<2.0	<b>3.6</b>	<b>250</b>	-	-
<b>MW-10</b>	4/27/2006	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>15</b>	-	-
<b>"B" Zone</b>	6/1/2006	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>&lt;325.54&gt;</b>	9/12/2006	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>12</b>	-	-
	11/21/2006	4.35	321.19	<50	<0.50										

**Table 1**  
**CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS**  
**Dublin Toyota UST Site**

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	11/17/2007	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1	-	-
	2/28/2008	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/4/2008	-	-	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.5	-	-
	9/11/2008	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8	-	-
	12/23/2008	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	3/17/2009	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/26/2009	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/3/2009	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.4	-	-
	6/9/2010	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	-	-
	11/10/2010	4.32	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	-	-
	6/3/2011	3.29	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	-	-
	12/6/2011	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/13/2012	3.96	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	3.24	322.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	-	-
	6/26/2013	4.39	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.1	-	-
	12/17/2013	4.31	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.7	-	-
	6/20/2014	4.72	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	-	-
<b>MW-11</b>	6/11/2010	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>550</b>	<2.0	<2.0	<b>160</b>	-	-
<b>"A" Zone</b>	11/11/2010	7.81	321.23	<b>110</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>530</b>	<2.0	<2.0	<b>180</b>	-	-
<b>&lt;329.04&gt;</b>	6/1/2011	6.53	322.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>66</b>	-	-
	12/7/2011	7.54	321.50	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>120</b>	<2.0	<2.0	<b>59</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	7.48	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>84</b>	<2.0	<2.0	<b>51</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/10/2012	6.45	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>28</b>	<2.0	<2.0	<b>38</b>	-	-
	6/26/2013	7.86	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>23</b>	-	-
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
<b>MW-12</b>	6/11/2010	6.83	322.29	<b>190</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>2,400</b>	<2.0	<2.0	<b>870</b>	-	-
<b>"A" Zone</b>	11/11/2010	7.92	321.20	<b>380</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>1,300</b>	<2.0	<2.0	<b>680</b>	-	-
<b>&lt;329.12&gt;</b>	6/1/2011	6.90	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>230</b>	<2.0	<2.0	<b>230</b>	-	-
	12/7/2011	7.69	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>87</b>	<2.0	<2.0	<b>110</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	7.54	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>26</b>	<2.0	<2.0	<b>8.6</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/10/2012	6.53	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>11</b>	-	-
	6/26/2013	7.94	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.9</b>	-	-
	12/17/2013	7.55	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>3.9</b>	-	-
	7/1/2014	Not Accessible													
<b>MW-13</b>	6/11/2010	6.64	322.29	<b>150</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>780</b>	<2.0	<2.0	<b>800</b>	-	-
<b>"A" Zone</b>	11/11/2010	7.72	321.21	<b>320</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<b>810</b>	<2.0	<2.0	<b>550</b>	-	-
<b>&lt;328.93&gt;</b>	6/1/2011	6.72	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>210</b>	<2.0	<2.0	<b>160</b>	-	-
	12/7/2011	7.53	321.4	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>110</b>	<2.0	<2.0	<b>110</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	7.33	321.6	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>35</b>	<2.0	<2.0	<b>40</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/10/2012	6.34	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>24</b>	-	-
	6/26/2013	7.74	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>13</b>	-	-
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
<b>MW-14</b>	6/10/2010	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>150</b>	-	-
<b>"B" Zone</b>	11/10/2010	3.20	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>4.8</b>	-	-
<b>&lt;324.38&gt;</b>	6/1/2011	2.38	322	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>12</b>	<2.0	<2.0	<b>36</b>	-	-
	12/6/2011	3.23	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.4</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	2.87	321.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	2.18	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/26/2013	3.33	321.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/17/2013	3.38	321.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	7/1/2014	3.69	320.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>MW-15</b>	6/10/2010	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>"B" Zone</b>	11/10/2010	4.84	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>&lt;325.76&gt;</b>	6/1/2011	4.18	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/6/2011	4.95	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	4.40	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/21/2012	3.96	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/26/2013	5.01	320.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/17/2013	5.21	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	7/01/2014	5.39	320.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1.0</b>	-	-
<b>MW-16</b>	6/10/2010	4.65	321.64	<b>230</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>1,200</b>	-	-
<b>"B" Zone</b>	11/10/2010	5.42	320.87	<b>520</b>	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<b>830</b>	-	-
<b>&lt;326.29&gt;</b>	6/1/2011	4.58	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>230</b>	<2.0	<2.0	<b>960</b>	-	-


Table 1 CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS Dublin Toyota UST Site															
Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/6/2011	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>510</b>	<2.0	<2.0	<b>730</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	5.00	321.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>350</b>	<2.0	<2.0	<b>750</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.36	321.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>220</b>	<2.0	<2.0	<b>950</b>	-	-
	6/26/2013	5.48	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>90</b>	<2.0	<2.0	<b>1,000</b>	-	-
	12/17/2013	5.67	320.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>61</b>	<2.0	<2.0	<b>870</b>	-	-
	7/1/2014	5.95	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<b>320</b>	<2.0	<2.0	<b>610</b>	-	-
<b>MW-17</b>	6/10/2010	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>"B" Zone</b>	11/10/2010	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>&lt;326.46&gt;</b>	6/1/2011	4.78	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/6/2011	5.68	320.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.8	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	5.18	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/20/2012	4.56	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	6/26/2013	5.91	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	12/17/2013	5.85	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
	7/1/2014	6.12	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	-	-
<b>EW-1</b>	6/10/2010	6.47	322.47	<b>170</b>	<b>15</b>	<0.50	<b>4.4</b>	<b>1.2</b>	<2.0	<10	<2.0	<2.0	<b>76</b>	-	-
<b>"A" Zone</b>	11/11/2010	7.69	321.25	<b>740</b>	<b>53</b>	<0.50	<b>7.5</b>	<1.0	<2.0	<b>150</b>	<2.0	<2.0	<b>140</b>	-	-
<b>&lt;328.94&gt;</b>	6/3/2011	6.68	322.26	<50	<b>11</b>	<0.50	<b>1.7</b>	<1.0	<2.0	<b>140</b>	<2.0	<2.0	<b>35</b>	-	-
	12/7/2011	7.53	321.41	<b>440</b>	<b>38</b>	<0.50	<b>3.5</b>	<1.0	<2.0	<b>110</b>	<2.0	<2.0	<b>48</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	7.38	321.56	<b>980</b>	<b>22</b>	1.4	<b>4.6</b>	<1.0	<2.0	<b>180</b>	<2.0	<2.0	<b>36</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/10/2012	6.36	322.58	<b>320</b>	<b>42</b>	<0.50	<b>37</b>	<b>1.8</b>	<2.0	<b>150</b>	<2.0	<2.0	<b>53</b>	-	-
	6/26/2013	7.78	321.16	<b>350</b>	<b>7.4</b>	<0.50	<b>8</b>	<b>24.8</b>	<2.0	<b>60</b>	<2.0	<2.0	<b>20</b>	-	-
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													
<b>EW-2</b>	6/10/2010	6.62	322.37	<b>99</b>	<b>11</b>	<b>1</b>	<b>3</b>	<b>3.3</b>	<2.0	<10	<2.0	<2.0	<b>110</b>	-	-
<b>"A" Zone</b>	11/11/2010	Well was not gauged or sam		-	-										
<b>&lt;328.99&gt;</b>	6/1/2011	Well was not gauged or sampled on this date.													
	12/7/2011	7.49	321.5	<b>570</b>	<b>26</b>	<0.50	<b>42</b>	<b>1.9</b>	<2.0	<b>490</b>	<2.0	<2.0	<b>150</b>	-	-
<b>Ozone Remediation Initiated on February 27, 2012</b>															
	7/12/2012	7.41	321.58	<b>570</b>	<b>19</b>	<0.5	<b>8.1</b>	<1.0	<2.0	<b>620</b>	<2.0	<2.0	<b>100</b>	-	-
<b>Ozone Remediation Ended on November 23, 2012</b>															
	12/10/2012	6.36	322.63	<b>99</b>	<b>14</b>	<0.5	<b>6.2</b>	<b>8.9</b>	<2.0	<b>2,100</b>	<2.0	<2.0	<b>100</b>	-	-
	6/26/2013	7.78	321.16	<b>270</b>	<b>3.1</b>	<0.50	<b>3.3</b>	<1.0	<2.0	<b>740</b>	<2.0	<2.0	<b>62</b>	-	-
	12/17/2013	Not Accessible													
	7/1/2014	Not Accessible													

Table Notes:

GW Depth = Groundwater depth below top of casing.  
 GW Elevation = Groundwater mean sea level elevation.  
 TPH-G = Total Petroleum Hydrocarbons as Gasoline  
 B = Benzene  
 T = Toluene  
 E = Ethylbenzene  
 X = Xylenes  
 TAME = Tert-amyl Methyl Ether  
 TBA = tert-Butanol  
 DIPE = Diisopropyle ether  
 ETBE = Ethyl-tert-butyl ether

MTBE = Methyl-t-Butyl Ether  
 Cr6 = Hexavalent Chromium  
 Br = Bromate  
 NA = Not analyzed for particular parameter  
 <0.050 = Not detected above the expressed value.  
 <328.88> = Surveyed top of casing mean sea level elevation.  
 "A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.  
 "B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.  
 1 = MTBE result was confirmed using USEPA Method 8260B.

## FIGURES



DESIGNED BY:

CHECKED BY:

**SITE VICINITY MAP**

DATE: 10/24/2014

FIGURE: 1


DRAWN BY: MAR

SCALE:


DUBLIN TOYOTA UST SITE  
6450 DUBLIN COURT  
DUBLIN, CALIFORNIA

PROJECT NO:





DESIGNED BY:	CHECKED BY:	<b>SITE AREA PLAN</b>  DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 10/24/2014	FIGURE: <b>2</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				



DESIGNED BY:	CHECKED BY:	<b>SITE PLAN</b>  DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA	DATE: 10/24/2014	FIGURE: <b>3</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				



- "A" Zone Groundwater Monitoring Well - Screened from approximately 0-30 feet below surface grade.
- "B" Zone Groundwater Monitoring Well - Screened from approximately 30-40 feet below surface grade.
- Ozone Injection Well

Groundwater hydrocarbon concentration reported in micrograms per liter (ug/L)

GWE:	+320.86
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	2.4
TBA:	<10
OTHER:	ND

GWE:	+320.92
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	32
TBA:	11
ETBE:	3.3
OTHER:	ND

GWE:	+320.91
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	220
TBA:	340
ETBE:	3.8
OTHER:	ND


GWE:	+320.88
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	7.0
TBA:	<10
OTHER:	ND

GWE:	+320.94
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	24
TBA:	<10
OTHER:	ND

GWE:	+321.17
TPH-G:	<50
B:	<0.5
T:	<0.5
E:	<0.5
X:	<1.0
MTBE:	230
TBA:	24
OTHER:	ND

"A" ZONE  
GROUNDWATER  
MTBE/TBA = 100 UG/L

+321.00



DESIGNED BY:

CHECKED BY:

**"A" ZONE GROUNDWATER ELEVATIONS  
AND HYDROCARBON RESULTS, 06/2013**

DATE: 10/24/2014

FIGURE: 4


DRAWN BY: MAR

SCALE:

DUBLIN TOYOTA UST SITE  
6450 DUBLIN COURT  
DUBLIN, CALIFORNIA

PROJECT NO:





DESIGNED BY:	CHECKED BY:	<b>"B" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 06/2013</b>	DATE: 10/24/2014	FIGURE: <b>5</b>
DRAWN BY: MAR	SCALE:			
PROJECT NO:				
DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA				

**ATTACHMENT A**  
**GROUNDWATER MONITORING FIELD DATA RECORDS**

**Groundwater Gauging Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Field Personnel M. Reisman Date 6/20/2014  
 Weather Conditions Clear, warm 7/01/2014\*

Well ID	Depth to Free Product (feet)	Depth to Groundwater (feet)	Casing Elevation (msl)	Groundwater Elevation (msl)	Total Well Depth (feet)	Well Box Conditions
MW-1	—	7.96	328.88	320.92	20.2	
MW-2	—	6.78	327.64	320.86	20.2	
MW-3	—	6.50	327.44	320.94	20	
MW-4S	—	6.89	327.80	320.91	20	
MW-4D	—	6.74	327.67	320.93	30.8	
MW-5S	—	6.21	327.09	320.88	20.2	
MW-5D	—	6.39	327.30	320.91	25.3	
MW-6S	—	5.36	326.53	321.17	19.0	
MW-6D	—	5.84	326.72	320.88	33.9	
MW-7	—	—	326.16	—	20.0	Not Accessible
MW-8	—	5.04	325.88	320.84	35.0	
MW-9	—	4.46	325.29	320.83	40	
MW-10	—	—	325.54	320.82	39.4	
MW-11	—	4.72	329.04	—	19.6	Not Accessible
MW-12	—	—	329.12	—	19.6	Not Accessible
MW-13	—	—	328.93	—	19.6	Not Accessible
MW-14	—	3.69	324.38	320.69	39.5	
MW-15	—	5.39	325.76	320.37	39.6	
MW-16	—	5.95	326.29	320.34	39.5	
MW-17	—	6.12	326.46	320.34	38.5	
EW-1	—	—	328.94	—	14.4	Not Accessible
EW-2	—	—	328.99	—	14.3	Not Accessible

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-1  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2  
 Depth to Water 6.96 Depth to Free Product —  
 Water Column (ft) 13.24 Product Thickness φ  
 One Well Volume (gal) 2.25 3x Well Volume (gal) 6.8

Notes:  
 One Well Volume is determined by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method		X	120 purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1446							
1447	2	20.3	3.07		7.40		
1448	4	19.6	3.09		7.38		
1450	6	19.4	2.98		7.31		
1451	7	19.3	2.97		7.30		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1455 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAK Date 7/01/2014  
 Weather Conditions Clear, warm

Well ID MW-2  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20.2  
 Depth to Water 6.78 Depth to Free Product —  
 Water Column (ft) 13.42 Product Thickness φ  
 One Well Volume (gal) 2.28 3x Well Volume (gal) 6.8

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12W purge pump
Sample Method		X	12W purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1256							
1258	2	19.3	1.84	/	7.69	/	
1300	4	19.2	1.74	/	7.63	/	
1303	6	19.2	1.73	/	7.67	/	
1304	7	19.1	1.72	/	7.67	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1305 Sampler's Signature \_\_\_\_\_

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAK Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-3  
 Casing Diameter (inches) 2.0 Total Depth (feet) 20  
 Depth to Water 6.50 Depth to Free Product —  
 Water Column (ft) 13.50 Product Thickness φ  
 One Well Volume (gal) 2.29 3x Well Volume (gal) 6.9

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12W purge pump
Sample Method		X	12W purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1425							
1428	2	23.7	1.95	/	7.45	/	
1430	4	23.0	3.37	/	7.49	/	
1432	6	22.0	5.08	/	7.36	/	
1434	7	21.8	5.72	/	7.30	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1435 Sampler's Signature MAK

**Groundwater Monitoring Field Sheet**

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-4D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 30.8  
 Depth to Water 6.74 Depth to Free Product —  
 Water Column (ft) 24.06 Product Thickness ∅  
 One Well Volume (gal) 1.42 3x Well Volume (gal) 4.3

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-4S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 20  
 Depth to Water 6.89 Depth to Free Product —  
 Water Column (ft) 13.11 Product Thickness ∅  
 One Well Volume (gal) 0.77 3x Well Volume (gal) 2.3

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1346							Dry @ 21 gal.
	1						
	2						
	3						
	4						

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1320							/
1326	1	23.7	4.32		7.00		
1332	2	23.0	5.02		6.99		
1336	2.5	23.2	5.26		7.01		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1400 Sampler's Signature MAR

Sample Time 1340 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-5D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 25.3  
 Depth to Water 6.39 Depth to Free Product —  
 Water Column (ft) 18.91 Product Thickness ∅  
 One Well Volume (gal) 1.12 3x Well Volume (gal) 3.3

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1243							
	1						Dye 5% /
	2						
	3						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1255 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-5S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 20.2  
 Depth to Water 6.21 Depth to Free Product —  
 Water Column (ft) 13.99 Product Thickness ∅  
 One Well Volume (gal) 0.83 3x Well Volume (gal) 2.5

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1219							
1227	1	23.2	4.00		7.03		
1232	2	22.6	3.97		7.00		
1235	2.5	22.6	3.97		7.00		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1235 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-6D  
 Casing Diameter (inches) 0.75 Total Depth (feet) 33.9  
 Depth to Water 5.84 Depth to Free Product —  
 Water Column (ft) 28.06 Product Thickness ∅  
 One Well Volume (gal) 1.66 3x Well Volume (gal) 5.0

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1125							
1131	2	21.1	4.74	/	7.23	/	
1140	4	21.2	4.57	/	7.23	/	
1145	5	21.1	4.52	/	7.23	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1145 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-6S  
 Casing Diameter (inches) 0.75 Total Depth (feet) 19.0  
 Depth to Water 5.36 Depth to Free Product —  
 Water Column (ft) 0.80 Product Thickness ∅  
 One Well Volume (gal) 2.4 3x Well Volume (gal) —

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1111							
1118	1	23.2	5.25	/	7.12	/	Dye 1 gal.
	2			/		/	
	2.5			/		/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1155 Sampler's Signature MAR



**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-8  
 Casing Diameter (inches) 0.75 Total Depth (feet) 35.0  
 Depth to Water 5.01 Depth to Free Product —  
 Water Column (ft) 29.96 Product Thickness φ  
 One Well Volume (gal) 1.77 3x Well Volume (gal) 5.3

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1032			4.07	/	/	/	
1041	2	20.7	4.22	/	7.22	/	
1049	4	20.7	4.02	/	7.21	/	
1054	5	20.8	4.04	/	7.21	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1055 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-9  
 Casing Diameter (inches) 0.75 Total Depth (feet) 40  
 Depth to Water 4.46 Depth to Free Product —  
 Water Column (ft) 35.54 Product Thickness φ  
 One Well Volume (gal) 2.10 3x Well Volume (gal) 6.3

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12V peristaltic pump
Sample Method		X	12V peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0904			/	/	/	/	
0913	2	20.2	4.59	/	7.12	/	
0921	4	20.2	4.52	/	7.12	/	
0930	6	20.2	4.65	/	7.12	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 0930 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 6/20/2014  
 Weather Conditions Clear, warm

Well ID MW-10  
 Casing Diameter (inches) 0.75 Total Depth (feet) 39.4  
 Depth to Water 4.72 Depth to Free Product —  
 Water Column (ft) 34.68 Product Thickness φ  
 One Well Volume (gal) 2.05 3x Well Volume (gal) 6.1

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	120 peristaltic pump
Sample Method		X	120 peristaltic pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0949							
0958	2	20.3	4.28		7.20		
1007	4	20.2	4.33		7.22		
1016	6	20.3	4.39		7.23		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1020 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MAR Date 7/01/2014  
 Weather Conditions Clear, warm

Well ID MW-14  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5  
 Depth to Water 3.09 Depth to Free Product —  
 Water Column (ft) 35.81 Product Thickness φ  
 One Well Volume (gal) 6.09 3x Well Volume (gal) 18.3

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	120 purge pump
Sample Method		X	120 purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1025							
1227	5	19.7	4.68		7.39		
1230	10	19.7	4.65		7.37		
1233	15	19.7	4.66		7.36		
1236	19	19.7	4.66		7.36		

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1240 Sampler's Signature MAR

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/01/2014  
 Weather Conditions Clear, mild

Well ID MW-15  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.6  
 Depth to Water 5.39 Depth to Free Product —  
 Water Column (ft) 34.21 Product Thickness ∅  
 One Well Volume (gal) 5.82 3x Well Volume (gal) 17.4

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	120 purg pump
Sample Method		X	120 purg pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
0949							
0954	5	18.8	5.87	/	7.33	/	
0959	10	18.8	5.81	/	7.31	/	
1004	15	18.9	5.65	/	7.33	/	
1007	18	18.9	5.70	/	7.37	/	

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1010 Sampler's Signature MARK

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/01/2012  
 Weather Conditions Clear, mild

Well ID MW-16  
 Casing Diameter (inches) 2.0 Total Depth (feet) 39.5  
 Depth to Water 5.95 Depth to Free Product —  
 Water Column (ft) 23.55 Product Thickness ∅  
 One Well Volume (gal) 5.70 3x Well Volume (gal) 17.1

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	120 purg pump
Sample Method		X	120 purg pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1103							
1110	5	19.8	5.10	/	7.17	/	
1117	10	19.7	5.18	/	7.18	/	
1126	15	19.7	5.13	/	7.20	/	slow purging / collect sample
	18						

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1130 Sampler's Signature MARK

**Groundwater Monitoring Field Sheet**

Client Name Dublin Toyota Project Name Dublin Toyota  
 Sampling Personnel MARK Date 7/01/2014  
 Weather Conditions Clear, mild

Well ID MW-17  
 Casing Diameter (inches) 2.0 Total Depth (feet) 38.5  
 Depth to Water 6.12 Depth to Free Product —  
 Water Column (ft) 32.38 Product Thickness 0  
 One Well Volume (gal) 5.5 3x Well Volume (gal) 16.5

Notes:  
 One Well Volume is determine by multiplying "Water Column" by:  
 • 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

**FIELD METHODS**

Activity	Bailer	Pump	Comments
Purge Method		X	12' purge pump
Sample Method		X	12' purge pump

**FIELD PARAMETERS**

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1031							
1035	4	20.0	6.27	/	7.31	/	
1040	8	20.2	6.03	/	7.28	/	
	12						V. Slow purging!
	16						Collect sample!

**SAMPLE OBSERVATIONS**

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1050 Sampler's Signature MARK

**ATTACHMENT B**  
**LABORATORY DATA REPORTS AND**  
**CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

01 July 2014

Jim Gribi  
 Gribi Associates  
 1090 Adam Street, Suite K  
 Benicia, CA 94510  
 RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 06/24/14 09:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Katherine RunningCrane  
 Project Manager

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	T141253-01	Water	06/20/14 14:55	06/24/14 09:00
MW-3	T141253-02	Water	06/20/14 14:35	06/24/14 09:00
MW-4S	T141253-03	Water	06/20/14 13:40	06/24/14 09:00
MW-4D	T141253-04	Water	06/20/14 14:00	06/24/14 09:00
MW-5S	T141253-05	Water	06/20/14 12:35	06/24/14 09:00
MW-5D	T141253-06	Water	06/20/14 12:55	06/24/14 09:00
MW-6S	T141253-07	Water	06/20/14 11:55	06/24/14 09:00
MW-6D	T141253-08	Water	06/20/14 11:45	06/24/14 09:00
MW-8	T141253-09	Water	06/20/14 10:55	06/24/14 09:00
MW-9	T141253-10	Water	06/20/14 09:30	06/24/14 09:00
MW-10	T141253-11	Water	06/20/14 10:20	06/24/14 09:00

**DETECTIONS SUMMARY**

Sample ID:	Laboratory ID:	Reporting				Notes
Analyte	Result	Limit	Units	Method		
<b>Sample ID: MW-1 Laboratory ID: T141253-01</b>						
Tert-butyl alcohol	11	10	ug/l	EPA 8260B		
Ethyl tert-butyl ether	3.3	2.0	ug/l	EPA 8260B		
Methyl tert-butyl ether	32	1.0	ug/l	EPA 8260B		
<b>Sample ID: MW-3 Laboratory ID: T141253-02</b>						
Methyl tert-butyl ether	24	1.0	ug/l	EPA 8260B		

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**Sample ID:** MW-4S **Laboratory ID:** T141253-03

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Tert-butyl alcohol	340	100	ug/l	EPA 8260B	
Ethyl tert-butyl ether	3.8	2.0	ug/l	EPA 8260B	
Methyl tert-butyl ether	220	10	ug/l	EPA 8260B	

**Sample ID:** MW-4D **Laboratory ID:** T141253-04

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Tert-butyl alcohol	18	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	180	10	ug/l	EPA 8260B	

**Sample ID:** MW-5S **Laboratory ID:** T141253-05

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Methyl tert-butyl ether	7.0	1.0	ug/l	EPA 8260B	

**Sample ID:** MW-5D **Laboratory ID:** T141253-06

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Methyl tert-butyl ether	42	1.0	ug/l	EPA 8260B	

**Sample ID:** MW-6S **Laboratory ID:** T141253-07

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Tert-butyl alcohol	24	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	230	10	ug/l	EPA 8260B	

**Sample ID:** MW-6D **Laboratory ID:** T141253-08

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Methyl tert-butyl ether	72	1.0	ug/l	EPA 8260B	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**Sample ID:** MW-8 **Laboratory ID:** T141253-09

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Tert-butyl alcohol	29	10	ug/l	EPA 8260B	
Ethyl tert-butyl ether	2.4	2.0	ug/l	EPA 8260B	
Methyl tert-butyl ether	160	10	ug/l	EPA 8260B	

**Sample ID:** MW-9 **Laboratory ID:** T141253-10

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Tert-butyl alcohol	60	10	ug/l	EPA 8260B	
Ethyl tert-butyl ether	3.6	2.0	ug/l	EPA 8260B	
Methyl tert-butyl ether	250	10	ug/l	EPA 8260B	

**Sample ID:** MW-10 **Laboratory ID:** T141253-11

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Methyl tert-butyl ether	20	1.0	ug/l	EPA 8260B	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-1**  
**T141253-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>11</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
<b>Ethyl tert-butyl ether</b>	<b>3,3</b>	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>32</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		98.0 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		105 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-3**  
**T141253-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>24</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		95.9 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-4S**  
**T141253-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>340</b>	100	"	10	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	1	"	"	"	"	
<b>Ethyl tert-butyl ether</b>	<b>3.8</b>	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>220</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8	96.6 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	97.2 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	113 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-4D**  
**T141253-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>18</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>180</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8	99.4 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	107 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-5S**  
**T141253-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>7.0</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		100%	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		99.9%	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		109%	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/01/14 14:01

**MW-5D**  
**T141253-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>42</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		96.9%	88.8-117	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		97.0%	83.5-119	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		113%	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none]  
 Benicia CA, 94510 Project Manager: Jim Gribi Reported:  
 07/01/14 14:01

**MW-6S**  
**T141253-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>24</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>230</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8		104 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.8 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		111 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none]  
 Benicia CA, 94510 Project Manager: Jim Gribi Reported:  
 07/01/14 14:01

**MW-6D**  
**T141253-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>72</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		108 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		120 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**MW-8**  
**T141253-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>29</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
<b>Ethyl tert-butyl ether</b>	<b>2.4</b>	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>160</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8		100 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		101 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		118 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**MW-9**  
**T141253-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/25/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>60</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
<b>Ethyl tert-butyl ether</b>	<b>3.6</b>	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>250</b>	10	"	10	"	"	"	"	
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	
Surrogate: Toluene-d8		99.9 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		98.9 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		118 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**MW-10  
T141253-11 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4062411	06/24/14	06/26/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>20</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		105 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.9 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		114 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**Volatile Organic Compounds by EPA Method 8260B - Quality Control  
SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 4062411 - EPA 5030 GCMS**

Blank (4062411-BLK1)		Prepared: 06/24/14		Analyzed: 06/25/14	
Benzene	ND	0.50	ug/l		
Toluene	ND	0.50	"		
Ethylbenzene	ND	0.50	"		
m,p-Xylene	ND	1.0	"		
o-Xylene	ND	0.50	"		
Tert-amyl methyl ether	ND	2.0	"		
Tert-butyl alcohol	ND	10	"		
Di-isopropyl ether	ND	2.0	"		
Ethyl tert-butyl ether	ND	2.0	"		
Methyl tert-butyl ether	ND	1.0	"		
Surrogate: Toluene-d8	7.69	"		8.00	96.1 88.8-117
Surrogate: 4-Bromofluorobenzene	7.94	"		8.00	99.2 83.5-119
Surrogate: Dibromofluoromethane	8.04	"		8.00	100 81.1-136

**LCS (4062411-BS1)**

LCS (4062411-BS1)		Prepared: 06/24/14		Analyzed: 06/26/14	
Chlorobenzene	18.5	1.0	ug/l	20.0	92.3 75-125
1,1-Dichloroethene	17.6	1.0	"	20.0	88.2 75-125
Trichloroethene	16.7	1.0	"	20.0	83.4 75-125
Benzene	16.4	0.50	"	20.0	81.8 75-125
Toluene	16.1	0.50	"	20.0	80.6 75-125
Surrogate: Toluene-d8	8.24	"		8.00	103 88.8-117
Surrogate: 4-Bromofluorobenzene	8.67	"		8.00	108 83.5-119
Surrogate: Dibromofluoromethane	10.2	"		8.00	127 81.1-136

**Matrix Spike (4062411-MS1)**

Matrix Spike (4062411-MS1)		Source: T141253-01		Prepared: 06/24/14		Analyzed: 06/26/14	
Chlorobenzene	18.8	1.0	ug/l	20.0	ND	93.8	75-125
1,1-Dichloroethene	17.2	1.0	"	20.0	ND	85.8	75-125
Trichloroethene	17.5	1.0	"	20.0	ND	87.6	75-125
Benzene	16.5	0.50	"	20.0	ND	82.5	75-125
Toluene	17.4	0.50	"	20.0	ND	87.2	75-125
Surrogate: Toluene-d8	7.88	"		8.00		98.5	88.8-117
Surrogate: 4-Bromofluorobenzene	8.93	"		8.00		112	83.5-119
Surrogate: Dibromofluoromethane	10.3	"		8.00		128	81.1-136

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 4062411 - EPA 5030 GCMS**

Matrix Spike Dup (4062411-MSD1)	Source: T141253-01		Prepared: 06/24/14	Analyzed: 06/26/14					
Chlorobenzene	19.3	1.0	ug/l	20.0	ND	96.6	75-125	2.94	20
1,1-Dichloroethene	18.3	1.0	"	20.0	ND	91.4	75-125	6.43	20
Trichloroethene	16.7	1.0	"	20.0	ND	83.4	75-125	4.92	20
Benzene	16.6	0.50	"	20.0	ND	83.1	75-125	0.725	20
Toluene	16.1	0.50	"	20.0	ND	80.7	75-125	7.69	20
<i>Surrogate: Toluene-d8</i>	<i>8.02</i>		<i>"</i>	<i>8.00</i>		<i>100</i>	<i>88.8-117</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8.47</i>		<i>"</i>	<i>8.00</i>		<i>106</i>	<i>83.5-119</i>		
<i>Surrogate: Dibromofluoromethane</i>	<i>9.83</i>		<i>"</i>	<i>8.00</i>		<i>123</i>	<i>81.1-136</i>		

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/01/14 14:01
--	--	-----------------------------

**Notes and Definitions**

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager





25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

11 July 2014

Jim Gribi  
Gribi Associates  
1090 Adam Street, Suite K  
Benicia, CA 94510  
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 07/03/14 08:55. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Katherine RunningCrane  
Project Manager

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/11/14 16:14
--	--	-----------------------------

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-14	T141316-01	Water	07/01/14 12:40	07/03/14 08:55
MW-15	T141316-02	Water	07/01/14 10:10	07/03/14 08:55
MW-16	T141316-03	Water	07/01/14 11:30	07/03/14 08:55
MW-17	T141316-04	Water	07/01/14 10:50	07/03/14 08:55
MW-2	T141316-05	Water	07/01/14 13:05	07/03/14 08:55

**DETECTIONS SUMMARY**

Sample ID: MW-14 Laboratory ID: T141316-01

No Results Detected

Sample ID: MW-15 Laboratory ID: T141316-02

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	1.0	1.0	ug/l	EPA 8260B	

Sample ID: MW-16 Laboratory ID: T141316-03

Analyte	Result	Reporting Limit	Units	Method	Notes
Tert-butyl alcohol	320	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	610	1.0	ug/l	EPA 8260B	E-1

Sample ID: MW-17 Laboratory ID: T141316-04

No Results Detected

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Katherine RunningCrane, Project Manager





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/11/14 16:14
--	--	-----------------------------

Sample ID: MW-2      Laboratory ID: T141316-05

Analyte	Result	Reporting Limit	Units	Method	Notes
Methyl tert-butyl ether	2.4	1.0	ug/l	EPA 8260B	



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/11/14 16:14
--	--	-----------------------------

**MW-14  
 T141316-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Volatile Organic Compounds by EPA Method 8260B**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.50	ug/l	1	4070739	07/07/14	07/09/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8	91.8 %	88.8-117	"	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene	109 %	83.5-119	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane	105 %	81.1-136	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/11/14 16:14

**MW-15**  
**T141316-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4070739	07/07/14	07/09/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>1.0</b>	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		90.5 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		108 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
 1090 Adam Street, Suite K Project Number: [none] Reported:  
 Benicia CA, 94510 Project Manager: Jim Gribi 07/11/14 16:14

**MW-16**  
**T141316-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatile Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4070739	07/07/14	07/09/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
<b>Tert-butyl alcohol</b>	<b>320</b>	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>610</b>	1.0	"	"	"	"	"	"	E-1
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		91.5 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		108 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		114 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none]  
Benicia CA, 94510 Project Manager: Jim Gribi Reported:  
07/11/14 16:14

**MW-17**  
**T141316-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4070739	07/07/14	07/09/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		93.1 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		105 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		112 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none]  
Benicia CA, 94510 Project Manager: Jim Gribi Reported:  
07/11/14 16:14

**MW-2**  
**T141316-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

**Volatiles Organic Compounds by EPA Method 8260B**

Benzene	ND	0.50	ug/l	1	4070739	07/07/14	07/09/14	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
m,p-Xylene	ND	1.0	"	"	"	"	"	"	
o-Xylene	ND	0.50	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2.4	1.0	"	"	"	"	"	"	
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		91.6 %	88.8-117	"	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	83.5-119	"	"	"	"	"	
Surrogate: Dibromofluoromethane		125 %	81.1-136	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/11/14 16:14

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 4070739 - EPA 5030 GCMS**

Blank (4070739-BLK1)										
Prepared: 07/07/14 Analyzed: 07/09/14										
Bromobenzene	ND	1.0	ug/l							
Bromochloromethane	ND	1.0	"							
Bromodichloromethane	ND	1.0	"							
Bromofom	ND	1.0	"							
Bromomethane	ND	1.0	"							
n-Butylbenzene	ND	1.0	"							
sec-Butylbenzene	ND	1.0	"							
tert-Butylbenzene	ND	1.0	"							
Carbon tetrachloride	ND	1.0	"							
Chlorobenzene	ND	1.0	"							
Chloroethane	ND	1.0	"							
Chloroform	ND	1.0	"							
Chloromethane	ND	1.0	"							
2-Chlorotoluene	ND	1.0	"							
4-Chlorotoluene	ND	1.0	"							
Dibromochloromethane	ND	1.0	"							
1,2-Dibromo-3-chloropropane	ND	5.0	"							
1,2-Dibromoethane (EDB)	ND	1.0	"							
Dibromomethane	ND	1.0	"							
1,2-Dichlorobenzene	ND	1.0	"							
1,3-Dichlorobenzene	ND	1.0	"							
1,4-Dichlorobenzene	ND	1.0	"							
Dichlorodifluoromethane	ND	0.50	"							
1,1-Dichloroethane	ND	1.0	"							
1,2-Dichloroethane	ND	0.50	"							
1,1-Dichloroethene	ND	1.0	"							
cis-1,2-Dichloroethene	ND	1.0	"							
trans-1,2-Dichloroethene	ND	1.0	"							
1,2-Dichloropropane	ND	1.0	"							
1,3-Dichloropropane	ND	1.0	"							
2,2-Dichloropropane	ND	1.0	"							
1,1-Dichloropropene	ND	1.0	"							
cis-1,3-Dichloropropene	ND	0.50	"							
trans-1,3-Dichloropropene	ND	0.50	"							
Hexachlorobutadiene	ND	1.0	"							
Isopropylbenzene	ND	1.0	"							

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates Project: Dublin Toyota  
1090 Adam Street, Suite K Project Number: [none] Reported:  
Benicia CA, 94510 Project Manager: Jim Gribi 07/11/14 16:14

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 4070739 - EPA 5030 GCMS**

Blank (4070739-BLK1)										
Prepared: 07/07/14 Analyzed: 07/09/14										
p-Isopropyltoluene	ND	1.0	ug/l							
Methylene chloride	ND	1.0	"							
Naphthalene	ND	1.0	"							
n-Propylbenzene	ND	1.0	"							
Styrene	ND	1.0	"							
1,1,2,2-Tetrachloroethane	ND	1.0	"							
1,1,1,2-Tetrachloroethane	ND	1.0	"							
Tetrachloroethene	ND	1.0	"							
1,2,3-Trichlorobenzene	ND	1.0	"							
1,2,4-Trichlorobenzene	ND	1.0	"							
1,1,2-Trichloroethane	ND	1.0	"							
1,1,1-Trichloroethane	ND	1.0	"							
Trichloroethene	ND	1.0	"							
Trichlorofluoromethane	ND	1.0	"							
1,2,3-Trichloropropane	ND	1.0	"							
1,3,5-Trimethylbenzene	ND	1.0	"							
1,2,4-Trimethylbenzene	ND	1.0	"							
Vinyl chloride	ND	1.0	"							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
C6-C12 (GRO)	ND	50	"							
Surrogate: Toluene-d8	7.54	"		8.00		94.2	88.8-117			
Surrogate: 4-Bromofluorobenzene	8.47	"		8.00		106	83.5-119			
Surrogate: Dibromofluoromethane	8.75	"		8.00		109	81.1-136			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/11/14 16:14
--	--	-----------------------------

**Volatile Organic Compounds by EPA Method 8260B - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 4070739 - EPA 5030 GCMS**

<b>LCS (4070739-BS1)</b>		Prepared: 07/07/14 Analyzed: 07/09/14							
Chlorobenzene	21.8	1.0	ug/l	20.0	109	75-125			
1,1-Dichloroethene	22.2	1.0	"	20.0	111	75-125			
Trichloroethene	20.3	1.0	"	20.0	102	75-125			
Benzene	21.9	0.50	"	20.0	109	75-125			
Toluene	18.6	0.50	"	20.0	92.9	75-125			
<i>Surrogate: Toluene-d8</i>	<i>7.14</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>89.2</i>	<i>88.8-117</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8.57</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>107</i>	<i>83.5-119</i>			
<i>Surrogate: Dibromofluoromethane</i>	<i>10.5</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>132</i>	<i>81.1-136</i>			

<b>Matrix Spike (4070739-MS1)</b>		Source: T141316-01 Prepared: 07/07/14 Analyzed: 07/09/14							
Chlorobenzene	22.1	1.0	ug/l	20.0	ND	110	75-125		
1,1-Dichloroethene	22.5	1.0	"	20.0	ND	112	75-125		
Trichloroethene	20.7	1.0	"	20.0	ND	103	75-125		
Benzene	22.3	0.50	"	20.0	ND	112	75-125		
Toluene	19.4	0.50	"	20.0	ND	97.1	75-125		
<i>Surrogate: Toluene-d8</i>	<i>7.35</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>91.9</i>	<i>88.8-117</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8.32</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>104</i>	<i>83.5-119</i>			
<i>Surrogate: Dibromofluoromethane</i>	<i>10.5</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>131</i>	<i>81.1-136</i>			

<b>Matrix Spike Dup (4070739-MSD1)</b>		Source: T141316-01 Prepared: 07/07/14 Analyzed: 07/09/14							
Chlorobenzene	22.9	1.0	ug/l	20.0	ND	115	75-125	3.64	20
1,1-Dichloroethene	21.8	1.0	"	20.0	ND	109	75-125	3.12	20
Trichloroethene	21.1	1.0	"	20.0	ND	106	75-125	2.06	20
Benzene	22.1	0.50	"	20.0	ND	110	75-125	1.22	20
Toluene	19.1	0.50	"	20.0	ND	95.6	75-125	1.50	20
<i>Surrogate: Toluene-d8</i>	<i>7.28</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>91.0</i>	<i>88.8-117</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8.84</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>110</i>	<i>83.5-119</i>			
<i>Surrogate: Dibromofluoromethane</i>	<i>10.5</i>	<i>"</i>	<i>"</i>	<i>8.00</i>	<i>131</i>	<i>81.1-136</i>			

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 07/11/14 16:14
--	--	-----------------------------

**Notes and Definitions**

- E-1 The final dilution was lower than the original data or previous dilutions. The highest recovered concentration was reported even though it was above calibration range.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

*Katherine RunningCrane*

Katherine RunningCrane, Project Manager



### SAMPLE RECEIVING REVIEW SHEET

BATCH # 741216

Client Name: GEIBI

Project: DUBLIN TOYOTA

Received by: SUNNY

Date/Time Received: 7.3.14 / 8:55

Delivered by:  Client  SunStar Courier  GSO  FedEx  Other

Total number of coolers received 1 Temp criteria = 6°C > 0°C (no frozen containers)

Temperature: cooler #1 3.7 °C +/- the CF (-0.2°C) = 3.7 °C corrected temperature

cooler #2 \_\_\_\_\_ °C +/- the CF (-0.2°C) = \_\_\_\_\_ °C corrected temperature

cooler #3 \_\_\_\_\_ °C +/- the CF (-0.2°C) = \_\_\_\_\_ °C corrected temperature

Samples outside temp. but received on ice, w/in 6 hours of final sampling.  Yes  No\*  N/A

Custody Seals Intact on Cooler/Sample  Yes  No\*  N/A

Sample Containers Intact  Yes  No\*

Sample labels match COC ID's  Yes  No\*

Total number of containers received match COC  Yes  No\*

Proper containers received for analyses requested on COC  Yes  No\*

Proper preservative indicated on COC/containers for analyses requested  Yes  No\*  N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times.  Yes  No\*

\* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date 82 7.3.14

Comments:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

SAMPLE ID	LOCATION/ Field Point Name	Date	Time	# Containers	Type Containers	MATRIX					METHOD PRESERVED			
						Water	Soil	Air	Sludge	Other	Ice	HCl	HNO <sub>3</sub>	Other
MW-12				4	VOB	X					X	X	X	
MW-13				4	VOB	X					X	X	X	
MW-14		7/6/14	12:40	4	VOB	X					X	X	X	
MW-15		7/6/14	10:10	4	VOB	X					X	X	X	
MW-16		7/6/14	11:30	4	VOB	X					X	X	X	
MW-17		7/6/14	10:50	4	VOB	X					X	X	X	
EW-1				4	VOB	X					X	X	X	
EW-2				4	VOB	X					X	X	X	
MW-2		7/6/14	13:05	4	VOB	X					X	X	X	

ICP: 3.7	GOOD CONDITION
	HEAD SPACE ABSENT
	DECONTAMINATED IN LAB
	APPROPRIATE CONTAINERS PRESERVED IN LAB
	PRESERVATION
	VOAS O&G METALS OTHER
	pH-2

Report To: James Grith	BHL To:
Company: Grith Associates	
1090 Adams Street, Suite K	
Berinda, CA 94510	E-Mail:
748-7743	Fax: (707) 748-7763
Client Name: Dublin Toyota	Global ID: 10600102153
Project Name: Dublin Toyota	
Sampler Signature: <u>[Signature]</u>	

SUNSTAR LABORATORIES 25712 COMMERCE DRIVE LAKE FOREST, CA 92630 Website: www.SUNSTARLABS.com Email: john@sunstarlabs.com Telephone: (949) 297-5020 Fax: (949) 297-5027	CHAIN OF CUSTODY RECORD TURN AROUND TIME <input checked="" type="checkbox"/> GeoTracker EDF <input type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Write On (DW)
Analysis Request	Other
TPH-Gas, BTEX, MTBE (8015M/8021B) TPH-Gas (8015M) TPH-Diesel (8015M) TPH-Motor Oil (8015M) TPH-Gas, BTEX, MTBE (8260B) TPH-Gas, BTEX, 5 Oxygenates (8260B) TPH-Gas, BTEX, 7 Oxygenates (8260B) 5 Oxygenates (8260B) Lead Scavengers [1,2 DCA & 1,2 EDB] (8260B) VOC's - Full List (8260B) Halogenated VOC's (8260B) SVOC's (8270)	Filter Samples for Metals analysis: Yes / No

STD. 1A1

7/13/14