



July 14, 2016

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

RECEIVED

By Alameda County Environmental Health 11:41 am, Jul 15, 2016

Attention: Kit Soo

Subject: First Semi-Annual 2016 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333

Ladies and Gentlemen:

Attached please find a copy of the *First Semi-Annual 2016 Groundwater Monitoring Report, Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California*, prepared by Gribi Associates. I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

Very truly yours,

A handwritten signature in black ink, appearing to read "Scott F. Anderson".

Scott F. Anderson
Chief Financial Officer
Dublin Toyota

Doin' It Right!

6450 DUBLIN COURT • DUBLIN • CA 94568 • 925 829-7700 • FAX 925 829-9025
www.dublintoyota.com



July 14, 2016

Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Attention: Kit Soo

Subject: First Semi-Annual 2016 Groundwater Monitoring Report
Dublin Toyota UST Site, 6450 Dublin Court, Dublin, California
Alameda County LOP Site ID No. 0000333,
Geotracker Global ID T0600102153

Ladies and Gentlemen:

Gribi Associates is pleased to submit this First Semi-Annual 2016 Groundwater Monitoring Report on behalf of Dublin Toyota for the underground storage tank (UST) site located at 6450 Dublin Court in Dublin, California (Site) (Figures 1, 2, and 3). This report summarizes groundwater monitoring activities conducted at the Site on June 17, 2016.

DESCRIPTION OF MONITORING ACTIVITIES

1. Gribi Associates personnel conducted groundwater monitoring activities for one shallow "Zone A" well (MW-7) and seven deeper "Zone B" wells (MW-8, MW-9, MW-10; and MW-14 through MW-17). Well specifications for Site wells are summarized in Table 1.
2. Groundwater monitoring was conducted in accordance with California LUFT Field Manual, including the following:
 - a. measuring static water levels;
 - b. checking for presence of free-product; and
 - c. purging of approximately three well volumes while recording temperature, pH, electroconductivity, and clarity.
3. Collected groundwater samples were placed in an ice-chilled cooler and submitted to a state-certified laboratory for analyses.
4. Copies of groundwater sampling field data sheets are provided as Attachment A.

RESULTS OF GROUNDWATER MONITORING

Hydrologic Conditions

1. Groundwater depths ranged from approximately 3.28 feet (MW-14) to 5.62 feet (MW-17).
2. Groundwater elevations, which are shown on Figures 4 and 5, ranged from 320.75 feet (MW-15) to 321.15 feet (MW-10).
3. Groundwater flow direction trends in a southwest to southerly direction.
4. Free-product was not present in any of the wells.

Laboratory Analytical Results

1. Groundwater samples from the 8 wells were analyzed for the following parameters with standard method turn-around-time on results:
 - a. USEPA 8260B Total Petroleum Hydrocarbons as Gasoline (TPH-G)
 - b. USEPA 8260B Benzene, Toluene, Ethylbenzene, Xylenes (BTEX)
 - c. USEPA 8260B Oxygenates (TBA, MTBE, DIPE, ETBE, and TAME)
2. Cumulative groundwater analytical results are summarized in Table 2.
3. Groundwater hydrocarbon results for this monitoring event are summarized on Figures 4 and 5.
4. The laboratory analytical data report and chain-of custody record are contained in Attachment B.

OZONE REMEDIATION

1. Gribi Associates initiated ozone remediation at the Site on February 27, 2012.
2. The system experienced moderate amounts of downtime due to general wear and tear on various components that required repair and/or replacement.
3. The system was shut down in late November 2012 when the present Site tenants discontinued business activities and electrical service at the Site.

CONCLUSIONS

1. MTBE and TBA concentrations in onsite wells are significantly lower than pre-remediation historical highs, indicating that previous ozone injection, together with natural attenuation, has significantly degraded MTBE/TBA groundwater impacts on the Site.

Alameda County Department of

Environmental Health

July 14, 2016

Page 3

2. Post-ozone injection groundwater MTBE/TBA concentrations in "A" Zone and "B" Zone wells within the main plume area have generally remained low, indicating that concentration rebound is not occurring to a significant degree. Furthermore, increases in TBA concentrations in some wells, together with decreases in MTBE concentrations, clearly indicates that natural attenuation of the parent MTBE is occurring over time.
3. Degradation of the groundwater MTBE/TBA impacts has occurred to the extent that both the shallow "A" Zone and deeper "B" Zone MTBE/TBA groundwater plumes have "broken apart".
 - a. The "A" Zone MTBE/TBA groundwater plume is primarily a low-concentration near-source plume with one or two isolated slightly elevated MTBE/TBA impacts.
 - b. The "B" Zone MTBE/TBA groundwater plume is no longer present on the Site and consists of a slightly elevated MTBE/TBA "orphan" plume that is still present at well MW-16, several hundred feet south from the Site.
4. It is expected that the "A" Zone and "B" Zone MTBE/TBA groundwater plumes will continue to degrade relatively rapidly over time.

PLANNED ACTIVITIES


1. Unless otherwise directed by ACDEH, Gribi Associates plans to conduct semi-annual groundwater monitoring at the Site during the fourth quarter of 2016.
2. Gribi Associates is currently conducting additional tasks and will preparing a Revised Site Conceptual Model as directed in the January 7, 2016 letter from ACDEH.

We appreciate this opportunity to provide this report for your review. Please contact us if there are questions or if additional information is required.

Very truly yours,



Matthew A. Rosman
Project Engineer



James E. Gribi
Professional Geologist
California No. 5843



Enclosure

c: Mr. Scott Anderson, Dublin Toyota, 4321 Toyota Drive, Dublin, CA 94568
Nolan M. and Velia E. Davis Trust, 50 Oak Court, Danville, CA 94526-4039

TABLE

Table 1
WELL CONSTRUCTION DETAILS
 Dublin Toyota UST Site

Well ID	Installation Date	TOC Elevation	Boring Depth	Boring Diameter	Casing Diameter	Blank PVC Riser	Screen Depths	Grout Seal Depths	Bentonite Seal Depths	Filter Pack Depths
MONITORING WELLS										
MW-1	12/9/1998	326.66 ft	20 ft	8 in	2 in	0-6.07 ft	6.07-20 ft	0-3 ft	3-4 ft	4-15 ft
MW-2	12/9/1998	327.64 ft	20 ft	8 in	2 in	0-5.25 ft	5.25-20 ft	0-2 ft	3-4 ft	4-20 ft
MW-3	8/11/2000	327.44 ft	20.5 ft	8 in	2 in	0-5.03 ft	5.03-20 ft	0-3 ft	3-4 ft	4-20.5 ft
MW-4S	4/3/2006	327.80 ft	20 ft	2.5 in	3/4 in	0-10 ft	10-20 ft	0-7 ft	7-9 ft	9-20 ft
MW-4D	4/3/2006	327.67 ft	39 ft	2.5 in	3/4 in	0-29 ft	29-39 ft	0-26 ft	26-28 ft	28-39 ft
MW-5S	4/3/2006	327.09 ft	20 ft	2.5 in	3/4 in	0-10 ft	10-20 ft	0-7 ft	7-9 ft	9-20 ft
MW-5D	4/3/2006	327.30 ft	35 ft	2.5 in	3/4 in	0-25 ft	25-35 ft	0-22	22-24 ft	24-35 ft
MW-6S	4/4/2006	326.53 ft	20 ft	2.5 in	3/4 in	0-10 ft	10-20 ft	0-7 ft	7-9 ft	9-20 ft
MW-6D	4/4/2006	326.72 ft	35 ft	2.5 in	3/4 in	0-30 ft	30-35 ft	0-26 ft	26-28 ft	28-35 ft
MW-7	4/5/2006	326.16 ft	20 ft	2.5 in	3/4 in	0-10 ft	10-20 ft	0-7 ft	7-9 ft	9-20 ft
MW-8	4/5/2006	325.88 ft	35 ft	2.5 in	3/4 in	0-30 ft	30-35 ft	0-26 ft	26-29 ft	29-35 ft
MW-9	4/5/2006	325.29 ft	35 ft	2.5 in	3/4 in	0-30 ft	30-35 ft	0-25 ft	25-28 ft	28-35 ft
MW-10	4/4/2006	325.54 ft	40 ft	2.5 in	3/4 in	0-35 ft	35-40 ft	0-30 ft	30-32 ft	32-40 ft
MW-11	4/13/2010	329.04 ft	20 ft	8.0 in	2.0 in	0-4.71 ft	4.71-20 ft	0-3 ft	3-4 ft	4-20 ft
MW-12	4/15/2010	329.12 ft	20 ft	8.0 in	2.0 in	0-4.67 ft	4.67-20 ft	0-3 ft	3-4 ft	4-20 ft
MW-13	4/15/2010	328.93 ft	20 ft	8.0 in	2.0 in	0-4.71 ft	4.71-20 ft	0-3 ft	3-4 ft	4-20 ft
MW-14	4/13/2010	324.38 ft	40 ft	8.0 in	2.0 in	0-29.72 ft	29.72-40 ft	0-27 ft	27-29 ft	29-40 ft
MW-15	4/15/2010	325.76 ft	40 ft	8.0 in	2.0 in	0-29.46 ft	29.46-40 ft	0-27 ft	27-29 ft	29-40 ft
MW-16	4/14/2010	326.29 ft	40 ft	8.0 in	2.0 in	0-29.48 ft	29.48-40 ft	0-27 ft	27-29 ft	29-40 ft
MW-17	4/14/2010	326.46 ft	40 ft	8.0 in	2.0 in	0-29.46 ft	29.46-40 ft	0-27 ft	27-29 ft	29-40 ft
REMEDIATION WELLS										
EW-1	7/29/2005	328.94 ft	15 ft	8 in	2 in	0-5.00	5.00-15.0 ft	0-3 ft	3-4 ft	4-15 ft
EW-2	7/29/2005	328.99 ft	15 ft	8 in	2 in	0-5.00	5.00-15.0 ft	0-3 ft	3-4 ft	4-15 ft
IW-1	5/18/2009	NM	36 ft	8 in	3/4 in	0-30.5 ft	30.5-36.5 ft	0-25 ft	25-28 ft	28-36 ft
IW-2	5/18/2009	NM	38 ft	8 in	3/4 in	0-35.0 ft	35.0-36.0 ft	0-28 ft	28-31 ft	31-38 ft
IW-2	5/18/2009	NM	35 ft	8 in	3/4 in	0-34.0 ft	34.0-35.0 ft	0-27 ft	27-30 ft	30-35 ft
IW-4	5/14/2009	NM	37 ft	8 in	3/4 in	0-35.0 ft	35.0-36.0 ft	0-30 ft	30-33 ft	33-37 ft
IW-5	5/15/2009	NM	36 ft	8 in	3/4 in	0-35.0 ft	35.0-36.0 ft	0-30 ft	30-33 ft	33-36 ft

Table Notes:

All depth measurements are in feet below ground surface or below top of casing.

Wells constructed with Schedule 40 PVC.

Well screens are all 0.020-inch slotted; screens for IW-wells are fine-pore diffusers (1 ft in length).

TOC Elevation = Mean sea level elevation of top of well casing.

NM = TOC Elevation not measured.

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)												
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br	
MW-1	12/15/1998	5.74	323.14	46,000	<100	<100	<100	<100	—	—	—	—	62,000¹	—	—	
"A" Zone	4/6/1999	5.09	323.79	45,000	<50	<50	<50	<50	—	—	—	—	86,000¹	—	—	
<328.88>	7/14/1999	6.18	322.70	2,800	<100	<100	<100	<100	—	—	—	—	65,000¹	—	—	
	10/14/1999	6.86	322.02	11,000	<17	<17	<17	<17	—	—	—	—	98,000¹	—	—	
	8/18/2000	6.98	321.90	36,000	<50	<50	<50	<50	—	—	—	—	66,000¹	—	—	
	5/29/2002	6.42	322.46	29,100	<15	<15	<15	<30	841	<500	<100	N50	27,800¹	—	—	
	11/20/2002	6.65	322.23	110	<0.5	<0.5	<0.5	<1.0	<20	<50	<20	<20	20,000	—	—	
	4/6/2003	5.95	322.93	1,300	<1.0	<1.0	<1.0	<1.0	10	360	<2.0	2.2	15,000	—	—	
	7/13/2003	6.55	322.33	74	<0.50	<0.50	<0.50	<1.0	10	42	<5.0	<5.0	15,000	—	—	
	2/11/2004	5.74	323.14	<50	<0.50	<0.50	<0.50	<1.0	10	420	<2.0	2.5	34,000	—	—	
	6/16/2004	6.37	322.51	180	<0.50	<0.50	<0.50	<1.0	6.8	290	<2.0	<2.0	7,600	—	—	
	10/16/2004	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6,720	—	—	
	12/30/2004	5.84	323.04	92	<0.50	<0.50	<0.50	<1.0	5.2	<10	<2.0	<2.0	2,600	—	—	
	3/22/2005	5.22	323.66	<50	<0.50	<0.50	<0.50	<1.0	7.3	<10	<2.0	<2.0	6,900	—	—	
	6/10/2005	6.17	322.71	100	<0.50	<0.50	<0.50	<1.0	9.8	<10	<2.0	<2.0	25,000	—	—	
	10/4/2005	7.49	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,500	—	—	
	12/21/2005	7.18	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6,800	—	—	
	3/30/2006	5.81	323.07	<50	<0.50	<0.50	<0.50	1.1	2.6	<2.0	<10	<2.0	6,900	—	—	
	6/1/2006	7.20	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5,100	—	—	
	9/12/2006	6.39	322.49	<50	<0.50	<0.50	<0.50	<1.0	2.2	960	<2.0	<2.0	2,400	—	—	
	11/21/2006	7.68	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	930	—	—	
	2/27/2007	5.06	323.82	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,100	—	—	
	6/7/2007	7.57	321.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	1,500	<2.0	<2.0	1,100	—	—	
	9/14/2007	7.52	321.36	NA	<0.50	<0.50	<0.50	<1.0	<20	640	<2.0	<2.0	280	—	—	
	11/17/2007	7.28	321.60	NA	<0.50	<0.50	<0.50	<1.0	<20	1,400	<2.0	<2.0	260	—	—	
	2/28/2008	5.56	323.32	NA	<0.50	<0.50	<0.50	<1.0	<20	1,300	<2.0	<2.0	130	—	—	
	6/4/2008	6.96	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,700	<2.0	<2.0	290	—	—	
	9/11/2008	7.24	321.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	160	—	—	
	12/23/2008	6.84	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	—	—	
	3/17/2009	5.91	322.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17	—	—	
	6/26/2009	7.21	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	74	—	—	
	12/3/2009	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	2,800	<2.0	<2.0	15	—	—	
	6/11/2010	6.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	58	—	—	
	11/11/2010	7.65	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	29	—	—	
	6/1/2011	6.64	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	14	—	—	
	12/6/2011	7.43	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	10	—	—	
Ozone Remediation Initiated on February 27, 2012																
	7/12/2012	7.29	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	88	<2.0	<2.0	8.3	—	—	
Ozone Remediation Ended on November 23, 2012																
	12/10/2012	6.21	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	38	<2.0	<2.0	8	—	—	
	6/26/2013	7.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	4.2	—	—	
	12/17/2013	7.32	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.1	—	—	
	6/20/2014	7.96	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	11	<2.0	<2.0	3.3	32	—	
	12/31/2014	6.72	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	15	<2.0	<2.0	6.2	—	—	
MW-2	12/15/1998	4.30	323.34	<50	<0.50	0.9	<0.50	1.5	—	—	—	—	<5.0	—	—	
"A" Zone	4/6/1999	3.42	324.22	<50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	<5.0	—	—	
<327.64>	7/14/1999	4.76	322.88	<50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	<5.0	—	—	
	10/14/1999	5.48	322.16	<50	<0.50	<0.50	<0.50	<0.50	—	—	—	—	<5.0	—	—	
	8/18/2000	5.72	321.92	<50	<0.50	<0.50	<0.50	<0.50	1.1	—	—	—	16	—	—	
	5/29/2002	5.18	322.46	<50	<0.3	<0.3	<0.3	<0.3	3.9	<2.0	<10	<2.0	2.6	—	—	
	11/20/2002	5.52	322.12	57	<0.50	<0.50	<0.50	<1.0	<20	50	<20	<20	9.1	—	—	
	4/6/2003	4.59	323.05	<50	<1.0	<1.0	<1.0	<1.0	<2.0	10	<2.0	<2.0	5.7	—	—	
	7/13/2003	5.24	322.40	<50	<0.50	<0.50	<0.50	<0.50	<5.0	<10	<5.0	<5.0	6.5	—	—	
	2/11/2004	4.45	323.19	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	8.5	—	—	
	6/16/2004	4.93	322.71	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	120	—	—	
	10/16/2004	5.97	321.67	78	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	43.2	—	—	
	12/30/2004	4.74	322.90	<50	<0.50	<0.50	<0.50	<1.0	4.1	<10	<2.0	<2.0	14	—	—	
	3/22/2005	3.86	323.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	—	—	
	6/10/2005	4.83	322.81	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	14	—	—	
	10/4/2005	6.19	321.45	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	5.2	—	—	
	12/21/2005	5.81	321.83	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	3/30/2006	4.55	323.09	<50	<0.50	<0.50	<0.50	<0.50	3.9	<2.0	<10	<2.0	13	—	—	
	6/1/2006	5.93	321.71	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	14	—	—	
	9/12/2006	8.65	318.99	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	22	—	—	
	11/21/2006	6.42	321.22	<50	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	19	—	—	
	2/27/2007	5.14	322.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	—	—	
	6/7/2007	6.18	321.46	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	30	—	—	
	9/14/2007	6.31	321.33	NA	<0.50	<0.50										

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	9/11/2008	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	38	—	—
	12/23/2008	5.56	322.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39	—	—
	3/17/2009	4.64	323.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36	—	—
	6/26/2009	5.90	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	—	—
	12/3/2009	5.98	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	—	—
	6/11/2010	5.30	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	—	—
	11/11/2010	6.39	321.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.4	—	—
	6/1/2011	5.39	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1	—	—
	12/7/2011	6.17	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.8	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	6.07	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	5.00	322.64	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.9	—	—
	6/26/2013	6.45	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.9	—	—
	12/17/2013	5.92	321.72	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.3	—	—
	7/1/2014	6.78	320.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.4	—	—
	12/31/2014	5.44	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.0	—	—
MW-3	8/18/2000	5.67	321.77	210	<0.50	0.58	<0.50	0.59	—	—	—	—	570	—	—
"A" Zone <327.44>	5/29/2002	5.10	322.34	<50	<0.3	<0.3	<0.3	219	<2.0	<10	<2.0	<2.0	281	—	—
	11/20/2002	5.56	321.88	200	<0.50	<0.50	<0.50	<1.0	<20	<50	<20	<20	460	—	—
	4/6/2003	4.64	322.80	270	<1.0	<1.0	<1.0	<1.0	<2.0	<10	<2.0	<2.0	340	—	—
	7/13/2003	5.48	321.96	<50	<0.50	<0.50	<0.50	<1.0	<5.0	<10	<5.0	<5.0	460	—	—
	2/11/2004	4.47	322.97	<50	<0.50	<0.50	<0.50	<1.0	2.2	1,000	<2.0	<2.0	4,000	—	—
	6/16/2004	5.23	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	240	—	—
	10/16/2004	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210	—	—
	12/30/2004	4.54	322.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	190	—	—
	3/22/2005	3.90	323.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	210	—	—
	6/10/2005	4.83	322.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	230	—	—
	10/4/2005	6.02	321.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	380	—	—
	12/21/2005	5.74	321.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	320	—	—
	3/30/2006	4.35	323.09	<50	<0.50	<0.50	1.3	3.0	<2.0	<10	<2.0	<2.0	160	—	—
	6/1/2006	5.69	321.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	270	—	—
	9/12/2006	6.21	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	—	—
	11/21/2006	6.29	321.15	<50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	90	—	—
	2/27/2007	—	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	39	—	—
	6/7/2007	5.98	321.46	NA	<0.50	<0.50	<0.50	<0.50	<2.0	<10	<2.0	<2.0	270	—	—
	9/14/2007	6.11	321.33	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59	—	—
	11/17/2007	5.86	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	75	—	—
	2/28/2008	4.12	323.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	36	—	—
	6/4/2008	5.47	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	20	<2.0	<2.0	30	—	—
	9/11/2008	5.75	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	51	<2.0	<2.0	36	—	—
	12/23/2008	5.45	321.99	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41	—	—
	3/17/2009	4.55	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	—	—
	6/26/2009	5.78	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	—	—
	12/3/2009	5.87	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	15	—	—
	6/10/2010	5.19	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	—	—
	11/11/2010	6.20	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	27	—	—
	6/1/2011	5.17	322.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	10	<2.0	<2.0	7.9	—	—
	12/6/2011	6.03	321.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.83	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.8	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.02	322.42	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.2	—	—
	6/26/2013	6.29	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.4	—	—
	12/17/2013	5.92	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.7	—	—
	6/20/2014	6.50	320.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	24	—	—
	12/30/2014	5.11	322.33	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.1	—	—
MW-4S	4/27/2006	5.03	322.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
"A" Zone <327.80>	6/1/2006	3.72	324.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	9/12/2006	6.01	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	11/21/2006	6.68	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.1	—	—
	2/27/2007	5.39	322.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3	—	—
	6/7/2007	6.38	321.42	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27	—	—
	9/14/2007	—	NA	<0.50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	—	—
	11/17/2007	6.39	321.41	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73	—	—
	2/28/2008	4.65	323.15	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	360	—	—
	6/4/2008	5.93	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	820	—	—
	9/11/2008	6.09	321.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	190	<2.0	<2.0	400	—	—
	12/23/2008	5.93	321.87	86	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	310	—	—
	3/17/2009	4.98	322.82	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100	—	—
	6/26/2009	6.13	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0						

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/3/2009	6.33	321.47	280	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	590	—	—
	6/10/2010	5.56	322.24	160	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	690	—	—
	11/11/2010	6.50	321.30	250	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	460	—	—
	6/3/2011	5.46	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	670	—	—
	12/7/2011	6.34	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	380	<2.0	<2.0	640	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.48	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	370	<2.0	<2.0	540	<0.40	<5,000
	4/27/2012	5.07	322.73	<50	<0.50	<0.50	<0.50	<1.0	<2.0	460	<2.0	<2.0	770	<0.40	<5,000
	7/13/2012	6.22	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	370	<2.0	<2.0	1,100	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.35	322.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	250	<2.0	<2.0	290	—	—
	6/27/2013	6.53	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	250	<2.0	<2.0	110	—	—
	12/18/2013	6.44	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	62	—	—
	6/20/2014	6.89	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	340	<2.0	3.8	220	—	—
	12/30/2014	5.59	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	310	<2.0	<2.0	58	—	—
MW-4D	4/27/2006	5.00	322.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
"B" Zone <327.67>	6/1/2006	--	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	9/12/2006	4.23	323.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	11/21/2006	6.51	321.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	2/27/2007	—	—	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/7/2007	7.51	320.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	9/14/2007	—	--	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	11/17/2007	6.43	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	2/28/2008	6.05	321.62	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/4/2008	6.49	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.2	—	—
	9/11/2008	7.06	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.0	—	—
	12/23/2008	6.60	321.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	—	—
	3/17/2009	5.05	322.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.9	—	—
	6/26/2009	5.93	321.74	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	—	—
	12/3/2009	6.21	321.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	56	—	—
	6/10/2010	5.44	322.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	54	—	—
	11/10/2010	6.33	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	59	—	—
	6/3/2011	5.07	322.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	11	<2.0	<2.0	40	—	—
	12/7/2011	6.12	321.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	40	<2.0	<2.0	60	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.43	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	51	<0.20	<5,000
	4/27/2012	4.92	322.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	66	<0.20	<5,000
	7/13/2012	6.19	321.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	41	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.97	322.70	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87	—	—
	6/27/2013	6.29	321.38	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	53	—	—
	12/18/2013	6.07	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	80	—	—
	6/20/2014	6.74	320.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	18	<2.0	<2.0	180	—	—
	12/30/2014	5.52	322.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	47	—	—
MW-5S	4/27/2006	4.25	322.84	<50	<0.50	<0.50	<0.50	<1.0	4.6	<10	<2.0	<2.0	10,000	—	—
"A" Zone <327.09>	6/1/2006	5.41	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8,300	—	—
	9/12/2006	5.85	321.24	<50	<0.50	<0.50	<0.50	<1.0	3.5	340	<2.0	<2.0	6,500	—	—
	11/21/2006	5.57	321.52	<50	<0.50	<0.50	<0.50	<1.0	3.5	1,200	<2.0	<2.0	4,700	—	—
	2/27/2007	4.61	322.48	NA	<0.50	<0.50	<0.50	<1.0	2.9	1,400	<2.0	<2.0	3,800	—	—
	6/7/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	3.2	<10	<2.0	<2.0	7,800	—	—
	9/14/2007	5.83	321.26	NA	<0.50	<0.50	<0.50	<1.0	<2.0	640	<2.0	<2.0	2,700	—	—
	11/17/2007	5.61	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	47	<2.0	<2.0	4,700	—	—
	2/28/2008	3.86	323.23	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700	—	—
	6/4/2008	5.21	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.7	1,500	<2.0	<2.0	7,300	—	—
	9/11/2008	—	--	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,800	<2.0	<2.0	2,700	—	—
	12/23/2008	5.15	321.94	600	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,400	—	—
	3/17/2009	4.29	322.80	830	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900	—	—
	6/26/2009	5.49	321.60	150	<0.50	<0.50	<0.50	<1.0	<2.0	590	<2.0	<2.0	620	—	—
	12/3/2009	5.66	321.43	160	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	190	—	—
	6/9/2010	4.91	322.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	390	<2.0	<2.0	60	—	—
	11/11/2010	5.90	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	51	—	—
	6/3/2011	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	23	<2.0	<2.0	9.2	—	—
	12/7/2011	5.70	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	4.81	322.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	<0.2	<50
	4/27/2012	4.46	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	20	<0.2	<50
	7/13/2012	5.56	321.53	<50	<0.50	<0.50	<0.50	<1.0	<2.0	53	<2.0	<2.0	35	—	—</

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	6/20/2014	6.21	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.0	—	—
	12/30/2014	4.85	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	23	<2.0	<2.0	1.3	—	—
MW-5D	4/27/2006	4.01	323.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,900	—	—
"B" Zone <327.30>	6/1/2006	5.85	321.45	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300	—	—
	9/12/2006	6.50	320.80	<50	<0.50	<0.50	<0.50	<1.0	2.6	150	<2.0	<2.0	3,900	—	—
	11/21/2006	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	4.0	1,300	<2.0	<2.0	2,600	—	—
	2/27/2007	5.51	321.79	NA	<0.50	<0.50	<0.50	<1.0	<2.0	440	<2.0	<2.0	1,900	—	—
	6/7/2007	6.72	320.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,700	—	—
	9/14/2007	—	—	NA	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	1,600	—	—
	11/17/2007	5.55	321.75	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3,000	—	—
	2/28/2008	5.22	322.08	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	890	—	—
	6/4/2008	6.11	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	160	<2.0	<2.0	1,500	—	—
	9/11/2008	—	—	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	2,500	—	—
	12/23/2008	7.57	319.73	670	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,800	—	—
	3/17/2009	5.35	321.95	720	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,100	—	—
	6/26/2009	6.54	320.76	360	<0.50	<0.50	<0.50	<1.0	<2.0	1,000	<2.0	<2.0	1,600	—	—
	12/3/2009	5.81	321.49	1,100	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	1,500	—	—
	6/9/2010	5.09	322.21	560	<0.50	<0.50	<0.50	<1.0	<2.0	560	<2.0	<2.0	2,200	—	—
	11/11/2010	6.08	321.22	700	<0.50	<0.50	<0.50	<1.0	<2.0	360	<2.0	<2.0	2,300	—	—
	6/3/2011	4.98	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	610	<2.0	<2.0	1,200	—	—
	12/7/2011	5.91	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	430	<2.0	<2.0	690	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	5.14	322.16	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	390	<0.2	<10,000
	4/27/2012	4.59	322.71	<50	<0.50	<0.50	<0.50	<1.0	<2.0	16	<2.0	<2.0	450	<0.2	<10,000
	7/13/2012	5.64	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	93	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.84	322.46	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	63	—	—
	6/27/2013	6.10	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	—	—
	12/18/2013	5.94	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140	—	—
	6/20/2014	6.39	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	42	—	—
	12/30/2014	4.96	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
MW-6S	4/27/2006	12.32	314.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	190	—	—
"A" Zone <326.53>	6/1/2006	11.39	315.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	73	—	—
	9/12/2006	16.49	310.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	—	—
	11/21/2006	7.93	318.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	140	—	—
	2/27/2007	—	—	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	87	—	—
	6/7/2007	6.08	320.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83	—	—
	9/14/2007	6.32	320.21	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72	—	—
	11/17/2007	7.69	318.84	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72	—	—
	2/28/2008	5.03	321.50	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	68	—	—
	6/4/2008	5.34	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	65	—	—
	9/11/2008	5.74	320.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	—	—
	12/23/2008	5.86	320.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	83	—	—
	3/17/2009	4.80	321.73	61	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	160	—	—
	6/26/2009	5.44	321.09	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81	—	—
	12/3/2009	5.03	321.50	130	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	220	—	—
	6/11/2010	4.05	322.48	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120	—	—
	11/11/2010	5.50	321.03	110	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	170	—	—
	6/3/2011	4.06	322.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	31	<2.0	<2.0	110	—	—
	12/7/2011	4.73	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	62	<2.0	<2.0	98	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	1.21	325.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	90	—	—
	4/27/2012	8.14	318.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	39	—	—
	7/13/2012	6.30	320.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	15	<2.0	<2.0	35	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	5.14	321.39	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	70	—	—
	6/27/2013	5.26	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	—	—
	12/18/2013	5.31	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	86	—	—
	6/20/2014	5.36	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	24	<2.0	<2.0	230	—	—
	12/30/2014	4.94	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	50	—	—
MW-6D	4/27/2006	4.09	322.63	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22	—	—
"B" Zone <326.72>	6/1/2006	4.85	321.87	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	—	—
	9/12/2006	5.40	321.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.3	—	—
	11/21/2006	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8	—	—
	2/27/2007	4.09	322.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.6	—	—
	6/7/2007	5.14	321.58	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	8.5	—	—
	9/14/2007	5.42	321.30	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	—	—
	11/17/2007	5.20	321.52	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26	—	—
	2/28/2008	3.41	323.31	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.3	—	—
	6/4/2008	4.78	321.94	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	—	—
	9/11/2008	5.10	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0						

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/23/2008	4.67	322.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.8	—	—
	3/17/2009	3.88	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	26	—	—
	6/26/2009	5.06	321.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/3/2009	5.25	321.47	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	52	—	—
	6/11/2010	4.5	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	—	—
	11/11/2010	5.51	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	44	—	—
	6/3/2011	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	17	—	—
	12/7/2011	5.38	321.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	24	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	4.41	322.31	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	—	—
	4/27/2012	4.06	322.66	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	—	—
	7/13/2012	5.12	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.28	322.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	—	—
	6/27/2013	5.52	321.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	—	—
	12/18/2013	5.42	321.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	27	—	—
	6/20/2014	5.84	320.88	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	72	—	—
	12/30/2014	4.46	322.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	22	—	—
MW-7	4/27/2006	3.33	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
"A" Zone	6/1/2006	4.47	321.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	16	—	—
<326.16>	9/12/2006	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	81	—	—
	11/21/2006	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	180	—	—
	2/27/2007	3.46	322.70	NA	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	350	—	—
	6/7/2007	4.71	321.45	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	520	—	—
	9/14/2007	4.92	321.24	NA	<0.50	<0.50	<0.50	<1.0	<2.0	13	<2.0	<2.0	270	—	—
	11/17/2007	4.69	321.47	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	710	—	—
	2/28/2008	3.07	323.09	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,800	—	—
	6/4/2008	4.31	321.85	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	4,300	—	—
	9/11/2008	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	1,100	<2.0	<2.0	3,200	—	—
	12/23/2008	4.24	321.92	590	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,300	—	—
	3/17/2009	3.41	322.75	1,700	<0.50	<0.50	<0.50	<1.0	2.9	<10	<2.0	<2.0	4,100	—	—
	6/26/2009	4.61	321.55	440	<0.50	<0.50	<0.50	<1.0	<2.0	2,000	<2.0	<2.0	2,400	—	—
	12/3/2009	4.75	321.41	2,500	<0.50	<0.50	<0.50	<1.0	<2.0	21	<2.0	<2.0	3,400	—	—
	6/11/2010	4.03	322.13	630	<0.50	<0.50	<0.50	<1.0	<2.0	680	<2.0	<2.0	2,700	—	—
	11/10/2010	4.92	321.24	790	<0.50	<0.50	<0.50	<1.0	<2.0	790	<2.0	<2.0	2,700	—	—
	6/3/2011	3.92	322.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	830	<2.0	<2.0	2,000	—	—
	12/7/2011	4.88	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	950	<2.0	<2.0	1,200	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	3.64	322.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	320	<2.0	<2.0	780	<0.40	<5,000
	4/27/2012	3.47	322.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	23	<2.0	<2.0	530	<0.40	<5,000
	7/13/2012	4.55	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	16	<2.0	<2.0	49	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.84	322.32	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	18	—	—
	6/26/2013	5.02	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	170	<2.0	<2.0	130	—	—
	12/17/2013	4.92	321.24	<50	<0.50	<0.50	<0.50	<1.0	<2.0	230	<2.0	<2.0	240	—	—
	6/20/2014	—	—	I Not Accessible											
	6/30/2015	5.78	320.38	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	160	—	—
	12/31/2015	4.62	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	130	—	—
	6/17/2016	5.06	321.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	150	—	—
MW-8	4/27/2006	3.05	322.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000	—	—
"B" Zone	6/1/2006	4.09	321.79	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,000	—	—
<325.88>	9/12/2006	4.58	321.3	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	2,500	—	—
	11/21/2006	5.73	320.15	<50	<0.50	<0.50	<0.50	<1.0	2.2	430	<2.0	<2.0	1,900	—	—
	2/27/2007	3.03	322.85	NA	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	1,600	—	—
	6/7/2007	4.32	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,500	—	—
	9/14/2007	4.45	321.43	NA	<0.50	<0.50	<0.50	<1.0	<2.0	58	<2.0	<2.0	630	—	—
	11/17/2007	4.39	321.49	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	640	—	—
	2/28/2008	—	—	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/4/2008	4.02	321.86	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	870	—	—
	9/11/2008	4.26	321.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	290	<2.0	<2.0	1,300	—	—
	12/23/2008	3.91	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150	—	—
	3/17/2009	3.11	322.77	640	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400	—	—
	6/26/2009	4.27	321.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	85	—	—
	12/3/2009	4.45	321.43	540	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	770	—	—
	6/11/2010	3.74	322.14	220	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	1,100	—	—
	11/10/2010	4.63	321.25	220	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	350	—	—
	6/3/2011	3.67	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	220	<2.0	<2.0	100	—	—
	12/6/2011	4.62	321.26	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	110	—	—
Ozone Remediation Initiated on February 27, 2012					</										

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
 Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	4/27/2012	3.51	322.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	110	<0.40	<5,000
	7/13/2012	4.51	321.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	42	<2.0	<2.0	87	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.59	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	120	—	—
	6/27/2013	4.71	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	53	—	—
	12/17/2013	4.70	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	34	—	—
	6/20/2014	5.04	320.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	29	<2.0	2.4	160	—	—
	12/30/2014	3.69	322.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	49	—	—
	6/30/2015	5.48	320.40	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	30	—	—
	12/31/2015	4.32	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	47	—	—
	6/17/2016	4.75	321.13	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	66	—	—
MW-9	4/27/2006	2.45	322.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2,200	—	—
"B" Zone <325.29>	6/1/2006	3.52	321.77	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,000	—	—
	9/12/2006	4.01	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	130	<2.0	<2.0	2,100	—	—
	11/21/2006	4.08	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	180	<2.0	<2.0	1,200	—	—
	2/27/2007	2.69	322.6	NA	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	930	—	—
	6/7/2007	3.73	321.56	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,400	—	—
	9/14/2007	4.02	321.27	NA	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	460	—	—
	11/17/2007	—	—	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	910	—	—
	2/28/2008	2.13	323.16	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200	—	—
	6/4/2008	3.41	321.88	<50	<0.50	<0.50	<0.50	<1.0	2.4	1,400	<2.0	<2.0	5,500	—	—
	9/11/2008	3.70	321.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	2,700	—	—
	12/23/2008	3.29	322.00	62	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	260	—	—
	3/17/2009	2.59	322.70	1,800	<0.50	<0.50	<0.50	<1.0	3.0	<10	<2.0	<2.0	3,800	—	—
	6/26/2009	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	41	—	—
	12/3/2009	—	—	2,200	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	2,800	—	—
	6/9/2010	3.20	322.09	850	<0.50	<0.50	<0.50	<1.0	<2.0	660	<2.0	<2.0	3,800	—	—
	11/10/2010	—	—	400	<0.50	<0.50	<0.50	<1.0	<2.0	1,200	<2.0	<2.0	800	—	—
	6/3/2011	3.07	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	460	<2.0	<2.0	260	—	—
	12/6/2011	4.07	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	330	<2.0	<2.0	47	—	—
Ozone Remediation Initiated on February 27, 2012															
	3/22/2012	3.37	321.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	860	<2.0	<2.0	470	<0.2	<5.0
	4/27/2012	3.00	322.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	340	<2.0	<2.0	1,500	<0.2	<5.0
	7/13/2012	3.85	321.44	<50	<0.50	<0.50	<0.50	<1.0	<2.0	400	<2.0	<2.0	410	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	2.95	322.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	700	<2.0	<2.0	140	—	—
	6/26/2013	4.15	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	19	—	—
	12/17/2013	4.11	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	32	—	—
	6/20/2014	4.46	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	60	<2.0	3.6	250	—	—
	12/30/2014	3.10	322.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	15	<2.0	<2.0	79	—	—
	6/30/2015	4.88	320.41	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	84	—	—
	12/31/2015	3.73	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	40	—	—
	6/17/2016	4.15	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	42	<2.0	<2.0	83	—	—
MW-10	4/27/2006	2.65	322.89	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	—	—
"B" Zone <325.54>	6/1/2006	3.72	321.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	9/12/2006	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	—	—
	11/21/2006	4.35	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	15	—	—
	2/27/2007	3.78	321.76	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	—	—
	6/7/2007	3.91	321.63	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	12	—	—
	9/14/2007	4.22	321.32	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	11/17/2007	4.06	321.48	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.1	—	—
	2/28/2008	2.83	322.71	NA	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/4/2008	—	—	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	9.5	—	—
	9/11/2008	4.33	321.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.8	—	—
	12/23/2008	3.44	322.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	3/17/2009	3.50	322.04	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/26/2009	4.63	320.91	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/3/2009	4.11	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	7.4	—	—
	6/9/2010	3.42	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	—	—
	11/10/2010	4.32	321.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	6.4	—	—
	6/3/2011	3.29	322.25	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.0	—	—
	12/6/2011	4.27	321.27	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/13/2012	3.96	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	3.24	322.30	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.2	—	—
	6/26/2013	4.39	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.1	—	—
	12/17/2013	4.31	321.23	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.7	—	—
	6/20/2014	4.72	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	20	—	—
	12/31/2014	3.31	322.23	<50	<0.50										

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/31/2015	4.00	321.54	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	5.1	—	—
	6/17/2016	4.39	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	10	—	—
MW-11	6/11/2010	6.68	322.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	550	<2.0	<2.0	160	—	—
"A" Zone	11/11/2010	7.81	321.23	110	<0.50	<0.50	<0.50	<1.0	<2.0	530	<2.0	<2.0	180	—	—
<329.04>	6/1/2011	6.53	322.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	150	<2.0	<2.0	66	—	—
	12/7/2011	7.54	321.50	<50	<0.50	<0.50	<0.50	<1.0	<2.0	120	<2.0	<2.0	59	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.48	321.56	<50	<0.50	<0.50	<0.50	<1.0	<2.0	84	<2.0	<2.0	51	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.45	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	23	—	—
	6/26/2013	7.86	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	23	—	—
	12/17/2013	I Not Accessible													
	7/1/2014	I Not Accessible													
	12/31/2014	7.07	321.97	<50	<0.50	<0.50	<0.50	<1.0	<2.0	100	<2.0	<2.0	14	—	—
MW-12	6/11/2010	6.83	322.29	190	<0.50	<0.50	<0.50	<1.0	<2.0	2,400	<2.0	<2.0	870	—	—
"A" Zone	11/11/2010	7.92	321.20	380	<0.50	<0.50	<0.50	<1.0	<2.0	1,300	<2.0	<2.0	680	—	—
<329.12>	6/1/2011	6.90	322.22	<50	<0.50	<0.50	<0.50	<1.0	<2.0	230	<2.0	<2.0	230	—	—
	12/7/2011	7.69	321.43	<50	<0.50	<0.50	<0.50	<1.0	<2.0	87	<2.0	<2.0	110	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.54	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	26	<2.0	<2.0	8.6	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.53	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	11	—	—
	6/26/2013	7.94	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	—	—
	12/17/2013	7.55	321.57	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	3.9	—	—
	7/1/2014	I Not Accessible													
	12/31/2014	6.99	322.13	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.4	—	—
MW-13	6/11/2010	6.64	322.29	150	<0.50	<0.50	<0.50	<1.0	<2.0	780	<2.0	<2.0	800	—	—
"A" Zone	11/11/2010	7.72	321.21	320	<0.50	<0.50	<0.50	<1.0	<2.0	810	<2.0	<2.0	550	—	—
<328.93>	6/1/2011	6.72	322.21	<50	<0.50	<0.50	<0.50	<1.0	<2.0	210	<2.0	<2.0	160	—	—
	12/7/2011	7.53	321.4	<50	<0.50	<0.50	<0.50	<1.0	<2.0	110	<2.0	<2.0	110	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.33	321.6	<50	<0.50	<0.50	<0.50	<1.0	<2.0	35	<2.0	<2.0	40	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.34	322.59	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	24	—	—
	6/26/2013	7.74	321.19	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	13	—	—
	12/17/2013	I Not Accessible													
	7/1/2014	I Not Accessible													
	12/31/2014	I Not Accessible													
MW-14	6/10/2010	2.48	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	150	—	—
"B" Zone	11/10/2010	3.20	321.18	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	4.8	—	—
<324.38>	6/1/2011	2.38	322	<50	<0.50	<0.50	<0.50	<1.0	<2.0	12	<2.0	<2.0	36	—	—
	12/6/2011	3.23	321.15	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.4	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	2.87	321.51	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	2.18	322.20	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/26/2013	3.33	321.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/17/2013	3.38	321.00	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	7/1/2014	3.69	320.69	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/30/2014	2.26	322.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/30/2015	4.03	320.35	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/31/2015	2.89	321.49	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/17/2016	3.28	321.10	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
MW-15	6/10/2010	4.24	321.52	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
"B" Zone	11/10/2010	4.84	320.92	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
<325.76>	6/1/2011	4.18	321.58	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/6/2011	4.95	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	4.40	321.36	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
Ozone Remediation Ended on November 23, 2012															
	12/21/2012	3.96	321.80	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/26/2013	5.01	320.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/17/2013	5.21	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	7/1/2014	5.39	320.37	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/30/2014	4.16	321.60	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/30/2015	5.71	320.05	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/31/2015	4.64	321.12	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/17/2016	5.01	320.75	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1.1	—	—
MW-16	6/10/2010	4.65	321.64	230	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	1,200	—	—
"B" Zone	11/10/2010	5.42	320.87	520	<0.50	<0.50	<0.50	<1.0	<						

Table 2
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
Dublin Toyota UST Site

Sample ID	Sample Date	GW Depth	GW Elev.	Concentration, in micrograms per liter (ug/L)											
				TPH-G	B	T	E	X	TAME	TBA	DIPE	ETBE	MTBE	Cr6	Br
	12/6/2011	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	510	<2.0	<2.0	730	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.00	321.29	<50	<0.50	<0.50	<0.50	<1.0	<2.0	350	<2.0	<2.0	750	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.36	321.93	<50	<0.50	<0.50	<0.50	<1.0	<2.0	220	<2.0	<2.0	950	—	—
	6/26/2013	5.48	320.81	<50	<0.50	<0.50	<0.50	<1.0	<2.0	90	<2.0	<2.0	1,000	—	—
	12/17/2013	5.67	320.62	<50	<0.50	<0.50	<0.50	<1.0	<2.0	61	<2.0	<2.0	870	—	—
	7/1/2014	5.95	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	320	<2.0	<2.0	610	—	—
	12/30/2014	4.65	321.64	240	<0.50	<0.50	<0.50	<1.0	<2.0	73	<2.0	<2.0	430	—	—
	6/30/2015	6.22	320.07	<50	<0.50	<0.50	<0.50	<1.0	<2.0	83	<2.0	<2.0	370	—	—
	12/31/2015	5.12	321.17	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	240	—	—
	6/17/2016	5.47	320.82	<50	<0.50	<0.50	<0.50	<1.0	<2.0	270	<2.0	<2.0	240	—	—
MW-17	6/10/2010	3.50	322.96	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
"B" Zone	11/10/2010	5.63	320.83	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
<326.46>	6/1/2011	4.78	321.68	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/6/2011	5.68	320.78	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	2.8	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	5.18	321.28	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
Ozone Remediation Ended on November 23, 2012															
	12/20/2012	4.56	321.90	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/26/2013	5.91	320.55	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/17/2013	5.85	320.61	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	7/1/2014	6.12	320.34	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/31/2014	4.79	321.67	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/30/2015	6.38	320.08	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	12/31/2015	5.32	321.14	<50	<0.50	<0.50	<0.50	<1.0	<2.0	<10	<2.0	<2.0	<1.0	—	—
	6/17/2016	5.62	320.84	<50	<0.50	<0.50	<0.50	<1.0	<2.0	16	<2.0	<2.0	1.5	—	—
EW-1	6/10/2010	6.47	322.47	170	15	<0.50	4.4	1.2	<2.0	<10	<2.0	<2.0	76	—	—
"A" Zone	11/11/2010	7.69	321.25	740	53	<0.50	7.5	<1.0	<2.0	150	<2.0	<2.0	140	—	—
<328.94>	6/3/2011	6.68	322.26	<50	11	<0.50	1.7	<1.0	<2.0	140	<2.0	<2.0	35	—	—
	12/7/2011	7.53	321.41	440	38	<0.50	3.5	<1.0	<2.0	110	<2.0	<2.0	48	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.38	321.56	980	22	1.4	4.6	<1.0	<2.0	180	<2.0	<2.0	36	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.36	322.58	320	42	<0.50	37	1.8	<2.0	150	<2.0	<2.0	53	—	—
	6/26/2013	7.78	321.16	350	7.4	<0.50	8	24.8	<2.0	60	<2.0	<2.0	20	—	—
	12/17/2013	I Not Accessible													
	7/1/2014	I Not Accessible													
	12/31/2014	I Not Accessible													
EW-2	6/10/2010	6.62	322.37	99	11	1	3	3.3	<2.0	<10	<2.0	<2.0	110	—	—
"A" Zone	11/11/2010	Well was not gauged or sam			—	—									
<328.94>	6/1/2011	Well was not gauged or sampled on this date.													
	12/7/2011	7.49	321.5	570	26	<0.50	42	1.9	<2.0	490	<2.0	<2.0	150	—	—
Ozone Remediation Initiated on February 27, 2012															
	7/12/2012	7.41	321.58	570	19	<0.5	8.1	<1.0	<2.0	620	<2.0	<2.0	100	—	—
Ozone Remediation Ended on November 23, 2012															
	12/10/2012	6.36	322.63	99	14	<0.5	6.2	8.9	<2.0	2,100	<2.0	<2.0	100	—	—
	6/26/2013	7.78	321.16	270	3.1	<0.50	3.3	<1.0	<2.0	740	<2.0	<2.0	62	—	—
	12/17/2013	I Not Accessible													
	7/1/2014	I Not Accessible													
	12/31/2014	I Not Accessible													

Table Notes:

GW Depth = Groundwater depth below top of casing.

GW Elevation = Groundwater mean sea level elevation.

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

TAME = Tert-amyl Methyl Ether TBA = tert-Butanol

DIPE = Diisopropyle ether

ETBE = Ethyl-tert-butyl ether

MTBE = Methyl-t-Butyl Ether

Cr6 = Hexavalent Chromium

Br = Bromate

NA = Not analyzed for particular parameter

<0.050 = Not detected above the expressed value.


<328.88> = Surveyed top of casing mean sea level elevation.

"A" Zone = Discontinuous sand and gravel layers shallower than 25 feet in depth.

"B" Zone = Semi-continuous sand and gravel layer between about 30 and 35 feet in depth.

1 = MTBE result was confirmed using USEPA Method 8260B.

FIGURES



DESIGNED BY:

CHECKED BY:

DRAWN BY: MAR

SCALE:

PROJECT NO:


SITE VICINITY MAP

DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

DATE: 07/14/2016

FIGURE: 1

GRBI



INTERSTATE 580 - WEST BOUND LANES

BAY AREA RAPID TRANSIT (BART) TRACKS

INTERSTATE 580 - EAST BOUND LANES

INTERSTATE 580 - EASTBOUND ON-RAMP

INTERSTATE 580 - HOPYARD BOULEVARD EXIT

JOHNSON DRIVE

DUBLIN-SAN RAMON SERVICES DISTRICT

DRAINAGE CHANNEL

MW-15

MW-16

MW-17

RETAIL BUSINESSES

- OZONE INJECTION WELL



- "A" ZONE GROUNDWATER MONITORING WELL

- "B" ZONE GROUNDWATER MONITORING WELL



0 120 240
APPROXIMATE SCALE IN FEET

DESIGNED BY:	CHECKED BY:	SITE AREA PLAN	DATE: 07/14/2016	FIGURE: 2
DRAWN BY: MAR	SCALE:			
PROJECT NO:		DUBLIN TOYOTA UST SITE 6450 DUBLIN COURT DUBLIN, CALIFORNIA		GRIBI



DESIGNED BY:

CHECKED BY:

DRAWN BY: MAR

SCALE:

PROJECT NO:


SITE PLAN

DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

DATE: 07/14/2016

FIGURE: 3

GRIBI



DESIGNED BY:

CHECKED BY:

DRAWN BY: MAR

SCALE:


PROJECT NO:

"A" ZONE GROUNDWATER ELEVATIONS AND HYDROCARBON RESULTS, 06/17/2016DUBLIN TOYOTA UST SITE
6450 DUBLIN COURT
DUBLIN, CALIFORNIA

DATE: 07/14/2016

FIGURE: 4

GRBI



DESIGNED BY:	CHECKED BY:	DATE: 07/14/2016	
DRAWN BY: MAR	SCALE:	FIGURE: 5	
PROJECT NO:	GRBI		

ATTACHMENT A

GROUNDWATER MONITORING

FIELD DATA RECORDS

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Sampling Personnel MSK

Weather Conditions Cloudy, cool

Project Name Dublin Toyota

Date 6/17/2016

Well ID MW-7

Casing Diameter (inches) 0.75

Total Depth (feet) 20.0

Depth to Water 5.06

Depth to Free Product —

Water Column (ft) 14.94

Product Thickness —

One Well Volume (gal) 0.37

3x Well Volume (gal) 1.1

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- ~~0.059~~ for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 perstethic pump
Sample Method		✓	120 perstethic pump

FIELD PARAMETERS

Temp NOT working

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1410							
1413	0.5	—	8.47		7.10		
1416	1.0	—	8.41		7.10		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1420

Sampler's Signature M. J. A.

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel MAR

Date 6/17/2016

Weather Conditions Cloudy, mild,
showers

Well ID MW-8

Casing Diameter (inches) 0.75

Total Depth (feet) 35.0

Depth to Water 4.75

Depth to Free Product

Water Column (ft) 30.25

Product Thickness Φ

One Well Volume (gal) 0.75

3x Well Volume (gal) 2.25

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well
.025

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 peristaltic pump
Sample Method		X	120 peristaltic pump

FIELD PARAMETERS

Tech not working

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1255							
1300	1	—	6.08		7.13		
1304	2		6.07		6.78		
1306	2.5		6.07		7.0		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1310

Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel MTR

Date 6/17/2016

Weather Conditions Cloudy, cool-mild

Well ID MW-9

Casing Diameter (inches) 0.75

Total Depth (feet) 40

Depth to Water 4.15

Depth to Free Product —

Water Column (ft) 35.85

Product Thickness Ø

One Well Volume (gal) 0.90

3x Well Volume (gal) 2.7

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- ~~0.059~~ for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well
~~0.28~~

FIELD METHODS

<i>Activity</i>	<i>Bailer</i>	<i>Pump</i>	<i>Comments</i>
Purge Method		X	120' peristaltic pump
Sample Method		X	120' peristaltic pump

FIELD PARAMETERS

<i>Time</i>	<i>Volume Purged</i>	<i>Temp. (F or C)</i>	<i>E.C. (mS/cm)</i>	<i>D.O. (mg/L)</i>	<i>pH</i>	<i>ORP (mV)</i>	<i>Comments</i>
1318							
1322	1	—	6.93		6.78		
1326	2		6.94		6.78		
1330	3		6.81		6.78		

SAMPLE OBSERVATIONS

<i>Characteristic</i>	<i>None</i>	<i>Slight</i>	<i>Moderate</i>	<i>Strong</i>	<i>Comments</i>
Color					
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1330

Sampler's Signature MTR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel MTR

Date 6/17/2016

Weather Conditions Cloudy, Cool,
Showers

Well ID MW-10

Casing Diameter (inches) 0.75

Total Depth (feet) 39.4

Depth to Water 4.39

Depth to Free Product

Water Column (ft) 35.01

Product Thickness Ø

One Well Volume (gal) 0.88

3x Well Volume (gal) 2.6

Notes:

One Well Volume is determine by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well
.028

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	120 peristaltic pump
Sample Method		X	120 peristaltic pump

FIELD PARAMETERS

Temp not working.

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1343							
1347	1	—	5.55		7.11		
1351	2		6.11		7.12		
1355	3		6.19		7.12		

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1355

Sampler's Signature

MTR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota

Project Name Dublin Toyota

Sampling Personnel MTR

Date 6/17/2012

Weather Conditions Cloudy, mild

Well ID MW-14

Casing Diameter (inches) 2.0

Total Depth (feet) 39.5

Depth to Water 3.28

Depth to Free Product —

Water Column (ft) 36.22

Product Thickness Φ

One Well Volume (gal) 6.16

3x Well Volume (gal) 18.4

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

<i>Activity</i>	<i>Bailer</i>	<i>Pump</i>	<i>Comments</i>
Purge Method		✗	120' purge pump
Sample Method		x	120' purge pump

FIELD PARAMETERS

Temp net water

<i>Time</i>	<i>Volume Purged</i>	<i>Temp. (F or C)</i>	<i>E.C. (mS/cm)</i>	<i>D.O. (mg/L)</i>	<i>pH</i>	<i>ORP (mV)</i>	<i>Comments</i>
1226					/	/	
1229	5	—	6.61		7.24		
1232	10	—	6.63		7.17		
1235	15		6.86		7.15		
1237	18		7.01		7.15		

SAMPLE OBSERVATIONS

<i>Characteristic</i>	<i>None</i>	<i>Slight</i>	<i>Moderate</i>	<i>Strong</i>	<i>Comments</i>
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1240

Sampler's Signature MTR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel MJR
 Weather Conditions PC, warm

Project Name Dublin Toyota
 Date 6/17/2016

Well ID MW-15
 Casing Diameter (inches) 2.0
 Depth to Water 5.01
 Water Column (ft) 34.59
 One Well Volume (gal) 5.9

Total Depth (feet) 39.6
 Depth to Free Product —
 Product Thickness Φ
 3x Well Volume (gal) 17.6

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method		X	12V purge pump

FIELD PARAMETERS

TChp not working

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1032							
1036	5	—	7.16		7.29		slow purging @ sgol.
1045	10		8.08		7.18		
	15						
	18						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1045

Sampler's Signature

MJR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel MAR
 Weather Conditions PC, warm

Project Name Dublin Toyota
 Date 6/17/2012

Well ID MW-16
 Casing Diameter (inches) 2.0
 Depth to Water 5.47
 Water Column (ft) 34.03
 One Well Volume (gal) 5.79

Total Depth (feet) 39.5
 Depth to Free Product —
 Product Thickness 6
 3x Well Volume (gal) 17.7

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12 V purge pump
Sample Method		X	12 V purge pump

FIELD PARAMETERS

Temp NOT working

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1129							
1132	5	—	6.88		7.06		
1133	10	—	7.37		7.05		
1134	15	—	7.52		7.03		
1136	18	—	7.54				

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1140

Sampler's Signature MAR

Groundwater Monitoring Field Sheet

Client Name Dublin Toyota
 Sampling Personnel MVR
 Weather Conditions PC, warm

Project Name Dublin Toyota
 Date 6/17/2016

Well ID MW-17
 Casing Diameter (inches) 2.0
 Depth to Water 5.62
 Water Column (ft) 32.88
 One Well Volume (gal) 5.59

Total Depth (feet) 38.5
 Depth to Free Product —
 Product Thickness Φ
 3x Well Volume (gal) 16.8

Notes:

One Well Volume is determined by multiplying "Water Column" by:

- 0.059 for 3/4-inch well, 0.17 for 2-inch well, 0.38 for 3-inch well, 0.66 for 4-inch well, 1.50 for 6-inch well

FIELD METHODS

Activity	Bailer	Pump	Comments
Purge Method		X	12V purge pump
Sample Method	X		

FIELD PARAMETERS

Time	Volume Purged	Temp. (F or C)	E.C. (mS/cm)	D.O. (mg/L)	pH	ORP (mV)	Comments
1105							
1109	5	—	9.30		7.13		Dry @ 10581.
	10						
	15						
	17						

SAMPLE OBSERVATIONS

Characteristic	None	Slight	Moderate	Strong	Comments
Color	X				
Odor	X				
Turbidity	X				
Sheen	X				
Other:					

Sample Time 1115

Sampler's Signature MATZ

ATTACHMENT B

**LABORATORY DATA REPORTS AND
CHAIN-OF-CUSTODY RECORDS**



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

29 June 2016

Jim Gribi
Gribi Associates
1090 Adam Street, Suite K
Benicia, CA 94510
RE: Dublin Toyota

Enclosed are the results of analyses for samples received by the laboratory on 06/22/16 09:20. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Nicole Bryson". The signature is fluid and cursive, with "Nicole" on top and "Bryson" below it.

Nicole Bryson
Client Services Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-7	T161342-01	Water	06/17/16 14:20	06/22/16 09:20
MW-8	T161342-02	Water	06/17/16 13:10	06/22/16 09:20
MW-9	T161342-03	Water	06/17/16 13:30	06/22/16 09:20
MW-10	T161342-04	Water	06/17/16 13:55	06/22/16 09:20
MW-14	T161342-05	Water	06/17/16 12:40	06/22/16 09:20
MW-15	T161342-06	Water	06/17/16 10:45	06/22/16 09:20
MW-16	T161342-07	Water	06/17/16 11:40	06/22/16 09:20
MW-17	T161342-08	Water	06/17/16 11:15	06/22/16 09:20

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

DETECTIONS SUMMARY

Sample ID: MW-7

Laboratory ID: T161342-01

Analyte	Reporting				Notes
	Result	Limit	Units	Method	
Tert-butyl alcohol	130	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	150	10	ug/l	EPA 8260B	

Sample ID: MW-8

Laboratory ID: T161342-02

Analyte	Reporting				Notes
	Result	Limit	Units	Method	
Tert-butyl alcohol	35	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	66	1.0	ug/l	EPA 8260B	

Sample ID: MW-9

Laboratory ID: T161342-03

Analyte	Reporting				Notes
	Result	Limit	Units	Method	
Tert-butyl alcohol	42	10	ug/l	EPA 8260B	
Methyl tert-butyl ether	83	1.0	ug/l	EPA 8260B	

Sample ID: MW-10

Laboratory ID: T161342-04

Analyte	Reporting				Notes
	Result	Limit	Units	Method	
Methyl tert-butyl ether	10	1.0	ug/l	EPA 8260B	

Sample ID: MW-14

Laboratory ID: T161342-05

No Results Detected

Sample ID: MW-15

Laboratory ID: T161342-06

Analyte	Reporting				Notes
	Result	Limit	Units	Method	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Nicole Bryson, Client Services Manager

Page 2 of 13



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

Sample ID: MW-15

Laboratory ID: T161342-06

Analyte	Reporting			Notes
	Result	Limit	Units	
Methyl tert-butyl ether	1.1	1.0	ug/l	EPA 8260B

Sample ID: MW-16

Laboratory ID: T161342-07

Analyte	Reporting			Notes
	Result	Limit	Units	
Tert-butyl alcohol	270	10	ug/l	EPA 8260B
Methyl tert-butyl ether	240	10	ug/l	EPA 8260B

Sample ID: MW-17

Laboratory ID: T161342-08

Analyte	Reporting			Notes
	Result	Limit	Units	
Tert-butyl alcohol	16	10	ug/l	EPA 8260B
Methyl tert-butyl ether	1.5	1.0	ug/l	EPA 8260B

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Nicole Bryson, Client Services Manager

Page 3 of 13



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]

Project Manager: Jim Gribi

Reported:

06/29/16 17:20

MW-7

T161342-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	130	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	150	10	"	10	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		103 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		144 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Nicole Bryson, Client Services Manager

Page 4 of 13

Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/29/16 17:20
--	--	-----------------------------

MW-8

T161342-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	35	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	66	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		104 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		99.4 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		144 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/29/16 17:20
--	--	-----------------------------

MW-9
T161342-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	42	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	83	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		104 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		97.4 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		143 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

MW-10

T161342-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	10	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		104 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		97.4 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		158 %	81.1-136		"	"	"	"	"

S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]

Project Manager: Jim Gribi

Reported:

06/29/16 17:20

MW-14

T161342-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	ND	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		103 %	88.8-117	"	"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		99.5 %	83.5-119	"	"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		144 %	81.1-136	"	"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Nicole Bryson, Client Services Manager

Page 8 of 13

Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

MW-15

T161342-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	ND	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	1.1	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		105 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		98.2 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		148 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Gribi Associates 1090 Adam Street, Suite K Benicia CA, 94510	Project: Dublin Toyota Project Number: [none] Project Manager: Jim Gribi	Reported: 06/29/16 17:20
--	--	-----------------------------

MW-16
T161342-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/22/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	270	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	240	10	"	10	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	1	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		102 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		147 %	81.1-136		"	"	"	"	S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]

Project Manager: Jim Gribi

Reported:

06/29/16 17:20

MW-17

T161342-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Volatile Organic Compounds by EPA Method 8260B

Benzene	ND	0.50	ug/l	1	6062225	06/22/16	06/23/16	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	"
Ethylbenzene	ND	0.50	"	"	"	"	"	"	"
m,p-Xylene	ND	1.0	"	"	"	"	"	"	"
o-Xylene	ND	0.50	"	"	"	"	"	"	"
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	"
Tert-butyl alcohol	16	10	"	"	"	"	"	"	"
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	"
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	"
Methyl tert-butyl ether	1.5	1.0	"	"	"	"	"	"	"
C6-C12 (GRO)	ND	50	"	"	"	"	"	"	"
<i>Surrogate: Toluene-d8</i>		102 %	88.8-117		"	"	"	"	"
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	83.5-119		"	"	"	"	"
<i>Surrogate: Dibromofluoromethane</i>		134 %	81.1-136		"	"	"	"	"

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Gribi Associates

1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota

Project Number: [none]

Project Manager: Jim Gribi

Reported:

06/29/16 17:20

Volatile Organic Compounds by EPA Method 8260B - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	---------	-----------	-------

Batch 6062225 - EPA 5030 GCMS

Blank (6062225-BLK1)

Prepared & Analyzed: 06/22/16

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
m,p-Xylene	ND	1.0	"							
o-Xylene	ND	0.50	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	1.0	"							
C6-C12 (GRO)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	8.68		"	8.00		108	88.8-117			
<i>Surrogate: 4-Bromofluorobenzene</i>	8.46		"	8.00		106	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	10.6		"	8.00		133	81.1-136			

LCS (6062225-BS1)

Prepared & Analyzed: 06/22/16

Benzene	20.7	0.50	ug/l	20.0		104	75-125			
Toluene	19.4	0.50	"	20.0		96.8	75-125			
<i>Surrogate: Toluene-d8</i>	7.46		"	8.00		93.2	88.8-117			
<i>Surrogate: 4-Bromofluorobenzene</i>	8.13		"	8.00		102	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	12.6		"	8.00		157	81.1-136			S-GC

LCS Dup (6062225-BSD1)

Prepared & Analyzed: 06/22/16

Benzene	19.1	0.50	ug/l	20.0		95.5	75-125	8.18	20	
Toluene	16.5	0.50	"	20.0		82.5	75-125	15.9	20	
<i>Surrogate: Toluene-d8</i>	7.06		"	8.00		88.2	88.8-117			S-GC
<i>Surrogate: 4-Bromofluorobenzene</i>	8.01		"	8.00		100	83.5-119			
<i>Surrogate: Dibromofluoromethane</i>	12.9		"	8.00		161	81.1-136			S-GC

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Nicole Bryson, Client Services Manager

Page 12 of 13



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Gribi Associates
1090 Adam Street, Suite K
Benicia CA, 94510

Project: Dublin Toyota
Project Number: [none]
Project Manager: Jim Gribi

Reported:
06/29/16 17:20

Notes and Definitions

S-GC	Surrogate recovery outside of established control limits. The data was accepted based on valid recovery of the remaining surrogate(s).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Nicole Bryson, Client Services Manager

Page 13 of 13

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 7161342

Client Name: GRIER

Project: DUBLIN TOYOTA

Delivered by: Client SunStar Courier GSO FedEx Other

If Courier, Received by: _____ Date/Time Courier
 Received: _____

Lab Received by: BRIAN Date/Time Lab
 Received: 6.22.16 / 9:20

Total number of coolers received:

Temperature: Cooler #1	4.8	°C +/- the CF (- 0.2°C) = 4.6	°C corrected temperature
------------------------	-----	-------------------------------	--------------------------

Temperature: Cooler #2		°C +/- the CF (- 0.2°C) =	°C corrected temperature
------------------------	--	---------------------------	--------------------------

Temperature: Cooler #3		°C +/- the CF (- 0.2°C) =	°C corrected temperature
------------------------	--	---------------------------	--------------------------

Temperature criteria = ≤ 6°C (no frozen containers)	Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
--	------------------	---

If NO:

Samples received on ice?	<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet
--------------------------	------------------------------	---

If on ice, samples received same day collected?	<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet
--	---	---

Custody seals intact on cooler/sample	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No* <input type="checkbox"/> N/A
---------------------------------------	---	---

Sample containers intact	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No*
--------------------------	---	------------------------------

Sample labels match Chain of Custody IDs	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No*
--	---	------------------------------

Total number of containers received match COC	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No*
---	---	------------------------------

Proper containers received for analyses requested on COC	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No*
--	---	------------------------------

Proper preservative indicated on COC/containers for analyses requested	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No* <input type="checkbox"/> N/A
--	---	---

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No*
---	---	------------------------------

* Complete Non-Conformance Receiving Sheet if checked

Cooler/Sample Review - Initials and date:

SL 6.22.16

Comments: