



Chevron

May 21, 1997

Ms. Juliet Shin
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Chevron Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West
Phone 510 842-9500

Re: **Chevron Service Station #9-6607**
 2340 Otis Drive, Alameda, California

Dear Ms. Shin:

Enclosed is the Second Quarter Groundwater Monitoring Report for 1997, that was prepared by our consultant Blaine Tech Services Inc. for the above noted site. Ground water samples were collected and analyzed for TPH-g, BTEX and MtBE constituents.

Monitoring wells MW-1 and M-2 are sampled quarterly and analyzed for all of the constituents, while wells MW-3 and MW-4 are sampled annually (first quarter), but measured for groundwater depth quarterly.

Wells MW-1 and MW-2 continue to detect low concentrations of the BTEX constituents with the highest concentration less than 5.0 ppb, for any of the constituents. The MtBE constituents declined in both wells from the previous confirmation sampling event.

Depth to groundwater varied from 3.18 feet to 5.05 feet below grade, with a direction of flow southerly.

If the MtBE concentrations continue to decline in the next sampling event, Chevron will request that the sampling event for wells MW-1 and MW-2 be changed to annually.

For your information, Mr. Kenneth Kan has accepted another position within Chevron and I have taken over the responsibility of this project. If you have any questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY

Philip R. Briggs
Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

1500-1000-0000
1500-1000-0000
1500-1000-0000

May 21, 1997
Ms. Juliet Shin
Chevron Service Station # 9-6607
Page 2

cc. Ms. Bette Owen, Chevron

Mr. Kevin Graves
RWQCB-San Francisco Bay Region
2101 Webster Street, Suite 500
Oakland, CA 94612

Mr. Wayne Weber
Chevron Station # 9-6607
2340 Otis Drive
Alameda, CA 94501

Harsh Investment Corp.
235 West MacArthur Blvd., Suite 64
Oakland, CA 94611



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

May 12, 1997

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

2nd Quarter 1997 Monitoring at 9-6607

Second Quarter 1997 Groundwater Monitoring at
Chevron Service Station Number 9-6607
2340 Otis Drive
Alameda, CA

Monitoring Performed on April 9, 1997

Groundwater Sampling Report 970409-W-2

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table


also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



Francis Thie
Vice President


FPT/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix


OTIS DRIVE

PARK STREET



EXPLANATION

- ♦ MONITORING WELL
- GROUNDWATER ELEVATION (FT, MSL)
- GROUNDWATER ELEVATION CONTOUR (FT, MSL)
- APPROXIMATE GROUNDWATER FLOW DIRECTION;
- APPROXIMATE GRADIENT = 0.004



Basemap from Cambria Environmental Technology, Inc.

PREPARED BY

RRM
engineering contracting firm

Chevron Station 9-6607

2340 Otis Drive
Alameda, California

GROUNDWATER ELEVATION
CONTOUR MAP, APRIL 9, 1997

FIGURE:

1

PROJECT:
DAC04

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	MTBE	Other VOCs	PNAs
MW-1														
08/21/91	7.12	1.02	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/09/92	7.12	3.16	3.96	--	<50	<0.5	<0.5	<0.5	<0.5	<5000	--	--	--	--
04/20/92	7.12	3.22	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/25/92	7.12	2.94	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/24/92	7.12	2.40	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/21/93	7.12	3.94	3.18	--	<50	<0.5	0.7	<0.5	1.0	--	--	--	--	--
04/13/93	7.12	3.42	3.70	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--
07/14/93	7.12	2.91	4.21	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/26/93	7.12	2.84	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/94	7.12	2.96	4.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
03/31/94	7.12	3.24	3.88	--	<50	<0.5	0.6	<0.5	0.7	--	--	--	--	--
07/14/94	7.12	4.12	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/12/94	7.12	2.87	4.25	--	80	<0.5	<0.5	<0.5	<0.5	--	--	121	<5.0--<50	--
01/11/95	7.12	4.00	3.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	130	--	--
04/05/95	7.12	3.66	3.46	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	170	--	<5.0
07/13/95	7.12	3.13	3.99	--	<125	<1.2	<1.2	<1.2	<1.2	--	--	400	--	--
10/05/95	7.12	2.74	4.38	--	<50	<0.5	2.3	0.66	4.0	--	--	300	--	--
10/03/96	7.12	2.68	4.44	--	<50	0.63	<0.5	<0.5	<0.5	--	--	560	--	--
01/22/97	7.12	3.73	3.39	--	<200	<2.0	<2.0	<2.0	<2.0	--	--	530	--	--
01/22/97	7.12	3.73	3.39	Confirmation run	--	--	--	--	--	--	--	880	--	--
04/09/97	6.92*	3.22	3.70	--	<125	<1.2	<1.2	<1.2	<1.2	--	--	610	--	--

* Wellhead elevation altered due to maintenance.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.							Analytical results are in parts per billion (ppb)							
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	MTBE	Other VOCs	PNAs
MW-2														
08/21/91	7.43	1.03	6.40	--	430	170	0.9	1.0	3.6	--	--	--	--	--
01/09/92	7.43	3.20	4.23	--	58	16	<0.5	<0.5	<0.5	<5000	--	--	--	--
04/20/92	7.43	3.26	4.17	--	180	9.6	<0.5	0.8	<0.5	--	--	--	--	--
07/25/92	7.43	2.96	4.47	--	220	8.0	0.7	4.0	8.6	--	--	--	--	--
11/24/92	7.43	1.61	5.82	--	72	3.2	<0.5	0.5	0.6	--	--	--	--	--
01/21/93	7.43	4.08	3.35	--	<50	0.8	<0.5	<0.5	<0.5	--	--	--	--	--
04/13/93	7.43	3.41	4.02	--	78	<0.5	<0.5	<0.5	0.6	--	--	--	--	--
07/14/93	7.43	2.94	4.49	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/26/93	7.43	2.87	4.56	--	<50	<0.5	0.9	<0.5	0.6	--	--	--	--	--
01/11/94	7.43	3.04	4.39	--	<50	<0.5	1.0	<0.5	<0.5	--	--	--	--	--
03/31/94	7.43	3.25	4.18	--	<50	0.5	<0.5	<0.5	0.8	--	--	--	--	--
07/14/94	7.43	2.53	4.90	--	<50	<0.5	<0.5	<0.5	0.6	--	--	--	--	--
10/12/94	7.43	2.89	4.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	2900	<50--<500	--
01/11/95	7.43	4.17	3.26	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	2500	--	--
04/05/95	7.43	3.78	3.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<2.0	--	<5.0
07/13/95	7.43	3.12	4.31	--	<250	<2.5	<2.5	<2.5	<2.5	--	--	1100	--	--
10/05/95	7.43	2.75	4.68	--	<50	<0.5	1.9	0.54	3.4	--	--	280	--	--
10/03/96	7.43	2.63	4.80	--	<500	<5.0	<5.0	<5.0	<5.0	--	--	1000	--	--
01/22/97	7.43	4.07	3.36	--	540*	<5.0	<5.0	<5.0	<5.0	--	--	1300	--	--
01/22/97	7.43	4.07	3.36	Confirmation run	--	--	--	--	--	--	--	1600	--	--
04/09/97	7.43	3.18	4.25	--	<500	<5.0	<5.0	<5.0	<5.0	--	--	970	--	--

* Chromatogram pattern indicates an unidentified hydrocarbon

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.					Analytical results are in parts per billion (ppb)									
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	MTBE	Other VOCs	PNAs
MW-3														
08/21/91	8.07	0.97	7.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/09/92	8.07	3.04	5.03	--	<50	<0.5	<0.5	<0.5	<0.5	<5000	--	--	--	--
04/20/92	8.07	3.16	4.91	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/25/92	8.07	2.73	5.34	--	<50	1.0	1.0	1.0	3.4	--	--	--	--	--
11/24/92	8.07	3.07	5.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/21/93	8.07	3.73	4.34	--	<50	<0.5	0.5	<0.5	1.0	--	--	--	--	--
04/13/93	8.07	3.23	4.84	--	<50	<0.5	<0.5	<0.5	0.6	--	--	--	--	--
07/14/93	8.07	2.78	5.29	--	<50	<0.5	<0.5	<0.5	2.0	--	--	--	--	--
10/26/93	8.07	2.71	5.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/94	8.07	2.85	5.22	--	<50	<0.5	1.0	<0.5	<0.5	--	--	--	--	--
03/31/94	8.07	3.08	4.99	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/14/94	8.07	2.71	5.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/12/94	8.07	3.05	5.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/95	8.07	3.72	4.35	--	<50	<0.5	<0.5	<0.5	0.7	--	--	<5.0	--	--
04/05/95	8.07	5.43	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<5.0	--	<5.0
07/13/95	8.07	2.94	5.13	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/05/95	8.07	2.61	5.46	--	<50	<0.5	1.2	<0.5	<0.5	--	--	--	--	--
10/03/96	8.07*	2.54	5.53	--	<50	0.98	1.2	0.53	2.5	--	--	<2.5	--	--
01/22/97	8.07	3.45	4.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<2.5	--	--
04/09/97	8.00*	2.95	5.05	Sampled annually	--	--	--	--	--	--	--	--	--	--

* Wellhead elevation altered due to maintenance.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	MTBE	Other VOCs	PNAs
MW-4														
08/21/91	7.85	1.00	6.85	--	<50	0.6	<0.5	<0.5	<0.5	<5000	--	--	--	--
01/09/92	7.85	3.15	4.70	--	<50	<0.5	<0.5	<0.5	<0.5	<5000	--	--	--	--
04/20/92	7.85	3.21	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<5000	--	--	--	--
07/25/92	7.85	2.90	4.95	--	<50	0.5	1.1	<0.5	0.8	--	78	--	--	--
11/24/92	7.85	2.43	5.42	--	<50	<0.5	<0.5	<0.5	1.0	<5000	--	--	--	--
01/21/93	7.85	3.78	4.07	--	<50	<0.5	0.5	<0.5	0.7	--	<10	--	--	--
04/13/93	7.85	3.40	4.45	--	<50	<0.5	<0.5	<0.5	1.0	--	<10	--	--	--
07/14/93	7.85	2.95	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/26/93	7.85	2.90	4.95	--	<50	2.0	3.0	2.0	3.0	--	--	--	--	--
01/11/94	7.85	3.08	4.77	--	<50	<0.5	0.5	<0.5	<0.5	--	--	--	--	--
03/31/94	7.85	3.20	4.65	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--
07/14/94	7.85	2.80	5.05	--	<50	0.9	1.2	<0.5	2.0	--	--	--	--	--
10/12/94	7.85	2.97	4.88	--	<50	<0.5	0.9	<0.5	0.7	--	--	--	--	--
01/11/95	7.85	3.85	4.00	--	<50	<0.5	0.8	0.7	1.5	--	--	<5.0	--	--
04/05/95	7.85	3.63	4.22	--	<50	<0.5	<0.5	<0.5	<0.5	<5000	--	<2.0	<5.0	--
07/13/95	7.85	3.14	4.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/05/95	7.85	2.83	5.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/03/96	7.85	2.77	5.08	--		100	5.5	5.6	2.5	12	--	--	<2.5	--
01/22/97	7.85	3.57	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<2.5	--	--
04/09/97	7.85	3.25	4.60	Sampled annually	--	--	--	--	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.					Analytical results are in parts per billion (ppb)									
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	MTBE	Other VOCs	PNAs
TRIP BLANK														
01/21/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/26/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
03/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/12/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/11/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/05/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
07/13/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/05/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
10/03/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/22/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<2.5	--	--
04/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	<2.5	--	--

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on April 5, 1995.

Earlier field data and analytical results provided by Sierra Environmental.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

TOG = Total Oil and Grease

MTBE = Methyltertiary butylether

VOC = Volatile Organic Compound

Analytical Appendix



**Sequoia
Analytical**

680 Chesapeake Drive
404 N Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX: (415) 364-9233
FAX: (510) 988-9673
FAX: (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-6607/970409-W2
Sample Descript: MW1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9704585-01

Sampled: 04/09/97
Received: 04/10/97
Analyzed: 04/16/97
Reported: 04/21/97

QC Batch Number: GC041697BTEX07A
Instrument ID: GCHP07

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	125	N.D.
Methyl t-Butyl Ether	6.2	610
Benzene	1.2	N.D.
Toluene	1.2	N.D.
Ethyl Benzene	1.2	N.D.
Xylenes (Total)	1.2	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	85

Analytics reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

1



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-6607/970409-W2
Sample Descript: MW2
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9704585-02

Sampled: 04/09/97
Received: 04/10/97

Analyzed: 04/15/97
Reported: 04/21/97

QC Batch Number: GC041597BTEX01A
Instrument ID: GCHP01

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	N.D.
Methyl t-Butyl Ether	25	970
Benzene	5.0	N.D.
Toluene	5.0	N.D.
Ethyl Benzene	5.0	N.D.
Xylenes (Total)	5.0	N.D.
Chromatogram Pattern:		
 Surrogates		
Trifluorotoluene	70 130	% Recovery 96

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page: 2



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-6607/970409-W2
Sample Descript: TB
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9704585-03

Sampled: 04/09/97
Received: 04/10/97
Analyzed: 04/15/97
Reported: 04/21/97

QC Batch Number: GC041597BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	88

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

3



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thile

Client Proj. ID: Chevron 9-6607/970409-W2

Lab Proj. ID: 9704585

Received: 04/10/97

Reported: 04/21/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 7 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9704585-01 was diluted 2.5-fold.
Sample 9704585-02 was diluted 10-fold.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-6607 / 970409-W2
Matrix: Liquid

Work Order #: 9704585 -01

Reported: Apr 23, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041697BTEX07A	GC041697BTEX07A	GC041697BTEX07A	GC041697BTEX07A	GC041697BTEX07A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	A. Porter				
MS/MSD #:	970428107	970428107	970428107	970428107	970428107
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/16/97	4/16/97	4/16/97	4/16/97	4/16/97
Analyzed Date:	4/16/97	4/16/97	4/16/97	4/16/97	4/16/97
Instrument I.D. #:	GCHP07	GCHP07	GCHP07	GCHP07	GCHP07
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	11	11	34	74
MS % Recovery:	110	110	110	113	123
Dup. Result:	11	10	10	31	68
MSD % Recov.:	110	100	100	103	113
RPD:	0.0	9.5	9.5	9.2	8.5
RPD Limit:	0-50	0-50	0-50	0-50	0-50

LCS #:	BLK041697BSA	BLK041697BSA	LK041697BSA	BLK041697BSA	BLK041697BSA
Prepared Date:	4/16/97	4/16/97	4/16/97	4/16/97	4/16/97
Analyzed Date:	4/16/97	4/16/97	4/16/97	4/16/97	4/16/97
Instrument I.D. #:	GCHP07	GCHP07	GCHP07	GCHP07	GCHP07
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	10	10	10	30	66
LCS % Recov.:	100	100	100	100	110

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
8119 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-6607 / 970409-W2
Matrix: Liquid

Work Order #: 9704585 -02

Reported: Apr 23, 1997


QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041597BTEX01A	GC041597BTEX01A	GC041597BTEX01A	GC041597BTEX01A	GC041597BTEX01A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	R. Geckler				
MS/MSD #:	970428106	970428106	970428106	970428106	970428106
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Analyzed Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Instrument I.D. #:	GCHP01	GCHP01	GCHP01	GCHP01	GCHP01
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	11	11	31	59
MS % Recovery:	110	110	110	103	98
Dup. Result:	12	11	11	32	64
MSD % Recov.:	120	110	110	107	107
RPD:	8.7	0.0	0.0	3.2	8.1
RPD Limit:	0-50	0-50	0-50	0-50	0-50

LCS #:	BLK041597BSA	BLK041597BSA	LK041597BSA	BLK041597BSA	BLK041597BSA
Prepared Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Analyzed Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Instrument I.D. #:	GCHP01	GCHP01	GCHP01	GCHP01	GCHP01
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	11	11	10	31	59
LCS % Recov.:	110	110	100	103	98

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					


SEQUOIA ANALYTICAL
Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-6607/ 970409-W2
Matrix: Liquid

Work Order #: 9704585 -03

Reported: Apr 23, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041597BTEX06A	GC041597BTEX06A	GC041597BTEX06A	GC041597BTEX06A	GC041597BTEX06A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	A. Porter				
MS/MSD #:	970428106	970428106	970428106	970428106	970428106
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Analyzed Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Instrument I.D. #:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	9.9	9.7	9.7	29	79
MS % Recovery:	99	97	97	97	132
Dup. Result:	9.5	9.4	9.6	28	77
MSD % Recov.:	95	94	96	93	128
RPD:	4.1	3.1	1.0	3.5	2.6
RPD Limit:	0-50	0-50	0-50	0-50	0-50

LCS #:	BLK041597BSA	BLK041597BSA	LK041597BSA	BLK041597BSA	BLK041597BSA
Prepared Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Analyzed Date:	4/15/97	4/15/97	4/15/97	4/15/97	4/15/97
Instrument I.D. #:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.8	9.7	9.7	29	78
LCS % Recov.:	98	97	97	97	130

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9704585.BLA <3>

Copy of Lab Report and LLOC to Chevron Contact: NoChain-of-Custody-Record

<p>Chevron U.S.A. Inc. P.O. BOX 5004 San Ramon, CA 94583 FAX (415)842-9591</p> <p>Chevron Facility Number 9-6607 Facility Address 2340 Otis Dr., Alameda, CA Consultant Project Number 970409-WZ Consultant Name Blaine Tech Services, Inc. Address 1680 Rogers Ave., San Jose, CA 95112 Project Contact (Name) Fran Thie (Phone) 408-573-0555 (Fax Number) 408-573-7771</p>											<p>Chevron Contact (Name) Phil Briggs (Phone) (510) 842-9136</p> <p>Laboratory Name Sequoia Laboratory Release Number 9032410</p> <p>Samples Collected by (Name) WR Foster Collection Date 4/9/97</p> <p>Signature</p>									
Sample Number	Lab Sample Number	Number of Containers	Media	Air Charcoal	Type	Grab Composite Discrete	Time	Sample Preservation	Code (Yes or No)	Analyses To Be Performed										DO NOT BILL FOR TB-LB
										Ex + TPH CS (9020 + 9015)	TPH Diesel (9015)	Oil and Grease (9320)	Purgeable Halocarbons (9010)	Purgeable Aromatics (9020)	Purgeable Organics (9240)	Extractable Organics (9270)	Metals Cd, Cr, Pb, Zn, Ni (905 or AA)	9704585		
MW1	1	3	W.						Y	X								Remarks		
MW2	2	3	I							X										
TB	3	2	↓						↓	↓										
Relinquished By (Signature)			Organization		Date/Time		Received By (Signature)			Organization		Date/Time		Turn Around Time (Circle Choice)						
<u>BTS</u>			BTS		1037		<u>WR Foster</u>			SEQ		1037		<input checked="" type="radio"/> 24 Hrs. <input type="radio"/> 48 Hrs. <input type="radio"/> 5 Days <input checked="" type="radio"/> 10 Days <input type="radio"/> As Contracted						
<u>WR Foster</u>			SEQ		1152															
<u>M. SV</u>			SEQ				Received For Laboratory By (Signature)													

Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #:	970409-W2		Station #:	9-6607					
Sampler:	WS		Date:	4/9/97					
Well I.D.:	MW1		Well Diameter:	2	3	(4)	6	8	
Total Well Depth:	22.80		Depth to Water:	3.70					
Depth to Free Product:			Thickness of Free Product (feet):						
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH				

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible ✓
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

12.4	x	3	=	37.2	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1142	66.8	7.4	1400	12.5	SLIGHT ODOR
1144	68.4	7.3	1400	25.0	
1146	68.6	7.4	1400	37.5	
					PC FILINGS IN WELL

Did well dewater? Yes No Gallons actually evacuated: 37.5

Sampling Time: 1150 Sampling Date: 4/9/97

Sample I.D.: MW1 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	970409-w2		Station #:	9-6607					
Sampler:	WJ		Date:	4/9/97					
Well I.D.:	MW-2		Well Diameter:	2	3	(4)	6	8	
Total Well Depth:	23.35		Depth to Water:	4.25					
Depth to Free Product:			Thickness of Free Product (feet):						
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH				

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible ✓
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer ✓
 Extraction Port
 Other: _____

$$\frac{12.4}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{37.2}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1200	66.4	7.4	840	12.5	
1202	66.8	7.5	800	25.0	
1204	66.4	7.4	790	37.5	

Did well dewater? Yes Gallons actually evacuated: 37.5

Sampling Time: 1205 Sampling Date: 4/9

Sample I.D.: MW2 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----