

Environmental Management  
Company  
6001 Bollinger Canyon Rd, L4050  
P.O. Box 6012  
San Ramon, CA 94583-2324  
Tel 925-842-1589  
Fax 925-842-8370

Karen Streich  
Project Manager

RO 335

October 2, \_\_\_\_\_, 2003

**ChevronTexaco**

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-6607

Address: 2340 Otis Drive, Alameda, CA

I have reviewed the attached routine groundwater monitoring report dated ~~September 17, 2003~~.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich  
Project Manager

Enclosure: Report



# GETTLER-RYAN Inc.

## TRANSMITTAL

September 17, 2003

G-R #386502

TO: Mr. Robert Foss  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Emeryville, California 94608

CC: Ms. Karen Streich  
Chevron Products Company  
P.O. Box 6004  
San Ramon, California 94583

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station  
#9-6607  
2340 Otis Drive  
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	September 15, 2003	Groundwater Monitoring and Sampling Report Third Quarter - Event of August 15, 2003

### COMMENTS:

This report is being sent for you review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 1, 2003**, at which time the final report will be distributed to the following:

cc: Ms Eva Chu, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577  
Mr. Wayne Weber, Chevron Station #9-6607, 2340 Otis Dr., Alameda, CA 94501  
Harsh Investment Corp., 523 West Plaza, South Shore Center, Alameda, CA 94501

Enclosures

trans/9-6607-ks

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888  
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317  
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



# GETTLER - RYAN Inc.

September 15, 2003  
G-R Job #386502

Ms. Karen Streich  
Chevron Products Company  
P.O. Box 6004  
San Ramon, CA 94583

**RE: Third Quarter Event of August 15, 2003**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

  
Deanna L. Harding  
Project Coordinator



  
Robert C. Mallory  
Registered Geologist, No. 7285



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Groundwater Analytical Results - Oxygenate Compounds  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-6607  
 2340 Otis Drive  
 Alameda, California

FIGURE

1

PROJECT NUMBER  
 386502

REVIEWED BY

DATE  
 August 15, 2003

REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-1											
7.12	08/21/91	6.10	1.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/09/92	3.96	3.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	<5,000
	04/20/92	3.90	3.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/25/92	4.18	2.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	11/24/92	4.72	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/21/93	3.18	3.94	--	<50	<0.5	0.7	<0.5	1.0	--	--
	04/13/93	3.70	3.42	--	<50	<0.5	<0.5	<0.5	1.0	--	--
	07/14/93	4.21	2.91	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/26/93	4.28	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/11/94	4.16	2.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	03/31/94	3.88	3.24	--	<50	<0.5	0.6	<0.5	0.7	--	--
	07/14/94	3.00	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/12/94 <sup>1</sup>	4.25	2.87	--	80	<0.5	<0.5	<0.5	<0.5	121	--
	01/11/95	3.12	4.00	--	<50	<0.5	<0.5	<0.5	<0.5	130	--
	04/05/95 <sup>3</sup>	3.46	3.66	--	<50	<0.5	<0.5	<0.5	<0.5	170	--
	07/13/95	3.99	3.13	--	<125	<1.2	<1.2	<1.2	<1.2	400	--
	10/05/95	4.38	2.74	--	<50	<0.5	2.3	0.66	4.0	300	--
	10/03/96	4.44	2.68	--	<50	0.63	<0.5	<0.5	<0.5	560	--
	01/22/97	3.39	3.73	--	<200	<2.0	<2.0	<2.0	<2.0	530/880 <sup>5</sup>	--
6.92	04/09/97 <sup>6</sup>	3.70	3.22	--	<125	<1.2	<1.2	<1.2	<1.2	610	--
	07/09/97	3.87	3.05	--	240	47	<2.0	<2.0	<2.0	990	--
	10/16/97	3.97	2.95	--	250	<2.0	<2.0	<2.0	<2.0	1,000	--
	01/08/98	3.45	3.47	--	<200	<2.0	<2.0	<2.0	<2.0	-- <sup>8</sup>	--
	04/24/98	3.61	3.31	--	170	20	<0.5	<0.5	<0.5	1,700	--
	07/15/98	3.85	3.07	--	160	58	1.1	<0.5	0.59	1,500/1,600 <sup>5</sup>	--
	10/27/98	4.12	2.80	--	140	<0.5	<0.5	<0.5	<0.5	1,200	--
	01/20/99	4.48	2.44	--	<250	<2.5	<2.5	<2.5	<2.5	1,330	--
	04/19/99	2.71	4.21	--	150	73	<0.5	<0.5	<0.5	620	--
	07/29/99	3.97	2.95	--	142	<0.5	0.82	<0.5	2.08	824	--
	10/25/99	4.06	2.86	--	<200	<2.0	<2.0	<2.0	<2.0	972	--
	01/24/00	2.89	4.03	--	143	<0.5	<0.5	<0.5	<0.5	1,170	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-1	04/03/00	3.60	3.32	--	130 <sup>9</sup>	22	<0.50	<0.50	<0.50	550	--
(cont)	07/03/00	4.06	2.86	--	180 <sup>9</sup>	12	<1.0	<1.0	<1.0	850	--
	10/02/00 <sup>11</sup>	4.03	2.89	--	120 <sup>10</sup>	<0.50	<0.50	<0.50	<0.50	520	--
	01/09/01	4.07	2.85	--	<250	<2.5	<2.5	<2.5	<2.5	510	--
	04/09/01	3.57	3.35	--	120	<0.500	<2.00	<0.500	<2.00	683	--
	08/23/01	3.90	3.02	--	<50	<0.50	<0.50	<0.50	<0.50	350	--
	11/27/01	3.90	3.02	--	270	<0.50	<0.50	<0.50	<1.5	280	--
	02/26/02	3.51	3.41	--	820	<0.50	<0.50	<0.50	<1.5	1,600	--
	05/22/02	3.78	3.14	--	350	<0.50	<0.50	<0.50	<1.5	1,100/1,000 <sup>12</sup>	--
	08/15/02	4.01	2.91	--	460	<0.50	<0.50	<0.50	<1.5	820/850 <sup>12</sup>	--
	11/14/02	3.91	3.01	--	100	<0.50	<0.50	<0.50	<1.5	310/290 <sup>12</sup>	--
	02/03/03	3.71	3.21	--	300	<0.50	<0.50	<0.50	<1.5	650/780 <sup>12</sup>	--
	05/09/03	3.95	2.97	--	330	<0.5	<0.5	<0.5	<1.5	810/740 <sup>12</sup>	--
	<b>08/15/03<sup>13</sup></b>	<b>4.02</b>	<b>2.90</b>	<b>--</b>	<b>51</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>110</b>	<b>--</b>
<b>MW-2</b>											
7.43	08/21/91	6.40	1.03	--	430	170	0.9	1.0	3.6	--	--
	01/09/92	4.23	3.20	--	58	16	<0.5	<0.5	<0.5	--	<5,000
	04/20/92	4.17	3.26	--	180	9.6	<0.5	0.8	<0.5	--	--
	07/25/92	4.47	2.96	--	220	8.0	0.7	4.0	8.6	--	--
	11/24/92	5.82	1.61	--	72	3.2	<0.5	0.5	0.6	--	--
	01/21/93	3.35	4.08	--	<50	0.8	<0.5	<0.5	<0.5	--	--
	04/13/93	4.02	3.41	--	78	<0.5	<0.5	<0.5	0.6	--	--
	07/14/93	4.49	2.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/26/93	4.56	2.87	--	<50	<0.5	0.9	<0.5	0.6	--	--
	01/11/94	4.39	3.04	--	<50	<0.5	1.0	<0.5	<0.5	--	--
	03/31/94	4.18	3.25	--	<50	0.5	<0.5	<0.5	0.8	--	--
	07/14/94	4.90	2.53	--	<50	<0.5	<0.5	<0.5	0.6	--	--
	10/12/94 <sup>2</sup>	4.54	2.89	--	<50	<0.5	<0.5	<0.5	<0.5	2,900	--
	01/11/95	3.26	4.17	--	<50	<0.5	<0.5	<0.5	<0.5	2,500	--
	04/05/95 <sup>3</sup>	3.65	3.78	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-2	07/13/95	4.31	3.12	--	<250	<2.5	<2.5	<2.5	<2.5	1,100	--
(cont)	10/05/95	4.68	2.75	--	<50	<0.5	1.9	0.54	3.4	280	--
	10/03/96	4.80	2.63	--	<500	<5.0	<5.0	<5.0	<5.0	1,000	--
	01/22/97	3.36	4.07	--	540 <sup>7</sup>	<5.0	<5.0	<5.0	<5.0	1,300/1,600 <sup>5</sup>	--
	04/09/97	4.25	3.18	--	<500	<5.0	<5.0	<5.0	<5.0	970	--
	07/09/97	4.48	2.95	--	<125	<1.2	<1.2	<1.2	<1.2	710	--
	10/16/97	4.44	2.99	--	<100	<1.0	<1.0	<1.0	<1.0	1,000	--
	01/08/98	3.79	3.64	--	68	<0.5	<0.5	<0.5	<0.5	-- <sup>8</sup>	--
	04/24/98	3.95	3.48	--	<50	<0.5	<0.5	<0.5	<0.5	490	--
	07/15/98	4.30	3.13	--	51	1.2	1.2	<0.5	<0.5	480	--
	10/27/98	4.45	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	180	--
	01/20/99	4.21	3.22	--	<50	<0.5	<0.5	<0.5	<0.5	388	--
	04/19/99	4.38	3.05	--	620	13	35	11	78	510	--
	07/29/99	4.49	2.94	--	<50	<0.5	<0.5	<0.5	<0.5	229	--
	10/25/99	4.55	2.88	--	<50	<0.5	<0.5	<0.5	<0.5	314	--
	01/24/00	2.82	4.61	--	<50	<0.5	<0.5	<0.5	<0.5	236	--
	04/03/00	4.05	3.38	--	<50	<0.50	<0.50	<0.50	<0.50	420	--
	07/03/00	4.52	2.91	--	140 <sup>9</sup>	<0.50	<0.50	<0.50	0.88	1,300	--
	10/02/00	4.55	2.88	--	<1,000	<10	<10	<10	<10	1,300	--
	01/09/01	4.45	2.98	--	<1,000	<10	<10	<10	<10	1,100	--
	04/09/01	3.96	3.47	--	214	<0.500	<2.00	0.512	<2.00	1,770	--
	08/23/01	4.38	3.05	--	130	24	<0.50	<0.50	<0.50	440	--
	11/27/01	4.25	3.18	--	650	<0.50	<0.50	<0.50	<1.5	770	--
	02/26/02	3.98	3.45	--	160	<0.50	<0.50	<0.50	<1.5	470	--
	05/22/02	4.23	3.20	--	86	<0.50	<0.50	<0.50	<1.5	320/300 <sup>12</sup>	--
	08/15/02	4.52	2.91	--	66	<0.50	<0.50	<0.50	<1.5	260/290 <sup>12</sup>	--
	11/14/02	4.29	3.14	--	<50	<0.50	<0.50	<0.50	<1.5	120/120 <sup>12</sup>	--
	02/03/03	4.10	3.33	--	80	<0.50	<0.50	<0.50	<1.5	190/200 <sup>12</sup>	--
	05/09/03	4.18	3.25	--	94	<0.5	<0.5	<0.5	<1.5	190/150 <sup>12</sup>	--
	<b>08/15/03<sup>13</sup></b>	<b>4.45</b>	<b>2.98</b>	--	<b>240</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>740</b>	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-3											
8.07	08/21/91	7.10	0.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/09/92	5.03	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	--	<5,000
	04/20/92	4.91	3.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/25/92	5.34	2.73	--	<50	1.0	1.0	1.0	3.4	--	--
	11/24/92	5.00	3.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/21/93	4.34	3.73	--	<50	<0.5	0.5	<0.5	1.0	--	--
	04/13/93	4.84	3.23	--	<50	<0.5	<0.5	<0.5	0.6	--	--
	07/14/93	5.29	2.78	--	<50	<0.5	<0.5	<0.5	2.0	--	--
	10/26/93	5.36	2.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/11/94	5.22	2.85	--	<50	<0.5	1.0	<0.5	<0.5	--	--
	03/31/94	4.99	3.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/14/94	5.36	2.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/12/94	5.02	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/11/95	4.35	3.72	--	<50	<0.5	<0.5	<0.5	0.7	<5.0	--
	04/05/95 <sup>3</sup>	2.64	5.43	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
	07/13/95	5.13	2.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/05/95	5.46	2.61	--	<50	<0.5	1.2	<0.5	<0.5	--	--
	10/03/96	5.53	2.54	--	<50	0.98	1.2	0.53	2.5	<2.5	--
	01/22/97	4.62	3.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
8.00	04/09/97 <sup>6</sup>	5.05	2.95	SAMPLED ANNUALLY		--	--	--	--	--	--
	07/09/97	5.14	2.86	--	--	--	--	--	--	--	--
	10/16/97	5.20	2.80	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	01/08/98	4.75	3.25	--	<50	<0.5	<0.5	<0.5	<0.5	9.3	--
	04/24/98	4.73	3.27	--	--	--	--	--	--	--	--
	07/15/98	5.07	2.93	--	--	--	--	--	--	--	--
	10/27/98	5.24	2.76	--	--	--	--	--	--	--	--
	01/20/99	5.18	2.82	--	<50	<0.5	<0.5	<0.5	<0.5	42.2	--
	04/19/99	4.26	3.74	--	--	--	--	--	--	--	--
	07/29/99	5.18	2.82	--	--	--	--	--	--	--	--
	10/25/99	5.27	2.73	--	--	--	--	--	--	--	--
	01/24/00	4.22	3.78	--	<50	<0.5	<0.5	<0.5	<0.5	71.1	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-3	04/03/00	4.90	3.10	--	--	--	--	--	--	--	--
(cont)	NP	07/03/00	5.25	--	--	--	--	--	--	--	--
		10/02/00	5.29	--	--	--	--	--	--	--	--
		01/09/01	5.27	--	<50	<0.50	<0.50	<0.50	<0.50	120	--
		04/09/01	4.81	--	--	--	--	--	--	--	--
		08/23/01	5.24	--	--	--	--	--	--	--	--
		11/27/01	5.14	SAMPLED ANNUALLY		--	--	--	--	--	--
		02/26/02	4.78	--	<50	<0.50	<0.50	<0.50	<1.5	190	--
		05/22/02	5.03	SAMPLED ANNUALLY		--	--	--	--	--	--
		08/15/02	5.27	SAMPLED ANNUALLY		--	--	--	--	--	--
		11/14/02	5.08	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>12</sup>	--
		02/03/03	4.88	--	<50	<0.50	<0.50	<0.50	<1.5	82/88 <sup>12</sup>	--
		05/09/03	5.10	--	<50	<0.5	<0.5	<0.5	<1.5	150/100 <sup>12</sup>	--
		<b>08/15/03<sup>13</sup></b>	<b>5.18</b>	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>190</b>	--
<b>MW-4</b>		08/21/91	6.85	--	<50	0.6	<0.5	<0.5	<0.5	--	<5,000
7.85		01/09/92	4.70	--	<50	<0.5	<0.5	<0.5	<0.5	--	<5,000
		04/20/92	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	<5,000
		07/25/92	4.95	78	<50	0.5	1.1	<0.5	0.8	--	--
		11/24/92	5.42	--	<50	<0.5	<0.5	<0.5	1.0	--	<5,000
		01/21/93	4.07	<10	<50	<0.5	0.5	<0.5	0.7	--	--
		04/13/93	4.45	<10	<50	<0.5	<0.5	<0.5	1.0	--	--
		07/14/93	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
		10/26/93	4.95	--	<50	2.0	3.0	2.0	3.0	--	--
		01/11/94	4.77	--	<50	<0.5	0.5	<0.5	<0.5	--	--
		03/31/94	4.65	--	<50	<0.5	<0.5	<0.5	1.0	--	--
		07/14/94	5.05	--	<50	0.9	1.2	<0.5	2.0	--	--
		10/12/94	4.88	--	<50	<0.5	0.9	<0.5	0.7	--	--
		01/11/95	4.00	--	<50	<0.5	0.8	0.7	1.5	<5.0	--
		04/05/95 <sup>4</sup>	4.22	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	<5,000
		07/13/95	4.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-4	10/05/95	5.02	2.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
(cont)	10/03/96	5.08	2.77	--	100	5.5	5.6	2.5	12	<2.5	--
	01/22/97	4.28	3.57	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/09/97	4.60	3.25	SAMPLED ANNUALLY		--	--	--	--	--	--
	07/09/97	4.79	3.06	--	--	--	--	--	--	--	--
	10/16/97	4.81	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	2.7	--
	01/08/98	4.37	3.48	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/24/98	4.34	3.51	--	--	--	--	--	--	--	--
	07/15/98	4.46	3.39	--	--	--	--	--	--	--	--
	10/27/98	4.52	3.33	--	--	--	--	--	--	--	--
	01/20/99	4.32	3.53	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
	04/19/99	4.07	3.78	--	--	--	--	--	--	--	--
	04/19/99	4.87	2.98	--	--	--	--	--	--	--	--
	10/25/99	4.90	2.95	--	--	--	--	--	--	--	--
	01/24/00	4.32	3.53	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/03/00	4.38	3.47	--	--	--	--	--	--	--	--
NP	07/03/00	4.88	2.97	--	--	--	--	--	--	--	--
	10/02/00	4.89	2.96	--	--	--	--	--	--	--	--
	01/09/01	4.93	2.92	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	04/09/01	4.48	3.37	--	--	--	--	--	--	--	--
	08/23/01	4.85	3.00	--	--	--	--	--	--	--	--
	11/27/01	4.80	3.05	SAMPLED ANNUALLY		--	--	--	--	--	--
	02/26/02	4.40	3.45	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	05/22/02	4.64	3.21	SAMPLED ANNUALLY		--	--	--	--	--	--
	08/15/02	4.91	2.94	SAMPLED ANNUALLY		--	--	--	--	--	--
	11/14/02	4.73	3.12	SAMPLED ANNUALLY		--	--	--	--	--	--
	02/03/03	4.52	3.33	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 <sup>12</sup>	--
	05/09/03	4.75	3.10	SAMPLED ANNUALLY		--	--	--	--	--	--
	<b>08/15/03</b>	<b>4.82</b>	<b>3.03</b>	<b>SAMPLED ANNUALLY</b>		--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
TRIP BLANK	01/21/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
TB-LB	04/13/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/14/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/26/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	03/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/14/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/12/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/11/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	04/05/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	07/13/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/05/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
	01/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/09/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	07/09/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	10/16/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	01/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/24/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	07/15/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	10/27/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	01/20/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
	04/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	07/29/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
	10/25/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
	01/24/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
	04/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--
	07/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	10/02/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	01/09/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
	04/09/01	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500	--
	08/23/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Chevron Service Station #9-6607  
 2340 Otis Drive  
 Alameda, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
QA	11/27/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	02/26/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	05/22/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	08/15/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	11/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	02/03/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
	05/09/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
	08/15/03 <sup>13</sup>	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

---

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

(msl) = Mean sea level

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

(ppb) = Parts per billion

NP = No Purge

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

\* TOC elevations are relative to msl.

<sup>1</sup> Laboratory report indicates Volatile Organic Compounds (VOCs) were <5.0-<50 ppb.

<sup>2</sup> Laboratory report indicates VOCs were <50-<500 ppb.

<sup>3</sup> Laboratory report indicates Polynuclear Aromatics (PNAs) were <5.0 ppb.

<sup>4</sup> Laboratory report indicates VOCs were <5.0 ppb.

<sup>5</sup> Confirmation of MTBE.

<sup>6</sup> Wellhead elevation altered due to maintenance.

<sup>7</sup> Chromatogram pattern indicates an unidentified hydrocarbon.

<sup>8</sup> No value for MTBE could be determined; see laboratory report.

<sup>9</sup> Laboratory report indicates gasoline C6-C12.

<sup>10</sup> Laboratory report indicates unidentified hydrocarbons C6-C12.

<sup>11</sup> Laboratory report indicates this sample was analyzed outside the EPA recommended holding time.

<sup>12</sup> MTBE by EPA Method 8260.

<sup>13</sup> BTEX and MTBE by EPA Method 8260.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	05/22/02	<500	<100	1,000	<2	<2	410	<2	<2
	08/15/02	<500	<100	850	<2	<2	290	<2	<2
	11/14/02	<500	<100	290	<2	<2	83	<2	<2
	02/03/03	<50	24	780	<0.5	<0.5	240	<0.5	<0.5
	05/09/03	<50	44	740	<0.5	<0.5	220	<0.5	<0.5
	08/15/03	<50	20	110	<0.5	<0.5	10	<0.5	<0.5
MW-2	05/22/02	<500	130	300	<2	<2	28	<2	<2
	08/15/02	<500	<100	290	<2	<2	23	<2	<2
	11/14/02	<500	<100	120	<2	<2	7	<2	<2
	02/03/03	<50	55	200	<0.5	<0.5	22	<0.5	<0.5
	05/09/03	<50	38	150	<0.5	<0.5	15	<0.5	<0.5
	08/15/03	<100	<10	740	<1	<1	200	<1	<1
MW-3	11/14/02	<500	<100	<2	<2	<2	<2	<2	<2
	02/03/03	<50	<5	88	<0.5	<0.5	1	<0.5	<0.5
	05/09/03	<50	<5	100	<0.5	<0.5	2	<0.5	<0.5
	08/15/03	<50	<5	190	<0.5	<0.5	4	<0.5	<0.5
MW-4	02/03/03	<50	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	05/09/03	SAMPLED ANNUALLY		--	--	--	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-6607  
2340 Otis Drive  
Alameda, California

---

**EXPLANATIONS:**

TBA = Tertiary butyl alcohol  
MTBE = Methyl tertiary butyl ether  
DIPE = Di-isopropyl ether  
ETBE = Ethyl tertiary butyl ether  
TAME = Tertiary amyl methyl ether  
1,2-DCA = 1,2-Dichloroethane  
EDB = 1,2-Dibromoethane  
(ppb) = Parts per billion  
-- = Not Analyzed

**ANALYTICAL METHOD:**

EPA Method 8260 for Oxygenate Compounds

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-6607 Job Number: 386502  
 Site Address: 2340 Otis Drive Event Date: 8.15.03 (inclusive)  
 City: Alameda, CA Sampler: FT

Well ID: MW-1 Date Monitored: 8.15.03 Well Condition: OK

Well Diameter: 4 in.  
 Total Depth: 22.92 ft.  
 Depth to Water: 4.02 ft.  
18.09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.36
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 66 = 12.47 x3 (case volume) = Estimated Purge Volume: 37.42 gal.

Purge Equipment:  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer  \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 2:37 Weather Conditions: SLIPY  
 Sample Time/Date: 3:12 / 8.15.03 Water Color: CLEAR Odor: NO  
 Purging Flow Rate: 2.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°C)	D.O. (mg/L)	ORP (mV)
<u>2:42</u>	<u>12.5</u>	<u>7.87</u>	<u>228</u>	<u>22.0</u>	_____	_____
<u>2:47</u>	<u>25.0</u>	<u>7.82</u>	<u>196</u>	<u>21.8</u>	_____	_____
<u>2:57</u>	<u>37.0</u>	<u>7.77</u>	<u>239</u>	<u>21.2</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 8 OXYS(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-6607 Job Number: 386502  
 Site Address: 2340 Otis Drive Event Date: 8.15.03 (inclusive)  
 City: Alameda, CA Sampler: FT

Well ID MW-2  
 Well Diameter 4 in.  
 Total Depth 23.51 ft.  
 Depth to Water 4.45 ft.  
19.06 xVF .66 = 12.57 x3 (case volume) = Estimated Purge Volume: 37.73 gal.

Date Monitored: 8.15.03 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 6.80

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer  \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1:57 Weather Conditions: SUNNY  
 Sample Time/Date: 2:29 / 8.15.03 Water Color: CLEAR Odor: NO  
 Purging Flow Rate: 2.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>2:02</u>	<u>12.5</u>	<u>8.01</u>	<u>206</u>	<u>22.5</u>		
<u>2:07</u>	<u>25.0</u>	<u>8.04</u>	<u>202</u>	<u>22.1</u>		
<u>2:17</u>	<u>38.0</u>	<u>8.08</u>	<u>195</u>	<u>21.7</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 8 OXYS(8260)</u>

COMMENTS: SLOW RECOVERY LAST CASE  
VOLUME

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-6607 Job Number: 386502  
 Site Address: 2340 Otis Drive Event Date: 8.15.03 (inclusive)  
 City: Alameda, CA Sampler: FT

Well ID: MW-3 Date Monitored: 8.15.03 Well Condition: OK  
 Well Diameter: 4 in.  
 Total Depth: 23.56 ft.  
 Depth to Water: 5.18 ft.  
18.38 xVF .66 = 12.13 x3 (case volume) = Estimated Purge Volume: 36.39 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailor \_\_\_\_\_  
 Stainless Steel Bailor \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailor  \_\_\_\_\_  
 Pressure Bailor \_\_\_\_\_  
 Discrete Bailor \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1:23 Weather Conditions: SUNNY  
 Sample Time/Date: 1:48 / 8.15.03 Water Color: CLEAN Odor: NO  
 Purging Flow Rate: 2.5 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1:28</u>	<u>12.0</u>	<u>8.21</u>	<u>353</u>	<u>22.1</u>	_____	_____
<u>1:33</u>	<u>24.0</u>	<u>8.13</u>	<u>365</u>	<u>21.4</u>	_____	_____
<u>1:38</u>	<u>36.0</u>	<u>8.12</u>	<u>396</u>	<u>20.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 8 OXYS(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN Inc.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-6607 Job Number: 386502  
 Site Address: 2340 Otis Drive Event Date: 8.15.03 (inclusive)  
 City: Alameda, CA Sampler: FT

Well ID: MW- 4  
 Well Diameter: 4 in.  
 Total Depth: 20.29 ft.  
 Depth to Water: 4.82 ft.  
N/A

Date Monitored: 8.15.03 Well Condition: o'k'

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

N/A xVF \_\_\_\_\_ = \_\_\_\_\_ x3 (case volume) = Estimated Purge Volume: \_\_\_\_\_ gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Bailed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_ Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 8 OXYS(8260)

COMMENTS: "MONITORED ONLY"

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



## ANALYTICAL RESULTS

Prepared for:

ChevronTexaco  
6001 Bollinger Canyon Rd L4310San Ramon CA 94583  
925-842-8582

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425SAMPLE GROUP

The sample group for this submittal is 863685. Samples arrived at the laboratory on Tuesday, August 19, 2003. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-030815	NA Water	4104299
MW-1-W-030815	Grab Water	4104300
MW-2-W-030815	Grab Water	4104301
MW-3-W-030815	Grab Water	4104302


ELECTRONIC      Gettler-Ryan  
COPY TO  
1 COPY TO      Cambria C/O Gettler- Ryan

Attn: Cheryl Hansen

Attn: Deanna L. Harding

Questions? Contact your Client Services Representative  
Teresa L. Cunningham at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martell  
Chemist

**Lancaster Laboratories Sample No. WW 4104299**

Collected: 08/15/2003 00:00

Account Number: 10904

 Submitted: 08/19/2003 09:15  
 Reported: 08/26/2003 at 22:20  
 Discard: 09/26/2003  
 QA-T-030815

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310

NA Water

San Ramon CA 94583

 Facility# 96607 Job# 386502  
 2340 Otis Drive Alameda T0600100316 QA

GRD

316TB

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasline Method	1	08/20/2003 18:29	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/23/2003 21:47	Elizabeth M Taylor	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/20/2003 18:29	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/23/2003 21:47	Elizabeth M Taylor	n.a.



**Lancaster Laboratories Sample No. WW 4104300**

Collected: 08/15/2003 15:12 by FT

Account Number: 10904

 Submitted: 08/19/2003 09:15  
 Reported: 08/26/2003 at 22:20  
 Discard: 09/26/2003  
 MW-1-W-030815

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310

Grab Water

San Ramon CA 94583

 Facility# 96607 Job# 386502 GRD  
 2340 Otis Drive Alameda T0600100316 MW-1

316-1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	51.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	110.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	10.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	20.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05402	1,2-Dichloroethane	107-06-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05412	1,2-Dibromoethane	106-93-4	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/20/2003 19:01	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/22/2003 23:31	Susan McMahon-Luu	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/20/2003 19:01	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/22/2003 23:31	Susan McMahon-Luu	n.a.

Lancaster Laboratories Sample No. **WW 4104301**

Collected: 08/15/2003 14:29 by FT Account Number: 10904

Submitted: 08/19/2003 09:15  
 Reported: 08/26/2003 at 22:20  
 Discard: 09/26/2003  
 MW-2-W-030815 Grab Water San Ramon CA 94583  
 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310

Facility# 96607 Job# 386502 GRD  
 2340 Otis Drive Alameda T0600100316 MW-2

316-2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.	n.a.	240.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	100.	ug/l	2
02010	Methyl Tertiary Butyl Ether	1634-04-4	740.	10.	ug/l	20
02011	di-Isopropyl ether	108-20-3	N.D.	1.	ug/l	2
02013	Ethyl t-butyl ether	637-92-3	N.D.	1.	ug/l	2
02014	t-Amyl methyl ether	994-05-8	200.	1.	ug/l	2
02015	t-Butyl alcohol	75-65-0	N.D.	10.	ug/l	2
05401	Benzene	71-43-2	N.D.	1.	ug/l	2
05402	1,2-Dichloroethane	107-06-2	N.D.	1.	ug/l	2
05407	Toluene	108-88-3	N.D.	1.	ug/l	2
05412	1,2-Dibromoethane	106-93-4	N.D.	1.	ug/l	2
05415	Ethylbenzene	100-41-4	N.D.	1.	ug/l	2
06310	Xylene (Total)	1330-20-7	N.D.	1.	ug/l	2

Due to the level of methyl t-butyl ether, the reporting limit(s) for all GC/MS volatile compounds were raised.

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/20/2003 21:44	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/22/2003 23:55	Susan McMahon-Luu	2
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/23/2003 00:18	Susan McMahon-Luu	20
01146	GC VOA Water Prep	SW-846 5030B	1	08/20/2003 21:44	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/22/2003 23:55	Susan McMahon-Luu	n.a.

**Lancaster Laboratories Sample No. WW 4104302**

Collected: 08/15/2003 13:48 by FT

Account Number: 10904

 Submitted: 08/19/2003 09:15  
 Reported: 08/26/2003 at 22:20  
 Discard: 09/26/2003

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310

MW-3-W-030815 Grab Water

San Ramon CA 94583

 Facility# 96607 Job# 386502 GRD  
 2340 Otis Drive Alameda T0600100316 MW-3

316-3

CAT No.	Analysis Name	CAS Number	AS Received Result	AS Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	190.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	4.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05402	1,2-Dichloroethane	107-06-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05412	1,2-Dibromoethane	106-93-4	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/20/2003 19:34	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	08/23/2003 00:42	Susan McMahon-Luu	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/20/2003 19:34	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/23/2003 00:42	Susan McMahon-Luu	n.a.

## Quality Control Summary

 Client Name: ChevronTexaco  
 Reported: 08/26/03 at 10:21 PM

Group Number: 863685

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 03232A07B TPH-GRO - Waters	Sample number(s): 4104299-4104302							
	N.D.	50.	ug/l	100	101	70-130	1	30
Batch number: P032352AA	Sample number(s): 4104299							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		77-127		
Benzene	N.D.	0.5	ug/l	105		85-117		
Toluene	N.D.	0.5	ug/l	107		85-115		
Ethylbenzene	N.D.	0.5	ug/l	107		82-119		
Xylene (Total)	N.D.	0.5	ug/l	109		84-120		
Batch number: W032341AA	Sample number(s): 4104300-4104302							
Ethanol	N.D.	50.	ug/l	95		43-159		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	97		74-125		
Ethyl t-butyl ether	N.D.	0.5	ug/l	99		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	100		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	93		53-147		
Benzene	N.D.	0.5	ug/l	100		85-117		
1,2-Dichloroethane	N.D.	0.5	ug/l	104		77-132		
Toluene	N.D.	0.5	ug/l	96		85-115		
1,2-Dibromoethane	N.D.	0.5	ug/l	99		81-114		
Ethylbenzene	N.D.	0.5	ug/l	98		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		84-120		

### Sample Matrix Quality Control

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>BKG MAX</u>	<u>Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 03232A07B TPH-GRO - Waters	Sample number(s): 4104299-4104302								
	117		70-130						
Batch number: P032352AA	Sample number(s): 4104299								
Methyl Tertiary Butyl Ether	98	98	69-134	1	30				
Benzene	110	109	83-128	0	30				
Toluene	113	115	83-127	2	30				
Ethylbenzene	113	112	82-134	1	30				
Xylene (Total)	113	114	82-130	0	30				
Batch number: W032341AA	Sample number(s): 4104300-4104302								
Ethanol	98	96	34-163	3	30				
Methyl Tertiary Butyl Ether	104	104	69-134	0	30				
di-Isopropyl ether	104	105	75-130	1	30				
Ethyl t-butyl ether	103	104	73-123	0	30				
t-Amyl methyl ether	102	102	77-117	0	30				
t-Butyl alcohol	97	96	39-155	1	30				
Benzene	108	109	83-128	1	30				
1,2-Dichloroethane	107	109	73-136	2	30				
Toluene	104	105	83-127	1	30				
1,2-Dibromoethane	102	102	78-120	0	30				
Ethylbenzene	107	106	82-134	0	30				
Xylene (Total)	107	108	82-130	1	30				

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 08/26/03 at 10:21 PM

Group Number: 863685

### Surrogate Quality Control

Analysis Name: TPH-GRO - Waters  
Batch number: 03232A07B  
Trifluorotoluene-F

4104299	80
4104300	80
4104301	81
4104302	78
Blank	80
LCS	104
LCSD	103
MS	108

Limits: 57-146

Analysis Name: BTEX+MTBE by 8260B  
Batch number: P032352AA  
Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4104299	93	91	100	90
Blank	91	89	99	90
LCS	90	90	101	96
MS	89	93	100	96
MSD	90	92	100	94

Limits: 81-120

82-112

85-112

83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH  
Batch number: W032341AA  
Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4104300	98	94	94	96
4104301	98	94	94	96
4104302	100	96	93	95
Blank	98	95	96	99
LCS	97	98	95	98
MS	97	93	97	98
MSD	97	96	97	99

Limits: 81-120

82-112

85-112

83-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
<b>A</b>	TIC is a possible aldol-condensation product	<b>B</b>	Value is <CRDL, but ≥IDL
<b>B</b>	Analyte was also detected in the blank	<b>E</b>	Estimated due to interference
<b>C</b>	Pesticide result confirmed by GC/MS	<b>M</b>	Duplicate injection precision not met
<b>D</b>	Compound quantitated on a diluted sample	<b>N</b>	Spike sample not within control limits
<b>E</b>	Concentration exceeds the calibration range of the instrument	<b>S</b>	Method of standard additions (MSA) used for calculation
<b>N</b>	Presumptive evidence of a compound (TICs only)	<b>U</b>	Compound was not detected
<b>P</b>	Concentration difference between primary and confirmation columns >25%	<b>W</b>	Post digestion spike out of control limits
<b>U</b>	Compound was not detected	<b>*</b>	Duplicate analysis not within control limits
<b>X,Y,Z</b>	Defined in case narrative	<b>+</b>	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.