

ENVIRONMENTAL
PROTECTION



Chevron

97 FEB 28 AM 10:37

February 26, 1997

Ms. Juliet Shin
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Chevron Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West
Phone 510 842-9500

Re: Former Chevron Service Station #9-1153
3126 Fernside Boulevard, Alameda, California

Dear Ms. Shin:

Enclosed is the Fourth Quarter Groundwater Monitoring Report for 1996 and the First Quarter Groundwater Monitoring Report for 1997, that was prepared by our consultant Blaine Tech Services, Inc. for the above noted site. Samples were analyzed for TPH-g, BTEX and MBE constituents.

Separate phase hydrocarbons (SPH) continue to be detected in monitoring well C-1 and 0.744 gallons have been removed since the last quarterly event. However, in the first quarter sampling event no SPH was detected. Benzene constituents detected in monitoring wells MW-5 and MW-7, have declined in concentration from the third quarter. Monitoring wells C-3, MW-4, MW-8, MW-9 and MW-10 were below method detection limits for all constituents in both quarters, while well MW-6 was below method detection limits for all constituents in the last quarter.

Depth to the ground water in the fourth quarter, varied from 3.60 feet to 5.52 feet below grade with a direction of flow to the southeast. In the first quarter, the depth to the ground water varied from 0.45 feet to 3.35 feet below grade with a direction of flow to the southeast.

Chevron requests that the schedule to remove any separate phase hydrocarbons that accumulates in monitoring well C-1, be changed to once a month, since it appears the accumulation has decreased to a sheen. It also appears that natural attenuation is occurring at this site, except for the small area around well C-1 that is still showing the presence of dissolved hydrocarbons. Chevron will continue to monitor this well on a weekly basis and remove any SPH detected, unless you agree to reduce the frequency to once a month.

The remaining wells will continued to be monitored on a quarterly basis. If you have any questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY

Philip R. Briggs
Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

February 26, 1997
Ms. Juliet Shin
Former Chevron Service Station # 9-1153
Page 2

cc. Ms. Bette Owen, Chevron

Mr. Larry Bolton
State Farm Insurance
2509 Santa Clara Avenue
Alameda, CA 94501

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

ENVIRONMENTAL PROTECTION
97FF028 MHD: 37

February 3, 1997

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

1st Quarter 1997 Monitoring at 9-1153

First Quarter 1997 Groundwater Monitoring at
Chevron Service Station Number 9-1153
3126 Fernside Blvd.
Alameda, CA

Monitoring Performed on January 15, 1997

Groundwater Sampling Report 970115-G-1

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table


also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



James Keller
Vice President

JPK/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix




Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	SPH	Notes							
	Elev.	Elev.		Thickness	Removed	Removed								
C-1														
08/18/86	--	--	4.10	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	15,000	760	820	1500	--	--	--
07/22/87	--	--	--	--	--	--	--	1100	250	7.0	40	--	--	--
05/03/89	--	--	4.46	--	--	--	--	6900	3800	190	229	--	--	--
12/04/89	--	--	4.16	--	--	--	--	17,000	8000	490	470	--	--	--
02/14/90	--	--	3.64	--	--	--	--	19,000	12,000	990	1050	--	--	--
03/07/90	--	--	3.36	--	--	--	--	--	4260	261	430	--	--	--
09/06/91	--	--	4.43	--	--	--	--	21,000	10,000	100	240	560	--	--
12/15/91	--	--	4.78	--	--	--	--	20,000	4900	43	110	330	--	--
03/03/92	--	--	2.39	--	--	--	--	13,000	5800	730	340	1200	--	--
06/04/92	4.08	0.00	4.08	--	--	--	--	34,000	9400	350	290	1200	--	--
10/13/92	4.08	-0.67	4.75	--	--	--	--	24,000	11,000	98	280	530	--	--
01/11/93	4.08	1.82	2.26	Sheen	--	--	--	7100	1500	130	150	700	--	--
04/14/93	4.08	1.18	2.90	Sheen	--	--	--	29,000	7300	4000	640	2300	--	--
07/13/93	4.08	0.11	3.97	Sheen	--	--	--	650,000	27,000	18,000	6300	29,000	--	--
10/19/93	4.08	-0.42	4.50	--	--	--	--	40,000	12,000	730	1100	3600	--	--
11/30/93	7.50	3.23	4.27	--	--	--	--	--	--	--	--	--	--	--
01/27/94	7.50	4.15	3.35	--	--	--	--	36,000	8600	220	670	1900	--	--
04/07/94	7.50	4.08	3.42	--	--	--	--	53,000	12,000	3500	480	3300	--	--
07/01/94	7.50	3.54	3.96	--	--	--	--	65,000	19,000	5900	1000	9000	--	--
10/05/94	7.50	3.11	4.39	--	--	--	--	160,000	23,000	12,000	2200	11,000	--	--
01/12/95	7.50	6.38	1.52	0.50	0.264	0.264	--	--	--	--	--	--	--	--
04/26/95	7.50	4.86	4.40	2.20	1.321	1.585	--	--	--	--	--	--	--	--
07/12/95	7.50	4.10	4.85	1.81	0.661	2.246	--	--	--	--	--	--	--	--
10/30/95	7.50	3.13	5.67	1.63	0.528	2.774	--	--	--	--	--	--	--	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	Thickness	Removed							
	Elev.	Elev.												
C-1 (CONT'D)														
01/04/96	7.50	3.68	3.92	0.12	0.264	3.038	--	--	--	--	--	--	--	--
01/10/96	7.50	4.12	3.48	0.13	0.066	3.104	--	--	--	--	--	--	--	--
01/17/96	7.50	4.12	3.40	0.02	0.396	3.500	--	--	--	--	--	--	--	--
01/22/96	7.50	4.60	2.90	0.00	0.000	3.500	--	82,000	18,000	4400	1400	5200	<1000	--
02/23/96	7.50	4.89	4.10	1.86	0.661	4.161	--	--	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	1.250	5.411	--	--	--	--	--	--	--	--
03/08/96	7.50	6.10	2.86	1.83	0.264	5.675	--	--	--	--	--	--	--	--
03/08/96	7.50	5.49	2.30	0.36	0.528	6.203	--	--	--	--	--	--	--	--
03/08/96	7.50	5.46	2.33	0.36	0.264	6.467	--	--	--	--	--	--	--	--
03/08/96	7.50	5.40	2.28	0.22	0.528	6.995	--	--	--	--	--	--	--	--
03/26/96	7.50	4.56	3.96	1.28	0.396	7.391	--	--	--	--	--	--	--	--
04/11/96	7.50	3.29	5.61	1.75	0.528	7.919	--	--	--	--	--	--	--	--
04/19/96	7.50	4.44	3.09	0.04	0.396	8.315	--	--	--	--	--	--	--	--
04/24/96	7.50	4.48	3.04	0.03	0.396	8.711	--	--	--	--	--	--	--	--
05/03/96	7.50	3.85	4.02	0.46	0.396	9.107	--	--	--	--	--	--	--	--
05/03/96	7.50	3.99	3.89	0.47	0.000	9.107	--	--	--	--	--	--	--	--
05/08/96	7.50	3.53	4.25	0.35	0.066	9.173	--	--	--	--	--	--	--	--
05/17/96	7.50	4.29	3.24	0.04	0.029	9.202	--	--	--	--	--	--	--	--
05/17/96	7.50	4.16	3.35	0.01	0.029	9.231	--	--	--	--	--	--	--	--
05/17/96	7.50	4.08	3.43	0.01	0.029	9.260	--	--	--	--	--	--	--	--
05/17/96	7.50	3.86	3.65	0.01	0.000	9.260	--	--	--	--	--	--	--	--
05/22/96	7.50	4.46	3.10	0.07	0.079	9.339	--	--	--	--	--	--	--	--
06/18/96	7.50	3.20	4.68	0.48	0.264	9.603	--	--	--	--	--	--	--	--
07/03/96	7.50	2.57	5.03	0.13	0.145	9.748	--	--	--	--	--	--	--	--
07/09/96	7.50	3.05	4.63	0.23	0.092	9.840	--	--	--	--	--	--	--	--
07/17/96	7.50	2.89	4.73	0.15	0.317	10.157	--	--	--	--	--	--	--	--
07/29/96	7.50	2.47	5.10	0.09	0.264	10.421	--	--	--	--	--	--	--	--
08/02/96	7.50	1.84	5.68	0.03	0.033	10.454	--	--	--	--	--	--	--	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	Notes Removed								
C-1 (CONT'D)														
08/07/96	7.50	2.35	5.16	0.01	0.132	10.586	--	--	--	--	--	--	--	--
08/23/96	7.50	1.77	5.75	0.03	0.026	10.612	--	--	--	--	--	--	--	--
08/28/96	7.50	1.99	5.53	0.03	0.013	10.625	--	--	--	--	--	--	--	--
09/06/96	7.50	2.12	5.38	--	0.046	10.671	--	--	--	--	--	--	--	--
09/12/96	7.50	2.04	5.48	0.03	0.013	10.684	--	--	--	--	--	--	--	--
09/19/96	7.50	1.20	6.32	0.03	0.011	10.695	--	--	--	--	--	--	--	--
10/10/96	7.50	3.00	4.58	0.10	0.132	10.827	--	--	--	--	--	--	--	--
10/17/96	7.50	1.90	5.61	0.01	0.011	10.838	--	--	--	--	--	--	--	--
10/29/96	7.50	1.49	6.01	--	--	10.838	--	--	--	--	--	--	--	--
11/07/96	7.50	1.94	5.56	0.04	0.132	10.970	--	--	--	--	--	--	--	--
11/11/96	7.50	2.18	5.32	0.04	0.132	11.102	--	--	--	--	--	--	--	--
12/11/96	7.50	4.17	3.33	0.03	0.053	11.155	--	--	--	--	--	--	--	--
12/17/96	7.50	3.77	3.73	0.01	0.010	11.165	--	--	--	--	--	--	--	--
01/15/97	7.50	4.76	2.74	--	--	11.165	--	47,000	16,000	2800	1300	4900	<1000	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	Thickness			Removed	Removed	Abandoned	--	--	--
	Well	Ground	Depth	SPH	SPH	Thickness	Removed	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
C-2														
08/18/86	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	1100	49	18	84	--	--	--
07/22/87	--	--	--	--	--	--	--	<50	1.8	<1.0	<4.0	--	--	--
05/03/89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C-3														
08/18/86	--	--	4.00	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	50	3.2	5.4	5.8	--	--	--
07/22/87	--	--	--	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--	--
05/03/89	--	--	4.15	--	--	--	--	<50	<0.5	<1.0	<2.0	--	--	--
12/04/89	--	--	4.24	--	--	--	--	<250	<0.5	<0.5	<0.5	--	--	--
02/14/90	--	--	3.57	--	--	--	--	<50	<0.5	<0.5	<0.5	--	--	--
03/07/90	--	--	3.31	--	--	--	--	--	<5.0	<5.0	<5.0	--	--	--
09/06/91	--	--	4.59	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/15/91	--	--	4.84	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/03/92	--	--	2.17	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/04/92	4.41	0.40	4.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/13/92	4.41	-0.38	4.79	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/11/93	4.41	2.40	2.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/14/93	4.41	1.65	2.76	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/13/93	4.41	0.45	3.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/19/93	4.41	-0.12	4.53	--	--	--	--	66	12	1.4	1.0	8.4	--	--
11/30/93	7.83	3.79	4.04	--	--	--	--	--	--	--	--	--	--	--
01/27/94	7.83	4.66	3.17	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/94	7.83	4.63	3.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/01/94	7.83	3.84	3.99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/05/94	7.83	3.29	4.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/12/95	7.83	7.03	0.80	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/02/95	7.83	5.68	2.15	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/12/95	7.83	4.41	3.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/30/95	7.83	3.37	4.46	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/22/96	7.83	6.10	1.73	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/96	7.83	5.21	2.62	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/96	7.83	3.89	3.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/10/96	7.83	3.77	4.06	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.83	6.29	1.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
MW-4														
06/04/92	3.58	-0.05	3.63	--	--	--	--	<50	0.8	<0.5	<0.5	<0.5	--	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.69	1.89	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/14/93	3.58	1.38	2.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/13/93	3.58	0.07	3.51	--	--	--	--	54	2.6	1.6	<0.5	<1.5	--	--
10/19/93	3.58	-0.64	4.22	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/93	7.01	3.00	4.01	--	--	--	--	--	--	--	--	--	--	--
01/27/94	7.01	4.12	2.89	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/94	7.01	3.95	3.06	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/01/94	7.01	3.42	3.59	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/05/94	7.01	2.68	4.33	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/12/95	7.01	5.81	1.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/26/95	7.01	5.86	1.15	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/12/95	7.01	4.29	2.72	--	--	--	--	<50	6.4	<0.5	0.63	0.72	--	--
10/30/95	7.01	2.93	4.08	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/22/96	7.01	5.25	1.76	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/96	7.01	5.06	1.95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/96	7.01	3.64	3.37	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/10/96	7.01	3.05	3.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.01	5.74	1.27	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	SPH			Removed	Removed				
	Head	Water	Elev.	Thickness	Removed									
MW-5														
06/04/92	3.61	0.36	3.25	--	--	--	--	560	110	0.5	37	2.2	--	--
10/13/92	3.61	-0.59	4.20	--	--	--	--	1200	150	<2.5	84	8.6	--	--
01/11/93	3.61	2.31	1.30	--	--	--	--	1300	48	1.0	83	33	--	--
04/14/93	3.61	2.41	1.20	--	--	--	--	2600	240	6.1	250	170	--	--
07/13/93	3.61	0.46	3.15	--	--	--	--	1700	260	7.8	160	100	--	--
10/19/93	3.61	-0.21	3.82	--	--	--	--	1900	190	3.3	200	93	--	--
11/30/93	7.04	3.48	3.56	--	--	--	--	--	--	--	--	--	--	--
01/27/94	7.04	4.62	2.42	--	--	--	--	4000	100	12	210	110	--	--
04/07/94	7.04	4.71	2.33	--	--	--	--	2600	170	10	150	88	--	--
07/01/94	7.04	3.86	3.18	--	--	--	--	2300	350	9.1	110	76	--	--
10/05/94	7.04	3.06	3.98	--	--	--	--	11,000	840	150	130	340	--	--
01/12/95	7.04	6.64	0.40	--	--	--	--	2300	82	<2.5	54	20	--	--
04/26/95	7.04	6.54	0.50	--	--	--	--	1600	52	<5.0	36	61	--	--
07/12/95	7.04	4.63	2.41	--	--	--	--	2800	150	<5.0	34	38	--	--
10/30/95	7.04	3.26	3.78	--	--	--	--	1100	81	<5.0	<5.0	<5.0	35	--
01/22/96	7.04	6.26	0.78	--	--	--	--	880	7.3	<2.0	15	4.8	<10	--
04/24/96	7.04	5.39	1.65	--	--	--	--	1600	51	3.8	14	5.6	56	--
07/29/96	7.04	--	--	--	--	--	Inaccessible	--	--	--	--	--	--	--
10/10/96	7.04	3.44	3.60	--	--	--	--	1000	18	<1.2	1.5	<1.2	<6.2	--
01/15/97	7.04	6.59	0.45	--	--	--	--	520	0.84	<0.5	3.1	1.2	8.4	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

DATE	Well	Ground	Depth	Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)									
				Head	Water	To	SPH	SPH	SPH	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
MW-6																	
06/04/92	3.85	-0.04	3.89	--	--	--	--	--	210	54	<0.5	1.9	2.4	--	--		
10/13/92	3.85	-0.71	4.56	--	--	--	--	--	10,000	5300	<10	70	<10	--	--		
01/11/93	3.85	1.49	2.36	--	--	--	--	--	100	50	<0.5	<0.5	<0.5	--	--		
04/14/93	3.85	0.70	3.15	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--		
07/13/93	3.85	-0.09	3.94	--	--	--	--	--	<50	1.8	<0.5	<0.5	<1.5	--	--		
10/19/93	3.85	-0.55	4.40	--	--	--	--	--	320	150	<0.5	0.8	<0.5	--	--		
11/30/93	7.27	3.11	4.16	--	--	--	--	--	--	--	--	--	--	--	--		
01/27/94	7.27	3.94	3.33	--	--	--	--	--	120	45	<0.5	<0.5	<0.5	--	--		
04/07/94	7.27	3.84	3.43	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--		
07/01/94	7.27	3.33	3.94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--		
10/05/94	7.27	2.89	4.38	--	--	--	--	--	8300	2400	160	42	190	--	--		
01/12/95	7.27	4.84	2.43	--	--	--	--	--	<50	12	<0.5	<0.5	<0.5	--	ND*		
04/26/95	7.27	5.21	2.06	--	--	--	--	--	<50	5.5	0.67	<0.5	1.3	--	--		
07/12/95	7.27	3.74	3.53	--	--	--	--	--	65	27	<0.5	<0.5	<0.5	--	--		
10/30/95	7.27	2.93	4.34	--	--	--	--	--	<50	3.9	<0.5	<0.5	<0.5	<2.5	--		
01/22/96	7.27	4.66	2.61	--	--	--	--	--	<50	0.93	<0.5	<0.5	<0.5	<2.5	--		
04/24/96	7.27	4.77	2.50	--	--	--	--	--	260	110	<1.2	<1.2	<1.2	<6.2	--		
07/29/96	7.27	3.42	3.85	--	--	--	--	--	<50	23	<0.5	<0.5	<0.5	<2.5	--		
10/10/96	7.27	2.90	4.37	--	--	--	--	--	79	31	<0.5	<0.5	<0.5	<2.5	--		
01/15/97	7.27	4.64	2.63	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--		

* EPA 8010

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	Thickness	Removed							
	Well Head Elev.	Ground Water Elev.												
MW-7														
11/30/93	8.22	2.89	5.33	--	--	--	--	480	110	41	4.4	38	--	--
01/27/94	8.22	3.72	4.50	--	--	--	--	120	21	1.1	2.2	4.8	--	--
04/07/94	8.22	3.60	4.62	--	--	--	--	2600	630	39	56	94	--	--
07/01/94	8.22	3.09	5.13	--	--	--	--	2200	770	42	<10	92	--	--
10/05/94	8.22	2.61	5.61	--	--	--	--	15,000	3300	90	130	320	--	--
01/12/95	8.22	5.39	2.83	--	--	--	--	340	57	<1.3	18	6.4	--	--
04/26/95	8.22	5.87	2.35	--	--	--	--	15,000	3700	210	520	800	--	--
07/12/95	8.22	3.56	4.66	--	--	--	--	7700	1800	59	130	370	--	--
10/30/95	8.22	2.74	5.48	--	--	--	--	770	260	<5.0	33	48	25	--
01/22/96	8.22	4.88	3.34	--	--	--	--	290	63	<1.0	6.4	5.7	<5.0	--
04/24/96	8.22	4.10	4.12	--	--	--	--	12,000	2500	510	380	810	<125	--
07/29/96	8.22	3.19	5.03	--	--	--	--	2600	650	<25	61	150	<125	--
10/10/96	8.22	2.70	5.52	--	--	--	--	5800	1700	28	170	210	<62	--
01/15/97	8.22	5.30	2.92	--	--	--	--	1000	230	<2.5	28	11	63	--
MW-8														
10/17/95	6.96	2.56	4.40	--	--	--	--	--	--	--	--	--	--	--
10/30/95	6.96	2.52	4.44	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/22/96	6.96	4.72	2.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/96	6.96	3.99	2.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/96	6.96	3.59	3.37	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/10/96	6.96	2.84	4.12	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	6.96	6.02	0.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)							
DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other	
	Head	Water	To Water	SPH	SPH	SPH	Notes		Removed	Removed	Removed	Removed	Removed	Removed	
MW-9															
10/17/95	7.21	2.41	4.80	--	--	--	--	--	--	--	--	--	--	--	--
10/30/95	7.21	2.24	4.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/22/96	7.21	3.81	3.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/96	7.21	3.03	4.18	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/96	7.21	2.52	4.69	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/10/96	7.21	2.01	5.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.21	3.90	3.31	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
MW-10															
10/17/95	7.28	2.23	5.05	--	--	--	--	--	--	--	--	--	--	--	--
10/30/95	7.28	2.17	5.11	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	5.1	--
01/22/96	7.28	3.25	4.03	--	--	--	--	<50	<0.5	<0.5	<0.5	0.70	17	--	--
04/24/96	7.28	2.98	4.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	12	--
07/29/96	7.28	2.58	4.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	14	--
10/10/96	7.28	2.04	5.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.28	3.93	3.35	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head	Water	To Water	SPH	SPH	Thickness	Removed	Removed						
TMW-1									<1.0	<0.5	<0.5	<0.5	<0.5	--
11/11/93	--	--	--	--	--	--	--							--
No longer monitored or sampled														
TRIP BLANK									<50	<0.5	1.1	<0.5	<0.5	--
02/14/90	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
09/06/91	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<1.5	--
01/27/94	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--		--	--	--	--	--	--
01/15/97	--	--	--	--	--	--	--		<50	<0.5	<0.5	<0.5	<0.5	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.

Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

SPH = Separate-Phase Hydrocarbons

MTBE = Methyl t-butyl ether

Analytical Appendix



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: C-1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-01

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/20/97
Reported: 01/24/97

QC Batch Number: GC012097BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	47000
Methyl t-Butyl Ether	1000	N.D.
Benzene	200	16000
Toluene	200	2800
Ethyl Benzene	200	1300
Xylenes (Total)	200	4900
Chromatogram Pattern:	Gas
Surrogates		Control Limits %
Trifluorotoluene	70	130
		% Recovery
		105

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: C-3
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-02

Sampled: 01/15/97
Received: 01/16/97
Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99 ✓

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-4
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-03

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D. ✓
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates		
Trifluorotoluene	Control Limits % 70 130	% Recovery 96 ✓

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-5
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-04

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/22/97
Reported: 01/24/97

QC Batch Number: GC012297BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	520
Methyl t-Butyl Ether	2.5	8.4
Benzene	0.50	0.84
Toluene	0.50	N.D.
Ethyl Benzene	0.50	3.1
Xylenes (Total)	0.50	1.2
Chromatogram Pattern:		
Unidentified HC	C6-C12
Surrogates		
Trifluorotoluene	Control Limits % 70	% Recovery 130 99 ✓

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

4



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-6
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-05

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/20/97
Reported: 01/24/97


QC Batch Number: GC012097BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	
Trifluorotoluene	70	130
	% Recovery	
		96

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-7
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-06

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/20/97
Reported: 01/24/97

QC Batch Number: GC012097BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000
Methyl t-Butyl Ether	250	63
Benzene	12	230
Toluene	2.5	N.D.
Ethyl Benzene	2.5	28
Xylenes (Total)	2.5	11
Chromatogram Pattern:	Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70	130
		125

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-8
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-07

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
 Surrogates		
Trifluorotoluene	70	130
	Control Limits %	% Recovery
		84

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

7



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-9
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-08

Sampled: 01/15/97
Received: 01/16/97
Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D. ✓
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	93 ✓

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: MW-10
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-09

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
 Surrogates		
Trifluorotoluene		

Control Limits %
70 130

% Recovery
94

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1
Sample Descript: TB
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9701847-10

Sampled: 01/15/97
Received: 01/16/97

Analyzed: 01/17/97
Reported: 01/24/97

QC Batch Number: GC011697BTEX21A
Instrument ID: GCHP21

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		✓
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	95 ✓

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Fenner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blalne Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/970115-G1

Received: 01/16/97

Lab Proj. ID: 9701847

Reported: 01/24/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 14 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9701847-01 was diluted 400-fold.
Sample 9701847-06 was diluted 5-fold.

SEQUOIA ANALYTICAL

Peggy Renner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(415) 364-9600 (510) 988-9600 (916) 921-9600	FAX (415) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-1153 / 970115-G1
Matrix: Liquid

Work Order #: 9701847 -01, 05-06

Reported: Jan 27, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC012097BTEX03A	GC012097BTEX03A	GC012097BTEX03A	GC012097BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	G. Fish	G. Fish	G. Fish	G. Fish
MS/MSD #:	970152808	970152808	970152808	970152808
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	1/20/97	1/20/97	1/20/97	1/20/97
Analyzed Date:	1/20/97	1/20/97	1/20/97	1/20/97
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	10	10	11	32
MS % Recovery:	100	100	110	107
Dup. Result:	10	10	11	31
MSD % Recov.:	100	100	110	103
RPD:	0.0	0.0	0.0	3.2
RPD Limit:	0.25	0.25	0.25	0.25

LCS #:	BLK012097	BLK012097	BLK012097	BLK012097
Prepared Date:	1/20/97	1/20/97	1/20/97	1/20/97
Analyzed Date:	1/20/97	1/20/97	1/20/97	1/20/97
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.8	9.7	10	29
LCS % Recov.:	98	97	100	97

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9701847.BLA <1>



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
 404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
 819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112
 Attention: Fran Thile

Client Project ID: Chevron 9-1153 / 970115-G1
 Matrix: Liquid

Work Order #: 9701847-02-03, 07-10

Reported: Jan 27, 1997


QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC011697BTEX21A	GC011697BTEX21A	GC011697BTEX21A	GC011697BTEX21A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	D. Jirsa	D. Jirsa	D. Jirsa	D. Jirsa
MS/MSD #:	970152814	970152814	970152814	970152814
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	1/16/97	1/16/97	1/16/97	1/16/97
Analyzed Date:	1/16/97	1/16/97	1/16/97	1/16/97
Instrument I.D. #:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	10	10	10	31
MS % Recovery:	100	100	100	103
Dup. Result:	10	9.7	9.8	30
MSD % Recov.:	100	97	98	100
RPD:	0.0	3.0	2.0	3.3
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK011697	BLK011697	BLK011697	BLK011697
Prepared Date:	1/16/97	1/16/97	1/16/97	1/16/97
Analyzed Date:	1/16/97	1/16/97	1/16/97	1/16/97
Instrument I.D. #:	GCHP21	GCHP21	GCHP21	GCHP21
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.5	8.9	8.9	27
LCS % Recov.:	95	89	89	90

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				


SEQUOIA ANALYTICAL
 Reggie Penner
 Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9701847.BLA <2>



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-1153 / 970115-G1
Matrix: Liquid

Work Order #: 9701847-04

Reported: Jan 27, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC012297BTEX17A	GC012297BTEX17A	GC012297BTEX17A	GC012297BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab
MS/MSD #:	970145103	970145103	970145103	970145103
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	1/21/97	1/21/97	1/21/97	1/21/97
Analyzed Date:	1/21/97	1/21/97	1/21/97	1/21/97
Instrument I.D. #:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	9.6	9.7	9.8	29
MS % Recovery:	96	97	98	97
Dup. Result:	9.7	10	9.8	30
MSD % Recov.:	97	100	98	100
RPD:	1.0	3.0	0.0	3.4
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK012297	BLK012297	BLK012297	BLK012297
Prepared Date:	1/21/97	1/21/97	1/21/97	1/21/97
Analyzed Date:	1/21/97	1/21/97	1/21/97	1/21/97
Instrument I.D. #:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.4	9.5	9.5	28
LCS % Recov.:	94	95	95	93

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130

SEQUOIA ANALYTICAL

Reggy Penner
Project Manager

Please Note:






The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9701847.BLA <3>

Fax copy of Lab Report and COC to Chevron Contact: Yes
 No

Chain-of-Custody-Record

Chevron U.S.A. Inc. P.O. Box 5004 San Ramon, CA 94583 FAX (415) 842-9591		Chevron Facility Number: 9-1153 Facility Address: 3126 FERNSIDE BLVD., ALAMEDA, CA Consultant Project Number: 970115-G1 Consultant Name: Blaine Tech Services, Inc. Address: 1680 Rogers Avenue, San Jose, CA 95112 Project Contact (Name): Fran Thie (Phone): (408) 573-0555 (Fax Number): (408) 573-7771										Chevron Contact (Name): Phil Briggs (Phone): (510) 842-9136 Laboratory Name: SEQUOIA Laboratory Release Number : 2172740 Samples Collected by (Name): Grant Mohr Collection Date: January 15, 1997 Signature: 						
Sample Number	Lab Sample Number	Number of Containers	Matrix S=Soil W=Water	A=Air C=Charcoal	Type G=Grab C=Composite D=Discrete	Time	Sample Preservation	Iced (Yes or No)	Analyses To Be Performed								Remarks	
									BTEX + TPH GAS (8020 + 8015)	TPH Diesel (8015)	Oil and Grease (5520)	Purgeable Heterocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Metals Cd,Cu,Pb,Zn,Ni (ICAP or AA)		MTBE
C-1	1	3	W		1340	HCl	Y	X									X	
C-3	2	3	W		1230	HCl	Y	X									X	
MW-4	3	3	W		1150	HCl	Y	X									X	
MW-5	4	3	W		1305	HCl	Y	X									X	
MW-6	5	3	W		1250	HCl	Y	X									X	
MW-7	6	3	W		1320	HCl	Y	X									X	
MW-8	7	3	W		1130	HCl	Y	X									X	
MW-9	8	3	W		1110	HCl	Y	X									X	
MW-10	9	3	W		1415	HCl	Y	X									X	
TB	10	2	W			HCl	Y	X									X	
Relinquished By (signature)		Organization	Date/Time	Received By (signature)	Organization	Date/Time	Turn Around Time (Circle Choice)											
		BT3	1/16/97 10:55		SEA	1/16/97 10:55	<input checked="" type="checkbox"/> 24 Hrs. <input type="checkbox"/> 48 Hrs. <input type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days <input type="checkbox"/> As Contracted											
Enriched By (signature)		Organization	Date/Time	Received By (signature)	Organization	Date/Time												
		SPC	1/16/97 11:34															
Shed By (signature)		Organization	Date/Time	Received for Laboratory By (signature)	Organization	Date/Time												
		ST																

Field Data Sheets

WELL GAUGING DATA

Project # 970115-G1

Date 1-15

Client 9-1153

Site 3126 FERN SIDE

ALAMEDA

CHEVON WELL MONITORING DATA SHEET

Project #:	970115-G1	Station #:	9-1153
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	C-1	Well Diameter:	2 (3) 4 6 8
Total Well Depth:	17.92	Depth to Water:	2.74
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{5.6}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{16.8}{\text{Calculated Volume}}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
					EMERGED SKIMMER - NO F.P., JUST SHEEN
1330	58.4	7.1	1000	6	SHEEN
1334	58.8	7.0	960	12	BLACK
1337	59.0	7.0	950	17	

Did well dewater? Yes No Gallons actually evacuated: 17

Sampling Time: 1340 Sampling Date: 1-15

Sample I.D.: C-1 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVON WELL MONITORING DATA SHEET

Project #:	970115-61	Station #:	9-1153
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	C-3	Well Diameter:	2 (3) 4 6 8
Total Well Depth:	19.18	Depth to Water:	1.54
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multipier	Well Diameter	Multipier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{6.5}{1 \text{ Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{19.6}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1204	59.8	7.1	870	7	
1215	59.6	7.1	940	14	
1226	59.8	7.1	950	20	

Did well dewater? Yes No Gallons actually evacuated: 20

Sampling Time: 1230 Sampling Date: 1-15

Sample I.D.: C-3 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVON WELL MONITORING DATA SHEET

Project #:	970115-G1	Station #:	9-115 3
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	MW-4	Well Diameter:	2 3 4 6 8
Total Well Depth:	13.14	Depth to Water:	1.27
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\begin{array}{r}
 \boxed{1.9} \\
 \hline
 \boxed{1 \text{ Case Volume (Gals.)}} \times \boxed{3 \text{ Specified Volumes}} = \boxed{5.7 \text{ Gals.}}
 \end{array}$$
jk

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1141	59.2	7.2	990	2	
1145	59.6	7.2	1000	4	
1149	59.6	7.2	1000	6	

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 1150 Sampling Date: 1-15

Sample I.D.: MW-4 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	970115-G1	Station #:	9-1153
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	MW-5	Well Diameter:	2 3 4 6 8
Total Well Depth:	13.07	Depth to Water:	0.45
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Mohr's Law	Well Diameter	Mohr's Law
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Nodleburg
 Electric Submersible Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port

Other: _____

$$\frac{2.0}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{6}{\text{Calculated Volume}}$$
ok

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1257	59.2	7.2	1000	2	
1300	59.8	7.1	1000	4	
1303	59.6	7.1	1000	6	

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 1305 Sampling Date: 1-15

Sample I.D.: MW-5 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVROLET WELL MONITORING DATA SHEET

Project #:	970115-G1	Station #:	9-1153
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	MW-6	Well Diameter:	2 3 4 6 8
Total Well Depth:	13.96	Depth to Water:	2.63
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailei
 Disposable Bailei
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailei
 Disposable Bailei
 Extraction Port
 Other: _____

$$\frac{1.6}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{5.4}{\text{Calculated Volume Gals.}}$$
jk

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1242	59.8	7.1	960	2	
1245	59.2	7.0	980	4	
1248	59.2	7.1	980	6	

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 1250 Sampling Date: 1-15

Sample I.D.: MW-6 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVON WELL MONITORING DATA SHEET

Project #:	970115-61	Station #:	9-1153				
Sampler:	GRANT	Date:	1-15-97				
Well I.D.:	MW-7	Well Diameter:	2	3	4	6	8
Total Well Depth:	14.50	Depth to Water:	2.92				
Depth to Free Product:		Thickness of Free Product (feet):					
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH		

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{1.9}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{5.7}{\text{Calculated Volume Gals.}}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1312	60.2	7.2	1200	2	
1315	60.4	7.2	1200	4	
1316	60.0	7.1	1200	6	

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Time: 1320 Sampling Date: 1-15

Sample I.D.: MW-7 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVON WELL MONITORING DATA SHEET

Project #:	970115-61	Station #:	9-115 3
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	MW-8	Well Diameter:	2 3 4 6 8
Total Well Depth:	9.12	Depth to Water:	0.94
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method:

Bailer
Disposable Bailer
McGeeburg

Electric Submersible
Extraction Pump

Other: _____

Sampling Method:

Bailer
Disposable Bailer
Extraction Port

Other: _____

$$\frac{1.3}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{3.9}{\text{Calculated Volume Gals.}}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1122	56.4	7.2	1100	2	
1125	56.8	7.1	1000	3	
1128	57.0	7.2	1000	4	

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Time: 1130 Sampling Date: 1-15

Sample I.D.: MW-8 - Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVROLET WELL MONITORING DATA SHEET

Project #:	970115-61	Station #:	9-1153				
Sampler:	GRANT	Date:	1-15-97				
Well I.D.:	MW-9	Well Diameter:	2	3	4	6	8
Total Well Depth:	8.50	Depth to Water:	3.3				
Depth to Free Product:		Thickness of Free Product (feet):					
Referenced to:	PVC	Grade	D.O. Meter (if req'd):		YSI	HACH	

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method:

Bailer
Disposable Bailer
Middleburg

Electric Submersible
Extraction Pump

Other: _____

Sampling Method:

Bailer
Disposable Bailer
Extraction Port

Other: _____

$$\frac{0.8}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{2.4}{\text{Calculated Volume}} \text{ Gals.}$$
jk

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1102	62.4	7.1	1200	1	
1104	62.6	7.1	1100	2	
1106	62.4	7.0	1100	2.5	

Did well dewater? Yes No Gallons actually evacuated: 2.5

Sampling Time: 1110 Sampling Date: 1-15

Sample I.D.: MW-9 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

CHEVRON WELL MONITORING DATA SHEET

Project #:	970115-61	Station #:	9-1153
Sampler:	GRANT	Date:	1-15-97
Well I.D.:	MW-10	Well Diameter:	2 3 4 6 8
Total Well Depth:	8.88	Depth to Water:	3.35
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

<u>Well Diameter</u>	<u>Multiplier</u>	<u>Well Diameter</u>	<u>Multiplier</u>
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	$\text{radius}^2 \cdot 0.163$

Purge Method:

Bailey
Disposable Baileys
Middleburg
Electric Submersible
Extraction Pump
er: _____

Sampling Method: Bailer
Disposable Bailer
Extraction Port

Other: _____

$$\frac{0.9}{1 \text{ Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{2.7}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1357	59.6	7.1	1200	1	
1404	59.8	7.0	1200	2	
1410	59.8	7.0	1200	3	

Did well dewater? Yes No Gallons actually evacuated: 3

Sampling Time: 1415 Sampling Date: 1-15

Sample I.D.: MW-10 - Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MIEE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O.: (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV