



Chevron

February 13, 1998

Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

Mr. Larry Seto
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**Re: Former Chevron Service Station #9-1153
3126 Fernside Boulevard, Alameda, California**

Dear Mr. Seto:

Enclosed is the First Quarter Groundwater Monitoring Report for 1998, that was prepared by our consultant Blaine Tech Services, Inc. for the above noted site. Samples were analyzed for TPH-g, BTEX and MtBE constituents.

Separate phase hydrocarbons (SPH) continues to be detected in monitoring well C-1 and 0.158 gallons has been removed since the last quarterly event. This is a slight increase of 0.018 gallons from the previous report. SPH that accumulates in well C-1 is removed once a month. Monitoring wells C-3, MW-4, MW-6, MW-8, and MW-9 were below method detection limits for all constituents, while well MW-10 was below method detection limits for the TPH-g and BTEX constituents. The benzene constituent increased in well MW-5 while decreasing in well MW-7.

Depth to the ground water varied from 0.00 feet to 3.08 feet below grade with a direction of flow southeasterly.

Chevron requests that the sampling frequency be changed to annual for monitoring wells C-3, MW-4, MW-8 and MW-9; and to semi-annual for wells MW-5 and MW-10; the other wells C-1, MW-6 and MW-7 would remain quarterly. Wells C-3, MW-4, MW-8 and MW-9 have been below method detection limits for all constituents in the last 10 sampling events. Well MW-5 has had minimal BTEX impact in the last six sampling events while in well MW-10 the concentrations of the TPH-g and BTEX have been below method detection limits for the last 8 sampling events.

February 13, 1998
Mr. Larry Seto
Former Chevron Service Station #9-1153
Page 2

Since we have continued to recover SPH in monitoring well C-1 over a period of time, it appears that SPH may have accumulated in a pocket surrounding this well and it may be appropriate to add hydrogen peroxide into well C-1 to reduce these hydrocarbons.
Chevron also requests that Oxygen Releasing Compounds (ORC) be installed in wells MW-6 and MW-7 to speed up the natural attenuation process.

If you have questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY



Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

cc. Ms. Bette Owen, Chevron

Mr. & Mrs. Thompson
3135 Gibbons Drive
Alameda, CA 94501

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

RECEIVED
FEB 12 1998
FBI - SAN FRANCISCO

SERIALIZED
INDEXED
FILED

February 12, 1998

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

1st Quarter 1998 Monitoring at 9-1153

First Quarter 1998 Groundwater Monitoring at
Former Chevron Service Station Number 9-1153
3126 Fernside Blvd.
Alameda, CA

Monitoring Performed on January 14, 1998

Groundwater Sampling Report 980114-D-2

This report covers the routine monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table


also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



Francis Thie
Vice President

FPT/ew

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets




Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
C-1														
08/18/86	--	--	4.10	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/22/87	--	--	--	--	--	--	--	15,000	760	820	1500	--	--	--
05/03/89	--	--	4.46	--	--	--	--	1100	250	7.0	40	--	--	--
12/04/89	--	--	4.16	--	--	--	--	6900	3800	190	229	--	--	--
02/14/90	--	--	3.64	--	--	--	--	17,000	8000	490	470	--	--	--
03/07/90	--	--	3.36	--	--	--	--	19,000	12,000	990	1050	--	--	--
09/06/91	--	--	4.43	--	--	--	--	--	4260	261	430	--	--	--
12/15/91	--	--	4.78	--	--	--	--	21,000	10,000	100	240	560	--	--
03/03/92	--	--	2.39	--	--	--	--	20,000	4900	43	110	330	--	--
06/04/92	4.08	0.00	4.08	--	--	--	--	13,000	5800	730	340	1200	--	--
10/13/92	4.08	-0.67	4.75	--	--	--	--	34,000	9400	350	290	1200	--	--
01/11/93	4.08	1.82	2.26	Sheen	--	--	--	24,000	11,000	98	280	530	--	--
04/14/93	4.08	1.18	2.90	Sheen	--	--	--	7100	1500	130	150	700	--	--
07/13/93	4.08	0.11	3.97	Sheen	--	--	--	29,000	7300	4000	640	2300	--	--
10/19/93	4.08	-0.42	4.50	--	--	--	--	650,000	27,000	18,000	6300	29,000	--	--
11/30/93	7.50	3.23	4.27	--	--	--	--	40,000	12,000	730	1100	3600	--	--
01/27/94	7.50	4.15	3.35	--	--	--	--	--	--	--	--	--	--	--
04/07/94	7.50	4.08	3.42	--	--	--	--	36,000	8600	220	670	1900	--	--
07/01/94	7.50	3.54	3.96	--	--	--	--	53,000	12,000	3500	480	3300	--	--
10/05/94	7.50	3.11	4.39	--	--	--	--	65,000	19,000	5900	1000	9000	--	--
01/12/95	7.50	6.38	1.52	0.50	0.264	0.264	--	160,000	23,000	12,000	2200	11,000	--	--
04/26/95	7.50	4.86	4.40	2.20	1.321	1.585	--	--	--	--	--	--	--	--
07/12/95	7.50	4.10	4.85	1.81	0.661	2.246	--	--	--	--	--	--	--	--
10/30/95	7.50	3.13	5.67	1.63	0.528	2.774	--	--	--	--	--	--	--	--
01/04/96	7.50	3.68	3.92	0.12	0.264	3.038	--	--	--	--	--	--	--	--
01/10/96	7.50	4.12	3.48	0.13	0.066	3.104	--	--	--	--	--	--	--	--
01/17/96	7.50	4.12	3.40	0.02	0.396	3.500	--	--	--	--	--	--	--	--
01/22/96	7.50	4.60	2.90	0.00	0.000	3.500	--	82,000	18,000	4400	1400	5200	<1000	--
02/23/96	7.50	4.89	4.10	1.86	0.661	4.161	--	--	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	1.250	5.411	--	--	--	--	--	--	--	--
03/08/96	7.50	6.10	2.86	1.83	0.264	5.675	--	--	--	--	--	--	--	--
03/08/96	7.50	5.49	2.30	0.36	0.528	6.203	--	--	--	--	--	--	--	--

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed									
C-1 (CONT'D)															
03/08/96	7.50	5.46	2.33	0.36	0.264	6.467	--								
03/08/96	7.50	5.40	2.28	0.22	0.528	6.995	--								
03/26/96	7.50	4.56	3.96	1.28	0.396	7.391	--								
04/11/96	7.50	3.29	5.61	1.75	0.528	7.919	--								
04/19/96	7.50	4.44	3.09	0.04	0.396	8.315	--								
04/24/96	7.50	4.48	3.04	0.03	0.396	8.711	--								
05/03/96	7.50	3.85	4.02	0.46	0.396	9.107	--								
05/03/96	7.50	3.99	3.89	0.47	0.000	9.107	--								
05/08/96	7.50	3.53	4.25	0.35	0.066	9.173	--								
05/17/96	7.50	4.29	3.24	0.04	0.029	9.202	--								
05/17/96	7.50	4.16	3.35	0.01	0.029	9.231	--								
05/17/96	7.50	4.08	3.43	0.01	0.029	9.260	--								
05/17/96	7.50	3.86	3.65	0.01	0.000	9.260	--								
05/22/96	7.50	4.46	3.10	0.07	0.079	9.339	--								
06/18/96	7.50	3.20	4.68	0.48	0.264	9.603	--								
07/03/96	7.50	2.57	5.03	0.13	0.145	9.748	--								
07/09/96	7.50	3.05	4.63	0.23	0.092	9.840	--								
07/17/96	7.50	2.89	4.73	0.15	0.317	10.157	--								
07/29/96	7.50	2.47	5.10	0.09	0.264	10.421	--								
08/02/96	7.50	1.84	5.68	0.03	0.033	10.454	--								
08/07/96	7.50	2.35	5.16	0.01	0.132	10.586	--								
08/23/96	7.50	1.77	5.75	0.03	0.026	10.612	--								
08/28/96	7.50	1.99	5.53	0.03	0.013	10.625	--								
09/06/96	7.50	2.12	5.38	--	0.046	10.671	--								
09/12/96	7.50	2.04	5.48	0.03	0.013	10.684	--								
09/19/96	7.50	1.20	6.32	0.03	0.011	10.695	--								
10/10/96	7.50	3.00	4.58	0.10	0.132	10.827	--								
10/17/96	7.50	1.90	5.61	0.01	0.011	10.838	--								
10/29/96	7.50	1.49	6.01	--	--	10.838	--								
11/07/96	7.50	1.94	5.56	0.04	0.132	10.970	--								
11/11/96	7.50	2.18	5.32	0.04	0.132	11.102	--								
12/11/96	7.50	4.17	3.33	0.03	0.053	11.155	--								

CONTINUED ON NEXT PAGE

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
				Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
				SPH	SPH Thickness	Removed								
C-1 (CONT'D)														
12/17/96	7.50	3.77	3.73	0.01	0.010	11.165	--							
01/15/97	7.50	4.76	2.74	--	--	11.165	--							
01/22/97	7.50	6.13	1.37	0.19	0.066	11.231	--	47,000	16,000	2800	1300	4900	<1000	--
02/04/97	7.50	4.52	2.98	0.51	0.145	11.376	--							--
02/20/97	7.50	3.41	4.09	0.13	0.106	11.482	--							--
03/06/97	7.50	3.75	3.75	0.56	1.189	12.671	--							--
03/14/97	7.50	3.68	3.82	0.03	0.119	12.790	--							--
03/20/97	7.50	3.77	3.73	0.03	0.013	12.803	--							--
03/25/97	7.50	3.18	4.32	0.01	--	12.803	--							--
03/31/97	7.50	3.79	3.71	0.03	0.003	12.806	--							--
04/03/97	7.50	2.92	4.60	0.03	0.004	12.810	--							--
04/09/97	7.50	3.27	4.25	0.02	0.026	12.836	--							--
04/24/97	7.50	2.87	4.65	0.02	0.005	12.841	--							--
04/30/97	7.50	4.02	3.50	0.02	0.005	12.846	--							--
05/22/97	7.50	2.53	4.97	--	0.011	12.857	--							--
06/03/97	7.50	3.93	3.62	0.06	0.007	12.864	--							--
07/09/97	7.50	3.25	4.30	0.06	0.132	12.996	--							--
08/12/97	7.50	2.32	5.18	0.00	0.050	13.046	--							--
09/30/97	7.50	2.65	5.25	0.50	0.070	13.116	--							--
10/29/97	7.50	2.19	5.33	0.03	0.020	13.136	--							--
11/13/97	7.50	2.66	4.86	0.02	0.026	13.162	--							--
12/18/97	7.50	5.16	2.34	--	--	13.162	--							--
01/14/98	7.50	7.27	0.25	0.02	0.132	13.294	--							--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed								
C-2														
08/18/86	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/22/87	--	--	--	--	--	--	--	1100	49	18	84	--	--	--
05/03/89	--	--	--	--	--	--	Abandoned	<50	1.8	<1.0	<4.0	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
C-3														
08/18/86	--	--	4.00	--	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	--	--	--	50	3.2	5.4	5.8	--	--	--
07/22/87	--	--	--	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--	--
05/03/89	--	--	4.15	--	--	--	--	<50	<0.5	<1.0	<2.0	--	--	--
12/04/89	--	--	4.24	--	--	--	--	<250	<0.5	<0.5	<0.5	--	--	--
02/14/90	--	--	3.57	--	--	--	--	<50	<0.5	<0.5	<0.5	--	--	--
03/07/90	--	--	3.31	--	--	--	--	--	<5.0	<5.0	<5.0	--	--	--
09/06/91	--	--	4.59	--	--	--	--	<50	<0.5	<0.5	<0.5	--	--	--
12/15/91	--	--	4.84	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/03/92	--	--	2.17	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/04/92	4.41	0.40	4.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/13/92	4.41	-0.38	4.79	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/11/93	4.41	2.40	2.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/14/93	4.41	1.65	2.76	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/13/93	4.41	0.45	3.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/19/93	4.41	-0.12	4.53	--	--	--	--	66	12	1.4	1.0	<1.5	--	--
11/30/93	7.83	3.79	4.04	--	--	--	--	--	--	--	--	8.4	--	--
01/27/94	7.83	4.66	3.17	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/94	7.83	4.63	3.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/01/94	7.83	3.84	3.99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/05/94	7.83	3.29	4.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/12/95	7.83	7.03	0.80	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/02/95	7.83	5.68	2.15	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/12/95	7.83	4.41	3.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/30/95	7.83	3.37	4.46	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/22/96	7.83	6.10	1.73	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	5.21	2.62	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.89	3.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	3.77	4.06	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	6.29	1.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.83	4.60	3.23	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	3.47	4.36	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	3.18	4.65	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	7.06	0.77	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

DATE	Well	Ground	Depth	Volumetric Measurements are in gallons.					Analytical results are in parts per billion (ppb)							
				Head	Water	To	SPH	SPH	Total	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
	Well	Head	Water	Thickness	SPH	Removed	SPH	Removed								
MW-4																
06/04/92	3.58	-0.05	3.63	--	--	--	--	--	<50	0.8	<0.5	<0.5	<0.5	<0.5	--	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.69	1.89	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	1.38	2.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.58	0.07	3.51	--	--	--	--	--	<50	54	2.6	1.6	<0.5	<1.5	--	--
10/19/93	3.58	-0.64	4.22	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<1.5	--	--
11/30/93	7.01	3.00	4.01	--	--	--	--	--	<50	--	--	--	<0.5	<0.5	--	--
01/27/94	7.01	4.12	2.89	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.95	3.06	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.01	3.42	3.59	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	2.68	4.33	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	5.81	1.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	5.86	1.15	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	4.29	2.72	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
10/30/95	7.01	2.93	4.08	--	--	--	--	--	<50	6.4	<0.5	0.63	0.72	--	--	--
01/22/96	7.01	5.25	1.76	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/96	7.01	5.06	1.95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/96	7.01	3.64	3.37	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/10/96	7.01	3.05	3.96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.01	5.74	1.27	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/97	7.01	4.90	2.11	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/09/97	7.01	2.97	4.04	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	7.01	2.45	4.56	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/14/98	7.01	6.62	0.39	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
MW-5														
06/04/92	3.61	0.36	3.25	--	--	--	--	560	110	0.5	37	2.2	--	--
10/13/92	3.61	-0.59	4.20	--	--	--	--	1200	150	<2.5	84	8.6	--	--
01/11/93	3.61	2.31	1.30	--	--	--	--	1300	48	1.0	83	33	--	--
04/14/93	3.61	2.41	1.20	--	--	--	--	2600	240	6.1	250	170	--	--
07/13/93	3.61	0.46	3.15	--	--	--	--	1700	260	7.8	160	100	--	--
10/19/93	3.61	-0.21	3.82	--	--	--	--	1900	190	3.3	200	93	--	--
11/30/93	7.04	3.48	3.56	--	--	--	--	--	--	--	--	--	--	--
01/27/94	7.04	4.62	2.42	--	--	--	--	4000	100	12	210	110	--	--
04/07/94	7.04	4.71	2.33	--	--	--	--	2600	170	10	150	88	--	--
07/01/94	7.04	3.86	3.18	--	--	--	--	2300	350	9.1	110	76	--	--
10/05/94	7.04	3.06	3.98	--	--	--	--	11,000	840	150	130	340	--	--
01/12/95	7.04	6.64	0.40	--	--	--	--	2300	82	<2.5	54	20	--	--
04/26/95	7.04	6.54	0.50	--	--	--	--	1600	52	<5.0	36	61	--	--
07/12/95	7.04	4.63	2.41	--	--	--	--	2800	150	<5.0	34	38	--	--
10/30/95	7.04	3.26	3.78	--	--	--	--	1100	81	<5.0	<5.0	<5.0	35	--
01/22/96	7.04	6.26	0.78	--	--	--	--	880	7.3	<2.0	15	4.8	<10	--
04/24/96	7.04	5.39	1.65	--	--	--	--	1600	51	3.8	14	5.6	56	--
07/29/96	7.04	--	--	--	--	--	Inaccessible	--	--	--	--	--	--	--
10/10/96	7.04	3.44	3.80	--	--	--	--	1000	18	<1.2	1.5	<1.2	<6.2	--
01/15/97	7.04	6.59	0.45	--	--	--	--	520	0.84	<0.5	3.1	1.2	8.4	--
04/03/97	7.04	4.93	2.11	--	--	--	--	1400	13	<2.0	4.3	8.4	32	--
07/09/97	7.04	3.33	3.71	--	--	--	--	810	3.6	0.97	<0.5	<0.5	<0.5	9.7
10/29/97	7.04	2.84	4.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/14/98	7.04	7.04	0.00	--	--	--	--	430	5.8	2.4	<0.5	1.6	17	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
MW-6														
06/04/92	3.85	-0.04	3.89	--	--	--	--	210	54	<0.5	1.9	2.4	--	--
10/13/92	3.85	-0.71	4.56	--	--	--	--	10,000	5300	<10	70	<10	--	--
01/11/93	3.85	1.49	2.36	--	--	--	--	100	50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.85	0.70	3.15	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	-0.09	3.94	--	--	--	--	<50	1.8	<0.5	<0.5	<0.5	<0.5	--
10/19/93	3.85	-0.55	4.40	--	--	--	--	320	150	<0.5	<0.5	<1.5	--	--
11/30/93	7.27	3.11	4.16	--	--	--	--	--	--	--	0.8	<0.5	--	--
01/27/94	7.27	3.94	3.33	--	--	--	--	120	45	<0.5	<0.5	--	--	--
04/07/94	7.27	3.84	3.43	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/01/94	7.27	3.33	3.94	--	--	--	--	<50	5.5	0.67	<0.5	<0.5	--	--
10/05/94	7.27	2.89	4.38	--	--	--	--	8300	2400	160	42	190	--	ND*
01/12/95	7.27	4.84	2.43	--	--	--	--	<50	12	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.27	5.21	2.06	--	--	--	--	<50	55	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.27	3.74	3.53	--	--	--	--	65	27	<0.5	<0.5	1.3	--	--
10/30/95	7.27	2.93	4.34	--	--	--	--	<50	3.9	<0.5	<0.5	<0.5	<0.5	--
01/22/96	7.27	4.66	2.61	--	--	--	--	<50	0.93	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	4.77	2.50	--	--	--	--	260	110	<1.2	<1.2	<1.2	<2.5	--
07/29/96	7.27	3.42	3.85	--	--	--	--	<50	23	<0.5	<0.5	<1.2	<6.2	--
10/10/96	7.27	2.90	4.37	--	--	--	--	79	31	<0.5	<0.5	<0.5	<2.5	--
01/15/97	7.27	4.64	2.63	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/97	7.27	3.85	3.42	--	--	--	--	670	360	<5.0	<0.5	<0.5	<2.5	--
07/09/97	7.27	2.98	4.29	--	--	--	--	330	140	<2.0	<5.0	<5.0	<2.5	--
10/29/97	7.27	2.71	4.56	--	--	--	--	400	260	<2.0	<2.0	<2.0	<2.0	<10
01/14/98	7.27	6.26	1.01	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	5.8	--

* EPA 8010

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
MW-7														
11/30/93	8.22	2.89	5.33	--	--	--	--	480	110	41	4.4	38	--	--
01/27/94	8.22	3.72	4.50	--	--	--	--	120	21	1.1	2.2	4.8	--	--
04/07/94	8.22	3.60	4.62	--	--	--	--	2600	630	39	56	94	--	--
07/01/94	8.22	3.09	5.13	--	--	--	--	2200	770	42	<10	92	--	--
10/05/94	8.22	2.61	5.61	--	--	--	--	15,000	3300	90	130	320	--	--
01/12/95	8.22	5.39	2.83	--	--	--	--	340	57	<1.3	18	6.4	--	--
04/26/95	8.22	5.87	2.35	--	--	--	--	15,000	3700	210	520	800	--	--
07/12/95	8.22	3.56	4.66	--	--	--	--	7700	1800	59	130	370	--	--
10/30/95	8.22	2.74	5.48	--	--	--	--	770	260	<5.0	33	48	25	--
01/22/96	8.22	4.88	3.34	--	--	--	--	290	63	<1.0	6.4	5.7	<5.0	--
04/24/96	8.22	4.10	4.12	--	--	--	--	12,000	2500	510	380	810	<125	--
07/29/96	8.22	3.19	5.03	--	--	--	--	2600	650	<25	61	150	<125	--
10/10/96	8.22	2.70	5.52	--	--	--	--	5800	1700	28	170	210	<62	--
01/15/97	8.22	5.30	2.92	--	--	--	--	1000	230	<2.5	28	11	63	--
04/03/97	8.22	3.57	4.65	--	--	--	--	6000	1800	100	140	170	<100	--
07/09/97	8.22	2.83	5.39	--	--	--	--	5500	2200	<20	41	30	<100	--
10/29/97	8.22	2.64	5.58	--	--	--	--	220	40	0.61	3.0	2.4	7.6	--
01/14/98	8.22	5.42	2.80	--	--	--	--	140	5.1	<0.5	<0.5	1.4	<2.5	--
MW-8														
10/17/95	6.96	2.56	4.40	--	--	--	--	--	--	--	--	--	--	--
10/30/95	6.96	2.52	4.44	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	4.72	2.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	3.99	2.97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.59	3.37	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	6.96	2.84	4.12	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	6.96	6.02	0.94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	4.76	2.20	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	2.66	4.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	2.39	4.57	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	6.13	0.83	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total			Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed								
MW-9														
10/17/95	7.21	2.41	4.80	--	--	--	--	--	--	--	--	--	--	--
10/30/95	7.21	2.24	4.97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.81	3.40	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	3.03	4.18	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	2.52	4.69	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	2.01	5.20	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.90	3.31	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	2.64	4.57	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	2.17	5.04	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	2.25	4.96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	4.81	2.40	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-10														
10/17/95	7.28	2.23	5.05	--	--	--	--	--	--	--	--	--	--	--
10/30/95	7.28	2.17	5.11	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	5.1
01/22/96	7.28	3.25	4.03	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.70	17
04/24/96	7.28	2.98	4.30	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	12
07/29/96	7.28	2.58	4.70	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	14
10/10/96	7.28	2.04	5.24	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	14
01/15/97	7.28	3.93	3.35	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.28	2.64	4.64	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.28	2.16	5.12	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	8.2
10/29/97	7.28	2.18	5.10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.28	4.20	3.08	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	5.3
TMW-1														
11/11/93	--	--	--	--	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NO LONGER MONITORED OR SAMPLED														
3115A GIBBONS DR.														
01/14/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well	Ground	Depth	Total				TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	Other
	Head Elev.	Water Elev.	To Water	SPH Thickness	SPH Removed	SPH Removed	Notes							
TRIP BLANK														
02/14/90	--	--	--	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--	--
09/06/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/15/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/03/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/04/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/13/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/11/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/14/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/13/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/19/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	1.5	--
04/07/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/01/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/05/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/12/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/26/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/12/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/30/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/22/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/24/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--
07/29/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--
10/10/96	--	--	--	--	--	--	--	--	--	--	--	<0.5	2.5	--
01/15/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/03/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--
07/09/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--
10/29/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--
01/14/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	2.5	--

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.

Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

SPH = Separate-Phase Hydrocarbons

MTBE = Methyl t-butyl ether

Analytical Appendix



Sequoia
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: C-3
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-01

Sampled: 01/14/98
Received: 01/14/98

Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	112

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: MW-4
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-02

Sampled: 01/14/98
Received: 01/14/98

Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	98

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: MW-5
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-03

Sampled: 01/14/98
Received: 01/14/98
Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte

Detection Limit
ug/L

Sample Results
ug/L

TPPH as Gas	50	430
Methyl t-Butyl Ether	2.5	17
Benzene	0.50	5.8
Toluene	0.50	2.4
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	1.6
Chromatogram Pattern:	0.50	
Unidentified HC	C6-C12

Surrogates

Trifluorotoluene

Control Limits %

70 130

% Recovery
220 Q

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



Sequoia
Analytical

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: MW-6
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-04

Sampled: 01/14/98
Received: 01/14/98
Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	94

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112 Attention: Fran Thie	Client Proj. ID: Chevron 9-1153/980114-D2 Sample Descript: MW-7 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801616-05	Sampled: 01/14/98 Received: 01/14/98 Analyzed: 01/15/98 Reported: 01/16/98
--	---	---

QC Batch Number: GC011598BTEX17A

Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50
Methyl t-Butyl Ether	2.5
Benzene	0.50
Toluene	0.50
Ethyl Benzene	0.50
Xylenes (Total)	0.50
Chromatogram Pattern: Unidentified HC
		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	73

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: MW-8
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-06

Sampled: 01/14/98
Received: 01/14/98

Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	109

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page:

6



**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: MW-9
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-07

Sampled: 01/14/98
Received: 01/14/98
Analyzed: 01/15/98
Reported: 01/16/98

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	111

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112 Attention: Fran Thie	Client Proj. ID: Chevron 9-1153/980114-D2 Sample Descript: MW-10 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9801616-08	Sampled: 01/14/98 Received: 01/14/98 Analyzed: 01/15/98 Reported: 01/16/98
--	--	---

QC Batch Number: GC011598BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	8.6
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	110

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager

Page: 8



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (650) 364-9600 FAX (650) 364-9233
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Client Proj. ID: Chevron 9-1153/980114-D2
Sample Descript: TB
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801616-09

Sampled: 01/14/98
Received: 01/14/98
Analyzed: 01/15/98
Reported: 01/16/98

Attention: Fran Thie
QC Batch Number: GC011598BTEX03A
Instrument ID: GCHP03

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Renner
Project Manager

Page:

9



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(650) 364-9600 (510) 988-9600 (916) 921-9600	FAX (650) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-1153 / 980114-D2
Matrix: Liquid

Work Order #: 9801616 -01-08

Reported: Jan 19, 1998


QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch #:	GC011598BTEX17A	GC011598BTEX17A	GC011598BTEX17A	GC011598BTEX17A	GC011598BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	A. Mirafab				
MS/MSD #:	980115909	980115909	980115909	980115909	980115909
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Analyzed Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Instrument I.D. #:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	10	10	11	31	
MS % Recovery:	100	100	110	103	108
Dup. Result:	11	10	11	32	
MSD % Recov.:	110	100	110	107	110
RPD:	9.5	0.0	0.0	3.2	
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK011598	BLK011598	BLK011598	BLK011598	BLK011598
Prepared Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Analyzed Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Instrument I.D. #:	GCHP17	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.5	9.1	9.6	28	
LCS % Recov.:	95	91	96	93	98

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130


SEQUOIA ANALYTICAL
 Peggy Penner
 Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9801616.BLA <1>

Fax copy of Lab Report and COC to Chevron Contact:

Yes
 No

9801616 Chain-of-Custody-Record

Chevron U.S.A. Inc.
P.O. BOX 5004
San Ramon, CA 94583
FAX (415)842-9591

Facility Number 9-1153
Facility Address 3126 Fernside Blvd., Alameda, CA
Consultant Project Number 980114-D2
Consultant Name Blaine Tech Services, Inc.
Address 1680 Rogers Ave., San Jose, CA 95112
Project Contact (Name) Fran Thie
(Phone) (408)573-0555 (Fax Number) (408)573-7771

Chevron Contact (Name) Phil Briggs
(Phone) (510) 842-9136
Laboratory Name Sequoia
Laboratory Release Number 9034475
Samples Collected by (Name) Dan Verner
Collection Date 1/14/98
Signature *D. Verner*

Sample Number	Lab Sample Number	Number of Containers	Matrix A = Soil S = Water W = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analyses To Be Performed										DO NOT BILL FOR TB-LB	Remarks
								STEX + TH C5-PAK (8015)	TPH Diesel (8015)	Oil and Grease (8010)	Purgeable Halocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Halocls Cd, Cr, Pb, Zn, Ni (ICAP or AA)				
C-3	01	3	W		12:10	HCL	Y	X											
MW-4	02	1			13:20				X										
MW-5	03	1			13:55				X										
MW-6	04	1			13:45				X										
MW-7	05	1			13:40				X										
MW-8	06	1			13:45				X										
MW-9	07	1			14:15				X										
MW-10	08	1			11:20				X										
GB	09	1			-				X										

Relinquished By (Signature) <i>BT</i>	Organization BTS	Date/Time 1/14/98 16:20	Received By (Signature) <i>SV</i>	Organization SEQUOIA	Date/Time 1/14/98 16:20	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 7 Days 10 Days as Contracted
Relinquished By (Signature) <i>JM</i>	Organization	Date/Time 1/15/98	Received By (Signature)	Organization	Date/Time	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature) <i>SV</i>	Date/Time		



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Phil Briggs

QC Batch Number: GC011598BTEX03A
Instrument ID: GCHP3

Client Proj. ID: Chevron Alameda/980114-D3
Sample Descript: 3115A
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9801478-01

Sampled: 01/13/98
Received: 01/15/98
Analyzed: 01/15/98
Reported: 01/19/98

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte

Detection Limit
ug/L

Sample Results
ug/L

TPPH as Gas
Methyl t-Butyl Ether
Benzene
Toluene
Ethyl Benzene
Xylenes (Total)
Chromatogram Pattern:

50

N.D.

2.5

N.D.

0.50

N.D.

0.50

N.D.

0.50

N.D.

0.50

N.D.

Surrogates

Trifluorotoluene

Control Limits %

70

130

% Recovery

105

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager



**Sequoia
Analytical**

680 Chesapeake Drive 404 N. Wiget Lane 819 Striker Avenue, Suite 8	Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834	(650) 364-9600 (510) 988-9600 (916) 921-9600	FAX (650) 364-9233 FAX (510) 988-9673 FAX (916) 921-0100
--	--	--	--

Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Phil Briggs

Client Project ID: Chevron Alameda / 980114-D3
Matrix: Liquid

Work Order #: 9801478 -01

Reported: Jan 20, 1998

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC011598BTEX03A	GC011598BTEX03A	GC011598BTEX03A	GC011598BTEX03A	GC011598BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030				

Analyst:	A. Mirafab				
MS/MSD #:	980128702	980128702	980128702	980128702	980128702
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Analyzed Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	10	12	10	33	64
MS % Recovery:	100	120	100	110	107
Dup. Result:	10	12	10	33	63
MSD % Recov.:	100	120	100	110	105
RPD:	0.0	0.0	0.0	0.0	1.6
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK011598	BLK011598	BLK011598	BLK011598	BLK011598
Prepared Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Analyzed Date:	1/15/98	1/15/98	1/15/98	1/15/98	1/15/98
Instrument I.D. #:	GCHP3	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	10	10	11	33	64
LCS % Recov.:	100	100	110	110	107

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL
Peggy Penner
Project Manager

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9801478.BLA <1>



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Phil Briggs

Client Proj. ID: Chevron Alameda/980114-D3
Lab Proj. ID: 9801478

Received: 01/15/98
Reported: 01/19/98

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 3 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

Please note: Due to insufficient sample a fuel fingerprint could not be analyzed. Enclosed are the chromatograms from the prugable analysis. There were no purgeable hydrocarbons present in the sample.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

BLAINE
TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773


CHAIN OF CUSTODY					
980114-D3					
CLIENT	Chevron				
SITE	3115 Gibbon Dr Alameda CA				
<table border="1"> <thead> <tr> <th>MATRIX</th> <th>CONTAINERS</th> </tr> </thead> <tbody> <tr> <td>SOIL = H₂O</td> <td>TOTAL</td> </tr> </tbody> </table>		MATRIX	CONTAINERS	SOIL = H ₂ O	TOTAL
MATRIX	CONTAINERS				
SOIL = H ₂ O	TOTAL				
SAMPLE I.D.					

SAMPLING COMPLETED	DATE 11/14/98	TIME 18:40	SAMPLING PERFORMED BY <i>Larry Seto</i>	RESULTS NEEDED NO LATER THAN <i>48 hr TAT</i>	
RELEASED BY <i>Tom Seto</i>	DATE 11/14/98	TIME 16:05	RECEIVED BY <i>Tom Seto</i>	DATE 11/14/98	TIME 16:05
RELEASED BY <i>Dan Pember</i>	DATE 11/14/98	TIME 16:20	RECEIVED BY <i>Tom Seto</i>	DATE 11/14/98	TIME 16:20
RELEASED BY <i>Fisher</i>	DATE 11/15/98	TIME 06:11	RECEIVED BY <i>Tom Seto</i>	DATE 11/15/98	TIME 06:11
SHIPPED VIA	DATE SENT	TIME SENT	COOLER #		

Chromatogram

Sample Name : GW9801478-01
FileName : S:\GHP_03\0118\115B017.raw
Method : TPH
Start Time : 0.00 min End Time : 21.32 min
Scale Factor: -1.0 Plot Offset: 14 mV

Sample #: 3115A Page 1 of 1
Date : 1/19/98 10:29
Time of Injection: 1/15/98 16:59
Low Point : 14.23 mV High Point : 184.23 mV
Plot Scale: 170.0 mV



Software Version: 4.1<1L22>

Sample Name : GW9801478-01

Time : 1/19/98 10:29

Sample Number: 3115A

Study : BLAINE

Operator : RV

Instrument : GHP_03

Channel : B A/D mV Range : 1024

AutoSampler : NONE

Rack/Vial : -16639/1

Interface Serial # : NONE Data Acquisition Time: 1/15/98 16:59

Delay Time : 0.00 min.

End Time : 21.32 min.

Sampling Rate : 1.2500 pts/sec

Raw Data File : S:\GHP_03\0118\115B017.RAW

Result File : S:\GHP_03\0118\115B017.RST

Inst Method : S:\GHP_03\MET_SEQ\TPH from S:\GHP_03\0118\115B017.RST

Proc Method : S:\GHP_03\MET_SEQ\BTEX.mth

Calib Method : S:\GHP_03\MET_SEQ\BTEX.mth

Sequence File : S:\GHP_03\0118\H030115.SEQ

Sample Volume : 1.0000 uL Area Reject : 2500.000000

Sample Amount : 1.0000 Dilution Factor : 1.00

BTEX REPORT GCHP_03


Peak #	Time [min]	Area [uV*sec]	Component Name	SOIL [mg/kg]	AIR [µg/L]	LIQUID [µg/L]	Raw Amt [ng]
1	3.691	101562	a,a,a-Trifluorotoluene	0.2090	2.0904	10.4521	104.52
2	10.475	7845		0.0000	0.0002	0.0008	0.01
3	14.368	6046		0.0000	0.0001	0.0006	0.01
4	16.505	3319		6.6390e-06	0.0001	0.0003	0.00
118772				0.2091	2.0908	10.4539	104.54

Report stored in ASCII file: S:\GHP_03\0118\115B017.TX0

Chromatogram

Sample Name : GW9801478-01
FileName : S:\GHP_03\0118\115A017.raw
Method : TPH
Start Time : 0.00 min End Time : 20.00 min
Scale Factor: -1.0 Plot Offset: 21 mV

Sample #: 3115A Page 1 of 1
Date : 1/19/98 10:29
Time of Injection: 1/15/98 16:59
Low Point : 20.77 mV High Point : 320.77 mV
Plot Scale: 300.0 mV



Software Version: 4.1<1L22>

Date: 1/19/98 10:29

Sample Name : GW9801478-01

Data File : S:\GHP_03\0118\115A017.RAW Date: 1/15/98 16:59

Sequence File: S:\GHP_03\0118\H030115.SEQ Cycle: 17 Channel : A

Instrument : GHP_03 Rack/Vial: -16639/1 Operator: RV

Sample Amount : 1.0000 Dilution Factor : 1.00

TPH REPORT GCHP_03

Peak #	Time [min]	Area [uV*sec]	Component Name	SOIL [mg/kg]	AIR [ug/L]	LIQUID [ug/L]	Raw Amt [ng]
3.177		7268 TPH-1		0.0026	0.0264	0.1321	1.32
11.162		46713 TPH-2		0.0170	0.1699	0.8494	8.49
		53981		0.0196	0.1963	0.9815	9.81

Report stored in ASCII file: S:\GHP_03\0118\115A017.TX0

EXPANDED REPORT GCHP_03

Peak #	Time [min]	Area [uV*sec]	Raw Amt [ng]	Component Name
1	3.358	7267.51	0.01	
3	4.474	12032.82	0.01	
4	4.594	8906.31	0.01	
5	6.559	3648.20	0.00	
6	10.476	13491.74	0.01	
7	14.369	8634.08	0.01	
		53980.66	0.05	

Field Data Sheets

WELL GAUGING DATA

Project # 980114-DZ Date 1/14/98 Client Chevron

Site 3126 Fernside Blvd Alameda CA

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-D2	Station #:	9-1153
Sampler:	DV	Date:	1/14
Well I.D.:	C-1	Well Diameter:	2 3 4 6 8
Total Well Depth:	-	Depth to Water:	0.25
Depth to Free Product:	0.23	Thickness of Free Product (feet):	0.02
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

1 Case Volume (Gals.)	X	Specified Volumes	=	Calculated Volume	Gals.
-----------------------	---	-------------------	---	-------------------	-------

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
		≈ 500 mL free product	emptied		
		from	shimmer		
—					

Did well dewater? Yes No Gallons actually evacuated: -

Sampling Time: Sampling Date: _____

Sample I.D.: C-1 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-DZ		Station #:	9-1153	
Sampler:	DV		Date:	1/14	
Well I.D.:	C-3		Well Diameter:	2	(3) 4 6 8
Total Well Depth:	18.78		Depth to Water:	0.77	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\begin{array}{c}
 6.6 \quad \times \quad 3 \quad = \quad 19.6 \\
 \hline
 \text{1 Case Volume (Gals.)} \qquad \text{Specified Volumes} \qquad \text{Calculated Volume}
 \end{array}
 \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
11:45	57.2	7.3	600	7	
11:55	57.6	7.4	560	13	
12:08	57.8	7.2	520	20	

Did well dewater? Yes Gallons actually evacuated: 20

Sampling Time: 12:10 Sampling Date: 1/14

Sample I.D.: C-3 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-72	Station #:	9-1153
Sampler:	MTS	Date:	1/14/98
Well I.D.:	MW-4	Well Diameter:	(2) 3 4 6 8
Total Well Depth:	13.65	Depth to Water:	2.16 0.39
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{2.0}{1 \text{ Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{6.1}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1303	62.2	7.1	1000	2.5	
1307	63.0	7.1	1000	4.5	
1311	63.2	7.0	1000	6.5	
				-	

Did well dewater? Yes No Gallons actually evacuated: 6.5

Sampling Time: 1320 Sampling Date: 1/14

Sample I.D.: MW-4 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.:	Analyzed for:	TPH-G	BTEX	MTBE	TPH-D	Other:
D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-D2	Station #:	9-1153
Sampler:	MJ	Date:	1/14/98
Well I.D.:	MW-5	Well Diameter:	2 3 4 6 8
Total Well Depth:	12.97	Depth to Water:	0
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{2.1}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{6.2}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1240	60.6	7.0	780	2.5	
1244	64.0	7.0	830	4.5	
1248	60.6	7.0	810	6.5	

Did well dewater? Yes No Gallons actually evacuated: 6.5

Sampling Time: 1255 Sampling Date: 1/14

Sample I.D.: 1255-1153 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.:	Analyzed for:	TPH-G	BTEX	MTBE	TPH-D	Other:
D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	780114-D2	Station #:	9-1153
Sampler:	PW	Date:	1/14
Well I.D.:	MW-6	Well Diameter:	(2) 3 4 6 8
Total Well Depth:	13.90	Depth to Water:	2.40 1.01
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer X
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer X
 Extraction Port
 Other: _____

2.0 2.2	x	3	=	6.6 Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
13:35	60.6	7.2	980	2.5	
13:38	60.2	7.2	820	5	
13:41	59.8	7.4	760	6.75	

Did well dewater? Yes No Gallons actually evacuated: 6.75

Sampling Time: 13:45 Sampling Date: 1/14

Sample I.D.: MW-6 Laboratory: Sequoja GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-172		Station #:	9-1153	
Sampler:	PV		Date:	1/14	
Well I.D.:	MW - 7		Well Diameter:	2	3 4 6 8
Total Well Depth:	14.54		Depth to Water:	2.80	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

2.0	\times	3	$=$	6.0	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
13:00	62.4	7.4	720	2.0	
13:03	63.2	7.2	730	4.0	
13:06	63.6	7.2	740	6.0	

Did well dewater? Yes Gallons actually evacuated: 6.0

Sampling Time: 13:10 Sampling Date: 1/14

Sample I.D.: MW - 7 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-D2		Station #:	9-1153	
Sampler:	MJ		Date:	1/14/98	
Well I.D.:	MW-8		Well Diameter:	(<u>2</u>)	3 4 6 8
Total Well Depth:	9.20		Depth to Water:	2.21 0.83	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{1.3}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{4.0}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1330	62.6	8.3	460	1.5	
1334	61.8	7.9	430	3	
1337	61.6	7.8	420	4	

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Time: 1345 Sampling Date: 1/14

Sample I.D.: MW-8 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.:	Analyzed for:	TPH-G	BTEX	MTBE	TPH-D	Other:
D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	980114-D2	Station #:	9-1153
Sampler:	MJ	Date:	1/14/98
Well I.D.:	MW-9	Well Diameter:	(2) 3 4 6 8
Total Well Depth:	8.58	Depth to Water:	2.40
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

1.0	x	3	=	3.0	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1358	61.2	7.4	950	1	
1403	62.4	7.5	940	2	
1408	62.8	7.4	930	3	
				→	

Did well dewater? Yes No Gallons actually evacuated: 3

Sampling Time: 1415 Sampling Date:

Sample I.D.: MW-9 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	98014-D2		Station #:	9-1153	
Sampler:	RV		Date:	1/14	
Well I.D.:	MW-10		Well Diameter:	2	3 4 6 8
Total Well Depth:	8.90		Depth to Water:	3.08	
Depth to Free Product:			Thickness of Free Product (feet):		
Referenced to:	PVC	Grade	D.O. Meter (if req'd):	YSI	HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailor
 Disposable Bailor
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailor
 Disposable Bailor
 Extraction Port
 Other: _____

$$\frac{1.0}{\text{1 Case Volume (Gals.)}} \times \frac{3}{\text{Specified Volumes}} = \frac{3.0}{\text{Calculated Volume}} \text{ Gals.}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
11:15	58.0	7.2	2600	1.0	
11:17	58.2	6.9	2400	2.0	
11:19	58.0	6.6	3300	3.0	

Did well dewater? Yes No Gallons actually evacuated: 3.0

Sampling Time: 11:20 Sampling Date: 1/14

Sample I.D.: MW-10 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #:	911218-23			Station #:	9-1153					
Sampler:	BB			Date:	12-18					
Well I.D.:	C-1			Well Diameter:	2	3	4	6	8	<input type="checkbox"/>
Total Well Depth:	2.34			Depth to Water:	1.97					
Depth to Free Product:				Thickness of Free Product (feet):						
Referenced to:	PVC	Grade		D.O. Meter (if req'd):	YSI	HACH				

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	$\text{radius}^2 * 0.163$

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

$$\frac{\text{1 Case Volume (Gals.)}}{\text{X Specified Volumes}} = \frac{\text{Calculated Volume}}{\text{Gals.}}$$

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
		No FP	FOUND -	EMPTIED	SKIMMER NO FP, BUT SHEEN

Did well dewater? Yes No Gallons actually evacuated: _____

Sampling Time: _____ Sampling Date: _____

Sample I.D.: _____ Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

WELL GAUGING DATA

Project # 971113-K2 Date 11/13/97 Client Chase

Site 3126 Fernside Blvd., Alameda