


Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

J. Mark Inglis
Project Manager



ChevronTexaco

Alameda County
JUL 08 2005
Environmental Health

July 6, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station #9-1153

Address: 3135 Gibbons Drive, Alameda, California

I have reviewed the attached routine groundwater monitoring report dated June 16, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

J. Mark Inglis
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

June 16, 2005
G-R #386423

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	June 16, 2005	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 13, 2005 and Monthly Site Visits

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *July 5, 2005*, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1153 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Mark Hom, 3135 Gibbons Drive, Alameda, CA 94501

Enclosures

trans/9-1153-M1

Alameda County
Environmental Health
JUL 08 2005



GETTLER-RYAN INC.

June 16, 2005
G-R Job #386423

Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

**RE: Second Quarter Event of May 13, 2005
and Monthly Site Visits**
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California

Dear Mr. Inglis:


This report documents the monthly site visits and the most recent groundwater monitoring and sampling events performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Tables 1 and 2. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator




Robert A. Lauritzen
Senior Geologist, P.G. No. 7504



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Separate Phase Hydrocarbon Thickness/Removal Data
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by Gettler - Ryan Inc.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive (3126 Fernside Blvd)
 Alameda, California

FIGURE

1

PROJECT NUMBER
 386423

REVIEWED BY

DATE
 May 13, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1										
08/18/86	--	4.10	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	15,000	760	820	1,500	--	--
07/22/87	--	--	--	--	1,100	250	7.0	40	--	--
05/03/89	--	4.46	--	--	6,900	3,800	190	229	--	--
12/04/89	--	4.16	--	--	17,000	8,000	490	470	--	--
02/14/90	--	3.64	--	--	19,000	12,000	990	1,050	--	--
03/07/90	--	3.36	--	--	--	4,260	261	430	--	--
09/06/91	--	4.43	--	--	21,000	10,000	100	240	560	--
12/15/91	--	4.78	--	--	20,000	4,900	43	110	330	--
03/03/92	--	2.39	--	--	13,000	5,800	730	340	1,200	--
06/04/92	4.08	4.08	0.00	--	34,000	9,400	350	290	1,200	--
10/13/92	4.08	4.75	-0.67	--	24,000	11,000	98	280	530	--
01/11/93	4.08	2.26	1.82	Sheen	7,100	1,500	130	150	700	--
04/14/93	4.08	2.90	1.18	Sheen	29,000	7,300	4,000	640	2,300	--
07/13/93	4.08	3.97	0.11	Sheen	650,000	27,000	18,000	6,300	29,000	--
10/19/93	4.08	4.50	-0.42	--	40,000	12,000	730	1,100	3,600	--
11/30/93	7.50	4.27	3.23	--	--	--	--	--	--	--
01/27/94	7.50	3.35	4.15	--	36,000	8,600	220	670	1,900	--
04/07/94	7.50	3.42	4.08	--	53,000	12,000	3,500	480	3,300	--
07/01/94	7.50	3.96	3.54	--	65,000	19,000	5,900	1,000	9,000	--
10/05/94	7.50	4.39	3.11	--	160,000	23,000	12,000	2,200	11,000	--
01/12/95	7.50	1.52	6.38	0.50	--	--	--	--	--	--
04/26/95	7.50	4.40	4.86	2.20	--	--	--	--	--	--
07/12/95	7.50	4.85	4.10	1.81	--	--	--	--	--	--
10/30/95	7.50	5.67	3.13	1.63	--	--	--	--	--	--
01/04/96	7.50	3.92	3.68	0.12	--	--	--	--	--	--
01/10/96	7.50	3.48	4.12	0.13	--	--	--	--	--	--
01/17/96	7.50	3.40	4.12	0.02	--	--	--	--	--	--
01/22/96	7.50	2.90	4.60	0.00	82,000	18,000	4,400	1,400	5,200	<1,000
02/23/96	7.50	4.10	4.89	1.86	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	--	--	--	--	--	--
03/08/96	7.50	2.86	6.10	1.83	--	--	--	--	--	--
03/08/96	7.50	2.30	5.49	0.36	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msf)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
03/08/96	7.50	2.33	5.46	0.36	--	--	--	--	--	--
03/08/96	7.50	2.28	5.40	0.22	--	--	--	--	--	--
03/26/96	7.50	3.96	4.56	1.28	--	--	--	--	--	--
04/11/96	7.50	5.61	3.29	1.75	--	--	--	--	--	--
04/19/96	7.50	3.09	4.44	0.04	--	--	--	--	--	--
04/24/96	7.50	3.04	4.48	0.03	--	--	--	--	--	--
05/03/96	7.50	4.02	3.85	0.46	--	--	--	--	--	--
05/03/96	7.50	3.89	3.99	0.47	--	--	--	--	--	--
05/08/96	7.50	4.25	3.53	0.35	--	--	--	--	--	--
05/17/96	7.50	3.24	4.29	0.04	--	--	--	--	--	--
05/17/96	7.50	3.35	4.16	0.01	--	--	--	--	--	--
05/17/96	7.50	3.43	4.08	0.01	--	--	--	--	--	--
05/17/96	7.50	3.65	3.86	0.01	--	--	--	--	--	--
05/22/96	7.50	3.10	4.46	0.07	--	--	--	--	--	--
06/18/96	7.50	4.68	3.20	0.48	--	--	--	--	--	--
07/03/96	7.50	5.03	2.57	0.13	--	--	--	--	--	--
07/09/96	7.50	4.63	3.05	0.23	--	--	--	--	--	--
07/17/96	7.50	4.73	2.89	0.15	--	--	--	--	--	--
07/29/96	7.50	5.10	2.47	0.09	--	--	--	--	--	--
08/02/96	7.50	5.68	1.84	0.03	--	--	--	--	--	--
08/07/96	7.50	5.16	2.35	0.01	--	--	--	--	--	--
08/23/96	7.50	5.75	1.77	0.03	--	--	--	--	--	--
08/28/96	7.50	5.53	1.99	0.03	--	--	--	--	--	--
09/06/96	7.50	5.38	2.12	--	--	--	--	--	--	--
09/12/96	7.50	5.48	2.04	0.03	--	--	--	--	--	--
09/19/96	7.50	6.32	1.20	0.03	--	--	--	--	--	--
10/10/96	7.50	4.58	3.00	0.10	--	--	--	--	--	--
10/17/96	7.50	5.61	1.90	0.01	--	--	--	--	--	--
10/29/96	7.50	6.01	1.49	--	--	--	--	--	--	--
11/07/96	7.50	5.56	1.94	0.04	--	--	--	--	--	--
11/11/96	7.50	5.32	2.18	0.04	--	--	--	--	--	--
12/20/96	7.50	3.33	4.17	0.03	--	--	--	--	--	--
12/17/96	7.50	3.73	3.77	0.01	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (%)	DTW (ft.)	GWE (msf)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
01/15/97	7.50	2.74	4.76	--	47,000	16,000	2,800	1,300	4,900	<1,000
01/22/97	7.50	1.37	6.13	0.19	--	--	--	--	--	--
02/04/97	7.50	2.98	4.52	0.51	--	--	--	--	--	--
02/20/97	7.50	4.09	3.41	0.13	--	--	--	--	--	--
03/06/97	7.50	3.75	3.75	0.56	--	--	--	--	--	--
03/14/97	7.50	3.82	3.68	0.03	--	--	--	--	--	--
03/20/97	7.50	3.73	3.77	0.03	--	--	--	--	--	--
03/25/97	7.50	4.32	3.18	0.01	--	--	--	--	--	--
03/31/97	7.50	3.71	3.79	0.03	--	--	--	--	--	--
04/03/97	7.50	4.60	2.92	0.03	--	--	--	--	--	--
04/09/97	7.50	4.25	3.27	0.02	--	--	--	--	--	--
04/24/97	7.50	4.65	2.87	0.02	--	--	--	--	--	--
04/30/97	7.50	3.50	4.02	0.02	--	--	--	--	--	--
05/22/97	7.50	4.97	2.53	--	--	--	--	--	--	--
06/03/97	7.50	3.62	3.93	0.06	--	--	--	--	--	--
07/09/97	7.50	4.30	3.25	0.06	--	--	--	--	--	--
08/12/97	7.50	5.18	2.32	0.00	--	--	--	--	--	--
09/30/97	7.50	5.25	2.65	0.50	--	--	--	--	--	--
10/29/97	7.50	5.33	2.19	0.03	--	--	--	--	--	--
11/13/97	7.50	4.86	2.66	0.02	--	--	--	--	--	--
12/18/97	7.50	2.34	5.16	--	--	--	--	--	--	--
01/14/98	7.50	0.25	7.27	0.02	--	--	--	--	--	--
02/02/98	7.50	2.35	5.19	0.05	--	--	--	--	--	--
03/16/98	7.50	2.50	5.40	0.50	--	--	--	--	--	--
04/17/98	7.50	2.65	5.17	0.40	--	--	--	--	--	--
05/01/98	7.50	2.39	5.14	0.04	--	--	--	--	--	--
06/17/98	7.50	3.26	4.30	0.08	--	--	--	--	--	--
07/15/98	7.50	3.55	3.95	--	110,000	22,000	22,000	1,000	10,000	<250
09/01/98	7.50	4.00	3.50	--	--	--	--	--	--	--
10/27/98	7.50	4.48	3.02	--	45,000	12,000	5,400	590	4,300	<500
11/19/98	7.50	3.89	3.61	--	--	--	--	--	--	--
12/19/98	7.50	2.13	5.39	0.02	--	--	--	--	--	--
01/20/99	7.50	3.98	3.52	--	50,300	7,050	5,030	244	6,090	<40

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (mst)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
02/24/99	7.50	2.55	4.95	--	--	--	--	--	--	--
03/26/99	7.50	2.14	5.97	0.76	--	--	--	--	--	--
04/19/99	7.50	1.04	6.46	--	150,000	21,000	20,000	3,000	18,000	<2.5/49 ²
07/29/99	7.50	3.76	3.76	0.02	--	--	--	--	--	--
08/30/99	7.50	4.30	3.20	--	--	--	--	--	--	--
09/23/99	7.50	3.84	3.68	0.02	--	--	--	--	--	--
10/13/99	7.50	1.27	6.23	--	136,000	23,900	30,000	2,390	17,300	<500
11/17/99	7.50	3.59	3.91	--	--	--	--	--	--	--
12/08/99	7.50	3.79	3.71	--	--	--	--	--	--	--
01/25/00	7.50	1.99	5.54	0.04	--	--	--	--	--	--
04/03/00	7.50	2.20	5.38**	0.10	--	--	--	--	--	--
05/26/00	7.50	2.52	5.16**	0.23	--	--	--	--	--	--
06/19/00	7.50	2.89	4.76**	0.19	--	--	--	--	--	--
07/03/00	7.50	3.45	4.25**	0.25	--	--	--	--	--	--
08/01/00	7.50	3.78	3.85**	0.16	--	--	--	--	--	--
09/30/00	7.50	4.03	3.50**	0.04	--	--	--	--	--	--
10/23/00	7.50	4.15	3.37**	0.03	--	--	--	--	--	--
11/21/00	7.50	3.42	4.08	0.00	--	--	--	--	--	--
12/22/00	7.50	2.96	4.54	0.00	--	--	--	--	--	--
01/08/01	7.50	2.94	4.56	0.00	--	--	--	--	--	--
02/17/01	7.50	2.09	5.88**	0.59	--	--	--	--	--	--
03/13/01	7.50	2.20	5.91**	0.76	--	--	--	--	--	--
04/09/01	7.50	2.45	5.26**	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
05/18/01	7.50	2.70	5.27**	0.59	--	--	--	--	--	--
06/12/01	7.50	3.50	4.78**	0.97	--	--	--	--	--	--
07/19/01	7.50	4.25	4.01**	0.95	--	--	--	--	--	--
08/23/01	7.50	4.34	3.22**	0.07	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/01	7.50	4.39	3.17**	0.08	--	--	--	--	--	--
10/08/01	7.50	4.45	3.08**	0.04	--	--	--	--	--	--
11/27/01	7.50	3.89	3.61	0.00	330,000	9,800	5,300	3,800	22,000	<50
12/17/01	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/07/02	7.50	2.27	5.64**	0.51	--	--	--	--	--	--
02/26/02	7.50	2.70	5.22**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC+ (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
03/27/02	7.50	2.87	5.47**	1.05	--	--	--	--	--	--
04/08/02	7.50	2.45	6.03**	1.23	--	--	--	--	--	--
05/23/02	7.50	3.57	4.35**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/17/02	7.50	3.90	3.88**	0.35	--	--	--	--	--	--
07/31/02	7.50	4.12	3.54**	0.20	--	--	--	--	--	--
08/09/02	7.50	4.15	3.48**	0.16	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/02	7.50	4.33	3.27**	0.12	--	--	--	--	--	--
10/15/02	7.50	4.51	3.11**	0.15	--	--	--	--	--	--
11/08/02	7.50	4.11	3.39	0.00	51,000	7,000	510	820	5,800	<3.0
12/19/02	7.50	1.14	6.36	0.00	--	--	--	--	--	--
01/14/03	7.50	1.80	5.70	0.00	--	--	--	--	--	--
02/07/03	7.50	2.95	4.79**	0.30	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/20/03	7.50	2.86	4.97**	0.41	--	--	--	--	--	--
04/15/03	7.50	2.12	5.46**	0.10	--	--	--	--	--	--
05/09/03	7.50	2.95	5.11**	0.70	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/27/03	7.50	3.97	3.93**	0.50	--	--	--	--	--	--
07/16/03	7.50	3.68	4.04**	0.28	--	--	--	--	--	--
08/15/03	7.50	4.29	3.39**	0.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/26/03	7.50	4.60	3.05**	0.19	--	--	--	--	--	--
10/18/03	7.50	4.72	2.90**	0.15	--	--	--	--	--	--
11/14/03	7.50	4.31	3.35**	0.20	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
12/23/03	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/22/04	7.50	4.19	3.32**	0.01	--	--	--	--	--	--
02/13/04	7.50	3.04	4.49**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/11/04	7.50	1.85	5.97**	0.40	--	--	--	--	--	--
04/22/04	7.50	3.08	4.60**	0.22	--	--	--	--	--	--
05/14/04	7.50	3.49	4.03**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/18/04	7.50	3.41	4.19**	0.13	--	--	--	--	--	--
07/23/04	7.50	3.28	4.31**	0.11	--	--	--	--	--	--
08/13/04	7.50	3.14	4.40**	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/13/04	7.50	4.53	3.04**	0.09	--	--	--	--	--	--
10/22/04	7.50	3.19	4.33**	0.03	--	--	--	--	--	--
11/12/04	7.50	3.22	4.30**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
12/02/04	7.50	3.28	4.24**	0.02	--	--	--	--	--	--
01/28/05	7.50	3.19	4.32**	0.01	--	--	--	--	--	--
02/11/05	7.50	2.75	4.78**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
03/11/05	7.50	2.94	4.58**	0.03	--	--	--	--	--	--
04/26/05	7.50	3.03	4.49**	0.02	--	--	--	--	--	--
05/13/05	7.50	3.18	4.34**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
C-3										
08/18/86	--	4.00	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	50	3.2	5.4	5.8	--	--
07/22/87	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--
05/03/89	--	4.15	--	--	<50	<0.5	<1.0	<2.0	--	--
12/04/89	--	4.24	--	--	<250	<0.5	<0.5	<0.5	--	--
02/14/90	--	3.57	--	--	<50	<0.5	<0.5	<0.5	--	--
03/07/90	--	3.31	--	--	--	<5.0	<5.0	<5.0	--	--
09/06/91	--	4.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	4.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	2.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	4.41	4.01	0.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	4.41	4.79	-0.38	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	4.41	2.01	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	4.41	2.76	1.65	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	4.41	3.96	0.45	--	<50	<0.5	<0.5	<0.5	<1.5	--
10/19/93	4.41	4.53	-0.12	--	66	12	1.4	1.0	8.4	--
11/30/93	7.83	4.04	3.79	--	--	--	--	--	--	--
01/27/94	7.83	3.17	4.66	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.83	3.20	4.63	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.83	3.99	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.83	4.54	3.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.83	0.80	7.03	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/02/95	7.83	2.15	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.83	3.42	4.41	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (%)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)										
10/30/95	7.83	4.46	3.37	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.83	1.73	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	2.62	5.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.94	3.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	4.06	3.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	1.54	6.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.83	3.23	4.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	4.36	3.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	4.65	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	0.77	7.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	7.83	3.72	4.11	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.83	2.65	5.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.83	1.78	6.05	--	--	--	--	--	--	--
04/03/00	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.83	--	--	--	--	--	--	--	--	--
10/23/00	7.83	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.83	3.71	4.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.83	--	--	--	--	--	--	--	--	--
08/23/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.83	2.38	5.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.83	2.73	5.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.83	2.81	5.02	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.83	2.58	5.25	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	DTW (<i>ft.</i>)	GWE (<i>msl</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
MW-4										
06/04/92	3.58	3.63	-0.05	--	<50	0.8	<0.5	<0.5	<0.5	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.89	1.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	2.20	1.38	--	<50	<0.5	<0.5	<0.5	<1.5	--
07/13/93	3.58	3.51	0.07	--	54	2.6	1.6	<0.5	<1.5	--
10/19/93	3.58	4.22	-0.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/30/93	7.01	4.01	3.00	--	--	--	--	--	--	--
01/27/94	7.01	2.89	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.06	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.01	3.59	3.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	4.33	2.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	1.20	5.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	1.15	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	2.72	4.29	--	<50	6.4	<0.5	0.63	0.72	--
10/30/95	7.01	4.08	2.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.01	1.76	5.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.01	1.95	5.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.01	3.37	3.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.01	3.96	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.01	1.27	5.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.01	2.11	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.01	4.04	2.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.01	4.56	2.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.01	0.39	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.01	2.83	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.01	2.91	4.10	--	--	--	--	--	--	--
01/25/00	7.01	1.92	5.09	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.01	--	--	--	--	--	--	--	--	--
10/23/00	7.01	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.01	3.02	3.99	0.00	87 ¹²	<0.50	<0.50	0.55	2.9	<2.5
04/09/01	7.01	--	--	--	--	--	--	--	--	--
08/23/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
11/27/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.01	1.37	5.64	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.01	1.72	5.29	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.01	1.82	5.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.01	1.46	5.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-5										
06/04/92	3.61	3.25	0.36	--	560	110	0.5	37	2.2	--
10/13/92	3.61	4.20	-0.59	--	1,200	150	<2.5	84	8.6	--
01/11/93	3.61	1.30	2.31	--	1,300	48	1.0	83	33	--
04/14/93	3.61	1.20	2.41	--	2,600	240	6.1	250	170	--
07/13/93	3.61	3.15	0.46	--	1,700	260	7.8	160	100	--
10/19/93	3.61	3.82	-0.21	--	1,900	190	3.3	200	93	--
11/30/93	7.04	3.56	3.48	--	--	--	--	--	--	--
01/27/94	7.04	2.42	4.62	--	4,000	100	12	210	110	--
04/07/94	7.04	2.33	4.71	--	2,600	170	10	150	88	--
07/01/94	7.04	3.18	3.86	--	2,300	350	9.1	110	76	--
10/05/94	7.04	3.98	3.06	--	11,000	840	150	130	340	--
01/12/95	7.04	0.40	6.64	--	2,300	82	<2.5	54	20	--
04/26/95	7.04	0.50	6.54	--	1,600	52	<5.0	36	61	--
07/12/95	7.04	2.41	4.63	--	2,800	150	<5.0	34	38	--
10/30/95	7.04	3.78	3.26	--	1,100	81	<5.0	<5.0	<5.0	35
01/22/96	7.04	0.78	6.26	--	880	7.3	<2.0	15	4.8	<10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ^s (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
04/24/96	7.04	1.65	5.39	--	1,600	51	3.8	14	5.6	56
07/29/96	7.04	INACCESSIBLE		--	--	--	--	--	--	--
10/10/96	7.04	3.60	3.44	--	1,000	18	<1.2	1.5	<1.2	<6.2
01/15/97	7.04	0.45	6.59	--	520	0.84	<0.5	3.1	1.2	8.4
04/03/97	7.04	2.11	4.93	--	1,400	13	<2.0	4.3	8.4	32
07/09/97	7.04	3.71	3.33	--	810	3.6	0.97	<0.5	<0.5	9.7
10/29/97	7.04	4.20	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.04	0.00	7.04	--	430	5.8	2.4	<0.5	1.6	17
04/17/98	7.04	0.71	6.33	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.04	0.00	7.04	--	990	11	3.9	0.56	2.2	61
10/27/98	7.04	4.23	2.81	--	--	--	--	--	--	--
01/20/99	7.04	2.58	4.46	--	168	<0.5	<0.5	<0.5	0.692	<2.0
04/19/99	7.04	2.07	4.97	--	--	--	--	--	--	--
07/29/99	7.04	3.43	3.61	--	246	1.54	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/13/99	7.04	INACCESSIBLE		--	--	--	--	--	--	--
01/25/00	7.04	1.51	5.53	--	169	1.94	<0.5	<0.5	<0.5	201
04/03/00	7.04	1.20	5.84	0.00	--	--	--	--	--	--
07/03/00	7.04	2.98	4.06	0.00	320 ^{6,10}	5.3	1.1	<0.50	<0.50	5.0
10/23/00	7.04	4.18	2.86	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.04	2.92	4.12	0.00	220 ⁶	3.9	<0.50	<0.50	<0.50	7.7
04/09/01	7.04	1.01	6.03	0.00	--	--	--	--	--	--
08/23/01	7.04	3.48	3.56	0.00	630	40	3.5	<2.5	<2.5	43
11/27/01	7.04	3.05	3.99	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.04	1.00	6.04	0.00	410	4.3	<0.50	<0.50	<1.5	<2.5
05/23/02	7.04	2.21	4.83	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.04	3.38	3.66	0.00	240	1.3	<0.50	<0.50	<1.5	<2.5
11/08/02	7.04	4.56	2.48	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/07/03	7.04	1.42	5.62	0.00	380	3.2	<0.50	0.64	<1.5	<2.5
05/09/03	7.04	1.25	5.79	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.04	1.50	5.54	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.04	2.47	4.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
08/13/04 ¹⁵	7.04	5.46	1.58	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.04	4.65	2.39	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.04	1.20	5.84	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.04	4.36	2.68	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
MW-6										
06/04/92	3.85	3.89	-0.04	--	210	54	<0.5	1.9	2.4	--
10/13/92	3.85	4.56	-0.71	--	10,000	5,300	<10	70	<10	--
01/11/93	3.85	2.36	1.49	--	100	50	<0.5	<0.5	<0.5	--
04/14/93	3.85	3.15	0.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	3.94	-0.09	--	<50	1.8	<0.5	<0.5	<1.5	--
10/19/93	3.85	4.40	-0.55	--	320	150	<0.5	0.8	<0.5	--
11/30/93	7.27	4.16	3.11	--	--	--	--	--	--	--
01/27/94	7.27	3.33	3.94	--	120	45	<0.5	<0.5	<0.5	--
04/07/94	7.27	3.43	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.27	3.94	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.27	4.38	2.89	--	8,300	2,400	160	42	190	--
01/12/95 ¹	7.27	2.43	4.84	--	<50	12	<0.5	<0.5	<0.5	--
04/26/95	7.27	2.06	5.21	--	<50	5.5	0.67	<0.5	1.3	--
07/12/95	7.27	3.53	3.74	--	65	27	<0.5	<0.5	<0.5	--
10/30/95	7.27	4.34	2.93	--	<50	3.9	<0.5	<0.5	<0.5	<2.5
01/22/96	7.27	2.61	4.66	--	<50	0.93	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	2.50	4.77	--	260	110	<1.2	<1.2	<1.2	<6.2
07/29/96	7.27	3.85	3.42	--	<50	23	<0.5	<0.5	<0.5	<2.5
10/10/96	7.27	4.37	2.90	--	79	31	<0.5	<0.5	<0.5	<2.5
01/15/97	7.27	2.63	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.27	3.42	3.85	--	670	360	<5.0	<5.0	<5.0	<25
07/09/97	7.27	4.29	2.98	--	330	140	<2.0	<2.0	<2.0	<10
10/29/97	7.27	4.56	2.71	--	400	260	<2.0	<2.0	<2.0	5.8
01/14/98	7.27	1.01	6.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	7.27	2.94	4.33	--	<50	1.7	<0.5	<0.5	<0.5	<2.5
07/15/98	7.27	4.72	2.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (%)	DTW (ft.)	GWE (msf)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
10/27/98	7.27	INACCESSIBLE		--	--	--	--	--	--	--
11/25/98	7.27	4.16	3.11	--	110 ³	54	<0.5	<0.5	<0.5	<2.5
01/20/99	7.27	3.45	3.82	--	<50	10	<0.5	<0.5	<0.5	<2.0
04/19/99	7.27	3.39	3.88	--	<50	2.6	<0.5	<0.5	<0.5	<2.5/<2.0 ²
07/29/99 ⁴	7.27	4.34	2.93	--	<5,000	2,590	<50	<50	<50	<500
10/13/99	7.27	5.89	1.38	--	9,270	4,610	44.2	<25	<25	<125
01/25/00	7.27	4.11	3.16	--	529	289	<0.5	<0.5	<0.5	738
04/03/00 ^{7,8}	7.27	2.84	4.43	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00 ⁷	7.27	3.77	3.50	0.00	91 ⁶	89	0.77	<0.50	<0.50	<2.5
10/12/00	7.27	6.32	0.95	0.00	<50	8.0	<0.50	<0.50	<0.50	<2.5
01/08/01 ^{7,11}	7.27	3.74	3.53	0.00	400 ⁶	640	8.2	8.0	5.0	10
04/09/01 ⁷	7.27	3.03	4.24	0.00	91.3	22.0	3.36	0.751	2.14	<0.500
08/23/01 ⁷	7.27	4.70	2.57	0.00	53 ¹³	23	0.50	<0.50	1.1	<2.5
11/27/01 ¹⁴	7.27	4.43	2.84	0.00	<50	4.1	<0.50	<0.50	<1.5	<2.5
02/26/02 ¹⁴	7.27	2.50	4.77	0.00	100	53	<0.50	<0.50	<1.5	<2.5
05/23/02	7.27	3.27	4.00	0.00	610	260	4.2	1.7	2.1	<2.5
08/09/02	7.27	4.11	3.16	0.00	<50	1.1	<0.50	<0.50	<1.5	<2.5
11/08/02	7.27	4.12	3.15	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	7.27	2.60	4.67	0.00	<50	0.65	<0.50	<0.50	<1.5	<2.5
05/09/03	7.27	2.57	4.70	0.00	<50	1.9	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	7.27	4.15	3.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03 ¹⁵	7.27	4.10	3.17	0.00	<50	<0.5	0.6	<0.5	<0.5	1
02/13/04 ¹⁵	7.27	2.66	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	7.27	3.55	3.72	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	7.27	4.32	2.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	7.27	4.20	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	7.27	2.18	5.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	7.27	4.11	3.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7										
11/30/93	8.22	5.33	2.89	--	480	110	41	4.4	38	--
01/27/94	8.22	4.50	3.72	--	120	21	1.1	2.2	4.8	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)										
04/07/94	8.22	4.62	3.60	--	2,600	630	39	56	94	--
07/01/94	8.22	5.13	3.09	--	2,200	770	42	<10	92	--
10/05/94	8.22	5.61	2.61	--	15,000	3,300	90	130	320	--
01/12/95	8.22	2.83	5.39	--	340	57	<1.3	18	6.4	--
04/26/95	8.22	2.35	5.87	--	15,000	3,700	210	520	800	--
07/12/95	8.22	4.66	3.56	--	7,700	1,800	59	130	370	--
10/30/95	8.22	5.48	2.74	--	770	260	<5.0	33	48	25
01/22/96	8.22	3.34	4.88	--	290	63	<1.0	6.4	5.7	<5.0
04/24/96	8.22	4.12	4.10	--	12,000	2,500	510	380	810	<125
07/29/96	8.22	5.03	3.19	--	2,600	650	<25	61	150	<125
10/10/96	8.22	5.52	2.70	--	5,800	1,700	28	170	210	<62
01/15/97	8.22	2.92	5.30	--	1,000	230	<2.5	28	11	63
04/03/97	8.22	4.65	3.57	--	6,000	1,800	100	140	170	<100
07/09/97	8.22	5.39	2.83	--	5,500	2,200	<20	41	30	<100
10/29/97	8.22	5.58	2.64	--	220	40	0.61	3.0	2.4	7.6
01/14/98	8.22	2.80	5.42	--	140	5.1	<0.5	<0.5	1.4	<2.5
04/17/98	8.22	3.00	5.22	--	13,000	4,200	98	250	240	250
07/15/98	8.22	INACCESSIBLE	--	--	--	--	--	--	--	--
08/17/98 ⁵	7.92	5.52	2.40	--	1,600	380	51	68	280	22
10/27/98	7.92	7.51	0.41	--	190	2.3	0.53	<0.5	<0.5	33
01/20/99	7.92	3.45	4.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.92	4.61	3.31	--	6,500	3,000	<0.5	110	210	310/150 ²
07/29/99 ⁴	7.92	5.00	2.92	--	8,390	2,100	129	222	729	248
10/13/99	7.92	5.61	2.31	--	14,300	6,600	58.8	117	190	<125
01/25/00	7.92	3.32	4.60	--	1,100	184	<5.0	13.5	33.7	151
04/03/00 ^{7,9}	7.92	3.38	4.54	0.00	2,600 ⁶	780	12	<5.0	61	95
07/03/00 ⁷	7.92	4.34	3.58	0.00	4,100 ⁶	2,600	72	240	690	<50
10/23/00	7.92	6.11	1.81	0.00	12,000 ⁶	2,600	<50	150	290	<250
01/08/01 ^{7,11}	7.92	4.32	3.60	0.00	3,900 ⁶	2,200	61	140	350	<25
04/09/01 ⁷	7.92	3.63	4.29	0.00	25,100	4,590	1,200	843	1,920	48.1
08/23/01 ⁷	7.92	4.83	3.09	0.00	27,000	4,100	970	1,100	3,500	<500
11/27/01	7.92	4.30	3.62	0.00	12,000	1,800	50	450	830	91
02/26/02	7.92	3.00	4.92	0.00	15,000	3,100	260	380	860	<10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)										
05/23/02	7.92	3.69	4.23	0.00	28,000	6,000	120	820	1,900	42
08/09/02	7.92	4.38	3.54	0.00	24,000	3,700	81	710	1,300	56
11/08/02	7.92	4.43	3.49	0.00	18,000	2,300	150	660	1,400	<100
02/07/03	7.92	3.20	4.72	0.00	13,000	2,300	200	310	620	<25
05/09/03	7.92	3.18	4.74	0.00	17,000	4,200	36	350	360	<50
08/15/03 ¹⁵	7.92	4.75	3.17	0.00	29,000	7,300	140	780	1,900	<5
11/14/03 ¹⁵	7.92	4.95	2.97	0.00	7,200	950	3	45	20	7
02/13/04 ¹⁵	7.92	3.29	4.63	0.00	3,300	360	4	82	130	3
05/14/04 ¹⁵	7.92	3.98	3.94	0.00	17,000	3,100	480	510	1,300	3
08/13/04 ¹⁵	7.92	5.94	1.98	0.00	10,000	2,000	4	130	150	4
11/12/04 ¹⁵	7.92	4.50	3.42	0.00	680	4	<0.5	1	0.7	0.8
02/11/05 ¹⁵	7.92	3.07	4.85	0.00	4,600	680	6	80	44	4
05/13/05 ¹⁵	7.92	4.51	3.41	0.00	4,200	380	3	38	13	2
MW-8										
10/17/95	6.96	4.40	2.56	--	--	--	--	--	--	--
10/30/95	6.96	4.44	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	2.24	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	2.97	3.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.37	3.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	6.96	4.12	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	6.96	0.94	6.02	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	2.20	4.76	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	4.30	2.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	4.57	2.39	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	0.83	6.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	6.96	2.69	4.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	6.96	3.76	3.20	--	--	--	--	--	--	--
01/25/00	6.96	1.41	5.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	6.96	--	--	--	--	--	--	--	--	--
10/23/00	6.96	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC+ (%)	DTW (ft.)	GWE (mst)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)										
01/08/01 ¹¹	6.96	3.58	3.38	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	6.96	--	--	--	--	--	--	--	--	--
08/23/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	6.96	2.91	4.05	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	6.96	3.13	3.83	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	6.96	3.20	3.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	6.96	2.85	4.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-9										
10/17/95	7.21	4.80	2.41	--	--	--	--	--	--	--
10/30/95	7.21	4.97	2.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.40	3.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	4.18	3.03	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	4.69	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	5.20	2.01	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.31	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	4.57	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	5.04	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	4.96	2.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	2.40	4.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.21	4.31	2.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.21	3.92	3.29	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msf)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9 (cont)										
01/25/00	7.21	2.95	4.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.21	--	--	--	--	--	--	--	--	--
10/23/00	7.21	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.21	4.59	2.62	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.21	--	--	--	--	--	--	--	--	--
08/23/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.21	3.75	3.46	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.21	3.97	3.24	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.21	3.94	3.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.21	3.66	3.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-10										
10/17/95	7.28	5.05	2.23	--	--	--	--	--	--	--
10/30/95	7.28	5.11	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	5.1
01/22/96	7.28	4.03	3.25	--	<50	<0.5	<0.5	<0.5	0.70	17
04/24/96	7.28	4.30	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	12
07/29/96	7.28	4.70	2.58	--	<50	<0.5	<0.5	<0.5	<0.5	14
10/10/96	7.28	5.24	2.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.28	3.35	3.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.28	4.64	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	8.2
07/09/97	7.28	5.12	2.16	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
MW-10 (cont)											
10/29/97	7.28	5.10	2.18	--	<50	<0.5	<0.5	<0.5	<0.5	5.3	
01/14/98	7.28	3.08	4.20	--	<50	<0.5	<0.5	<0.5	<0.5	8.6	
04/17/98	7.28	3.79	3.49	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	
07/15/98	7.28	4.55	2.73	--	<50	<0.5	<0.5	<0.5	<0.5	7.5	
10/27/98	7.28	5.32	1.96	--	--	--	--	--	--	--	
01/20/99	7.28	4.24	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	
04/19/99	7.28	4.07	3.21	--	--	--	--	--	--	--	
07/29/99	7.28	4.82	2.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 ²	
10/13/99	7.28	4.86	2.42	--	--	--	--	--	--	--	
01/25/00	7.28	3.00	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	4.33	
04/03/00	7.28	3.04	4.24	0.00	--	--	--	--	--	--	
07/03/00	7.28	4.00	3.28	0.00	<50	<0.50	<0.50	<0.50	<0.50	4.7	
10/23/00	7.28	5.86	1.42	0.00	--	--	--	--	--	--	
01/08/01 ¹¹	7.28	3.98	3.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
04/09/01	7.28	3.74	3.54	0.00	--	--	--	--	--	--	
08/23/01	7.28	INACCESSIBLE - DUE TO TRAFFIC CONTROL				--	--	--	--	--	--
11/27/01	7.28	4.13	3.15	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/26/02	7.28	3.54	3.74	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/23/02	7.28	3.82	3.46	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/09/02	7.28	4.18	3.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
11/08/02	7.28	3.91	3.37	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/07/03	7.28	3.61	3.67	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/09/03	7.28	3.25	4.03	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/15/03 ¹⁵	7.28	4.35	2.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/14/03	7.28	4.30	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/13/04 ¹⁵	7.28	4.27	3.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/14/04	7.28	4.08	3.20	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/13/04 ¹⁵	7.28	3.92	3.36	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/12/04	7.28	3.98	3.30	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/11/05 ¹⁵	7.28	4.07	3.21	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/13/05	7.28	4.01	3.27	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (%)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2										
08/18/86	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	1,100	49	18	84	--	--
07/22/87	--	--	--	--	<50	1.8	<1.0	<4.0	--	--
ABANDONED										
TMW-1										
11/11/93	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NOT MONITORED/SAMPLED										
3115A GIBBONS DR.										
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
Trip Blank										
TB-LB										
02/14/90	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--
09/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
01/27/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
Trip Blank (cont)										
07/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--	--	--	--
01/15/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
01/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
01/08/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	--	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
QA										
08/23/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/27/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)										
08/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

(msl) = Mean sea level

SPHT = Separate Phase Hydrocarbon Thickness

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

* TOC elevations are referenced to msl.

** GWE has been corrected due to the presence of SPH; correction factor: $[(TOC - DTW) + (SPHT \times 0.80)]$.

¹ Laboratory report indicates EPA 8010 were not detected (ND).

² MTBE confirmed.

³ Chromatogram report indicates an unidentified hydrocarbon.

⁴ ORC installed.

⁵ TOC elevation altered due to well head maintenance.

⁶ Laboratory report indicates gasoline C6-C12.

⁷ ORC in well.

⁸ Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1.

⁹ Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1.

¹⁰ Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time.

¹¹ Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

¹² Laboratory report indicates unidentified hydrocarbons C6-C12.

¹³ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

¹⁴ ORC removed.

¹⁵ BTEX and MTBE by EPA Method 8260.

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	08/18/86	4.10	--	--	--
	09/04/86	--	--	--	--
	07/22/87	--	--	--	--
	05/03/89	4.46	--	--	--
	12/04/89	4.16	--	--	--
	02/14/90	3.64	--	--	--
	03/07/90	3.36	--	--	--
	09/06/91	4.43	--	--	--
	12/15/91	4.78	--	--	--
	03/03/92	2.39	--	--	--
	06/04/92	4.08	--	--	--
	10/13/92	4.75	--	--	--
	01/11/93	2.26	Sheen	--	--
	04/14/93	2.90	Sheen	--	--
	07/13/93	3.97	Sheen	--	--
	10/19/93	4.50	--	--	--
	11/30/93	4.27	--	--	--
	01/27/94	3.35	--	--	--
	04/07/94	3.42	--	--	--
	07/01/94	3.96	--	--	--
	10/05/94	4.39	--	--	--
	01/12/95	1.52	0.50	0.26	0.26
	04/26/95	4.40	2.20	1.32	1.59
	07/12/95	4.85	1.81	0.66	2.25
	10/30/95	5.67	1.63	0.53	2.77
	01/04/96	3.92	0.12	0.26	3.04
	01/10/96	3.48	0.13	0.07	3.10
	01/17/96	3.40	0.02	0.40	3.50
	01/22/96	2.90	0.00	0.00	3.50
	02/23/96	4.10	1.86	0.66	4.16
	02/28/96	--	>0.83	1.25	5.41
	03/08/96	2.86	1.83	0.26	5.68
	03/08/96	2.30	0.36	0.53	6.20
	03/08/96	2.33	0.36	0.26	6.47
	03/08/96	2.28	0.22	0.53	7.00
	03/26/96	3.96	1.28	0.40	7.39
	04/11/96	5.61	1.75	0.53	7.92
	04/19/96	3.09	0.04	0.40	8.32
	04/24/96	3.04	0.03	0.40	8.71
	05/03/96	4.02	0.46	0.40	9.11
	05/03/96	3.89	0.47	0.00	9.11
	05/08/96	4.25	0.35	0.07	9.17
	05/17/96	3.24	0.04	0.03	9.20
	05/17/96	3.35	0.01	0.03	9.23

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	05/17/96	3.43	0.01	0.03	9.26
(cont)	05/17/96	3.65	0.01	0.00	9.26
	05/22/96	3.10	0.07	0.08	9.34
	06/18/96	4.68	0.48	0.26	9.60
	07/03/96	5.03	0.13	0.15	9.75
	07/09/96	4.63	0.23	0.09	9.84
	07/17/96	4.73	0.15	0.32	10.16
	07/29/96	5.10	0.09	0.26	10.42
	08/02/96	5.68	0.03	0.03	10.45
	08/07/96	5.16	0.01	0.13	10.59
	08/23/96	5.75	0.03	0.03	10.61
	08/28/96	5.53	0.03	0.01	10.63
	09/06/96	5.38	--	0.05	10.67
	09/12/96	5.48	0.03	0.01	10.68
	09/19/96	6.32	0.03	0.01	10.69
	10/10/96	4.58	0.10	0.13	10.83
	10/17/96	5.61	0.01	0.01	10.84
	10/29/96	6.01	--	--	10.84
	11/07/96	5.56	0.04	0.13	10.97
	11/11/96	5.32	0.04	0.13	11.10
	12/20/96	3.33	0.03	0.05	11.16
	12/17/96	3.73	0.01	0.01	11.17
	01/15/97	2.74	--	--	11.17
	01/22/97	1.37	0.19	0.07	11.23
	02/04/97	2.98	0.51	0.15	11.38
	02/20/97	4.09	0.13	0.11	11.48
	03/06/97	3.75	0.56	1.19	12.67
	03/14/97	3.82	0.03	0.12	12.79
	03/20/97	3.73	0.03	0.01	12.80
	03/25/97	4.32	0.01	--	12.80
	03/31/97	3.71	0.03	0.00	12.81
	04/03/97	4.60	0.03	0.00	12.81
	04/09/97	4.25	0.02	0.03	12.84
	04/24/97	4.65	0.02	0.01	12.84
	04/30/97	3.50	0.02	0.01	12.85
	05/22/97	4.97	--	0.01	12.86
	06/03/97	3.62	0.06	0.01	12.86
	07/09/97	4.30	0.06	0.13	13.00
	08/12/97	5.18	0.00	0.05	13.05
	09/30/97	5.25	0.50	0.07	13.12
	10/29/97	5.33	0.03	0.02	13.14
	11/13/97	4.86	0.02	0.03	13.16
	12/18/97	2.34	--	--	13.16
	01/14/98	0.25	0.02	0.13	13.29

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	02/02/98	2.35	0.05	0.03	13.32
(cont)	03/16/98	2.50	0.50	0.13	13.45
	04/17/98	2.65	0.40	0.11	13.56
	05/01/98	2.39	0.04	0.26	13.82
	06/17/98	3.26	0.08	0.03	13.86
	07/15/98	3.55	--	--	13.86
	09/01/98	4.00	--	--	13.86
	10/27/98	4.48	--	--	13.86
	11/19/98	3.89	--	--	13.86
	12/19/98	2.13	0.02	0.04	13.90
	01/20/99	3.98	--	--	13.90
	02/24/99	2.55	--	--	13.90
	03/26/99	2.14	0.76	0.26	14.16
	04/19/99	1.04	--	--	14.16
	04/19/99	1.04	--	--	--
	07/29/99	3.76	0.02	0.01	14.17
	08/30/99	4.30	--	--	14.17
	09/23/99	3.84	0.02	0.03	14.20
	10/13/99	1.27	--	--	14.20
	11/17/99	3.59	--	--	--
	12/08/99	3.79	--	--	--
	01/25/00	1.99	0.04	0.03	14.23
	04/03/00	2.20	0.10	0.00	14.23
	05/26/00	2.52	0.23	0.26	14.49
	06/19/00 ¹	2.89	0.19	0.26	14.75
	07/03/00	3.45	0.25	0.26	15.01
	08/01/00	3.78	0.16	0.10	15.11
	09/30/00	4.03	0.04	0.26	15.37
	10/23/00	4.15	0.03	0.26	15.63
	11/21/00	3.42	0.00	0.26	15.89
	12/22/00	2.96	0.00	0.26	16.15
	01/08/01	2.94	0.00	0.26	16.41
	02/17/01	2.09	0.59	0.26	16.67
	03/13/01	2.20	0.76	0.26	16.93
	04/09/01	2.45	0.26	0.26	17.19
	05/18/01	2.70	0.59	0.26	17.45
	06/12/01	3.50	0.97	0.26	17.71
	07/19/01	4.25	0.95	0.26	17.97
	08/23/01	4.34	0.07	0.26	18.23
	09/17/01	4.39	0.08	0.00	18.23
	10/08/01	4.45	0.04	0.02	18.25
	11/27/01	3.89	0.00	0.00	18.25
	12/17/01	1.81	0.00	0.00	18.25

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	01/07/02	2.27	0.51	1.50	19.75
(cont)	02/26/02	2.70	0.52	0.13	19.88
	03/27/02	2.87	1.05	0.26	20.14
	04/08/02	2.45	1.23	0.53	20.67
	05/23/02	3.57	0.52	0.12	20.79
	06/17/02	3.90	0.35	0.07	20.86
	07/31/02	4.12	0.20	0.02	20.88
	08/09/02	4.15	0.16	0.02	20.90
	09/17/02	4.33	0.12	0.01	20.91
	10/15/02	4.51	0.15	0.04	20.95
	11/08/02	4.11	0.00	0.00	20.95
	12/19/02	1.14	0.00	0.00	20.95
	01/14/03	1.80	0.00	0.00	20.95
	02/07/03	2.95	0.30	0.05	21.00
	03/20/03	2.86	0.41	0.13	21.13
	04/15/03	2.12	0.10	0.03	21.16
	05/09/03	2.95	0.70	0.22	21.38
	06/27/03	3.97	0.50	0.11	21.49
	07/16/03	3.68	0.28	0.04	21.53
	08/15/03	4.29	0.22	0.03	21.56
	09/26/03	4.60	0.19	0.04	21.60
	10/18/03	4.72	0.15	0.02	21.62
	11/14/03	4.31	0.20	0.04	21.66
	12/23/03	1.81	0.00	0.00	21.66
	01/22/04	4.19	0.01	0.25 ²	21.91
	02/13/04	3.04	0.04	0.27	22.18
	03/11/04	1.85	0.40	0.04	22.22
	04/22/04	3.08	0.22	0.66	22.88
	05/14/04	3.49	0.03	0.54	23.42
	06/18/04	3.41	0.13	0.63	24.05
	07/23/04	3.28	0.11	0.59	24.64
	08/13/04	3.14	0.05	1.02	25.66
	09/13/04	4.53	0.09	0.03	25.69
	10/22/04	3.19	0.03	1.02	26.71
	11/12/04	3.22	0.03	0.51	27.22
	12/02/04	3.28	0.02	0.26	27.48
	01/28/05	3.19	0.01	0.51	27.99
	02/11/05	2.75	0.04	0.53	28.52
	03/11/05	2.94	0.03	1.02	29.54
	04/26/05	3.03	0.02	1.02	30.56
	05/13/05	3.18	0.02	1.02	31.58

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data prior to July 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DTW = Depth to Water

(ft.) = Feet

SPHT = Separate Phase Hydrocarbon Thickness

-- = Not Measured

- ¹ There is no skimmer present in this well.
- ² Removed less than one ounce of product from well.

Table 3
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
MW-6	11/08/02	2.10	--
	02/07/03	2.60	--
	05/09/03	3.10	--
	08/15/03	2.90	--
	11/14/03	3.41	--
MW-7	11/08/02	-98.00 ¹	--
	02/07/03	2.90	--
	05/09/03	2.60	--
	08/15/03	2.30	--
	11/14/03	1.87	--

EXPLANATIONS:

mg/L = milligrams per liter

-- = Not Measured

¹ Below D.O. meter range.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

CHEVRON SERVICE STATION #9-1153
Alameda, CA

MONTHLY MONITORING EVENT
Of March 11, 2005



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 3-11-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: C-1 Date Monitored: 3-11-05 Well Condition: o.k.
 Well Diameter: 3 in.
 Total Depth: 16.73 ft.
 Depth to Water: 2.94 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 0640 (2400 hrs)
 Time Completed: 0710 (2400 hrs)
 Depth to Product: 2.91 ft
 Depth to Water: 2.94 ft
 Hydrocarbon Thickness: 0.03 ft
 Visual Confirmation/Description:
Dark product
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 3 ounces
 Water Removed: 1 gal
 Product Transferred to: G/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
C-1					

COMMENTS: MONTHLY PRODUCT GUAGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

CHEVRON SERVICE STATION #9-1153
Alameda, CA

MONTHLY MONITORING EVENT
Of April 26, 2005



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 4.26.05 (inclusive)
 City: Alameda, CA Sampler: SoC

Well ID: C-1 Date Monitored: 4.26.05 Well Condition: o.k.
 Well Diameter: 3 in.
 Total Depth: 16.73 ft.
 Depth to Water: 3.03 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 0750 (2400 hrs)
 Time Completed: 0710 (2400 hrs)
 Depth to Product: 3.01 ft
 Depth to Water: 3.03 ft
 Hydrocarbon Thickness: 0.02 ft
 Visual Confirmation/Description:
Pack smelly product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 2.5 ounces gal
 Water Removed: 1 gal.
 Product Transferred to: 5/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
C-1					

COMMENTS: MONTHLY PRODUCT GUAGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

CHEVRON SERVICE STATION #9-1153
Alameda, CA

QUARTERLY MONITORING & SAMPLING EVENT
Of May 13, 2005



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.)
 City: Alameda, CA

Job Number: 386423
 Event Date: 5-13-05 (inclusive)
 Sampler: Joe

Well ID: C-1
 Well Diameter: 3 in.
 Total Depth: 16.71 ft.
 Depth to Water: 3.18 ft.

Date Monitored: 5-13-05 Well Condition: O.K.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 0652 (2400 hrs)
 Time Completed: 0710 (2400 hrs)
 Depth to Product: 3.16 ft
 Depth to Water: 3.18 ft
 Hydrocarbon Thickness: 0.02 ft
 Visual Confirmation/Description:
Smelly black product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 2.5 ounces gal.
 Water Removed: 1 gal.
 Product Transferred to: 6/2 yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
C-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.) Event Date: 5-13-05 (inclusive)
 City: Alameda, CA Sampler: Soe

Well ID: MW-5 Date Monitored: 5-13-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 12.61 ft.
 Depth to Water: 4.36 ft.
 xVF = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: W. O. Y

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.) Event Date: 5-13-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-6 Date Monitored: 5-13-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 13.33 ft.
 Depth to Water: 4.11 ft.
9.22 x VF 0.17 = 1.57 x3 case volume = Estimated Purge Volume: 5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0625 Weather Conditions: clear cloudy
 Sample Time/Date: 0640 15-13-05 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	Red/D.O. (mg/L)	ORP (mV)
<u>0623</u>	<u>1.5</u>	<u>7.32</u>	<u>1804</u>	<u>62.5</u>	<u>1.40</u>	
<u>0626</u>	<u>3</u>	<u>7.33</u>	<u>1789</u>	<u>62.6</u>		
<u>0630</u>	<u>5</u>	<u>7.35</u>	<u>1792</u>	<u>62.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.) Event Date: 5-13-05 (inclusive)
 City: Alameda, CA Sampler: Soe

Well ID: MW-7 Date Monitored: 5-13-05 Well Condition: 0.1c
 Well Diameter: 2 in.
 Total Depth: 11.80 ft.
 Depth to Water: 4.51 ft.
7.29 xVF 0.17 = 1.24 x3 case volume= Estimated Purge Volume: 4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: 0 ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0725 Weather Conditions: cloudy
 Sample Time/Date: 0750 5-13-05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	Pce/D.O. (mg/L)	ORP (mV)
<u>0733</u>	<u>1.5</u>	<u>6.52</u>	<u>846</u>	<u>63.1</u>	<u>0.70</u>	
<u>0737</u>	<u>3</u>	<u>6.57</u>	<u>845</u>	<u>62.9</u>		
<u>0741</u>	<u>4</u>	<u>6.61</u>	<u>849</u>	<u>63.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.) Event Date: 5-13-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-10 Date Monitored: 5-13-05 Well Condition: O.K.
 Well Diameter: 2 in.
 Total Depth: 9.04 ft.
 Depth to Water: 4.01 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: M. ONLY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



051305-02

Acct. #: 10904

For Lancaster Laboratories use only
Sample #: 4524819-21

SCR#: 943531

Facility #: <u>SS#9-1153-OML G-R#386423 Global ID#T0600100330</u> Site Address: <u>3135 GIBBONS DRIVE (Former 3126 Fernside Dr.), ALAMEDA, CA</u> Chevron PM: <u>MI</u> Lead Consultant: <u>CAMBRIARF</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>JOE ASEMIAN</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____				Matrix: <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air <input type="checkbox"/> Portable <input type="checkbox"/> NPDES		Analyses Requested										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits							
Sample Identification				Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>	Comments / Remarks				
QA				-	-	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MW-6				5-13-05	0640	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MW-7				"	0750	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Turnaround Time Requested (TAT) (please circle)

STD. TAT 24-hour
 72 hour
 48 hour
 4 day
 5 day

Data Package Options (please circle if required)

QC Summary Type I — Full
 Type VI (Raw Data)
 WIP (RWQCB)
 Disk
 Coelt Deliverable not needed

Relinquished by: <u>[Signature]</u>	Date: <u>5/13/05</u>	Time: <u>1020</u>	Received by: <u>[Signature]</u>	Date: <u>5/13/05</u>	Time: <u>1020</u>
Relinquished by: <u>[Signature]</u>	Date: <u>5/13/05</u>	Time: <u>1430</u>	Received by: <u>FedEx</u>	Date: <u>5/13/05</u>	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: UPS <u>FedEx</u> Other _____	Received by: <u>[Signature]</u>			Date: <u>5/14/05</u>	Time: <u>1000</u>
Temperature Upon Receipt: <u>700KRS ° 2.0-4.5°</u>	Custody Seals Intact? <u>(Yes)</u> No				

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 943531. Samples arrived at the laboratory on Saturday, May 14, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-050513	NA Water	4524819
MW-6-W-050513	Grab Water	4524820
MW-7-W-050513	Grab Water	4524821

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300

Respectfully Submitted,

Michele M. Turner

Michele M. Turner
Director



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4524819

QA-T-050513 NA Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 QA
Collected: 05/13/2005

Account Number: 10904

Submitted: 05/14/2005 10:00
Reported: 05/31/2005 at 10:48
Discard: 07/01/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GDAQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 05:31	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/19/2005 20:13	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 05:31	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 20:13	Kelly E Brickley	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4524820

MW-6-W-050513 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 MW-6
 Collected: 05/13/2005 06:40 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:48
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GDA06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005 13:10	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/19/2005 21:21	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 13:10	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 21:21	Kelly E Brickley	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4524821

MW-7-W-050513 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 MW-7
 Collected: 05/13/2005 07:50 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:48
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GDA07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	4,200.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
	An elevated surrogate recovery was observed. The analysis was repeated and an elevated surrogate recovery was again observed indicating a significant matrix effect.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.		0.5	ug/l	1
05401	Benzene	71-43-2	380.		1.	ug/l	2
05407	Toluene	108-88-3	3.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	38.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	13.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 13:39	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/19/2005 22:32	Kelly E Brickley	2
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/20/2005 00:52	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 13:39	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/20/2005 00:52	Kelly E Brickley	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/19/2005 22:32	Kelly E Brickley	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:48 AM

Group Number: 943531

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05138A16A TPH-GRO - Waters	Sample number(s): 4524819-4524821							
	N.D.	50.	ug/l	96	96	70-130	1	30
Batch number: W051382AB Methyl Tertiary Butyl Ether	Sample number(s): 4524819							
Benzene	N.D.	0.5	ug/l	102		77-127		
Toluene	N.D.	0.5	ug/l	101		85-117		
Ethylbenzene	N.D.	0.5	ug/l	98		85-115		
Xylene (Total)	N.D.	0.5	ug/l	100		82-119		
	N.D.	0.5	ug/l	99		83-113		
Batch number: W051391AA Methyl Tertiary Butyl Ether	Sample number(s): 4524820-4524821							
Benzene	N.D.	0.5	ug/l	106		77-127		
Toluene	N.D.	0.5	ug/l	98		85-117		
Ethylbenzene	N.D.	0.5	ug/l	93		85-115		
Xylene (Total)	N.D.	0.5	ug/l	97		82-119		
	N.D.	0.5	ug/l	96		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05138A16A TPH-GRO - Waters	Sample number(s): 4524819-4524821								
	103		63-154						
Batch number: W051382AB Methyl Tertiary Butyl Ether	Sample number(s): 4524819								
Benzene	(2)	(2)	69-134	1	30				
Toluene	105	108	83-128	3	30				
Ethylbenzene	103	104	83-127	1	30				
Xylene (Total)	105	106	82-129	1	30				
	104	104	82-130	0	30				
Batch number: W051391AA Methyl Tertiary Butyl Ether	Sample number(s): 4524820-4524821								
Benzene	101	101	69-134	0	30				
Toluene	106	106	83-128	0	30				
Ethylbenzene	103	104	83-127	1	30				
Xylene (Total)	107	108	82-129	0	30				
	104	105	82-130	0	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:48 AM

Group Number: 943531

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05138A16A
 Trifluorotoluene-F

4524819	97
4524820	97
4524821	147*
Blank	98
LCS	100
LCSD	100
MS	100

Limits: 70-142

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: W051382AE
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4524819	104	89	90	95
Blank	101	88	91	93
LCS	98	91	93	96
MS	99	92	92	99
MSD	98	93	93	100

Limits: 81-120

82-112

85-112

83-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: W051391AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4524820	103	88	90	94
4524821	97	90	90	98
Blank	101	88	91	93
LCS	102	91	90	101
MS	100	85	94	102
MSD	99	84	93	101

Limits: 81-120

82-112

85-112

83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<$ CRDL, but \geq IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.