



GETTLER-RYAN INC.

RECEIVED

2:21 pm, Jan 02, 2008

Alameda County
Environmental Health

TRANSMITTAL

December 19, 2007

G-R #386423

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Ms. Olivia Skance
Chevron Environmental
Management Company
P.O. Box 6012, Room K2196
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 12, 2007	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 8, 2007 and Monthly Site Visits

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for your use and distribution to the following (via PDF):

Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by Cambria via PDF)**

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 3, 2008**, at which time the final report will be distributed to the following:

cc: Mr. Mark Hom, 3135 Gibbons Drive, Alameda, CA 94501

Enclosures

trans/9-1153-OS

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



Olivia Skance
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-5005
Fax (925) 842-8370
olivia.skance@chevron.com

December 19, 2007

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1153
Address 3135 Gibbons Drive

I have reviewed the attached routine groundwater monitoring report dated December 19, 2007.

I agree with the conclusions and recommendations presented in the referenced workplan. This information in this workplan is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Olivia Skance". The signature is written in a cursive style with a large, stylized "S" at the end.

Olivia Skance
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-1153
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.)
 City: Alameda, CA

Job # 386423
 Event Date: _____
 Sampler: _____

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
C-1	o.k	o.k	N/A	N/A	o.k	o.k	o.k			Christy Sox	
MW-5	Box below grade		o.k	Both "B"						12" Universal / (2)	Picture: 2-16-07
MW-6	↓	↓		o.k	↓	↓	↓			8" Bolt-longy. ballunrased / (3)	
MW-7	↓	↓	↓	o.k	↓	↓	↓			8" Bainered / (2)	

Comments _____



December 12, 2007
G-R Job #386423

Ms. Olivia Skance
Chevron Environmental Management Company
P.O. Box 6012, Room K2196
San Ramon, CA 94583

**RE: Fourth Quarter Event of November 8, 2007
and Monthly Site Visits**
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California

Dear Ms. Skance:

This report documents the monthly site visits and the most recent groundwater monitoring and sampling events performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Tables 1 and 2. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Separate Phase Hydrocarbon Thickness/Removal Data
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by Gettler - Ryan Inc.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive (3126 Fernside Blvd)
 Alameda, California

FIGURE

1

PROJECT NUMBER
 386423

REVIEWED BY

DATE
 November 8, 2007

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1										
08/18/86	--	4.10	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	15,000	760	820	1,500	--	--
07/22/87	--	--	--	--	1,100	250	7.0	40	--	--
05/03/89	--	4.46	--	--	6,900	3,800	190	229	--	--
12/04/89	--	4.16	--	--	17,000	8,000	490	470	--	--
02/14/90	--	3.64	--	--	19,000	12,000	990	1,050	--	--
03/07/90	--	3.36	--	--	--	4,260	261	430	--	--
09/06/91	--	4.43	--	--	21,000	10,000	100	240	560	--
12/15/91	--	4.78	--	--	20,000	4,900	43	110	330	--
03/03/92	--	2.39	--	--	13,000	5,800	730	340	1,200	--
06/04/92	4.08	4.08	0.00	--	34,000	9,400	350	290	1,200	--
10/13/92	4.08	4.75	-0.67	--	24,000	11,000	98	280	530	--
01/11/93	4.08	2.26	1.82	Sheen	7,100	1,500	130	150	700	--
04/14/93	4.08	2.90	1.18	Sheen	29,000	7,300	4,000	640	2,300	--
07/13/93	4.08	3.97	0.11	Sheen	650,000	27,000	18,000	6,300	29,000	--
10/19/93	4.08	4.50	-0.42	--	40,000	12,000	730	1,100	3,600	--
11/30/93	7.50	4.27	3.23	--	--	--	--	--	--	--
01/27/94	7.50	3.35	4.15	--	36,000	8,600	220	670	1,900	--
04/07/94	7.50	3.42	4.08	--	53,000	12,000	3,500	480	3,300	--
07/01/94	7.50	3.96	3.54	--	65,000	19,000	5,900	1,000	9,000	--
10/05/94	7.50	4.39	3.11	--	160,000	23,000	12,000	2,200	11,000	--
01/12/95	7.50	1.52	6.38	0.50	--	--	--	--	--	--
04/26/95	7.50	4.40	4.86	2.20	--	--	--	--	--	--
07/12/95	7.50	4.85	4.10	1.81	--	--	--	--	--	--
10/30/95	7.50	5.67	3.13	1.63	--	--	--	--	--	--
01/04/96	7.50	3.92	3.68	0.12	--	--	--	--	--	--
01/10/96	7.50	3.48	4.12	0.13	--	--	--	--	--	--
01/17/96	7.50	3.40	4.12	0.02	--	--	--	--	--	--
01/22/96	7.50	2.90	4.60	0.00	82,000	18,000	4,400	1,400	5,200	<1,000
02/23/96	7.50	4.10	4.89	1.86	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	--	--	--	--	--	--
03/08/96	7.50	2.86	6.10	1.83	--	--	--	--	--	--
03/08/96	7.50	2.30	5.49	0.36	--	--	--	--	--	--
03/08/96	7.50	2.33	5.46	0.36	--	--	--	--	--	--
03/08/96	7.50	2.28	5.40	0.22	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	DTW (<i>ft.</i>)	GWE (<i>msl</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
C-1 (cont)										
03/26/96	7.50	3.96	4.56	1.28	--	--	--	--	--	--
04/11/96	7.50	5.61	3.29	1.75	--	--	--	--	--	--
04/19/96	7.50	3.09	4.44	0.04	--	--	--	--	--	--
04/24/96	7.50	3.04	4.48	0.03	--	--	--	--	--	--
05/03/96	7.50	4.02	3.85	0.46	--	--	--	--	--	--
05/03/96	7.50	3.89	3.99	0.47	--	--	--	--	--	--
05/08/96	7.50	4.25	3.53	0.35	--	--	--	--	--	--
05/17/96	7.50	3.24	4.29	0.04	--	--	--	--	--	--
05/17/96	7.50	3.35	4.16	0.01	--	--	--	--	--	--
05/17/96	7.50	3.43	4.08	0.01	--	--	--	--	--	--
05/17/96	7.50	3.65	3.86	0.01	--	--	--	--	--	--
05/22/96	7.50	3.10	4.46	0.07	--	--	--	--	--	--
06/18/96	7.50	4.68	3.20	0.48	--	--	--	--	--	--
07/03/96	7.50	5.03	2.57	0.13	--	--	--	--	--	--
07/09/96	7.50	4.63	3.05	0.23	--	--	--	--	--	--
07/17/96	7.50	4.73	2.89	0.15	--	--	--	--	--	--
07/29/96	7.50	5.10	2.47	0.09	--	--	--	--	--	--
08/02/96	7.50	5.68	1.84	0.03	--	--	--	--	--	--
08/07/96	7.50	5.16	2.35	0.01	--	--	--	--	--	--
08/23/96	7.50	5.75	1.77	0.03	--	--	--	--	--	--
08/28/96	7.50	5.53	1.99	0.03	--	--	--	--	--	--
09/06/96	7.50	5.38	2.12	--	--	--	--	--	--	--
09/12/96	7.50	5.48	2.04	0.03	--	--	--	--	--	--
09/19/96	7.50	6.32	1.20	0.03	--	--	--	--	--	--
10/10/96	7.50	4.58	3.00	0.10	--	--	--	--	--	--
10/17/96	7.50	5.61	1.90	0.01	--	--	--	--	--	--
10/29/96	7.50	6.01	1.49	--	--	--	--	--	--	--
11/07/96	7.50	5.56	1.94	0.04	--	--	--	--	--	--
11/11/96	7.50	5.32	2.18	0.04	--	--	--	--	--	--
12/20/96	7.50	3.33	4.17	0.03	--	--	--	--	--	--
12/17/96	7.50	3.73	3.77	0.01	--	--	--	--	--	--
01/15/97	7.50	2.74	4.76	--	47,000	16,000	2,800	1,300	4,900	<1,000
01/22/97	7.50	1.37	6.13	0.19	--	--	--	--	--	--
02/04/97	7.50	2.98	4.52	0.51	--	--	--	--	--	--
02/20/97	7.50	4.09	3.41	0.13	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
03/06/97	7.50	3.75	3.75	0.56	--	--	--	--	--	--
03/14/97	7.50	3.82	3.68	0.03	--	--	--	--	--	--
03/20/97	7.50	3.73	3.77	0.03	--	--	--	--	--	--
03/25/97	7.50	4.32	3.18	0.01	--	--	--	--	--	--
03/31/97	7.50	3.71	3.79	0.03	--	--	--	--	--	--
04/03/97	7.50	4.60	2.92	0.03	--	--	--	--	--	--
04/09/97	7.50	4.25	3.27	0.02	--	--	--	--	--	--
04/24/97	7.50	4.65	2.87	0.02	--	--	--	--	--	--
04/30/97	7.50	3.50	4.02	0.02	--	--	--	--	--	--
05/22/97	7.50	4.97	2.53	--	--	--	--	--	--	--
06/03/97	7.50	3.62	3.93	0.06	--	--	--	--	--	--
07/09/97	7.50	4.30	3.25	0.06	--	--	--	--	--	--
08/12/97	7.50	5.18	2.32	0.00	--	--	--	--	--	--
09/30/97	7.50	5.25	2.65	0.50	--	--	--	--	--	--
10/29/97	7.50	5.33	2.19	0.03	--	--	--	--	--	--
11/13/97	7.50	4.86	2.66	0.02	--	--	--	--	--	--
12/18/97	7.50	2.34	5.16	--	--	--	--	--	--	--
01/14/98	7.50	0.25	7.27	0.02	--	--	--	--	--	--
02/02/98	7.50	2.35	5.19	0.05	--	--	--	--	--	--
03/16/98	7.50	2.50	5.40	0.50	--	--	--	--	--	--
04/17/98	7.50	2.65	5.17	0.40	--	--	--	--	--	--
05/01/98	7.50	2.39	5.14	0.04	--	--	--	--	--	--
06/17/98	7.50	3.26	4.30	0.08	--	--	--	--	--	--
07/15/98	7.50	3.55	3.95	--	110,000	22,000	22,000	1,000	10,000	<250
09/01/98	7.50	4.00	3.50	--	--	--	--	--	--	--
10/27/98	7.50	4.48	3.02	--	45,000	12,000	5,400	590	4,300	<500
11/19/98	7.50	3.89	3.61	--	--	--	--	--	--	--
12/19/98	7.50	2.13	5.39	0.02	--	--	--	--	--	--
01/20/99	7.50	3.98	3.52	--	50,300	7,050	5,030	244	6,090	<40
02/24/99	7.50	2.55	4.95	--	--	--	--	--	--	--
03/26/99	7.50	2.14	5.97	0.76	--	--	--	--	--	--
04/19/99	7.50	1.04	6.46	--	150,000	21,000	20,000	3,000	18,000	<2.5/49 ²
07/29/99	7.50	3.76	3.76	0.02	--	--	--	--	--	--
08/30/99	7.50	4.30	3.20	--	--	--	--	--	--	--
09/23/99	7.50	3.84	3.68	0.02	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
10/13/99	7.50	1.27	6.23	--	136,000	23,900	30,000	2,390	17,300	<500
11/17/99	7.50	3.59	3.91	--	--	--	--	--	--	--
12/08/99	7.50	3.79	3.71	--	--	--	--	--	--	--
01/25/00	7.50	1.99	5.54	0.04	--	--	--	--	--	--
04/03/00	7.50	2.20	5.38**	0.10	--	--	--	--	--	--
05/26/00	7.50	2.52	5.16**	0.23	--	--	--	--	--	--
06/19/00	7.50	2.89	4.76**	0.19	--	--	--	--	--	--
07/03/00	7.50	3.45	4.25**	0.25	--	--	--	--	--	--
08/01/00	7.50	3.78	3.85**	0.16	--	--	--	--	--	--
09/30/00	7.50	4.03	3.50**	0.04	--	--	--	--	--	--
10/23/00	7.50	4.15	3.37**	0.03	--	--	--	--	--	--
11/21/00	7.50	3.42	4.08	0.00	--	--	--	--	--	--
12/22/00	7.50	2.96	4.54	0.00	--	--	--	--	--	--
01/08/01	7.50	2.94	4.56	0.00	--	--	--	--	--	--
02/17/01	7.50	2.09	5.88**	0.59	--	--	--	--	--	--
03/13/01	7.50	2.20	5.91**	0.76	--	--	--	--	--	--
04/09/01	7.50	2.45	5.26**	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
05/18/01	7.50	2.70	5.27**	0.59	--	--	--	--	--	--
06/12/01	7.50	3.50	4.78**	0.97	--	--	--	--	--	--
07/19/01	7.50	4.25	4.01**	0.95	--	--	--	--	--	--
08/23/01	7.50	4.34	3.22**	0.07	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/01	7.50	4.39	3.17**	0.08	--	--	--	--	--	--
10/08/01	7.50	4.45	3.08**	0.04	--	--	--	--	--	--
11/27/01	7.50	3.89	3.61	0.00	330,000	9,800	5,300	3,800	22,000	<50
12/17/01	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/07/02	7.50	2.27	5.64**	0.51	--	--	--	--	--	--
02/26/02	7.50	2.70	5.22**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/27/02	7.50	2.87	5.47**	1.05	--	--	--	--	--	--
04/08/02	7.50	2.45	6.03**	1.23	--	--	--	--	--	--
05/23/02	7.50	3.57	4.35**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/17/02	7.50	3.90	3.88**	0.35	--	--	--	--	--	--
07/31/02	7.50	4.12	3.54**	0.20	--	--	--	--	--	--
08/09/02	7.50	4.15	3.48**	0.16	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/02	7.50	4.33	3.27**	0.12	--	--	--	--	--	--
10/15/02	7.50	4.51	3.11**	0.15	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	DTW (<i>ft.</i>)	GWE (<i>msl</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)
C-1 (cont)										
11/08/02	7.50	4.11	3.39	0.00	51,000	7,000	510	820	5,800	<3.0
12/19/02	7.50	1.14	6.36	0.00	--	--	--	--	--	--
01/14/03	7.50	1.80	5.70	0.00	--	--	--	--	--	--
02/07/03	7.50	2.95	4.79**	0.30	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/20/03	7.50	2.86	4.97**	0.41	--	--	--	--	--	--
04/15/03	7.50	2.12	5.46**	0.10	--	--	--	--	--	--
05/09/03	7.50	2.95	5.11**	0.70	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/27/03	7.50	3.97	3.93**	0.50	--	--	--	--	--	--
07/16/03	7.50	3.68	4.04**	0.28	--	--	--	--	--	--
08/15/03	7.50	4.29	3.39**	0.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/26/03	7.50	4.60	3.05**	0.19	--	--	--	--	--	--
10/18/03	7.50	4.72	2.90**	0.15	--	--	--	--	--	--
11/14/03	7.50	4.31	3.35**	0.20	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
12/23/03	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/22/04	7.50	4.19	3.32**	0.01	--	--	--	--	--	--
02/13/04	7.50	3.04	4.49**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/11/04	7.50	1.85	5.97**	0.40	--	--	--	--	--	--
04/22/04	7.50	3.08	4.60**	0.22	--	--	--	--	--	--
05/14/04	7.50	3.49	4.03**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/18/04	7.50	3.41	4.19**	0.13	--	--	--	--	--	--
07/23/04	7.50	3.28	4.31**	0.11	--	--	--	--	--	--
08/13/04	7.50	3.14	4.40**	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/13/04	7.50	4.53	3.04**	0.09	--	--	--	--	--	--
10/22/04	7.50	3.19	4.33**	0.03	--	--	--	--	--	--
11/12/04	7.50	3.22	4.30**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
12/02/04	7.50	3.28	4.24**	0.02	--	--	--	--	--	--
01/28/05	7.50	3.19	4.32**	0.01	--	--	--	--	--	--
02/11/05	7.50	2.75	4.78**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/11/05	7.50	2.94	4.58**	0.03	--	--	--	--	--	--
04/26/05	7.50	3.03	4.49**	0.02	--	--	--	--	--	--
05/13/05	7.50	3.18	4.34**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/01/05	7.50	3.22	4.30**	0.02	--	--	--	--	--	--
07/15/05	7.50	3.09	4.43**	0.02	--	--	--	--	--	--
08/19/05	7.50	2.88	4.64**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/23/05	7.50	2.95	4.57**	0.02	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
C-1 (cont)											
10/14/05	7.50	3.01	4.50**	0.01	--	--	--	--	--	--	
11/18/05	7.50	3.21	4.31**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
12/09/05	7.50	3.61	3.90**	0.01	--	--	--	--	--	--	
01/12/06	7.50	2.98	4.53**	0.01	--	--	--	--	--	--	
02/10/06 ¹⁵	7.50	2.69	4.82**	0.01	100,000	11,000	2,500	2,900	15,000	<10	
03/13/06	7.50	2.81	4.70**	0.01	--	--	--	--	--	--	
04/13/06	7.50	2.75	4.76**	0.01	--	--	--	--	--	--	
05/12/06	7.50	3.02	4.49**	0.01	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
06/12/06	7.50	3.10	4.41**	0.01	--	--	--	--	--	--	
07/13/06	7.50	3.14	4.38**	0.02	--	--	--	--	--	--	
08/11/06 ¹⁵	7.50	3.70	3.81**	0.01	200,000	8,600	470	1,700	8,800	<10	
09/11/06	7.50	3.75	3.77**	0.02	--	--	--	--	--	--	
10/17/06	7.50	3.82	3.69**	0.01	--	--	--	--	--	--	
11/17/06	7.50	3.11	4.41**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
12/15/06	7.50	2.95	4.57**	0.02	--	--	--	--	--	--	
01/16/07	7.50	2.98	4.54**	0.02	--	--	--	--	--	--	
02/16/07 ¹⁵	7.50	2.77	4.73	0.00	25,000	4,300	260	310	3,300	<5	
03/16/07	7.50	3.07	4.44**	0.01	--	--	--	--	--	--	
04/17/07	7.50	2.98	4.53**	0.01	--	--	--	--	--	--	
05/17/07 ¹⁵	7.50	3.05	4.46**	0.01	110,000 ¹⁶	12,000 ¹⁶	1,000 ¹⁶	2,000 ¹⁶	15,000 ¹⁶	<5	
06/15/07	7.50	3.08	4.43**	0.01	--	--	--	--	--	--	
07/17/07	7.50	3.13	4.38**	0.01	--	--	--	--	--	--	
08/09/07	7.50	3.24	4.28**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
09/14/07	7.50	3.16	4.35**	0.01	--	--	--	--	--	--	
10/16/07	7.50	3.04	4.47**	0.01	--	--	--	--	--	--	
11/08/07¹⁵	7.50	3.11	4.40**	0.01	150,000	13,000	570	1,800	10,000	<13	
C-3											
08/18/86	--	4.00	--	--	--	--	--	--	--	--	
09/04/86	--	--	--	--	50	3.2	5.4	5.8	--	--	
07/22/87	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--	
05/03/89	--	4.15	--	--	<50	<0.5	<1.0	<2.0	--	--	
12/04/89	--	4.24	--	--	<250	<0.5	<0.5	<0.5	--	--	
02/14/90	--	3.57	--	--	<50	<0.5	<0.5	<0.5	--	--	
03/07/90	--	3.31	--	--	--	<5.0	<5.0	<5.0	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)										
09/06/91	--	4.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	4.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	2.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	4.41	4.01	0.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	4.41	4.79	-0.38	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	4.41	2.01	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	4.41	2.76	1.65	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	4.41	3.96	0.45	--	<50	<0.5	<0.5	<0.5	<1.5	--
10/19/93	4.41	4.53	-0.12	--	66	12	1.4	1.0	8.4	--
11/30/93	7.83	4.04	3.79	--	--	--	--	--	--	--
01/27/94	7.83	3.17	4.66	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.83	3.20	4.63	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.83	3.99	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.83	4.54	3.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.83	0.80	7.03	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/02/95	7.83	2.15	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.83	3.42	4.41	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	7.83	4.46	3.37	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.83	1.73	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	2.62	5.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.94	3.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	4.06	3.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	1.54	6.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.83	3.23	4.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	4.36	3.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	4.65	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	0.77	7.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	7.83	3.72	4.11	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.83	2.65	5.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.83	1.78	6.05	--	--	--	--	--	--	--
04/03/00	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.83	--	--	--	--	--	--	--	--	--
10/23/00	7.83	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.83	3.71	4.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.83	--	--	--	--	--	--	--	--	--
08/23/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)										
11/27/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.83	2.38	5.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.83	2.73	5.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.83	2.81	5.02	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.83	2.58	5.25	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.83	2.52	5.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.83	2.63	5.20	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-4										
06/04/92	3.58	3.63	-0.05	--	<50	0.8	<0.5	<0.5	<0.5	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.89	1.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	2.20	1.38	--	<50	<0.5	<0.5	<0.5	<1.5	--
07/13/93	3.58	3.51	0.07	--	54	2.6	1.6	<0.5	<1.5	--
10/19/93	3.58	4.22	-0.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/30/93	7.01	4.01	3.00	--	--	--	--	--	--	--
01/27/94	7.01	2.89	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.06	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
07/01/94	7.01	3.59	3.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	4.33	2.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	1.20	5.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	1.15	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	2.72	4.29	--	<50	6.4	<0.5	0.63	0.72	--
10/30/95	7.01	4.08	2.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.01	1.76	5.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.01	1.95	5.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.01	3.37	3.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.01	3.96	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.01	1.27	5.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.01	2.11	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.01	4.04	2.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.01	4.56	2.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.01	0.39	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.01	2.83	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.01	2.91	4.10	--	--	--	--	--	--	--
01/25/00	7.01	1.92	5.09	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.01	--	--	--	--	--	--	--	--	--
10/23/00	7.01	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.01	3.02	3.99	0.00	87 ¹²	<0.50	<0.50	0.55	2.9	<2.5
04/09/01	7.01	--	--	--	--	--	--	--	--	--
08/23/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.01	1.37	5.64	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.01	1.72	5.29	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.01	1.82	5.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
02/11/05 ¹⁵	7.01	1.46	5.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.01	1.35	5.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.01	1.48	5.53	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-5										
06/04/92	3.61	3.25	0.36	--	560	110	0.5	37	2.2	--
10/13/92	3.61	4.20	-0.59	--	1,200	150	<2.5	84	8.6	--
01/11/93	3.61	1.30	2.31	--	1,300	48	1.0	83	33	--
04/14/93	3.61	1.20	2.41	--	2,600	240	6.1	250	170	--
07/13/93	3.61	3.15	0.46	--	1,700	260	7.8	160	100	--
10/19/93	3.61	3.82	-0.21	--	1,900	190	3.3	200	93	--
11/30/93	7.04	3.56	3.48	--	--	--	--	--	--	--
01/27/94	7.04	2.42	4.62	--	4,000	100	12	210	110	--
04/07/94	7.04	2.33	4.71	--	2,600	170	10	150	88	--
07/01/94	7.04	3.18	3.86	--	2,300	350	9.1	110	76	--
10/05/94	7.04	3.98	3.06	--	11,000	840	150	130	340	--
01/12/95	7.04	0.40	6.64	--	2,300	82	<2.5	54	20	--
04/26/95	7.04	0.50	6.54	--	1,600	52	<5.0	36	61	--
07/12/95	7.04	2.41	4.63	--	2,800	150	<5.0	34	38	--
10/30/95	7.04	3.78	3.26	--	1,100	81	<5.0	<5.0	<5.0	35
01/22/96	7.04	0.78	6.26	--	880	7.3	<2.0	15	4.8	<10
04/24/96	7.04	1.65	5.39	--	1,600	51	3.8	14	5.6	56
07/29/96	7.04	INACCESSIBLE		--	--	--	--	--	--	--
10/10/96	7.04	3.60	3.44	--	1,000	18	<1.2	1.5	<1.2	<6.2
01/15/97	7.04	0.45	6.59	--	520	0.84	<0.5	3.1	1.2	8.4
04/03/97	7.04	2.11	4.93	--	1,400	13	<2.0	4.3	8.4	32

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
07/09/97	7.04	3.71	3.33	--	810	3.6	0.97	<0.5	<0.5	9.7
10/29/97	7.04	4.20	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.04	0.00	7.04	--	430	5.8	2.4	<0.5	1.6	17
04/17/98	7.04	0.71	6.33	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.04	0.00	7.04	--	990	11	3.9	0.56	2.2	61
10/27/98	7.04	4.23	2.81	--	--	--	--	--	--	--
01/20/99	7.04	2.58	4.46	--	168	<0.5	<0.5	<0.5	0.692	<2.0
04/19/99	7.04	2.07	4.97	--	--	--	--	--	--	--
07/29/99	7.04	3.43	3.61	--	246	1.54	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/13/99	7.04	INACCESSIBLE		--	--	--	--	--	--	--
01/25/00	7.04	1.51	5.53	--	169	1.94	<0.5	<0.5	<0.5	201
04/03/00	7.04	1.20	5.84	0.00	--	--	--	--	--	--
07/03/00	7.04	2.98	4.06	0.00	320 ^{6,10}	5.3	1.1	<0.50	<0.50	5.0
10/23/00	7.04	4.18	2.86	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.04	2.92	4.12	0.00	220 ⁶	3.9	<0.50	<0.50	<0.50	7.7
04/09/01	7.04	1.01	6.03	0.00	--	--	--	--	--	--
08/23/01	7.04	3.48	3.56	0.00	630	40	3.5	<2.5	<2.5	43
11/27/01	7.04	3.05	3.99	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.04	1.00	6.04	0.00	410	4.3	<0.50	<0.50	<1.5	<2.5
05/23/02	7.04	2.21	4.83	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.04	3.38	3.66	0.00	240	1.3	<0.50	<0.50	<1.5	<2.5
11/08/02	7.04	4.56	2.48	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/07/03	7.04	1.42	5.62	0.00	380	3.2	<0.50	0.64	<1.5	<2.5
05/09/03	7.04	1.25	5.79	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.04	1.50	5.54	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.04	2.47	4.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/13/04 ¹⁵	7.04	5.46	1.58	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.04	4.65	2.39	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.04	1.20	5.84	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.04	4.36	2.68	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/19/05 ¹⁵	7.04	2.78	4.26	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.04	4.51	2.53	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/10/06 ¹⁵	7.04	1.12	5.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.04	2.23	4.81	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
08/11/06 ¹⁵	7.04	3.40	3.64	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.04	4.16	2.88	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/16/07 ¹⁵	7.04	1.22	5.82	0.00	<50	<0.5	<0.7	<0.8	<0.8	<0.5
05/17/07	7.04	4.06	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07	7.04	3.70	3.34	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
MW-6										
06/04/92	3.85	3.89	-0.04	--	210	54	<0.5	1.9	2.4	--
10/13/92	3.85	4.56	-0.71	--	10,000	5,300	<10	70	<10	--
01/11/93	3.85	2.36	1.49	--	100	50	<0.5	<0.5	<0.5	--
04/14/93	3.85	3.15	0.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	3.94	-0.09	--	<50	1.8	<0.5	<0.5	<1.5	--
10/19/93	3.85	4.40	-0.55	--	320	150	<0.5	0.8	<0.5	--
11/30/93	7.27	4.16	3.11	--	--	--	--	--	--	--
01/27/94	7.27	3.33	3.94	--	120	45	<0.5	<0.5	<0.5	--
04/07/94	7.27	3.43	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.27	3.94	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.27	4.38	2.89	--	8,300	2,400	160	42	190	--
01/12/95 ¹	7.27	2.43	4.84	--	<50	12	<0.5	<0.5	<0.5	--
04/26/95	7.27	2.06	5.21	--	<50	5.5	0.67	<0.5	1.3	--
07/12/95	7.27	3.53	3.74	--	65	27	<0.5	<0.5	<0.5	--
10/30/95	7.27	4.34	2.93	--	<50	3.9	<0.5	<0.5	<0.5	<2.5
01/22/96	7.27	2.61	4.66	--	<50	0.93	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	2.50	4.77	--	260	110	<1.2	<1.2	<1.2	<6.2
07/29/96	7.27	3.85	3.42	--	<50	23	<0.5	<0.5	<0.5	<2.5
10/10/96	7.27	4.37	2.90	--	79	31	<0.5	<0.5	<0.5	<2.5
01/15/97	7.27	2.63	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.27	3.42	3.85	--	670	360	<5.0	<5.0	<5.0	<25
07/09/97	7.27	4.29	2.98	--	330	140	<2.0	<2.0	<2.0	<10
10/29/97	7.27	4.56	2.71	--	400	260	<2.0	<2.0	<2.0	5.8
01/14/98	7.27	1.01	6.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	7.27	2.94	4.33	--	<50	1.7	<0.5	<0.5	<0.5	<2.5
07/15/98	7.27	4.72	2.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	7.27	INACCESSIBLE		--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
11/25/98	7.27	4.16	3.11	--	110 ³	54	<0.5	<0.5	<0.5	<2.5
01/20/99	7.27	3.45	3.82	--	<50	10	<0.5	<0.5	<0.5	<2.0
04/19/99	7.27	3.39	3.88	--	<50	2.6	<0.5	<0.5	<0.5	<2.5/<2.0 ²
07/29/99 ⁴	7.27	4.34	2.93	--	<5,000	2,590	<50	<50	<50	<500
10/13/99	7.27	5.89	1.38	--	9,270	4,610	44.2	<25	<25	<125
01/25/00	7.27	4.11	3.16	--	529	289	<0.5	<0.5	<0.5	738
04/03/00 ^{7,8}	7.27	2.84	4.43	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00 ⁷	7.27	3.77	3.50	0.00	91 ⁶	89	0.77	<0.50	<0.50	<2.5
10/12/00	7.27	6.32	0.95	0.00	<50	8.0	<0.50	<0.50	<0.50	<2.5
01/08/01 ^{7,11}	7.27	3.74	3.53	0.00	400 ⁶	640	8.2	8.0	5.0	10
04/09/01 ⁷	7.27	3.03	4.24	0.00	91.3	22.0	3.36	0.751	2.14	<0.500
08/23/01 ⁷	7.27	4.70	2.57	0.00	53 ¹³	23	0.50	<0.50	1.1	<2.5
11/27/01 ¹⁴	7.27	4.43	2.84	0.00	<50	4.1	<0.50	<0.50	<1.5	<2.5
02/26/02 ¹⁴	7.27	2.50	4.77	0.00	100	53	<0.50	<0.50	<1.5	<2.5
05/23/02	7.27	3.27	4.00	0.00	610	260	4.2	1.7	2.1	<2.5
08/09/02	7.27	4.11	3.16	0.00	<50	1.1	<0.50	<0.50	<1.5	<2.5
11/08/02	7.27	4.12	3.15	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	7.27	2.60	4.67	0.00	<50	0.65	<0.50	<0.50	<1.5	<2.5
05/09/03	7.27	2.57	4.70	0.00	<50	1.9	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	7.27	4.15	3.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03 ¹⁵	7.27	4.10	3.17	0.00	<50	<0.5	0.6	<0.5	<0.5	1
02/13/04 ¹⁵	7.27	2.66	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	7.27	3.55	3.72	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	7.27	4.32	2.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	7.27	4.20	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	7.27	2.18	5.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	7.27	4.11	3.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	7.27	3.70	3.57	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	7.27	3.98	3.29	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	7.27	2.11	5.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	7.27	3.18	4.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	7.27	3.80	3.47	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	7.27	3.78	3.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	7.27	2.08	5.19	0.00	<50	1	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
05/17/07 ¹⁵	7.27	3.61	3.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	7.27	4.05	3.22	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	7.27	4.12	3.15	0.00	<50	5	<0.5	<0.5	<0.5	<0.5
MW-7										
11/30/93	8.22	5.33	2.89	--	480	110	41	4.4	38	--
01/27/94	8.22	4.50	3.72	--	120	21	1.1	2.2	4.8	--
04/07/94	8.22	4.62	3.60	--	2,600	630	39	56	94	--
07/01/94	8.22	5.13	3.09	--	2,200	770	42	<10	92	--
10/05/94	8.22	5.61	2.61	--	15,000	3,300	90	130	320	--
01/12/95	8.22	2.83	5.39	--	340	57	<1.3	18	6.4	--
04/26/95	8.22	2.35	5.87	--	15,000	3,700	210	520	800	--
07/12/95	8.22	4.66	3.56	--	7,700	1,800	59	130	370	--
10/30/95	8.22	5.48	2.74	--	770	260	<5.0	33	48	25
01/22/96	8.22	3.34	4.88	--	290	63	<1.0	6.4	5.7	<5.0
04/24/96	8.22	4.12	4.10	--	12,000	2,500	510	380	810	<125
07/29/96	8.22	5.03	3.19	--	2,600	650	<25	61	150	<125
10/10/96	8.22	5.52	2.70	--	5,800	1,700	28	170	210	<62
01/15/97	8.22	2.92	5.30	--	1,000	230	<2.5	28	11	63
04/03/97	8.22	4.65	3.57	--	6,000	1,800	100	140	170	<100
07/09/97	8.22	5.39	2.83	--	5,500	2,200	<20	41	30	<100
10/29/97	8.22	5.58	2.64	--	220	40	0.61	3.0	2.4	7.6
01/14/98	8.22	2.80	5.42	--	140	5.1	<0.5	<0.5	1.4	<2.5
04/17/98	8.22	3.00	5.22	--	13,000	4,200	98	250	240	250
07/15/98	8.22	INACCESSIBLE		--	--	--	--	--	--	--
08/17/98 ⁵	7.92	5.52	2.40	--	1,600	380	51	68	280	22
10/27/98	7.92	7.51	0.41	--	190	2.3	0.53	<0.5	<0.5	33
01/20/99	7.92	3.45	4.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.92	4.61	3.31	--	6,500	3,000	<0.5	110	210	310/150 ²
07/29/99 ⁴	7.92	5.00	2.92	--	8,390	2,100	129	222	729	248
10/13/99	7.92	5.61	2.31	--	14,300	6,600	58.8	117	190	<125
01/25/00	7.92	3.32	4.60	--	1,100	184	<5.0	13.5	33.7	151
04/03/00 ^{7,9}	7.92	3.38	4.54	0.00	2,600 ⁶	780	12	<5.0	61	95
07/03/00 ⁷	7.92	4.34	3.58	0.00	4,100 ⁶	2,600	72	240	690	<50
10/23/00	7.92	6.11	1.81	0.00	12,000 ⁶	2,600	<50	150	290	<250

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)										
01/08/01 ^{7,11}	7.92	4.32	3.60	0.00	3,900 ⁶	2,200	61	140	350	<25
04/09/01 ⁷	7.92	3.63	4.29	0.00	25,100	4,590	1,200	843	1,920	48.1
08/23/01 ⁷	7.92	4.83	3.09	0.00	27,000	4,100	970	1,100	3,500	<500
11/27/01	7.92	4.30	3.62	0.00	12,000	1,800	50	450	830	91
02/26/02	7.92	3.00	4.92	0.00	15,000	3,100	260	380	860	<10
05/23/02	7.92	3.69	4.23	0.00	28,000	6,000	120	820	1,900	42
08/09/02	7.92	4.38	3.54	0.00	24,000	3,700	81	710	1,300	56
11/08/02	7.92	4.43	3.49	0.00	18,000	2,300	150	660	1,400	<100
02/07/03	7.92	3.20	4.72	0.00	13,000	2,300	200	310	620	<25
05/09/03	7.92	3.18	4.74	0.00	17,000	4,200	36	350	360	<50
08/15/03 ¹⁵	7.92	4.75	3.17	0.00	29,000	7,300	140	780	1,900	<5
11/14/03 ¹⁵	7.92	4.95	2.97	0.00	7,200	950	3	45	20	7
02/13/04 ¹⁵	7.92	3.29	4.63	0.00	3,300	360	4	82	130	3
05/14/04 ¹⁵	7.92	3.98	3.94	0.00	17,000	3,100	480	510	1,300	3
08/13/04 ¹⁵	7.92	5.94	1.98	0.00	10,000	2,000	4	130	150	4
11/12/04 ¹⁵	7.92	4.50	3.42	0.00	680	4	<0.5	1	0.7	0.8
02/11/05 ¹⁵	7.92	3.07	4.85	0.00	4,600	680	6	80	44	4
05/13/05 ¹⁵	7.92	4.51	3.41	0.00	4,200	380	3	38	13	2
08/19/05 ¹⁵	7.92	4.03	3.89	0.00	7,900	1,300	3	190	310	<1
11/18/05 ¹⁵	7.92	4.62	3.30	0.00	3,900	4	1	16	8	2
02/10/06 ¹⁵	7.92	3.12	4.80	0.00	3,200	320	2	14	8	2
05/12/06 ¹⁵	7.92	4.25	3.67	0.00	3,600	1,000	2	65	27	<1
08/11/06 ¹⁵	7.92	4.45	3.47	0.00	6,700	1,900	6	280	300	<1
11/17/06 ¹⁵	7.92	4.71	3.21	0.00	1,200	0.6	<0.5	1	0.8	<0.5
02/16/07 ¹⁵	7.92	3.26	4.66	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.92	4.62	3.30	0.00	6,400	1,400	4	130	26	<1
08/09/07 ¹⁵	7.92	4.61	3.31	0.00	10,000	1,400	4	230	12	<3
11/08/07¹⁵	7.92	4.72	3.20	0.00	2,300	4	1	3	7	0.9
MW-8										
10/17/95	6.96	4.40	2.56	--	--	--	--	--	--	--
10/30/95	6.96	4.44	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	2.24	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	2.97	3.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.37	3.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)										
10/10/96	6.96	4.12	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	6.96	0.94	6.02	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	2.20	4.76	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	4.30	2.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	4.57	2.39	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	0.83	6.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	6.96	2.69	4.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	6.96	3.76	3.20	--	--	--	--	--	--	--
01/25/00	6.96	1.41	5.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	6.96	--	--	--	--	--	--	--	--	--
10/23/00	6.96	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	6.96	3.58	3.38	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	6.96	--	--	--	--	--	--	--	--	--
08/23/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	6.96	2.91	4.05	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	6.96	3.13	3.83	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	6.96	3.20	3.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	6.96	2.85	4.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	6.96	2.74	4.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	6.96	2.69	4.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)										
05/17/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-9										
10/17/95	7.21	4.80	2.41	--	--	--	--	--	--	--
10/30/95	7.21	4.97	2.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.40	3.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	4.18	3.03	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	4.69	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	5.20	2.01	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.31	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	4.57	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	5.04	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	4.96	2.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	2.40	4.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.21	4.31	2.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.21	3.92	3.29	--	--	--	--	--	--	--
01/25/00	7.21	2.95	4.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.21	--	--	--	--	--	--	--	--	--
10/23/00	7.21	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.21	4.59	2.62	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.21	--	--	--	--	--	--	--	--	--
08/23/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.21	3.75	3.46	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.21	3.97	3.24	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.21	3.94	3.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9 (cont)										
05/14/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.21	3.66	3.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.21	3.53	3.68	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.21	3.50	3.71	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
MW-10										
10/17/95	7.28	5.05	2.23	--	--	--	--	--	--	--
10/30/95	7.28	5.11	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	5.1
01/22/96	7.28	4.03	3.25	--	<50	<0.5	<0.5	<0.5	0.70	17
04/24/96	7.28	4.30	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	12
07/29/96	7.28	4.70	2.58	--	<50	<0.5	<0.5	<0.5	<0.5	14
10/10/96	7.28	5.24	2.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.28	3.35	3.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.28	4.64	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	8.2
07/09/97	7.28	5.12	2.16	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.28	5.10	2.18	--	<50	<0.5	<0.5	<0.5	<0.5	5.3
01/14/98	7.28	3.08	4.20	--	<50	<0.5	<0.5	<0.5	<0.5	8.6
04/17/98	7.28	3.79	3.49	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.28	4.55	2.73	--	<50	<0.5	<0.5	<0.5	<0.5	7.5
10/27/98	7.28	5.32	1.96	--	--	--	--	--	--	--
01/20/99	7.28	4.24	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.28	4.07	3.21	--	--	--	--	--	--	--
07/29/99	7.28	4.82	2.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 ²
10/13/99	7.28	4.86	2.42	--	--	--	--	--	--	--
01/25/00	7.28	3.00	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	4.33

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-10 (cont)										
04/03/00	7.28	3.04	4.24	0.00	--	--	--	--	--	--
07/03/00	7.28	4.00	3.28	0.00	<50	<0.50	<0.50	<0.50	<0.50	4.7
10/23/00	7.28	5.86	1.42	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.28	3.98	3.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.28	3.74	3.54	0.00	--	--	--	--	--	--
08/23/01	7.28	INACCESSIBLE - DUE TO TRAFFIC CONTROL				--	--	--	--	--
11/27/01	7.28	4.13	3.15	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.28	3.54	3.74	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.28	3.82	3.46	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.28	4.18	3.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	7.28	3.91	3.37	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/07/03	7.28	3.61	3.67	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.28	3.25	4.03	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.28	4.35	2.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.28	4.30	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.28	4.27	3.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.28	4.08	3.20	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/13/04 ¹⁵	7.28	3.92	3.36	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.28	3.98	3.30	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.28	4.07	3.21	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.28	4.01	3.27	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/19/05 ¹⁵	7.28	3.69	3.59	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.28	3.86	3.42	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/10/06 ¹⁵	7.28	3.94	3.34	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.28	4.07	3.21	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/11/06 ¹⁵	7.28	4.21	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.28	3.83	3.45	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/16/07 ¹⁵	7.28	3.87	3.41	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.28	3.71	3.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--
11/08/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2										
08/18/86	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	1,100	49	18	84	--	--
07/22/87	--	--	--	--	<50	1.8	<1.0	<4.0	--	--
ABANDONED										
TMW-1										
11/11/93	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NOT MONITORED/SAMPLED										
3115A GIBBONS DR.										
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
TRIP BLANK										
TB-LB										
02/14/90	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--
09/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
01/27/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
Trip Blank (cont)										
01/15/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
01/08/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	--	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
08/23/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/27/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)										
02/10/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	(ppb) = Parts per billion -- = Not Measured/Not Analyzed
DTW = Depth to Water	T = Toluene	QA = Quality Assurance/Trip Blank
GWE = Groundwater Elevation (msl) = Mean sea level	E = Ethylbenzene X = Xylenes	
SPHT = Separate Phase Hydrocarbon Thickness	MTBE = Methyl tertiary butyl ether	

* TOC elevations are referenced to msl.

** GWE has been corrected due to the presence of SPHT: correction factor: [(TOC - DTW) + (SPHT x 0.80)].

¹ Laboratory report indicates EPA 8010 were not detected (ND).

² MTBE confirmed.

³ Chromatogram report indicates an unidentified hydrocarbon.

⁴ ORC installed.

⁵ TOC elevation altered due to well head maintenance.

⁶ Laboratory report indicates gasoline C6-C12.

⁷ ORC in well.

⁸ Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1.

⁹ Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1.

¹⁰ Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time.

¹¹ Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

¹² Laboratory report indicates unidentified hydrocarbons C6-C12.

¹³ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

¹⁴ ORC removed.

¹⁵ BTEX and MTBE by EPA Method 8260.

¹⁶ Laboratory confirmed analytical result.

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	08/18/86	4.10	--	--	--
	09/04/86	--	--	--	--
	07/22/87	--	--	--	--
	05/03/89	4.46	--	--	--
	12/04/89	4.16	--	--	--
	02/14/90	3.64	--	--	--
	03/07/90	3.36	--	--	--
	09/06/91	4.43	--	--	--
	12/15/91	4.78	--	--	--
	03/03/92	2.39	--	--	--
	06/04/92	4.08	--	--	--
	10/13/92	4.75	--	--	--
	01/11/93	2.26	Sheen	--	--
	04/14/93	2.90	Sheen	--	--
	07/13/93	3.97	Sheen	--	--
	10/19/93	4.50	--	--	--
	11/30/93	4.27	--	--	--
	01/27/94	3.35	--	--	--
	04/07/94	3.42	--	--	--
	07/01/94	3.96	--	--	--
	10/05/94	4.39	--	--	--
	01/12/95	1.52	0.50	0.26	0.26
	04/26/95	4.40	2.20	1.32	1.59
	07/12/95	4.85	1.81	0.66	2.25
	10/30/95	5.67	1.63	0.53	2.77
	01/04/96	3.92	0.12	0.26	3.04
	01/10/96	3.48	0.13	0.07	3.10
	01/17/96	3.40	0.02	0.40	3.50
	01/22/96	2.90	0.00	0.00	3.50
	02/23/96	4.10	1.86	0.66	4.16
	02/28/96	--	>0.83	1.25	5.41
	03/08/96	2.86	1.83	0.26	5.68
	03/08/96	2.30	0.36	0.53	6.20
	03/08/96	2.33	0.36	0.26	6.47
	03/08/96	2.28	0.22	0.53	7.00
	03/26/96	3.96	1.28	0.40	7.39
	04/11/96	5.61	1.75	0.53	7.92
	04/19/96	3.09	0.04	0.40	8.32
	04/24/96	3.04	0.03	0.40	8.71
	05/03/96	4.02	0.46	0.40	9.11
	05/03/96	3.89	0.47	0.00	9.11
	05/08/96	4.25	0.35	0.07	9.17
	05/17/96	3.24	0.04	0.03	9.20
	05/17/96	3.35	0.01	0.03	9.23
	05/17/96	3.43	0.01	0.03	9.26
	05/17/96	3.65	0.01	0.00	9.26
	05/22/96	3.10	0.07	0.08	9.34
	06/18/96	4.68	0.48	0.26	9.60
	07/03/96	5.03	0.13	0.15	9.75
	07/09/96	4.63	0.23	0.09	9.84
	07/17/96	4.73	0.15	0.32	10.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	07/29/96	5.10	0.09	0.26	10.42
	08/02/96	5.68	0.03	0.03	10.45
	08/07/96	5.16	0.01	0.13	10.59
	08/23/96	5.75	0.03	0.03	10.61
	08/28/96	5.53	0.03	0.01	10.63
	09/06/96	5.38	--	0.05	10.67
	09/12/96	5.48	0.03	0.01	10.68
	09/19/96	6.32	0.03	0.01	10.69
	10/10/96	4.58	0.10	0.13	10.83
	10/17/96	5.61	0.01	0.01	10.84
	10/29/96	6.01	--	--	10.84
	11/07/96	5.56	0.04	0.13	10.97
	11/11/96	5.32	0.04	0.13	11.10
	12/20/96	3.33	0.03	0.05	11.16
	12/17/96	3.73	0.01	0.01	11.17
	01/15/97	2.74	--	--	11.17
	01/22/97	1.37	0.19	0.07	11.23
	02/04/97	2.98	0.51	0.15	11.38
	02/20/97	4.09	0.13	0.11	11.48
	03/06/97	3.75	0.56	1.19	12.67
	03/14/97	3.82	0.03	0.12	12.79
	03/20/97	3.73	0.03	0.01	12.80
	03/25/97	4.32	0.01	--	12.80
	03/31/97	3.71	0.03	0.00	12.81
	04/03/97	4.60	0.03	0.00	12.81
	04/09/97	4.25	0.02	0.03	12.84
	04/24/97	4.65	0.02	0.01	12.84
	04/30/97	3.50	0.02	0.01	12.85
	05/22/97	4.97	--	0.01	12.86
	06/03/97	3.62	0.06	0.01	12.86
	07/09/97	4.30	0.06	0.13	13.00
	08/12/97	5.18	0.00	0.05	13.05
	09/30/97	5.25	0.50	0.07	13.12
	10/29/97	5.33	0.03	0.02	13.14
	11/13/97	4.86	0.02	0.03	13.16
	12/18/97	2.34	--	--	13.16
	01/14/98	0.25	0.02	0.13	13.29
	02/02/98	2.35	0.05	0.03	13.32
	03/16/98	2.50	0.50	0.13	13.45
	04/17/98	2.65	0.40	0.11	13.56
	05/01/98	2.39	0.04	0.26	13.82
	06/17/98	3.26	0.08	0.03	13.86
	07/15/98	3.55	--	--	13.86
	09/01/98	4.00	--	--	13.86
	10/27/98	4.48	--	--	13.86
	11/19/98	3.89	--	--	13.86
	12/19/98	2.13	0.02	0.04	13.90
	01/20/99	3.98	--	--	13.90
	02/24/99	2.55	--	--	13.90
	03/26/99	2.14	0.76	0.26	14.16
	04/19/99	1.04	--	--	14.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	04/19/99	1.04	--	--	--
	07/29/99	3.76	0.02	0.01	14.17
	08/30/99	4.30	--	--	14.17
	09/23/99	3.84	0.02	0.03	14.20
	10/13/99	1.27	--	--	14.20
	11/17/99	3.59	--	--	--
	12/08/99	3.79	--	--	--
	01/25/00	1.99	0.04	0.03	14.23
	04/03/00	2.20	0.10	0.00	14.23
	05/26/00	2.52	0.23	0.26	14.49
	06/19/00 ¹	2.89	0.19	0.26	14.75
	07/03/00	3.45	0.25	0.26	15.01
	08/01/00	3.78	0.16	0.10	15.11
	09/30/00	4.03	0.04	0.26	15.37
	10/23/00	4.15	0.03	0.26	15.63
	11/21/00	3.42	0.00	0.26	15.89
	12/22/00	2.96	0.00	0.26	16.15
	01/08/01	2.94	0.00	0.26	16.41
	02/17/01	2.09	0.59	0.26	16.67
	03/13/01	2.20	0.76	0.26	16.93
	04/09/01	2.45	0.26	0.26	17.19
	05/18/01	2.70	0.59	0.26	17.45
	06/12/01	3.50	0.97	0.26	17.71
	07/19/01	4.25	0.95	0.26	17.97
	08/23/01	4.34	0.07	0.26	18.23
	09/17/01	4.39	0.08	0.00	18.23
	10/08/01	4.45	0.04	0.02	18.25
	11/27/01	3.89	0.00	0.00	18.25
	12/17/01	1.81	0.00	0.00	18.25
	01/07/02	2.27	0.51	1.50	19.75
	02/26/02	2.70	0.52	0.13	19.88
	03/27/02	2.87	1.05	0.26	20.14
	04/08/02	2.45	1.23	0.53	20.67
	05/23/02	3.57	0.52	0.12	20.79
	06/17/02	3.90	0.35	0.07	20.86
	07/31/02	4.12	0.20	0.02	20.88
	08/09/02	4.15	0.16	0.02	20.90
	09/17/02	4.33	0.12	0.01	20.91
	10/15/02	4.51	0.15	0.04	20.95
	11/08/02	4.11	0.00	0.00	20.95
	12/19/02	1.14	0.00	0.00	20.95
	01/14/03	1.80	0.00	0.00	20.95
	02/07/03	2.95	0.30	0.05	21.00
	03/20/03	2.86	0.41	0.13	21.13
	04/15/03	2.12	0.10	0.03	21.16
	05/09/03	2.95	0.70	0.22	21.38
	06/27/03	3.97	0.50	0.11	21.49
	07/16/03	3.68	0.28	0.04	21.53
	08/15/03	4.29	0.22	0.03	21.56
	09/26/03	4.60	0.19	0.04	21.60
	10/18/03	4.72	0.15	0.02	21.62

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	11/14/03	4.31	0.20	0.04	21.66
	12/23/03	1.81	0.00	0.00	21.66
	01/22/04	4.19	0.01	0.25 ²	21.91
	02/13/04	3.04	0.04	0.27	22.18
	03/11/04	1.85	0.40	0.04	22.22
	04/22/04	3.08	0.22	0.66	22.88
	05/14/04	3.49	0.03	0.54	23.42
	06/18/04	3.41	0.13	0.63	24.05
	07/23/04	3.28	0.11	0.59	24.64
	08/13/04	3.14	0.05	1.02	25.66
	09/13/04	4.53	0.09	0.03	25.69
	10/22/04	3.19	0.03	1.02	26.71
	11/12/04	3.22	0.03	0.51	27.22
	12/02/04	3.28	0.02	0.26	27.48
	01/28/05	3.19	0.01	0.51	27.99
	02/11/05	2.75	0.04	0.53	28.52
	03/11/05	2.94	0.03	1.02	29.54
	04/26/05	3.03	0.02	1.02	30.56
	05/13/05	3.18	0.02	1.02	31.58
	06/01/05	3.22	0.02	0.51	32.09
	07/15/05	3.09	0.02	1.51	33.60
	08/19/05	2.88	0.03	1.53	35.13
	09/23/05	2.95	0.02	1.02	36.15
	10/14/05	3.01	0.01	0.52	36.67
	11/18/05	3.21	0.02	1.02	37.69
	12/09/05	3.61	0.01	1.01	38.70
	01/12/06	2.98	0.01	0.51	39.21
	02/10/06	2.69	0.01	0.50 ³	39.71
	03/13/06	2.81	0.01	1.00 ⁴	40.71
	04/13/06	2.75	0.01	0.50 ⁴	41.22
	05/12/06	3.02	0.01	0.50 ⁴	41.72
	06/12/06	3.10	0.01	0.50 ⁴	42.22
07/13/06	3.14	0.02	1.01	43.23	
08/11/06	3.70	0.01	1.01	44.24	
09/11/06	3.75	0.02	1.02	45.26	
10/17/06	3.82	0.01	1.02	46.28	
11/17/06	3.11	0.03	1.02	47.30	
12/15/06	2.95	0.02	1.02	48.32	
01/16/07	2.98	0.02	0.52	48.84	
02/16/07	2.77	0.00	0.00	48.84	
03/16/07	3.07	0.01	0.51 ⁴	49.35	
04/17/07	2.98	0.01	0.50 ³	49.85	
05/17/07	3.05	0.01	0.51 ⁴	50.36	
06/15/07	3.08	0.01	1.02	51.38	
07/17/07	3.13	0.01	0.50 ⁴	51.88	
08/09/07	3.24	0.02	0.52	52.40	
09/14/07	3.16	0.01	0.26⁴	52.67	
10/16/07	3.04	0.01	0.26⁴	52.94	
11/08/07	3.11	0.01	0.00	52.94	

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data prior to July 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DTW = Depth to Water

(ft.) = Feet

SPHT = Separate Phase Hydrocarbon Thickness

-- = Not Measured

- ¹ There is no skimmer present in this well.
- ² Removed less than one ounce of product from well.
- ³ Removed 0.5 ounces of product from well.
- ⁴ Removed 1 ounce of product from well.

Table 3
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)	
MW-6	11/08/02	2.10	--	
	02/07/03	2.60	--	
	05/09/03	3.10	--	
	08/15/03	2.90	--	
	11/14/03	3.41	--	
	08/19/05	1.90	--	
	11/18/05	1.70	--	
	02/10/06	2.20	--	
	05/12/06	2.80	--	
	08/11/06	2.50	--	
	11/17/06	2.20	--	
	02/16/07	1.80	--	
	05/17/07	2.0	--	
	08/09/07	2.6	--	
	11/08/07	2.2	--	
	MW-7	11/08/02	-98.00 ¹	--
		02/07/03	2.90	--
05/09/03		2.60	--	
08/15/03		2.30	--	
11/14/03		1.87	--	
08/19/05		0.80	--	
11/18/05		0.90	--	
02/10/06		1.30	--	
05/12/06		1.40	--	
08/11/06		1.10	--	
11/17/06		0.70	--	
02/16/07		1.10	--	
05/17/07		1.7	--	
08/09/07		1.2	--	
11/08/07		0.9	--	

EXPLANATIONS:

mg/L = milligrams per liter

-- = Not Measured

¹ Below D.O. meter range.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***MONTHLY MONITORING EVENTS
of
September 14, 2007
October 16, 2007***



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 9-14-07 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: C-1 Date Monitored: 9-14-07 Well Condition: 0
 Well Diameter: 3 in.
 Total Depth: 13.75 ft.
 Depth to Water: 3.16 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.
 Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 1:425 (2400 hrs)
 Time Completed: 1:445 (2400 hrs)
 Depth to Product: 3.15 ft
 Depth to Water: 3.16 ft
 Hydrocarbon Thickness: 0.01 ft
 Visual Confirmation/Description:
Dark Smelly product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 1 ounce gal
 Water Removed: 1 liter
 Product Transferred to: 0/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 10-16-07 (inclusive)
 City: Alameda, CA Sampler: See

Well ID: C-1 Date Monitored: 10-16-07 Well Condition: OK
 Well Diameter: 3 in.
 Total Depth: 13.75 ft.
 Depth to Water: 3.24 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.
 Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 1210 (2400 hrs)
 Time Completed: 1230 (2400 hrs)
 Depth to Product: 3.03 ft
 Depth to Water: 3.04 ft
 Hydrocarbon Thickness: 0.01 ft
 Visual Confirmation/Description:
Dark strong smelling product
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: 1 gal
 Amt Removed from Well: 1 ounce
 Water Removed: 1 liter
 Product Transferred to: G/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***QUARTERLY MONITORING & SAMPLING EVENT
of
November 8, 2007***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside) Event Date: 11-8-07 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: C-1 Date Monitored: 11-8-07 Well Condition: See wcss
 Well Diameter: 3 in.
 Total Depth: 13.75 ft.
 Depth to Water: 3.11 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.64 xVF 0.17 = 1.80 x: x3 case volume= Estimated Purge Volume: 5.5 gal.
 Check if water column is less that 0.50 ft.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Other:

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Other:

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 3.10 ft
 Depth to Water: 3.11 ft
 Hydrocarbon Thickness: 0.01 ft
 Visual Confirmation/Description:
Strong odored product.
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 0900 Weather Conditions: Foggy
 Sample Time/Date: 0935/11-8-07 Water Color: clear Odor: YES
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>0912</u>	<u>1.5</u>	<u>6.42</u>	<u>1985</u>	<u>63.1</u>		
<u>0916</u>	<u>3</u>	<u>6.48</u>	<u>2014</u>	<u>63.2</u>		
<u>0922</u>	<u>5.3</u>	<u>6.46</u>	<u>2016</u>	<u>63.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
<u>C-1</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 11-8-07 (inclusive)
 City: Alameda, CA Sampler: Jex

Well ID: MW-5 Date Monitored: 11-8-07 Well Condition: See wcss
 Well Diameter: 2 in.
 Total Depth: 12.65 ft.
 Depth to Water: 3.70 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$\frac{\text{Depth to Water}}{\text{Well Diameter}} \times \text{VF} = \text{Estimated Purge Volume (gal)}$
 Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: m. only

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside) Event Date: 11-8-07 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-6 Date Monitored: 11-8-07 Well Condition: See wcss
 Well Diameter: 2 in.
 Total Depth: 13.35 ft.
 Depth to Water: 4.12 ft.
 $9.23 \times VF \ 2.17 = 1.57 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 5 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0735 Weather Conditions: Foggy
 Sample Time/Date: 0805 / 11-8-07 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0745</u>	<u>1.5</u>	<u>7.10</u>	<u>2248</u>	<u>59.6</u>	<u>PRE: 2.2</u>	
<u>0750</u>	<u>3</u>	<u>7.18</u>	<u>2218</u>	<u>60.1</u>		
<u>0755</u>	<u>5</u>	<u>7.15</u>	<u>2227</u>	<u>60.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					LANCASTER
<u>MW-6</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 11-8-07 (inclusive)
 City: Alameda, CA Sampler: JSC

Well ID: MW-7 Date Monitored: 11-8-07 Well Condition: See notes
 Well Diameter: 2 in.
 Total Depth: 11.85 ft.
 Depth to Water: 4.72 ft.
7.13 x VF 0.17 = 1.21 x: x3 case volume = Estimated Purge Volume: 4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: Foggy
 Sample Time/Date: 0845 / 11-8-07 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0825</u>	<u>1.5</u>	<u>6.55</u>	<u>1997</u>	<u>60.2</u>	<u>PRE: 0.9</u>	_____
<u>0829</u>	<u>3</u>	<u>6.60</u>	<u>7043</u>	<u>61.2</u>	_____	_____
<u>0834</u>	<u>4</u>	<u>6.62</u>	<u>7084</u>	<u>61.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY		ANALYSES
				LANCASTER		TPH-G(8015)/BTEX+MTBE(8260)
<u>MW-7</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>			

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 11-8-07 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-10 Date Monitored: _____ Well Condition: _____
 Well Diameter: 2 in.
 Total Depth: _____ ft.
 Depth to Water: _____ ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$\frac{\text{Volume}}{\text{Factor (VF)}} \times 3 = \text{Estimated Purge Volume: } \underline{\hspace{2cm}} \text{ gal.}$
 Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
					PRE:	

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: Unable to access well because of increasing safety concerns. Very heavy traffic both directions. Very narrow road, both directions.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



110907-11

For Lancaster Laboratories use only

Acct. #: 10904 Sample # 529793-96 Group #: 000068

gcp1065012

Facility #: <u>SS19-1153-OML GR#386423 GlobalID#10600100330</u> Site Address: <u>3135 GIBBONS DR., ALAMEDA, CA</u> Chevron PM: <u>SS</u> <u>CRACE</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94588</u> Consultant: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Prj. Mgr.: <u>925-551-7555</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>JOE ASEMIAN</u>			Matrix Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air			Analyses Requested Preservation Codes H H BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits				
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks			
<u>QA</u>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									
<u>C-1</u>	<u>11-8-07</u>	<u>0935</u>	<input type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									
<u>MW-6</u>	<u>"</u>	<u>0805</u>	<input type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									
<u>MW-7</u>	<u>"</u>	<u>0845</u>	<input type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									
Turnaround Time Requested (TAT) (please circle) <input checked="" type="radio"/> STD. TAT 24 hour <input type="radio"/> 72 hour <input type="radio"/> 48 hour <input type="radio"/> 4 day <input type="radio"/> 5 day			Relinquished by: <u>[Signature]</u> Date: <u>11-8-07</u> Time: <u>1100</u>			Received by: <u>[Signature]</u> Date: <u>11-9-07</u> Time: <u>1310</u>			Relinquished by: <u>[Signature]</u> Date: <u>11-9-07</u> Time: <u>1530</u>			Received by: <u>[Signature]</u> Date: <u>11-9-07</u> Time: <u>1757</u>			Relinquished by: <u>[Signature]</u> Date: _____ Time: _____			Received by: <u>[Signature]</u> Date: _____ Time: _____		
Data Package Options (please circle if required) QC Summary <input type="checkbox"/> Type I - Full EDF/EDD Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) <input type="checkbox"/> Disk <input type="checkbox"/>			Relinquished by Commercial Carrier: UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Other <u>DAL</u>			Received by: <u>[Signature]</u> Date: <u>11-9-07</u> Time: <u>1300</u>			Temperature Upon Receipt: _____ C°			Custody Seals Intact? Yes <input checked="" type="checkbox"/>								



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1065012. Samples arrived at the laboratory on Saturday, November 10, 2007. The PO# for this group is 0015014975 and the release number is SINHA.

<u>Client Description</u>	<u>Lancaster Labs Number</u>
QA-T-071108 NA Water	5209793
C-1-W-071108 Grab Water	5209794
MW-6-W-071108 Grab Water	5209795
MW-7-W-071108 Grab Water	5209796

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Maria S. Lord".

Maria S. Lord
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5209793

QA-T-071108 NA Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons-Alameda T0600100330 QA
Collected: 11/08/2007

Account Number: 10904

Submitted: 11/10/2007 10:00
Reported: 11/20/2007 at 23:03
Discard: 12/21/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

ALATB
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	11/13/2007 12:32	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/16/2007 17:47	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/13/2007 12:32	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/16/2007 17:47	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5209794

C-1-W-071108 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons-Alameda T0600100330 C-1
Collected: 11/08/2007 09:35 by JA

Account Number: 10904

Submitted: 11/10/2007 10:00
Reported: 11/20/2007 at 23:03
Discard: 12/21/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

ALAC1
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	150,000.	5,000.	ug/l	100
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	13.	ug/l	25
05401	Benzene	71-43-2	13,000.	130.	ug/l	250
05407	Toluene	108-88-3	570.	13.	ug/l	25
05415	Ethylbenzene	100-41-4	1,800.	13.	ug/l	25
06310	Xylene (Total)	1330-20-7	10,000.	13.	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	11/13/2007 14:01	K. Robert Caulfeild-James	100
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/16/2007 18:11	Ginelle L Feister	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/16/2007 18:35	Ginelle L Feister	250
01146	GC VOA Water Prep	SW-846 5030B	1	11/13/2007 14:01	K. Robert Caulfeild-James	100
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/16/2007 18:11	Ginelle L Feister	25
01163	GC/MS VOA Water Prep	SW-846 5030B	2	11/16/2007 18:35	Ginelle L Feister	250



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5209795

MW-6-W-071108 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons-Alameda T0600100330 MW-6
Collected: 11/08/2007 08:05 by JA

Account Number: 10904

Submitted: 11/10/2007 10:00
Reported: 11/20/2007 at 23:03
Discard: 12/21/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

ALAO6
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	5.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	11/14/2007 01:03	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/18/2007 19:29	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/14/2007 01:03	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/18/2007 19:29	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5209796

MW-7-W-071108 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons-Alameda T0600100330 MW-7
Collected: 11/08/2007 08:45 by JA

Account Number: 10904

Submitted: 11/10/2007 10:00
Reported: 11/20/2007 at 23:03
Discard: 12/21/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

ALA07
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	2,300.	250.	ug/l	5
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.9	0.5	ug/l	1
05401	Benzene	71-43-2	4.	0.5	ug/l	1
05407	Toluene	108-88-3	1.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	3.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	7.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	11/13/2007 15:00	K. Robert Caulfeild-James	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	11/18/2007 19:52	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	11/13/2007 15:00	K. Robert Caulfeild-James	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	11/18/2007 19:52	Michael A Ziegler	1

Quality Control Summary

 Client Name: Chevron
 Reported: 11/20/07 at 11:03 PM

Group Number: 1065012

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 07317A08A TPH-GRO - Waters	N.D.	50.	ug/l	93	97	75-135	4	30
Batch number: Z073202AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		73-119		
Benzene	N.D.	0.5	ug/l	103		78-119		
Toluene	N.D.	0.5	ug/l	104		85-115		
Ethylbenzene	N.D.	0.5	ug/l	104		82-119		
Xylene (Total)	N.D.	0.5	ug/l	99		83-113		
Batch number: Z073224AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	90		73-119		
Benzene	N.D.	0.5	ug/l	106		78-119		
Toluene	N.D.	0.5	ug/l	106		85-115		
Ethylbenzene	N.D.	0.5	ug/l	105		82-119		
Xylene (Total)	N.D.	0.5	ug/l	101		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 07317A08A TPH-GRO - Waters									
Batch number: Z073202AA Methyl Tertiary Butyl Ether	99	109	69-127	9	30				
Benzene	115	116	83-128	1	30				
Toluene	116	114	83-127	1	30				
Ethylbenzene	116	118	82-129	1	30				
Xylene (Total)	109	111	82-130	1	30				
Batch number: Z073224AA Methyl Tertiary Butyl Ether	97	99	69-127	2	30				
Benzene	110	114	83-128	3	30				
Toluene	110	109	83-127	1	30				
Ethylbenzene	111	112	82-129	0	30				
Xylene (Total)	106	107	82-130	0	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 11/20/07 at 11:03 PM

Group Number: 1065012

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO - Waters
Batch number: 07317A08A
Trifluorotoluene-F

5209793	97
5209794	97
5209795	94
5209796	103
Blank	94
LCS	93
LCS D	91
MS	95

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z073202AA
Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5209793	100	98	105	96
5209794	97	96	106	96
Blank	97	98	106	97
LCS	98	99	107	97
MS	100	100	107	96
MSD	102	100	105	98

Limits: 80-116

77-113

80-113

78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z073224AA
Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5209795	99	96	105	97
5209796	98	98	105	98
Blank	95	97	105	97
LCS	93	96	106	97
MS	96	94	105	97
MSD	98	92	105	95

Limits: 80-116

77-113

80-113

78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

COMMENTS

Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

ALAMEDA COUNTY - EXCEL TABLES

TO ALL:

~~Please enter MONTHLY event data ASAP, then give folder to Anamarie.~~

~~Anamarie: The Monthly data (Table 2) needs to be e-mailed to Bob Foss of CAMBRIA (each month) in Adobe format.~~

~~After sending the e-mail print-out documentation that the e-mail was sent and put in the event folder.~~

~~If you have any questions please ask.~~

~~Please see the note on the SIS.~~

~~Thanks, Anamarie 04/09/02~~

FIRST QTR. to include DEC., JAN. & FEB.

SECOND QTR. to include MARCH, APRIL, & MAY

THIRD QTR. to include JUNE, JULY, & AUG.

FOURTH QTR. to include SEPT., OCT., & NOV.