



GETTLER-RYAN INC.

RECEIVED

2:27 pm, Mar 18, 2008

Alameda County
Environmental Health

TRANSMITTAL

March 17, 2008

G-R #386423

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Ms. Olivia Skance
Chevron Environmental
Management Company
P.O. Box 6012, Room K2196
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 5, 2008	Groundwater Monitoring and Sampling Report First Quarter Event of February 6, 2008 and Monthly Site Visits

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for **your use and distribution to the following (via PDF):**

Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (**Distributed by Cambria via PDF**)

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **March 31, 2008**, at which time this final report will be distributed to the following:

cc: Mr. Mark Hom, 3135 Gibbons Drive, Alameda, CA 94501

Enclosures

trans/9-1153-OS



Olivia Skance
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-5005
Fax (925) 842-8370
olivia.skance@chevron.com

March 17, 2008

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1153
Address 3135 Gibbons Dr.

I have reviewed the attached routine groundwater monitoring report dated March 17, 2008.

I agree with the conclusions and recommendations presented in the referenced workplan. This information in this workplan is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Olivia Skance". The signature is written in a cursive, flowing style.

Olivia Skance
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-1153
 Site Address: 3135 Gibbons Dr.(3126 Fernside Dr.)
 City: Alameda, CA

Job # 386423
 Event Date: 2-6-08
 Sampler: Joc

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
C-1	O.K	O.K	N/A	N/A	O.K	O.K	O.K			Christy box	—
C-3			N/A	N/A						"	—
MW-4			O.K	Both B						12" Universal /2	Picture: 2-16-07
MW-5			O.K	Both B						"	Picture: 2-16-07
MW-6			O.K	O.K						8" Braintard-Lonqy. /3	—
MW-7			O.K	O.K						8" Braintard / 3	—
MW-8			(1) of (3) broken inside flange							8" POMECO / 3	—
MW-9	√	√	O.K	O.K	√	√	√			8" Braintard 3	—
MW-10	?	Unable to sample well. Unsafe road even with the help of Flash Safety.									

Comments _____



March 5, 2008
G-R Job #386423

Ms. Olivia Skance
Chevron Environmental Management Company
P.O. Box 6012, Room K2196
San Ramon, CA 94583

**RE: First Quarter Event of February 6, 2008
and Monthly Site Visits**
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California

Dear Ms. Skance:

This report documents the monthly site visits and the most recent groundwater monitoring and sampling events performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Tables 1 and 2. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Separate Phase Hydrocarbon Thickness/Removal Data
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by Gettler - Ryan Inc.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive (3126 Fernside Blvd)
 Alameda, California

FIGURE

1

PROJECT NUMBER
386423

REVIEWED BY

DATE
February 6, 2008

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1										
08/18/86	--	4.10	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	15,000	760	820	1,500	--	--
07/22/87	--	--	--	--	1,100	250	7.0	40	--	--
05/03/89	--	4.46	--	--	6,900	3,800	190	229	--	--
12/04/89	--	4.16	--	--	17,000	8,000	490	470	--	--
02/14/90	--	3.64	--	--	19,000	12,000	990	1,050	--	--
03/07/90	--	3.36	--	--	--	4,260	261	430	--	--
09/06/91	--	4.43	--	--	21,000	10,000	100	240	560	--
12/15/91	--	4.78	--	--	20,000	4,900	43	110	330	--
03/03/92	--	2.39	--	--	13,000	5,800	730	340	1,200	--
06/04/92	4.08	4.08	0.00	--	34,000	9,400	350	290	1,200	--
10/13/92	4.08	4.75	-0.67	--	24,000	11,000	98	280	530	--
01/11/93	4.08	2.26	1.82	Sheen	7,100	1,500	130	150	700	--
04/14/93	4.08	2.90	1.18	Sheen	29,000	7,300	4,000	640	2,300	--
07/13/93	4.08	3.97	0.11	Sheen	650,000	27,000	18,000	6,300	29,000	--
10/19/93	4.08	4.50	-0.42	--	40,000	12,000	730	1,100	3,600	--
11/30/93	7.50	4.27	3.23	--	--	--	--	--	--	--
01/27/94	7.50	3.35	4.15	--	36,000	8,600	220	670	1,900	--
04/07/94	7.50	3.42	4.08	--	53,000	12,000	3,500	480	3,300	--
07/01/94	7.50	3.96	3.54	--	65,000	19,000	5,900	1,000	9,000	--
10/05/94	7.50	4.39	3.11	--	160,000	23,000	12,000	2,200	11,000	--
01/12/95	7.50	1.52	6.38	0.50	--	--	--	--	--	--
04/26/95	7.50	4.40	4.86	2.20	--	--	--	--	--	--
07/12/95	7.50	4.85	4.10	1.81	--	--	--	--	--	--
10/30/95	7.50	5.67	3.13	1.63	--	--	--	--	--	--
01/04/96	7.50	3.92	3.68	0.12	--	--	--	--	--	--
01/10/96	7.50	3.48	4.12	0.13	--	--	--	--	--	--
01/17/96	7.50	3.40	4.12	0.02	--	--	--	--	--	--
01/22/96	7.50	2.90	4.60	0.00	82,000	18,000	4,400	1,400	5,200	<1,000
02/23/96	7.50	4.10	4.89	1.86	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	--	--	--	--	--	--
03/08/96	7.50	2.86	6.10	1.83	--	--	--	--	--	--
03/08/96	7.50	2.30	5.49	0.36	--	--	--	--	--	--
03/08/96	7.50	2.33	5.46	0.36	--	--	--	--	--	--
03/08/96	7.50	2.28	5.40	0.22	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
03/26/96	7.50	3.96	4.56	1.28	--	--	--	--	--	--
04/11/96	7.50	5.61	3.29	1.75	--	--	--	--	--	--
04/19/96	7.50	3.09	4.44	0.04	--	--	--	--	--	--
04/24/96	7.50	3.04	4.48	0.03	--	--	--	--	--	--
05/03/96	7.50	4.02	3.85	0.46	--	--	--	--	--	--
05/03/96	7.50	3.89	3.99	0.47	--	--	--	--	--	--
05/08/96	7.50	4.25	3.53	0.35	--	--	--	--	--	--
05/17/96	7.50	3.24	4.29	0.04	--	--	--	--	--	--
05/17/96	7.50	3.35	4.16	0.01	--	--	--	--	--	--
05/17/96	7.50	3.43	4.08	0.01	--	--	--	--	--	--
05/17/96	7.50	3.65	3.86	0.01	--	--	--	--	--	--
05/22/96	7.50	3.10	4.46	0.07	--	--	--	--	--	--
06/18/96	7.50	4.68	3.20	0.48	--	--	--	--	--	--
07/03/96	7.50	5.03	2.57	0.13	--	--	--	--	--	--
07/09/96	7.50	4.63	3.05	0.23	--	--	--	--	--	--
07/17/96	7.50	4.73	2.89	0.15	--	--	--	--	--	--
07/29/96	7.50	5.10	2.47	0.09	--	--	--	--	--	--
08/02/96	7.50	5.68	1.84	0.03	--	--	--	--	--	--
08/07/96	7.50	5.16	2.35	0.01	--	--	--	--	--	--
08/23/96	7.50	5.75	1.77	0.03	--	--	--	--	--	--
08/28/96	7.50	5.53	1.99	0.03	--	--	--	--	--	--
09/06/96	7.50	5.38	2.12	--	--	--	--	--	--	--
09/12/96	7.50	5.48	2.04	0.03	--	--	--	--	--	--
09/19/96	7.50	6.32	1.20	0.03	--	--	--	--	--	--
10/10/96	7.50	4.58	3.00	0.10	--	--	--	--	--	--
10/17/96	7.50	5.61	1.90	0.01	--	--	--	--	--	--
10/29/96	7.50	6.01	1.49	--	--	--	--	--	--	--
11/07/96	7.50	5.56	1.94	0.04	--	--	--	--	--	--
11/11/96	7.50	5.32	2.18	0.04	--	--	--	--	--	--
12/20/96	7.50	3.33	4.17	0.03	--	--	--	--	--	--
12/17/96	7.50	3.73	3.77	0.01	--	--	--	--	--	--
01/15/97	7.50	2.74	4.76	--	47,000	16,000	2,800	1,300	4,900	<1,000
01/22/97	7.50	1.37	6.13	0.19	--	--	--	--	--	--
02/04/97	7.50	2.98	4.52	0.51	--	--	--	--	--	--
02/20/97	7.50	4.09	3.41	0.13	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
03/06/97	7.50	3.75	3.75	0.56	--	--	--	--	--	--
03/14/97	7.50	3.82	3.68	0.03	--	--	--	--	--	--
03/20/97	7.50	3.73	3.77	0.03	--	--	--	--	--	--
03/25/97	7.50	4.32	3.18	0.01	--	--	--	--	--	--
03/31/97	7.50	3.71	3.79	0.03	--	--	--	--	--	--
04/03/97	7.50	4.60	2.92	0.03	--	--	--	--	--	--
04/09/97	7.50	4.25	3.27	0.02	--	--	--	--	--	--
04/24/97	7.50	4.65	2.87	0.02	--	--	--	--	--	--
04/30/97	7.50	3.50	4.02	0.02	--	--	--	--	--	--
05/22/97	7.50	4.97	2.53	--	--	--	--	--	--	--
06/03/97	7.50	3.62	3.93	0.06	--	--	--	--	--	--
07/09/97	7.50	4.30	3.25	0.06	--	--	--	--	--	--
08/12/97	7.50	5.18	2.32	0.00	--	--	--	--	--	--
09/30/97	7.50	5.25	2.65	0.50	--	--	--	--	--	--
10/29/97	7.50	5.33	2.19	0.03	--	--	--	--	--	--
11/13/97	7.50	4.86	2.66	0.02	--	--	--	--	--	--
12/18/97	7.50	2.34	5.16	--	--	--	--	--	--	--
01/14/98	7.50	0.25	7.27	0.02	--	--	--	--	--	--
02/02/98	7.50	2.35	5.19	0.05	--	--	--	--	--	--
03/16/98	7.50	2.50	5.40	0.50	--	--	--	--	--	--
04/17/98	7.50	2.65	5.17	0.40	--	--	--	--	--	--
05/01/98	7.50	2.39	5.14	0.04	--	--	--	--	--	--
06/17/98	7.50	3.26	4.30	0.08	--	--	--	--	--	--
07/15/98	7.50	3.55	3.95	--	110,000	22,000	22,000	1,000	10,000	<250
09/01/98	7.50	4.00	3.50	--	--	--	--	--	--	--
10/27/98	7.50	4.48	3.02	--	45,000	12,000	5,400	590	4,300	<500
11/19/98	7.50	3.89	3.61	--	--	--	--	--	--	--
12/19/98	7.50	2.13	5.39	0.02	--	--	--	--	--	--
01/20/99	7.50	3.98	3.52	--	50,300	7,050	5,030	244	6,090	<40
02/24/99	7.50	2.55	4.95	--	--	--	--	--	--	--
03/26/99	7.50	2.14	5.97	0.76	--	--	--	--	--	--
04/19/99	7.50	1.04	6.46	--	150,000	21,000	20,000	3,000	18,000	<2.5/49 ²
07/29/99	7.50	3.76	3.76	0.02	--	--	--	--	--	--
08/30/99	7.50	4.30	3.20	--	--	--	--	--	--	--
09/23/99	7.50	3.84	3.68	0.02	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
10/13/99	7.50	1.27	6.23	--	136,000	23,900	30,000	2,390	17,300	<500
11/17/99	7.50	3.59	3.91	--	--	--	--	--	--	--
12/08/99	7.50	3.79	3.71	--	--	--	--	--	--	--
01/25/00	7.50	1.99	5.54	0.04	--	--	--	--	--	--
04/03/00	7.50	2.20	5.38**	0.10	--	--	--	--	--	--
05/26/00	7.50	2.52	5.16**	0.23	--	--	--	--	--	--
06/19/00	7.50	2.89	4.76**	0.19	--	--	--	--	--	--
07/03/00	7.50	3.45	4.25**	0.25	--	--	--	--	--	--
08/01/00	7.50	3.78	3.85**	0.16	--	--	--	--	--	--
09/30/00	7.50	4.03	3.50**	0.04	--	--	--	--	--	--
10/23/00	7.50	4.15	3.37**	0.03	--	--	--	--	--	--
11/21/00	7.50	3.42	4.08	0.00	--	--	--	--	--	--
12/22/00	7.50	2.96	4.54	0.00	--	--	--	--	--	--
01/08/01	7.50	2.94	4.56	0.00	--	--	--	--	--	--
02/17/01	7.50	2.09	5.88**	0.59	--	--	--	--	--	--
03/13/01	7.50	2.20	5.91**	0.76	--	--	--	--	--	--
04/09/01	7.50	2.45	5.26**	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
05/18/01	7.50	2.70	5.27**	0.59	--	--	--	--	--	--
06/12/01	7.50	3.50	4.78**	0.97	--	--	--	--	--	--
07/19/01	7.50	4.25	4.01**	0.95	--	--	--	--	--	--
08/23/01	7.50	4.34	3.22**	0.07	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/01	7.50	4.39	3.17**	0.08	--	--	--	--	--	--
10/08/01	7.50	4.45	3.08**	0.04	--	--	--	--	--	--
11/27/01	7.50	3.89	3.61	0.00	330,000	9,800	5,300	3,800	22,000	<50
12/17/01	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/07/02	7.50	2.27	5.64**	0.51	--	--	--	--	--	--
02/26/02	7.50	2.70	5.22**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/27/02	7.50	2.87	5.47**	1.05	--	--	--	--	--	--
04/08/02	7.50	2.45	6.03**	1.23	--	--	--	--	--	--
05/23/02	7.50	3.57	4.35**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/17/02	7.50	3.90	3.88**	0.35	--	--	--	--	--	--
07/31/02	7.50	4.12	3.54**	0.20	--	--	--	--	--	--
08/09/02	7.50	4.15	3.48**	0.16	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/02	7.50	4.33	3.27**	0.12	--	--	--	--	--	--
10/15/02	7.50	4.51	3.11**	0.15	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-1 (cont)										
11/08/02	7.50	4.11	3.39	0.00	51,000	7,000	510	820	5,800	<3.0
12/19/02	7.50	1.14	6.36	0.00	--	--	--	--	--	--
01/14/03	7.50	1.80	5.70	0.00	--	--	--	--	--	--
02/07/03	7.50	2.95	4.79**	0.30	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/20/03	7.50	2.86	4.97**	0.41	--	--	--	--	--	--
04/15/03	7.50	2.12	5.46**	0.10	--	--	--	--	--	--
05/09/03	7.50	2.95	5.11**	0.70	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/27/03	7.50	3.97	3.93**	0.50	--	--	--	--	--	--
07/16/03	7.50	3.68	4.04**	0.28	--	--	--	--	--	--
08/15/03	7.50	4.29	3.39**	0.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/26/03	7.50	4.60	3.05**	0.19	--	--	--	--	--	--
10/18/03	7.50	4.72	2.90**	0.15	--	--	--	--	--	--
11/14/03	7.50	4.31	3.35**	0.20	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
12/23/03	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/22/04	7.50	4.19	3.32**	0.01	--	--	--	--	--	--
02/13/04	7.50	3.04	4.49**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/11/04	7.50	1.85	5.97**	0.40	--	--	--	--	--	--
04/22/04	7.50	3.08	4.60**	0.22	--	--	--	--	--	--
05/14/04	7.50	3.49	4.03**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/18/04	7.50	3.41	4.19**	0.13	--	--	--	--	--	--
07/23/04	7.50	3.28	4.31**	0.11	--	--	--	--	--	--
08/13/04	7.50	3.14	4.40**	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/13/04	7.50	4.53	3.04**	0.09	--	--	--	--	--	--
10/22/04	7.50	3.19	4.33**	0.03	--	--	--	--	--	--
11/12/04	7.50	3.22	4.30**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
12/02/04	7.50	3.28	4.24**	0.02	--	--	--	--	--	--
01/28/05	7.50	3.19	4.32**	0.01	--	--	--	--	--	--
02/11/05	7.50	2.75	4.78**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/11/05	7.50	2.94	4.58**	0.03	--	--	--	--	--	--
04/26/05	7.50	3.03	4.49**	0.02	--	--	--	--	--	--
05/13/05	7.50	3.18	4.34**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/01/05	7.50	3.22	4.30**	0.02	--	--	--	--	--	--
07/15/05	7.50	3.09	4.43**	0.02	--	--	--	--	--	--
08/19/05	7.50	2.88	4.64**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/23/05	7.50	2.95	4.57**	0.02	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
C-1 (cont)											
10/14/05	7.50	3.01	4.50**	0.01	--	--	--	--	--	--	
11/18/05	7.50	3.21	4.31**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
12/09/05	7.50	3.61	3.90**	0.01	--	--	--	--	--	--	
01/12/06	7.50	2.98	4.53**	0.01	--	--	--	--	--	--	
02/10/06 ¹⁵	7.50	2.69	4.82**	0.01	100,000	11,000	2,500	2,900	15,000	<10	
03/13/06	7.50	2.81	4.70**	0.01	--	--	--	--	--	--	
04/13/06	7.50	2.75	4.76**	0.01	--	--	--	--	--	--	
05/12/06	7.50	3.02	4.49**	0.01	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
06/12/06	7.50	3.10	4.41**	0.01	--	--	--	--	--	--	
07/13/06	7.50	3.14	4.38**	0.02	--	--	--	--	--	--	
08/11/06 ¹⁵	7.50	3.70	3.81**	0.01	200,000	8,600	470	1,700	8,800	<10	
09/11/06	7.50	3.75	3.77**	0.02	--	--	--	--	--	--	
10/17/06	7.50	3.82	3.69**	0.01	--	--	--	--	--	--	
11/17/06	7.50	3.11	4.41**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
12/15/06	7.50	2.95	4.57**	0.02	--	--	--	--	--	--	
01/16/07	7.50	2.98	4.54**	0.02	--	--	--	--	--	--	
02/16/07 ¹⁵	7.50	2.77	4.73	0.00	25,000	4,300	260	310	3,300	<5	
03/16/07	7.50	3.07	4.44**	0.01	--	--	--	--	--	--	
04/17/07	7.50	2.98	4.53**	0.01	--	--	--	--	--	--	
05/17/07 ¹⁵	7.50	3.05	4.46**	0.01	110,000 ¹⁶	12,000 ¹⁶	1,000 ¹⁶	2,000 ¹⁶	15,000 ¹⁶	<5	
06/15/07	7.50	3.08	4.43**	0.01	--	--	--	--	--	--	
07/17/07	7.50	3.13	4.38**	0.01	--	--	--	--	--	--	
08/09/07	7.50	3.24	4.28**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--
09/14/07	7.50	3.16	4.35**	0.01	--	--	--	--	--	--	
10/16/07	7.50	3.04	4.47**	0.01	--	--	--	--	--	--	
11/08/07 ¹⁵	7.50	3.11	4.40**	0.01	150,000	13,000	570	1,800	10,000	<13	
12/07/07	7.50	2.98	4.54**	0.03	--	--	--	--	--	--	
01/16/08	7.50	2.95	4.57**	0.02	--	--	--	--	--	--	
02/06/08 ¹⁵	7.50	2.61	4.90**	0.01	110,000	13,000	500	5,300	21,000	<10	
C-3											
08/18/86	--	4.00	--	--	--	--	--	--	--	--	
09/04/86	--	--	--	--	50	3.2	5.4	5.8	--	--	
07/22/87	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--	
05/03/89	--	4.15	--	--	<50	<0.5	<1.0	<2.0	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)										
12/04/89	--	4.24	--	--	<250	<0.5	<0.5	<0.5	--	--
02/14/90	--	3.57	--	--	<50	<0.5	<0.5	<0.5	--	--
03/07/90	--	3.31	--	--	--	<5.0	<5.0	<5.0	--	--
09/06/91	--	4.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	4.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	2.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	4.41	4.01	0.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	4.41	4.79	-0.38	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	4.41	2.01	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	4.41	2.76	1.65	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	4.41	3.96	0.45	--	<50	<0.5	<0.5	<0.5	<1.5	--
10/19/93	4.41	4.53	-0.12	--	66	12	1.4	1.0	8.4	--
11/30/93	7.83	4.04	3.79	--	--	--	--	--	--	--
01/27/94	7.83	3.17	4.66	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.83	3.20	4.63	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.83	3.99	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.83	4.54	3.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.83	0.80	7.03	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/02/95	7.83	2.15	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.83	3.42	4.41	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	7.83	4.46	3.37	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.83	1.73	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	2.62	5.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.94	3.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	4.06	3.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	1.54	6.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.83	3.23	4.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	4.36	3.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	4.65	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	0.77	7.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	7.83	3.72	4.11	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.83	2.65	5.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.83	1.78	6.05	--	--	--	--	--	--	--
04/03/00	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.83	--	--	--	--	--	--	--	--	--
10/23/00	7.83	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)										
01/08/01 ¹¹	7.83	3.71	4.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.83	--	--	--	--	--	--	--	--	--
08/23/01	7.83	MONITORED/SAMPLED ANNUALLY								
11/27/01	7.83	MONITORED/SAMPLED ANNUALLY								
02/26/02	7.83	2.38	5.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.83	MONITORED/SAMPLED ANNUALLY								
08/09/02	7.83	MONITORED/SAMPLED ANNUALLY								
11/08/02	7.83	MONITORED/SAMPLED ANNUALLY								
02/07/03	7.83	2.73	5.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.83	MONITORED/SAMPLED ANNUALLY								
08/15/03	7.83	MONITORED/SAMPLED ANNUALLY								
11/14/03	7.83	MONITORED/SAMPLED ANNUALLY								
02/13/04 ¹⁵	7.83	2.81	5.02	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.83	MONITORED/SAMPLED ANNUALLY								
11/12/04	7.83	MONITORED/SAMPLED ANNUALLY								
02/11/05 ¹⁵	7.83	2.58	5.25	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.83	MONITORED/SAMPLED ANNUALLY								
08/19/05	7.83	MONITORED/SAMPLED ANNUALLY								
11/18/05	7.83	MONITORED/SAMPLED ANNUALLY								
02/10/06 ¹⁵	7.83	2.52	5.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.83	MONITORED/SAMPLED ANNUALLY								
08/11/06	7.83	MONITORED/SAMPLED ANNUALLY								
11/17/06	7.83	MONITORED/SAMPLED ANNUALLY								
02/16/07 ¹⁵	7.83	2.63	5.20	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.83	MONITORED/SAMPLED ANNUALLY								
08/09/07	7.83	MONITORED/SAMPLED ANNUALLY								
11/08/07	7.83	MONITORED/SAMPLED ANNUALLY								
02/06/08¹⁵	7.83	2.91	4.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4										
06/04/92	3.58	3.63	-0.05	--	<50	0.8	<0.5	<0.5	<0.5	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.89	1.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	2.20	1.38	--	<50	<0.5	<0.5	<0.5	<1.5	--
07/13/93	3.58	3.51	0.07	--	54	2.6	1.6	<0.5	<1.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
10/19/93	3.58	4.22	-0.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/30/93	7.01	4.01	3.00	--	--	--	--	--	--	--
01/27/94	7.01	2.89	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.06	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.01	3.59	3.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	4.33	2.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	1.20	5.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	1.15	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	2.72	4.29	--	<50	6.4	<0.5	0.63	0.72	--
10/30/95	7.01	4.08	2.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.01	1.76	5.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.01	1.95	5.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.01	3.37	3.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.01	3.96	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.01	1.27	5.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.01	2.11	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.01	4.04	2.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.01	4.56	2.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.01	0.39	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.01	2.83	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.01	2.91	4.10	--	--	--	--	--	--	--
01/25/00	7.01	1.92	5.09	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.01	--	--	--	--	--	--	--	--	--
10/23/00	7.01	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.01	3.02	3.99	0.00	87 ¹²	<0.50	<0.50	0.55	2.9	<2.5
04/09/01	7.01	--	--	--	--	--	--	--	--	--
08/23/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.01	1.37	5.64	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.01	1.72	5.29	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
11/14/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.01	1.82	5.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.01	1.46	5.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.01	1.35	5.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.01	1.48	5.53	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08¹⁵	7.01	1.27	5.74	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5										
06/04/92	3.61	3.25	0.36	--	560	110	0.5	37	2.2	--
10/13/92	3.61	4.20	-0.59	--	1,200	150	<2.5	84	8.6	--
01/11/93	3.61	1.30	2.31	--	1,300	48	1.0	83	33	--
04/14/93	3.61	1.20	2.41	--	2,600	240	6.1	250	170	--
07/13/93	3.61	3.15	0.46	--	1,700	260	7.8	160	100	--
10/19/93	3.61	3.82	-0.21	--	1,900	190	3.3	200	93	--
11/30/93	7.04	3.56	3.48	--	--	--	--	--	--	--
01/27/94	7.04	2.42	4.62	--	4,000	100	12	210	110	--
04/07/94	7.04	2.33	4.71	--	2,600	170	10	150	88	--
07/01/94	7.04	3.18	3.86	--	2,300	350	9.1	110	76	--
10/05/94	7.04	3.98	3.06	--	11,000	840	150	130	340	--
01/12/95	7.04	0.40	6.64	--	2,300	82	<2.5	54	20	--
04/26/95	7.04	0.50	6.54	--	1,600	52	<5.0	36	61	--
07/12/95	7.04	2.41	4.63	--	2,800	150	<5.0	34	38	--
10/30/95	7.04	3.78	3.26	--	1,100	81	<5.0	<5.0	<5.0	35
01/22/96	7.04	0.78	6.26	--	880	7.3	<2.0	15	4.8	<10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
04/24/96	7.04	1.65	5.39	--	1,600	51	3.8	14	5.6	56
07/29/96	7.04	INACCESSIBLE		--	--	--	--	--	--	--
10/10/96	7.04	3.60	3.44	--	1,000	18	<1.2	1.5	<1.2	<6.2
01/15/97	7.04	0.45	6.59	--	520	0.84	<0.5	3.1	1.2	8.4
04/03/97	7.04	2.11	4.93	--	1,400	13	<2.0	4.3	8.4	32
07/09/97	7.04	3.71	3.33	--	810	3.6	0.97	<0.5	<0.5	9.7
10/29/97	7.04	4.20	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.04	0.00	7.04	--	430	5.8	2.4	<0.5	1.6	17
04/17/98	7.04	0.71	6.33	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.04	0.00	7.04	--	990	11	3.9	0.56	2.2	61
10/27/98	7.04	4.23	2.81	--	--	--	--	--	--	--
01/20/99	7.04	2.58	4.46	--	168	<0.5	<0.5	<0.5	0.692	<2.0
04/19/99	7.04	2.07	4.97	--	--	--	--	--	--	--
07/29/99	7.04	3.43	3.61	--	246	1.54	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/13/99	7.04	INACCESSIBLE		--	--	--	--	--	--	--
01/25/00	7.04	1.51	5.53	--	169	1.94	<0.5	<0.5	<0.5	201
04/03/00	7.04	1.20	5.84	0.00	--	--	--	--	--	--
07/03/00	7.04	2.98	4.06	0.00	320 ^{6,10}	5.3	1.1	<0.50	<0.50	5.0
10/23/00	7.04	4.18	2.86	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.04	2.92	4.12	0.00	220 ⁶	3.9	<0.50	<0.50	<0.50	7.7
04/09/01	7.04	1.01	6.03	0.00	--	--	--	--	--	--
08/23/01	7.04	3.48	3.56	0.00	630	40	3.5	<2.5	<2.5	43
11/27/01	7.04	3.05	3.99	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.04	1.00	6.04	0.00	410	4.3	<0.50	<0.50	<1.5	<2.5
05/23/02	7.04	2.21	4.83	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.04	3.38	3.66	0.00	240	1.3	<0.50	<0.50	<1.5	<2.5
11/08/02	7.04	4.56	2.48	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/07/03	7.04	1.42	5.62	0.00	380	3.2	<0.50	0.64	<1.5	<2.5
05/09/03	7.04	1.25	5.79	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.04	1.50	5.54	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.04	2.47	4.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/13/04 ¹⁵	7.04	5.46	1.58	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.04	4.65	2.39	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.04	1.20	5.84	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)										
05/13/05	7.04	4.36	2.68	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/19/05 ¹⁵	7.04	2.78	4.26	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.04	4.51	2.53	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/10/06 ¹⁵	7.04	1.12	5.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.04	2.23	4.81	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/11/06 ¹⁵	7.04	3.40	3.64	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.04	4.16	2.88	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/16/07 ¹⁵	7.04	1.22	5.82	0.00	<50	<0.5	<0.7	<0.8	<0.8	<0.5
05/17/07	7.04	4.06	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07	7.04	3.70	3.34	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/06/08¹⁵	7.04	1.06	5.98	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6										
06/04/92	3.85	3.89	-0.04	--	210	54	<0.5	1.9	2.4	--
10/13/92	3.85	4.56	-0.71	--	10,000	5,300	<10	70	<10	--
01/11/93	3.85	2.36	1.49	--	100	50	<0.5	<0.5	<0.5	--
04/14/93	3.85	3.15	0.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	3.94	-0.09	--	<50	1.8	<0.5	<0.5	<1.5	--
10/19/93	3.85	4.40	-0.55	--	320	150	<0.5	0.8	<0.5	--
11/30/93	7.27	4.16	3.11	--	--	--	--	--	--	--
01/27/94	7.27	3.33	3.94	--	120	45	<0.5	<0.5	<0.5	--
04/07/94	7.27	3.43	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.27	3.94	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.27	4.38	2.89	--	8,300	2,400	160	42	190	--
01/12/95 ¹	7.27	2.43	4.84	--	<50	12	<0.5	<0.5	<0.5	--
04/26/95	7.27	2.06	5.21	--	<50	5.5	0.67	<0.5	1.3	--
07/12/95	7.27	3.53	3.74	--	65	27	<0.5	<0.5	<0.5	--
10/30/95	7.27	4.34	2.93	--	<50	3.9	<0.5	<0.5	<0.5	<2.5
01/22/96	7.27	2.61	4.66	--	<50	0.93	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	2.50	4.77	--	260	110	<1.2	<1.2	<1.2	<6.2
07/29/96	7.27	3.85	3.42	--	<50	23	<0.5	<0.5	<0.5	<2.5
10/10/96	7.27	4.37	2.90	--	79	31	<0.5	<0.5	<0.5	<2.5
01/15/97	7.27	2.63	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.27	3.42	3.85	--	670	360	<5.0	<5.0	<5.0	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
07/09/97	7.27	4.29	2.98	--	330	140	<2.0	<2.0	<2.0	<10
10/29/97	7.27	4.56	2.71	--	400	260	<2.0	<2.0	<2.0	5.8
01/14/98	7.27	1.01	6.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	7.27	2.94	4.33	--	<50	1.7	<0.5	<0.5	<0.5	<2.5
07/15/98	7.27	4.72	2.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	7.27	INACCESSIBLE		--	--	--	--	--	--	--
11/25/98	7.27	4.16	3.11	--	110 ³	54	<0.5	<0.5	<0.5	<2.5
01/20/99	7.27	3.45	3.82	--	<50	10	<0.5	<0.5	<0.5	<2.0
04/19/99	7.27	3.39	3.88	--	<50	2.6	<0.5	<0.5	<0.5	<2.5/<2.0 ²
07/29/99 ⁴	7.27	4.34	2.93	--	<5,000	2,590	<50	<50	<50	<500
10/13/99	7.27	5.89	1.38	--	9,270	4,610	44.2	<25	<25	<125
01/25/00	7.27	4.11	3.16	--	529	289	<0.5	<0.5	<0.5	738
04/03/00 ^{7,8}	7.27	2.84	4.43	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00 ⁷	7.27	3.77	3.50	0.00	91 ⁶	89	0.77	<0.50	<0.50	<2.5
10/12/00	7.27	6.32	0.95	0.00	<50	8.0	<0.50	<0.50	<0.50	<2.5
01/08/01 ^{7,11}	7.27	3.74	3.53	0.00	400 ⁶	640	8.2	8.0	5.0	10
04/09/01 ⁷	7.27	3.03	4.24	0.00	91.3	22.0	3.36	0.751	2.14	<0.500
08/23/01 ⁷	7.27	4.70	2.57	0.00	53 ¹³	23	0.50	<0.50	1.1	<2.5
11/27/01 ¹⁴	7.27	4.43	2.84	0.00	<50	4.1	<0.50	<0.50	<1.5	<2.5
02/26/02 ¹⁴	7.27	2.50	4.77	0.00	100	53	<0.50	<0.50	<1.5	<2.5
05/23/02	7.27	3.27	4.00	0.00	610	260	4.2	1.7	2.1	<2.5
08/09/02	7.27	4.11	3.16	0.00	<50	1.1	<0.50	<0.50	<1.5	<2.5
11/08/02	7.27	4.12	3.15	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	7.27	2.60	4.67	0.00	<50	0.65	<0.50	<0.50	<1.5	<2.5
05/09/03	7.27	2.57	4.70	0.00	<50	1.9	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	7.27	4.15	3.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03 ¹⁵	7.27	4.10	3.17	0.00	<50	<0.5	0.6	<0.5	<0.5	1
02/13/04 ¹⁵	7.27	2.66	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	7.27	3.55	3.72	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	7.27	4.32	2.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	7.27	4.20	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	7.27	2.18	5.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	7.27	4.11	3.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	7.27	3.70	3.57	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	7.27	3.98	3.29	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	7.27	2.11	5.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
05/12/06 ¹⁵	7.27	3.18	4.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	7.27	3.80	3.47	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	7.27	3.78	3.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	7.27	2.08	5.19	0.00	<50	1	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.27	3.61	3.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	7.27	4.05	3.22	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	7.27	4.12	3.15	0.00	<50	5	<0.5	<0.5	<0.5	<0.5
02/06/08¹⁵	7.27	1.85	5.42	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7										
11/30/93	8.22	5.33	2.89	--	480	110	41	4.4	38	--
01/27/94	8.22	4.50	3.72	--	120	21	1.1	2.2	4.8	--
04/07/94	8.22	4.62	3.60	--	2,600	630	39	56	94	--
07/01/94	8.22	5.13	3.09	--	2,200	770	42	<10	92	--
10/05/94	8.22	5.61	2.61	--	15,000	3,300	90	130	320	--
01/12/95	8.22	2.83	5.39	--	340	57	<1.3	18	6.4	--
04/26/95	8.22	2.35	5.87	--	15,000	3,700	210	520	800	--
07/12/95	8.22	4.66	3.56	--	7,700	1,800	59	130	370	--
10/30/95	8.22	5.48	2.74	--	770	260	<5.0	33	48	25
01/22/96	8.22	3.34	4.88	--	290	63	<1.0	6.4	5.7	<5.0
04/24/96	8.22	4.12	4.10	--	12,000	2,500	510	380	810	<125
07/29/96	8.22	5.03	3.19	--	2,600	650	<25	61	150	<125
10/10/96	8.22	5.52	2.70	--	5,800	1,700	28	170	210	<62
01/15/97	8.22	2.92	5.30	--	1,000	230	<2.5	28	11	63
04/03/97	8.22	4.65	3.57	--	6,000	1,800	100	140	170	<100
07/09/97	8.22	5.39	2.83	--	5,500	2,200	<20	41	30	<100
10/29/97	8.22	5.58	2.64	--	220	40	0.61	3.0	2.4	7.6
01/14/98	8.22	2.80	5.42	--	140	5.1	<0.5	<0.5	1.4	<2.5
04/17/98	8.22	3.00	5.22	--	13,000	4,200	98	250	240	250
07/15/98	8.22	INACCESSIBLE		--	--	--	--	--	--	--
08/17/98 ⁵	7.92	5.52	2.40	--	1,600	380	51	68	280	22
10/27/98	7.92	7.51	0.41	--	190	2.3	0.53	<0.5	<0.5	33
01/20/99	7.92	3.45	4.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.92	4.61	3.31	--	6,500	3,000	<0.5	110	210	310/150 ²
07/29/99 ⁴	7.92	5.00	2.92	--	8,390	2,100	129	222	729	248

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)										
10/13/99	7.92	5.61	2.31	--	14,300	6,600	58.8	117	190	<125
01/25/00	7.92	3.32	4.60	--	1,100	184	<5.0	13.5	33.7	151
04/03/00 ^{7,9}	7.92	3.38	4.54	0.00	2,600 ⁶	780	12	<5.0	61	95
07/03/00 ⁷	7.92	4.34	3.58	0.00	4,100 ⁶	2,600	72	240	690	<50
10/23/00	7.92	6.11	1.81	0.00	12,000 ⁶	2,600	<50	150	290	<250
01/08/01 ^{7,11}	7.92	4.32	3.60	0.00	3,900 ⁶	2,200	61	140	350	<25
04/09/01 ⁷	7.92	3.63	4.29	0.00	25,100	4,590	1,200	843	1,920	48.1
08/23/01 ⁷	7.92	4.83	3.09	0.00	27,000	4,100	970	1,100	3,500	<500
11/27/01	7.92	4.30	3.62	0.00	12,000	1,800	50	450	830	91
02/26/02	7.92	3.00	4.92	0.00	15,000	3,100	260	380	860	<10
05/23/02	7.92	3.69	4.23	0.00	28,000	6,000	120	820	1,900	42
08/09/02	7.92	4.38	3.54	0.00	24,000	3,700	81	710	1,300	56
11/08/02	7.92	4.43	3.49	0.00	18,000	2,300	150	660	1,400	<100
02/07/03	7.92	3.20	4.72	0.00	13,000	2,300	200	310	620	<25
05/09/03	7.92	3.18	4.74	0.00	17,000	4,200	36	350	360	<50
08/15/03 ¹⁵	7.92	4.75	3.17	0.00	29,000	7,300	140	780	1,900	<5
11/14/03 ¹⁵	7.92	4.95	2.97	0.00	7,200	950	3	45	20	7
02/13/04 ¹⁵	7.92	3.29	4.63	0.00	3,300	360	4	82	130	3
05/14/04 ¹⁵	7.92	3.98	3.94	0.00	17,000	3,100	480	510	1,300	3
08/13/04 ¹⁵	7.92	5.94	1.98	0.00	10,000	2,000	4	130	150	4
11/12/04 ¹⁵	7.92	4.50	3.42	0.00	680	4	<0.5	1	0.7	0.8
02/11/05 ¹⁵	7.92	3.07	4.85	0.00	4,600	680	6	80	44	4
05/13/05 ¹⁵	7.92	4.51	3.41	0.00	4,200	380	3	38	13	2
08/19/05 ¹⁵	7.92	4.03	3.89	0.00	7,900	1,300	3	190	310	<1
11/18/05 ¹⁵	7.92	4.62	3.30	0.00	3,900	4	1	16	8	2
02/10/06 ¹⁵	7.92	3.12	4.80	0.00	3,200	320	2	14	8	2
05/12/06 ¹⁵	7.92	4.25	3.67	0.00	3,600	1,000	2	65	27	<1
08/11/06 ¹⁵	7.92	4.45	3.47	0.00	6,700	1,900	6	280	300	<1
11/17/06 ¹⁵	7.92	4.71	3.21	0.00	1,200	0.6	<0.5	1	0.8	<0.5
02/16/07 ¹⁵	7.92	3.26	4.66	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.92	4.62	3.30	0.00	6,400	1,400	4	130	26	<1
08/09/07 ¹⁵	7.92	4.61	3.31	0.00	10,000	1,400	4	230	12	<3
11/08/07 ¹⁵	7.92	4.72	3.20	0.00	2,300	4	1	3	7	0.9
02/06/08¹⁵	7.92	2.98	4.94	0.00	190	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8										
10/17/95	6.96	4.40	2.56	--	--	--	--	--	--	--
10/30/95	6.96	4.44	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	2.24	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	2.97	3.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.37	3.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	6.96	4.12	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	6.96	0.94	6.02	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	2.20	4.76	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	4.30	2.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	4.57	2.39	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	0.83	6.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	6.96	2.69	4.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	6.96	3.76	3.20	--	--	--	--	--	--	--
01/25/00	6.96	1.41	5.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	6.96	--	--	--	--	--	--	--	--	--
10/23/00	6.96	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	6.96	3.58	3.38	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	6.96	--	--	--	--	--	--	--	--	--
08/23/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	6.96	2.91	4.05	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	6.96	3.13	3.83	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	6.96	3.20	3.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	6.96	2.85	4.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)										
02/10/06 ¹⁵	6.96	2.74	4.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	6.96	2.69	4.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08¹⁵	6.96	2.57	4.39	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9										
10/17/95	7.21	4.80	2.41	--	--	--	--	--	--	--
10/30/95	7.21	4.97	2.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.40	3.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	4.18	3.03	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	4.69	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	5.20	2.01	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.31	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	4.57	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	5.04	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	4.96	2.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	2.40	4.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.21	4.31	2.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.21	3.92	3.29	--	--	--	--	--	--	--
01/25/00	7.21	2.95	4.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.21	--	--	--	--	--	--	--	--	--
10/23/00	7.21	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.21	4.59	2.62	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.21	--	--	--	--	--	--	--	--	--
08/23/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.21	3.75	3.46	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9 (cont)										
11/08/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.21	3.97	3.24	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.21	3.94	3.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.21	3.66	3.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.21	3.53	3.68	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.21	3.50	3.71	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08¹⁵	7.21	3.14	4.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10										
10/17/95	7.28	5.05	2.23	--	--	--	--	--	--	--
10/30/95	7.28	5.11	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	5.1
01/22/96	7.28	4.03	3.25	--	<50	<0.5	<0.5	<0.5	0.70	17
04/24/96	7.28	4.30	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	12
07/29/96	7.28	4.70	2.58	--	<50	<0.5	<0.5	<0.5	<0.5	14
10/10/96	7.28	5.24	2.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.28	3.35	3.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.28	4.64	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	8.2
07/09/97	7.28	5.12	2.16	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.28	5.10	2.18	--	<50	<0.5	<0.5	<0.5	<0.5	5.3
01/14/98	7.28	3.08	4.20	--	<50	<0.5	<0.5	<0.5	<0.5	8.6
04/17/98	7.28	3.79	3.49	--	SAMPLED SEMI-ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
MW-10 (cont)											
07/15/98	7.28	4.55	2.73	--	<50	<0.5	<0.5	<0.5	<0.5	7.5	
10/27/98	7.28	5.32	1.96	--	--	--	--	--	--	--	
01/20/99	7.28	4.24	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	
04/19/99	7.28	4.07	3.21	--	--	--	--	--	--	--	
07/29/99	7.28	4.82	2.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 ²	
10/13/99	7.28	4.86	2.42	--	--	--	--	--	--	--	
01/25/00	7.28	3.00	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	4.33	
04/03/00	7.28	3.04	4.24	0.00	--	--	--	--	--	--	
07/03/00	7.28	4.00	3.28	0.00	<50	<0.50	<0.50	<0.50	<0.50	4.7	
10/23/00	7.28	5.86	1.42	0.00	--	--	--	--	--	--	
01/08/01 ¹¹	7.28	3.98	3.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
04/09/01	7.28	3.74	3.54	0.00	--	--	--	--	--	--	
08/23/01	7.28	INACCESSIBLE - DUE TO TRAFFIC CONTROL				--	--	--	--	--	--
11/27/01	7.28	4.13	3.15	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/26/02	7.28	3.54	3.74	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/23/02	7.28	3.82	3.46	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/09/02	7.28	4.18	3.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
11/08/02	7.28	3.91	3.37	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/07/03	7.28	3.61	3.67	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/09/03	7.28	3.25	4.03	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/15/03 ¹⁵	7.28	4.35	2.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/14/03	7.28	4.30	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/13/04 ¹⁵	7.28	4.27	3.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/14/04	7.28	4.08	3.20	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/13/04 ¹⁵	7.28	3.92	3.36	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/12/04	7.28	3.98	3.30	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/11/05 ¹⁵	7.28	4.07	3.21	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/13/05	7.28	4.01	3.27	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/19/05 ¹⁵	7.28	3.69	3.59	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/18/05	7.28	3.86	3.42	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/10/06 ¹⁵	7.28	3.94	3.34	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
05/12/06	7.28	4.07	3.21	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/11/06 ¹⁵	7.28	4.21	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/17/06	7.28	3.83	3.45	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/16/07 ¹⁵	7.28	3.87	3.41	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/17/07	7.28	3.71	3.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-10 (cont)										
08/09/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--
11/08/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--
02/06/08	7.28	INACCESSIBLE		--	--	--	--	--	--	--
C-2										
08/18/86	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	1,100	49	18	84	--	--
07/22/87	--	--	--	--	<50	1.8	<1.0	<4.0	--	--
ABANDONED										
TMW-1										
11/11/93	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NOT MONITORED/SAMPLED										
3115A GIBBONS DR.										
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
TRIP BLANK										
TB-LB										
02/14/90	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--
09/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
01/27/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
Trip Blank (cont)										
07/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--	--	--	--
01/15/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
01/08/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	--	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
08/23/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/27/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DFW (ft.)	GWE (msl)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)										
08/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/06/08¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	(ppb) = Parts per billion -- = Not Measured/Not Analyzed
DTW = Depth to Water	T = Toluene	QA = Quality Assurance/Trip Blank
GWE = Groundwater Elevation (msl) = Mean sea level	E = Ethylbenzene X = Xylenes	
SPHT = Separate Phase Hydrocarbon Thickness	MTBE = Methyl tertiary butyl ether	

* TOC elevations are referenced to msl.

** GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

¹ Laboratory report indicates EPA 8010 were not detected (ND).

² MTBE confirmed.

³ Chromatogram report indicates an unidentified hydrocarbon.

⁴ ORC installed.

⁵ TOC elevation altered due to well head maintenance.

⁶ Laboratory report indicates gasoline C6-C12.

⁷ ORC in well.

⁸ Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1.

⁹ Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1.

¹⁰ Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time.

¹¹ Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

¹² Laboratory report indicates unidentified hydrocarbons C6-C12.

¹³ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

¹⁴ ORC removed.

¹⁵ BTEX and MTBE by EPA Method 8260.

¹⁶ Laboratory confirmed analytical result.

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	08/18/86	4.10	--	--	--
	09/04/86	--	--	--	--
	07/22/87	--	--	--	--
	05/03/89	4.46	--	--	--
	12/04/89	4.16	--	--	--
	02/14/90	3.64	--	--	--
	03/07/90	3.36	--	--	--
	09/06/91	4.43	--	--	--
	12/15/91	4.78	--	--	--
	03/03/92	2.39	--	--	--
	06/04/92	4.08	--	--	--
	10/13/92	4.75	--	--	--
	01/11/93	2.26	Sheen	--	--
	04/14/93	2.90	Sheen	--	--
	07/13/93	3.97	Sheen	--	--
	10/19/93	4.50	--	--	--
	11/30/93	4.27	--	--	--
	01/27/94	3.35	--	--	--
	04/07/94	3.42	--	--	--
	07/01/94	3.96	--	--	--
	10/05/94	4.39	--	--	--
	01/12/95	1.52	0.50	0.26	0.26
	04/26/95	4.40	2.20	1.32	1.59
	07/12/95	4.85	1.81	0.66	2.25
	10/30/95	5.67	1.63	0.53	2.77
	01/04/96	3.92	0.12	0.26	3.04
	01/10/96	3.48	0.13	0.07	3.10
	01/17/96	3.40	0.02	0.40	3.50
	01/22/96	2.90	0.00	0.00	3.50
	02/23/96	4.10	1.86	0.66	4.16
	02/28/96	--	>0.83	1.25	5.41
	03/08/96	2.86	1.83	0.26	5.68
	03/08/96	2.30	0.36	0.53	6.20
	03/08/96	2.33	0.36	0.26	6.47
	03/08/96	2.28	0.22	0.53	7.00
	03/26/96	3.96	1.28	0.40	7.39
	04/11/96	5.61	1.75	0.53	7.92
	04/19/96	3.09	0.04	0.40	8.32
	04/24/96	3.04	0.03	0.40	8.71
	05/03/96	4.02	0.46	0.40	9.11
	05/03/96	3.89	0.47	0.00	9.11
	05/08/96	4.25	0.35	0.07	9.17
	05/17/96	3.24	0.04	0.03	9.20
	05/17/96	3.35	0.01	0.03	9.23
	05/17/96	3.43	0.01	0.03	9.26
	05/17/96	3.65	0.01	0.00	9.26
	05/22/96	3.10	0.07	0.08	9.34
	06/18/96	4.68	0.48	0.26	9.60
	07/03/96	5.03	0.13	0.15	9.75
	07/09/96	4.63	0.23	0.09	9.84
	07/17/96	4.73	0.15	0.32	10.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	07/29/96	5.10	0.09	0.26	10.42
	08/02/96	5.68	0.03	0.03	10.45
	08/07/96	5.16	0.01	0.13	10.59
	08/23/96	5.75	0.03	0.03	10.61
	08/28/96	5.53	0.03	0.01	10.63
	09/06/96	5.38	--	0.05	10.67
	09/12/96	5.48	0.03	0.01	10.68
	09/19/96	6.32	0.03	0.01	10.69
	10/10/96	4.58	0.10	0.13	10.83
	10/17/96	5.61	0.01	0.01	10.84
	10/29/96	6.01	--	--	10.84
	11/07/96	5.56	0.04	0.13	10.97
	11/11/96	5.32	0.04	0.13	11.10
	12/20/96	3.33	0.03	0.05	11.16
	12/17/96	3.73	0.01	0.01	11.17
	01/15/97	2.74	--	--	11.17
	01/22/97	1.37	0.19	0.07	11.23
	02/04/97	2.98	0.51	0.15	11.38
	02/20/97	4.09	0.13	0.11	11.48
	03/06/97	3.75	0.56	1.19	12.67
	03/14/97	3.82	0.03	0.12	12.79
	03/20/97	3.73	0.03	0.01	12.80
	03/25/97	4.32	0.01	--	12.80
	03/31/97	3.71	0.03	0.00	12.81
	04/03/97	4.60	0.03	0.00	12.81
	04/09/97	4.25	0.02	0.03	12.84
	04/24/97	4.65	0.02	0.01	12.84
	04/30/97	3.50	0.02	0.01	12.85
	05/22/97	4.97	--	0.01	12.86
	06/03/97	3.62	0.06	0.01	12.86
	07/09/97	4.30	0.06	0.13	13.00
	08/12/97	5.18	0.00	0.05	13.05
	09/30/97	5.25	0.50	0.07	13.12
	10/29/97	5.33	0.03	0.02	13.14
	11/13/97	4.86	0.02	0.03	13.16
	12/18/97	2.34	--	--	13.16
	01/14/98	0.25	0.02	0.13	13.29
	02/02/98	2.35	0.05	0.03	13.32
	03/16/98	2.50	0.50	0.13	13.45
	04/17/98	2.65	0.40	0.11	13.56
	05/01/98	2.39	0.04	0.26	13.82
	06/17/98	3.26	0.08	0.03	13.86
	07/15/98	3.55	--	--	13.86
	09/01/98	4.00	--	--	13.86
	10/27/98	4.48	--	--	13.86
	11/19/98	3.89	--	--	13.86
	12/19/98	2.13	0.02	0.04	13.90
	01/20/99	3.98	--	--	13.90
	02/24/99	2.55	--	--	13.90
	03/26/99	2.14	0.76	0.26	14.16
	04/19/99	1.04	--	--	14.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	04/19/99	1.04	--	--	--
	07/29/99	3.76	0.02	0.01	14.17
	08/30/99	4.30	--	--	14.17
	09/23/99	3.84	0.02	0.03	14.20
	10/13/99	1.27	--	--	14.20
	11/17/99	3.59	--	--	--
	12/08/99	3.79	--	--	--
	01/25/00	1.99	0.04	0.03	14.23
	04/03/00	2.20	0.10	0.00	14.23
	05/26/00	2.52	0.23	0.26	14.49
	06/19/00 ¹	2.89	0.19	0.26	14.75
	07/03/00	3.45	0.25	0.26	15.01
	08/01/00	3.78	0.16	0.10	15.11
	09/30/00	4.03	0.04	0.26	15.37
	10/23/00	4.15	0.03	0.26	15.63
	11/21/00	3.42	0.00	0.26	15.89
	12/22/00	2.96	0.00	0.26	16.15
	01/08/01	2.94	0.00	0.26	16.41
	02/17/01	2.09	0.59	0.26	16.67
	03/13/01	2.20	0.76	0.26	16.93
	04/09/01	2.45	0.26	0.26	17.19
	05/18/01	2.70	0.59	0.26	17.45
	06/12/01	3.50	0.97	0.26	17.71
	07/19/01	4.25	0.95	0.26	17.97
	08/23/01	4.34	0.07	0.26	18.23
	09/17/01	4.39	0.08	0.00	18.23
	10/08/01	4.45	0.04	0.02	18.25
	11/27/01	3.89	0.00	0.00	18.25
	12/17/01	1.81	0.00	0.00	18.25
	01/07/02	2.27	0.51	1.50	19.75
	02/26/02	2.70	0.52	0.13	19.88
	03/27/02	2.87	1.05	0.26	20.14
	04/08/02	2.45	1.23	0.53	20.67
	05/23/02	3.57	0.52	0.12	20.79
	06/17/02	3.90	0.35	0.07	20.86
	07/31/02	4.12	0.20	0.02	20.88
	08/09/02	4.15	0.16	0.02	20.90
	09/17/02	4.33	0.12	0.01	20.91
	10/15/02	4.51	0.15	0.04	20.95
	11/08/02	4.11	0.00	0.00	20.95
	12/19/02	1.14	0.00	0.00	20.95
	01/14/03	1.80	0.00	0.00	20.95
	02/07/03	2.95	0.30	0.05	21.00
	03/20/03	2.86	0.41	0.13	21.13
	04/15/03	2.12	0.10	0.03	21.16
	05/09/03	2.95	0.70	0.22	21.38
	06/27/03	3.97	0.50	0.11	21.49
	07/16/03	3.68	0.28	0.04	21.53
	08/15/03	4.29	0.22	0.03	21.56
	09/26/03	4.60	0.19	0.04	21.60
	10/18/03	4.72	0.15	0.02	21.62

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	11/14/03	4.31	0.20	0.04	21.66
	12/23/03	1.81	0.00	0.00	21.66
	01/22/04	4.19	0.01	0.25 ²	21.91
	02/13/04	3.04	0.04	0.27	22.18
	03/11/04	1.85	0.40	0.04	22.22
	04/22/04	3.08	0.22	0.66	22.88
	05/14/04	3.49	0.03	0.54	23.42
	06/18/04	3.41	0.13	0.63	24.05
	07/23/04	3.28	0.11	0.59	24.64
	08/13/04	3.14	0.05	1.02	25.66
	09/13/04	4.53	0.09	0.03	25.69
	10/22/04	3.19	0.03	1.02	26.71
	11/12/04	3.22	0.03	0.51	27.22
	12/02/04	3.28	0.02	0.26	27.48
	01/28/05	3.19	0.01	0.51	27.99
	02/11/05	2.75	0.04	0.53	28.52
	03/11/05	2.94	0.03	1.02	29.54
	04/26/05	3.03	0.02	1.02	30.56
	05/13/05	3.18	0.02	1.02	31.58
	06/01/05	3.22	0.02	0.51	32.09
	07/15/05	3.09	0.02	1.51	33.60
	08/19/05	2.88	0.03	1.53	35.13
	09/23/05	2.95	0.02	1.02	36.15
	10/14/05	3.01	0.01	0.52	36.67
	11/18/05	3.21	0.02	1.02	37.69
	12/09/05	3.61	0.01	1.01	38.70
	01/12/06	2.98	0.01	0.51	39.21
	02/10/06	2.69	0.01	0.50 ³	39.71
	03/13/06	2.81	0.01	1.00 ⁴	40.71
	04/13/06	2.75	0.01	0.50 ⁴	41.22
	05/12/06	3.02	0.01	0.50 ⁴	41.72
	06/12/06	3.10	0.01	0.50 ⁴	42.22
	07/13/06	3.14	0.02	1.01	43.23
	08/11/06	3.70	0.01	1.01	44.24
	09/11/06	3.75	0.02	1.02	45.26
	10/17/06	3.82	0.01	1.02	46.28
	11/17/06	3.11	0.03	1.02	47.30
	12/15/06	2.95	0.02	1.02	48.32
	01/16/07	2.98	0.02	0.52	48.84
	02/16/07	2.77	0.00	0.00	48.84
	03/16/07	3.07	0.01	0.51 ⁴	49.35
	04/17/07	2.98	0.01	0.50 ³	49.85
	05/17/07	3.05	0.01	0.51 ⁴	50.36
	06/15/07	3.08	0.01	1.02	51.38
	07/17/07	3.13	0.01	0.50 ⁴	51.88
	08/09/07	3.24	0.02	0.52	52.40
	09/14/07	3.16	0.01	0.26 ⁴	52.67
	10/16/07	3.04	0.01	0.26 ⁴	52.94
	11/08/07	3.11	0.01	0.00	52.94

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW <i>(ft.)</i>	SPHT <i>(ft.)</i>	AMOUNT BAILED (Product + Water) <i>(gallons)</i>	TOTAL BAILED (Product + Water) <i>(gallons)</i>
C-1 (cont)	12/07/07	2.98	0.03	0.55	53.48
	01/16/08	2.95	0.02	0.27	53.75
	02/06/08	2.61	0.01	0.00	53.75

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data prior to July 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DTW = Depth to Water

(ft.) = Feet

SPHT = Separate Phase Hydrocarbon Thickness

-- = Not Measured

- ¹ There is no skimmer present in this well.
- ² Removed less than one ounce of product from well.
- ³ Removed 0.5 ounces of product from well.
- ⁴ Removed 1 ounce of product from well.

Table 3
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
MW-6	11/08/02	2.10	--
	02/07/03	2.60	--
	05/09/03	3.10	--
	08/15/03	2.90	--
	11/14/03	3.41	--
	08/19/05	1.90	--
	11/18/05	1.70	--
	02/10/06	2.20	--
	05/12/06	2.80	--
	08/11/06	2.50	--
	11/17/06	2.20	--
	02/16/07	1.80	--
	05/17/07	2.0	--
	08/09/07	2.6	--
	11/08/07	2.2	--
	02/06/08	2.4	--
	MW-7	11/08/02	-98.00 ¹
02/07/03		2.90	--
05/09/03		2.60	--
08/15/03		2.30	--
11/14/03		1.87	--
08/19/05		0.80	--
11/18/05		0.90	--
02/10/06		1.30	--
05/12/06		1.40	--
08/11/06		1.10	--
11/17/06		0.70	--
02/16/07		1.10	--
05/17/07		1.7	--
08/09/07		1.2	--
11/08/07		0.9	--
02/06/08		0.5	--

EXPLANATIONS:

mg/L = milligrams per liter

-- = Not Measured

¹ Below D.O. meter range.

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***MONTHLY MONITORING EVENTS
of
December 7, 2007
January 16, 2008***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 12.7.07 (inclusive)
 City: Alameda, CA Sampler: Joc

Well ID: C-1 Date Monitored: 12.7.07 Well Condition: /
 Well Diameter: 3 in.
 Total Depth: 13.75 ft.
 Depth to Water: 2.98 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 xVF = x3 case volume= Estimated Purge Volume: gal.
 Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 1445 (2400 hrs)
 Time Completed: 1515 (2400 hrs)
 Depth to Product: 2.95 ft
 Depth to Water: 2.98 ft
 Hydrocarbon Thickness: 0.03 ft
 Visual Confirmation/Description:
Dark colored product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: / gal
 Amt Removed from Well: 2 ounces gal
 Water Removed: 2 liters
 Product Transferred to: G/R yancy

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside Event Date: 1-16-08 (inclusive)
 City: Alameda, CA Sampler: See

Well ID: C-1 Date Monitored: 1-16-08 Well Condition: _____
 Well Diameter: 3 in.
 Total Depth: 13.75 ft.
 Depth to Water: 2.95 ft.
 _____ xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 0910 (2400 hrs)
 Time Completed: 0935 (2400 hrs)
 Depth to Product: 2.93 ft
 Depth to Water: 2.95 ft
 Hydrocarbon Thickness: 0.02 ft
 Visual Confirmation/Description:
Dark smelly product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 1.5 gallons gal
 Water Removed: 1 liter
 Product Transferred to: G/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING & BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***QUARTERLY MONITORING & SAMPLING EVENT
of
February 6, 2008***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153
 Site Address: 3135 Gibbons Dr.(3126 Fernside)
 City: Alameda, CA

Job Number: 386423
 Event Date: 2-6-08 (inclusive)
 Sampler: Joc

Well ID: C-1
 Well Diameter: 3 in.
 Total Depth: 13.76 ft.
 Depth to Water: 2.61 ft.

Date Monitored: 2-6-08 Well Condition: See WCSS

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

11.15 x VF 0.38 = 4.24 x: x3 case volume = Estimated Purge Volume: 13 gal.
 Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 2.60 ft
 Depth to Water: 2.61 ft
 Hydrocarbon Thickness: 0.01 ft
 Visual Confirmation/Description:
Darkish product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1220 Weather Conditions: clean
 Sample Time/Date: 1300 12-6-08 Water Color: clean Odor: strong
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1230</u>	<u>4</u>	<u>6.46</u>	<u>1919</u>	<u>56.2</u>	_____	_____
<u>1242</u>	<u>8</u>	<u>6.42</u>	<u>1942</u>	<u>56.1</u>	_____	_____
<u>1247</u>	<u>13</u>	<u>6.48</u>	<u>1948</u>	<u>55.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH-G(8015)/BTEX+MTBE(8260)
<u>C-1</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 2-6-08 (inclusive)
 City: Alameda, CA | Sampler: See

Well ID: C-3 Date Monitored: 2.6.08 Well Condition: See wass
 Well Diameter: 3 in.
 Total Depth: 18.02 ft.
 Depth to Water: 2.91 ft.
15.11 xVF 0.38 = 5.74 x: x3 case volume = Estimated Purge Volume: 17.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1115 Weather Conditions: clear
 Sample Time/Date: 1200 12-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1130</u>	<u>6</u>	<u>7.41</u>	<u>1965</u>	<u>55.0</u>	_____	_____
<u>1138</u>	<u>12</u>	<u>7.42</u>	<u>2015</u>	<u>54.2</u>	_____	_____
<u>1150</u>	<u>18</u>	<u>7.36</u>	<u>2011</u>	<u>54.9</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-3</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153
 Site Address: 3135 Gibbons Dr.(3126 Fernside
 City: Alameda, CA

Job Number: 386423
 Event Date: 2-6-08 (inclusive)
 Sampler: Joe

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 12.37 ft.
 Depth to Water: 1.27 ft.
11.10

Date Monitored: 2-6-08 Well Condition: See well

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

11.10 xVF 0.17 = 1.89 x: x3 case volume= Estimated Purge Volume: 6 gal.
 Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1048 Weather Conditions: clear
 Sample Time/Date: 1100 12-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1048</u>	<u>2</u>	<u>7.36</u>	<u>2081</u>	<u>52.6</u>	PRE: _____	_____
<u>1058</u>	<u>4</u>	<u>7.46</u>	<u>2057</u>	<u>53.0</u>	_____	_____
<u>1056</u>	<u>6</u>	<u>7.45</u>	<u>2066</u>	<u>53.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-4	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside) Event Date: 2-6-08 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-5 Date Monitored: 2-6-08 Well Condition: See WCSS
 Well Diameter: 2 in.
 Total Depth: 12-66 ft.
 Depth to Water: 1.06 ft.
11.60 x VF 0.17 = 1.97 x: x3 case volume = Estimated Purge Volume: 6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1007 Weather Conditions: clear
 Sample Time/Date: 1030 12-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1015</u>	<u>2</u>	<u>7.11</u>	<u>1997</u>	<u>54.4</u>	PRE: _____	_____
<u>1018</u>	<u>4</u>	<u>7.09</u>	<u>2062</u>	<u>54.7</u>	_____	_____
<u>1023</u>	<u>6</u>	<u>7.15</u>	<u>2054</u>	<u>54.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voc vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____
 Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 2-6-08 (inclusive)
 City: Alameda, CA | Sampler: Joe

Well ID: MW-6 Date Monitored: 2-6-08 Well Condition: See wcss
 Well Diameter: 2 in.
 Total Depth: 13.38 ft.
 Depth to Water: 1.85 ft.
11.53 x VF 0.17 = 1.96 x; x3 case volume = Estimated Purge Volume: 6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0930 Weather Conditions: clear
 Sample Time/Date: 1000 12-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0940</u>	<u>2</u>	<u>7.19</u>	<u>2483</u>	<u>56.0</u>	<u>PRE: 2.4</u>	
<u>0945</u>	<u>4</u>	<u>7.28</u>	<u>2519</u>	<u>55.8</u>		
<u>0950</u>	<u>6</u>	<u>7.21</u>	<u>2510</u>	<u>56.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 2-6-08 (inclusive)
 City: Alameda, CA | Sampler: Jrc

Well ID: MW-7 Date Monitored: 2-6-08 Well Condition: See wcss
 Well Diameter: 2 in.
 Total Depth: 11.85 ft.
 Depth to Water: 2.98 ft.
8.87 xVF 0.17 = 1.51 x: x3 case volume= Estimated Purge Volume: 4.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: clear
 Sample Time/Date: 0835 12-6-08 Water Color: clear Odor: petroleum yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0820</u>	<u>1.5</u>	<u>6.76</u>	<u>2211</u>	<u>52.8</u>	<u>PRE: 0.5</u>	_____
<u>0825</u>	<u>3</u>	<u>6.80</u>	<u>2196</u>	<u>53.5</u>	_____	_____
<u>0830</u>	<u>4.5</u>	<u>6.71</u>	<u>2190</u>	<u>53.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside) Event Date: 2-6-08 (inclusive)
 City: Alameda, CA Sampler: JWC

Well ID: MW-8 Date Monitored: 2-6-08 Well Condition: See well
 Well Diameter: 2 in.
 Total Depth: 8.85 ft.
 Depth to Water: 2.57 ft.
6.28 x VF 0.17 = 1.07 x 3 case volume = Estimated Purge Volume: 3.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0730 Weather Conditions: clear
 Sample Time/Date: 0805 2-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0740</u>	<u>1</u>	<u>7.20</u>	<u>2365</u>	<u>56.2</u>	PRE: _____	_____
<u>0745</u>	<u>2.5</u>	<u>7.30</u>	<u>2318</u>	<u>55.4</u>	_____	_____
<u>0750</u>	<u>3.5</u>	<u>7.47</u>	<u>2319</u>	<u>55.0</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____
 Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 2-6-08 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-9 Date Monitored: 2-6-08 Well Condition: WCS
 Well Diameter: 2 in.
 Total Depth: 7.92 ft.
 Depth to Water: 3.14 ft.
4.78 x VF 0.17 = 0.81 x3 case volume = Estimated Purge Volume: 2.5 gal.
 Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0850 Weather Conditions: clear
 Sample Time/Date: 0915 12-6-08 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0856</u>	<u>1</u>	<u>7.58</u>	<u>1965</u>	<u>53.1</u>	PRE: _____	_____
<u>0900</u>	<u>2</u>	<u>7.42</u>	<u>2043</u>	<u>53.8</u>	_____	_____
<u>0907</u>	<u>2.5</u>	<u>7.49</u>	<u>2113</u>	<u>54.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside | Event Date: 2-6-08 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-10 Date Monitored: _____ Well Condition: _____
 Well Diameter: 2 in.
 Total Depth: _____ ft.
 Depth to Water: _____ ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.36
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x: x3 case volume= Estimated Purge Volume: _____ gal.
 Check if water column is less then 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	PRE: _____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: Unsure to sample C-10, both directions of High St. need to be closed

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

FEB 25 2008

GETTLER-RYAN INC.
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 1076368. Samples arrived at the laboratory on Thursday, February 07, 2008. The PO# for this group is 0015014975 and the release number is SKANCE.

<u>Client Description</u>	<u>Lancaster Labs Number</u>
QA-T-080206 NA Water	5273873
C-1-W-080206 Grab Water	5273874
C-3-W-080206 Grab Water	5273875
MW-4-W-080206 Grab Water	5273876
MW-5-W-080206 Grab Water	5273877
MW-6-W-080206 Grab Water	5273878
MW-7-W-080206 Grab Water	5273879
MW-8-W-080206 Grab Water	5273880
MW-9-W-080206 Grab Water	5273881

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Christine Dulaney".

Christine Dulaney
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW5273873

Group No. 1076368

QA-T-080206 NA Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 QA
 Collected: 02/06/2008

Account Number: 10904

Submitted: 02/07/2008 09:20
 Reported: 02/22/2008 at 09:51
 Discard: 03/24/2008

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

AM-TB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008	01:43	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008	00:31	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008	01:43	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008	00:31	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273874

Group No. 1076368

C-1-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 C-1
Collected: 02/06/2008 13:00 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-C1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	110,000.	2,500.	ug/l	50
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	10.	ug/l	20
05401	Benzene	71-43-2	13,000.	50.	ug/l	100
05407	Toluene	108-88-3	500.	10.	ug/l	20
05415	Ethylbenzene	100-41-4	5,300.	50.	ug/l	100
06310	Xylene (Total)	1330-20-7	21,000.	50.	ug/l	100

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008	20:32	Patrick N Evans	50
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2008	21:22	Michael A Ziegler	20
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2008	21:46	Michael A Ziegler	100
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008	20:32	Patrick N Evans	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/11/2008	21:22	Michael A Ziegler	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/11/2008	21:46	Michael A Ziegler	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273875

Group No. 1076368

C-3-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 C-3
Collected: 02/06/2008 12:00 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-C3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/20/2008 15:01	Steven A Skiles	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/11/2008 22:10	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	2	02/20/2008 15:01	Steven A Skiles	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/11/2008 22:10	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW5273876

Group No. 1076368

MW-4-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-4
Collected: 02/06/2008 11:00 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-M4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008 05:55	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008 00:55	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008 05:55	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008 00:55	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273877

Group No. 1076368

MW-5-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-5
Collected: 02/06/2008 10:30 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-M5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008 06:16	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008 01:19	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008 06:16	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008 01:19	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273878

Group No. 1076368

MW-6-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-6
Collected: 02/06/2008 10:00 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-M6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008 06:37	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008 01:43	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008 06:37	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008 01:43	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW5273879

Group No. 1076368

MW-7-W-080206 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-7
Collected: 02/06/2008 08:35 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
Reported: 02/22/2008 at 09:51
Discard: 03/24/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

AM-M7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	190.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008	06:58	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008	02:07	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008	06:58	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008	02:07	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273880

Group No. 1076368

MW-8-W-080206 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 MW-8
 Collected: 02/06/2008 08:05 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
 Reported: 02/22/2008 at 09:52
 Discard: 03/24/2008

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

AM-M8

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/11/2008 07:18	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008 02:31	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/11/2008 07:18	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008 02:31	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5273881

Group No. 1076368

MW-9-W-080206 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 MW-9
 Collected: 02/06/2008 09:15 by JA

Account Number: 10904

Submitted: 02/07/2008 09:20
 Reported: 02/22/2008 at 09:52
 Discard: 03/24/2008

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

AM-M9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	02/12/2008	10:15	Patrick N Evans	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/09/2008	02:55	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2008	10:15	Patrick N Evans	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/09/2008	02:55	Michael A Ziegler	1

Quality Control Summary

 Client Name: Chevron
 Reported: 02/22/08 at 09:52 AM

Group Number: 1076368

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 08041A54A TPH-GRO - Waters	N.D.	50.	ug/l	95	101	75-135	6	30
Batch number: 08043A54A TPH-GRO - Waters	N.D.	50.	ug/l	103	106	75-135	3	30
Batch number: 08051A20A TPH-GRO - Waters	N.D.	50.	ug/l	109		75-135		
Batch number: Z080394AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	77		73-119		
Benzene	N.D.	0.5	ug/l	92		78-119		
Toluene	N.D.	0.5	ug/l	111		85-115		
Ethylbenzene	N.D.	0.5	ug/l	103		82-119		
Xylene (Total)	N.D.	0.5	ug/l	107		83-113		
Batch number: Z080424AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	80		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	115		85-115		
Ethylbenzene	N.D.	0.5	ug/l	106		82-119		
Xylene (Total)	N.D.	0.5	ug/l	110		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 08041A54A TPH-GRO - Waters	119		63-154						UNSPK: P271291
Batch number: 08043A54A TPH-GRO - Waters	88		63-154						UNSPK: P276408
Batch number: 08051A20A TPH-GRO - Waters	115	115	63-154	0	30				UNSPK: P282795
Batch number: Z080394AA Methyl Tertiary Butyl Ether	82	79	69-127	4	30				UNSPK: P273188
Benzene	102	99	83-128	3	30				
Toluene	120	119	83-127	1	30				
Ethylbenzene	113	111	82-129	2	30				
Xylene (Total)	115	114	82-130	1	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 02/22/08 at 09:52 AM

Group Number: 1076368

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: Z080424AA	Sample number(s): 5273874-5273875 UNSPK: P275978								
Methyl Tertiary Butyl Ether	75	76	69-127	1	30				
Benzene	95	100	83-128	5	30				
Toluene	110	115	83-127	5	30				
Ethylbenzene	103	107	82-129	4	30				
Xylene (Total)	103	107	82-130	4	30				

Surrogate Quality Control

 Surrogate recoveries which are outside of the QC window are confirmed
 unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: TPH-GRO - Waters
 Batch number: 08041A54A
 Trifluorotoluene-F

5273873	81
5273874	82
5273876	78
5273877	80
5273878	80
5273879	81
5273880	79
Blank	77
LCS	86
LCSD	87
MS	84

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 08043A54A
 Trifluorotoluene-F

5273881	81
Blank	81
LCS	86
LCSD	84
MS	84

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 08051A20A
 Trifluorotoluene-F

5273875	84
Blank	83
LCS	120

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 02/22/08 at 09:52 AM

Group Number: 1076368

Surrogate Quality Control

MS 120
MSD 120

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z080394AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5273873	87	88	106	84
5273876	90	88	107	84
5273877	88	86	107	83
5273878	89	89	106	84
5273879	86	85	107	84
5273880	90	85	107	83
5273881	89	87	106	83
Blank	85	87	108	83
LCS	88	86	106	90
MS	89	87	106	89
MSD	87	85	106	90

Limits: 80-116

77-113

80-113

78-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z080424AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5273874	85	83	110	94
5273875	86	81	109	82
Blank	86	84	108	84
LCS	87	87	106	91
MS	87	87	105	88
MSD	87	87	106	88

Limits: 80-116

77-113

80-113

78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.