



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A, Emeryville, California 94608
Telephone: 510-420-0700 Facsimile: 510-420-9170
www.CRAworld.com

RECEIVED

8:41 am, Apr 09, 2010

Alameda County
Environmental Health

April 9, 2010

Reference No. 311642

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Quarter 2009 and March 2009 Monthly Groundwater Monitoring Reports
Former Chevron Service Station 9-1153
3126 Fernside Boulevard
Alameda, California
Fuel Leak Case No. RO0000341

Dear Mr. Detterman:

Conestoga-Rovers & Associates is submitting the attached *Groundwater Monitoring and Sampling Reports* for the site referenced above on behalf of Chevron Environmental Management Company (Chevron). The Gettler-Ryan Inc. (G-R) reports included are the *First Quarter Event of February 9, 2009 and Monthly Site Events* dated March 13, 2009 and *Monthly Event of March 16, 2009* dated March 27, 2009. Also attached are Figure 1 (Vicinity Map) and Figure 2 (Concentration Map) presenting the first quarter 2009 analytical results and groundwater flow direction rose diagram. A perjury letter from Chevron and the Professional Geologist stamp are included within the G-R report.

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

April 9, 2010

Reference No. 311642

- 2 -

Please contact Brandon Wilken at (510) 420-3355 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Brandon S. Wilken

IH/doh/5


Enc.

Figure 1 Vicinity Map
Figure 2 Hydrocarbon Concentrations in Groundwater

Attachment A Gettler-Ryan's March 10, 2009 *Groundwater Monitoring and Sampling Report*
Attachment B Gettler-Ryan's March 27, 2009 *Monthly Event report*

cc: Mr. Aaron Costa, Chevron Environmental Management Company
Mr. Mark Hom, Property Owner

FIGURES



L:\CHEV\311642\311642-FIGURES\311642_EM001_VICINITY-MAP.A1



FIGURE
1

Former Chevron Station 9-1153
 3135 Gibbons Drive (3126 Fernside Blvd)
 Alameda, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map



1Q09 Groundwater Flow Direction varies at a gradient of 0.001 to 0.03 ft./ft. per Gettler-Ryan

EXPLANATION

- MW-1 ● Monitoring well location
 - RW-1 ⦿ Extraction well location
 - C-2 ⊗ Destroyed well location
- WELL ID Well Designation
- TPHg Hydrocarbon concentrations in groundwater, in micrograms per liter (µg/L)
 - BENZ
 - MTBE




Figure 2
 HYDROCARBON CONCENTRATIONS IN GROUNDWATER
 FORMER CHEVRON SERVICE STATION 9-1153
 3135 GIBBONS DRIVE (3126 FERN SIDE BLVD)
 Alameda, California
 February 9, 2009



ATTACHMENT A

GETTLER-RYAN'S MARCH 10, 2009 *GROUNDWATER MONITORING AND SAMPLING*
REPORT



TRANSMITTAL

March 13, 2009

G-R #386423

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608
(VIA PDF)

CC: Mr. Aaron Costa
Chevron Environmental
Management Company
6111 Bollinger Canyon Road,
Room 6330
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 10, 2009	Groundwater Monitoring and Sampling Report First Quarter Event of February 9, 2009 and Monthly Site Visits

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by CRA via PDF)**

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **March 27, 2009**, at which time this final report will be distributed to the following:

cc: Mr. Mark Hom, 3135 Gibbons Drive, Alameda, CA 94501

Enclosures

trans/9-1153-AC 6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

March 13, 2009

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1153
Address 3135 Gibbons Drive

I have reviewed the attached routine groundwater monitoring report dated
March 13, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Aaron Costa".

Aaron Costa
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-1153
 Site Address: 3135 Gibbons Dr.
 City: Alameda, CA

Job # 386423
 Event Date: 2-9-09
 Sampler: Joe

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
C-1	OK	N/A	N/A	N/A	OK	OK	OK	N	N	Christy box	NO
C-3	↓	N/A	N/A	N/A	↓	↓	↓	↓	↓	Christy box	↓
MW-4	↓	OK	OK	Both B	↓	↓	↓	↓	↓	12" Universal/2	↓
MW-5	↓	OK	↓	Both B	↓	TOC too close to grout seal	↓	↓	↓	12" Universal/2	↓
MW-6	↓	OK	↓	OK	↓	OK	OK	↓	↓	8" Boart L/3	↓
MW-7	↓	O-ring M	↓	OK	↓	↓	↓	↓	↓	8" Brainerd/3	↓
MW-8	↓	OK	(1) of (3) broken inside flange	↓	↓	↓	↓	↓	↓	8" Pomco/3	↓
MW-9	↓	OK	(1) of (3) broken inside flange	↓	↓	↓	↓	↓	↓	8" Pomco/3	↓
MW-10	↓	N/A	N/A	N/A	↓	↓	↓	↓	↓	8" City Monument	↓

Comments _____



GETTLER-RYAN Inc.



March 10, 2009
G-R Job #386423

Mr. Aaron Costa
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3660
San Ramon, CA 94583

**RE: First Quarter Event of February 9, 2009
and Monthly Site Visits**
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California

Dear Mr. Costa:

This report documents the monthly site visits and the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Tables 1 and 2. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Separate Phase Hydrocarbon Thickness/Removal Data
- Table 3: Dissolved Oxygen Concentrations
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by Gettler - Ryan Inc.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive (3126 Fernside Blvd)
 Alameda, California

FIGURE

1

PROJECT NUMBER
 386423

REVIEWED BY

DATE
 February 9, 2009

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1										
08/18/86	--	4.10	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	15,000	760	820	1,500	--	--
07/22/87	--	--	--	--	1,100	250	7.0	40	--	--
05/03/89	--	4.46	--	--	6,900	3,800	190	229	--	--
12/04/89	--	4.16	--	--	17,000	8,000	490	470	--	--
02/14/90	--	3.64	--	--	19,000	12,000	990	1,050	--	--
03/07/90	--	3.36	--	--	--	4,260	261	430	--	--
09/06/91	--	4.43	--	--	21,000	10,000	100	240	560	--
12/15/91	--	4.78	--	--	20,000	4,900	43	110	330	--
03/03/92	--	2.39	--	--	13,000	5,800	730	340	1,200	--
06/04/92	4.08	4.08	0.00	--	34,000	9,400	350	290	1,200	--
10/13/92	4.08	4.75	-0.67	--	24,000	11,000	98	280	530	--
01/11/93	4.08	2.26	1.82	Sheen	7,100	1,500	130	150	700	--
04/14/93	4.08	2.90	1.18	Sheen	29,000	7,300	4,000	640	2,300	--
07/13/93	4.08	3.97	0.11	Sheen	650,000	27,000	18,000	6,300	29,000	--
10/19/93	4.08	4.50	-0.42	--	40,000	12,000	730	1,100	3,600	--
11/30/93	7.50	4.27	3.23	--	--	--	--	--	--	--
01/27/94	7.50	3.35	4.15	--	36,000	8,600	220	670	1,900	--
04/07/94	7.50	3.42	4.08	--	53,000	12,000	3,500	480	3,300	--
07/01/94	7.50	3.96	3.54	--	65,000	19,000	5,900	1,000	9,000	--
10/05/94	7.50	4.39	3.11	--	160,000	23,000	12,000	2,200	11,000	--
01/12/95	7.50	1.52	6.38	0.50	--	--	--	--	--	--
04/26/95	7.50	4.40	4.86	2.20	--	--	--	--	--	--
07/12/95	7.50	4.85	4.10	1.81	--	--	--	--	--	--
10/30/95	7.50	5.67	3.13	1.63	--	--	--	--	--	--
01/04/96	7.50	3.92	3.68	0.12	--	--	--	--	--	--
01/10/96	7.50	3.48	4.12	0.13	--	--	--	--	--	--
01/17/96	7.50	3.40	4.12	0.02	--	--	--	--	--	--
01/22/96	7.50	2.90	4.60	0.00	82,000	18,000	4,400	1,400	5,200	<1,000
02/23/96	7.50	4.10	4.89	1.86	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	--	--	--	--	--	--
03/08/96	7.50	2.86	6.10	1.83	--	--	--	--	--	--
03/08/96	7.50	2.30	5.49	0.36	--	--	--	--	--	--
03/08/96	7.50	2.33	5.46	0.36	--	--	--	--	--	--
03/08/96	7.50	2.28	5.40	0.22	--	--	--	--	--	--
03/26/96	7.50	3.96	4.56	1.28	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
04/11/96	7.50	5.61	3.29	1.75	--	--	--	--	--	--
04/19/96	7.50	3.09	4.44	0.04	--	--	--	--	--	--
04/24/96	7.50	3.04	4.48	0.03	--	--	--	--	--	--
05/03/96	7.50	4.02	3.85	0.46	--	--	--	--	--	--
05/03/96	7.50	3.89	3.99	0.47	--	--	--	--	--	--
05/08/96	7.50	4.25	3.53	0.35	--	--	--	--	--	--
05/17/96	7.50	3.24	4.29	0.04	--	--	--	--	--	--
05/17/96	7.50	3.35	4.16	0.01	--	--	--	--	--	--
05/17/96	7.50	3.43	4.08	0.01	--	--	--	--	--	--
05/17/96	7.50	3.65	3.86	0.01	--	--	--	--	--	--
05/22/96	7.50	3.10	4.46	0.07	--	--	--	--	--	--
06/18/96	7.50	4.68	3.20	0.48	--	--	--	--	--	--
07/03/96	7.50	5.03	2.57	0.13	--	--	--	--	--	--
07/09/96	7.50	4.63	3.05	0.23	--	--	--	--	--	--
07/17/96	7.50	4.73	2.89	0.15	--	--	--	--	--	--
07/29/96	7.50	5.10	2.47	0.09	--	--	--	--	--	--
08/02/96	7.50	5.68	1.84	0.03	--	--	--	--	--	--
08/07/96	7.50	5.16	2.35	0.01	--	--	--	--	--	--
08/23/96	7.50	5.75	1.77	0.03	--	--	--	--	--	--
08/28/96	7.50	5.53	1.99	0.03	--	--	--	--	--	--
09/06/96	7.50	5.38	2.12	--	--	--	--	--	--	--
09/12/96	7.50	5.48	2.04	0.03	--	--	--	--	--	--
09/19/96	7.50	6.32	1.20	0.03	--	--	--	--	--	--
10/10/96	7.50	4.58	3.00	0.10	--	--	--	--	--	--
10/17/96	7.50	5.61	1.90	0.01	--	--	--	--	--	--
10/29/96	7.50	6.01	1.49	--	--	--	--	--	--	--
11/07/96	7.50	5.56	1.94	0.04	--	--	--	--	--	--
11/11/96	7.50	5.32	2.18	0.04	--	--	--	--	--	--
12/20/96	7.50	3.33	4.17	0.03	--	--	--	--	--	--
12/17/96	7.50	3.73	3.77	0.01	--	--	--	--	--	--
01/15/97	7.50	2.74	4.76	--	47,000	16,000	2,800	1,300	4,900	<1,000
01/22/97	7.50	1.37	6.13	0.19	--	--	--	--	--	--
02/04/97	7.50	2.98	4.52	0.51	--	--	--	--	--	--
02/20/97	7.50	4.09	3.41	0.13	--	--	--	--	--	--
03/06/97	7.50	3.75	3.75	0.56	--	--	--	--	--	--
03/14/97	7.50	3.82	3.68	0.03	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/20/97	7.50	3.73	3.77	0.03	--	--	--	--	--	--
03/25/97	7.50	4.32	3.18	0.01	--	--	--	--	--	--
03/31/97	7.50	3.71	3.79	0.03	--	--	--	--	--	--
04/03/97	7.50	4.60	2.92	0.03	--	--	--	--	--	--
04/09/97	7.50	4.25	3.27	0.02	--	--	--	--	--	--
04/24/97	7.50	4.65	2.87	0.02	--	--	--	--	--	--
04/30/97	7.50	3.50	4.02	0.02	--	--	--	--	--	--
05/22/97	7.50	4.97	2.53	--	--	--	--	--	--	--
06/03/97	7.50	3.62	3.93	0.06	--	--	--	--	--	--
07/09/97	7.50	4.30	3.25	0.06	--	--	--	--	--	--
08/12/97	7.50	5.18	2.32	0.00	--	--	--	--	--	--
09/30/97	7.50	5.25	2.65	0.50	--	--	--	--	--	--
10/29/97	7.50	5.33	2.19	0.03	--	--	--	--	--	--
11/13/97	7.50	4.86	2.66	0.02	--	--	--	--	--	--
12/18/97	7.50	2.34	5.16	--	--	--	--	--	--	--
01/14/98	7.50	0.25	7.27	0.02	--	--	--	--	--	--
02/02/98	7.50	2.35	5.19	0.05	--	--	--	--	--	--
03/16/98	7.50	2.50	5.40	0.50	--	--	--	--	--	--
04/17/98	7.50	2.65	5.17	0.40	--	--	--	--	--	--
05/01/98	7.50	2.39	5.14	0.04	--	--	--	--	--	--
06/17/98	7.50	3.26	4.30	0.08	--	--	--	--	--	--
07/15/98	7.50	3.55	3.95	--	110,000	22,000	22,000	1,000	10,000	<250
09/01/98	7.50	4.00	3.50	--	--	--	--	--	--	--
10/27/98	7.50	4.48	3.02	--	45,000	12,000	5,400	590	4,300	<500
11/19/98	7.50	3.89	3.61	--	--	--	--	--	--	--
12/19/98	7.50	2.13	5.39	0.02	--	--	--	--	--	--
01/20/99	7.50	3.98	3.52	--	50,300	7,050	5,030	244	6,090	<40
02/24/99	7.50	2.55	4.95	--	--	--	--	--	--	--
03/26/99	7.50	2.14	5.97	0.76	--	--	--	--	--	--
04/19/99	7.50	1.04	6.46	--	150,000	21,000	20,000	3,000	18,000	<2.5/49 ²
07/29/99	7.50	3.76	3.76	0.02	--	--	--	--	--	--
08/30/99	7.50	4.30	3.20	--	--	--	--	--	--	--
09/23/99	7.50	3.84	3.68	0.02	--	--	--	--	--	--
10/13/99	7.50	1.27	6.23	--	136,000	23,900	30,000	2,390	17,300	<500
11/17/99	7.50	3.59	3.91	--	--	--	--	--	--	--
12/08/99	7.50	3.79	3.71	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
01/25/00	7.50	1.99	5.54	0.04	--	--	--	--	--	--
04/03/00	7.50	2.20	5.38**	0.10	--	--	--	--	--	--
05/26/00	7.50	2.52	5.16**	0.23	--	--	--	--	--	--
06/19/00	7.50	2.89	4.76**	0.19	--	--	--	--	--	--
07/03/00	7.50	3.45	4.25**	0.25	--	--	--	--	--	--
08/01/00	7.50	3.78	3.85**	0.16	--	--	--	--	--	--
09/30/00	7.50	4.03	3.50**	0.04	--	--	--	--	--	--
10/23/00	7.50	4.15	3.37**	0.03	--	--	--	--	--	--
11/21/00	7.50	3.42	4.08	0.00	--	--	--	--	--	--
12/22/00	7.50	2.96	4.54	0.00	--	--	--	--	--	--
01/08/01	7.50	2.94	4.56	0.00	--	--	--	--	--	--
02/17/01	7.50	2.09	5.88**	0.59	--	--	--	--	--	--
03/13/01	7.50	2.20	5.91**	0.76	--	--	--	--	--	--
04/09/01	7.50	2.45	5.26**	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
05/18/01	7.50	2.70	5.27**	0.59	--	--	--	--	--	--
06/12/01	7.50	3.50	4.78**	0.97	--	--	--	--	--	--
07/19/01	7.50	4.25	4.01**	0.95	--	--	--	--	--	--
08/23/01	7.50	4.34	3.22**	0.07	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/01	7.50	4.39	3.17**	0.08	--	--	--	--	--	--
10/08/01	7.50	4.45	3.08**	0.04	--	--	--	--	--	--
11/27/01	7.50	3.89	3.61	0.00	330,000	9,800	5,300	3,800	22,000	<50
12/17/01	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/07/02	7.50	2.27	5.64**	0.51	--	--	--	--	--	--
02/26/02	7.50	2.70	5.22**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/27/02	7.50	2.87	5.47**	1.05	--	--	--	--	--	--
04/08/02	7.50	2.45	6.03**	1.23	--	--	--	--	--	--
05/23/02	7.50	3.57	4.35**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/17/02	7.50	3.90	3.88**	0.35	--	--	--	--	--	--
07/31/02	7.50	4.12	3.54**	0.20	--	--	--	--	--	--
08/09/02	7.50	4.15	3.48**	0.16	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/02	7.50	4.33	3.27**	0.12	--	--	--	--	--	--
10/15/02	7.50	4.51	3.11**	0.15	--	--	--	--	--	--
11/08/02	7.50	4.11	3.39	0.00	51,000	7,000	510	820	5,800	<3.0
12/19/02	7.50	1.14	6.36	0.00	--	--	--	--	--	--
01/14/03	7.50	1.80	5.70	0.00	--	--	--	--	--	--
02/07/03	7.50	2.95	4.79**	0.30	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/20/03	7.50	2.86	4.97**	0.41	--	--	--	--	--	--
04/15/03	7.50	2.12	5.46**	0.10	--	--	--	--	--	--
05/09/03	7.50	2.95	5.11**	0.70	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
06/27/03	7.50	3.97	3.93**	0.50	--	--	--	--	--	--
07/16/03	7.50	3.68	4.04**	0.28	--	--	--	--	--	--
08/15/03	7.50	4.29	3.39**	0.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
09/26/03	7.50	4.60	3.05**	0.19	--	--	--	--	--	--
10/18/03	7.50	4.72	2.90**	0.15	--	--	--	--	--	--
11/14/03	7.50	4.31	3.35**	0.20	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
12/23/03	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/22/04	7.50	4.19	3.32**	0.01	--	--	--	--	--	--
02/13/04	7.50	3.04	4.49**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
03/11/04	7.50	1.85	5.97**	0.40	--	--	--	--	--	--
04/22/04	7.50	3.08	4.60**	0.22	--	--	--	--	--	--
05/14/04	7.50	3.49	4.03**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
06/18/04	7.50	3.41	4.19**	0.13	--	--	--	--	--	--
07/23/04	7.50	3.28	4.31**	0.11	--	--	--	--	--	--
08/13/04	7.50	3.14	4.40**	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
09/13/04	7.50	4.53	3.04**	0.09	--	--	--	--	--	--
10/22/04	7.50	3.19	4.33**	0.03	--	--	--	--	--	--
11/12/04	7.50	3.22	4.30**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
12/02/04	7.50	3.28	4.24**	0.02	--	--	--	--	--	--
01/28/05	7.50	3.19	4.32**	0.01	--	--	--	--	--	--
02/11/05	7.50	2.75	4.78**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
03/11/05	7.50	2.94	4.58**	0.03	--	--	--	--	--	--
04/26/05	7.50	3.03	4.49**	0.02	--	--	--	--	--	--
05/13/05	7.50	3.18	4.34**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
06/01/05	7.50	3.22	4.30**	0.02	--	--	--	--	--	--
07/15/05	7.50	3.09	4.43**	0.02	--	--	--	--	--	--
08/19/05	7.50	2.88	4.64**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
09/23/05	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
10/14/05	7.50	3.01	4.50**	0.01	--	--	--	--	--	--
11/18/05	7.50	3.21	4.31**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
12/09/05	7.50	3.61	3.90**	0.01	--	--	--	--	--	--
01/12/06	7.50	2.98	4.53**	0.01	--	--	--	--	--	--
02/10/06 ¹⁵	7.50	2.69	4.82**	0.01	100,000	11,000	2,500	2,900	15,000	<10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/13/06	7.50	2.81	4.70**	0.01	--	--	--	--	--	--
04/13/06	7.50	2.75	4.76**	0.01	--	--	--	--	--	--
05/12/06	7.50	3.02	4.49**	0.01	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/12/06	7.50	3.10	4.41**	0.01	--	--	--	--	--	--
07/13/06	7.50	3.14	4.38**	0.02	--	--	--	--	--	--
08/11/06 ¹⁵	7.50	3.70	3.81**	0.01	200,000	8,600	470	1,700	8,800	<10
09/11/06	7.50	3.75	3.77**	0.02	--	--	--	--	--	--
10/17/06	7.50	3.82	3.69**	0.01	--	--	--	--	--	--
11/17/06	7.50	3.11	4.41**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/15/06	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
01/16/07	7.50	2.98	4.54**	0.02	--	--	--	--	--	--
02/16/07 ¹⁵	7.50	2.77	4.73	0.00	25,000	4,300	260	310	3,300	<5
03/16/07	7.50	3.07	4.44**	0.01	--	--	--	--	--	--
04/17/07	7.50	2.98	4.53**	0.01	--	--	--	--	--	--
05/17/07 ¹⁵	7.50	3.05	4.46**	0.01	110,000 ¹⁶	12,000 ¹⁶	1,000 ¹⁶	2,000 ¹⁶	15,000 ¹⁶	<5
06/15/07	7.50	3.08	4.43**	0.01	--	--	--	--	--	--
07/17/07	7.50	3.13	4.38**	0.01	--	--	--	--	--	--
08/09/07	7.50	3.24	4.28**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
09/14/07	7.50	3.16	4.35**	0.01	--	--	--	--	--	--
10/16/07	7.50	3.04	4.47**	0.01	--	--	--	--	--	--
11/08/07 ¹⁵	7.50	3.11	4.40**	0.01	150,000	13,000	570	1,800	10,000	<13
12/07/07	7.50	2.98	4.54**	0.03	--	--	--	--	--	--
01/16/08	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
02/06/08 ¹⁵	7.50	2.61	4.90**	0.01	110,000	13,000	500	5,300	21,000	<10
03/07/08	7.50	2.87	4.65**	0.02	--	--	--	--	--	--
04/16/08	7.50	3.06	4.46**	0.02	--	--	--	--	--	--
05/07/08	7.50	2.98	4.54**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/06/08	7.50	3.02	4.50**	0.02	--	--	--	--	--	--
07/16/08	7.50	3.12	4.40**	0.02	--	--	--	--	--	--
09/05/08	7.50	3.97	3.75**	0.28	--	--	--	--	--	--
09/11/08	7.50	4.22	3.61**	0.41	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
10/17/08	7.50	4.16	3.60**	0.33	--	--	--	--	--	--
11/10/08	7.50	4.05	3.54**	0.11	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/15/08	7.50	3.85	3.69**	0.05	--	--	--	--	--	--
01/21/09	7.50	3.91	3.62**	0.04	--	--	--	--	--	--
02/09/09 ¹⁵	7.50	3.72	3.79**	0.01	53,000	3,100	66	660	3,700	<1

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-3										
08/18/86	--	4.00	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	50	3.2	5.4	5.8	--	--
07/22/87	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--
05/03/89	--	4.15	--	--	<50	<0.5	<1.0	<2.0	--	--
12/04/89	--	4.24	--	--	<250	<0.5	<0.5	<0.5	--	--
02/14/90	--	3.57	--	--	<50	<0.5	<0.5	<0.5	--	--
03/07/90	--	3.31	--	--	--	<5.0	<5.0	<5.0	--	--
09/06/91	--	4.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	4.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	2.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	4.41	4.01	0.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	4.41	4.79	-0.38	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	4.41	2.01	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	4.41	2.76	1.65	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	4.41	3.96	0.45	--	<50	<0.5	<0.5	<0.5	<1.5	--
10/19/93	4.41	4.53	-0.12	--	66	12	1.4	1.0	8.4	--
11/30/93	7.83	4.04	3.79	--	--	--	--	--	--	--
01/27/94	7.83	3.17	4.66	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.83	3.20	4.63	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.83	3.99	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.83	4.54	3.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.83	0.80	7.03	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/02/95	7.83	2.15	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.83	3.42	4.41	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	7.83	4.46	3.37	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	7.83	1.73	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	2.62	5.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.94	3.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	4.06	3.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	1.54	6.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.83	3.23	4.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	4.36	3.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	4.65	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	0.77	7.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	7.83	3.72	4.11	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.83	2.65	5.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-3 (cont)										
04/19/99	7.83	1.78	6.05	--	--	--	--	--	--	--
04/03/00	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.83	--	--	--	--	--	--	--	--	--
10/23/00	7.83	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.83	3.71	4.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.83	--	--	--	--	--	--	--	--	--
08/23/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.83	2.38	5.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.83	2.73	5.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.83	2.81	5.02	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.83	2.58	5.25	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.83	2.52	5.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.83	2.63	5.20	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08 ¹⁵	7.83	2.91	4.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
09/11/08	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/10/08	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/09/09¹⁵	7.83	2.95	4.88	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4										
06/04/92	3.58	3.63	-0.05	--	<50	0.8	<0.5	<0.5	<0.5	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.89	1.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	2.20	1.38	--	<50	<0.5	<0.5	<0.5	<1.5	--
07/13/93	3.58	3.51	0.07	--	54	2.6	1.6	<0.5	<1.5	--
10/19/93	3.58	4.22	-0.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/30/93	7.01	4.01	3.00	--	--	--	--	--	--	--
01/27/94	7.01	2.89	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.06	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.01	3.59	3.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	4.33	2.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	1.20	5.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	1.15	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	2.72	4.29	--	<50	6.4	<0.5	0.63	0.72	--
10/30/95	7.01	4.08	2.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.01	1.76	5.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.01	1.95	5.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.01	3.37	3.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.01	3.96	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.01	1.27	5.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.01	2.11	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.01	4.04	2.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.01	4.56	2.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.01	0.39	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.01	2.83	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.01	2.91	4.10	--	--	--	--	--	--	--
01/25/00	7.01	1.92	5.09	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.01	--	--	--	--	--	--	--	--	--
10/23/00	7.01	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.01	3.02	3.99	0.00	87 ¹²	<0.50	<0.50	0.55	2.9	<2.5
04/09/01	7.01	--	--	--	--	--	--	--	--	--
08/23/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.01	1.37	5.64	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)										
08/09/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.01	1.72	5.29	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.01	1.82	5.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.01	1.46	5.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.01	1.35	5.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.01	1.48	5.53	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08 ¹⁵	7.01	1.27	5.74	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
09/11/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/10/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/09/09 ¹⁵	7.01	2.33	4.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5										
06/04/92	3.61	3.25	0.36	--	560	110	0.5	37	2.2	--
10/13/92	3.61	4.20	-0.59	--	1,200	150	<2.5	84	8.6	--
01/11/93	3.61	1.30	2.31	--	1,300	48	1.0	83	33	--
04/14/93	3.61	1.20	2.41	--	2,600	240	6.1	250	170	--
07/13/93	3.61	3.15	0.46	--	1,700	260	7.8	160	100	--
10/19/93	3.61	3.82	-0.21	--	1,900	190	3.3	200	93	--
11/30/93	7.04	3.56	3.48	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)										
01/27/94	7.04	2.42	4.62	--	4,000	100	12	210	110	--
04/07/94	7.04	2.33	4.71	--	2,600	170	10	150	88	--
07/01/94	7.04	3.18	3.86	--	2,300	350	9.1	110	76	--
10/05/94	7.04	3.98	3.06	--	11,000	840	150	130	340	--
01/12/95	7.04	0.40	6.64	--	2,300	82	<2.5	54	20	--
04/26/95	7.04	0.50	6.54	--	1,600	52	<5.0	36	61	--
07/12/95	7.04	2.41	4.63	--	2,800	150	<5.0	34	38	--
10/30/95	7.04	3.78	3.26	--	1,100	81	<5.0	<5.0	<5.0	35
01/22/96	7.04	0.78	6.26	--	880	7.3	<2.0	15	4.8	<10
04/24/96	7.04	1.65	5.39	--	1,600	51	3.8	14	5.6	56
07/29/96	7.04	INACCESSIBLE		--	--	--	--	--	--	--
10/10/96	7.04	3.60	3.44	--	1,000	18	<1.2	1.5	<1.2	<6.2
01/15/97	7.04	0.45	6.59	--	520	0.84	<0.5	3.1	1.2	8.4
04/03/97	7.04	2.11	4.93	--	1,400	13	<2.0	4.3	8.4	32
07/09/97	7.04	3.71	3.33	--	810	3.6	0.97	<0.5	<0.5	9.7
10/29/97	7.04	4.20	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.04	0.00	7.04	--	430	5.8	2.4	<0.5	1.6	17
04/17/98	7.04	0.71	6.33	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.04	0.00	7.04	--	990	11	3.9	0.56	2.2	61
10/27/98	7.04	4.23	2.81	--	--	--	--	--	--	--
01/20/99	7.04	2.58	4.46	--	168	<0.5	<0.5	<0.5	0.692	<2.0
04/19/99	7.04	2.07	4.97	--	--	--	--	--	--	--
07/29/99	7.04	3.43	3.61	--	246	1.54	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/13/99	7.04	INACCESSIBLE		--	--	--	--	--	--	--
01/25/00	7.04	1.51	5.53	--	169	1.94	<0.5	<0.5	<0.5	201
04/03/00	7.04	1.20	5.84	0.00	--	--	--	--	--	--
07/03/00	7.04	2.98	4.06	0.00	320 ^{6,10}	5.3	1.1	<0.50	<0.50	5.0
10/23/00	7.04	4.18	2.86	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.04	2.92	4.12	0.00	220 ⁶	3.9	<0.50	<0.50	<0.50	7.7
04/09/01	7.04	1.01	6.03	0.00	--	--	--	--	--	--
08/23/01	7.04	3.48	3.56	0.00	630	40	3.5	<2.5	<2.5	43
11/27/01	7.04	3.05	3.99	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.04	1.00	6.04	0.00	410	4.3	<0.50	<0.50	<1.5	<2.5
05/23/02	7.04	2.21	4.83	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.04	3.38	3.66	0.00	240	1.3	<0.50	<0.50	<1.5	<2.5
11/08/02	7.04	4.56	2.48	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)										
02/07/03	7.04	1.42	5.62	0.00	380	3.2	<0.50	0.64	<1.5	<2.5
05/09/03	7.04	1.25	5.79	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.04	1.50	5.54	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.04	2.47	4.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/13/04 ¹⁵	7.04	5.46	1.58	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.04	4.65	2.39	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.04	1.20	5.84	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.04	4.36	2.68	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/19/05 ¹⁵	7.04	2.78	4.26	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.04	4.51	2.53	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/10/06 ¹⁵	7.04	1.12	5.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.04	2.23	4.81	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/11/06 ¹⁵	7.04	3.40	3.64	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.04	4.16	2.88	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/16/07 ¹⁵	7.04	1.22	5.82	0.00	<50	<0.5	<0.7	<0.8	<0.8	<0.5
05/17/07	7.04	4.06	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07	7.04	3.70	3.34	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/06/08 ¹⁵	7.04	1.06	5.98	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
09/11/08 ¹⁵	7.04	4.58	2.46	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08	7.04	4.26	2.78	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/09/09 ¹⁵	7.04	2.15	4.89	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6										
06/04/92	3.85	3.89	-0.04	--	210	54	<0.5	1.9	2.4	--
10/13/92	3.85	4.56	-0.71	--	10,000	5,300	<10	70	<10	--
01/11/93	3.85	2.36	1.49	--	100	50	<0.5	<0.5	<0.5	--
04/14/93	3.85	3.15	0.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	3.94	-0.09	--	<50	1.8	<0.5	<0.5	<1.5	--
10/19/93	3.85	4.40	-0.55	--	320	150	<0.5	0.8	<0.5	--
11/30/93	7.27	4.16	3.11	--	--	--	--	--	--	--
01/27/94	7.27	3.33	3.94	--	120	45	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)										
04/07/94	7.27	3.43	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.27	3.94	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.27	4.38	2.89	--	8,300	2,400	160	42	190	--
01/12/95 ¹	7.27	2.43	4.84	--	<50	12	<0.5	<0.5	<0.5	--
04/26/95	7.27	2.06	5.21	--	<50	5.5	0.67	<0.5	1.3	--
07/12/95	7.27	3.53	3.74	--	65	27	<0.5	<0.5	<0.5	--
10/30/95	7.27	4.34	2.93	--	<50	3.9	<0.5	<0.5	<0.5	<2.5
01/22/96	7.27	2.61	4.66	--	<50	0.93	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	2.50	4.77	--	260	110	<1.2	<1.2	<1.2	<6.2
07/29/96	7.27	3.85	3.42	--	<50	23	<0.5	<0.5	<0.5	<2.5
10/10/96	7.27	4.37	2.90	--	79	31	<0.5	<0.5	<0.5	<2.5
01/15/97	7.27	2.63	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.27	3.42	3.85	--	670	360	<5.0	<5.0	<5.0	<25
07/09/97	7.27	4.29	2.98	--	330	140	<2.0	<2.0	<2.0	<10
10/29/97	7.27	4.56	2.71	--	400	260	<2.0	<2.0	<2.0	5.8
01/14/98	7.27	1.01	6.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	7.27	2.94	4.33	--	<50	1.7	<0.5	<0.5	<0.5	<2.5
07/15/98	7.27	4.72	2.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	7.27	INACCESSIBLE		--	--	--	--	--	--	--
11/25/98	7.27	4.16	3.11	--	110 ³	54	<0.5	<0.5	<0.5	<2.5
01/20/99	7.27	3.45	3.82	--	<50	10	<0.5	<0.5	<0.5	<2.0
04/19/99	7.27	3.39	3.88	--	<50	2.6	<0.5	<0.5	<0.5	<2.5/<2.0 ²
07/29/99 ⁴	7.27	4.34	2.93	--	<5,000	2,590	<50	<50	<50	<500
10/13/99	7.27	5.89	1.38	--	9,270	4,610	44.2	<25	<25	<125
01/25/00	7.27	4.11	3.16	--	529	289	<0.5	<0.5	<0.5	738
04/03/00 ^{7,8}	7.27	2.84	4.43	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00 ⁷	7.27	3.77	3.50	0.00	91 ⁶	89	0.77	<0.50	<0.50	<2.5
10/12/00	7.27	6.32	0.95	0.00	<50	8.0	<0.50	<0.50	<0.50	<2.5
01/08/01 ^{7,11}	7.27	3.74	3.53	0.00	400 ⁶	640	8.2	8.0	5.0	10
04/09/01 ⁷	7.27	3.03	4.24	0.00	91.3	22.0	3.36	0.751	2.14	<0.500
08/23/01 ⁷	7.27	4.70	2.57	0.00	53 ¹³	23	0.50	<0.50	1.1	<2.5
11/27/01 ¹⁴	7.27	4.43	2.84	0.00	<50	4.1	<0.50	<0.50	<1.5	<2.5
02/26/02 ¹⁴	7.27	2.50	4.77	0.00	100	53	<0.50	<0.50	<1.5	<2.5
05/23/02	7.27	3.27	4.00	0.00	610	260	4.2	1.7	2.1	<2.5
08/09/02	7.27	4.11	3.16	0.00	<50	1.1	<0.50	<0.50	<1.5	<2.5
11/08/02	7.27	4.12	3.15	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)										
02/07/03	7.27	2.60	4.67	0.00	<50	0.65	<0.50	<0.50	<1.5	<2.5
05/09/03	7.27	2.57	4.70	0.00	<50	1.9	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	7.27	4.15	3.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03 ¹⁵	7.27	4.10	3.17	0.00	<50	<0.5	0.6	<0.5	<0.5	1
02/13/04 ¹⁵	7.27	2.66	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	7.27	3.55	3.72	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	7.27	4.32	2.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	7.27	4.20	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	7.27	2.18	5.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	7.27	4.11	3.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	7.27	3.70	3.57	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	7.27	3.98	3.29	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	7.27	2.11	5.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	7.27	3.18	4.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	7.27	3.80	3.47	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	7.27	3.78	3.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	7.27	2.08	5.19	0.00	<50	1	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.27	3.61	3.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	7.27	4.05	3.22	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	7.27	4.12	3.15	0.00	<50	5	<0.5	<0.5	<0.5	<0.5
02/06/08 ¹⁵	7.27	1.85	5.42	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	7.27	3.91	3.36	0.00	63	18	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹⁵	7.27	4.93	2.34	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08 ¹⁵	7.27	4.30	2.97	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/09/09¹⁵	7.27	2.97	4.30	0.00	<50	2	<0.5	<0.5	<0.5	<0.5
MW-7										
11/30/93	8.22	5.33	2.89	--	480	110	41	4.4	38	--
01/27/94	8.22	4.50	3.72	--	120	21	1.1	2.2	4.8	--
04/07/94	8.22	4.62	3.60	--	2,600	630	39	56	94	--
07/01/94	8.22	5.13	3.09	--	2,200	770	42	<10	92	--
10/05/94	8.22	5.61	2.61	--	15,000	3,300	90	130	320	--
01/12/95	8.22	2.83	5.39	--	340	57	<1.3	18	6.4	--
04/26/95	8.22	2.35	5.87	--	15,000	3,700	210	520	800	--
07/12/95	8.22	4.66	3.56	--	7,700	1,800	59	130	370	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)										
10/30/95	8.22	5.48	2.74	--	770	260	<5.0	33	48	25
01/22/96	8.22	3.34	4.88	--	290	63	<1.0	6.4	5.7	<5.0
04/24/96	8.22	4.12	4.10	--	12,000	2,500	510	380	810	<125
07/29/96	8.22	5.03	3.19	--	2,600	650	<25	61	150	<125
10/10/96	8.22	5.52	2.70	--	5,800	1,700	28	170	210	<62
01/15/97	8.22	2.92	5.30	--	1,000	230	<2.5	28	11	63
04/03/97	8.22	4.65	3.57	--	6,000	1,800	100	140	170	<100
07/09/97	8.22	5.39	2.83	--	5,500	2,200	<20	41	30	<100
10/29/97	8.22	5.58	2.64	--	220	40	0.61	3.0	2.4	7.6
01/14/98	8.22	2.80	5.42	--	140	5.1	<0.5	<0.5	1.4	<2.5
04/17/98	8.22	3.00	5.22	--	13,000	4,200	98	250	240	250
07/15/98	8.22	INACCESSIBLE		--	--	--	--	--	--	--
08/17/98 ⁵	7.92	5.52	2.40	--	1,600	380	51	68	280	22
10/27/98	7.92	7.51	0.41	--	190	2.3	0.53	<0.5	<0.5	33
01/20/99	7.92	3.45	4.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.92	4.61	3.31	--	6,500	3,000	<0.5	110	210	310/150 ²
07/29/99 ⁴	7.92	5.00	2.92	--	8,390	2,100	129	222	729	248
10/13/99	7.92	5.61	2.31	--	14,300	6,600	58.8	117	190	<125
01/25/00	7.92	3.32	4.60	--	1,100	184	<5.0	13.5	33.7	151
04/03/00 ^{7,9}	7.92	3.38	4.54	0.00	2,600 ⁶	780	12	<5.0	61	95
07/03/00 ⁷	7.92	4.34	3.58	0.00	4,100 ⁶	2,600	72	240	690	<50
10/23/00	7.92	6.11	1.81	0.00	12,000 ⁶	2,600	<50	150	290	<250
01/08/01 ^{7,11}	7.92	4.32	3.60	0.00	3,900 ⁶	2,200	61	140	350	<25
04/09/01 ⁷	7.92	3.63	4.29	0.00	25,100	4,590	1,200	843	1,920	48.1
08/23/01 ⁷	7.92	4.83	3.09	0.00	27,000	4,100	970	1,100	3,500	<500
11/27/01	7.92	4.30	3.62	0.00	12,000	1,800	50	450	830	91
02/26/02	7.92	3.00	4.92	0.00	15,000	3,100	260	380	860	<10
05/23/02	7.92	3.69	4.23	0.00	28,000	6,000	120	820	1,900	42
08/09/02	7.92	4.38	3.54	0.00	24,000	3,700	81	710	1,300	56
11/08/02	7.92	4.43	3.49	0.00	18,000	2,300	150	660	1,400	<100
02/07/03	7.92	3.20	4.72	0.00	13,000	2,300	200	310	620	<25
05/09/03	7.92	3.18	4.74	0.00	17,000	4,200	36	350	360	<50
08/15/03 ¹⁵	7.92	4.75	3.17	0.00	29,000	7,300	140	780	1,900	<5
11/14/03 ¹⁵	7.92	4.95	2.97	0.00	7,200	950	3	45	20	7
02/13/04 ¹⁵	7.92	3.29	4.63	0.00	3,300	360	4	82	130	3
05/14/04 ¹⁵	7.92	3.98	3.94	0.00	17,000	3,100	480	510	1,300	3

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ^a (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)										
08/13/04 ¹⁵	7.92	5.94	1.98	0.00	10,000	2,000	4	130	150	4
11/12/04 ¹⁵	7.92	4.50	3.42	0.00	680	4	<0.5	1	0.7	0.8
02/11/05 ¹⁵	7.92	3.07	4.85	0.00	4,600	680	6	80	44	4
05/13/05 ¹⁵	7.92	4.51	3.41	0.00	4,200	380	3	38	13	2
08/19/05 ¹⁵	7.92	4.03	3.89	0.00	7,900	1,300	3	190	310	<1
11/18/05 ¹⁵	7.92	4.62	3.30	0.00	3,900	4	1	16	8	2
02/10/06 ¹⁵	7.92	3.12	4.80	0.00	3,200	320	2	14	8	2
05/12/06 ¹⁵	7.92	4.25	3.67	0.00	3,600	1,000	2	65	27	<1
08/11/06 ¹⁵	7.92	4.45	3.47	0.00	6,700	1,900	6	280	300	<1
11/17/06 ¹⁵	7.92	4.71	3.21	0.00	1,200	0.6	<0.5	1	0.8	<0.5
02/16/07 ¹⁵	7.92	3.26	4.66	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.92	4.62	3.30	0.00	6,400	1,400	4	130	26	<1
08/09/07 ¹⁵	7.92	4.61	3.31	0.00	10,000	1,400	4	230	12	<3
11/08/07 ¹⁵	7.92	4.72	3.20	0.00	2,300	4	1	3	7	0.9
02/06/08 ¹⁵	7.92	2.98	4.94	0.00	190	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	7.92	4.48	3.44	0.00	8,000	1,500	15	380	260	<1
09/11/08 ¹⁵	7.92	5.95	1.97	0.00	5,100	530	4	47	12	0.7
11/10/08 ¹⁵	7.92	5.81	2.11	0.00	2,800	13	1	1	7	<0.5
02/09/09¹⁵	7.92	4.06	3.86	0.00	3,900	190	2	51	11	0.5
MW-8										
10/17/95	6.96	4.40	2.56	--	--	--	--	--	--	--
10/30/95	6.96	4.44	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	2.24	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	2.97	3.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.37	3.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	6.96	4.12	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	6.96	0.94	6.02	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	2.20	4.76	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	4.30	2.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	4.57	2.39	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	0.83	6.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	6.96	2.69	4.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	6.96	3.76	3.20	--	--	--	--	--	--	--
01/25/00	6.96	1.41	5.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-8 (cont)											
04/03/00	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
07/03/00	6.96	--	--	--	--	--	--	--	--	--	
10/23/00	6.96	--	--	--	--	--	--	--	--	--	
01/08/01 ¹¹	6.96	3.58	3.38	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
04/09/01	6.96	--	--	--	--	--	--	--	--	--	
08/23/01	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/27/01	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/26/02	6.96	2.91	4.05	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/23/02	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
08/09/02	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/08/02	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/07/03	6.96	3.13	3.83	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/09/03	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
08/15/03	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/14/03	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/13/04 ¹⁵	6.96	3.20	3.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/14/04	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/12/04	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/11/05 ¹⁵	6.96	2.85	4.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/13/05	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
08/19/05	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/18/05	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/10/06 ¹⁵	6.96	2.74	4.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
05/12/06	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
08/11/06	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/17/06	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/16/07 ¹⁵	6.96	2.69	4.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/17/07	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
08/09/07	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/08/07	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/06/08 ¹⁵	6.96	2.57	4.39	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/07/08	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
09/11/08	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
11/10/08	6.96	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	
02/09/09 ¹⁵	6.96	3.28	3.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-9										
10/17/95	7.21	4.80	2.41	--	--	--	--	--	--	--
10/30/95	7.21	4.97	2.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.40	3.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	4.18	3.03	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	4.69	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	5.20	2.01	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.31	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	4.57	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	5.04	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	4.96	2.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	2.40	4.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.21	4.31	2.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.21	3.92	3.29	--	--	--	--	--	--	--
01/25/00	7.21	2.95	4.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.21	--	--	--	--	--	--	--	--	--
10/23/00	7.21	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.21	4.59	2.62	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.21	--	--	--	--	--	--	--	--	--
08/23/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.21	3.75	3.46	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.21	3.97	3.24	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.21	3.94	3.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.21	3.66	3.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-9 (cont)											
02/10/06 ¹⁵	7.21	3.53	3.68	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
05/12/06	7.21	MONITORED/SAMPLED ANNUALLY									
08/11/06	7.21	MONITORED/SAMPLED ANNUALLY									
11/17/06	7.21	MONITORED/SAMPLED ANNUALLY									
02/16/07 ¹⁵	7.21	3.50	3.71	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/17/07	7.21	MONITORED/SAMPLED ANNUALLY									
08/09/07	7.21	MONITORED/SAMPLED ANNUALLY									
11/08/07	7.21	MONITORED/SAMPLED ANNUALLY									
02/06/08 ¹⁵	7.21	3.14	4.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/07/08	7.21	MONITORED/SAMPLED ANNUALLY									
09/11/08	7.21	MONITORED/SAMPLED ANNUALLY									
11/10/08	7.21	MONITORED/SAMPLED ANNUALLY									
02/09/09¹⁵	7.21	3.91	3.30	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-10											
10/17/95	7.28	5.05	2.23	--	--	--	--	--	--	--	
10/30/95	7.28	5.11	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	5.1	
01/22/96	7.28	4.03	3.25	--	<50	<0.5	<0.5	<0.5	0.70	17	
04/24/96	7.28	4.30	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	12	
07/29/96	7.28	4.70	2.58	--	<50	<0.5	<0.5	<0.5	<0.5	14	
10/10/96	7.28	5.24	2.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
01/15/97	7.28	3.35	3.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
04/03/97	7.28	4.64	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	8.2	
07/09/97	7.28	5.12	2.16	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
10/29/97	7.28	5.10	2.18	--	<50	<0.5	<0.5	<0.5	<0.5	5.3	
01/14/98	7.28	3.08	4.20	--	<50	<0.5	<0.5	<0.5	<0.5	8.6	
04/17/98	7.28	3.79	3.49	--	SAMPLED SEMI-ANNUALLY					--	--
07/15/98	7.28	4.55	2.73	--	<50	<0.5	<0.5	<0.5	<0.5	7.5	
10/27/98	7.28	5.32	1.96	--	--	--	--	--	--	--	
01/20/99	7.28	4.24	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	
04/19/99	7.28	4.07	3.21	--	--	--	--	--	--	--	
07/29/99	7.28	4.82	2.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 ²	
10/13/99	7.28	4.86	2.42	--	--	--	--	--	--	--	
01/25/00	7.28	3.00	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	4.33	
04/03/00	7.28	3.04	4.24	0.00	--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRD (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-10 (cont)										
07/03/00	7.28	4.00	3.28	0.00	<50	<0.50	<0.50	<0.50	<0.50	4.7
10/23/00	7.28	5.86	1.42	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.28	3.98	3.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.28	3.74	3.54	0.00	--	--	--	--	--	--
08/23/01	7.28	INACCESSIBLE - DUE TO TRAFFIC CONTROL				--	--	--	--	--
11/27/01	7.28	4.13	3.15	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/26/02	7.28	3.54	3.74	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.28	3.82	3.46	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/02	7.28	4.18	3.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	7.28	3.91	3.37	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/07/03	7.28	3.61	3.67	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.28	3.25	4.03	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/15/03 ¹⁵	7.28	4.35	2.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.28	4.30	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/13/04 ¹⁵	7.28	4.27	3.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.28	4.08	3.20	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/13/04 ¹⁵	7.28	3.92	3.36	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.28	3.98	3.30	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/11/05 ¹⁵	7.28	4.07	3.21	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.28	4.01	3.27	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/19/05 ¹⁵	7.28	3.69	3.59	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.28	3.86	3.42	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/10/06 ¹⁵	7.28	3.94	3.34	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.28	4.07	3.21	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/11/06 ¹⁵	7.28	4.21	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.28	3.83	3.45	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/16/07 ¹⁵	7.28	3.87	3.41	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.28	3.71	3.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--
11/08/07	7.28	INACCESSIBLE		--	--	--	--	--	--	--
02/06/08	7.28	INACCESSIBLE		--	--	--	--	--	--	--
05/07/08	7.28	INACCESSIBLE		--	--	--	--	--	--	--
09/11/08 ¹⁵	7.28	4.63	2.65	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08	7.28	4.28	3.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/09/09 ¹⁵	NP	7.28	2.17	5.11	0.00	<50	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-2										
08/18/86	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	1,100	49	18	84	--	--
07/22/87	--	--	--	--	<50	1.8	<1.0	<4.0	--	--
ABANDONED										
TMW-1										
11/11/93	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NOT MONITORED/SAMPLED										
3115A GIBBONS DR.										
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
TRIP BLANK										
TB-LB										
02/14/90	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--
09/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
01/27/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--	--	--	--
01/15/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
Trip Blank (cont)										
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
01/08/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	--	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
08/23/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/27/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA										
08/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)										
02/10/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/06/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/09/09 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

(msl) = Mean sea level

SPHT = Separate Phase Hydrocarbon Thickness

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

NP= No Purge

* TOC elevations are referenced to msl.

** GWE has been corrected due to the presence of SPH; correction factor: $[(TOC - DTW) + (SPHT \times 0.80)]$.

1 Laboratory report indicates EPA 8010 were not detected (ND).

2 MTBE confirmed.

3 Chromatogram report indicates an unidentified hydrocarbon.

4 ORC installed.

5 TOC elevation altered due to well head maintenance.

6 Laboratory report indicates gasoline C6-C12.

7 ORC in well.

8 Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1.

9 Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1.

10 Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time.

11 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

12 Laboratory report indicates unidentified hydrocarbons C6-C12.

13 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

14 ORC removed.

15 BTEX and MTBE by EPA Method 8260.

16 Laboratory confirmed analytical result.

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)	
C-1	08/18/86	4.10	--	--	--	
	09/04/86	--	--	--	--	
	07/22/87	--	--	--	--	
	05/03/89	4.46	--	--	--	
	12/04/89	4.16	--	--	--	
	02/14/90	3.64	--	--	--	
	03/07/90	3.36	--	--	--	
	09/06/91	4.43	--	--	--	
	12/15/91	4.78	--	--	--	
	03/03/92	2.39	--	--	--	
	06/04/92	4.08	--	--	--	
	10/13/92	4.75	--	--	--	
	01/11/93	2.26		Sheen	--	--
	04/14/93	2.90		Sheen	--	--
	07/13/93	3.97		Sheen	--	--
	10/19/93	4.50		--	--	--
	11/30/93	4.27		--	--	--
	01/27/94	3.35		--	--	--
	04/07/94	3.42		--	--	--
	07/01/94	3.96		--	--	--
	10/05/94	4.39		--	--	--
	01/12/95	1.52		0.50	0.26	0.26
	04/26/95	4.40		2.20	1.32	1.59
	07/12/95	4.85		1.81	0.66	2.25
	10/30/95	5.67		1.63	0.53	2.77
	01/04/96	3.92		0.12	0.26	3.04
	01/10/96	3.48		0.13	0.07	3.10
	01/17/96	3.40		0.02	0.40	3.50
	01/22/96	2.90		0.00	0.00	3.50
	02/23/96	4.10		1.86	0.66	4.16
	02/28/96	--		>0.83	1.25	5.41
	03/08/96	2.86		1.83	0.26	5.68
	03/08/96	2.30		0.36	0.53	6.20
	03/08/96	2.33		0.36	0.26	6.47
	03/08/96	2.28		0.22	0.53	7.00
	03/26/96	3.96		1.28	0.40	7.39
	04/11/96	5.61		1.75	0.53	7.92
	04/19/96	3.09		0.04	0.40	8.32
	04/24/96	3.04		0.03	0.40	8.71
	05/03/96	4.02		0.46	0.40	9.11
	05/03/96	3.89		0.47	0.00	9.11
	05/08/96	4.25		0.35	0.07	9.17
	05/17/96	3.24		0.04	0.03	9.20
	05/17/96	3.35		0.01	0.03	9.23
	05/17/96	3.43		0.01	0.03	9.26
	05/17/96	3.65		0.01	0.00	9.26
	05/22/96	3.10		0.07	0.08	9.34
	06/18/96	4.68		0.48	0.26	9.60
	07/03/96	5.03		0.13	0.15	9.75
	07/09/96	4.63		0.23	0.09	9.84
	07/17/96	4.73		0.15	0.32	10.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	07/29/96	5.10	0.09	0.26	10.42
	08/02/96	5.68	0.03	0.03	10.45
	08/07/96	5.16	0.01	0.13	10.59
	08/23/96	5.75	0.03	0.03	10.61
	08/28/96	5.53	0.03	0.01	10.63
	09/06/96	5.38	--	0.05	10.67
	09/12/96	5.48	0.03	0.01	10.68
	09/19/96	6.32	0.03	0.01	10.69
	10/10/96	4.58	0.10	0.13	10.83
	10/17/96	5.61	0.01	0.01	10.84
	10/29/96	6.01	--	--	10.84
	11/07/96	5.56	0.04	0.13	10.97
	11/11/96	5.32	0.04	0.13	11.10
	12/20/96	3.33	0.03	0.05	11.16
	12/17/96	3.73	0.01	0.01	11.17
	01/15/97	2.74	--	--	11.17
	01/22/97	1.37	0.19	0.07	11.23
	02/04/97	2.98	0.51	0.15	11.38
	02/20/97	4.09	0.13	0.11	11.48
	03/06/97	3.75	0.56	1.19	12.67
	03/14/97	3.82	0.03	0.12	12.79
	03/20/97	3.73	0.03	0.01	12.80
	03/25/97	4.32	0.01	--	12.80
	03/31/97	3.71	0.03	0.00	12.81
	04/03/97	4.60	0.03	0.00	12.81
	04/09/97	4.25	0.02	0.03	12.84
	04/24/97	4.65	0.02	0.01	12.84
	04/30/97	3.50	0.02	0.01	12.85
	05/22/97	4.97	--	0.01	12.86
	06/03/97	3.62	0.06	0.01	12.86
	07/09/97	4.30	0.06	0.13	13.00
	08/12/97	5.18	0.00	0.05	13.05
	09/30/97	5.25	0.50	0.07	13.12
	10/29/97	5.33	0.03	0.02	13.14
	11/13/97	4.86	0.02	0.03	13.16
	12/18/97	2.34	--	--	13.16
	01/14/98	0.25	0.02	0.13	13.29
	02/02/98	2.35	0.05	0.03	13.32
	03/16/98	2.50	0.50	0.13	13.45
	04/17/98	2.65	0.40	0.11	13.56
	05/01/98	2.39	0.04	0.26	13.82
	06/17/98	3.26	0.08	0.03	13.86
	07/15/98	3.55	--	--	13.86
	09/01/98	4.00	--	--	13.86
	10/27/98	4.48	--	--	13.86
	11/19/98	3.89	--	--	13.86
	12/19/98	2.13	0.02	0.04	13.90
	01/20/99	3.98	--	--	13.90
	02/24/99	2.55	--	--	13.90
	03/26/99	2.14	0.76	0.26	14.16
	04/19/99	1.04	--	--	14.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	04/19/99	1.04	--	--	--
	07/29/99	3.76	0.02	0.01	14.17
	08/30/99	4.30	--	--	14.17
	09/23/99	3.84	0.02	0.03	14.20
	10/13/99	1.27	--	--	14.20
	11/17/99	3.59	--	--	--
	12/08/99	3.79	--	--	--
	01/25/00	1.99	0.04	0.03	14.23
	04/03/00	2.20	0.10	0.00	14.23
	05/26/00	2.52	0.23	0.26	14.49
	06/19/00 ¹	2.89	0.19	0.26	14.75
	07/03/00	3.45	0.25	0.26	15.01
	08/01/00	3.78	0.16	0.10	15.11
	09/30/00	4.03	0.04	0.26	15.37
	10/23/00	4.15	0.03	0.26	15.63
	11/21/00	3.42	0.00	0.26	15.89
	12/22/00	2.96	0.00	0.26	16.15
	01/08/01	2.94	0.00	0.26	16.41
	02/17/01	2.09	0.59	0.26	16.67
	03/13/01	2.20	0.76	0.26	16.93
	04/09/01	2.45	0.26	0.26	17.19
	05/18/01	2.70	0.59	0.26	17.45
	06/12/01	3.50	0.97	0.26	17.71
	07/19/01	4.25	0.95	0.26	17.97
	08/23/01	4.34	0.07	0.26	18.23
	09/17/01	4.39	0.08	0.00	18.23
	10/08/01	4.45	0.04	0.02	18.25
	11/27/01	3.89	0.00	0.00	18.25
	12/17/01	1.81	0.00	0.00	18.25
	01/07/02	2.27	0.51	1.50	19.75
	02/26/02	2.70	0.52	0.13	19.88
	03/27/02	2.87	1.05	0.26	20.14
	04/08/02	2.45	1.23	0.53	20.67
	05/23/02	3.57	0.52	0.12	20.79
	06/17/02	3.90	0.35	0.07	20.86
	07/31/02	4.12	0.20	0.02	20.88
	08/09/02	4.15	0.16	0.02	20.90
	09/17/02	4.33	0.12	0.01	20.91
	10/15/02	4.51	0.15	0.04	20.95
	11/08/02	4.11	0.00	0.00	20.95
	12/19/02	1.14	0.00	0.00	20.95
	01/14/03	1.80	0.00	0.00	20.95
	02/07/03	2.95	0.30	0.05	21.00
	03/20/03	2.86	0.41	0.13	21.13
	04/15/03	2.12	0.10	0.03	21.16
	05/09/03	2.95	0.70	0.22	21.38
	06/27/03	3.97	0.50	0.11	21.49
	07/16/03	3.68	0.28	0.04	21.53
	08/15/03	4.29	0.22	0.03	21.56
	09/26/03	4.60	0.19	0.04	21.60
	10/18/03	4.72	0.15	0.02	21.62

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	11/14/03	4.31	0.20	0.04	21.66
	12/23/03	1.81	0.00	0.00	21.66
	01/22/04	4.19	0.01	0.25 ²	21.91
	02/13/04	3.04	0.04	0.27	22.18
	03/11/04	1.85	0.40	0.04	22.22
	04/22/04	3.08	0.22	0.66	22.88
	05/14/04	3.49	0.03	0.54	23.42
	06/18/04	3.41	0.13	0.63	24.05
	07/23/04	3.28	0.11	0.59	24.64
	08/13/04	3.14	0.05	1.02	25.66
	09/13/04	4.53	0.09	0.03	25.69
	10/22/04	3.19	0.03	1.02	26.71
	11/12/04	3.22	0.03	0.51	27.22
	12/02/04	3.28	0.02	0.26	27.48
	01/28/05	3.19	0.01	0.51	27.99
	02/11/05	2.75	0.04	0.53	28.52
	03/11/05	2.94	0.03	1.02	29.54
	04/26/05	3.03	0.02	1.02	30.56
	05/13/05	3.18	0.02	1.02	31.58
	06/01/05	3.22	0.02	0.51	32.09
	07/15/05	3.09	0.02	1.51	33.60
	08/19/05	2.88	0.03	1.53	35.13
	09/23/05	2.95	0.02	1.02	36.15
	10/14/05	3.01	0.01	0.52	36.67
	11/18/05	3.21	0.02	1.02	37.69
	12/09/05	3.61	0.01	1.01	38.70
	01/12/06	2.98	0.01	0.51	39.21
	02/10/06	2.69	0.01	0.50 ³	39.71
	03/13/06	2.81	0.01	1.00 ⁴	40.71
	04/13/06	2.75	0.01	0.50 ⁴	41.22
	05/12/06	3.02	0.01	0.50 ⁴	41.72
	06/12/06	3.10	0.01	0.50 ⁴	42.22
	07/13/06	3.14	0.02	1.01	43.23
	08/11/06	3.70	0.01	1.01	44.24
	09/11/06	3.75	0.02	1.02	45.26
	10/17/06	3.82	0.01	1.02	46.28
	11/17/06	3.11	0.03	1.02	47.30
	12/15/06	2.95	0.02	1.02	48.32
	01/16/07	2.98	0.02	0.52	48.84
	02/16/07	2.77	0.00	0.00	48.84
	03/16/07	3.07	0.01	0.51 ⁴	49.35
	04/17/07	2.98	0.01	0.50 ³	49.85
	05/17/07	3.05	0.01	0.51 ⁴	50.36
	06/15/07	3.08	0.01	1.02	51.38
	07/17/07	3.13	0.01	0.50 ⁴	51.88
	08/09/07	3.24	0.02	0.52	52.40
	09/14/07	3.16	0.01	0.26 ⁴	52.67
	10/16/07	3.04	0.01	0.26 ⁴	52.93
	11/08/07	3.11	0.01	0.00	52.93
	12/07/07	2.98	0.03	0.55	53.48
	01/16/08	2.95	0.02	0.27	53.75

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	02/06/08	2.61	0.01	0.00	53.75
	03/07/08	2.87	0.02	0.40 ⁴	54.16
	04/16/08	3.06	0.02	0.55	54.71
	05/07/08	2.98	0.03	0.55	55.26
	06/06/08	3.04	0.02	0.55	55.81
	07/16/08	3.12	0.02	0.41	56.22
	09/05/08	3.97	0.28	0.61	56.83
	09/11/08	4.22	0.41	0.92	57.75
	10/17/08	4.16	0.33	0.64	58.39
	11/10/08	4.05	0.11	0.32	58.71
	12/15/08	3.85	0.05	0.30	59.01
	01/21/09	3.91	0.04	0.29	59.30
	02/09/09	3.72	0.01	0.14	59.44

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data prior to July 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DTW = Depth to Water

(ft.) = Feet

SPHT = Separate Phase Hydrocarbon Thickness

-- = Not Measured

- ¹ There is no skimmer present in this well.
- ² Removed less than one ounce of product from well.
- ³ Removed 0.5 ounces of product from well.
- ⁴ Removed 1 ounce of product from well.

Table 3
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
MW-6	11/08/02	2.10	--
	02/07/03	2.60	--
	05/09/03	3.10	--
	08/15/03	2.90	--
	11/14/03	3.41	--
	08/19/05	1.90	--
	11/18/05	1.70	--
	02/10/06	2.20	--
	05/12/06	2.80	--
	08/11/06	2.50	--
	11/17/06	2.20	--
	02/16/07	1.80	--
	05/17/07	2.0	--
	08/09/07	2.6	--
	11/08/07	2.2	--
	02/06/08	2.4	--
	05/07/08	2.3	--
	09/11/08	1.9	--
	11/10/08	2.2	--
	02/09/09	2.0	--
MW-7	11/08/02	-98.00 ¹	--
	02/07/03	2.90	--
	05/09/03	2.60	--
	08/15/03	2.30	--
	11/14/03	1.87	--
	08/19/05	0.80	--
	11/18/05	0.90	--
	02/10/06	1.30	--
	05/12/06	1.40	--
	08/11/06	1.10	--
	11/17/06	0.70	--
	02/16/07	1.10	--
	05/17/07	1.7	--
	08/09/07	1.2	--
	11/08/07	0.9	--
	02/06/08	0.5	--
	05/07/08	1.2	--
	09/11/08	1.0	--
	11/10/08	0.6	--
	02/09/09	0.8	--

EXPLANATIONS:

mg/L = milligrams per liter

-- = Not Measured

¹ Below D.O. meter range.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***MONTHLY MONITORING EVENTS
of
December 15, 2008
January 21, 2009***



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside E Event Date: 12-15-08 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID C-1
 Well Diameter 3 in.
 Total Depth 13.76 ft.
 Depth to Water 3.85 ft.

Date Monitored: 12-15-08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: 1330 (2400 hrs)
 Time Completed: 1400 (2400 hrs)
 Depth to Product: 3.80 ft
 Depth to Water: 3.85 ft
 Hydrocarbon Thickness: 0.05 ft
 Visual Confirmation/Description:
Dark colored product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 5 ounces gal
 Water Removed: 1 liter
 Product Transferred to: 6/2 warehouse

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING AND BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside [Event Date: 1-21-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID C-1 Date Monitored: 1-21-09
 Well Diameter 3 in.
 Total Depth 13.76 ft.
 Depth to Water 3.91 ft. Check if water column is less then 0.50 ft.
 xVF 0 = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: 1425 (2400 hrs)
 Time Completed: 1505 (2400 hrs)
 Depth to Product: 3.87 ft
 Depth to Water: 3.91 ft
 Hydrocarbon Thickness: 0.04 ft
 Visual Confirmation/Description:
Dark smelly product
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 4 ounces
 Water Removed: 1 liter
 Product Transferred to: 0/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING AND BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

***FORMER CHEVRON SERVICE STATION #9-1153
Alameda, CA***

***QUARTERLY MONITORING & SAMPLING EVENT
of
February 9, 2009***



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: C-1 Date Monitored: 2-9-09
 Well Diameter: 210 in.
 Total Depth: 13.75 ft.
 Depth to Water: 3.72 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.72
 $10.03 \times VF 0.38 = 3.81$ x3 case volume = Estimated Purge Volume: 11.5 gal.

- | | |
|---|---|
| Purge Equipment: | Sampling Equipment: |
| Disposable Bailer <input checked="" type="checkbox"/> | Disposable Bailer <input checked="" type="checkbox"/> |
| Stainless Steel Bailer <input type="checkbox"/> | Pressure Bailer <input type="checkbox"/> |
| Stack Pump <input type="checkbox"/> | Discrete Bailer <input type="checkbox"/> |
| Suction Pump <input type="checkbox"/> | Peristaltic Pump <input type="checkbox"/> |
| Grundfos <input type="checkbox"/> | QED Bladder Pump <input type="checkbox"/> |
| Peristaltic Pump <input type="checkbox"/> | Other: <input type="checkbox"/> |
| QED Bladder Pump <input type="checkbox"/> | |
| Other: <input type="checkbox"/> | |

Time Started: 1430 (2400 hrs)
 Time Completed: 1445 (2400 hrs)
 Depth to Product: 3.71 ft
 Depth to Water: 3.72 ft
 Hydrocarbon Thickness: 0.01 ft
 Visual Confirmation/Description: dark colored product
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: gal
 Amt Removed from Well: 1.5 minutes gal
 Water Removed: 0.5 liter
 Product Transferred to: GIR yard

Start Time (purge): 1452 Weather Conditions: cloudy
 Sample Time/Date: 1532 / 2-9-09 Water Color: grayish Odor: (D) N Very strong
 Approx. Flow Rate: gpm. Sediment Description:
 Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling: 4.21

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1503</u>	<u>4</u>	<u>6.42</u>	<u>634</u>	<u>16.2</u>	PRE:	
<u>1512</u>	<u>8</u>	<u>6.47</u>	<u>658</u>	<u>16.6</u>		
<u>1520</u>	<u>11.5</u>	<u>6.51</u>	<u>662</u>	<u>16.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: Removed product from well before purging + sampling.

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: See

Well ID: C-3 Date Monitored: 2-9-09
 Well Diameter: 2(3) in.
 Total Depth: 18.02 ft.
 Depth to Water: 2.95 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.96
 $15.05 \times VF 0.38 = 5.72$ x3 case volume = Estimated Purge Volume: 17.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1315 Weather Conditions: cloudy
 Sample Time/Date: 1415 12-9-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 3.38

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 03)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1330</u>	<u>6</u>	<u>7.21</u>	<u>1208</u>	<u>15.6</u>	PRE: _____	_____
<u>1345</u>	<u>11</u>	<u>7.32</u>	<u>1193</u>	<u>15.7</u>	_____	_____
<u>1403</u>	<u>17.5</u>	<u>7.38</u>	<u>1196</u>	<u>15.4</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-3</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: mw-4 Date Monitored: 2-9-09
 Well Diameter: 213 in.
 Total Depth: 12.35 ft.
 Depth to Water: 2.33 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.33
 $10.02 \times VF 0.17 = 1.70$ x3 case volume = Estimated Purge Volume: 5.5 gal.

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other:

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Peristaltic Pump
- QED Bladder Pump
- Other:

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1030 Weather Conditions: cloudy
 Sample Time/Date: 1110 / 2-9-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 2.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1042</u>	<u>1.5</u>	<u>7.33</u>	<u>1090</u>	<u>16.2</u>	<u>PRE:</u>	
<u>1050</u>	<u>3</u>	<u>7.26</u>	<u>1108</u>	<u>16.4</u>		
<u>1057</u>	<u>5.5</u>	<u>7.20</u>	<u>1104</u>	<u>15.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-5
 Well Diameter: 2.3 in.
 Total Depth: 12.64 ft.
 Depth to Water: 2.15 ft.

Date Monitored: 2-9-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.24
 $10.49 \times VF 0.17 = 1.78 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 5.5 \text{ gal.}$

Purge Equipment:

Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1122 Weather Conditions: cloudy
 Sample Time/Date: 1155 / 2-9-09 Water Color: clean Odor: Y1(N)
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 2.63

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - S)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1130</u>	<u>1.5</u>	<u>7.17</u>	<u>985</u>	<u>17.1</u>	PRE: _____	_____
<u>1137</u>	<u>3</u>	<u>7.23</u>	<u>973</u>	<u>16.4</u>	_____	_____
<u>1143</u>	<u>5.5</u>	<u>7.19</u>	<u>978</u>	<u>16.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-6 Date Monitored: 2-9-09
 Well Diameter: 0213 in.
 Total Depth: 13.35 ft.
 Depth to Water: 2.97 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.04
 $10.38 \times VF 0.17 = 1.76$ x3 case volume = Estimated Purge Volume: 5.5 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1215 Weather Conditions: cloudy
 Sample Time/Date: 1253/2-9-09 Water Color: rusty Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 3.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - ⑤)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1225</u>	<u>1.5</u>	<u>7.12</u>	<u>1239</u>	<u>16.7</u>	<u>PRE: 2.0</u>	
<u>1233</u>	<u>3</u>	<u>7.36</u>	<u>1225</u>	<u>16.1</u>		
<u>1240</u>	<u>5.5</u>	<u>7.35</u>	<u>1218</u>	<u>16.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-7
 Well Diameter: 213 in.
 Total Depth: 11.72 ft.
 Depth to Water: 4.06 ft.

Date Monitored: 2-9-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

7.66 xVF 0.17 = 1.30 x3 case volume = Estimated Purge Volume: 4 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.59

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0835 Weather Conditions: cloudy
 Sample Time/Date: 0912/2-9-09 Water Color: clear Odor: Y/N strong
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.25

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - CS)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0846</u>	<u>1</u>	<u>6.90</u>	<u>1007</u>	<u>15.7</u>	<u>PRE: 0.8</u>	
<u>0852</u>	<u>2.5</u>	<u>6.92</u>	<u>995</u>	<u>15.5</u>		
<u>0900</u>	<u>4</u>	<u>6.87</u>	<u>1012</u>	<u>15.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-8 Date Monitored: 2-9-09
 Well Diameter: 213 in.
 Total Depth: 8.78 ft.
 Depth to Water: 3.28 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 xVF 0.17 = 0.94 x3 case volume = Estimated Purge Volume: 3 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.38

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0745 Weather Conditions: cloudy
 Sample Time/Date: 0815 12-9-09 Water Color: clear Odor: Y (N)
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 3.57

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0755</u>	<u>1</u>	<u>6.98</u>	<u>1293</u>	<u>15.5</u>	PRE:	
<u>0800</u>	<u>2</u>	<u>7.23</u>	<u>1307</u>	<u>15.4</u>		
<u>0805</u>	<u>3</u>	<u>7.31</u>	<u>1314</u>	<u>15.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: MW-9 Date Monitored: 2-9-09
 Well Diameter: 2 1/2 in.
 Total Depth: 7.87 ft.
 Depth to Water: 3.91 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

3.96 xVF 0.17 = 0.67 x3 case volume = Estimated Purge Volume: 2.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.70

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 0940 Weather Conditions: cloudy
 Sample Time/Date: 1015 2-9-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.12

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0947</u>	<u>1</u>	<u>7.42</u>	<u>1065</u>	<u>16.2</u>	PRE:	
<u>0952</u>	<u>2</u>	<u>7.40</u>	<u>1072</u>	<u>16.1</u>		
<u>0958</u>	<u>2.5</u>	<u>7.37</u>	<u>1074</u>	<u>16.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr. Event Date: 2-9-09 (inclusive)
 City: Alameda, CA Sampler: Joc

Well ID: MW-10 Date Monitored: 2-9-09
 Well Diameter: 213 in.
 Total Depth: 8.95 ft.
 Depth to Water: 2.17 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 0
 xVF 1 = 1 x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: Grab sample

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: cloudy
 Sample Time/Date: 0718 / 2-9-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 0

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
PRE:						
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: Grab sample. Limited time on a very busy High St.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



021829-04

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 5597132-41 Group #: 009708

Group# 1131719

Facility #: SS#9-T153-OML G-R#386423 Global ID#T0600100330
 Site Address: 3135 GIBBONS DRIVE, ALAMEDA, CA
 Chevron PM: AC Lead Consultant: CRACE
G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568
 Consultant/Office: Deanne L. Harding (deanna@grinc.com)
 Consultant Prj. Mgr.:
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: JOE ATEMIAN

Sample Identification			Date Collected		Time Collected		Matrix		Total Number of Containers		Analyses Requested										Preservative Codes		Comments / Remarks	
											Preservation Codes													
Grab	Composite	Soil	Water	Oil	Air	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Disolved Lead Method	H	N	S	T	B	O				
<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																	

Turnaround Time Requested (TAT) (please circle)
 8TD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed **EDF/EDD**
 WIP (RWQCB)
 Disk

Relinquished by: [Signature] Date: 210-09 Time: 1342 Received by: [Signature] Date: 16 FEB 09 Time: 1342

Relinquished by: [Signature] Date: 16 FEB 09 Time: 1030 Received by: FED EX Date: Time:

Relinquished by: _____ Date: Time: Received by: _____ Date: Time:

Relinquished by Commercial Carrier: _____ Received by: [Signature] Date: 210-09 Time: 0940

UPS FedEx Other _____ Temperature Upon Receipt: 12.3.0 °C Custody Seals Intact? Yes No



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

RECEIVED

Prepared for:

FEB 17 2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GETTLER-RYAN INC.
GENERAL CONTRACTORS

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 1131719. Samples arrived at the laboratory on Wednesday, February 11, 2009. The PO# for this group is 0015025028 and the release number is COSTA.

<u>Client Description</u>	<u>Lancaster Labs Number</u>
QA-T-090209 NA Water	5597132
C-1-W-090209 Grab Water	5597133
C-3-W-090209 Grab Water	5597134
MW-4-W-090209 Grab Water	5597135
MW-5-W-090209 Grab Water	5597136
MW-6-W-090209 Grab Water	5597137
MW-7-W-090209 Grab Water	5597138
MW-8-W-090209 Grab Water	5597139
MW-9-W-090209 Grab Water	5597140
MW-10-W-090209 Grab Water	5597141

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

Martha L. Seidel

Martha L. Seidel
Senior Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5597132

Group No. 1131719

QA-T-090209 NA Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 QA
 Collected: 02/09/2009

Account Number: 10904

Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 19:18	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/12/2009 23:17	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 19:18	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/12/2009 23:17	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5597133

Group No. 1131719

C-1-W-090209 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 C-1
Collected:02/09/2009 15:32 by JA

Account Number: 10904

Submitted: 02/11/2009 09:40
Reported: 02/16/2009 at 22:46
Discard: 03/19/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GIBC1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Detection Limit	
01728	TPH-GRO N. CA water C6-C12	n.a.	53,000	1,300	ug/l	25
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	1	ug/l	2.5
05401	Benzene	71-43-2	3,100	13	ug/l	25
05407	Toluene	108-88-3	66	1	ug/l	2.5
05415	Ethylbenzene	100-41-4	660	13	ug/l	25
06310	Xylene (Total)	1330-20-7	3,700	13	ug/l	25

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/13/2009 03:28	Katrina T Longenecker	25
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/12/2009 23:44	Kelly E Brickley	2.5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 00:11	Kelly E Brickley	25
01146	GC VOA Water Prep	SW-846 5030B	1	02/13/2009 03:28	Katrina T Longenecker	25
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/12/2009 23:44	Kelly E Brickley	2.5
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/13/2009 00:11	Kelly E Brickley	25



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5597134

Group No. 1131719

C-3-W-090209 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 C-3
 Collected: 02/09/2009 14:15 by JA

Account Number: 10904

Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBC3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 22:10	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/12/2009 21:57	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 22:10	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/12/2009 21:57	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW5597135**

Group No. **1131719**

MW-4-W-090209 Grab Water

Facility# **91153** Job# **386423 GRD**

3135 Gibbons Dr-Alameda T0600100330 MW-4

Collected: **02/09/2009 11:10** by **JA**

Account Number: **10904**

Submitted: **02/11/2009 09:40**

Reported: **02/16/2009 at 22:46**

Discard: **03/19/2009**

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

GIBM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 22:34	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 00:38	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 22:34	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 00:38	Kelly E Brickley	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5597136

Group No. 1131719

MW-5-W-090209 Grab Water

Facility# 91153 Job# 386423 GRD

3135 Gibbons Dr-Alameda T0600100330 MW-5

Collected: 02/09/2009 11:55 by JA

Account Number: 10904

Submitted: 02/11/2009 09:40

Reported: 02/16/2009 at 22:46

Discard: 03/19/2009

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

GIBM5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 22:59	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 01:05	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 22:59	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 01:05	Kelly E Brickley	1

Lancaster Laboratories Sample No. WW5597137
Group No. 1131719
MW-6-W-090209 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-6
 Collected: 02/09/2009 12:53 by JA

Account Number: 10904

 Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

 Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBM6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	2	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 23:23	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 01:32	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 23:23	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 01:32	Kelly E Brickley	1

Lancaster Laboratories Sample No. **WW5597138**

Group No. **1131719**

MW-7-W-090209 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-7
 Collected: 02/09/2009 09:12 by JA

Account Number: 10904

Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBM7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	3,900	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.5	0.5	ug/l	1
05401	Benzene	71-43-2	190	0.5	ug/l	1
05407	Toluene	108-88-3	2	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	51	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	11	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/12/2009 23:48	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 01:59	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/12/2009 23:48	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 01:59	Kelly E Brickley	1

Lancaster Laboratories Sample No. WW5597139
Group No. 1131719
MW-8-W-090209 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-8
 Collected: 02/09/2009 08:15 by JA

Account Number: 10904

 Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

 Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBM8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/13/2009 00:12	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 02:25	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/13/2009 00:12	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 02:25	Kelly E Brickley	1

Lancaster Laboratories Sample No. WW5597140

Group No. 1131719

MW-9-W-090209 Grab Water
 Facility# 91153 Job# 386423 GRD
 3135 Gibbons Dr-Alameda T0600100330 MW-9
 Collected: 02/09/2009 10:15 by JA

Account Number: 10904

Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIBM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/13/2009 00:36	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 02:52	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/13/2009 00:36	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 02:52	Kelly E Brickley	1

Lancaster Laboratories Sample No. WW5597141
Group No. 1131719
MW-10-W-090209 Grab Water
Facility# 91153 Job# 386423 GRD
3135 Gibbons Dr-Alameda T0600100330 MW-10
 Collected: 02/09/2009 07:18 by JA

Account Number: 10904

 Submitted: 02/11/2009 09:40
 Reported: 02/16/2009 at 22:46
 Discard: 03/19/2009

 Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GIB10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	Detection Limit 50	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	02/13/2009 01:01	Katrina T Longenecker	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/13/2009 03:19	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/13/2009 01:01	Katrina T Longenecker	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/13/2009 03:19	Kelly E Brickley	1

Quality Control Summary

Client Name: Chevron

Group Number: 1131719

Reported: 02/16/09 at 10:46 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 09043A07A TPH-GRO N. CA water C6-C12	Sample number(s): 5597132-5597141 N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: P090434AA Methyl Tertiary Butyl Ether	Sample number(s): 5597132-5597141 N.D.	0.5	ug/l	91		73-119		
Benzene	N.D.	0.5	ug/l	88		78-119		
Toluene	N.D.	0.5	ug/l	88		85-115		
Ethylbenzene	N.D.	0.5	ug/l	88		82-119		
Xylene (Total)	N.D.	0.5	ug/l	89		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 09043A07A TPH-GRO N. CA water C6-C12	Sample number(s): 5597132-5597141 109		63-154	UNSPK: 5597140					
Batch number: P090434AA Methyl Tertiary Butyl Ether	Sample number(s): 5597132-5597141 98	95	69-127	3	30				
Benzene	98	95	83-128	4	30				
Toluene	97	94	83-127	3	30				
Ethylbenzene	96	93	82-129	3	30				
Xylene (Total)	96	93	82-130	3	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 09043A07A
Trifluorotoluene-F

5597132	97
5597133	114
5597134	93
5597135	92
5597136	93

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 02/16/09 at 10:46 PM

Group Number: 1131719

Surrogate Quality Control

5597137	94
5597138	190*
5597139	91
5597140	96
5597141	92
Blank	96
LCS	105
LCSD	105
MS	105

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B
Batch number: P090434AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5597132	95	96	94	86
5597133	95	96	92	93
5597134	98	97	94	86
5597135	97	97	94	87
5597136	97	97	94	86
5597137	97	99	94	86
5597138	95	97	92	90
5597139	97	98	94	86
5597140	97	96	94	86
5597141	96	97	94	86
Blank	97	98	93	86
LCS	97	100	94	87
MS	98	100	93	87
MSD	97	101	94	88
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT B

GETTLER-RYAN'S MARCH 27, 2009 *MONTHLY EVENT* REPORT




TRANSMITTAL

March 27, 2009

G-R #386423

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608
(VIA PDF)

CC: Mr. Aaron Costa
Chevron Environmental
Management Company
6111 Bollinger Canyon Road,
Room 6330
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc. 
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-1153
3135 Gibbons Drive
(Former Address: 3126 Fernside Blvd.)
Alameda, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1		Monthly Event of March 16, 2009

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (Distributed by CRA via PDF)

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **April 10, 2009**, at which time this final report will be distributed to the following:

cc: Mr. Mark Hom, 3135 Gibbons Drive, Alameda, CA 94501

Enclosures
trans/9-1153-AC

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1										
08/18/86	--	4.10	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	15,000	760	820	1,500	--	--
07/22/87	--	--	--	--	1,100	250	7.0	40	--	--
05/03/89	--	4.46	--	--	6,900	3,800	190	229	--	--
12/04/89	--	4.16	--	--	17,000	8,000	490	470	--	--
02/14/90	--	3.64	--	--	19,000	12,000	990	1,050	--	--
03/07/90	--	3.36	--	--	--	4,260	261	430	--	--
09/06/91	--	4.43	--	--	21,000	10,000	100	240	560	--
12/15/91	--	4.78	--	--	20,000	4,900	43	110	330	--
03/03/92	--	2.39	--	--	13,000	5,800	730	340	1,200	--
06/04/92	4.08	4.08	0.00	--	34,000	9,400	350	290	1,200	--
10/13/92	4.08	4.75	-0.67	--	24,000	11,000	98	280	530	--
01/11/93	4.08	2.26	1.82	Sheen	7,100	1,500	130	150	700	--
04/14/93	4.08	2.90	1.18	Sheen	29,000	7,300	4,000	640	2,300	--
07/13/93	4.08	3.97	0.11	Sheen	650,000	27,000	18,000	6,300	29,000	--
10/19/93	4.08	4.50	-0.42	--	40,000	12,000	730	1,100	3,600	--
11/30/93	7.50	4.27	3.23	--	--	--	--	--	--	--
01/27/94	7.50	3.35	4.15	--	36,000	8,600	220	670	1,900	--
04/07/94	7.50	3.42	4.08	--	53,000	12,000	3,500	480	3,300	--
07/01/94	7.50	3.96	3.54	--	65,000	19,000	5,900	1,000	9,000	--
10/05/94	7.50	4.39	3.11	--	160,000	23,000	12,000	2,200	11,000	--
01/12/95	7.50	1.52	6.38	0.50	--	--	--	--	--	--
04/26/95	7.50	4.40	4.86	2.20	--	--	--	--	--	--
07/12/95	7.50	4.85	4.10	1.81	--	--	--	--	--	--
10/30/95	7.50	5.67	3.13	1.63	--	--	--	--	--	--
01/04/96	7.50	3.92	3.68	0.12	--	--	--	--	--	--
01/10/96	7.50	3.48	4.12	0.13	--	--	--	--	--	--
01/17/96	7.50	3.40	4.12	0.02	--	--	--	--	--	--
01/22/96	7.50	2.90	4.60	0.00	82,000	18,000	4,400	1,400	5,200	<1,000
02/23/96	7.50	4.10	4.89	1.86	--	--	--	--	--	--
02/28/96	7.50	--	--	>0.83	--	--	--	--	--	--
03/08/96	7.50	2.86	6.10	1.83	--	--	--	--	--	--
03/08/96	7.50	2.30	5.49	0.36	--	--	--	--	--	--
03/08/96	7.50	2.33	5.46	0.36	--	--	--	--	--	--
03/08/96	7.50	2.28	5.40	0.22	--	--	--	--	--	--
03/26/96	7.50	3.96	4.56	1.28	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
04/11/96	7.50	5.61	3.29	1.75	--	--	--	--	--	--
04/19/96	7.50	3.09	4.44	0.04	--	--	--	--	--	--
04/24/96	7.50	3.04	4.48	0.03	--	--	--	--	--	--
05/03/96	7.50	4.02	3.85	0.46	--	--	--	--	--	--
05/03/96	7.50	3.89	3.99	0.47	--	--	--	--	--	--
05/08/96	7.50	4.25	3.53	0.35	--	--	--	--	--	--
05/17/96	7.50	3.24	4.29	0.04	--	--	--	--	--	--
05/17/96	7.50	3.35	4.16	0.01	--	--	--	--	--	--
05/17/96	7.50	3.43	4.08	0.01	--	--	--	--	--	--
05/17/96	7.50	3.65	3.86	0.01	--	--	--	--	--	--
05/22/96	7.50	3.10	4.46	0.07	--	--	--	--	--	--
06/18/96	7.50	4.68	3.20	0.48	--	--	--	--	--	--
07/03/96	7.50	5.03	2.57	0.13	--	--	--	--	--	--
07/09/96	7.50	4.63	3.05	0.23	--	--	--	--	--	--
07/17/96	7.50	4.73	2.89	0.15	--	--	--	--	--	--
07/29/96	7.50	5.10	2.47	0.09	--	--	--	--	--	--
08/02/96	7.50	5.68	1.84	0.03	--	--	--	--	--	--
08/07/96	7.50	5.16	2.35	0.01	--	--	--	--	--	--
08/23/96	7.50	5.75	1.77	0.03	--	--	--	--	--	--
08/28/96	7.50	5.53	1.99	0.03	--	--	--	--	--	--
09/06/96	7.50	5.38	2.12	--	--	--	--	--	--	--
09/12/96	7.50	5.48	2.04	0.03	--	--	--	--	--	--
09/19/96	7.50	6.32	1.20	0.03	--	--	--	--	--	--
10/10/96	7.50	4.58	3.00	0.10	--	--	--	--	--	--
10/17/96	7.50	5.61	1.90	0.01	--	--	--	--	--	--
10/29/96	7.50	6.01	1.49	--	--	--	--	--	--	--
11/07/96	7.50	5.56	1.94	0.04	--	--	--	--	--	--
11/11/96	7.50	5.32	2.18	0.04	--	--	--	--	--	--
12/20/96	7.50	3.33	4.17	0.03	--	--	--	--	--	--
12/17/96	7.50	3.73	3.77	0.01	--	--	--	--	--	--
01/15/97	7.50	2.74	4.76	--	47,000	16,000	2,800	1,300	4,900	<1,000
01/22/97	7.50	1.37	6.13	0.19	--	--	--	--	--	--
02/04/97	7.50	2.98	4.52	0.51	--	--	--	--	--	--
02/20/97	7.50	4.09	3.41	0.13	--	--	--	--	--	--
03/06/97	7.50	3.75	3.75	0.56	--	--	--	--	--	--
03/14/97	7.50	3.82	3.68	0.03	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/20/97	7.50	3.73	3.77	0.03	--	--	--	--	--	--
03/25/97	7.50	4.32	3.18	0.01	--	--	--	--	--	--
03/31/97	7.50	3.71	3.79	0.03	--	--	--	--	--	--
04/03/97	7.50	4.60	2.92	0.03	--	--	--	--	--	--
04/09/97	7.50	4.25	3.27	0.02	--	--	--	--	--	--
04/24/97	7.50	4.65	2.87	0.02	--	--	--	--	--	--
04/30/97	7.50	3.50	4.02	0.02	--	--	--	--	--	--
05/22/97	7.50	4.97	2.53	--	--	--	--	--	--	--
06/03/97	7.50	3.62	3.93	0.06	--	--	--	--	--	--
07/09/97	7.50	4.30	3.25	0.06	--	--	--	--	--	--
08/12/97	7.50	5.18	2.32	0.00	--	--	--	--	--	--
09/30/97	7.50	5.25	2.65	0.50	--	--	--	--	--	--
10/29/97	7.50	5.33	2.19	0.03	--	--	--	--	--	--
11/13/97	7.50	4.86	2.66	0.02	--	--	--	--	--	--
12/18/97	7.50	2.34	5.16	--	--	--	--	--	--	--
01/14/98	7.50	0.25	7.27	0.02	--	--	--	--	--	--
02/02/98	7.50	2.35	5.19	0.05	--	--	--	--	--	--
03/16/98	7.50	2.50	5.40	0.50	--	--	--	--	--	--
04/17/98	7.50	2.65	5.17	0.40	--	--	--	--	--	--
05/01/98	7.50	2.39	5.14	0.04	--	--	--	--	--	--
06/17/98	7.50	3.26	4.30	0.08	--	--	--	--	--	--
07/15/98	7.50	3.55	3.95	--	110,000	22,000	22,000	1,000	10,000	<250
09/01/98	7.50	4.00	3.50	--	--	--	--	--	--	--
10/27/98	7.50	4.48	3.02	--	45,000	12,000	5,400	590	4,300	<500
11/19/98	7.50	3.89	3.61	--	--	--	--	--	--	--
12/19/98	7.50	2.13	5.39	0.02	--	--	--	--	--	--
01/20/99	7.50	3.98	3.52	--	50,300	7,050	5,030	244	6,090	<40
02/24/99	7.50	2.55	4.95	--	--	--	--	--	--	--
03/26/99	7.50	2.14	5.97	0.76	--	--	--	--	--	--
04/19/99	7.50	1.04	6.46	--	150,000	21,000	20,000	3,000	18,000	<2.5/49 ²
07/29/99	7.50	3.76	3.76	0.02	--	--	--	--	--	--
08/30/99	7.50	4.30	3.20	--	--	--	--	--	--	--
09/23/99	7.50	3.84	3.68	0.02	--	--	--	--	--	--
10/13/99	7.50	1.27	6.23	--	136,000	23,900	30,000	2,390	17,300	<500
11/17/99	7.50	3.59	3.91	--	--	--	--	--	--	--
12/08/99	7.50	3.79	3.71	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
01/25/00	7.50	1.99	5.54	0.04	--	--	--	--	--	--
04/03/00	7.50	2.20	5.38**	0.10	--	--	--	--	--	--
05/26/00	7.50	2.52	5.16**	0.23	--	--	--	--	--	--
06/19/00	7.50	2.89	4.76**	0.19	--	--	--	--	--	--
07/03/00	7.50	3.45	4.25**	0.25	--	--	--	--	--	--
08/01/00	7.50	3.78	3.85**	0.16	--	--	--	--	--	--
09/30/00	7.50	4.03	3.50**	0.04	--	--	--	--	--	--
10/23/00	7.50	4.15	3.37**	0.03	--	--	--	--	--	--
11/21/00	7.50	3.42	4.08	0.00	--	--	--	--	--	--
12/22/00	7.50	2.96	4.54	0.00	--	--	--	--	--	--
01/08/01	7.50	2.94	4.56	0.00	--	--	--	--	--	--
02/17/01	7.50	2.09	5.88**	0.59	--	--	--	--	--	--
03/13/01	7.50	2.20	5.91**	0.76	--	--	--	--	--	--
04/09/01	7.50	2.45	5.26**	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
05/18/01	7.50	2.70	5.27**	0.59	--	--	--	--	--	--
06/12/01	7.50	3.50	4.78**	0.97	--	--	--	--	--	--
07/19/01	7.50	4.25	4.01**	0.95	--	--	--	--	--	--
08/23/01	7.50	4.34	3.22**	0.07	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/01	7.50	4.39	3.17**	0.08	--	--	--	--	--	--
10/08/01	7.50	4.45	3.08**	0.04	--	--	--	--	--	--
11/27/01	7.50	3.89	3.61	0.00	330,000	9,800	5,300	3,800	22,000	<50
12/17/01	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/07/02	7.50	2.27	5.64**	0.51	--	--	--	--	--	--
02/26/02	7.50	2.70	5.22**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
03/27/02	7.50	2.87	5.47**	1.05	--	--	--	--	--	--
04/08/02	7.50	2.45	6.03**	1.23	--	--	--	--	--	--
05/23/02	7.50	3.57	4.35**	0.52	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
06/17/02	7.50	3.90	3.88**	0.35	--	--	--	--	--	--
07/31/02	7.50	4.12	3.54**	0.20	--	--	--	--	--	--
08/09/02	7.50	4.15	3.48**	0.16	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
09/17/02	7.50	4.33	3.27**	0.12	--	--	--	--	--	--
10/15/02	7.50	4.51	3.11**	0.15	--	--	--	--	--	--
11/08/02	7.50	4.11	3.39	0.00	51,000	7,000	510	820	5,800	<3.0
12/19/02	7.50	1.14	6.36	0.00	--	--	--	--	--	--
01/14/03	7.50	1.80	5.70	0.00	--	--	--	--	--	--
02/07/03	7.50	2.95	4.79**	0.30	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/20/03	7.50	2.86	4.97**	0.41	--	--	--	--	--	--
04/15/03	7.50	2.12	5.46**	0.10	--	--	--	--	--	--
05/09/03	7.50	2.95	5.11**	0.70	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/27/03	7.50	3.97	3.93**	0.50	--	--	--	--	--	--
07/16/03	7.50	3.68	4.04**	0.28	--	--	--	--	--	--
08/15/03	7.50	4.29	3.39**	0.22	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
09/26/03	7.50	4.60	3.05**	0.19	--	--	--	--	--	--
10/18/03	7.50	4.72	2.90**	0.15	--	--	--	--	--	--
11/14/03	7.50	4.31	3.35**	0.20	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/23/03	7.50	1.81	5.69	0.00	--	--	--	--	--	--
01/22/04	7.50	4.19	3.32**	0.01	--	--	--	--	--	--
02/13/04	7.50	3.04	4.49**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
03/11/04	7.50	1.85	5.97**	0.40	--	--	--	--	--	--
04/22/04	7.50	3.08	4.60**	0.22	--	--	--	--	--	--
05/14/04	7.50	3.49	4.03**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/18/04	7.50	3.41	4.19**	0.13	--	--	--	--	--	--
07/23/04	7.50	3.28	4.31**	0.11	--	--	--	--	--	--
08/13/04	7.50	3.14	4.40**	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
09/13/04	7.50	4.53	3.04**	0.09	--	--	--	--	--	--
10/22/04	7.50	3.19	4.33**	0.03	--	--	--	--	--	--
11/12/04	7.50	3.22	4.30**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/02/04	7.50	3.28	4.24**	0.02	--	--	--	--	--	--
01/28/05	7.50	3.19	4.32**	0.01	--	--	--	--	--	--
02/11/05	7.50	2.75	4.78**	0.04	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
03/11/05	7.50	2.94	4.58**	0.03	--	--	--	--	--	--
04/26/05	7.50	3.03	4.49**	0.02	--	--	--	--	--	--
05/13/05	7.50	3.18	4.34**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/01/05	7.50	3.22	4.30**	0.02	--	--	--	--	--	--
07/15/05	7.50	3.09	4.43**	0.02	--	--	--	--	--	--
08/19/05	7.50	2.88	4.64**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
09/23/05	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
10/14/05	7.50	3.01	4.50**	0.01	--	--	--	--	--	--
11/18/05	7.50	3.21	4.31**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/09/05	7.50	3.61	3.90**	0.01	--	--	--	--	--	--
01/12/06	7.50	2.98	4.53**	0.01	--	--	--	--	--	--
02/10/06 ¹⁵	7.50	2.69	4.82**	0.01	100,000	11,000	2,500	2,900	15,000	<10

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
03/13/06	7.50	2.81	4.70**	0.01	--	--	--	--	--	--
04/13/06	7.50	2.75	4.76**	0.01	--	--	--	--	--	--
05/12/06	7.50	3.02	4.49**	0.01	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/12/06	7.50	3.10	4.41**	0.01	--	--	--	--	--	--
07/13/06	7.50	3.14	4.38**	0.02	--	--	--	--	--	--
08/11/06 ¹⁵	7.50	3.70	3.81**	0.01	200,000	8,600	470	1,700	8,800	<10
09/11/06	7.50	3.75	3.77**	0.02	--	--	--	--	--	--
10/17/06	7.50	3.82	3.69**	0.01	--	--	--	--	--	--
11/17/06	7.50	3.11	4.41**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/15/06	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
01/16/07	7.50	2.98	4.54**	0.02	--	--	--	--	--	--
02/16/07 ¹⁵	7.50	2.77	4.73	0.00	25,000	4,300	260	310	3,300	<5
03/16/07	7.50	3.07	4.44**	0.01	--	--	--	--	--	--
04/17/07	7.50	2.98	4.53**	0.01	--	--	--	--	--	--
05/17/07 ¹⁵	7.50	3.05	4.46**	0.01	110,000 ¹⁶	12,000 ¹⁶	1,000 ¹⁶	2,000 ¹⁶	15,000 ¹⁶	<5
06/15/07	7.50	3.08	4.43**	0.01	--	--	--	--	--	--
07/17/07	7.50	3.13	4.38**	0.01	--	--	--	--	--	--
08/09/07	7.50	3.24	4.28**	0.02	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
09/14/07	7.50	3.16	4.35**	0.01	--	--	--	--	--	--
10/16/07	7.50	3.04	4.47**	0.01	--	--	--	--	--	--
11/08/07 ¹⁵	7.50	3.11	4.40**	0.01	150,000	13,000	570	1,800	10,000	<13
12/07/07	7.50	2.98	4.54**	0.03	--	--	--	--	--	--
01/16/08	7.50	2.95	4.57**	0.02	--	--	--	--	--	--
02/06/08 ¹⁵	7.50	2.61	4.90**	0.01	110,000	13,000	500	5,300	21,000	<10
03/07/08	7.50	2.87	4.65**	0.02	--	--	--	--	--	--
04/16/08	7.50	3.06	4.46**	0.02	--	--	--	--	--	--
05/07/08	7.50	2.98	4.54**	0.03	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/06/08	7.50	3.02	4.50**	0.02	--	--	--	--	--	--
07/16/08	7.50	3.12	4.40**	0.02	--	--	--	--	--	--
09/05/08	7.50	3.97	3.75**	0.28	--	--	--	--	--	--
09/11/08	7.50	4.22	3.61**	0.41	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
10/17/08	7.50	4.16	3.60**	0.33	--	--	--	--	--	--
11/10/08	7.50	4.05	3.54**	0.11	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
12/15/08	7.50	3.85	3.69**	0.05	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-1 (cont)										
01/21/09	7.50	3.91	3.62**	0.04	--	--	--	--	--	--
02/09/09 ¹⁵	7.50	3.72	3.79**	0.01	53,000	3,100	66	660	3,700	<1
03/16/09	7.50	3.81	3.71**	0.03	--	--	--	--	--	--
C-3										
08/18/86	--	4.00	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	50	3.2	5.4	5.8	--	--
07/22/87	--	--	--	--	<50	<0.5	<1.0	<4.0	--	--
05/03/89	--	4.15	--	--	<50	<0.5	<1.0	<2.0	--	--
12/04/89	--	4.24	--	--	<250	<0.5	<0.5	<0.5	--	--
02/14/90	--	3.57	--	--	<50	<0.5	<0.5	<0.5	--	--
03/07/90	--	3.31	--	--	--	<5.0	<5.0	<5.0	--	--
09/06/91	--	4.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	4.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	2.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	4.41	4.01	0.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	4.41	4.79	-0.38	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	4.41	2.01	2.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	4.41	2.76	1.65	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	4.41	3.96	0.45	--	<50	<0.5	<0.5	<0.5	<1.5	--
10/19/93	4.41	4.53	-0.12	--	66	12	1.4	1.0	8.4	--
11/30/93	7.83	4.04	3.79	--	--	--	--	--	--	--
01/27/94	7.83	3.17	4.66	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.83	3.20	4.63	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.83	3.99	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.83	4.54	3.29	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.83	0.80	7.03	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/02/95	7.83	2.15	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.83	3.42	4.41	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	7.83	4.46	3.37	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.83	1.73	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.83	2.62	5.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.83	3.94	3.89	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.83	4.06	3.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.83	1.54	6.29	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-3 (cont)										
04/03/97	7.83	3.23	4.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.83	4.36	3.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.83	4.65	3.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.83	0.77	7.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	7.83	3.72	4.11	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.83	2.65	5.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.83	1.78	6.05	--	--	--	--	--	--	--
04/03/00	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.83	--	--	--	--	--	--	--	--	--
10/23/00	7.83	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.83	3.71	4.12	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.83	--	--	--	--	--	--	--	--	--
08/23/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.83	2.38	5.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.83	2.73	5.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.83	2.81	5.02	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.83	2.58	5.25	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.83	2.52	5.31	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.83	2.63	5.20	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.83	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
C-3 (cont)										
11/08/07	7.83	MONITORED/SAMPLED ANNUALLY								
02/06/08 ¹⁵	7.83	2.91	4.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.83	MONITORED/SAMPLED ANNUALLY								
09/11/08	7.83	MONITORED/SAMPLED ANNUALLY								
11/10/08	7.83	MONITORED/SAMPLED ANNUALLY								
02/09/09 ¹⁵	7.83	2.95	4.88	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4										
06/04/92	3.58	3.63	-0.05	--	<50	0.8	<0.5	<0.5	<0.5	--
10/13/92	3.58	--	--	--	--	--	--	--	--	--
01/11/93	3.58	1.89	1.69	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	3.58	2.20	1.38	--	<50	<0.5	<0.5	<0.5	<1.5	--
07/13/93	3.58	3.51	0.07	--	54	2.6	1.6	<0.5	<1.5	--
10/19/93	3.58	4.22	-0.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/30/93	7.01	4.01	3.00	--	--	--	--	--	--	--
01/27/94	7.01	2.89	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/07/94	7.01	3.06	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.01	3.59	3.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.01	4.33	2.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	7.01	1.20	5.81	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	7.01	1.15	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	7.01	2.72	4.29	--	<50	6.4	<0.5	0.63	0.72	--
10/30/95	7.01	4.08	2.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.01	1.76	5.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.01	1.95	5.06	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.01	3.37	3.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.01	3.96	3.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.01	1.27	5.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.01	2.11	4.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.01	4.04	2.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.01	4.56	2.45	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.01	0.39	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.01	2.83	4.18	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.01	2.91	4.10	--	--	--	--	--	--	--
01/25/00	7.01	1.92	5.09	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)										
04/03/00	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.01	--	--	--	--	--	--	--	--	--
10/23/00	7.01	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.01	3.02	3.99	0.00	87 ¹²	<0.50	<0.50	0.55	2.9	<2.5
04/09/01	7.01	--	--	--	--	--	--	--	--	--
08/23/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.01	1.37	5.64	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.01	1.72	5.29	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.01	1.82	5.19	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.01	1.46	5.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.01	1.35	5.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.01	1.48	5.53	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08 ¹⁵	7.01	1.27	5.74	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
09/11/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/10/08	7.01	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/09/09 ¹⁵	7.01	2.33	4.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5										
06/04/92	3.61	3.25	0.36	--	560	110	0.5	37	2.2	--
10/13/92	3.61	4.20	-0.59	--	1,200	150	<2.5	84	8.6	--
01/11/93	3.61	1.30	2.31	--	1,300	48	1.0	83	33	--
04/14/93	3.61	1.20	2.41	--	2,600	240	6.1	250	170	--
07/13/93	3.61	3.15	0.46	--	1,700	260	7.8	160	100	--
10/19/93	3.61	3.82	-0.21	--	1,900	190	3.3	200	93	--
11/30/93	7.04	3.56	3.48	--	--	--	--	--	--	--
01/27/94	7.04	2.42	4.62	--	4,000	100	12	210	110	--
04/07/94	7.04	2.33	4.71	--	2,600	170	10	150	88	--
07/01/94	7.04	3.18	3.86	--	2,300	350	9.1	110	76	--
10/05/94	7.04	3.98	3.06	--	11,000	840	150	130	340	--
01/12/95	7.04	0.40	6.64	--	2,300	82	<2.5	54	20	--
04/26/95	7.04	0.50	6.54	--	1,600	52	<5.0	36	61	--
07/12/95	7.04	2.41	4.63	--	2,800	150	<5.0	34	38	--
10/30/95	7.04	3.78	3.26	--	1,100	81	<5.0	<5.0	<5.0	35
01/22/96	7.04	0.78	6.26	--	880	7.3	<2.0	15	4.8	<10
04/24/96	7.04	1.65	5.39	--	1,600	51	3.8	14	5.6	56
07/29/96	7.04	INACCESSIBLE	--	--	--	--	--	--	--	--
10/10/96	7.04	3.60	3.44	--	1,000	18	<1.2	1.5	<1.2	<6.2
01/15/97	7.04	0.45	6.59	--	520	0.84	<0.5	3.1	1.2	8.4
04/03/97	7.04	2.11	4.93	--	1,400	13	<2.0	4.3	8.4	32
07/09/97	7.04	3.71	3.33	--	810	3.6	0.97	<0.5	<0.5	9.7
10/29/97	7.04	4.20	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.04	0.00	7.04	--	430	5.8	2.4	<0.5	1.6	17
04/17/98	7.04	0.71	6.33	--	SAMPLED SEMI-ANNUALLY		--	--	--	--
07/15/98	7.04	0.00	7.04	--	990	11	3.9	0.56	2.2	61
10/27/98	7.04	4.23	2.81	--	--	--	--	--	--	--
01/20/99	7.04	2.58	4.46	--	168	<0.5	<0.5	<0.5	0.692	<2.0
04/19/99	7.04	2.07	4.97	--	--	--	--	--	--	--
07/29/99	7.04	3.43	3.61	--	246	1.54	<0.5	<0.5	<0.5	<5.0/<2.0 ²
10/13/99	7.04	INACCESSIBLE	--	--	--	--	--	--	--	--
01/25/00	7.04	1.51	5.53	--	169	1.94	<0.5	<0.5	<0.5	201
04/03/00	7.04	1.20	5.84	0.00	--	--	--	--	--	--
07/03/00	7.04	2.98	4.06	0.00	320 ^{6,10}	5.3	1.1	<0.50	<0.50	5.0
10/23/00	7.04	4.18	2.86	0.00	--	--	--	--	--	--
01/08/01 ¹¹	7.04	2.92	4.12	0.00	220 ⁶	3.9	<0.50	<0.50	<0.50	7.7

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)										
04/09/01	7.04	1.01	6.03	0.00	--	--	--	--	--	--
08/23/01	7.04	3.48	3.56	0.00	630	40	3.5	<2.5	<2.5	43
11/27/01	7.04	3.05	3.99	0.00	SAMPLED SEMI-ANNUALLY					--
02/26/02	7.04	1.00	6.04	0.00	410	4.3	<0.50	<0.50	<1.5	<2.5
05/23/02	7.04	2.21	4.83	0.00	SAMPLED SEMI-ANNUALLY					--
08/09/02	7.04	3.38	3.66	0.00	240	1.3	<0.50	<0.50	<1.5	<2.5
11/08/02	7.04	4.56	2.48	0.00	SAMPLED SEMI-ANNUALLY					--
02/07/03	7.04	1.42	5.62	0.00	380	3.2	<0.50	0.64	<1.5	<2.5
05/09/03	7.04	1.25	5.79	0.00	SAMPLED SEMI-ANNUALLY					--
08/15/03 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY					--
02/13/04 ¹⁵	7.04	1.50	5.54	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.04	2.47	4.57	0.00	SAMPLED SEMI-ANNUALLY					--
08/13/04 ¹⁵	7.04	5.46	1.58	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04	7.04	4.65	2.39	0.00	SAMPLED SEMI-ANNUALLY					--
02/11/05 ¹⁵	7.04	1.20	5.84	0.00	130	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.04	4.36	2.68	0.00	SAMPLED SEMI-ANNUALLY					--
08/19/05 ¹⁵	7.04	2.78	4.26	0.00	96	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05	7.04	4.51	2.53	0.00	SAMPLED SEMI-ANNUALLY					--
02/10/06 ¹⁵	7.04	1.12	5.92	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.04	2.23	4.81	0.00	SAMPLED SEMI-ANNUALLY					--
08/11/06 ¹⁵	7.04	3.40	3.64	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06	7.04	4.16	2.88	0.00	SAMPLED SEMI-ANNUALLY					--
02/16/07 ¹⁵	7.04	1.22	5.82	0.00	<50	<0.5	<0.7	<0.8	<0.8	<0.5
05/17/07	7.04	4.06	2.98	0.00	SAMPLED SEMI-ANNUALLY					--
08/09/07 ¹⁵	7.04	3.61	3.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07	7.04	3.70	3.34	0.00	SAMPLED SEMI-ANNUALLY					--
02/06/08 ¹⁵	7.04	1.06	5.98	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.04	3.57	3.47	0.00	SAMPLED SEMI-ANNUALLY					--
09/11/08 ¹⁵	7.04	4.58	2.46	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08	7.04	4.26	2.78	0.00	SAMPLED SEMI-ANNUALLY					--
02/09/09 ¹⁵	7.04	2.15	4.89	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6										
06/04/92	3.85	3.89	-0.04	--	210	54	<0.5	1.9	2.4	--
10/13/92	3.85	4.56	-0.71	--	10,000	5,300	<10	70	<10	--
01/11/93	3.85	2.36	1.49	--	100	50	<0.5	<0.5	<0.5	--
04/14/93	3.85	3.15	0.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	3.85	3.94	-0.09	--	<50	1.8	<0.5	<0.5	<1.5	--
10/19/93	3.85	4.40	-0.55	--	320	150	<0.5	0.8	<0.5	--
11/30/93	7.27	4.16	3.11	--	--	--	--	--	--	--
01/27/94	7.27	3.33	3.94	--	120	45	<0.5	<0.5	<0.5	--
04/07/94	7.27	3.43	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	7.27	3.94	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	7.27	4.38	2.89	--	8,300	2,400	160	42	190	--
01/12/95 ¹	7.27	2.43	4.84	--	<50	12	<0.5	<0.5	<0.5	--
04/26/95	7.27	2.06	5.21	--	<50	5.5	0.67	<0.5	1.3	--
07/12/95	7.27	3.53	3.74	--	65	27	<0.5	<0.5	<0.5	--
10/30/95	7.27	4.34	2.93	--	<50	3.9	<0.5	<0.5	<0.5	<2.5
01/22/96	7.27	2.61	4.66	--	<50	0.93	<0.5	<0.5	<0.5	<2.5
04/24/96	7.27	2.50	4.77	--	260	110	<1.2	<1.2	<1.2	<6.2
07/29/96	7.27	3.85	3.42	--	<50	23	<0.5	<0.5	<0.5	<2.5
10/10/96	7.27	4.37	2.90	--	79	31	<0.5	<0.5	<0.5	<2.5
01/15/97	7.27	2.63	4.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.27	3.42	3.85	--	670	360	<5.0	<5.0	<5.0	<25
07/09/97	7.27	4.29	2.98	--	330	140	<2.0	<2.0	<2.0	<10
10/29/97	7.27	4.56	2.71	--	400	260	<2.0	<2.0	<2.0	5.8
01/14/98	7.27	1.01	6.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	7.27	2.94	4.33	--	<50	1.7	<0.5	<0.5	<0.5	<2.5
07/15/98	7.27	4.72	2.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	7.27	INACCESSIBLE		--	--	--	--	--	--	--
11/25/98	7.27	4.16	3.11	--	110 ³	54	<0.5	<0.5	<0.5	<2.5
01/20/99	7.27	3.45	3.82	--	<50	10	<0.5	<0.5	<0.5	<2.0
04/19/99	7.27	3.39	3.88	--	<50	2.6	<0.5	<0.5	<0.5	<2.5/<2.0 ²
07/29/99 ⁴	7.27	4.34	2.93	--	<5,000	2,590	<50	<50	<50	<500
10/13/99	7.27	5.89	1.38	--	9,270	4,610	44.2	<25	<25	<125
01/25/00	7.27	4.11	3.16	--	529	289	<0.5	<0.5	<0.5	738
04/03/00 ^{7,8}	7.27	2.84	4.43	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00 ⁷	7.27	3.77	3.50	0.00	91 ⁶	89	0.77	<0.50	<0.50	<2.5
10/12/00	7.27	6.32	0.95	0.00	<50	8.0	<0.50	<0.50	<0.50	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)										
01/08/01 ^{7,11}	7.27	3.74	3.53	0.00	400 ⁶	640	8.2	8.0	5.0	10
04/09/01 ⁷	7.27	3.03	4.24	0.00	91.3	22.0	3.36	0.751	2.14	<0.500
08/23/01 ⁷	7.27	4.70	2.57	0.00	53 ¹³	23	0.50	<0.50	1.1	<2.5
11/27/01 ¹⁴	7.27	4.43	2.84	0.00	<50	4.1	<0.50	<0.50	<1.5	<2.5
02/26/02 ¹⁴	7.27	2.50	4.77	0.00	100	53	<0.50	<0.50	<1.5	<2.5
05/23/02	7.27	3.27	4.00	0.00	610	260	4.2	1.7	2.1	<2.5
08/09/02	7.27	4.11	3.16	0.00	<50	1.1	<0.50	<0.50	<1.5	<2.5
11/08/02	7.27	4.12	3.15	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	7.27	2.60	4.67	0.00	<50	0.65	<0.50	<0.50	<1.5	<2.5
05/09/03	7.27	2.57	4.70	0.00	<50	1.9	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	7.27	4.15	3.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03 ¹⁵	7.27	4.10	3.17	0.00	<50	<0.5	0.6	<0.5	<0.5	1
02/13/04 ¹⁵	7.27	2.66	4.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	7.27	3.55	3.72	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
08/13/04 ¹⁵	7.27	4.32	2.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	7.27	4.20	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	7.27	2.18	5.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	7.27	4.11	3.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	7.27	3.70	3.57	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	7.27	3.98	3.29	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	7.27	2.11	5.16	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	7.27	3.18	4.09	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	7.27	3.80	3.47	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	7.27	3.78	3.49	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	7.27	2.08	5.19	0.00	<50	1	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.27	3.61	3.66	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	7.27	4.05	3.22	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	7.27	4.12	3.15	0.00	<50	5	<0.5	<0.5	<0.5	<0.5
02/06/08 ¹⁵	7.27	1.85	5.42	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	7.27	3.91	3.36	0.00	63	18	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹⁵	7.27	4.93	2.34	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08 ¹⁵	7.27	4.30	2.97	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/09/09 ¹⁵	7.27	2.97	4.30	0.00	<50	2	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7										
11/30/93	8.22	5.33	2.89	--	480	110	41	4.4	38	--
01/27/94	8.22	4.50	3.72	--	120	21	1.1	2.2	4.8	--
04/07/94	8.22	4.62	3.60	--	2,600	630	39	56	94	--
07/01/94	8.22	5.13	3.09	--	2,200	770	42	<10	92	--
10/05/94	8.22	5.61	2.61	--	15,000	3,300	90	130	320	--
01/12/95	8.22	2.83	5.39	--	340	57	<1.3	18	6.4	--
04/26/95	8.22	2.35	5.87	--	15,000	3,700	210	520	800	--
07/12/95	8.22	4.66	3.56	--	7,700	1,800	59	130	370	--
10/30/95	8.22	5.48	2.74	--	770	260	<5.0	33	48	25
01/22/96	8.22	3.34	4.88	--	290	63	<1.0	6.4	5.7	<5.0
04/24/96	8.22	4.12	4.10	--	12,000	2,500	510	380	810	<125
07/29/96	8.22	5.03	3.19	--	2,600	650	<25	61	150	<125
10/10/96	8.22	5.52	2.70	--	5,800	1,700	28	170	210	<62
01/15/97	8.22	2.92	5.30	--	1,000	230	<2.5	28	11	63
04/03/97	8.22	4.65	3.57	--	6,000	1,800	100	140	170	<100
07/09/97	8.22	5.39	2.83	--	5,500	2,200	<20	41	30	<100
10/29/97	8.22	5.58	2.64	--	220	40	0.61	3.0	2.4	7.6
01/14/98	8.22	2.80	5.42	--	140	5.1	<0.5	<0.5	1.4	<2.5
04/17/98	8.22	3.00	5.22	--	13,000	4,200	98	250	240	250
07/15/98	8.22	INACCESSIBLE	--	--	--	--	--	--	--	--
08/17/98 ⁵	7.92	5.52	2.40	--	1,600	380	51	68	280	22
10/27/98	7.92	7.51	0.41	--	190	2.3	0.53	<0.5	<0.5	33
01/20/99	7.92	3.45	4.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.92	4.61	3.31	--	6,500	3,000	<0.5	110	210	310/150 ²
07/29/99 ⁴	7.92	5.00	2.92	--	8,390	2,100	129	222	729	248
10/13/99	7.92	5.61	2.31	--	14,300	6,600	58.8	117	190	<125
01/25/00	7.92	3.32	4.60	--	1,100	184	<5.0	13.5	33.7	151
04/03/00 ^{7,9}	7.92	3.38	4.54	0.00	2,600 ⁶	780	12	<5.0	61	95
07/03/00 ⁷	7.92	4.34	3.58	0.00	4,100 ⁶	2,600	72	240	690	<50
10/23/00	7.92	6.11	1.81	0.00	12,000 ⁶	2,600	<50	150	290	<250
01/08/01 ^{7,11}	7.92	4.32	3.60	0.00	3,900 ⁶	2,200	61	140	350	<25
04/09/01 ⁷	7.92	3.63	4.29	0.00	25,100	4,590	1,200	843	1,920	48.1
08/23/01 ⁷	7.92	4.83	3.09	0.00	27,000	4,100	970	1,100	3,500	<500
11/27/01	7.92	4.30	3.62	0.00	12,000	1,800	50	450	830	91
02/26/02	7.92	3.00	4.92	0.00	15,000	3,100	260	380	860	<10
05/23/02	7.92	3.69	4.23	0.00	28,000	6,000	120	820	1,900	42

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)										
08/09/02	7.92	4.38	3.54	0.00	24,000	3,700	81	710	1,300	56
11/08/02	7.92	4.43	3.49	0.00	18,000	2,300	150	660	1,400	<100
02/07/03	7.92	3.20	4.72	0.00	13,000	2,300	200	310	620	<25
05/09/03	7.92	3.18	4.74	0.00	17,000	4,200	36	350	360	<50
08/15/03 ¹⁵	7.92	4.75	3.17	0.00	29,000	7,300	140	780	1,900	<5
11/14/03 ¹⁵	7.92	4.95	2.97	0.00	7,200	950	3	45	20	7
02/13/04 ¹⁵	7.92	3.29	4.63	0.00	3,300	360	4	82	130	3
05/14/04 ¹⁵	7.92	3.98	3.94	0.00	17,000	3,100	480	510	1,300	3
08/13/04 ¹⁵	7.92	5.94	1.98	0.00	10,000	2,000	4	130	150	4
11/12/04 ¹⁵	7.92	4.50	3.42	0.00	680	4	<0.5	1	0.7	0.8
02/11/05 ¹⁵	7.92	3.07	4.85	0.00	4,600	680	6	80	44	4
05/13/05 ¹⁵	7.92	4.51	3.41	0.00	4,200	380	3	38	13	2
08/19/05 ¹⁵	7.92	4.03	3.89	0.00	7,900	1,300	3	190	310	<1
11/18/05 ¹⁵	7.92	4.62	3.30	0.00	3,900	4	1	16	8	2
02/10/06 ¹⁵	7.92	3.12	4.80	0.00	3,200	320	2	14	8	2
05/12/06 ¹⁵	7.92	4.25	3.67	0.00	3,600	1,000	2	65	27	<1
08/11/06 ¹⁵	7.92	4.45	3.47	0.00	6,700	1,900	6	280	300	<1
11/17/06 ¹⁵	7.92	4.71	3.21	0.00	1,200	0.6	<0.5	1	0.8	<0.5
02/16/07 ¹⁵	7.92	3.26	4.66	0.00	110	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	7.92	4.62	3.30	0.00	6,400	1,400	4	130	26	<1
08/09/07 ¹⁵	7.92	4.61	3.31	0.00	10,000	1,400	4	230	12	<3
11/08/07 ¹⁵	7.92	4.72	3.20	0.00	2,300	4	1	3	7	0.9
02/06/08 ¹⁵	7.92	2.98	4.94	0.00	190	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	7.92	4.48	3.44	0.00	8,000	1,500	15	380	260	<1
09/11/08 ¹⁵	7.92	5.95	1.97	0.00	5,100	530	4	47	12	0.7
11/10/08 ¹⁵	7.92	5.81	2.11	0.00	2,800	13	1	1	7	<0.5
02/09/09 ¹⁵	7.92	4.06	3.86	0.00	3,900	190	2	51	11	0.5
MW-8										
10/17/95	6.96	4.40	2.56	--	--	--	--	--	--	--
10/30/95	6.96	4.44	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	6.96	2.24	4.72	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	6.96	2.97	3.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	6.96	3.37	3.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	6.96	4.12	2.84	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-8 (cont)										
01/15/97	6.96	0.94	6.02	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	6.96	2.20	4.76	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	6.96	4.30	2.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	6.96	4.57	2.39	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	6.96	0.83	6.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	6.96	2.69	4.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	6.96	3.76	3.20	--	--	--	--	--	--	--
01/25/00	6.96	1.41	5.55	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	6.96	--	--	--	--	--	--	--	--	--
10/23/00	6.96	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	6.96	3.58	3.38	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	6.96	--	--	--	--	--	--	--	--	--
08/23/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	6.96	2.91	4.05	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	6.96	3.13	3.83	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/09/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	6.96	3.20	3.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	6.96	2.85	4.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	6.96	2.74	4.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	6.96	2.69	4.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-8 (cont)										
08/09/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08 ¹⁵	6.96	2.57	4.39	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
09/11/08	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/10/08	6.96	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/09/09 ¹⁵	6.96	3.28	3.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9										
10/17/95	7.21	4.80	2.41	--	--	--	--	--	--	--
10/30/95	7.21	4.97	2.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/22/96	7.21	3.40	3.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	7.21	4.18	3.03	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	7.21	4.69	2.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	7.21	5.20	2.01	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.21	3.31	3.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.21	4.57	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	7.21	5.04	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.21	4.96	2.25	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	7.21	2.40	4.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	7.21	4.31	2.90	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	7.21	3.92	3.29	--	--	--	--	--	--	--
01/25/00	7.21	2.95	4.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
07/03/00	7.21	--	--	--	--	--	--	--	--	--
10/23/00	7.21	--	--	--	--	--	--	--	--	--
01/08/01 ¹¹	7.21	4.59	2.62	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	7.21	--	--	--	--	--	--	--	--	--
08/23/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/27/01	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/26/02	7.21	3.75	3.46	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/02	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/07/03	7.21	3.97	3.24	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-9 (cont)										
05/09/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/15/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/14/03	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/13/04 ¹⁵	7.21	3.94	3.27	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/12/04	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/11/05 ¹⁵	7.21	3.66	3.55	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/19/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/18/05	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/10/06 ¹⁵	7.21	3.53	3.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/11/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/17/06	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/16/07 ¹⁵	7.21	3.50	3.71	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
08/09/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/08/07	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/06/08 ¹⁵	7.21	3.14	4.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
09/11/08	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
11/10/08	7.21	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
02/09/09 ¹⁵	7.21	3.91	3.30	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10										
10/17/95	7.28	5.05	2.23	--	--	--	--	--	--	--
10/30/95	7.28	5.11	2.17	--	<50	<0.5	<0.5	<0.5	<0.5	5.1
01/22/96	7.28	4.03	3.25	--	<50	<0.5	<0.5	<0.5	0.70	17
04/24/96	7.28	4.30	2.98	--	<50	<0.5	<0.5	<0.5	<0.5	12
07/29/96	7.28	4.70	2.58	--	<50	<0.5	<0.5	<0.5	<0.5	14
10/10/96	7.28	5.24	2.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/15/97	7.28	3.35	3.93	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	7.28	4.64	2.64	--	<50	<0.5	<0.5	<0.5	<0.5	8.2
07/09/97	7.28	5.12	2.16	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	7.28	5.10	2.18	--	<50	<0.5	<0.5	<0.5	<0.5	5.3

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-10 (cont)											
01/14/98	7.28	3.08	4.20	--	<50	<0.5	<0.5	<0.5	<0.5	8.6	
04/17/98	7.28	3.79	3.49	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	
07/15/98	7.28	4.55	2.73	--	<50	<0.5	<0.5	<0.5	<0.5	7.5	
10/27/98	7.28	5.32	1.96	--	--	--	--	--	--	--	
01/20/99	7.28	4.24	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	
04/19/99	7.28	4.07	3.21	--	--	--	--	--	--	--	
07/29/99	7.28	4.82	2.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 ²	
10/13/99	7.28	4.86	2.42	--	--	--	--	--	--	--	
01/25/00	7.28	3.00	4.28	--	<50	<0.5	<0.5	<0.5	<0.5	4.33	
04/03/00	7.28	3.04	4.24	0.00	--	--	--	--	--	--	
07/03/00	7.28	4.00	3.28	0.00	<50	<0.50	<0.50	<0.50	<0.50	4.7	
10/23/00	7.28	5.86	1.42	0.00	--	--	--	--	--	--	
01/08/01 ¹¹	7.28	3.98	3.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
04/09/01	7.28	3.74	3.54	0.00	--	--	--	--	--	--	
08/23/01	7.28	INACCESSIBLE - DUE TO TRAFFIC CONTROL				--	--	--	--	--	--
11/27/01	7.28	4.13	3.15	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/26/02	7.28	3.54	3.74	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/23/02	7.28	3.82	3.46	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/09/02	7.28	4.18	3.10	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
11/08/02	7.28	3.91	3.37	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/07/03	7.28	3.61	3.67	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	
05/09/03	7.28	3.25	4.03	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/15/03 ¹⁵	7.28	4.35	2.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/14/03	7.28	4.30	2.98	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/13/04 ¹⁵	7.28	4.27	3.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/14/04	7.28	4.08	3.20	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/13/04 ¹⁵	7.28	3.92	3.36	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/12/04	7.28	3.98	3.30	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/11/05 ¹⁵	7.28	4.07	3.21	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/13/05	7.28	4.01	3.27	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/19/05 ¹⁵	7.28	3.69	3.59	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/18/05	7.28	3.86	3.42	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
02/10/06 ¹⁵	7.28	3.94	3.34	0.00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
05/12/06	7.28	4.07	3.21	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	
08/11/06 ¹⁵	7.28	4.21	3.07	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/17/06	7.28	3.83	3.45	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-10 (cont)										
02/16/07 ¹⁵	7.28	3.87	3.41	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07	7.28	3.71	3.57	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
08/09/07	7.28	INACCESSIBLE	--	--	--	--	--	--	--	--
11/08/07	7.28	INACCESSIBLE	--	--	--	--	--	--	--	--
02/06/08	7.28	INACCESSIBLE	--	--	--	--	--	--	--	--
05/07/08	7.28	INACCESSIBLE	--	--	--	--	--	--	--	--
09/11/08 ¹⁵	7.28	4.63	2.65	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08	7.28	4.28	3.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--
02/09/09 ¹⁵ NP	7.28	2.17	5.11	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-2										
08/18/86	--	--	--	--	--	--	--	--	--	--
09/04/86	--	--	--	--	1,100	49	18	84	--	--
07/22/87	--	--	--	--	<50	1.8	<1.0	<4.0	--	--
ABANDONED										
TMW-1										
11/11/93	--	--	--	--	<1.0	<0.5	<0.5	<0.5	<0.5	--
NOT MONITORED/SAMPLED										
3115A GIBBONS DR.										
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
TRIP BLANK										
TB-LB										
02/14/90	--	--	--	--	<50	<0.5	1.1	<0.5	<0.5	--
09/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/03/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/04/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/13/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/19/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/27/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	SPHT (fl.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
Trip Blank (cont)										
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/05/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/24/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/10/96	--	--	--	--	--	--	--	--	--	--
01/15/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/14/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/17/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/15/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
10/27/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
04/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
01/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/03/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
01/08/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
04/09/01	--	--	--	--	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
08/23/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/27/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/23/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/07/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID/ DATE	TOC ⁺ (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
Trip Blank (cont)										
05/09/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/15/03 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/14/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/14/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA										
08/13/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/12/04 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/11/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/13/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/19/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/18/05 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/11/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/06 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/16/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/17/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/09/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/07 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/06/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/07/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/11/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/10/08 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/09/09 ¹⁵	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

(msl) = Mean sea level

SPHT = Separate Phase Hydrocarbon Thickness

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

NP= No Purge

* TOC elevations are referenced to msl.

** GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

1 Laboratory report indicates EPA 8010 were not detected (ND).

2 MTBE confirmed.

3 Chromatogram report indicates an unidentified hydrocarbon.

4 ORC installed.

5 TOC elevation altered due to well head maintenance.

6 Laboratory report indicates gasoline C6-C12.

7 ORC in well.

8 Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1.

9 Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1.

10 Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time.

11 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

12 Laboratory report indicates unidentified hydrocarbons C6-C12.

13 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

14 ORC removed.

15 BTEX and MTBE by EPA Method 8260.

16 Laboratory confirmed analytical result.

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1	08/18/86	4.10	--	--	--
	09/04/86	--	--	--	--
	07/22/87	--	--	--	--
	05/03/89	4.46	--	--	--
	12/04/89	4.16	--	--	--
	02/14/90	3.64	--	--	--
	03/07/90	3.36	--	--	--
	09/06/91	4.43	--	--	--
	12/15/91	4.78	--	--	--
	03/03/92	2.39	--	--	--
	06/04/92	4.08	--	--	--
	10/13/92	4.75	--	--	--
	01/11/93	2.26	Sheen	--	--
	04/14/93	2.90	Sheen	--	--
	07/13/93	3.97	Sheen	--	--
	10/19/93	4.50	--	--	--
	11/30/93	4.27	--	--	--
	01/27/94	3.35	--	--	--
	04/07/94	3.42	--	--	--
	07/01/94	3.96	--	--	--
	10/05/94	4.39	--	--	--
	01/12/95	1.52	0.50	0.26	0.26
	04/26/95	4.40	2.20	1.32	1.59
	07/12/95	4.85	1.81	0.66	2.25
	10/30/95	5.67	1.63	0.53	2.77
	01/04/96	3.92	0.12	0.26	3.04
	01/10/96	3.48	0.13	0.07	3.10
	01/17/96	3.40	0.02	0.40	3.50
	01/22/96	2.90	0.00	0.00	3.50
	02/23/96	4.10	1.86	0.66	4.16
	02/28/96	--	>0.83	1.25	5.41
	03/08/96	2.86	1.83	0.26	5.68
	03/08/96	2.30	0.36	0.53	6.20
	03/08/96	2.33	0.36	0.26	6.47
	03/08/96	2.28	0.22	0.53	7.00
	03/26/96	3.96	1.28	0.40	7.39
	04/11/96	5.61	1.75	0.53	7.92
	04/19/96	3.09	0.04	0.40	8.32
	04/24/96	3.04	0.03	0.40	8.71
	05/03/96	4.02	0.46	0.40	9.11
	05/03/96	3.89	0.47	0.00	9.11
	05/08/96	4.25	0.35	0.07	9.17
	05/17/96	3.24	0.04	0.03	9.20
	05/17/96	3.35	0.01	0.03	9.23
	05/17/96	3.43	0.01	0.03	9.26
	05/17/96	3.65	0.01	0.00	9.26
	05/22/96	3.10	0.07	0.08	9.34
	06/18/96	4.68	0.48	0.26	9.60
	07/03/96	5.03	0.13	0.15	9.75
	07/09/96	4.63	0.23	0.09	9.84
	07/17/96	4.73	0.15	0.32	10.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	07/29/96	5.10	0.09	0.26	10.42
	08/02/96	5.68	0.03	0.03	10.45
	08/07/96	5.16	0.01	0.13	10.59
	08/23/96	5.75	0.03	0.03	10.61
	08/28/96	5.53	0.03	0.01	10.63
	09/06/96	5.38	--	0.05	10.67
	09/12/96	5.48	0.03	0.01	10.68
	09/19/96	6.32	0.03	0.01	10.69
	10/10/96	4.58	0.10	0.13	10.83
	10/17/96	5.61	0.01	0.01	10.84
	10/29/96	6.01	--	--	10.84
	11/07/96	5.56	0.04	0.13	10.97
	11/11/96	5.32	0.04	0.13	11.10
	12/20/96	3.33	0.03	0.05	11.16
	12/17/96	3.73	0.01	0.01	11.17
	01/15/97	2.74	--	--	11.17
	01/22/97	1.37	0.19	0.07	11.23
	02/04/97	2.98	0.51	0.15	11.38
	02/20/97	4.09	0.13	0.11	11.48
	03/06/97	3.75	0.56	1.19	12.67
	03/14/97	3.82	0.03	0.12	12.79
	03/20/97	3.73	0.03	0.01	12.80
	03/25/97	4.32	0.01	--	12.80
	03/31/97	3.71	0.03	0.00	12.81
	04/03/97	4.60	0.03	0.00	12.81
	04/09/97	4.25	0.02	0.03	12.84
	04/24/97	4.65	0.02	0.01	12.84
	04/30/97	3.50	0.02	0.01	12.85
	05/22/97	4.97	--	0.01	12.86
	06/03/97	3.62	0.06	0.01	12.86
	07/09/97	4.30	0.06	0.13	13.00
	08/12/97	5.18	0.00	0.05	13.05
	09/30/97	5.25	0.50	0.07	13.12
	10/29/97	5.33	0.03	0.02	13.14
	11/13/97	4.86	0.02	0.03	13.16
	12/18/97	2.34	--	--	13.16
	01/14/98	0.25	0.02	0.13	13.29
	02/02/98	2.35	0.05	0.03	13.32
	03/16/98	2.50	0.50	0.13	13.45
	04/17/98	2.65	0.40	0.11	13.56
	05/01/98	2.39	0.04	0.26	13.82
	06/17/98	3.26	0.08	0.03	13.86
	07/15/98	3.55	--	--	13.86
	09/01/98	4.00	--	--	13.86
	10/27/98	4.48	--	--	13.86
	11/19/98	3.89	--	--	13.86
	12/19/98	2.13	0.02	0.04	13.90
	01/20/99	3.98	--	--	13.90
	02/24/99	2.55	--	--	13.90
	03/26/99	2.14	0.76	0.26	14.16
	04/19/99	1.04	--	--	14.16

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	04/19/99	1.04	--	--	--
	07/29/99	3.76	0.02	0.01	14.17
	08/30/99	4.30	--	--	14.17
	09/23/99	3.84	0.02	0.03	14.20
	10/13/99	1.27	--	--	14.20
	11/17/99	3.59	--	--	--
	12/08/99	3.79	--	--	--
	01/25/00	1.99	0.04	0.03	14.23
	04/03/00	2.20	0.10	0.00	14.23
	05/26/00	2.52	0.23	0.26	14.49
	06/19/00 ¹	2.89	0.19	0.26	14.75
	07/03/00	3.45	0.25	0.26	15.01
	08/01/00	3.78	0.16	0.10	15.11
	09/30/00	4.03	0.04	0.26	15.37
	10/23/00	4.15	0.03	0.26	15.63
	11/21/00	3.42	0.00	0.26	15.89
	12/22/00	2.96	0.00	0.26	16.15
	01/08/01	2.94	0.00	0.26	16.41
	02/17/01	2.09	0.59	0.26	16.67
	03/13/01	2.20	0.76	0.26	16.93
	04/09/01	2.45	0.26	0.26	17.19
	05/18/01	2.70	0.59	0.26	17.45
	06/12/01	3.50	0.97	0.26	17.71
	07/19/01	4.25	0.95	0.26	17.97
	08/23/01	4.34	0.07	0.26	18.23
	09/17/01	4.39	0.08	0.00	18.23
	10/08/01	4.45	0.04	0.02	18.25
	11/27/01	3.89	0.00	0.00	18.25
	12/17/01	1.81	0.00	0.00	18.25
	01/07/02	2.27	0.51	1.50	19.75
	02/26/02	2.70	0.52	0.13	19.88
	03/27/02	2.87	1.05	0.26	20.14
	04/08/02	2.45	1.23	0.53	20.67
	05/23/02	3.57	0.52	0.12	20.79
	06/17/02	3.90	0.35	0.07	20.86
	07/31/02	4.12	0.20	0.02	20.88
	08/09/02	4.15	0.16	0.02	20.90
	09/17/02	4.33	0.12	0.01	20.91
	10/15/02	4.51	0.15	0.04	20.95
	11/08/02	4.11	0.00	0.00	20.95
	12/19/02	1.14	0.00	0.00	20.95
	01/14/03	1.80	0.00	0.00	20.95
	02/07/03	2.95	0.30	0.05	21.00
	03/20/03	2.86	0.41	0.13	21.13
	04/15/03	2.12	0.10	0.03	21.16
	05/09/03	2.95	0.70	0.22	21.38
	06/27/03	3.97	0.50	0.11	21.49
	07/16/03	3.68	0.28	0.04	21.53
	08/15/03	4.29	0.22	0.03	21.56
	09/26/03	4.60	0.19	0.04	21.60
	10/18/03	4.72	0.15	0.02	21.62

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	11/14/03	4.31	0.20	0.04	21.66
	12/23/03	1.81	0.00	0.00	21.66
	01/22/04	4.19	0.01	0.25 ²	21.91
	02/13/04	3.04	0.04	0.27	22.18
	03/11/04	1.85	0.40	0.04	22.22
	04/22/04	3.08	0.22	0.66	22.88
	05/14/04	3.49	0.03	0.54	23.42
	06/18/04	3.41	0.13	0.63	24.05
	07/23/04	3.28	0.11	0.59	24.64
	08/13/04	3.14	0.05	1.02	25.66
	09/13/04	4.53	0.09	0.03	25.69
	10/22/04	3.19	0.03	1.02	26.71
	11/12/04	3.22	0.03	0.51	27.22
	12/02/04	3.28	0.02	0.26	27.48
	01/28/05	3.19	0.01	0.51	27.99
	02/11/05	2.75	0.04	0.53	28.52
	03/11/05	2.94	0.03	1.02	29.54
	04/26/05	3.03	0.02	1.02	30.56
	05/13/05	3.18	0.02	1.02	31.58
	06/01/05	3.22	0.02	0.51	32.09
	07/15/05	3.09	0.02	1.51	33.60
	08/19/05	2.88	0.03	1.53	35.13
	09/23/05	2.95	0.02	1.02	36.15
	10/14/05	3.01	0.01	0.52	36.67
	11/18/05	3.21	0.02	1.02	37.69
	12/09/05	3.61	0.01	1.01	38.70
	01/12/06	2.98	0.01	0.51	39.21
	02/10/06	2.69	0.01	0.50 ³	39.71
	03/13/06	2.81	0.01	1.00 ⁴	40.71
	04/13/06	2.75	0.01	0.50 ⁴	41.22
	05/12/06	3.02	0.01	0.50 ⁴	41.72
	06/12/06	3.10	0.01	0.50 ⁴	42.22
	07/13/06	3.14	0.02	1.01	43.23
	08/11/06	3.70	0.01	1.01	44.24
	09/11/06	3.75	0.02	1.02	45.26
	10/17/06	3.82	0.01	1.02	46.28
	11/17/06	3.11	0.03	1.02	47.30
	12/15/06	2.95	0.02	1.02	48.32
	01/16/07	2.98	0.02	0.52	48.84
	02/16/07	2.77	0.00	0.00	48.84
	03/16/07	3.07	0.01	0.51 ⁴	49.35
	04/17/07	2.98	0.01	0.50 ³	49.85
	05/17/07	3.05	0.01	0.51 ⁴	50.36
	06/15/07	3.08	0.01	1.02	51.38
	07/17/07	3.13	0.01	0.50 ⁴	51.88
	08/09/07	3.24	0.02	0.52	52.40
	09/14/07	3.16	0.01	0.26 ⁴	52.67
	10/16/07	3.04	0.01	0.26 ⁴	52.93
	11/08/07	3.11	0.01	0.00	52.93
	12/07/07	2.98	0.03	0.55	53.48
	01/16/08	2.95	0.02	0.27	53.75

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive
 (3126 Fernside Boulevard)
 Alameda, California

WELL ID	DATE	DTW (ft.)	SPHT (ft.)	AMOUNT BAILED (Product + Water) (gallons)	TOTAL BAILED (Product + Water) (gallons)
C-1 (cont)	02/06/08	2.61	0.01	0.00	53.75
	03/07/08	2.87	0.02	0.40 ⁴	54.16
	04/16/08	3.06	0.02	0.55	54.71
	05/07/08	2.98	0.03	0.55	55.26
	06/06/08	3.04	0.02	0.55	55.81
	07/16/08	3.12	0.02	0.41	56.22
	09/05/08	3.97	0.28	0.61	56.83
	09/11/08	4.22	0.41	0.92	57.75
	10/17/08	4.16	0.33	0.64	58.39
	11/10/08	4.05	0.11	0.32	58.71
	12/15/08	3.85	0.05	0.30	59.01
	01/21/09	3.91	0.04	0.29	59.30
	02/09/09	3.72	0.01	0.14	59.44
	03/16/09	3.81	0.02	0.15	59.59

Table 2
Separate Phase Hydrocarbon Thickness/Removal Data
Former Chevron Service Station #9-1153
3135 Gibbons Drive
(3126 Fernside Boulevard)
Alameda, California

EXPLANATIONS:

Groundwater monitoring data prior to July 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DTW = Depth to Water

(ft.) = Feet

SPHT = Separate Phase Hydrocarbon Thickness

-- = Not Measured

- ¹ There is no skimmer present in this well.
- ² Removed less than one ounce of product from well.
- ³ Removed 0.5 ounces of product from well.
- ⁴ Removed 1 ounce of product from well.

Table 3
Dissolved Oxygen Concentrations
 Former Chevron Service Station #9-1153
 3135 Gibbons Drive
 (3126 Fernside Boulevard)
 Alameda, California

WELL ID	DATE	PRE-PURGE (mg/L)	POST-PURGE (mg/L)
MW-6	11/08/02	2.10	--
	02/07/03	2.60	--
	05/09/03	3.10	--
	08/15/03	2.90	--
	11/14/03	3.41	--
	08/19/05	1.90	--
	11/18/05	1.70	--
	02/10/06	2.20	--
	05/12/06	2.80	--
	08/11/06	2.50	--
	11/17/06	2.20	--
	02/16/07	1.80	--
	05/17/07	2.0	--
	08/09/07	2.6	--
	11/08/07	2.2	--
	02/06/08	2.4	--
	05/07/08	2.3	--
09/11/08	1.9	--	
11/10/08	2.2	--	
02/09/09	2.0	--	
MW-7	11/08/02	-98.00 ¹	--
	02/07/03	2.90	--
	05/09/03	2.60	--
	08/15/03	2.30	--
	11/14/03	1.87	--
	08/19/05	0.80	--
	11/18/05	0.90	--
	02/10/06	1.30	--
	05/12/06	1.40	--
	08/11/06	1.10	--
	11/17/06	0.70	--
	02/16/07	1.10	--
	05/17/07	1.7	--
	08/09/07	1.2	--
	11/08/07	0.9	--
	02/06/08	0.5	--
	05/07/08	1.2	--
09/11/08	1.0	--	
11/10/08	0.6	--	
02/09/09	0.8	--	

EXPLANATIONS:

mg/L = milligrams per liter

-- = Not Measured

¹ Below D.O. meter range.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-1153 Job Number: 386423
 Site Address: 3135 Gibbons Dr.(3126 Fernside [Event Date: 3-16-09 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: C-1 Date Monitored: 3-16-09
 Well Diameter: 3 in.
 Total Depth: 13.76 ft.
 Depth to Water: 3.81 ft. Check if water column is less then 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: 1315 (2400 hrs)
 Time Completed: 1345 (2400 hrs)
 Depth to Product: 3.78 ft
 Depth to Water: 3.81 ft
 Hydrocarbon Thickness: 0.03 ft
 Visual Confirmation/Description:
Dark smelly product
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 3 ounces gal
 Water Removed: 1/2 liter
 Product Transferred to: C/R yard

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESEV. TYPE	LABORATORY	ANALYSES

COMMENTS: MONTHLY PRODUCT GAUGING AND BAILING

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____