



**Mark Horne**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-0973  
markhorne@chevron.com

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

**RECEIVED**

By Alameda County Environmental Health 8:54 am, Aug 22, 2016

Re: Chevron Service Station No. 91153  
3135 Gibbons Drive (3126 Fernside Blvd)  
Alameda, CA

I have reviewed the attached report titled *Second Quarter 2016 Groundwater Monitoring and Sampling Report*.

The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by GHD Services Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink that reads "Mark E. Horne".

Mark Horne  
Project Manager

Attachment: *Second Quarter 2016 Groundwater Monitoring and Sampling Report*



August 17, 2016

Reference No. 311642

Mr. Mark Detterman  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Re: Second Quarter 2016 Groundwater Monitoring and Sampling Report  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California  
Agency Case RO0000341**

Dear Mr. Detterman:

GHD Services Inc. (GHD) is submitting this *Second Quarter 2016 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company (Chevron). Groundwater monitoring was performed by Blaine Tech Services (Blaine Tech) of San Jose, California and their *Second Quarter 2016 Monitoring* report is included as Attachment A. Eurofins Lancaster Laboratories' of Lancaster, Pennsylvania *Analytical Results* report is included as Attachment B. Current and historical groundwater monitoring and sampling data are presented in Table 1. The sorbent sock in well C-1 was removed and replaced per the established schedule. Field measurements are included as Attachment C.

## 1. Results of Second Quarter 2016 Event

On June 21, 2016, Blaine Tech monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction Northeast
- Hydraulic Gradient 0.007
- Depth to Water 2.87 to 4.68 feet below top of casing

Results of the current sampling event are presented in Table 1.1:

Table 1.1 Groundwater Analytical Data

Well ID	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
<b>WQOs</b>	<b>100</b>	<b>1</b>	<b>40</b>	<b>30</b>	<b>20</b>	<b>5</b>
C-1	<b>37,000</b>	<b>4,800</b>	<b>62</b>	<b>560</b>	<b>420</b>	<10
C-3				Not Sampled		
MW-4				Not Sampled		
MW-5				Not Sampled		
MW-6				Not Sampled		
MW-7				Not Sampled		
MW-8				Not Sampled		
MW-9				Not Sampled		
MW-10				Not Sampled		
WQOs	Water Quality Objectives from California Regional Water Quality Control Board, <i>San Francisco Bay Region San Francisco Bay Basin (Region 2), Water Quality Control Plan (Basin Plan)</i> , January 18, 2007.					
<b>Bold</b>	Concentration exceeds applicable WQOs.					

## 2. Conclusions and Recommendations

The results of ongoing groundwater monitoring and sampling at the site indicate the following:

- No Light Non-Aqueous Phase Liquid was detected in C-1 this quarter.
- Only well C-1 was sampled this quarter, with dissolved hydrocarbons detected at concentrations exceeding the water quality objectives.
- Based on recent sampling data, dissolved hydrocarbons are centered on C-1 and extend east to MW-7, but are delineated in all directions with no dissolved hydrocarbons detected in the other seven wells.
- Dissolved hydrocarbon concentrations are within historical ranges, seasonal fluctuations, and are stable or decreasing.

## 3. Anticipated Future Activities


### **Groundwater Monitoring**

Blaine Tech will monitor and sample site wells, and remove and replace the sorbent sock in well C-1 per the established schedule. GHD will submit a groundwater monitoring and sampling report.

Please contact Kiersten Hoey at (510) 420-3347 if you have any questions or require additional information.

Regards,

GHD



Kiersten Hoey



Brandon S. Wilken, PG 7564




KH/tl/46

Encl.

- |              |   |
|--------------|---|
| Figure 1     | Vicinity Map  |
| Figure 2     | Groundwater Elevation Contour and Hydrocarbon Concentration Map |
| Table 1      | Groundwater Monitoring and Sampling Data                        |
| Attachment A | Monitoring Data Package   |
| Attachment B | Laboratory Analytical Report                                    |
| Attachment C | Sorbent Sock Data   |

cc: Mr. Mark Horne, Chevron EMC (*electronic copy*)  
Mr. Mark Hom, Property Owner

# Figures



SOURCE: TOPO! MAPS





FORMER CHEVRON SERVICE STATION 91153  
 3135 GIBBONS DRIVE (3126 FERNSIDE BOULEVARD)  
 ALAMEDA, CALIFORNIA

311642-95  
 Jul 29, 2016

VICINITY MAP

FIGURE 1



FORMER CHEVRON SERVICE STATION 91153  
 3135 GIBBONS DRIVE (3126 FERNSIDE BOULEVARD)  
 ALAMEDA, CALIFORNIA

GROUNDWATER ELEVATION CONTOUR AND  
 HYDROCARBON CONCENTRATION MAP - JUNE 21, 2016

311642-95  
 Aug 2, 2016

FIGURE 2

# Table



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	08/18/1986	-	4.10	-	-	-	-	-	-	-	-	-
C-1	09/04/1986	-	-	-	-	-	15,000	760	820	1,500	-	-
C-1	07/22/1987	-	-	-	-	-	1,100	250	7.0	40	-	-
C-1	05/03/1989	-	4.46	-	-	-	6,900	3,800	190	229	-	-
C-1	12/04/1989	-	4.16	-	-	-	17,000	8,000	490	470	-	-
C-1	02/14/1990	-	3.64	-	-	-	19,000	12,000	990	1,050	-	-
C-1	03/07/1990	-	3.36	-	-	-	-	4,260	261	430	-	-
C-1	09/06/1991	-	4.43	-	-	-	21,000	10,000	100	240	560	-
C-1	12/15/1991	-	4.78	-	-	-	20,000	4,900	43	110	330	-
C-1	03/03/1992	-	2.39	-	-	-	13,000	5,800	730	340	1,200	-
C-1	06/04/1992	4.08	4.08	0.00	0.00	-	34,000	9,400	350	290	1,200	-
C-1	10/13/1992	4.08	4.75	-0.67	0.00	-	24,000	11,000	98	280	530	-
C-1	01/11/1993	4.08	2.26	1.82	Sheen	-	7,100	1,500	130	150	700	-
C-1	04/14/1993	4.08	2.90	1.18	Sheen	-	29,000	7,300	4,000	640	2,300	-
C-1	07/13/1993	4.08	3.97	0.11	Sheen	-	650,000	27,000	18,000	6,300	29,000	-
C-1	10/19/1993	4.08	4.50	-0.42	0.00	-	40,000	12,000	730	1,100	3,600	-
C-1	11/30/1993	7.50	4.27	3.23	0.00	-	-	-	-	-	-	-
C-1	01/27/1994	7.50	3.35	4.15	0.00	-	36,000	8,600	220	670	1,900	-
C-1	04/07/1994	7.50	3.42	4.08	0.00	-	53,000	12,000	3,500	480	3,300	-
C-1	07/01/1994	7.50	3.96	3.54	0.00	-	65,000	19,000	5,900	1,000	9,000	-
C-1	10/05/1994	7.50	4.39	3.11	0.00	-	160,000	23,000	12,000	2,200	11,000	-
C-1	01/12/1995	7.50	1.52	6.38	0.50	-	-	-	-	-	-	-
C-1	04/26/1995	7.50	4.40	4.86	2.20	-	-	-	-	-	-	-
C-1	07/12/1995	7.50	4.85	4.10	1.81	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	10/30/1995	7.50	5.67	3.13	1.63	-	-	-	-	-	-	-
C-1	01/04/1996	7.50	3.92	3.68	0.12	-	-	-	-	-	-	-
C-1	01/10/1996	7.50	3.48	4.12	0.13	-	-	-	-	-	-	-
C-1	01/17/1996	7.50	3.40	4.12	0.02	-	-	-	-	-	-	-
C-1	01/22/1996	7.50	2.90	4.60	0.00	-	82,000	18,000	4,400	1,400	5,200	<1,000
C-1	02/23/1996	7.50	4.10	4.89	1.86	-	-	-	-	-	-	-
C-1	02/28/1996	7.50	-	-	0.83 >	-	-	-	-	-	-	-
C-1	03/08/1996	7.50	2.86	6.10	1.83	-	-	-	-	-	-	-
C-1	03/26/1996	7.50	3.96	4.56	1.28	-	-	-	-	-	-	-
C-1	04/11/1996	7.50	5.61	3.29	1.75	-	-	-	-	-	-	-
C-1	04/19/1996	7.50	3.09	4.44	0.04	-	-	-	-	-	-	-
C-1	04/24/1996	7.50	3.04	4.48	0.03	-	-	-	-	-	-	-
C-1	05/03/1996	7.50	4.02	3.85	0.46	-	-	-	-	-	-	-
C-1	05/08/1996	7.50	4.25	3.53	0.35	-	-	-	-	-	-	-
C-1	05/17/1996	7.50	3.24	4.29	0.04	-	-	-	-	-	-	-
C-1	05/22/1996	7.50	3.10	4.46	0.07	-	-	-	-	-	-	-
C-1	06/18/1996	7.50	4.68	3.20	0.48	-	-	-	-	-	-	-
C-1	07/03/1996	7.50	5.03	2.57	0.13	-	-	-	-	-	-	-
C-1	07/09/1996	7.50	4.63	3.05	0.23	-	-	-	-	-	-	-
C-1	07/17/1996	7.50	4.73	2.89	0.15	-	-	-	-	-	-	-
C-1	07/29/1996	7.50	5.10	2.47	0.09	-	-	-	-	-	-	-
C-1	08/02/1996	7.50	5.68	1.84	0.03	-	-	-	-	-	-	-
C-1	08/07/1996	7.50	5.16	2.35	0.01	-	-	-	-	-	-	-
C-1	08/23/1996	7.50	5.75	1.77	0.03	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	08/28/1996	7.50	5.53	1.99	0.03	-	-	-	-	-	-	-
C-1	09/06/1996	7.50	5.38	2.12	0.00	-	-	-	-	-	-	-
C-1	09/12/1996	7.50	5.48	2.04	0.03	-	-	-	-	-	-	-
C-1	09/19/1996	7.50	6.32	1.20	0.03	-	-	-	-	-	-	-
C-1	10/10/1996	7.50	4.58	3.00	0.10	-	-	-	-	-	-	-
C-1	10/17/1996	7.50	5.61	1.90	0.01	-	-	-	-	-	-	-
C-1	10/29/1996	7.50	6.01	1.49	0.00	-	-	-	-	-	-	-
C-1	11/07/1996	7.50	5.56	1.94	0.04	-	-	-	-	-	-	-
C-1	11/11/1996	7.50	5.32	2.18	0.04	-	-	-	-	-	-	-
C-1	12/17/1996	7.50	3.73	3.77	0.01	-	-	-	-	-	-	-
C-1	12/20/1996	7.50	3.33	4.17	0.03	-	-	-	-	-	-	-
C-1	01/15/1997	7.50	2.74	4.76	0.00	-	47,000	16,000	2,800	1,300	4,900	<1,000
C-1	01/22/1997	7.50	1.37	6.13	0.19	-	-	-	-	-	-	-
C-1	02/04/1997	7.50	2.98	4.52	0.51	-	-	-	-	-	-	-
C-1	02/20/1997	7.50	4.09	3.41	0.13	-	-	-	-	-	-	-
C-1	03/06/1997	7.50	3.75	3.75	0.56	-	-	-	-	-	-	-
C-1	03/14/1997	7.50	3.82	3.68	0.03	-	-	-	-	-	-	-
C-1	03/20/1997	7.50	3.73	3.77	0.03	-	-	-	-	-	-	-
C-1	03/25/1997	7.50	4.32	3.18	0.01	-	-	-	-	-	-	-
C-1	03/31/1997	7.50	3.71	3.79	0.03	-	-	-	-	-	-	-
C-1	04/03/1997	7.50	4.60	2.92	0.03	-	-	-	-	-	-	-
C-1	04/09/1997	7.50	4.25	3.27	0.02	-	-	-	-	-	-	-
C-1	04/24/1997	7.50	4.65	2.87	0.02	-	-	-	-	-	-	-
C-1	04/30/1997	7.50	3.50	4.02	0.02	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	05/22/1997	7.50	4.97	2.53	0.00	-	-	-	-	-	-	-
C-1	06/03/1997	7.50	3.62	3.93	0.06	-	-	-	-	-	-	-
C-1	07/09/1997	7.50	4.30	3.25	0.06	-	-	-	-	-	-	-
C-1	08/12/1997	7.50	5.18	2.32	0.00	-	-	-	-	-	-	-
C-1	09/30/1997	7.50	5.25	2.65	0.50	-	-	-	-	-	-	-
C-1	10/29/1997	7.50	5.33	2.19	0.03	-	-	-	-	-	-	-
C-1	11/13/1997	7.50	4.86	2.66	0.02	-	-	-	-	-	-	-
C-1	12/18/1997	7.50	2.34	5.16	0.00	-	-	-	-	-	-	-
C-1	01/14/1998	7.50	0.25	7.27	0.02	-	-	-	-	-	-	-
C-1	02/02/1998	7.50	2.35	5.19	0.05	-	-	-	-	-	-	-
C-1	03/16/1998	7.50	2.50	5.40	0.50	-	-	-	-	-	-	-
C-1	04/17/1998	7.50	2.65	5.17	0.40	-	-	-	-	-	-	-
C-1	05/01/1998	7.50	2.39	5.14	0.04	-	-	-	-	-	-	-
C-1	06/17/1998	7.50	3.26	4.30	0.08	-	-	-	-	-	-	-
C-1	07/15/1998	7.50	3.55	3.95	0.00	-	110,000	22,000	22,000	1,000	10,000	<250
C-1	09/01/1998	7.50	4.00	3.50	0.00	-	-	-	-	-	-	-
C-1	10/27/1998	7.50	4.48	3.02	0.00	-	45,000	12,000	5,400	590	4,300	<500
C-1	11/19/1998	7.50	3.89	3.61	0.00	-	-	-	-	-	-	-
C-1	12/19/1998	7.50	2.13	5.39	0.02	-	-	-	-	-	-	-
C-1	01/20/1999	7.50	3.98	3.52	0.00	-	50,300	7,050	5,030	244	6,090	<40
C-1	02/24/1999	7.50	2.55	4.95	0.00	-	-	-	-	-	-	-
C-1	03/26/1999	7.50	2.14	5.97	0.76	-	-	-	-	-	-	-
C-1	04/19/1999	7.50	1.04	6.46	0.00	-	150,000	21,000	20,000	3,000	18,000	49 <sup>2</sup> / <sub>&lt;2.5</sub>
C-1	07/29/1999	7.50	3.76	3.76	0.02	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	08/30/1999	7.50	4.30	3.20	0.00	-	-	-	-	-	-	-
C-1	09/23/1999	7.50	3.84	3.68	0.02	-	-	-	-	-	-	-
C-1	10/13/1999	7.50	1.27	6.23	0.00	-	136,000	23,900	30,000	2,390	17,300	<500
C-1	11/17/1999	7.50	3.59	3.91	0.00	-	-	-	-	-	-	-
C-1	12/08/1999	7.50	3.79	3.71	0.00	-	-	-	-	-	-	-
C-1	01/25/2000	7.50	1.99	5.54	0.04	-	-	-	-	-	-	-
C-1	04/03/2000**	7.50	2.20	5.38	0.10	-	-	-	-	-	-	-
C-1	05/26/2000**	7.50	2.52	5.16	0.23	-	-	-	-	-	-	-
C-1	06/19/2000**	7.50	2.89	4.76	0.19	-	-	-	-	-	-	-
C-1	07/03/2000**	7.50	3.45	4.25	0.25	-	-	-	-	-	-	-
C-1	08/01/2000**	7.50	3.78	3.85	0.16	-	-	-	-	-	-	-
C-1	09/30/2000**	7.50	4.03	3.50	0.04	-	-	-	-	-	-	-
C-1	10/23/2000**	7.50	4.15	3.37	0.03	-	-	-	-	-	-	-
C-1	11/21/2000	7.50	3.42	4.08	0.00	-	-	-	-	-	-	-
C-1	12/22/2000	7.50	2.96	4.54	0.00	-	-	-	-	-	-	-
C-1	01/08/2001	7.50	2.94	4.56	0.00	-	-	-	-	-	-	-
C-1	02/17/2001**	7.50	2.09	5.88	0.59	-	-	-	-	-	-	-
C-1	03/13/2001**	7.50	2.20	5.91	0.76	-	-	-	-	-	-	-
C-1	04/09/2001 <sup>18,**</sup>	7.50	2.45	5.26	0.26	-	-	-	-	-	-	-
C-1	05/18/2001**	7.50	2.70	5.27	0.59	-	-	-	-	-	-	-
C-1	06/12/2001**	7.50	3.50	4.78	0.97	-	-	-	-	-	-	-
C-1	07/19/2001**	7.50	4.25	4.01	0.95	-	-	-	-	-	-	-
C-1	08/23/2001 <sup>18,**</sup>	7.50	4.34	3.22	0.07	-	-	-	-	-	-	-
C-1	09/17/2001**	7.50	4.39	3.17	0.08	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	10/08/2001**	7.50	4.45	3.08	0.04	-	-	-	-	-	-	-
C-1	11/27/2001	7.50	3.89	3.61	0.00	-	330,000	9,800	5,300	3,800	22,000	<50
C-1	12/17/2001	7.50	1.81	5.69	0.00	-	-	-	-	-	-	-
C-1	01/07/2002**	7.50	2.27	5.64	0.51	-	-	-	-	-	-	-
C-1	02/26/2002 <sup>18,**</sup>	7.50	2.70	5.22	0.52	-	-	-	-	-	-	-
C-1	03/27/2002**	7.50	2.87	5.47	1.05	-	-	-	-	-	-	-
C-1	04/08/2002**	7.50	2.45	6.03	1.23	-	-	-	-	-	-	-
C-1	05/23/2002 <sup>18,**</sup>	7.50	3.57	4.35	0.52	-	-	-	-	-	-	-
C-1	06/17/2002**	7.50	3.90	3.88	0.35	-	-	-	-	-	-	-
C-1	07/31/2002**	7.50	4.12	3.54	0.20	-	-	-	-	-	-	-
C-1	08/09/2002 <sup>18,**</sup>	7.50	4.15	3.48	0.16	-	-	-	-	-	-	-
C-1	09/17/2002**	7.50	4.33	3.27	0.12	-	-	-	-	-	-	-
C-1	10/15/2002**	7.50	4.51	3.11	0.15	-	-	-	-	-	-	-
C-1	11/08/2002	7.50	4.11	3.39	0.00	-	51,000	7,000	510	820	5,800	<3.0
C-1	12/19/2002	7.50	1.14	6.36	0.00	-	-	-	-	-	-	-
C-1	01/14/2003	7.50	1.80	5.70	0.00	-	-	-	-	-	-	-
C-1	02/07/2003 <sup>18,**</sup>	7.50	2.95	4.79	0.30	-	-	-	-	-	-	-
C-1	03/20/2003**	7.50	2.86	4.97	0.41	-	-	-	-	-	-	-
C-1	04/15/2003**	7.50	2.12	5.46	0.10	-	-	-	-	-	-	-
C-1	05/09/2003 <sup>18,**</sup>	7.50	2.95	5.11	0.70	-	-	-	-	-	-	-
C-1	06/27/2003**	7.50	3.97	3.93	0.50	-	-	-	-	-	-	-
C-1	07/16/2003**	7.50	3.68	4.04	0.28	-	-	-	-	-	-	-
C-1	08/15/2003 <sup>18,**</sup>	7.50	4.29	3.39	0.22	-	-	-	-	-	-	-
C-1	09/26/2003**	7.50	4.60	3.05	0.19	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	10/18/2003**	7.50	4.72	2.90	0.15	-	-	-	-	-	-	-
C-1	11/14/2003 <sup>18,**</sup>	7.50	4.31	3.35	0.20	-	-	-	-	-	-	-
C-1	12/23/2003	7.50	1.81	5.69	0.00	-	-	-	-	-	-	-
C-1	01/22/2004**	7.50	4.19	3.32	0.01	-	-	-	-	-	-	-
C-1	02/13/2004 <sup>18,**</sup>	7.50	3.04	4.49	0.04	-	-	-	-	-	-	-
C-1	03/11/2004**	7.50	1.85	5.97	0.40	-	-	-	-	-	-	-
C-1	04/22/2004**	7.50	3.08	4.60	0.22	-	-	-	-	-	-	-
C-1	05/14/2004 <sup>18,**</sup>	7.50	3.49	4.03	0.03	-	-	-	-	-	-	-
C-1	06/18/2004**	7.50	3.41	4.19	0.13	-	-	-	-	-	-	-
C-1	07/23/2004**	7.50	3.28	4.31	0.11	-	-	-	-	-	-	-
C-1	08/13/2004 <sup>18,**</sup>	7.50	3.14	4.40	0.05	-	-	-	-	-	-	-
C-1	09/13/2004**	7.50	4.53	3.04	0.09	-	-	-	-	-	-	-
C-1	10/22/2004**	7.50	3.19	4.33	0.03	-	-	-	-	-	-	-
C-1	11/12/2004 <sup>18,**</sup>	7.50	3.22	4.30	0.03	-	-	-	-	-	-	-
C-1	12/02/2004**	7.50	3.28	4.24	0.02	-	-	-	-	-	-	-
C-1	01/28/2005**	7.50	3.19	4.32	0.01	-	-	-	-	-	-	-
C-1	02/11/2005 <sup>18,**</sup>	7.50	2.75	4.78	0.04	-	-	-	-	-	-	-
C-1	03/11/2005**	7.50	2.94	4.58	0.03	-	-	-	-	-	-	-
C-1	04/26/2005**	7.50	3.03	4.49	0.02	-	-	-	-	-	-	-
C-1	05/13/2005 <sup>18,**</sup>	7.50	3.18	4.34	0.02	-	-	-	-	-	-	-
C-1	06/01/2005**	7.50	3.22	4.30	0.02	-	-	-	-	-	-	-
C-1	07/15/2005**	7.50	3.09	4.43	0.02	-	-	-	-	-	-	-
C-1	08/19/2005 <sup>18,**</sup>	7.50	2.88	4.64	0.03	-	-	-	-	-	-	-
C-1	09/23/2005**	7.50	2.95	4.57	0.02	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	10/14/2005**	7.50	3.01	4.50	0.01	-	-	-	-	-	-	-
C-1	11/18/2005 <sup>18,**</sup>	7.50	3.21	4.31	0.02	-	-	-	-	-	-	-
C-1	12/09/2005**	7.50	3.61	3.90	0.01	-	-	-	-	-	-	-
C-1	01/12/2006**	7.50	2.98	4.53	0.01	-	-	-	-	-	-	-
C-1	02/10/2006 <sup>15,**</sup>	7.50	2.69	4.82	0.01	-	100,000	11,000	2,500	2,900	15,000	<10
C-1	03/13/2006**	7.50	2.81	4.70	0.01	-	-	-	-	-	-	-
C-1	04/13/2006**	7.50	2.75	4.76	0.01	-	-	-	-	-	-	-
C-1	05/12/2006 <sup>18,**</sup>	7.50	3.02	4.49	0.01	-	-	-	-	-	-	-
C-1	06/12/2006**	7.50	3.10	4.41	0.01	-	-	-	-	-	-	-
C-1	07/13/2006**	7.50	3.14	4.38	0.02	-	-	-	-	-	-	-
C-1	08/11/2006 <sup>15,**</sup>	7.50	3.70	3.81	0.01	-	200,000	8,600	470	1,700	8,800	<10
C-1	09/11/2006**	7.50	3.75	3.77	0.02	-	-	-	-	-	-	-
C-1	10/17/2006**	7.50	3.82	3.69	0.01	-	-	-	-	-	-	-
C-1	11/17/2006 <sup>18,**</sup>	7.50	3.11	4.41	0.03	-	-	-	-	-	-	-
C-1	12/15/2006**	7.50	2.95	4.57	0.02	-	-	-	-	-	-	-
C-1	01/16/2007**	7.50	2.98	4.54	0.02	-	-	-	-	-	-	-
C-1	02/16/2007 <sup>15</sup>	7.50	2.77	4.73	0.00	-	25,000	4,300	260	310	3,300	<5
C-1	03/16/2007**	7.50	3.07	4.44	0.01	-	-	-	-	-	-	-
C-1	04/17/2007**	7.50	2.98	4.53	0.01	-	-	-	-	-	-	-
C-1	05/17/2007 <sup>15,**</sup>	7.50	3.05	4.46	0.01	-	110,000 <sup>16</sup>	12,000 <sup>16</sup>	1,000 <sup>16</sup>	2,000 <sup>16</sup>	15,000 <sup>16</sup>	<5
C-1	06/15/2007**	7.50	3.08	4.43	0.01	-	-	-	-	-	-	-
C-1	07/17/2007**	7.50	3.13	4.38	0.01	-	-	-	-	-	-	-
C-1	08/09/2007 <sup>18,**</sup>	7.50	3.24	4.28	0.02	-	-	-	-	-	-	-
C-1	09/14/2007**	7.50	3.16	4.35	0.01	-	-	-	-	-	-	-



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	10/16/2007**	7.50	3.04	4.47	0.01	-	-	-	-	-	-	-
C-1	11/08/2007 <sup>15,**</sup>	7.50	3.11	4.40	0.01	-	150,000	13,000	570	1,800	10,000	<13
C-1	12/07/2007**	7.50	2.98	4.54	0.03	-	-	-	-	-	-	-
C-1	01/16/2008**	7.50	2.95	4.57	0.02	-	-	-	-	-	-	-
C-1	02/06/2008 <sup>15,**</sup>	7.50	2.61	4.90	0.01	-	110,000	13,000	500	5,300	21,000	<10
C-1	03/07/2008**	7.50	2.87	4.65	0.02	-	-	-	-	-	-	-
C-1	04/16/2008**	7.50	3.06	4.46	0.02	-	-	-	-	-	-	-
C-1	05/07/2008 <sup>18,**</sup>	7.50	2.98	4.54	0.03	-	-	-	-	-	-	-
C-1	06/06/2008**	7.50	3.02	4.50	0.02	-	-	-	-	-	-	-
C-1	07/16/2008**	7.50	3.12	4.40	0.02	-	-	-	-	-	-	-
C-1	09/05/2008**	7.50	3.97	3.75	0.28	-	-	-	-	-	-	-
C-1	09/11/2008 <sup>18,**</sup>	7.50	4.22	3.61	0.41	-	-	-	-	-	-	-
C-1	10/17/2008**	7.50	4.16	3.60	0.33	-	-	-	-	-	-	-
C-1	11/10/2008 <sup>18,**</sup>	7.50	4.05	3.54	0.11	-	-	-	-	-	-	-
C-1	12/15/2008**	7.50	3.85	3.69	0.05	-	-	-	-	-	-	-
C-1	01/21/2009**	7.50	3.91	3.62	0.04	-	-	-	-	-	-	-
C-1	02/09/2009 <sup>15,**</sup>	7.50	3.72	3.79	0.01	-	53,000	3,100	66	660	3,700	<1
C-1	05/28/2009	7.50	3.48	4.02	0.02	-	-	-	-	-	-	-
C-1	08/18/2009	7.50	4.40	3.10	0.02	-	-	-	-	-	-	-
C-1	11/17/2009	7.50	4.21	3.29	0.03	-	-	-	-	-	-	-
C-1	03/31/2010	7.50	2.07	5.46	0.04	-	-	-	-	-	-	-
C-1	05/17/2010	7.50	2.87	4.83	0.25	-	-	-	-	-	-	-
C-1	08/26/2010 <sup>18</sup>	7.50	4.03	3.50	0.04	-	-	-	-	-	-	-
C-1	11/11/2010 <sup>18,**</sup>	7.50	3.82	3.70	0.03	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-1	03/02/2011 <sup>18,**</sup>	7.50	1.12	6.41	0.04	-	-	-	-	-	-	-
C-1	06/17/2011 <sup>18,**</sup>	7.50	3.00	4.51	0.01	-	-	-	-	-	-	-
C-1	09/08/2011 <sup>18,**</sup>	7.50	3.60	3.92	0.02	-	-	-	-	-	-	-
C-1	12/29/2011 <sup>18,**</sup>	7.50	4.14	3.37	0.01	-	-	-	-	-	-	-
C-1	03/28/2012 <sup>18,**</sup>	7.50	1.01	6.52	0.04	-	-	-	-	-	-	-
C-1	05/31/2012 <sup>18,**</sup>	7.50	2.96	4.56	0.02	-	-	-	-	-	-	-
C-1	09/28/2012	7.50	4.50	3.00	0.00	-	48,000	8,600	81	1,800	3,300	<5
C-1	12/21/2012 <sup>18,**</sup>	7.50	2.20	5.32	0.02	-	-	-	-	-	-	-
C-1	03/29/2013 <sup>18,**</sup>	7.50	3.20	4.33	0.04	-	-	-	-	-	-	-
C-1	06/28/2013 <sup>18,**</sup>	7.50	3.90	3.61	0.01	-	-	-	-	-	-	-
C-1	09/20/2013 <sup>18,**</sup>	7.50	4.73	2.79	0.02	-	-	-	-	-	-	-
C-1	12/30/2013 <sup>18,**</sup>	7.50	4.41	3.10	0.01	-	-	-	-	-	-	-
C-1	03/31/2014 <sup>18,**</sup>	7.50	2.55	4.97	0.02	-	-	-	-	-	-	-
C-1	06/30/2014	7.50	3.82	3.68	0.00	-	25,000	6,700	72	710	310	<10
C-1	09/30/2014 <sup>18,**</sup>	7.50	5.84	1.68	0.02	-	-	-	-	-	-	-
C-1	12/30/2014	7.50	1.90	5.60	0.00	-	20,000	5,200	48	510	310	<5
C-1	03/20/2015	7.50	2.29	5.22	0.01	-	21,000	6,700	130	850	480	<5
C-1	06/18/2015	7.50	4.32	3.18	0.00	-	24,000	6,000	65	600	1,000	<0.5
C-1	09/23/2015 <sup>18</sup>	7.50	5.11	2.41	0.02	-	-	-	-	-	-	-
C-1	12/22/2015 <sup>18,23**</sup>	7.50	3.79	3.73	0.02	-	-	-	-	-	-	-
C-1	03/29/2016 <sup>23</sup>	7.50	1.84	5.66	0.00	-	29,000	5,200	45 J	320	220	<50
<b>C-1</b>	<b>06/21/2016<sup>23</sup></b>	<b>7.50</b>	<b>4.34</b>	<b>3.16</b>	<b>0.00</b>	-	<b>37,000</b>	<b>4,800</b>	<b>62</b>	<b>560</b>	<b>420</b>	<b>&lt;10</b>
C-3	08/18/1986	-	4.00	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-3	09/04/1986	-	-	-	-	-	50	3.2	5.4	5.8	-	-
C-3	07/22/1987	-	-	-	-	-	<50	<0.5	<1.0	<4.0	-	-
C-3	05/03/1989	-	4.15	-	-	-	<50	<0.5	<1.0	<2.0	-	-
C-3	12/04/1989	-	4.24	-	-	-	<250	<0.5	<0.5	<0.5	-	-
C-3	02/14/1990	-	3.57	-	-	-	<50	<0.5	<0.5	<0.5	-	-
C-3	03/07/1990	-	3.31	-	-	-	-	<5.0	<5.0	<5.0	-	-
C-3	09/06/1991	-	4.59	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	12/15/1991	-	4.84	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	03/03/1992	-	2.17	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	06/04/1992	4.41	4.01	0.40	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	10/13/1992	4.41	4.79	-0.38	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	01/11/1993	4.41	2.01	2.40	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	04/14/1993	4.41	2.76	1.65	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	07/13/1993	4.41	3.96	0.45	0.00	-	<50	<0.5	<0.5	<0.5	<1.5	-
C-3	10/19/1993	4.41	4.53	-0.12	0.00	-	66	12	1.4	1.0	8.4	-
C-3	11/30/1993	7.83	4.04	3.79	0.00	-	-	-	-	-	-	-
C-3	01/27/1994	7.83	3.17	4.66	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	04/07/1994	7.83	3.20	4.63	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	07/01/1994	7.83	3.99	3.84	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	10/05/1994	7.83	4.54	3.29	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	01/12/1995	7.83	0.80	7.03	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	05/02/1995	7.83	2.15	5.68	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	07/12/1995	7.83	3.42	4.41	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
C-3	10/30/1995	7.83	4.46	3.37	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-3	01/22/1996	7.83	1.73	6.10	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	04/24/1996	7.83	2.62	5.21	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	07/29/1996	7.83	3.94	3.89	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	10/10/1996	7.83	4.06	3.77	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	01/15/1997	7.83	1.54	6.29	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	04/03/1997	7.83	3.23	4.60	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	07/09/1997	7.83	4.36	3.47	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	10/29/1997	7.83	4.65	3.18	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	01/14/1998	7.83	0.77	7.06	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	07/15/1998	7.83	3.72	4.11	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
C-3	01/20/1999	7.83	2.65	5.18	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
C-3	04/19/1999	7.83	1.78	6.05	0.00	-	-	-	-	-	-	-
C-3	04/03/2000 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	07/03/2000	7.83	-	-	-	-	-	-	-	-	-	-
C-3	10/23/2000	7.83	-	-	-	-	-	-	-	-	-	-
C-3	01/08/2001 <sup>11</sup>	7.83	3.71	4.12	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
C-3	04/09/2001	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/23/2001 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/27/2001 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/26/2002	7.83	2.38	5.45	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
C-3	05/23/2002 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/09/2002 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/08/2002 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/07/2003	7.83	2.73	5.10	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-3	05/09/2003 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/15/2003 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/14/2003 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/13/2004 <sup>15</sup>	7.83	2.81	5.02	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/14/2004 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/12/2004 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/11/2005 <sup>15</sup>	7.83	2.58	5.25	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/13/2005 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/19/2005 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/18/2005 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/10/2006 <sup>15</sup>	7.83	2.52	5.31	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/12/2006 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/11/2006 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/17/2006 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/16/2007 <sup>15</sup>	7.83	2.63	5.20	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/17/2007 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	08/09/2007 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/08/2007 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/06/2008 <sup>15</sup>	7.83	2.91	4.92	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/07/2008 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	09/11/2008 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	11/10/2008 <sup>19</sup>	7.83	-	-	-	-	-	-	-	-	-	-
C-3	02/09/2009 <sup>15</sup>	7.83	2.95	4.88	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	03/31/2010	7.83	2.22	5.61	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
C-3	05/17/2010	7.83	3.07	4.76	0.00	-	-	-	-	-	-	-
C-3	08/26/2010 <sup>19</sup>	7.83	4.29	3.54	0.00	-	-	-	-	-	-	-
C-3	11/11/2010 <sup>19</sup>	7.83	4.48	3.35	0.00	-	-	-	-	-	-	-
C-3	03/02/2011 <sup>19</sup>	7.83	1.45	6.38	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	06/17/2011 <sup>19</sup>	7.83	3.24	4.59	0.00	-	-	-	-	-	-	-
C-3	09/08/2011 <sup>19</sup>	7.83	4.02	3.81	0.00	-	-	-	-	-	-	-
C-3	12/29/2011 <sup>19</sup>	7.83	4.42	3.41	0.00	-	-	-	-	-	-	-
C-3	03/28/2012	7.83	0.94	6.89	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	05/31/2012 <sup>19</sup>	7.83	3.40	4.43	0.00	-	-	-	-	-	-	-
C-3	09/28/2012 <sup>19</sup>	7.83	4.72	3.11	0.00	-	-	-	-	-	-	-
C-3	12/21/2012 <sup>19</sup>	7.83	2.41	5.42	0.00	-	-	-	-	-	-	-
C-3	03/29/2013	7.83	3.45	4.38	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	06/28/2013	7.83	4.29	3.54	0.00	-	-	-	-	-	-	-
C-3	09/20/2013	7.83	4.81	3.02	0.00	-	-	-	-	-	-	-
C-3	12/30/2013	7.83	4.79	3.04	0.00	-	-	-	-	-	-	-
C-3	03/31/2014	7.83	2.79	5.04	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	06/30/2014	7.83	4.23	3.60	0.00	-	-	-	-	-	-	-
C-3	09/30/2014	7.83	5.00	2.83	0.00	-	-	-	-	-	-	-
C-3	12/30/2014	7.83	2.13	5.70	0.00	-	-	-	-	-	-	-
C-3	03/20/2015	7.83	3.36	4.47	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
C-3	06/18/2015	7.83	4.38	3.45	0.00	-	-	-	-	-	-	-
C-3	09/23/2015	7.83	5.39	2.44	0.00	-	-	-	-	-	-	-
C-3	12/22/2015 <sup>25</sup>	7.83	3.93	3.90	0.00	-	-	-	-	-	-	-
C-3	03/29/2016	7.83	2.04	5.79	0.00	-	<100	<1	<1	<1	<1	<1

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
<b>C-3</b>	<b>06/21/2016</b>	<b>7.83</b>	<b>4.25</b>	<b>3.58</b>	<b>0.00</b>	-	-	-	-	-	-	-
MW-4	06/04/1992	3.58	3.63	-0.05	0.00	-	<50	0.8	<0.5	<0.5	<0.5	-
MW-4	10/13/1992	3.58	-	-	-	-	-	-	-	-	-	-
MW-4	01/11/1993	3.58	1.89	1.69	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/14/1993	3.58	2.20	1.38	0.00	-	<50	<0.5	<0.5	<0.5	<1.5	-
MW-4	07/13/1993	3.58	3.51	0.07	0.00	-	54	2.6	1.6	<0.5	<1.5	-
MW-4	10/19/1993	3.58	4.22	-0.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	11/30/1993	7.01	4.01	3.00	0.00	-	-	-	-	-	-	-
MW-4	01/27/1994	7.01	2.89	4.12	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/07/1994	7.01	3.06	3.95	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	07/01/1994	7.01	3.59	3.42	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/05/1994	7.01	4.33	2.68	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	01/12/1995	7.01	1.20	5.81	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/26/1995	7.01	1.15	5.86	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	07/12/1995	7.01	2.72	4.29	0.00	-	<50	6.4	<0.5	0.63	0.72	-
MW-4	10/30/1995	7.01	4.08	2.93	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	01/22/1996	7.01	1.76	5.25	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	04/24/1996	7.01	1.95	5.06	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	07/29/1996	7.01	3.37	3.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	10/10/1996	7.01	3.96	3.05	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	01/15/1997	7.01	1.27	5.74	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	04/03/1997	7.01	2.11	4.90	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	07/09/1997	7.01	4.04	2.97	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	10/29/1997	7.01	4.56	2.45	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	01/14/1998	7.01	0.39	6.62	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	01/20/1999	7.01	2.83	4.18	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
MW-4	04/19/1999	7.01	2.91	4.10	0.00	-	-	-	-	-	-	-
MW-4	01/25/2000	7.01	1.92	5.09	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-4	04/03/2000 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	07/03/2000	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	10/23/2000	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	01/08/2001 <sup>11</sup>	7.01	3.02	3.99	0.00	-	87 <sup>12</sup>	<0.50	<0.50	0.55	2.9	<2.5
MW-4	04/09/2001	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/23/2001 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/27/2001 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/26/2002	7.01	1.37	5.64	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-4	05/23/2002 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/09/2002 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/08/2002 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/07/2003	7.01	1.72	5.29	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-4	05/09/2003 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/15/2003 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/14/2003 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/13/2004 <sup>15</sup>	7.01	1.82	5.19	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/14/2004 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/12/2004 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/11/2005 <sup>15</sup>	7.01	1.46	5.55	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	05/13/2005 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/19/2005 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/18/2005 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/10/2006 <sup>15</sup>	7.01	1.35	5.66	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/12/2006 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/11/2006 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/17/2006 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/16/2007 <sup>15</sup>	7.01	1.48	5.53	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/17/2007 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	08/09/2007 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/08/2007 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/06/2008 <sup>15</sup>	7.01	1.27	5.74	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/07/2008 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	09/11/2008 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	11/10/2008 <sup>19</sup>	7.01	-	-	-	-	-	-	-	-	-	-
MW-4	02/09/2009 <sup>15</sup>	7.01	2.33	4.68	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	03/31/2010	7.01	2.13	4.88	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/17/2010	7.01	2.05	4.96	0.00	-	-	-	-	-	-	-
MW-4	08/26/2010 <sup>19</sup>	7.01	3.70	3.31	0.00	-	-	-	-	-	-	-
MW-4	11/11/2010 <sup>19</sup>	7.01	3.98	3.03	0.00	-	-	-	-	-	-	-
MW-4	03/02/2011 <sup>19</sup>	7.01	0.75	6.26	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	06/17/2011 <sup>19</sup>	7.01	2.36	4.65	0.00	-	-	-	-	-	-	-
MW-4	09/08/2011 <sup>19</sup>	7.01	3.36	3.65	0.00	-	-	-	-	-	-	-
MW-4	12/29/2011 <sup>19</sup>	7.01	3.65	3.36	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	03/28/2012	7.01	1.20	5.81	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	05/31/2012 <sup>19</sup>	7.01	1.62	5.39	0.00	-	-	-	-	-	-	-
MW-4	09/28/2012 <sup>19</sup>	7.01	3.70	3.31	0.00	-	-	-	-	-	-	-
MW-4	12/21/2012 <sup>19</sup>	7.01	1.31	5.70	0.00	-	-	-	-	-	-	-
MW-4	03/29/2013	7.01	2.35	4.66	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	06/28/2013	7.01	3.46	3.55	0.00	-	-	-	-	-	-	-
MW-4	09/20/2013	7.01	4.29	2.72	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	12/30/2013	7.01	4.00	3.01	0.00	-	-	-	-	-	-	-
MW-4	03/31/2014	7.01	3.11	3.90	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	06/30/2014	7.01	3.67	3.34	0.00	-	-	-	-	-	-	-
MW-4	09/30/2014	7.01	4.41	2.60	0.00	-	-	-	-	-	-	-
MW-4	12/30/2014	7.01	2.44	4.57	0.00	-	-	-	-	-	-	-
MW-4	03/20/2015	7.01	2.14	4.87	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-4	06/18/2015	7.01	3.63	3.38	0.00	-	-	-	-	-	-	-
MW-4	09/23/2015	7.01	4.75	2.26	0.00	-	-	-	-	-	-	-
MW-4	12/22/2015 <sup>25</sup>	7.01	2.71	4.30	0.00	-	-	-	-	-	-	-
MW-4	03/29/2016	7.01	2.58	4.43	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-4</b>	<b>06/21/2016</b>	<b>7.01</b>	<b>3.62</b>	<b>3.39</b>	<b>0.00</b>	-	-	-	-	-	-	-
MW-5	06/04/1992	3.61	3.25	0.36	0.00	-	560	110	0.5	37	2.2	-
MW-5	10/13/1992	3.61	4.20	-0.59	0.00	-	1,200	150	<2.5	84	8.6	-
MW-5	01/11/1993	3.61	1.30	2.31	0.00	-	1,300	48	1.0	83	33	-
MW-5	04/14/1993	3.61	1.20	2.41	0.00	-	2,600	240	6.1	250	170	-
MW-5	07/13/1993	3.61	3.15	0.46	0.00	-	1,700	260	7.8	160	100	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	10/19/1993	3.61	3.82	-0.21	0.00	-	1,900	190	3.3	200	93	-
MW-5	11/30/1993	7.04	3.56	3.48	0.00	-	-	-	-	-	-	-
MW-5	01/27/1994	7.04	2.42	4.62	0.00	-	4,000	100	12	210	110	-
MW-5	04/07/1994	7.04	2.33	4.71	0.00	-	2,600	170	10	150	88	-
MW-5	07/01/1994	7.04	3.18	3.86	0.00	-	2,300	350	9.1	110	76	-
MW-5	10/05/1994	7.04	3.98	3.06	0.00	-	11,000	840	150	130	340	-
MW-5	01/12/1995	7.04	0.40	6.64	0.00	-	2,300	82	<2.5	54	20	-
MW-5	04/26/1995	7.04	0.50	6.54	0.00	-	1,600	52	<5.0	36	61	-
MW-5	07/12/1995	7.04	2.41	4.63	0.00	-	2,800	150	<5.0	34	38	-
MW-5	10/30/1995	7.04	3.78	3.26	0.00	-	1,100	81	<5.0	<5.0	<5.0	35
MW-5	01/22/1996	7.04	0.78	6.26	0.00	-	880	7.3	<2.0	15	4.8	<10
MW-5	04/24/1996	7.04	1.65	5.39	0.00	-	1,600	51	3.8	14	5.6	56
MW-5	07/29/1996 <sup>21</sup>	7.04	-	-	-	-	-	-	-	-	-	-
MW-5	10/10/1996	7.04	3.60	3.44	0.00	-	1,000	18	<1.2	1.5	<1.2	<6.2
MW-5	01/15/1997	7.04	0.45	6.59	0.00	-	520	0.84	<0.5	3.1	1.2	8.4
MW-5	04/03/1997	7.04	2.11	4.93	0.00	-	1,400	13	<2.0	4.3	8.4	32
MW-5	07/09/1997	7.04	3.71	3.33	0.00	-	810	3.6	0.97	<0.5	<0.5	9.7
MW-5	10/29/1997	7.04	4.20	2.84	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-5	01/14/1998	7.04	0.00	7.04	0.00	-	430	5.8	2.4	<0.5	1.6	17
MW-5	04/17/1998 <sup>20</sup>	7.04	0.71	6.33	0.00	-	-	-	-	-	-	-
MW-5	07/15/1998	7.04	0.00	7.04	0.00	-	990	11	3.9	0.56	2.2	61
MW-5	10/27/1998	7.04	4.23	2.81	0.00	-	-	-	-	-	-	-
MW-5	01/20/1999	7.04	2.58	4.46	0.00	-	168	<0.5	<0.5	<0.5	0.692	<2.0
MW-5	04/19/1999	7.04	2.07	4.97	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	07/29/1999	7.04	3.43	3.61	0.00	-	246	1.54	<0.5	<0.5	<0.5	<2.0 <sup>2</sup> / <sup>2</sup> <5.0
MW-5	10/13/1999 <sup>21</sup>	7.04	-	-	-	-	-	-	-	-	-	-
MW-5	01/25/2000	7.04	1.51	5.53	0.00	-	169	1.94	<0.5	<0.5	<0.5	201
MW-5	04/03/2000	7.04	1.20	5.84	0.00	-	-	-	-	-	-	-
MW-5	07/03/2000	7.04	2.98	4.06	0.00	-	320 <sup>6,10</sup>	5.3	1.1	<0.50	<0.50	5.0
MW-5	10/23/2000	7.04	4.18	2.86	0.00	-	-	-	-	-	-	-
MW-5	01/08/2001 <sup>11</sup>	7.04	2.92	4.12	0.00	-	220 <sup>6</sup>	3.9	<0.50	<0.50	<0.50	7.7
MW-5	04/09/2001	7.04	1.01	6.03	0.00	-	-	-	-	-	-	-
MW-5	08/23/2001	7.04	3.48	3.56	0.00	-	630	40	3.5	<2.5	<2.5	43
MW-5	11/27/2001 <sup>20</sup>	7.04	3.05	3.99	0.00	-	-	-	-	-	-	-
MW-5	02/26/2002	7.04	1.00	6.04	0.00	-	410	4.3	<0.50	<0.50	<1.5	<2.5
MW-5	05/23/2002 <sup>20</sup>	7.04	2.21	4.83	0.00	-	-	-	-	-	-	-
MW-5	08/09/2002	7.04	3.38	3.66	0.00	-	240	1.3	<0.50	<0.50	<1.5	<2.5
MW-5	11/08/2002 <sup>20</sup>	7.04	4.56	2.48	0.00	-	-	-	-	-	-	-
MW-5	02/07/2003	7.04	1.42	5.62	0.00	-	380	3.2	<0.50	0.64	<1.5	<2.5
MW-5	05/09/2003 <sup>20</sup>	7.04	1.25	5.79	0.00	-	-	-	-	-	-	-
MW-5	08/15/2003 <sup>15</sup>	7.04	3.61	3.43	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/14/2003 <sup>20</sup>	7.04	3.57	3.47	0.00	-	-	-	-	-	-	-
MW-5	02/13/2004 <sup>15</sup>	7.04	1.50	5.54	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/14/2004 <sup>20</sup>	7.04	2.47	4.57	0.00	-	-	-	-	-	-	-
MW-5	08/13/2004 <sup>15</sup>	7.04	5.46	1.58	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/12/2004 <sup>20</sup>	7.04	4.65	2.39	0.00	-	-	-	-	-	-	-
MW-5	02/11/2005 <sup>15</sup>	7.04	1.20	5.84	0.00	-	130	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/13/2005 <sup>20</sup>	7.04	4.36	2.68	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	08/19/2005 <sup>15</sup>	7.04	2.78	4.26	0.00	-	96	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/18/2005 <sup>20</sup>	7.04	4.51	2.53	0.00	-	-	-	-	-	-	-
MW-5	02/10/2006 <sup>15</sup>	7.04	1.12	5.92	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/12/2006 <sup>20</sup>	7.04	2.23	4.81	0.00	-	-	-	-	-	-	-
MW-5	08/11/2006 <sup>15</sup>	7.04	3.40	3.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/17/2006 <sup>20</sup>	7.04	4.16	2.88	0.00	-	-	-	-	-	-	-
MW-5	02/16/2007 <sup>15</sup>	7.04	1.22	5.82	0.00	-	<50	<0.5	<0.7	<0.8	<0.8	<0.5
MW-5	05/17/2007 <sup>20</sup>	7.04	4.06	2.98	0.00	-	-	-	-	-	-	-
MW-5	08/09/2007 <sup>15</sup>	7.04	3.61	3.43	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/08/2007 <sup>20</sup>	7.04	3.70	3.34	0.00	-	-	-	-	-	-	-
MW-5	02/06/2008 <sup>15</sup>	7.04	1.06	5.98	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/07/2008 <sup>20</sup>	7.04	3.57	3.47	0.00	-	-	-	-	-	-	-
MW-5	09/11/2008 <sup>15</sup>	7.04	4.58	2.46	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/10/2008 <sup>20</sup>	7.04	4.26	2.78	0.00	-	-	-	-	-	-	-
MW-5	02/09/2009 <sup>15</sup>	7.04	2.15	4.89	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/28/2009	7.04	2.76	4.28	0.00	-	-	-	-	-	-	-
MW-5	08/18/2009 <sup>15</sup>	7.04	3.81	3.23	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/17/2009	7.04	4.02	3.02	0.00	-	-	-	-	-	-	-
MW-5	03/31/2010	7.04	1.86	5.18	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/17/2010	7.04	1.57	5.47	0.00	-	-	-	-	-	-	-
MW-5	08/26/2010	7.04	3.25	3.79	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	11/11/2010 <sup>20</sup>	7.04	3.52	3.52	0.00	-	-	-	-	-	-	-
MW-5	03/02/2011 <sup>20</sup>	7.04	1.55	5.49	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	06/17/2011 <sup>20</sup>	7.04	1.84	5.20	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	09/08/2011 <sup>20</sup>	7.04	2.50	4.54	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	12/29/2011 <sup>20</sup>	7.04	3.40	3.64	0.00	-	-	-	-	-	-	-
MW-5	03/28/2012	7.04	1.72	5.32	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	05/31/2012 <sup>20</sup>	7.04	0.20	6.84	0.00	-	-	-	-	-	-	-
MW-5	09/28/2012	7.04	3.90	3.14	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	12/21/2012 <sup>20</sup>	7.04	1.59	5.45	0.00	-	-	-	-	-	-	-
MW-5	03/29/2013	7.04	2.00	5.04	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	06/28/2013	7.04	3.35	3.69	0.00	-	-	-	-	-	-	-
MW-5	09/20/2013	7.04	4.04	3.00	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	12/30/2013	7.04	3.80	3.24	0.00	-	-	-	-	-	-	-
MW-5	03/31/2014	7.04	1.90	5.14	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	06/30/2014	7.04	3.41	3.63	0.00	-	-	-	-	-	-	-
MW-5	09/30/2014	7.04	4.34	2.70	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	12/30/2014	7.04	2.15	4.89	0.00	-	-	-	-	-	-	-
MW-5	03/20/2015	7.04	1.78	5.26	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	06/18/2015	7.04	3.48	3.56	0.00	-	-	-	-	-	-	-
MW-5	09/23/2015	7.04	4.68	2.36	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-5	12/22/2015 <sup>25</sup>	7.04	1.97	5.07	0.00	-	-	-	-	-	-	-
MW-5	03/29/2016	7.04	1.69	5.35	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-5</b>	<b>06/21/2016</b>	<b>7.04</b>	<b>2.87</b>	<b>4.17</b>	<b>0.00</b>	-	-	-	-	-	-	-
MW-6	06/04/1992	3.85	3.89	-0.04	0.00	-	210	54	<0.5	1.9	2.4	-
MW-6	10/13/1992	3.85	4.56	-0.71	0.00	-	10,000	5,300	<10	70	<10	-
MW-6	01/11/1993	3.85	2.36	1.49	0.00	-	100	50	<0.5	<0.5	<0.5	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	04/14/1993	3.85	3.15	0.70	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-6	07/13/1993	3.85	3.94	-0.09	0.00	-	<50	1.8	<0.5	<0.5	<1.5	-
MW-6	10/19/1993	3.85	4.40	-0.55	0.00	-	320	150	<0.5	0.8	<0.5	-
MW-6	11/30/1993	7.27	4.16	3.11	0.00	-	-	-	-	-	-	-
MW-6	01/27/1994	7.27	3.33	3.94	0.00	-	120	45	<0.5	<0.5	<0.5	-
MW-6	04/07/1994	7.27	3.43	3.84	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-6	07/01/1994	7.27	3.94	3.33	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-6	10/05/1994	7.27	4.38	2.89	0.00	-	8,300	2,400	160	42	190	-
MW-6	01/12/1995 <sup>1</sup>	7.27	2.43	4.84	0.00	-	<50	12	<0.5	<0.5	<0.5	-
MW-6	04/26/1995	7.27	2.06	5.21	0.00	-	<50	5.5	0.67	<0.5	1.3	-
MW-6	07/12/1995	7.27	3.53	3.74	0.00	-	65	27	<0.5	<0.5	<0.5	-
MW-6	10/30/1995	7.27	4.34	2.93	0.00	-	<50	3.9	<0.5	<0.5	<0.5	<2.5
MW-6	01/22/1996	7.27	2.61	4.66	0.00	-	<50	0.93	<0.5	<0.5	<0.5	<2.5
MW-6	04/24/1996	7.27	2.50	4.77	0.00	-	260	110	<1.2	<1.2	<1.2	<6.2
MW-6	07/29/1996	7.27	3.85	3.42	0.00	-	<50	23	<0.5	<0.5	<0.5	<2.5
MW-6	10/10/1996	7.27	4.37	2.90	0.00	-	79	31	<0.5	<0.5	<0.5	<2.5
MW-6	01/15/1997	7.27	2.63	4.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-6	04/03/1997	7.27	3.42	3.85	0.00	-	670	360	<5.0	<5.0	<5.0	<25
MW-6	07/09/1997	7.27	4.29	2.98	0.00	-	330	140	<2.0	<2.0	<2.0	<10
MW-6	10/29/1997	7.27	4.56	2.71	0.00	-	400	260	<2.0	<2.0	<2.0	5.8
MW-6	01/14/1998	7.27	1.01	6.26	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-6	04/17/1998	7.27	2.94	4.33	0.00	-	<50	1.7	<0.5	<0.5	<0.5	<2.5
MW-6	07/15/1998	7.27	4.72	2.55	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-6	10/27/1998 <sup>21</sup>	7.27	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	11/25/1998	7.27	4.16	3.11	0.00	-	110 <sup>3</sup>	54	<0.5	<0.5	<0.5	<2.5
MW-6	01/20/1999	7.27	3.45	3.82	0.00	-	<50	10	<0.5	<0.5	<0.5	<2.0
MW-6	04/19/1999	7.27	3.39	3.88	0.00	-	<50	2.6	<0.5	<0.5	<0.5	<2.0/<2.5 <sup>2</sup>
MW-6	07/29/1999 <sup>4</sup>	7.27	4.34	2.93	0.00	-	<5,000	2,590	<50	<50	<50	<500
MW-6	10/13/1999	7.27	5.89	1.38	0.00	-	9,270	4,610	44.2	<25	<25	<125
MW-6	01/25/2000	7.27	4.11	3.16	0.00	-	529	289	<0.5	<0.5	<0.5	738
MW-6	04/03/2000 <sup>7,8</sup>	7.27	2.84	4.43	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
MW-6	07/03/2000 <sup>7</sup>	7.27	3.77	3.50	0.00	-	91 <sup>6</sup>	89	0.77	<0.50	<0.50	<2.5
MW-6	10/12/2000	7.27	6.32	0.95	0.00	-	<50	8.0	<0.50	<0.50	<0.50	<2.5
MW-6	01/08/2001 <sup>7,11</sup>	7.27	3.74	3.53	0.00	-	400 <sup>6</sup>	640	8.2	8.0	5.0	10
MW-6	04/09/2001 <sup>7</sup>	7.27	3.03	4.24	0.00	-	91.3	22.0	3.36	0.751	2.14	<0.500
MW-6	08/23/2001 <sup>7</sup>	7.27	4.70	2.57	0.00	-	53 <sup>13</sup>	23	0.50	<0.50	1.1	<2.5
MW-6	11/27/2001 <sup>14</sup>	7.27	4.43	2.84	0.00	-	<50	4.1	<0.50	<0.50	<1.5	<2.5
MW-6	02/26/2002 <sup>14</sup>	7.27	2.50	4.77	0.00	-	100	53	<0.50	<0.50	<1.5	<2.5
MW-6	05/23/2002	7.27	3.27	4.00	0.00	-	610	260	4.2	1.7	2.1	<2.5
MW-6	08/09/2002	7.27	4.11	3.16	0.00	-	<50	1.1	<0.50	<0.50	<1.5	<2.5
MW-6	11/08/2002	7.27	4.12	3.15	0.00	2.10	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-6	02/07/2003	7.27	2.60	4.67	0.00	2.60	<50	0.65	<0.50	<0.50	<1.5	<2.5
MW-6	05/09/2003	7.27	2.57	4.70	0.00	3.10	<50	1.9	<0.5	<0.5	<1.5	<2.5
MW-6	08/15/2003 <sup>15</sup>	7.27	4.15	3.12	0.00	2.90	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/14/2003 <sup>15</sup>	7.27	4.10	3.17	0.00	3.41	<50	<0.5	0.6	<0.5	<0.5	1
MW-6	02/13/2004 <sup>15</sup>	7.27	2.66	4.61	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/14/2004 <sup>15</sup>	7.27	3.55	3.72	0.00	-	<50	3	<0.5	<0.5	<0.5	<0.5
MW-6	08/13/2004 <sup>15</sup>	7.27	4.32	2.95	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	11/12/2004 <sup>15</sup>	7.27	4.20	3.07	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	02/11/2005 <sup>15</sup>	7.27	2.18	5.09	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/13/2005 <sup>15</sup>	7.27	4.11	3.16	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	08/19/2005 <sup>15</sup>	7.27	3.70	3.57	0.00	1.90	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/18/2005 <sup>15</sup>	7.27	3.98	3.29	0.00	1.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	02/10/2006 <sup>15</sup>	7.27	2.11	5.16	0.00	2.20	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/12/2006 <sup>15</sup>	7.27	3.18	4.09	0.00	2.80	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	08/11/2006 <sup>15</sup>	7.27	3.80	3.47	0.00	2.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/17/2006 <sup>15</sup>	7.27	3.78	3.49	0.00	2.20	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	02/16/2007 <sup>15</sup>	7.27	2.08	5.19	0.00	1.80	<50	1	<0.5	<0.5	<0.5	<0.5
MW-6	05/17/2007 <sup>15</sup>	7.27	3.61	3.66	0.00	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	08/09/2007 <sup>15</sup>	7.27	4.05	3.22	0.00	2.6	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/08/2007 <sup>15</sup>	7.27	4.12	3.15	0.00	2.2	<50	5	<0.5	<0.5	<0.5	<0.5
MW-6	02/06/2008 <sup>15</sup>	7.27	1.85	5.42	0.00	2.4	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/07/2008 <sup>15</sup>	7.27	3.91	3.36	0.00	2.3	63	18	<0.5	<0.5	<0.5	<0.5
MW-6	09/11/2008 <sup>15</sup>	7.27	4.93	2.34	0.00	1.9	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	11/10/2008 <sup>15</sup>	7.27	4.30	2.97	0.00	2.2	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	02/09/2009 <sup>15</sup>	7.27	2.97	4.30	0.00	2.0	<50	2	<0.5	<0.5	<0.5	<0.5
MW-6	05/28/2009 <sup>15</sup>	7.27	3.53	3.74	0.00	1.77	<50	4	<0.5	<0.5	<0.5	<0.5
MW-6	08/18/2009 <sup>15</sup>	7.27	3.38	3.89	0.00	1.81	560	130	3	<0.5	0.7 J	<0.5
MW-6	11/17/2009	7.27	4.00	3.27	0.00	-	-	-	-	-	-	-
MW-6	03/31/2010	7.27	2.44	4.83	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/17/2010	7.27	3.30	3.97	0.00	-	-	-	-	-	-	-
MW-6	08/26/2010	7.27	4.15	3.12	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	11/11/2010 <sup>20</sup>	7.27	4.16	3.11	0.00	-	-	-	-	-	-	-
MW-6	03/02/2011 <sup>20</sup>	7.27	2.27	5.00	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	06/17/2011 <sup>20</sup>	7.27	3.69	3.58	0.00	-	-	-	-	-	-	-
MW-6	09/08/2011 <sup>20</sup>	7.27	3.82	3.45	0.00	-	<50	2	<0.5	<0.5	<0.5	<0.5
MW-6	12/29/2011 <sup>20</sup>	7.27	3.90	3.37	0.00	-	-	-	-	-	-	-
MW-6	03/28/2012	7.27	1.99	5.28	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	05/31/2012 <sup>20</sup>	7.27	3.28	3.99	0.00	-	-	-	-	-	-	-
MW-6	09/28/2012	7.27	4.47	2.80	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	12/21/2012 <sup>20</sup>	7.27	2.68	4.59	0.00	-	-	-	-	-	-	-
MW-6	03/29/2013	7.27	3.73	3.54	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	06/28/2013	7.27	4.17	3.10	0.00	-	-	-	-	-	-	-
MW-6	09/20/2013	7.27	4.48	2.79	0.00	-	-	-	-	-	-	-
MW-6	12/30/2013	7.27	4.27	3.00	0.00	-	-	-	-	-	-	-
MW-6	03/31/2014	7.27	3.05	4.22	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	06/30/2014	7.27	4.24	3.03	0.00	-	-	-	-	-	-	-
MW-6	09/30/2014	7.27	4.70	2.57	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	12/30/2014	7.27	2.56	4.71	0.00	-	-	-	-	-	-	-
MW-6	03/20/2015	7.27	3.61	3.66	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	06/18/2015	7.27	4.31	2.96	0.00	-	-	-	-	-	-	-
MW-6	09/23/2015	7.27	5.11	2.16	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-6	12/22/2015 <sup>25</sup>	7.27	3.91	3.36	0.00	-	-	-	-	-	-	-
MW-6	03/29/2016	7.27	2.62	4.65	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-6</b>	<b>06/21/2016</b>	<b>7.27</b>	<b>4.31</b>	<b>2.96</b>	<b>0.00</b>	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	11/30/1993	8.22	5.33	2.89	0.00	-	480	110	41	4.4	38	-
MW-7	01/27/1994	8.22	4.50	3.72	0.00	-	120	21	1.1	2.2	4.8	-
MW-7	04/07/1994	8.22	4.62	3.60	0.00	-	2,600	630	39	56	94	-
MW-7	07/01/1994	8.22	5.13	3.09	0.00	-	2,200	770	42	<10	92	-
MW-7	10/05/1994	8.22	5.61	2.61	0.00	-	15,000	3,300	90	130	320	-
MW-7	01/12/1995	8.22	2.83	5.39	0.00	-	340	57	<1.3	18	6.4	-
MW-7	04/26/1995	8.22	2.35	5.87	0.00	-	15,000	3,700	210	520	800	-
MW-7	07/12/1995	8.22	4.66	3.56	0.00	-	7,700	1,800	59	130	370	-
MW-7	10/30/1995	8.22	5.48	2.74	0.00	-	770	260	<5.0	33	48	25
MW-7	01/22/1996	8.22	3.34	4.88	0.00	-	290	63	<1.0	6.4	5.7	<5.0
MW-7	04/24/1996	8.22	4.12	4.10	0.00	-	12,000	2,500	510	380	810	<125
MW-7	07/29/1996	8.22	5.03	3.19	0.00	-	2,600	650	<25	61	150	<125
MW-7	10/10/1996	8.22	5.52	2.70	0.00	-	5,800	1,700	28	170	210	<62
MW-7	01/15/1997	8.22	2.92	5.30	0.00	-	1,000	230	<2.5	28	11	63
MW-7	04/03/1997	8.22	4.65	3.57	0.00	-	6,000	1,800	100	140	170	<100
MW-7	07/09/1997	8.22	5.39	2.83	0.00	-	5,500	2,200	<20	41	30	<100
MW-7	10/29/1997	8.22	5.58	2.64	0.00	-	220	40	0.61	3.0	2.4	7.6
MW-7	01/14/1998	8.22	2.80	5.42	0.00	-	140	5.1	<0.5	<0.5	1.4	<2.5
MW-7	04/17/1998	8.22	3.00	5.22	0.00	-	13,000	4,200	98	250	240	250
MW-7	07/15/1998 <sup>21</sup>	8.22	-	-	-	-	-	-	-	-	-	-
MW-7	08/17/1998 <sup>5</sup>	7.92	5.52	2.40	0.00	-	1,600	380	51	68	280	22
MW-7	10/27/1998	7.92	7.51	0.41	0.00	-	190	2.3	0.53	<0.5	<0.5	33
MW-7	01/20/1999	7.92	3.45	4.47	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
MW-7	04/19/1999	7.92	4.61	3.31	0.00	-	6,500	3,000	<0.5	110	210	150 <sup>2</sup> /310

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	07/29/1999 <sup>4</sup>	7.92	5.00	2.92	0.00	-	8,390	2,100	129	222	729	248
MW-7	10/13/1999	7.92	5.61	2.31	0.00	-	14,300	6,600	58.8	117	190	<125
MW-7	01/25/2000	7.92	3.32	4.60	0.00	-	1,100	184	<5.0	13.5	33.7	151
MW-7	04/03/2000 <sup>7,9</sup>	7.92	3.38	4.54	0.00	-	2,600 <sup>6</sup>	780	12	<5.0	61	95
MW-7	07/03/2000 <sup>7</sup>	7.92	4.34	3.58	0.00	-	4,100 <sup>6</sup>	2,600	72	240	690	<50
MW-7	10/23/2000	7.92	6.11	1.81	0.00	-	12,000 <sup>6</sup>	2,600	<50	150	290	<250
MW-7	01/08/2001 <sup>7,11</sup>	7.92	4.32	3.60	0.00	-	3,900 <sup>6</sup>	2,200	61	140	350	<25
MW-7	04/09/2001 <sup>7</sup>	7.92	3.63	4.29	0.00	-	25,100	4,590	1,200	843	1,920	48.1
MW-7	08/23/2001 <sup>7</sup>	7.92	4.83	3.09	0.00	-	27,000	4,100	970	1,100	3,500	<500
MW-7	11/27/2001	7.92	4.30	3.62	0.00	-	12,000	1,800	50	450	830	91
MW-7	02/26/2002	7.92	3.00	4.92	0.00	-	15,000	3,100	260	380	860	<10
MW-7	05/23/2002	7.92	3.69	4.23	0.00	-	28,000	6,000	120	820	1,900	42
MW-7	08/09/2002	7.92	4.38	3.54	0.00	-	24,000	3,700	81	710	1,300	56
MW-7	11/08/2002	7.92	4.43	3.49	0.00	-98.00	18,000	2,300	150	660	1,400	<100
MW-7	02/07/2003	7.92	3.20	4.72	0.00	2.90	13,000	2,300	200	310	620	<25
MW-7	05/09/2003	7.92	3.18	4.74	0.00	2.60	17,000	4,200	36	350	360	<50
MW-7	08/15/2003 <sup>15</sup>	7.92	4.75	3.17	0.00	2.30	29,000	7,300	140	780	1,900	<5
MW-7	11/14/2003 <sup>15</sup>	7.92	4.95	2.97	0.00	1.87	7,200	950	3	45	20	7
MW-7	02/13/2004 <sup>15</sup>	7.92	3.29	4.63	0.00	-	3,300	360	4	82	130	3
MW-7	05/14/2004 <sup>15</sup>	7.92	3.98	3.94	0.00	-	17,000	3,100	480	510	1,300	3
MW-7	08/13/2004 <sup>15</sup>	7.92	5.94	1.98	0.00	-	10,000	2,000	4	130	150	4
MW-7	11/12/2004 <sup>15</sup>	7.92	4.50	3.42	0.00	-	680	4	<0.5	1	0.7	0.8
MW-7	02/11/2005 <sup>15</sup>	7.92	3.07	4.85	0.00	-	4,600	680	6	80	44	4
MW-7	05/13/2005 <sup>15</sup>	7.92	4.51	3.41	0.00	-	4,200	380	3	38	13	2

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	08/19/2005 <sup>15</sup>	7.92	4.03	3.89	0.00	0.80	7,900	1,300	3	190	310	<1
MW-7	11/18/2005 <sup>15</sup>	7.92	4.62	3.30	0.00	0.90	3,900	4	1	16	8	2
MW-7	02/10/2006 <sup>15</sup>	7.92	3.12	4.80	0.00	1.30	3,200	320	2	14	8	2
MW-7	05/12/2006 <sup>15</sup>	7.92	4.25	3.67	0.00	1.40	3,600	1,000	2	65	27	<1
MW-7	08/11/2006 <sup>15</sup>	7.92	4.45	3.47	0.00	1.10	6,700	1,900	6	280	300	<1
MW-7	11/17/2006 <sup>15</sup>	7.92	4.71	3.21	0.00	0.70	1,200	0.6	<0.5	1	0.8	<0.5
MW-7	02/16/2007 <sup>15</sup>	7.92	3.26	4.66	0.00	1.10	110	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	05/17/2007 <sup>15</sup>	7.92	4.62	3.30	0.00	1.7	6,400	1,400	4	130	26	<1
MW-7	08/09/2007 <sup>15</sup>	7.92	4.61	3.31	0.00	1.2	10,000	1,400	4	230	12	<3
MW-7	11/08/2007 <sup>15</sup>	7.92	4.72	3.20	0.00	0.9	2,300	4	1	3	7	0.9
MW-7	02/06/2008 <sup>15</sup>	7.92	2.98	4.94	0.00	0.5	190	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	05/07/2008 <sup>15</sup>	7.92	4.48	3.44	0.00	1.2	8,000	1,500	15	380	260	<1
MW-7	09/11/2008 <sup>15</sup>	7.92	5.95	1.97	0.00	1.0	5,100	530	4	47	12	0.7
MW-7	11/10/2008 <sup>15</sup>	7.92	5.81	2.11	0.00	0.6	2,800	13	1	1	7	<0.5
MW-7	02/09/2009 <sup>15</sup>	7.92	4.06	3.86	0.00	0.8	3,900	190	2	51	11	0.5
MW-7	05/28/2009 <sup>15,17</sup>	7.92	3.84	4.08	0.00	0.45	5,800	870	8	220	27	<0.5
MW-7	08/18/2009 <sup>15</sup>	7.92	4.80	3.12	0.00	0.57	6,700	660	4	110	13	0.7 J
MW-7	11/17/2009	7.92	4.52	3.40	0.00	-	-	-	-	-	-	-
MW-7	03/31/2010	7.92	3.11	4.81	0.00	-	2,000	110	1	2	3	0.7 J
MW-7	05/17/2010	7.92	3.41	4.51	0.00	-	-	-	-	-	-	-
MW-7	08/26/2010	7.92	4.60	3.32	0.00	-	5,100	470	3	150	9	<0.5
MW-7	11/11/2010 <sup>20</sup>	7.92	4.68	3.24	0.00	-	-	-	-	-	-	-
MW-7	03/02/2011 <sup>20</sup>	7.92	2.53	5.39	0.00	-	1,100	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	06/17/2011 <sup>20</sup>	7.92	4.02	3.90	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	09/08/2011 <sup>20</sup>	7.92	4.12	3.80	0.00	-	5,700	650	7	140	31	<0.5
MW-7	12/29/2011 <sup>20</sup>	7.92	4.12	3.80	0.00	-	-	-	-	-	-	-
MW-7	03/28/2012	7.92	2.61	5.31	0.00	-	370	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	05/31/2012 <sup>20</sup>	7.92	3.79	4.13	0.00	-	-	-	-	-	-	-
MW-7	09/28/2012	7.92	4.90	3.02	0.00	-	3,600	14	<5	<5	5 J	<5
MW-7	12/21/2012 <sup>20</sup>	7.92	3.09	4.83	0.00	-	-	-	-	-	-	-
MW-7	03/29/2013	7.92	3.70	4.22	0.00	-	5,000	770	11	57	12	<0.5
MW-7	06/28/2013	7.92	4.59	3.33	0.00	-	-	-	-	-	-	-
MW-7	09/20/2013	7.92	4.96	2.96	0.00	-	4,400	1	2	1	4	<0.5
MW-7	12/30/2013	7.92	4.60	3.32	0.00	-	-	-	-	-	-	-
MW-7	03/31/2014	7.92	3.68	4.24	0.00	-	350	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	06/30/2014	7.92	4.52	3.40	0.00	-	-	-	-	-	-	-
MW-7	09/30/2014 <sup>22</sup>	7.92	5.10	2.82	0.00	-	-	-	-	-	-	-
MW-7	12/30/2014	7.92	2.97	4.95	0.00	-	-	-	-	-	-	-
MW-7	03/20/2015	7.92	3.83	4.09	0.00	-	1,600	110	1	15	1	<0.5
MW-7	06/18/2015	7.92	4.59	3.33	0.00	-	-	-	-	-	-	-
MW-7	09/23/2015 <sup>22</sup>	7.92	5.43	2.49	0.00	-	-	-	-	-	-	-
MW-7	12/22/2015 <sup>25</sup>	7.92	4.00	3.92	0.00	-	-	-	-	-	-	-
MW-7	03/29/2016	7.92	2.73	5.19	0.00	-	1,200	<1	<1	<1	0.7 J	<1
<b>MW-7</b>	<b>06/21/2016</b>	<b>7.92</b>	<b>4.47</b>	<b>3.45</b>	<b>0.00</b>	-	-	-	-	-	-	-
MW-8	10/17/1995	6.96	4.40	2.56	0.00	-	-	-	-	-	-	-
MW-8	10/30/1995	6.96	4.44	2.52	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	01/22/1996	6.96	2.24	4.72	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	04/24/1996	6.96	2.97	3.99	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	07/29/1996	6.96	3.37	3.59	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	10/10/1996	6.96	4.12	2.84	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	01/15/1997	6.96	0.94	6.02	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	04/03/1997	6.96	2.20	4.76	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	07/09/1997	6.96	4.30	2.66	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	10/29/1997	6.96	4.57	2.39	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	01/14/1998	6.96	0.83	6.13	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	01/20/1999	6.96	2.69	4.27	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
MW-8	04/19/1999	6.96	3.76	3.20	0.00	-	-	-	-	-	-	-
MW-8	01/25/2000	6.96	1.41	5.55	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-8	04/03/2000 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	07/03/2000	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	10/23/2000	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	01/08/2001 <sup>11</sup>	6.96	3.58	3.38	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
MW-8	04/09/2001	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	08/23/2001 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/27/2001 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/26/2002	6.96	2.91	4.05	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-8	05/23/2002 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	08/09/2002 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/08/2002 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/07/2003	6.96	3.13	3.83	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-8	05/09/2003 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	08/15/2003 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/14/2003 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/13/2004 <sup>15</sup>	6.96	3.20	3.76	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/14/2004 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/12/2004 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/11/2005 <sup>15</sup>	6.96	2.85	4.11	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/13/2005 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	08/19/2005 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/18/2005 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/10/2006 <sup>15</sup>	6.96	2.74	4.22	<50	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/12/2006 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	08/11/2006 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/17/2006 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/16/2007 <sup>15</sup>	6.96	2.69	4.27	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/17/2007 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	08/09/2007 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/08/2007 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/06/2008 <sup>15</sup>	6.96	2.57	4.39	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/07/2008 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	09/11/2008 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	11/10/2008 <sup>19</sup>	6.96	-	-	-	-	-	-	-	-	-	-
MW-8	02/09/2009 <sup>15</sup>	6.96	3.28	3.68	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	03/31/2010	6.96	2.85	4.11	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/17/2010	6.96	3.33	3.63	0.00	-	-	-	-	-	-	-



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	08/26/2010 <sup>19</sup>	6.96	4.27	2.69	0.00	-	-	-	-	-	-	-
MW-8	11/11/2010 <sup>19</sup>	6.96	3.82	3.14	0.00	-	-	-	-	-	-	-
MW-8	03/02/2011 <sup>19</sup>	6.96	1.66	5.30	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	06/17/2011 <sup>19</sup>	6.96	3.79	3.17	0.00	-	-	-	-	-	-	-
MW-8	09/08/2011 <sup>19</sup>	6.96	2.97	3.99	0.00	-	-	-	-	-	-	-
MW-8	12/29/2011 <sup>19</sup>	6.96	3.70	3.26	0.00	-	-	-	-	-	-	-
MW-8	03/28/2012	6.96	0.48	6.48	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	05/31/2012 <sup>19</sup>	6.96	1.66	5.30	0.00	-	-	-	-	-	-	-
MW-8	09/28/2012 <sup>19</sup>	6.96	4.87	2.09	0.00	-	-	-	-	-	-	-
MW-8	12/21/2012 <sup>19</sup>	6.96	2.28	4.68	0.00	-	-	-	-	-	-	-
MW-8	03/29/2013	6.96	3.73	3.23	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	06/28/2013	6.96	3.99	2.97	0.00	-	-	-	-	-	-	-
MW-8	09/20/2013	6.96	4.44	2.52	0.00	-	-	-	-	-	-	-
MW-8	12/30/2013	6.96	4.62	2.34	0.00	-	-	-	-	-	-	-
MW-8	03/31/2014	6.96	2.73	4.23	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	06/30/2014	6.96	4.69	2.27	0.00	-	-	-	-	-	-	-
MW-8	09/30/2014	6.96	4.50	2.46	0.00	-	-	-	-	-	-	-
MW-8	12/30/2014	6.96	2.52	4.44	0.00	-	-	-	-	-	-	-
MW-8	03/20/2015	6.96	3.70	3.26	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-8	06/18/2015	6.96	4.19	2.77	0.00	-	-	-	-	-	-	-
MW-8	09/23/2015	6.96	4.92	2.04	0.00	-	-	-	-	-	-	-
MW-8	12/22/2015 <sup>25</sup>	6.96	3.96	3.00	0.00	-	-	-	-	-	-	-
MW-8	03/29/2016	6.96	2.45	4.51	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-8</b>	<b>06/21/2016</b>	<b>6.96</b>	<b>4.19</b>	<b>2.77</b>	<b>0.00</b>	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	10/17/1995	7.21	4.80	2.41	0.00	-	-	-	-	-	-	-
MW-9	10/30/1995	7.21	4.97	2.24	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	01/22/1996	7.21	3.40	3.81	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	04/24/1996	7.21	4.18	3.03	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	07/29/1996	7.21	4.69	2.52	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	10/10/1996	7.21	5.20	2.01	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	01/15/1997	7.21	3.31	3.90	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	04/03/1997	7.21	4.57	2.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	07/09/1997	7.21	5.04	2.17	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	10/29/1997	7.21	4.96	2.25	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	01/14/1998	7.21	2.40	4.81	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	01/20/1999	7.21	4.31	2.90	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
MW-9	04/19/1999	7.21	3.92	3.29	0.00	-	-	-	-	-	-	-
MW-9	01/25/2000	7.21	2.95	4.26	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-9	04/03/2000 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	07/03/2000	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	10/23/2000	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	01/08/2001 <sup>11</sup>	7.21	4.59	2.62	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
MW-9	04/09/2001	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	08/23/2001 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/27/2001 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/26/2002	7.21	3.75	3.46	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-9	05/23/2002 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	08/09/2002 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/08/2002 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/07/2003	7.21	3.97	3.24	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-9	05/09/2003 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	08/15/2003 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/14/2003 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/13/2004 <sup>15</sup>	7.21	3.94	3.27	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/14/2004 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/12/2004 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/11/2005 <sup>15</sup>	7.21	3.66	3.55	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/13/2005 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	08/19/2005 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/18/2005 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/10/2006 <sup>15</sup>	7.21	3.53	3.68	0.00	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/12/2006 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	08/11/2006 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/17/2006 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/16/2007 <sup>15</sup>	7.21	3.50	3.71	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/17/2007 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	08/09/2007 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	11/08/2007 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/06/2008 <sup>15</sup>	7.21	3.14	4.07	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/07/2008 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	09/11/2008 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	11/10/2008 <sup>19</sup>	7.21	-	-	-	-	-	-	-	-	-	-
MW-9	02/09/2009 <sup>15</sup>	7.21	3.91	3.30	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	03/31/2010	7.21	3.16	4.05	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/17/2010	7.21	3.44	3.77	0.00	-	-	-	-	-	-	-
MW-9	08/26/2010 <sup>19</sup>	7.21	4.77	2.44	0.00	-	-	-	-	-	-	-
MW-9	11/11/2010 <sup>19</sup>	7.21	4.29	2.92	0.00	-	-	-	-	-	-	-
MW-9	03/02/2011 <sup>19</sup>	7.21	2.75	4.46	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	06/17/2011 <sup>19</sup>	7.21	3.86	3.35	0.00	-	-	-	-	-	-	-
MW-9	09/08/2011 <sup>19</sup>	7.21	4.28	2.93	0.00	-	-	-	-	-	-	-
MW-9	12/29/2011 <sup>19</sup>	7.21	4.58	2.63	0.00	-	-	-	-	-	-	-
MW-9	03/28/2012	7.21	2.32	4.89	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	05/31/2012 <sup>19</sup>	7.21	4.15	3.06	0.00	-	-	-	-	-	-	-
MW-9	09/28/2012 <sup>19</sup>	7.21	4.96	2.25	0.00	-	-	-	-	-	-	-
MW-9	12/21/2012 <sup>19</sup>	7.21	2.32	4.89	0.00	-	-	-	-	-	-	-
MW-9	03/29/2013	7.21	4.20	3.01	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	06/28/2013	7.21	4.61	2.60	0.00	-	-	-	-	-	-	-
MW-9	09/20/2013	7.21	4.71	2.50	0.00	-	-	-	-	-	-	-
MW-9	12/30/2013	7.21	5.12	2.09	0.00	-	-	-	-	-	-	-
MW-9	03/31/2014	7.21	3.16	4.05	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	06/30/2014	7.21	4.51	2.70	0.00	-	-	-	-	-	-	-
MW-9	09/30/2014	7.21	4.80	2.41	0.00	-	-	-	-	-	-	-
MW-9	12/30/2014	7.21	2.67	4.54	0.00	-	-	-	-	-	-	-
MW-9	03/20/2015	7.21	4.02	3.19	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9	06/18/2015	7.21	4.53	2.68	0.00	-	-	-	-	-	-	-

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	09/23/2015	7.21	5.11	2.10	0.00	-	-	-	-	-	-	-
MW-9	12/22/2015 <sup>25</sup>	7.21	4.17	3.04	0.00	-	-	-	-	-	-	-
MW-9	03/29/2016	7.21	2.90	4.31	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-9</b>	<b>06/21/2016</b>	<b>7.21</b>	<b>4.68</b>	<b>2.53</b>	<b>0.00</b>	-	-	-	-	-	-	-
MW-10	10/17/1995	7.28	5.05	2.23	0.00	-	-	-	-	-	-	-
MW-10	10/30/1995	7.28	5.11	2.17	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	5.1
MW-10	01/22/1996	7.28	4.03	3.25	0.00	-	<50	<0.5	<0.5	<0.5	0.70	17
MW-10	04/24/1996	7.28	4.30	2.98	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	12
MW-10	07/29/1996	7.28	4.70	2.58	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	14
MW-10	10/10/1996	7.28	5.24	2.04	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-10	01/15/1997	7.28	3.35	3.93	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-10	04/03/1997	7.28	4.64	2.64	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	8.2
MW-10	07/09/1997	7.28	5.12	2.16	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-10	10/29/1997	7.28	5.10	2.18	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	5.3
MW-10	01/14/1998	7.28	3.08	4.20	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	8.6
MW-10	04/17/1998 <sup>20</sup>	7.28	3.79	3.49	0.00	-	-	-	-	-	-	-
MW-10	07/15/1998	7.28	4.55	2.73	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	7.5
MW-10	10/27/1998	7.28	5.32	1.96	0.00	-	-	-	-	-	-	-
MW-10	01/20/1999	7.28	4.24	3.04	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
MW-10	04/19/1999	7.28	4.07	3.21	0.00	-	-	-	-	-	-	-
MW-10	07/29/1999	7.28	4.82	2.46	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0/2.4 <sup>2</sup>
MW-10	10/13/1999	7.28	4.86	2.42	0.00	-	-	-	-	-	-	-
MW-10	01/25/2000	7.28	3.00	4.28	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	4.33

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	04/03/2000	7.28	3.04	4.24	0.00	-	-	-	-	-	-	-
MW-10	07/03/2000	7.28	4.00	3.28	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	4.7
MW-10	10/23/2000	7.28	5.86	1.42	0.00	-	-	-	-	-	-	-
MW-10	01/08/2001 <sup>11</sup>	7.28	3.98	3.30	0.00	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
MW-10	04/09/2001	7.28	3.74	3.54	0.00	-	-	-	-	-	-	-
MW-10	08/23/2001 <sup>21</sup>	7.28	-	-	-	-	-	-	-	-	-	-
MW-10	11/27/2001 <sup>20</sup>	7.28	4.13	3.15	0.00	-	-	-	-	-	-	-
MW-10	02/26/2002	7.28	3.54	3.74	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-10	05/23/2002 <sup>20</sup>	7.28	3.82	3.46	0.00	-	-	-	-	-	-	-
MW-10	08/09/2002	7.28	4.18	3.10	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-10	11/08/2002 <sup>20</sup>	7.28	3.91	3.37	0.00	-	-	-	-	-	-	-
MW-10	02/07/2003	7.28	3.61	3.67	0.00	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
MW-10	05/09/2003 <sup>20</sup>	7.28	3.25	4.03	0.00	-	-	-	-	-	-	-
MW-10	08/15/2003 <sup>15</sup>	7.28	4.35	2.93	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/14/2003 <sup>20</sup>	7.28	4.30	2.98	0.00	-	-	-	-	-	-	-
MW-10	02/13/2004 <sup>15</sup>	7.28	4.27	3.01	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/14/2004 <sup>20</sup>	7.28	4.08	3.20	0.00	-	-	-	-	-	-	-
MW-10	08/13/2004 <sup>15</sup>	7.28	3.92	3.36	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/12/2004 <sup>20</sup>	7.28	3.98	3.30	0.00	-	-	-	-	-	-	-
MW-10	02/11/2005 <sup>15</sup>	7.28	4.07	3.21	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/13/2005 <sup>20</sup>	7.28	4.01	3.27	0.00	-	-	-	-	-	-	-
MW-10	08/19/2005 <sup>15</sup>	7.28	3.69	3.59	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/18/2005 <sup>20</sup>	7.28	3.86	3.42	0.00	-	-	-	-	-	-	-
MW-10	02/10/2006 <sup>15</sup>	7.28	3.94	3.34	0.00	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				MTBE by SW8260
						Dissolved Oxygen	TPH-GRO	B	T	E	X	
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	05/12/2006 <sup>20</sup>	7.28	4.07	3.21	0.00	-	-	-	-	-	-	-
MW-10	08/11/2006 <sup>15</sup>	7.28	4.21	3.07	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/17/2006 <sup>20</sup>	7.28	3.83	3.45	0.00	-	-	-	-	-	-	-
MW-10	02/16/2007 <sup>15</sup>	7.28	3.87	3.41	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/17/2007 <sup>20</sup>	7.28	3.71	3.57	0.00	-	-	-	-	-	-	-
MW-10	08/09/2007 <sup>21</sup>	7.28	-	-	-	-	-	-	-	-	-	-
MW-10	11/08/2007 <sup>21</sup>	7.28	-	-	-	-	-	-	-	-	-	-
MW-10	02/06/2008 <sup>21</sup>	7.28	-	-	-	-	-	-	-	-	-	-
MW-10	05/07/2008 <sup>21</sup>	7.28	-	-	-	-	-	-	-	-	-	-
MW-10	09/11/2008 <sup>15</sup>	7.28	4.63	2.65	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/10/2008 <sup>20</sup>	7.28	4.28	3.00	0.00	-	-	-	-	-	-	-
MW-10	02/09/2009 <sup>15</sup>	7.28	2.17	5.11	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/28/2009	7.28	3.69	3.59	0.00	-	-	-	-	-	-	-
MW-10	08/18/2009 <sup>15</sup>	7.28	4.07	3.21	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/17/2009	7.28	4.12	3.16	0.00	-	-	-	-	-	-	-
MW-10	03/31/2010	7.28	3.43	3.85	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	05/17/2010	7.28	3.53	3.75	0.00	-	-	-	-	-	-	-
MW-10	08/26/2010	7.28	4.33	2.95	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	11/11/2010 <sup>20</sup>	7.28	4.34	2.94	0.00	-	-	-	-	-	-	-
MW-10	03/02/2011 <sup>20</sup>	7.28	3.33	3.95	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	06/17/2011 <sup>20</sup>	7.28	3.92	3.36	0.00	-	-	-	-	-	-	-
MW-10	09/08/2011 <sup>20</sup>	7.28	3.95	3.33	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	12/29/2011 <sup>20</sup>	7.28	4.00	3.28	0.00	-	-	-	-	-	-	-
MW-10	03/28/2012	7.28	2.96	4.32	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-10	05/31/2012 <sup>20</sup>	7.28	3.90	3.38	0.00	-	-	-	-	-	-	-
MW-10	09/28/2012	7.28	3.60	3.68	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	12/21/2012 <sup>20</sup>	7.28	3.44	3.84	0.00	-	-	-	-	-	-	-
MW-10	03/29/2013	7.28	2.95	4.33	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	06/28/2013	7.28	3.50	3.78	0.00	-	-	-	-	-	-	-
MW-10	09/20/2013	7.28	3.37	3.91	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	12/30/2013	7.28	3.09	4.19	0.00	-	-	-	-	-	-	-
MW-10	03/31/2014	7.28	3.35	3.93	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	06/30/2014	7.28	3.52	3.76	0.00	-	-	-	-	-	-	-
MW-10	09/30/2014	7.28	3.20	4.08	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	12/30/2014	7.28	3.18	4.10	0.00	-	-	-	-	-	-	-
MW-10	03/20/2015	7.28	3.16	4.12	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	06/18/2015	7.28	3.47	3.81	0.00	-	-	-	-	-	-	-
MW-10	09/23/2015	7.28	3.33	3.95	0.00	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10	12/22/2015 <sup>24</sup>	7.28	-	-	0.00	-	-	-	-	-	-	-
MW-10	03/29/2016	7.28	2.92	4.36	0.00	-	<100	<1	<1	<1	<1	<1
<b>MW-10</b>	<b>06/21/2016</b>	<b>7.28</b>	<b>3.26</b>	<b>4.02</b>	<b>0.00</b>	-	-	-	-	-	-	-
C-2	09/04/1986	-	-	-	-	-	1,100	49	18	84	-	-
C-2	07/22/1987	-	-	-	-	-	<50	1.8	<1.0	<4.0	-	-
RW-1	12/22/2015	-	0.08	-	0.00	-	300	<0.5	<0.5	<0.5	<0.5	<0.5
TMW-1	11/11/1993	-	-	-	-	-	<1.0	<0.5	<0.5	<0.5	<0.5	-



Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3115A GIBBONS DR.	01/14/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	02/14/1990	-	-	-	-	-	<50	<0.5	1.1	<0.5	<0.5	-
QA	09/06/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	12/15/1991	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	03/03/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	06/04/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	10/13/1992	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	01/11/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	04/14/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	07/13/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	10/19/1993	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-
QA	01/27/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	04/07/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	07/01/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	10/05/1994	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	01/12/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	04/26/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	07/12/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	10/30/1995	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-
QA	01/22/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	04/24/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	07/29/1996	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	01/15/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	04/03/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	07/09/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	10/29/1997	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	01/14/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	04/17/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	07/15/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	10/27/1998	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	01/20/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
QA	04/19/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	07/29/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
QA	10/13/1999	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	01/25/2000	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
QA	04/03/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	07/03/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	10/23/2000	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	01/08/2001 <sup>11</sup>	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	04/09/2001	-	-	-	-	-	<50.0	<0.500	<2.00	<0.500	<2.00	<0.500
QA	08/23/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	11/27/2001	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA	02/26/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA	05/23/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA	08/09/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA	11/08/2002	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/07/2003	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA	05/09/2003	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5
QA	08/15/2003 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/14/2003	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	02/13/2004 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/14/2004 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/13/2004 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/12/2004 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	02/11/2005 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/13/2005 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/19/2005 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/18/2005 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	02/10/2006 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/12/2006 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/11/2006 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/17/2006 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	02/16/2007 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/17/2007 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/09/2007 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/08/2007 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	02/06/2008 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/07/2008 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/11/2008 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	11/10/2008 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	02/09/2009 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	05/28/2009 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/18/2009 <sup>15</sup>	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/31/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	08/26/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/02/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/08/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/28/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/28/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/29/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/20/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/31/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	06/30/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/20/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	06/18/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/23/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/30/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	12/30/2014	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/20/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	06/18/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	09/23/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	12/22/2015	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
QA	03/29/2016	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>QA</b>	<b>06/21/2016</b>	-	-	-	-	-	<b>&lt;100</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>&lt;1</b>

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPLT	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW/8260
Units		ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

**Abbreviations and Notes:**

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

LNAPL - Light Non-Aqueous Phase Liquid

LNAPLT - Light Non-Aqueous Phase Liquid

(ft-amsl) = Feet above mean sea level

ft = Feet

mg/L - Milligrams per liter

µg/L = Micrograms per liter

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes (Total)

MTBE = Methyl tert butyl ether

J = Estimated value (the result  $\geq$  the method detection limit < the limit of quantitation)

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

\*\* GWE has been corrected due to the presence of LNAPL; correction factor:  $[(TOC - DTW) + (LNAPLT \times 0.80)]$ .

1 Laboratory report indicates EPA 8010 were not detected (ND)

Table 1

**Groundwater Monitoring and Sampling Data  
Former Chevron Service Station 91153  
3135 Gibbons Drive (3126 Fernside Boulevard)  
Alameda, California**

Location	Date	TOC	DTW	GWE	LNAPL	FIELD PARAMETERS	HYDROCARBONS	PRIMARY VOCS				
						Dissolved Oxygen	TPH-GRO	B	T	E	X	MTBE by SW/8260
	Units	ft	ft	ft-amsl	ft	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- 2 MTBE confirmed
- 3 Chromatogram report indicates an unidentified hydrocarbon
- 4 ORC installed
- 5 TOC elevation altered due to well head maintenance
- 6 Laboratory report indicates gasoline C6-C12
- 7 ORC in well
- 8 Laboratory report indicates Dissolved Oxygen was 1.50 parts per million (ppm) by EPA Method 360.1
- 9 Laboratory report indicates Dissolved Oxygen was 0.300 ppm by EPA Method 360.1
- 10 Laboratory report indicates sample originally shot in hold time at a raise D.L. re-analyzed and reported past hold time
- 11 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time
- 12 Laboratory report indicates unidentified hydrocarbons C6-C12
- 13 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel
- 14 ORC removed
- 15 BTEX and MTBE by EPA Method 8260
- 16 Laboratory confirmed analytical result
- 17 The vial submitted did not have pH<2. The pH of this sample used for the undiluted analysis was pH = 3
- 18 Not sampled due to the presence of LNAPL in the well.
- 19 Sampled annually.
- 20 Sampled semi-annually
- 21 Inaccessible
- 22 Insufficient Water
- 23 Absorbent sock in well
- 24 Unable to access due to rain
- 25 Monitored only

# Attachment A Monitoring Data Package



July 26, 2016

Chevron Environmental Management Company  
Mark Horne  
6101 Bollinger Canyon Rd.  
San Ramon, CA 94583

Second Quarter 2016 Monitoring at  
Chevron Service Station 91153  
3135 Gibbons Dr.  
Alameda, CA

Monitoring performed on June 21, 2016

---

**Blaine Tech Services, Inc. Groundwater Monitoring Event 160621-CP1**

This submission covers the routine monitoring of groundwater wells conducted on June 21, 2016 at this location. Nine monitoring wells were measured for depth to groundwater (DTW). One monitoring well was sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air displacement pumps, or stainless steel, Teflon, or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

First Quarter Groundwater Monitoring at Chevron 91153, 3135 Gibbons Dr., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

[www.blainetech.com](http://www.blainetech.com)



Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to Blaine Tech of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker  
Blaine Tech Services, Inc.  
Senior Project Manager

attachments: SOP  
Well Gauging Sheet  
Individual Well Monitoring Data Sheets  
Wellhead Inspection Form  
Bill of Lading  
Calibration Log

cc: GHD  
Attn: Kiersten Hoey  
5900 Hollis St., Suite A  
Emeryville, CA 94608

First Quarter Groundwater Monitoring at Chevron 91153, 3135 Gibbons Dr., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

# BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

---

## **SAMPLING PROCEDURES OVERVIEW**

### **SAFETY**

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

### **INSPECTION AND GAUGING**

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing product.

### **TRADITIONAL PURGING & SAMPLING**

#### **Evacuation**

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

### **Parameter Stabilization**

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

### **Sample Collection**

All samples are collected using disposable bailers.

### **Sample Containers**

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

### **Dewatered Wells**

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

### **Measuring Recharge**

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

### **Dissolved Oxygen Measurements**

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated

as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

### **Oxidation Reduction Potential Measurements (ORP)**

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

## **LOW FLOW SAMPLING USING SAMPLE-PRO BLADDER PUMP**

### **Calibration**

Calibrate YSI Flow Cell as per manufacturer's specifications. Thoroughly rinse probe and cup between parameters. Calibration order as follows:

1. pH (use 3-point calibration of 7, 4, 10)
2. Specific Conductance
3. Temperature

### **Purging & Sampling Collection**

1. Insert new bladder into Sample-Pro pump housing.
2. Remove dedicated PE tubing from the well or start with new PE tubing cut to the required length.
3. Attach the PE tubing to the Sample-Pro Bladder Pump.
4. Gently lower the Sample-Pro Bladder Pump, and PE tubing into the well, placing the Sample-Pro Bladder Pump intake at the specified screened interval. Take care to minimize disturbance to the water column.
5. Direct effluent line into YSI 556 Flow Cell.
6. Set Sample-Pro Bladder Pump speed at 100 - 500 ml/min.
7. Collect water quality parameter measurements for temperature, pH, conductivity, turbidity, DO and ORP every 3-5 minutes.
8. Monitor drawdown during purging with electronic water level meter. Record water level with each parameter measurement. **MAXIMUM DRAWDOWN IS 0.33 FEET.**
9. Collect parameter measurements until stability is achieved. Stability is defined as three consecutive measurements where:

Temp	± 1° Celsius
pH	± 0.1
Conductivity	± 3%

10. Sample may be collected once one system has been removed and stability readings have been achieved after the system volume has been removed.
11. Disconnect effluent line from YSI 556 Flow Cell.
12. Sample through effluent line while maintaining constant flow rate.
13. Remove Sample-Pro Bladder Pump, and PE tubing from well.
14. Detach and reinstall dedicated PE tubing in well.

## **PURGEWATER CONTAINMENT**

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading or Non-Hazardous Waste Manifest to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility

### **TRIP BLANKS**

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

### **DUPLICATES**

Duplicates, if requested, may be collected at a site.

### **SAMPLE STORAGE**

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

### **DOCUMENTATION CONVENTIONS**

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label. Field documentation is contemporaneous.

### **DECONTAMINATION**

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment such as hose reels, pumps and bailers is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level

indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

### **FERROUS IRON MEASUREMENTS**

All field measurements are collected at time of sampling with a HACH test kit.

## WELL GAUGING DATA

Project # 160621-CPI Date 6/21/16 Client CHEVRON

Site 3135 Gibbons Pr., Alameda

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
C-1	0857	3					4.34	17.18		SOCK
C-3	1030	3					4.25	18.96		
MW-4	0852	2					3.62	12.80		
MW-5	0855	2					2.87	12.40		
MW-6	0845	2					4.31	13.51		
MW-7	0849	2					4.47	5.79		
MW-8	0825	2					4.19	9.12		
MW-9	0844	2					<del>4.68</del>	8.56		
MW-10	0920	2					3.26	8.94		

## CHEVRON WELL MONITORING DATA SHEET

Project #: 120621-CPI	Station #: 9115A
Sampler: DT	Date: 12/21/14
Weather: Sunny	Ambient Air Temperature: 75°F
Well I.D.: C-1	Well Diameter: 2 (3) 4 6 8
Total Well Depth:	Depth to Water:
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Others

	(Gals.) X	=	Gals.
1 Case Volume	Specified Volumes	Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
						- No product detected w/ Interface probe
						- Removed sock from well (total weight 0.99 lbs / 15.75 oz)
						- Installed new absorbent sock (total weight 0.46 lbs / 7.25 oz)
						- Absorbent sock S / SPT removed by FWM same day

Did well dewater?    Yes                  No                  Gallons actually evacuated:

Sampling Date:                          Sampling Time:                          Depth to Water:

Sample I.D.:                                  Laboratory:                          Lancaster    Other

Analyzed for:    TPH-G    BTEX    MTBE    OXYS    Other:

Duplicate I.D.:                          Analyzed for:    TPH-G    BTEX    MTBE    OXYS    Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----



## CHEVRON WELL MONITORING DATA SHEET

Project #: 160621-CPI	Station #: 91157
Sampler: DJ	Date: 6/21/14
Weather: Sunny	Ambient Air Temperature: 75°F
Well I.D.: C-1	Well Diameter: 2 (3) 4 6 8
Total Well Depth: 17.18	Depth to Water: 4.74
Depth to Free Product: none detected	Thickness of Free Product (feet): none detected
Referenced to: <u>ve</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <sup>12.89</sup> 6.91	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other \_\_\_\_\_

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: \_\_\_\_\_

4.75 (Gals.) X 3 = 14.25 Gals.
1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	(0.37)	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1035	74.8	5.88	957	187	5	
1042	76.1	6.39	952	179	10	
1049	75.2	6.44	977	79	15	

Did well dewater?    Yes     No    Gallons actually evacuated: 15

Sampling Date: 6/21/14    Sampling Time: 1104    Depth to Water: 4.41

Sample I.D.: C-1    Laboratory: Lancaster    Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other: JRE COC

Duplicate I.D.:    Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

**CHAIN OF CUSTODY FORM**

**Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583**

**COC 1 of 1**

Chevron Site Number: 9-1153  
 Chevron Site Global ID: T0600100330  
 Chevron Site Address: 3135 Gibbons Dr., Alameda, CA  
 Chevron PM: Mark Home  
 Chevron PM Phone No.: (925) 790-3964  
 Retail and Terminal Business Unit (RTBU) Job  
 Construction/Retail Job

Chevron Consultant: GHD  
 Address: 5900 Hollis St., Ste. A, Emeryville, CA  
 Consultant Contact: Kiersten Hoey  
 Consultant Phone No. 510-420-3347  
 Consultant Project No. 160621-CP1  
 Sampling Company: Blaine Tech Services  
 Sampled By (Print): Craig Peters  
 Sampler Signature: [Signature]

ANALYSES REQUIRED										
H	H									
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
EPA 8260B/GC/MS		OXYGENATES <input type="checkbox"/> HVOC <input type="checkbox"/>		DRO <input type="checkbox"/> HC SCREEN <input type="checkbox"/>		TLC <input type="checkbox"/> STLC <input type="checkbox"/>		EPA 310.1 ALKALINITY <input type="checkbox"/>		EPA 413.1 OIL & GREASE <input type="checkbox"/>
EPA 8015B <input checked="" type="checkbox"/>		GRO <input checked="" type="checkbox"/>		EPA 8021B BTEX <input type="checkbox"/> MTBE <input type="checkbox"/>		EPA 6010 Ca, Fe, K, Mg, Mn, Na		EPA 150.1 PH <input type="checkbox"/>		EPA 418.1 TRPH <input type="checkbox"/>
EPA 8010/7000 TITILE 22 METALS <input type="checkbox"/>		SM2510B SPECIFIC CONDUCTIVITY		EPA 8260 ETHANOL		EPA 8015 TPH-D <input type="checkbox"/>				

Preservation Codes  
 H = HCL T= Thiosulfate  
 N = HNO<sub>3</sub> B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub> O = Other

Special Instructions  
 Must meet lowest detection limits possible for 8260 compounds.

Charge Code: NWRTB-0098247-0-OML  
 NWRTB 00SITE NUMBER-0- WBS  
**(WBS ELEMENTS:**  
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L  
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L  
**THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.**

**Lancaster Laboratories**  
 Lancaster, PA  
 Lab Contact: Amek Carter  
 2425 New Holland Pike,  
 Lancaster, PA 17601  
 Phone No:  
 (717)656-2300

Other Lab	Temp. Blank	Check
	Time	Temp.
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

SAMPLE ID				Sample Time	# of Containers	Container Type	Notes/Comments
Field Point Name	Matrix	Top Depth	Date (yymmdd)				
<u>PA-N-162106</u>	<u>T</u>		<u>160621</u>	<u>1040</u>	<u>0</u>	<u>VOA</u>	
<u>C-1-N-162106</u>	<u>W</u>		<u>160621</u>	<u>1104</u>	<u>0</u>	<u>VOA</u>	<u>C-1-W-162106</u>

Relinquished By: <u>[Signature]</u>	Company: <u>PTS</u>	Date/Time: <u>6/21/16 1400</u>	Relinquished To: <u>[Signature]</u>	Company: <u>BS</u>	Date/Time: <u>6/21/16 1400</u>
Relinquished By: <u>[Signature]</u>	Company: <u>BS</u>	Date/Time: <u>6/22/16 1500</u>	Relinquished To: _____	Company: _____	Date/Time: _____
Relinquished By: _____	Company: _____	Date/Time: _____	Relinquished To: _____	Company: _____	Date/Time: _____

Turnaround Time: Standard  24 Hours  48 hours  72  
 Hours  Other   
 Sample Integrity: (Check by lab on arrival)  
 Intact: \_\_\_\_\_ On Ice: \_\_\_\_\_ Temp: \_\_\_\_\_  
 COC # \_\_\_\_\_

**\* SHIPPED VIA UPS**

WELLHEAD INSPECTION CHECKLIST

Client CHEVRON Date 6/21/16

Site Address 3135 Gibbons Dr., Alameda

Job Number 160621-CPI Technician CP

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
C-1	X	<del>CHRISTY</del>	<del>Box</del>							
C-2		CHRISTY	Box							
EMW-4	X	X	X							
MW-5	X	X	X							
MW-6	X	X	V							
MW-7		X	X							
MW-8		X	X							
MW-9		X	X						X	
MW-10		X								


NOTES: MW-9: no bolts  
MW-8: 2/3 bolts missing  
MW-7: 2/3 tabs stripped

SOURCE RECORD **BILL OF LADING**  
 FOR PURGEWATER RECOVERED FROM  
 GROUNDWATER WELLS AT CHEVRON FACILITIES IN  
 THE STATE OF CALIFORNIA. THE PURGE- WATER  
 WHICH HAS BEEN RECOVERED FROM GROUND-  
 WATER WELLS IS COLLECTED BY THE CONTRACTOR  
 AND HAULED TO THEIR FACILITY IN SAN JOSE,  
 CALIFORNIA FOR TEMPORARILY HOLDING PENDING  
 TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from wells at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-1153	Mark Horne
CHEVRON #	Chevron Engineer
3135	Gibbins Dr. Alameda CA
street number	street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
C-1	15	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
added equip.	/	any other	/
rinse water	1	adjustments	/
<b>TOTAL GALS. RECOVERED</b>	16	loaded onto	BTS vehicle # _____
BTS event #	160621-CPI	time	1130
		date	6 / 21 / 16
Transporter signature			
*****			
<b>REC'D AT</b>	time	date	/ /
Unloaded/received by	signature		



# Attachment B Laboratory Analytical Report

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Report Date: July 05, 2016

**Project: 91153**

Submittal Date: 06/23/2016  
Group Number: 1675164  
PO Number: 0015194739  
Release Number: HORNE  
State of Sample Origin: CA

### Client Sample Description

QA-T-160621 NA Water  
C-1-W-160621 NA Water

Lancaster Labs

(LL) #

8440738  
8440739

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

Electronic Copy To GHD  
Electronic Copy To Chevron  
Electronic Copy To Blaine Tech Services, Inc.  
Electronic Copy To Chevron

Attn: Kiersten Hoey  
Attn: Anna Avina  
Attn: Dustin Becker  
Attn: Report Contact

Respectfully Submitted,



Amek Carter  
Specialist

(717) 556-7252

Sample Description: QA-T-160621 NA Water  
Facility# 91153 BTST  
3135 Gibbnons-Alameda T0600100330

LL Sample # WW 8440738  
LL Group # 1675164  
Account # 10991

Project Name: 91153

Collected: 06/21/2016 10:40

Chevron

Submitted: 06/23/2016 09:20

6001 Bollinger Canyon Rd L4310

Reported: 07/05/2016 18:57

San Ramon CA 94583

GDAQA

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10945	Benzene	71-43-2	N.D.	ug/l 0.5	ug/l 1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	ug/l 50	ug/l 100	1

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	D161821AA	06/30/2016 11:03	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D161821AA	06/30/2016 11:03	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	16180C20A	06/30/2016 12:50	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	16180C20A	06/30/2016 12:50	Jeremy C Giffin	1

\*=This limit was used in the evaluation of the final result



Sample Description: C-1-W-160621 NA Water  
Facility# 91153 BTST  
3135 Gibbnons-Alameda T0600100330

LL Sample # WW 8440739  
LL Group # 1675164  
Account # 10991

Project Name: 91153

Collected: 06/21/2016 11:04 by CP

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 06/23/2016 09:20

Reported: 07/05/2016 18:57

GDAC1

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10945	Benzene	71-43-2	4,800	ug/l 50	ug/l 100	100
10945	Ethylbenzene	100-41-4	560	5	10	10
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10945	Toluene	108-88-3	62	5	10	10
10945	Xylene (Total)	1330-20-7	420	5	10	10
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	37,000	ug/l 1,000	ug/l 2,000	20

### Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	Z161812AA	06/29/2016 20:09	Brett W Kenyon	100
10945	BTEX/MTBE	SW-846 8260B	1	D161824AA	07/01/2016 05:23	Hu Yang	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z161812AA	06/29/2016 20:09	Brett W Kenyon	100
01163	GC/MS VOA Water Prep	SW-846 5030B	2	D161824AA	07/01/2016 05:23	Hu Yang	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	16180C20A	06/30/2016 20:41	Jeremy C Giffin	20
01146	GC VOA Water Prep	SW-846 5030B	1	16180C20A	06/30/2016 20:41	Jeremy C Giffin	20

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: Chevron  
Reported: 07/05/2016 18:57

Group Number: 1675164

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL**	LOQ
	ug/l	ug/l	ug/l
Batch number: D161821AA	Sample number(s): 8440738		
Benzene	N.D.	0.5	1
Ethylbenzene	N.D.	0.5	1
Methyl Tertiary Butyl Ether	N.D.	0.5	1
Toluene	N.D.	0.5	1
Xylene (Total)	N.D.	0.5	1
Batch number: D161824AA	Sample number(s): 8440739		
Ethylbenzene	N.D.	0.5	1
Methyl Tertiary Butyl Ether	N.D.	0.5	1
Toluene	N.D.	0.5	1
Xylene (Total)	N.D.	0.5	1
Batch number: Z161812AA	Sample number(s): 8440739		
Benzene	N.D.	0.5	1
Batch number: 16180C20A	Sample number(s): 8440738-8440739		
TPH-GRO N. CA water C6-C12	N.D.	50	100

### LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: D161821AA	Sample number(s): 8440738								
Benzene	20	17.21			86		78-120		
Ethylbenzene	20	18.94			95		78-120		
Methyl Tertiary Butyl Ether	20	16.92			85		75-120		
Toluene	20	19.08			95		80-120		
Xylene (Total)	60	57.59			96		80-120		
Batch number: D161824AA	Sample number(s): 8440739								
Ethylbenzene	20	19.51			98		78-120		
Methyl Tertiary Butyl Ether	20	19.8			99		75-120		
Toluene	20	19.98			100		80-120		
Xylene (Total)	60	61.67			103		80-120		
Batch number: Z161812AA	Sample number(s): 8440739								
Benzene	20	19.46			97		78-120		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 16180C20A	Sample number(s): 8440738-8440739								

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

## Quality Control Summary

Client Name: Chevron  
Reported: 07/05/2016 18:57

Group Number: 1675164

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
TPH-GRO N. CA water C6-C12	1100	1033.91	1100	1028.91	94	94	77-120	0	30

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: D161821AA	Sample number(s): 8440738 UNSPK: P448167									
Benzene	N.D.	20	19.46	20	18.22	97	91	78-120	7	30
Ethylbenzene	N.D.	20	21.37	20	19.62	107	98	78-120	9	30
Methyl Tertiary Butyl Ether	0.901	20	18.66	20	17.77	89	84	75-120	5	30
Toluene	N.D.	20	21.56	20	19.99	108	100	80-120	8	30
Xylene (Total)	N.D.	60	65.83	60	60.98	110	102	80-120	8	30
Batch number: D161824AA	Sample number(s): 8440739 UNSPK: P444662									
Ethylbenzene	2125.12	400	2644.38	400	2005.57	130 (2)	-29 (2)	78-120	27	30
Methyl Tertiary Butyl Ether	118.76	400	461.94	400	410.92	86	73*	75-120	12	30
Toluene	25172.37	400	24628.11	400	21451.04	-135 (2)	-929 (2)	80-120	14	30
Xylene (Total)	13631.85	1200	15475.14	1200	11836.93	154 (2)	-149 (2)	80-120	27	30
Batch number: Z161812AA	Sample number(s): 8440739 UNSPK: P440740									
Benzene	N.D.	20	22.68	20	20.29	113	101	78-120	11	30

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX/MTBE  
Batch number: D161821AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8440738	94	93	98	92
Blank	91	90	101	91
LCS	89	91	101	97
MS	89	90	102	100
MSD	89	89	101	97
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX/MTBE  
Batch number: D161824AA

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

## Quality Control Summary

Client Name: Chevron  
Reported: 07/05/2016 18:57

Group Number: 1675164

### Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8440739	87	88	103	100
Blank	92	94	101	94
LCS	91	90	101	98
MS	88	91	101	99
MSD	88	91	101	98
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 16180C20A

	Trifluorotoluene-F
8440738	92
8440739	96
Blank	88
LCS	96
LCSD	97
Limits:	63-135

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.



Client: Chevron

**Hollis St.**

**Delivery and Receipt Information**

Delivery Method: UPS                      Arrival Timestamp: 06/23/2016 9:20  
 Number of Packages: 1                      Number of Projects: 2

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	VOA Vial Headspace ≥ 6mm:	No
Samples Chilled:	Yes	Total Trip Blank Qty:	2
Paperwork Enclosed:	Yes	Trip Blank Type:	HCL
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	Yes		

Unpacked by Timothy Cubberley (6520) at 09:29 on 06/23/2016

**Samples Chilled Details: Hollis St.**

Thermometer Types:    DT = Digital (Temp. Bottle)    IR = Infrared (Surface Temp)    All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT131	0.8	DT	Wet	Y	Bagged	N

**Container Quantity Discrepancy Details: Hollis St.**

Sample ID on COC	Container Qty. Received	Container Qty. on COC	Comments
QA	2	6	

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m<sup>3</sup></b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter
<b>&lt;</b>	less than		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## Laboratory Data Qualifiers:

- B - Analyte detected in the blank
- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value  $\geq$  the Method Detection Limit (MDL or DL) and  $<$  the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column  $>40\%$ . The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column  $>100\%$ . The reporting limit is raised due to this disparity and evident interference...

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

## Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Attachment C

## Sorbent Sock Data





SORBENT SOCK EVALUATION FORM

Name: <u>Craig Peters</u>	Date: <u>6/21/16</u>	Project Number: <u>160621-CP1</u>
Site Address: <u>31356: b Bour Dr Alameda CA</u>	Well ID: <u>C-1</u>	Weather: <u>70° Sunny</u>

1) Time absorbent sock removed from well for inspection: 0857

2) Condition of sock:

a) Length of sock showing product saturation: 50%

b) Length of sock showing dryness: 50%

c) Color of sock showing product saturation: Lt Brown

d) Weight of the removed sock: 0.46<sup>lb</sup> / 0.21 Kg 15.25oz

e) Weight of a new/clean/dry sock: 0.46<sup>lb</sup> / 0.21 Kg 7.25oz

f) Difference in weight: (D-E) to 0.01 ounces. 0.24 Kg

3) Picture of sock removed from well taken:

4) Sock removed from well deposited into a waste drum:

-Is drum labeled? yes How full is drum? (%) 1%

5) After at least 15 minutes after removing the sock from the well, measure (to 0.01 ft) from the top of the well casing. :

a) Depth to product: -

b) Depth to water: 4.34

c) Thickness of product: (b-a) NA

6) Size and type of sock installed 18' Sock

7) Comments: New Sock Installed