

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Rd, K2236
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-9559
Fax 925-842-8370

Dana Thurman
Project Manager

ChevronTexaco

April 12, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RECEIVED
APR 12 2005
ENVIRONMENTAL SERVICES

Re: Chevron Service Station #9-4800

Address: 1700 Castro Street, Oakland, California

I have reviewed the attached routine groundwater monitoring report dated March 24, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Dana Thurman
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

March 24, 2005

G-R #386383

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-4800
1700 Castro Street
Oakland, California
MTL: 61D-1966
003-000342

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	March 22, 2005	Groundwater Monitoring and Sampling Report First Quarter - Event of February 18, 2005

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *April 8, 2005*, at which time the final report will be distributed to the following:

cc: ~~Mr. Barney Chan, Alameda County Health-Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577~~

Enclosures

trans/9-4800-DT



GETTLER - RYAN INC.

March 22, 2005
G-R Job #386383

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: First Quarter Event of February 18, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

Dear Mr. Thurman:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator



Hagop Kevork
P.E. No. C55734





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports

EXPLANATION

- ◆ Groundwater monitoring well
- ⊗ Destroyed well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 Groundwater elevation contour, dashed where inferred



Approximate groundwater flow direction at a gradient of 0.01 Ft./Ft.



Source: Figure modified from drawing provided by RRM and Morrow Surveying dated 9-13-04

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-4800
 1700 Castro Street
 Oakland, California

FIGURE
1

PROJECT NUMBER 386383	REVIEWED BY	DATE February 18, 2005	REVISED DATE
--------------------------	-------------	---------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1										
06/04/97	30.75	4.39	25.82	71 ¹	890	100	110	29	150	<10
09/16/97	30.75	4.85	25.90	75 ¹	1,600	210	210	60	250	<10
12/17/97	30.75	4.88	25.87	65 ¹	940	120	100	41	160	<25
03/18/98	30.75	5.90	24.85	77 ¹	530	91	39	22	65	6.8
06/28/98	30.75	5.92	24.83	140 ¹	1,100	220	140	37	120	14
09/07/98	30.75	5.56	25.19	280 ¹	1,700	530	86	84	240	49
12/09/98	30.75	5.10	25.65	240 ¹	1,700	240	130	100	270	32
03/11/99	30.75	5.30	25.45	98 ¹	353	53.9	28.6	20.5	56.1	14.1
06/17/99	30.75	5.39	25.36	217 ¹	810	270	150	95	340	15
09/29/99	30.75	5.13	25.62	153 ¹	659	76	49.7	35.1	118	12.6
12/14/99	30.75	5.07	25.68	188 ^{1,2}	2,760	287	199	139	502	<12.5
03/09/00 ³	30.75	5.54	25.21	166 ¹	1,590	238	94.9	72.2	247	22.3
06/10/00	30.75	5.73	25.02	--	1,460	242	47.8	83.8	151	97.3
09/30/00	30.75	5.30	25.45	240 ⁷	650 ⁶	130	49	69	190	21
12/22/00	30.75	5.05	25.70	200 ⁹	640 ⁶	110	33	58	160	68
03/01/01	30.75	5.25	25.50	211 ⁷	1,500 ⁶	210	67.9	109	320	87.3
05/04/01	30.75	5.41	25.34	130 ⁷	991	127	32.6	73.0	137	95.4
09/05/01	30.75	5.16	25.59	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/21/01	30.75	5.17	25.58	210	2,000	220	16	110	400	34
03/15/02	30.75	5.60	25.15	--	--	--	--	--	--	--
06/15/02	30.75	5.49	25.26	140	350	54	0.61	12	40	130
09/06/02	30.75	5.26	25.49	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/06/02	30.75	5.12	25.63	2,900	900	71	2.1	39	150	34
03/03/03	30.75	5.46	25.29	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 ¹⁴	30.75	5.64	25.11	180	290	34	0.6	23	90	92
09/16/03	30.75	5.37	25.38	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/31/03 ¹⁴	30.75	5.20	25.55	150	1,500	97	6	70	230	86
03/26/04	30.75	5.74	25.01	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 ¹⁴	30.75	4.59	26.16	860	500	44	5	12	54	76
11/16/04 ¹⁴	34.01	7.85	26.16	<26	570	33	<0.5	14	53	48
02/18/05	34.01	8.25	25.76	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-2										
06/04/97	30.00	5.13	24.87	4,000 ¹	13,000	790	30	420	1,700	4000
09/16/97	30.00	5.06	24.94	2,200 ¹	4,000	360	9.7	210	460	1500
12/17/97	30.00	5.18	24.82	2,100 ¹	4,100	380	<10	200	460	2100
03/18/98	30.00	6.43	23.57	3,700 ¹	8,400	1,800	<50	350	630	13,000
06/28/98 ⁴	30.00	6.21	23.79	4,400 ¹	9,300	740	340	710	2,300	3800
09/07/98	30.00	5.78	24.22	3,100 ¹	9,900	1,000	150	640	1,800	4500/4100 ⁵
12/09/98	30.00	5.31	24.69	1,900 ¹	8,500	860	74	610	960	2600/2600 ⁵
03/11/99	30.00	5.79	24.21	2,700 ¹	12,500	1,520	42.2	645	2,250	3400/5050 ⁵
06/17/99	30.00	5.69	24.31	7,150 ¹	27,000	2,200	260	1500	5,900	4700
09/29/99	30.00	5.45	24.55	3,030 ¹	6910	582	11.1	491	1,170	1970
12/14/99	30.00	5.39	24.61	615 ^{1,2}	4230	282	12.3	284	690	631
03/09/00 ³	30.00	6.08	23.92	3,300 ¹	15,300	1,110	39.4	1,040	3,030	2,470
06/10/00	30.00	6.13	23.87	--	7,360	560	40.7	627	1,280	1,260
09/30/00	30.00	5.67	24.33	1,800 ⁷	3,600 ⁶	280	<10	420	430	290
12/22/00	30.00	5.39	24.61	870 ⁹	1,500 ⁶	100	<1.3	160	59	380
03/01/01	30.00	5.79	24.21	1,320 ⁷	2,340 ⁶	171	<5.00	238	157	864
05/04/01	30.00	5.83	24.17	3,100 ⁷	11,900	199	33.9	1,420	290	3,890
09/05/01	30.00	5.45	24.55	2,200	3,300	170	1.7	310	110	1,100
12/21/01	30.00	5.60	24.40	980	1,100	58	0.72	120	14	450
03/15/02	30.00	6.05	23.95	2,200	5,000	250	9.1	470	430	1,800
06/15/02	30.00	5.84	24.16	3,700	5,200	240	5.2	540	210	2,200
09/06/02	30.00	5.59	24.41	2,200	2,100	84	1.4	250	30	1,000
12/06/02	30.00	5.44	24.56	730	780	21	<0.50	58	3.4	480
03/03/03	30.00	5.79	24.21	3,500	4,800	220	1.9	650	46	4,400
06/17/03 ¹⁴	30.00	6.07	23.93	4,100	4,700	140	4	370	84	2,700
09/16/03 ¹⁴	30.00	5.69	24.31	1,800 ¹⁵	1,300	38	<1	110	3	1,300
12/31/03 ¹⁴	30.00	5.64	24.36	330	990	11	<0.5	23	3	440
03/26/04	30.00	6.25	23.75	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 ¹⁴	30.00	5.53	24.47	400	300	9	<0.5	18	1	340
11/16/04 ¹⁴	32.59	8.14	24.45	4,300	10,000	91	7	830	1,300	1,100
02/18/05	32.59	8.67	23.92	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-3										
06/04/97	31.32	5.27	26.05	<50	190	26	20	1.5	16	8.2
09/16/97	31.32	5.17	26.15	<50	270	58	53	6.1	30	21
12/17/97	31.32	5.22	26.10	<50	290	50	54	8.1	37	21
03/18/98	31.32	6.42	24.90	<50	390	140	33	4.6	30	94
06/28/98	31.32	6.39	24.93	<50	290	90	11	1.6	13	150
09/07/98	31.32	5.97	25.35	<50	170	46	20	4.3	19	120
12/09/98	31.32	5.41	25.91	55 ¹	660	120	93	22	72	150
03/11/99	31.32	5.85	25.47	<50	653	136	69.5	13.7	63.8	144
06/17/99	31.32	5.90	25.42	103 ¹	530	190	110	24	88	210
09/29/99	31.32	5.61	25.71	232 ¹	433	97.8	61.4	16.9	56.6	156
12/14/99	31.32	5.55	25.77	<50 ²	8650	1040	795	212	800	995
03/09/00 ³	31.32	6.14	25.18	74.6 ¹	1170	304	103	25.2	114	539
06/10/00	31.32	6.29	25.03	--	359	63.8	27.8	10.5	35.4	393
09/30/00	31.32	5.79	25.53	100 ⁸	220 ⁶	42	33	12	38	67
12/22/00	31.32	5.52	25.80	110 ⁹	370 ⁶	96	48	18	58	180
03/01/01	31.32	5.75	25.57	144 ⁷	912 ⁶	218	89.0	36.0	110	310
05/04/01	31.32	5.96	25.36	<50	1,260	146	79.6	38.2	101	1,070
09/05/01	31.32	5.61	25.71	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/21/01	31.32	5.67	25.65	180	850	160	11	32	84	300
03/15/02	31.32	6.15	25.17	--	--	--	--	--	--	--
06/15/02	31.32	6.01	25.31	<50	550	110	3.0	23	58	590
09/06/02	31.32	5.74	25.58	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/06/02	31.32	5.56	25.76	160	350	60	1.3	11	32	530
03/03/03	31.32	5.92	25.40	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 ¹⁴	31.32	6.19	25.13	130	560	90	2	19	57	590
09/16/03	31.32	5.85	25.47	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/31/03 ¹⁴	31.32	5.67	25.65	120	840	140	24	25	87	670
03/26/04	31.32	6.33	24.99	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 ¹⁴	31.32	5.46	25.86	110	630	84	18	11	35	410
11/16/04 ¹⁴	34.16	8.26	25.90	92	740	100	4	21	45	460
02/18/05	34.16	8.79	25.37	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4										
04/08/99	30.13	--	--	--	130	3.1	<0.5	<0.5	7.7	4,700
06/17/99	30.13	5.19	24.94	3,780 ¹	590	58	<5.0	<5.0	160	6,200
09/29/99	30.13	4.96	25.17	1,130 ¹	692	10.7	<2.5	5.51	236	7,840
12/14/99	30.13	4.91	25.22	571 ^{1,2}	625	<10	3.83	<10	94.6	4,470
03/09/00 ³	30.13	5.45	24.68	600 ¹	402	3.76	1.18	<0.5	71.4	3,140
06/10/00	30.13	5.53	24.60	--	<1,000	13.2	<10.0	<10.0	97.8	3,080
09/30/00	30.13	5.09	25.04	1,400 ⁷	280 ⁶	21	0.67	6.3	60	3,300
12/22/00	30.13	4.90	25.23	740 ⁹	240 ⁶	2.2	<0.50	1.3	25	2,200
03/01/01	30.13	5.15	24.98	661 ⁷	193	2.31	<0.500	1.34	12.1	1,220
05/04/01	30.13	5.25	24.88	1,100 ⁷	722	12.0	<5.00	17.1	89.4	2,390
09/05/01	30.13	4.96	25.17	2,500	1,400	23	2.2	19	260	2,300
12/21/01	30.13	5.06	25.07	1,100	310	2.9	<0.50	2.6	32	860
03/15/02	30.13	5.44	24.69	3,100	520	5.0	<0.50	15	6.8	2,700
06/15/02	30.13	5.29	24.84	2,400	950	16	3.6	41	100	2,200/2,400 ¹²
09/06/02	30.13	5.07	25.06	2,600	640	9.6	0.52	9.8	28	1,700
12/06/02	30.13	4.93	25.20	1,400	280	3.6	<0.50	1.7	<1.5	730
03/03/03	30.13	5.28	24.85	1,500	280	2.7	<0.50	7.3	2.3	910
06/17/03 ¹⁴	30.13	5.44	24.69	2,000	660	8	1	38	16	1,100
09/16/03 ¹⁴	30.13	5.15	24.98	2,100 ¹⁶	480	6	<1	11	3	710
12/31/03 ¹⁴	30.13	5.07	25.06	1,400	220	3	<0.5	2	<0.5	390
03/26/04	30.13	5.60	24.53	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 ¹⁴	30.13	4.68	25.45	2,100	470	12	1	28	4	370
11/16/04 ¹⁴	33.07	7.63	25.44	960	270	7	<0.5	7	6	270
02/18/05	33.07	8.07	25.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
MW-5										
04/08/99	30.93	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/17/99	30.93	4.93	26.00	53.8 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/29/99	30.93	4.73	26.20	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/14/99	30.93	4.61	26.32	<50 ²	<50	<0.5	<0.5	<0.5	<0.5	0.598
03/09/00 ³	30.93	5.00	25.93	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/00	30.93	5.21	25.72	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/30/00	30.93	4.79	26.14	130 ⁸	<50	<0.50	<0.50	<0.50	<0.50	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-4800
 1700 Castro Street
 Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)		
MW-5 (cont)												
12/22/00	30.93	4.60	26.33	250 ⁸	<50	<0.50	<0.50	<0.50	<0.50	9.1		
03/01/01	30.93	4.77	26.16	77.4 ⁷	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50		
05/04/01	30.93	4.89	26.04	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
09/05/01	30.93	4.72	26.21	SAMPLED SEMI-ANNUALLY							--	--
12/21/01	30.93	4.73	26.20	110	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
03/15/02	30.93	5.06	25.87	--	--	--	--	--	--	--		
06/15/02	30.93	4.95	25.98	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
09/06/02	30.93	4.75	26.18	SAMPLED SEMI-ANNUALLY							--	--
12/06/02	30.93	4.61	26.32	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
03/03/03	30.93	4.94	25.99	SAMPLED SEMI-ANNUALLY							--	--
06/17/03 ¹⁴	30.93	5.06	25.87	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5		
09/16/03	30.93	4.84	26.09	SAMPLED SEMI-ANNUALLY							--	--
12/31/03 ¹⁴	30.93	4.72	26.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5		
03/26/04	30.93	5.19	25.74	SAMPLED SEMI-ANNUALLY							--	--
08/17/04	30.93	TO BE DESTROYED		--	--	--	--	--	--	--		
DESTROYED - 2005												
MW-6												
04/08/99	30.58	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	4.5		
06/17/99	30.58	5.99	24.59	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5		
09/29/99	30.58	5.81	24.77	<50	<50	<0.5	<0.5	<0.5	<0.5	4.46		
12/14/99	30.58	5.74	24.84	<50 ²	<50	<0.5	<0.5	<0.5	<0.5	4.13		
03/09/00 ³	30.58	6.49	24.09	<50	<50	<0.5	<0.5	<0.5	<0.5	2.82		
06/10/00	30.58	6.58	24.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50		
09/30/00	30.58	6.00	24.58	110 ⁸	<50	<0.50	<0.50	<0.50	<0.50	7.3		
12/22/00	30.58	5.75	24.83	100 ⁸	<50	<0.50	<0.50	<0.50	<0.50	4.5		
03/01/01	30.58	6.07	24.51	141 ⁷	<50.0	<0.500	<0.500	<0.500	<0.500	7.52		
05/04/01	30.58	6.26	24.32	<50	<50.0	<0.500	<5.00	<5.00	<5.00	2.74		
09/05/01	30.58	5.99	24.59	SAMPLED SEMI-ANNUALLY							--	--
12/21/01	30.58	5.93	24.65	200	<50	<0.50	<0.50	<0.50	<1.5	8.5		
03/15/02	30.58	6.44	24.14	--	--	--	--	--	--	--		
06/15/02	30.58	6.25	24.33	<50	<50	<0.50	<0.50	<0.50	<1.5	4.3		
09/06/02	30.58	5.98	24.60	SAMPLED SEMI-ANNUALLY							--	--
12/06/02	30.58	5.79	24.79	64	<50	<0.50	<0.50	<0.50	<1.5	5.0		

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)										
03/03/03	30.58	6.14	24.44	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 ¹⁴	30.58	6.47	24.11	<50	<50	<0.5	<0.5	<0.5	<0.5	13
09/16/03	30.58	6.06	24.52	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/31/03 ¹⁴	30.58	6.00	24.58	<50	<50	<0.5	<0.5	<0.5	0.5	14
03/26/04	30.58	6.69	23.89	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04	30.58	TO BE DESTROYED		--	--	--	--	--	--	--
DESTROYED - 2005										
MW-7										
05/04/01 ¹¹	31.90	4.03	27.87	<50	<50.0	<0.500	<5.00	<5.00	<5.00	567/470 ¹²
09/05/01	31.90	3.86	28.04	<50	<50	<0.50	<0.50	<0.50	<1.5	1,400/1,300 ¹²
12/21/01	31.90	3.04	28.86	210	<50	<0.50	<0.50	<0.50	<1.5	620/670 ¹²
03/15/02	31.90	4.18	27.72	<50	<50	<0.50	<0.50	<0.50	<1.5	320/350 ¹²
06/15/02	31.90	4.06	27.84	<50	<50	<0.50	<0.50	<0.50	<1.5	850/960 ¹²
09/06/02	31.90	3.93	27.97	<50	59	<0.50	<0.50	<0.50	<1.5	1,900
12/06/02	31.90	3.87	28.03	<50	68	<0.50	<0.50	<0.50	<1.5	2,200
03/03/03	31.90	4.21	27.69	<50	<50	<0.50	<0.50	<0.50	<1.5	1,300
06/17/03 ¹⁴	31.90	4.14	27.76	<50	79	<0.5	<0.5	<0.5	<0.5	2,500
09/16/03 ¹⁴	31.90	4.07	27.83	<50 ¹⁷	110	<5	<5	<5	<5	4,400
12/31/03 ¹⁴	31.90	4.04	27.86	<50	76	<2	<2	<2	<2	3,000
03/26/04 ¹⁴	31.90	4.25	27.65	<50	61	<1	<1	<1	<1	2,000
08/17/04 ¹⁴	31.90	4.02	27.88	2,200	130	<5	<5	<5	<5	8,000
11/16/04 ¹⁴	34.35	6.48	27.87	<50	200	<3	<3	<3	<3	7,300
02/18/05 ¹⁴	34.35	6.75	27.60	64	86	<10	<10	<10	<10	5,700
TRIP BLANK										
06/04/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/18/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/09/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-4800
 1700 Castro Street
 Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cont)										
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/17/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/14/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/00 ³	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/22/00 ¹⁰	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/01/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/04/01	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500
09/05/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA										
12/21/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/03/03 ¹³	--	--	--	--	--	--	--	--	--	--
06/17/03 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/16/03 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/31/03 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/26/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/17/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/16/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/18/05 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	-- = Not Measured/Not Analyzed (ppb) = Parts per Billion
GWE = Groundwater Elevation (msl) = Mean sea level	T = Toluene E = Ethylbenzene	QA = Quality Assurance/Trip Blank
DTW = Depth to Water	X = Xylenes	
TPH-D = Total Petroleum Hydrocarbons as Diesel	MTBE = Methyl tertiary butyl ether	

* The following wells: MW-1, MW-2, MW-3, MW-4, and MW-7, were resurveyed by Morrow Surveying on September 13, 2004. TOC elevation was surveyed on April 11, 2001, by Virgil Chavez Land Surveying. The benchmark for the survey was the top of curb at the south end of the return at the southeast corner of Castro Street and 18th Street. (Benchmark Elevation = 29.65 feet, msl).

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Sample was extracted outside EPA recommended holding time.
- 3 TPH-G, BTEX and MTBE was analyzed outside EPA recommended holding time.
- 4 EPA Method 8240.
- 5 Confirmation run.
- 6 Laboratory report indicates gasoline C6-C12.
- 7 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 8 Laboratory report indicates unidentified hydrocarbons >C16.
- 9 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 10 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 11 Well development performed.
- 12 MTBE by EPA Method 8260.
- 13 Due to laboratory error the trip blank sample was not analyzed.
- 14 BTEX and MTBE by EPA Method 8260.
- 15 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. The TPH-D result from the reextraction is 910 ppb.
- 16 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. The TPH-D result from the reextraction is 1,700 ppb.
- 17 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. Similar results were obtained in both extracts.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-1						
06/17/03	--	--	92	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY					
12/31/03	<50	--	86	--	--	--
08/17/04	<50	--	76	--	--	--
11/16/04	<50	--	48	--	--	--
MW-2						
06/17/03	--	--	2,700	--	--	--
09/16/03	<130	--	1,300	--	--	--
12/31/03	<50	--	440	--	--	--
03/26/04	SAMPLED SEMI-ANNUALLY					
08/17/04	<50	--	340	--	--	--
11/16/04	<100	--	1,100	--	--	--
MW-3						
06/17/03	--	--	590	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY					
12/31/03	66	--	670	--	--	--
08/17/04	<50	--	410	--	--	--
11/16/04	<50	--	460	--	--	--
MW-4						
04/08/99	<25,000	<5000	5400	<100	<100	<100
06/15/02	--	840	2,400	<2	<2	110
06/17/03	--	520	1,100	<0.5	<0.5	110
09/16/03	<100	--	710	--	--	--
12/31/03	<50	--	390	--	--	--
03/26/04	SAMPLED SEMI-ANNUALLY					
08/17/04	<50	66	370	<0.5	<0.5	50
11/16/04	<50	--	270	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-5						
04/08/99	<500	<100	<2.0	<2.0	<2.0	<2.0
06/17/03	--	--	<0.5	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY		--	--	--	--
12/31/03	<50	--	<0.5	--	--	--
08/17/04	TO BE DESTROYED		--	--	--	--
TO BE DESTROYED						
MW-6						
04/08/99	<500	<100	5.6	<2.0	<2.0	<2.0
06/17/03	--	--	13	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY		--	--	--	--
12/31/03	<50	--	14	--	--	--
08/17/04	TO BE DESTROYED		--	--	--	--
TO BE DESTROYED						
MW-7						
05/04/01	<500	57	470	<2.0	<2.0	11
09/05/01	<500	<100	1,300	<2	<2	32
12/21/01	<500	<100	670	<2	<2	15
03/15/02	<500	<100	350	<2	<2	8
06/15/02	--	<100	960	<2	<2	18
06/17/03	--	37	2,500	<0.5	<0.5	53
09/16/03	<500	--	4,400	--	--	--
12/31/03	<200	--	3,000	--	--	--
03/26/04	<100	--	2,000	--	--	--
08/17/04	<500	<50	8,000	<5	<5	140
11/16/04	<250	--	7,300	--	--	--
02/18/05	<1,000	--	5,700	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-4800
1700 Castro Street
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to May 4, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

- TBA = Tertiary butyl alcohol
- MTBE = Methyl tertiary butyl ether
- DIPE = Di-isopropyl ether
- ETBE = Ethyl tertiary butyl ether
- TAME = Tertiary amyl methyl ether
- (ppb) = Parts per billion
- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4800 Job Number: 386383
 Site Address: 1700 Castro Street Event Date: 2.18.05 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-1 Date Monitored: 2.18.05 Well Condition: ok
 Well Diameter: 2 in.
 Total Depth: 30.84 ft.
 Depth to Water: 25.76 ft.
NA xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 2/18/05 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μ mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: MONITORED ONLY
COLLECT TWD

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4800 Job Number: 386383
 Site Address: 1700 Castro Street Event Date: 2-18-05 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-2 Date Monitored: 2-18-05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 30.26 ft.
 Depth to Water: 23.92 ft.
N/A xVF = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / / Water Color: _____ Odor: _____
 Purging Flow Rate: / gpm. Sediment Description: _____
 Did well de-water? / If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: MONITORED ONLY
CONNECT TWD

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4800 Job Number: 386383
 Site Address: 1700 Castro Street Event Date: 2.18.05 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-3 Date Monitored: 2.18.05 Well Condition: ok

Well Diameter: 2 in.
 Total Depth: 30.39 ft.
 Depth to Water: 25.37 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

NA xVF = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / / Water Color: _____ Odor: _____
 Purging Flow Rate: / gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: MONITORED ONLY
COLLECT TWD

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4800 Job Number: 386383
 Site Address: 1700 Castro Street Event Date: 2-18-05 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-4 Date Monitored: 2-18-05 Well Condition: ok
 Well Diameter: 2 in.
 Total Depth: 29.03 ft.
 Depth to Water: 25.00 ft.
NA xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / / Water Color: _____ Odor: _____
 Purging Flow Rate: / gpm. Sediment Description: _____
 Did well de-water? / If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x Amber	YES	NF	LANCASTER	TPH-D

COMMENTS: MONITORED ONLY
CONNECT TWD

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4800 Job Number: 386383
 Site Address: 1700 Castro Street Event Date: 2-18-05 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-7 Date Monitored: 2-18-05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 30.27 ft.
 Depth to Water: 27.60 ft.
2.67 xVF .17 = .45 x3 case volume= Estimated Purge Volume: 1.36 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer /
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1304 Weather Conditions: SUNNY
 Sample Time/Date: 1321 / 2-18-05 Water Color: CLEAR Odor: YES
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1306</u>	<u>.25</u>	<u>7.10</u>	<u>624</u>	<u>21.1</u>		
<u>1309</u>	<u>.50</u>	<u>6.78</u>	<u>623</u>	<u>20.9</u>		
<u>1312</u>	<u>1.0</u>	<u>6.65</u>	<u>590</u>	<u>20.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vob vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: CONNECT TWD

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



022105-06

Acct. #: 10904

For Lancaster Laboratories use only
Sample #: 4469354-55

Group# 932718

SCR#:

Cambria MTI Project # 61H-1966

Analyses Requested

Preservation Codes

Preservative Codes

H = HCl T = Thiosulfate
N = HNO₃ B = NaOH
S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Comments / Remarks

Facility #: SS#9-4800 G-R#386383 Global ID#T0600102076
Site Address: 700 CASTRO STREET, OAKLAND, CA
Chevron PMTI Lead Consultant: CAMBRIABE
Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
Consultant Prj. Mgr: Deanna L. Harding (deanna@grinc.com)
Consultant Phone #925-551-7555 Fax #925-551-7899
Sampler: FRANK TERMINI
Service Order #: Non SAR:

Matrix

Soil Potable NPDES
Water Air

Total Number of Containers

Matrix	8021	8260	TPH 8015 MOD GRO	TPH 8015 MOD BRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	ETHANOL 8260
Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>
Soil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	8021	8260	TPH 8015 MOD GRO	TPH 8015 MOD BRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	ETHANOL 8260	
QA	2-18-05																		
MW-7		1321	X		W				X	X	X	X	X						X

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB) **EDF/EDD**
 Disk

Relinquished by: <u>Frank Termini</u>	Date: 2-18-05	Time:	Received by:	Date:	Time:
Relinquished by: <u>Deanna</u>	Date: 2/21/05	Time: 1340	Received by: <u>Andrew Oray</u>	Date: 2/21/05	Time: 1340
Relinquished by: <u>Al</u>	Date: 2/21/05	Time: 1600	Received by: <u>Fed Ex</u>	Date: 2/21/05	Time: 1600
Relinquished by Commercial Carrier: <u>FedEx</u>	Date:	Time:	Received by: <u>Mary Beth Stora</u>	Date: 2/21/05	Time: 0845
Temperature Upon Receipt: 1.6-1.8 C°			Custody Seals Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

TRIPOLI/W/143

GETTLER-RYAN, INC.
GENERAL CONTRACTORS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 932718. Samples arrived at the laboratory on Tuesday, February 22, 2005. The PO# for this group is 99011184 and the release number is MTI.

Client Description

QA-T-050218	NA	Water
MW-7-W-050218	Grab	Water

Lancaster Labs Number

4469354
4469355

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

Melissa A. McDermott

Melissa A. McDermott
Senior Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4469354

QA-T-050218 NA Water
Facility# 94800 Job# 386383 MTI# 61H-1966 GRD
1700 Castro St-Oakland T0600102076 QA
Collected:02/18/2005

Account Number: 10904

Submitted: 02/22/2005 08:45
Reported: 03/04/2005 at 15:25
Discard: 04/04/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

170QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/24/2005 00:27	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005 17:52	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/24/2005 00:27	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005 17:52	Ginelle L Haines	n.a.

Lancaster Laboratories Sample No. WW 4469355

 MW-7-W-050218 Grab Water
 Facility# 94800 Job# 386383 MTI# 61H-1966 GRD
 1700 Castro St-Oakland T0600102076 MW-7
 Collected: 02/18/2005 13:21 by FT

Account Number: 10904

 Submitted: 02/22/2005 08:45
 Reported: 03/04/2005 at 15:25
 Discard: 04/04/2005

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

170M7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	86.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	64.	50.	ug/l	1
	The LCS recovery is outside the QC limits. A second extraction was performed but due to low level contamination, the results could not be used. No sample was available to perform a third extraction so the results are reported.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	1,000.	ug/l	20
02010	Methyl Tertiary Butyl Ether	1634-04-4	5,700.	50.	ug/l	100
05401	Benzene	71-43-2	N.D.	10.	ug/l	20
05407	Toluene	108-88-3	N.D.	10.	ug/l	20
05415	Ethylbenzene	100-41-4	N.D.	10.	ug/l	20
06310	Xylene (Total)	1330-20-7	N.D.	10.	ug/l	20
	Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/01/2005 18:09	K. Robert Caulfeild-James	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	2	03/04/2005 10:19	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/24/2005 13:30	Ginelle L Haines	20
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	02/24/2005 13:55	Ginelle L Haines	100
01146	GC VOA Water Prep	SW-846 5030B	1	02/24/2005 00:56	K. Robert Caulfeild-James	50
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/24/2005 13:30	Ginelle L Haines	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	02/24/2005 13:55	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	2	03/02/2005 17:15	JoElla L Rice	1

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 03/04/05 at 03:25 PM

Group Number: 932718

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05054A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4469354 ug/l	115	114	70-130	1	30
Batch number: 05060A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4469355 ug/l	103		70-130		
Batch number: 050610022A TPH-DRO CALUFT(Waters)	N.D.	50.	Sample number(s): 4469355 ug/l	53*	63	61-126	17	20
Batch number: Z050551AA Ethanol	N.D.	50.	Sample number(s): 4469355 ug/l	96		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		77-127		
Benzene	N.D.	0.5	ug/l	92		85-117		
Toluene	N.D.	0.5	ug/l	92		85-115		
Ethylbenzene	N.D.	0.5	ug/l	93		82-119		
Xylene (Total)	N.D.	0.5	ug/l	93		83-113		
Batch number: Z050562AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4469354 ug/l	90		77-127		
Benzene	N.D.	0.5	ug/l	92		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	96		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05054A08B TPH-GRO - Waters	122		Sample number(s): 4469354 63-154						
Batch number: 05060A08B TPH-GRO - Waters	119	119	Sample number(s): 4469355 63-154	0	30				
Batch number: Z050551AA Ethanol	118	106	Sample number(s): 4469355 33-153	11	30				
Methyl Tertiary Butyl Ether	90	88	69-134	2	30				
Benzene	95	95	83-128	0	30				
Toluene	96	95	83-127	1	30				
Ethylbenzene	97	96	82-129	1	30				
Xylene (Total)	97	96	82-130	0	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 03/04/05 at 03:25 PM

Group Number: 932718

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: Z050562AA	Sample number(s): 4469354								
Methyl Tertiary Butyl Ether	92	90	69-134	2	30				
Benzene	98	96	83-128	2	30				
Toluene	102	100	83-127	2	30				
Ethylbenzene	102	101	82-129	2	30				
Xylene (Total)	102	100	82-130	2	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05054A08B
 Trifluorotoluene-F

4469354	101
Blank	102
LCS	104
LCSD	103
MS	102

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05060A08B
 Trifluorotoluene-F

4469355	103
Blank	103
LCS	106
MS	102
MSD	105

Limits: 70-142

 Analysis Name: TPH-DRO CALUFT(Waters)
 Batch number: 050610022A
 Orthoterphenyl

4469355	80
Blank	81
LCS	101
LCSD	104

Limits: 52-134

 Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
 Batch number: Z050551AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4469355	90	88	91	88
Blank	91	90	91	90
LCS	90	89	91	91

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 03/04/05 at 03:25 PM

Group Number: 932718

Surrogate Quality Control

MS	91	86	91	89
MSD	91	86	90	89
Limits:	81-120	82-112	85-112	83-113
Analysis Name: BTEX+MTBE by 8260B				
Batch number: Z050562AA				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4469354	94	98	97	92
Blank	96	91	98	91
LCS	93	94	95	93
MS	94	95	96	95
MSD	94	99	96	95
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<CRDL$, but $\geq IDL$
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.