



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: December 20, 2011 REFERENCE NO.: 241501
PROJECT NAME: 461 8th Street, Oakland
To: Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED
8:24 am, Dec 21, 2011
Alameda County
Environmental Health

Please find enclosed: Draft Final
 Originals Other
 Prints
Sent via: Mail Same Day Courier
 Overnight Courier Other GeoTracker and Alameda County FTP

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - Fourth Quarter 2011

As Requested For Review and Comment
 For Your Use

COMMENTS:
If you have any questions regarding the contents of the document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US (electronic copy)
Leroy Griffin, Fire Prevention Bureau, 250 Frank Ogawa Plaza, 3rd Floor, Suite 3341,
Oakland, CA 94612
A.F. Evans Company, c/o Anye Spivey, 1000 Broadway, Suite 300, Oakland, CA 94507
Leah Goldberg, Meyers Nave, 555 12th Street, Suite 1500, Oakland, CA 94607
Grover Buhr, Treadwell & Rollo (electronic copy)

Completed by: Peter Schaefer Signed: *Peter Schaefer*

Filing: Correspondence File



Mr. Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Former Shell Service Station
461 8th Street
Oakland, California
SAP Code 129453
Incident No. 97093399
ACEH Case No. RO0000343

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (707) 865-0251 with any questions or concerns.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Senior Program Manager



GROUNDWATER MONITORING REPORT - FOURTH QUARTER 2011

**FORMER SHELL SERVICE STATION
461 8TH STREET
OAKLAND, CALIFORNIA**

SAP CODE	129453
INCIDENT NO.	97093399
AGENCY NO.	RO0000343

DECEMBER 20, 2011

REF. NO. 241501 (29)

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1
1.1 SITE INFORMATION	1
2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION.....	1
2.1 CURRENT QUARTER'S ACTIVITIES.....	1
2.2 CURRENT QUARTER'S FINDINGS	2
2.3 PROPOSED ACTIVITIES.....	2

LIST OF FIGURES

(Following Text)

FIGURE 1 VICINITY MAP

FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF TABLES

(Following Text)

TABLE 1 GROUNDWATER DATA

LIST OF APPENDICES

APPENDIX A BLAINE TECH SERVICES, INC. - FIELD NOTES

APPENDIX B TEST AMERICA - LABORATORY REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

1.1 SITE INFORMATION

Site Address	461 8th Street, Oakland
Site Use	Parking lot
Shell Project Manager	Denis Brown
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACEH, Jerry Wickham
Agency Case No.	RO0000343
Shell SAP Code:	129453
Shell Incident No.	97093399

Date of most recent agency correspondence was November 16, 2011 (electronic).

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the modified monitoring program for this site.

CRA prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

On November 8 and 9, 2011, CRA installed seven nested soil vapor probes and on December 1, 2011, CRA collected samples from the new probes.

2.2 **CURRENT QUARTER'S FINDINGS**

Groundwater Flow Direction	Southerly
Hydraulic Gradient	0.008
Depth to Water	14.28 to 22.50 feet below top of well casing

2.3 **PROPOSED ACTIVITIES**


Blaine will gauge and sample wells during the second and fourth quarters according to the modified monitoring program for this site, and CRA will issue groundwater monitoring reports semiannually following the sampling events.

CRA will submit a report detailing the soil vapor probe installation and sampling by January 27, 2012.

All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES





Peter Schaefer, CEG, CHG



Aubrey K. Cool, PG




FIGURES



I:\Shell\6-chars\2415--\241501-Oakland 461 8th\241501-FIGURES\241501 VICINITY.AI

SOURCE: TOPOI MAPS




Former Shell Service Station
 461 8th Street
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**


Vicinity Map

I:\Shell\6-chars\2415--241501-Oakland 461 8th St\241501-REPORTS\241501-RPT29-4011241501 4CM11-GW.DWG



FIGURE

2



TABLE

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	10/26/1988	130	3.8	13	4	30	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	02/14/1989	<50	0.50	<1.0	<1.0	3.0	--	--	--	--	--	--	--	--	93.51	12.82	--	80.69	--	--
S-4	05/01/1989	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	16.48	--	77.03	--	--
S-4	07/27/1989	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.84	--	77.67	--	--
S-4	10/05/1989	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.98	--	77.53	--	--
S-4	01/09/1990	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.86	--	77.65	--	--
S-4	04/30/1990	<50	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	93.51	14.48	--	79.03	--	--
S-4	07/31/1990	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	10/30/1990	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	05/06/1991	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.23	--	78.28	--	--
S-4	06/27/1991	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--	93.51	13.54	--	79.97	--	--
S-4	09/24/1991	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.85	--	77.66	--	--
S-4	11/07/1991	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	15.60	--	77.91	--	--
S-4	02/13/1992	<50	<0.50	<0.50	<0.50	3.0	--	--	--	--	--	--	--	--	93.51	14.27	--	79.24	--	--
S-4	05/11/1992	Well dry	--	--	--	--	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	12/03/1992	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	05/13/1993	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	14.81	--	78.70	--	--
S-4	07/22/1993	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	14.42	--	79.09	--	--
S-4	10/20/1993	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	--	--	--	--	--
S-4	01/25/1994	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	14.60	--	78.91	--	--
S-4	04/25/1994	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	93.51	14.39	--	79.12	--	--
S-4	07/21/1994	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--	93.51	22.29	--	71.22	--	--
S-4	10/24/1994	<500	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--	93.51	22.72	--	70.79	--	--
S-4	12/22/1994	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--	25.77	22.25	--	3.52	--	--
S-4	04/20/1995	<50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	--	--	25.77	21.16	--	4.61	--	--
S-4	10/04/1995	<50	1.2	0.70	<0.50	<0.50	--	--	--	--	--	--	--	--	25.77	22.25	--	3.52	--	--
S-4	01/03/1996	<50	0.60	<0.50	<0.50	1.7	--	--	--	--	--	--	--	--	25.77	23.28	--	2.49	--	--
S-4	04/11/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	21.58	--	4.19	--	--
S-4	07/11/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	21.60	--	4.17	--	--
S-4	10/02/1996	<50	<0.50	<0.50	<0.50	<0.50	2.6	--	--	--	--	--	--	--	25.77	22.46	--	3.31	--	--
S-4	01/22/1997	<50	0.73	<0.50	<0.50	0.63	<2.5	--	--	--	--	--	--	--	25.77	20.06	--	5.71	--	--
S-4	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	22.10	--	3.67	--	--
S-4	01/22/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	20.50	--	5.27	--	--
S-4	07/08/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	20.86	--	4.91	--	--
S-4	10/26/1998	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.41	--	4.36	--	--
S-4	01/28/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	22.34	--	3.43	--	--
S-4	04/23/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.43	--	4.34	--	--
S-4	07/29/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--	--	--	--	--	--	25.77	21.45	--	4.32	--	--
S-4	11/01/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	22.08	--	3.69	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	01/07/2000	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	25.77	22.29	--	3.48	--	--
S-4	04/11/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.11	--	4.66	--	--
S-4	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--	--	--	--	25.77	21.19	--	4.58	--	--
S-4	10/12/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	22.22	--	3.55	--	--
S-4	01/09/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--	--	--	--	25.77	22.17	--	3.60	--	--
S-4	04/06/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.50	--	4.27	--	--
S-4	07/25/2001	<50	2.0	0.52	<0.50	1.0	--	<5.0	--	--	--	--	--	--	25.77	21.50	--	4.27	--	--
S-4	11/01/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.95	--	3.82	--	--
S-4	01/17/2002 d	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	25.77	21.13	--	4.64	--	--
S-4	05/08/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	25.77	21.35	--	4.42	--	--
S-4	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	34.41	21.19	--	13.22	--	--
S-4	10/15/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.42	--	12.99	--	--
S-4	01/02/2003	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	34.41	20.75	--	13.66	--	--
S-4	04/15/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.08	--	13.33	--	--
S-4	07/14/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	19.93	--	14.48	--	--
S-4	10/20/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	19.56	--	14.85	--	--
S-4	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.41	19.12	--	15.29	--	--
S-4	04/19/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	19.15	--	15.26	--	--
S-4	07/13/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.48	--	13.93	--	--
S-4	10/28/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.00	--	13.41	--	--
S-4	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.41	20.17	--	14.24	--	--
S-4	04/14/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	19.82	--	14.59	--	--
S-4	07/28/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.71	--	13.70	--	--
S-4	10/05/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.85	--	13.56	--	--
S-4	02/09/2006	<50.0	<0.500	<0.500	<0.500	<0.500	--	<0.500	--	--	--	--	--	--	34.41	19.47	--	14.94	--	--
S-4	05/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	19.52	--	14.89	--	--
S-4	08/23/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.75	--	13.66	--	--
S-4	11/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.03	--	14.38	--	--
S-4	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.41	21.30	--	13.11	--	--
S-4	05/29/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.15	--	13.26	--	--
S-4	08/15/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.38	--	13.03	--	--
S-4	11/28/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.55	--	12.86	--	--
S-4	02/08/2008	64 h	<0.50	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	34.41	22.75	--	11.66	--	--
S-4	05/08/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	22.18	--	12.23	--	--
S-4	08/14/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.77	--	12.64	--	--
S-4	11/11/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.68	--	13.73	--	--
S-4	01/05/2009	250	1.8	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	34.41	20.92	--	13.49	--	--
S-4	04/09/2009	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.10	--	13.31	--	--
S-4	07/23/2009	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.76	--	12.65	--	--

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	10/01/2009	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	22.10	--	12.31	--	--
S-4	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	34.41	21.75	--	12.66	--	--
S-4	05/20/2010	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.44	--	12.97	--	--
S-4	08/31/2010	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.72	--	12.69	--	--
S-4	12/29/2010	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.91	--	13.50	--	--
S-4	02/01/2011	<50	<0.50	<0.50	<0.50	1.1	--	--	--	--	--	--	--	--	34.41	21.19	--	13.22	1.84	157
S-4	04/25/2011	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	17.32	--	17.09	--	--
S-4	07/28/2011	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	20.92	--	13.49	--	--
S-4	10/28/2011	--	--	--	--	--	--	--	--	--	--	--	--	--	34.41	21.35	--	13.06	--	--
S-5	04/16/1987	130,000	15,000	16,000	a	14,000	--	--	--	--	--	--	--	--	99.36	--	--	--	--	--
S-5	10/26/1988	110,000	20,000	25,000	2,300	10,000	--	--	--	--	--	--	--	--	99.36	--	--	--	--	--
S-5	02/14/1989	94,000	16,000	21,000	1,800	10,000	--	--	--	--	--	--	--	--	99.36	19.87	--	79.49	--	--
S-5	05/01/1989	120,000	29,000	35,000	3,100	15,000	--	--	--	--	--	--	--	--	99.36	21.23	--	78.13	--	--
S-5	07/27/1989	110,000	20,000	29,000	2,400	14,000	--	--	--	--	--	--	--	--	99.36	20.41	--	78.95	--	--
S-5	10/05/1989	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	20.43	0.01	78.94	--	--
S-5	01/09/1990	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.16	0.01	78.21	--	--
S-5	04/30/1990	100,000	13,000	22,000	2,100	11,000	--	--	--	--	--	--	--	--	99.36	20.96	--	78.40	--	--
S-5	07/31/1990	53,000	8,300	14,000	1,200	7,400	--	--	--	--	--	--	--	--	99.36	20.88	--	78.48	--	--
S-5	10/30/1990	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.96	0.03	77.42	--	--
S-5	05/06/1991	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	23.00	0.13	76.46	--	--
S-5	06/27/1991	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	20.53	0.03	78.85	--	--
S-5	09/24/1991	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.40	0.06	78.01	--	--
S-5	11/07/1991	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.33	0.25	78.23	--	--
S-5	02/13/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.52	0.31	77.09	--	--
S-5	05/11/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.46	0.58	77.36	--	--
S-5	12/03/1992	Well inaccessible			--	--	--	--	--	--	--	--	--	--	99.36	--	--	--	--	--
S-5	05/13/1993	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.22	0.27	77.36	--	--
S-5	07/22/1993	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.68	0.25	77.88	--	--
S-5	10/20/1993	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	20.51	0.23	79.03	--	--
S-5	01/25/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.93	0.18	77.57	--	--
S-5	04/25/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.97	0.35	77.67	--	--
S-5	05/26/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	20.84	0.35	78.80	--	--
S-5	06/10/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	21.01	0.32	78.61	--	--
S-5	07/21/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.18	0.47	77.56	--	--
S-5	08/25/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.01	0.44	77.70	--	--
S-5	09/22/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.00	0.15	77.48	--	--
S-5	10/24/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	99.36	22.28	0.56	77.53	--	--
S-5	12/22/1994	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	22.88	0.99	0.85	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-5	04/20/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	21.66	0.33	1.54	--	--
S-5	10/04/1995	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	22.18	--	0.76	--	--
S-5	01/03/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	22.80	0.83	0.80	--	--
S-5	04/11/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	21.15	0.67	2.33	--	--
S-5	07/11/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	22.62	0.90	1.04	--	--
S-5	10/02/1996	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	23.07	0.64	0.38	--	--
S-5	01/22/1997	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	20.83	0.16	2.24	--	--
S-5	07/21/1997	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	21.16	0.05	1.82	--	--
S-5	01/22/1998	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	20.04	0.04	2.93	--	--
S-5	07/08/1998	220	14	40	5.8	34	3.3	--	--	--	--	--	--	--	22.94	18.61	--	4.33	--	--
S-5	10/26/1998	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	17.31	--	5.63	--	--
S-5	01/28/1999	51,000	13,000	1,200	1,200	2,400	2,400	--	--	--	--	--	--	--	22.94	20.11	--	2.83	--	--
S-5	04/23/1999	65,600	2,540	7,300	1,790	9,840	<1,000	--	--	--	--	--	--	--	22.94	19.21	--	3.73	--	--
S-5	07/29/1999	61,400	3,320	6,980	1,520	7,700	<1,000	--	--	--	--	--	--	--	22.94	14.77	--	8.17	--	--
S-5	11/01/1999	48,200	2,700	5,740	1,290	7,850	<500	<40.0	--	--	--	--	--	--	22.94	15.56	--	7.38	--	--
S-5	01/07/2000	39,000	3,900	8,500	790	8,300	1,500	--	--	--	--	--	--	--	22.94	15.82	--	7.12	--	--
S-5	04/11/2000	29,300	1,680	5,060	1,130	6,220	<250	--	--	--	--	--	--	--	22.94	18.19	--	4.75	--	--
S-5	07/19/2000	6,420	2,110	207	252	681	355	253 b	--	--	--	--	--	--	22.94	19.01	--	3.93	--	--
S-5	10/12/2000	41,500	2,940	4,940	1,520	7,770	<250	<66.7	--	--	--	--	--	--	22.94	19.62	--	3.32	--	--
S-5	01/09/2001	142,000	7,030	9,550	2,340	12,600	779	--	--	--	--	--	--	--	22.94	19.94	--	3.00	--	--
S-5	04/06/2001	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	22.94	--	--	--	--	--
S-5	04/13/2001	59,800	4,810	10,800	1,950	10,100	842	<10.0	--	--	--	--	--	--	22.94	14.72	--	8.22	--	--
S-5	07/25/2001	71,000	2,900	6,800	1,700	9,100	--	<250	--	--	--	--	--	--	22.94	14.91	--	8.03	--	--
S-5	08/13/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	22.94	19.43	--	3.51	--	--
S-5	11/01/2001	Unable to locate	--	--	--	--	--	--	--	--	--	--	--	--	22.94	--	--	--	--	--
S-5	01/17/2002 d	58,000	460	3,300	1,900	8,400	--	<200	--	--	--	--	--	--	c	14.27	--	--	--	--
S-5	05/08/2002 d	60,000	650	2,700	1,800	8,800	--	<100	--	--	--	--	--	--	22.94	18.40	--	4.54	--	--
S-5	07/18/2002	53,000	240	1,200	1,500	6,400	--	<100	--	--	--	--	--	--	27.36	14.25	--	13.11	--	--
S-5	10/15/2002	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	27.36	--	--	--	--	--
S-5	10/17/2002	42,000	420	1,100	1,200	5,500	--	<10	--	--	--	--	--	--	27.36	14.90	--	12.46	--	--
S-5	01/02/2003	26,000	680	1,500	780	3,800	--	<5.0	--	--	--	--	--	--	27.36	14.72	--	12.64	--	--
S-5	04/15/2003	3,600	29	38	65	370	--	<5.0	--	--	--	--	--	--	e	14.45	--	--	--	--
S-5	07/14/2003	21,000	210	460	650	2,900	--	<10	--	--	--	--	--	--	e	14.10	--	--	--	--
S-5	10/20/2003	37,000	390	590	870	3,500	--	<13	--	--	--	--	--	--	e	14.63	--	--	--	--
S-5	01/22/2004	29,000	200	210	710	2,400	--	<13	--	--	--	--	--	--	e	14.08	--	--	--	--
S-5	04/19/2004	25,000	490	460	750	2,400	--	19	--	--	--	--	--	--	e	13.43	--	--	--	--
S-5	07/13/2004	28,000	300	280	690	2,400	--	<13	--	--	--	--	--	--	e	14.88	--	--	--	--
S-5	08/14/2008	31,000	1,700	1,600	1,400	3,350	--	<10	--	--	--	--	<5.0	<10	e	16.65	--	--	--	--
S-5	11/11/2008 k	37,000	2,500	1,300	2,000	3,490	--	<50	--	--	--	--	<25	<50	e	16.81	--	--	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-5	11/11/2008	40,000	2,300	1,400	1,900	3,630	---	<50	---	---	---	---	<25	<50	e	16.81	---	---	---	---
S-5	01/05/2009	57,000	2,300	1,400	1,500	2,900	---	<10	---	---	---	---	<5.0	<10	e	16.71	---	---	---	---
S-5	04/09/2009	52,000	2,100	3,500	1,900	5,400	---	<20	---	---	---	---	<10	<20	e	16.31	---	---	0.3	163
S-5	07/23/2009	37,000	1,800	1,900	1,400	3,800	---	---	---	---	---	---	---	---	e	16.62	---	---	1.48	-84
S-5	10/01/2009	36,000	1,800	1,900	1,400	3,700	---	---	---	---	---	---	---	---	27.24	16.35	---	10.89	0.86	-52
S-5	01/28/2010	35,000	1,200	1,900	1,500	3,600	---	---	---	---	---	---	---	---	27.24	16.35	---	10.89	---	---
S-5	05/20/2010	36,000	1,600	2,500	1,700	4,500	---	---	---	---	---	---	---	---	27.24	16.50	---	10.74	1.22	227
S-5	08/31/2010	32,000	1,300	1,100	1,600	3,400	---	---	---	---	---	---	---	---	27.24	16.95	---	10.29	0.58	-102
S-5	12/29/2010	26,000	970	1,500	1,500	3,200	---	---	---	---	---	---	---	---	27.24	16.25	---	10.99	1.18	233
S-5	02/01/2011	27,000	1,100	1,500	1,400	3,100	---	---	---	---	---	---	---	---	27.24	15.38	---	11.86	1.65	-83
S-5	04/25/2011	70,000	380	440	720	1,200	---	---	---	---	---	---	---	---	27.24	13.98	---	13.26	0.95	-109
S-5	07/28/2011	21,000	340	430	570	1,000	---	---	---	---	---	---	---	---	27.24	13.80	---	13.44	0.71	-95
S-5	10/28/2011	23,000	430	480	570	1,300	---	---	---	---	---	---	---	---	27.24	14.28	---	12.96	6.05	190
S-6	04/16/1987	81,000	16,000	9,000	a	6,400	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	10/26/1988	110,000	29,000	18,000	2,500	8,200	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	02/14/1989	54,000	18,000	4,500	1,400	4,000	---	---	---	---	---	---	---	---	100.58	20.87	---	79.71	---	---
S-6	05/01/1989	93,000	43,000	9,900	3,000	8,000	---	---	---	---	---	---	---	---	100.58	20.49	---	80.09	---	---
S-6	07/27/1989	52,000	20,000	3,200	1,700	5,500	---	---	---	---	---	---	---	---	100.58	21.01	---	79.57	---	---
S-6	10/05/1989	55,000	20,000	2,900	1,600	5,500	---	---	---	---	---	---	---	---	100.58	21.24	---	79.34	---	---
S-6	01/09/1990	76,000	35,000	9,100	2,300	8,600	---	---	---	---	---	---	---	---	100.58	22.62	Sheen	77.96	---	---
S-6	04/30/1990	39,000	13,000	2,300	900	2,800	---	---	---	---	---	---	---	---	100.58	22.10	---	78.48	---	---
S-6	07/31/1990	48,000	20,000	4,600	1,500	4,900	---	---	---	---	---	---	---	---	100.58	22.00	---	78.58	---	---
S-6	10/30/1990	27,000	7,400	900	600	1,400	---	---	---	---	---	---	---	---	100.58	22.14	---	78.44	---	---
S-6	05/06/1991	35,000	3,900	2,700	2,300	3,500	---	---	---	---	---	---	---	---	100.58	22.40	---	78.18	---	---
S-6	06/27/1991	51,000	19,000	5,600	1,700	6,300	---	---	---	---	---	---	---	---	100.58	21.21	---	79.37	---	---
S-6	09/24/1991	42,000	14,000	4,300	1,200	4,000	---	---	---	---	---	---	---	---	100.58	22.26	---	78.32	---	---
S-6	11/07/1991	39,000	11,000	2,000	800	2,300	---	---	---	---	---	---	---	---	100.58	22.35	---	78.23	---	---
S-6	02/13/1992	64,000	21,000	6,200	1,600	5,100	---	---	---	---	---	---	---	---	100.58	22.28	---	78.30	---	---
S-6	05/11/1992	57,000	22,000	7,600	2,200	7,700	---	---	---	---	---	---	---	---	100.58	22.10	---	78.48	---	---
S-6	12/03/1992	110,000	26,000	9,400	2,100	8,700	---	---	---	---	---	---	---	---	100.58	22.14	---	78.44	---	---
S-6	05/13/1993	58,000	21,000	6,800	2,500	9,800	---	---	---	---	---	---	---	---	100.58	22.16	---	78.42	---	---
S-6	07/22/1993	70,000	31,000	14,000	3,000	13,000	---	---	---	---	---	---	---	---	100.58	21.64	---	78.94	---	---
S-6	10/20/1993	48,000	28,000	9,800	3,200	12,000	---	---	---	---	---	---	---	---	100.58	21.62	---	78.96	---	---
S-6	01/25/1994	70,000	23,000	7,500	2,500	8,000	---	---	---	---	---	---	---	---	100.58	21.80	---	78.78	---	---
S-6	04/25/1994	61,000	16,000	4,000	1,800	5,100	---	---	---	---	---	---	---	---	100.58	21.68	---	78.90	---	---
S-6	07/21/1994	44,000	8,200	3,600	1,400	3,900	---	---	---	---	---	---	---	---	100.58	21.78	---	78.80	---	---
S-6 (D)	07/21/1994	32,000	7,800	3,400	1,300	3,700	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	10/24/1994	2,936	1,184	440.6	163.4	648.4	---	---	---	---	---	---	---	---	100.58	22.06	---	78.52	---	---

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-6 (D)	10/24/1994	2,968	770.8	325.3	144.1	622	---	---	---	---	---	---	---	---	22.08*	---	---	---	---	---
S-6	12/22/1994	32,000	7,000	2,900	790	2,400	---	---	---	---	---	---	---	---	22.08	21.91	---	0.17	---	---
S-6 (D)	12/22/1994	32,000	8,000	3,800	1,100	3,400	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	04/20/1995	56,000	15,000	3,800	1,900	4,900	---	---	---	---	---	---	---	---	22.08	21.38	---	0.70	---	---
S-6 (D)	04/20/1995	49,000	13,000	3,500	1,800	4,700	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	10/04/1995	49,000	8,400	4,700	1,800	4,800	---	---	---	---	---	---	---	---	22.08	21.80	---	0.28	---	---
S-6 (D)	10/04/1995	41,000	8,400	4,100	1,400	4,400	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	01/03/1996	52,000	9,100	7,100	1,800	5,800	---	---	---	---	---	---	---	---	22.08	21.70	---	0.38	---	---
S-6	04/11/1996	59,000	11,000	7,100	2,100	6,400	<500	---	---	---	---	---	---	---	22.08	21.62	---	0.46	---	---
S-6 (D)	04/11/1996	59,000	11,000	6,800	1,900	6,400	<500	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	07/11/1996	72,000	18,000	6,600	2,500	8,400	<1,000	---	---	---	---	---	---	---	22.08	21.65	---	0.43	---	---
S-6	10/02/1996	57,000	11,000	6,500	1,500	5,100	<500	---	---	---	---	---	---	---	22.08	21.80	---	0.28	---	---
S-6	01/22/1997	67,000	15,000	5,000	1,800	5,400	<1,000	---	---	---	---	---	---	---	22.08	19.95	---	2.13	---	---
S-6 (D)	01/22/1997	63,000	15,000	4,800	1,800	5,200	<1,000	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	07/21/1997	61,000	15,000	2,100	1,100	3,500	1,900	---	---	---	---	---	---	---	22.08	20.61	---	1.47	---	---
S-6	01/22/1998	46,000	14,000	3,200	1,300	3,400	<500	---	---	---	---	---	---	---	22.08	19.82	---	2.26	---	---
S-6	07/08/1998	74,000	26,000	7,500	2,200	6,200	<1,000	---	---	---	---	---	---	---	22.08	18.20	---	3.88	---	---
S-6	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	22.08	18.81	---	3.27	---	---
S-6	01/28/1999	120,000	9,000	14,000	2,700	14,000	3,700	---	---	---	---	---	---	---	22.08	19.73	---	2.35	---	---
S-6	04/23/1999	58,500	15,900	1,360	1,640	3,030	<2500	---	---	---	---	---	---	---	22.08	17.58	---	4.50	---	---
S-6	07/29/1999	36,200	10,300	760	930	1,360	<1,000	---	---	---	---	---	---	---	22.08	21.35	---	0.73	---	---
S-6	11/01/1999	36,000	11,700	767	865	1,670	<1,250	<40.0	---	---	---	---	---	---	22.08	19.23	---	2.85	---	---
S-6	01/07/2000	36,000	7,600	4,600	840	3,600	<1,000	---	---	---	---	---	---	---	22.08	19.53	---	2.55	---	---
S-6	04/11/2000	14,600	7,540	205	306	609	621	---	---	---	---	---	---	---	22.08	18.16	---	3.92	---	---
S-6	07/19/2000	2,590	629	63.9	99.6	267	124	72.7 b	---	---	---	---	---	---	22.08	18.40	---	3.68	---	---
S-6	10/12/2000	32,900	14,200	966	1,060	1,790	<500	<100	---	---	---	---	---	---	22.08	19.52	---	2.56	---	---
S-6	01/09/2001	27,600	11,200	675	666	1,580	1,430	<10.0 b	---	---	---	---	---	---	22.08	19.69	---	2.39	---	---
S-6	02/05/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	22.08	19.20	---	2.88	---	---
S-6	04/06/2001	16,900	7,800	343	172	966	809	<20.0	---	---	---	---	---	---	22.08	18.25	---	3.83	---	---
S-6	07/25/2001	29,000	9,800	1,700	1,000	1,800	---	<250	---	---	---	---	---	---	22.08	18.27	---	3.81	---	---
S-6	11/01/2001	41,000	15,000	2,400	1,100	2,500	---	<500	---	---	---	---	---	---	22.08	19.30	---	2.78	---	---
S-6	01/17/2002 d	38,000	11,000	1,700	990	2,200	---	<500	---	---	---	---	---	---	22.08	18.51	---	3.57	---	---
S-6	05/08/2002	72,000	21,000	4,400	2,200	5,300	---	<1,000	---	---	---	---	---	---	22.08	18.30	---	3.78	---	---
S-6	07/18/2002	71,000	17,000	4,300	1,700	4,800	---	<1,000	---	---	---	---	---	---	30.56	18.19	---	12.37	---	---
S-6	10/15/2002	55,000	16,000	4,600	1,500	4,600	---	<100	---	---	---	---	---	---	30.56	18.77	---	11.79	---	---
S-6	01/02/2003	75,000	21,000	5,000	2,400	6,400	---	<50	---	---	---	---	---	---	30.56	18.60	---	11.96	---	---
S-6	04/15/2003	64,000	29,000	6,400	2,700	5,600	---	<1,000	---	---	---	---	---	---	30.56	18.27	---	12.29	---	---
S-6	07/14/2003	47,000	19,000	4,300	1,500	4,300	---	<100	---	---	---	---	---	---	30.56	18.05	---	12.51	---	---
S-6	10/20/2003	63,000	21,000	5,800	1,900	5,200	---	<130	---	---	---	---	---	---	30.56	18.55	Sheen	12.01	---	---

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-6	01/22/2004	41,000	21,000	4,300	1,800	4,000	--	<130	--	--	--	--	--	--	30.56	18.18	Sheen	12.38	--	--
S-6	04/19/2004	58,000	23,000	4,200	2,200	3,900	--	<130	--	--	--	--	--	--	30.56	17.32	--	13.24	--	--
S-6	05/03/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	30.56	17.30	--	13.26	--	--
S-6	06/17/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	30.56	17.70	--	12.86	--	--
S-6	07/13/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	30.56	17.85	--	12.71	--	--
S-6	10/28/2004	45,000	21,000	3,600	1,700	3,300	--	<130	--	--	--	--	--	--	30.56	18.45	--	12.11	--	--
S-6	01/17/2005	61,000	21,000	3,500	1,600	3,200	--	<130	--	--	--	--	--	--	30.56	17.52	--	13.04	--	--
S-6	04/14/2005	36,000	12,000	6,200	850	4,800	--	<50	--	--	--	--	--	--	30.56	22.49	--	8.07	--	--
S-6	07/28/2005	54,000	16,000	9,100	1,800	5,900	--	<130	--	--	--	--	--	--	30.56	19.38	--	11.18	--	--
S-6	10/05/2005	59,000	14,000	7,500	1,400	5,000	--	<50	--	--	--	--	--	--	30.56	18.32	--	12.24	--	--
S-6	02/09/2006	41,100	7,060	3,900	673	2,380	--	<0.500	--	--	--	--	--	--	30.56	17.11	--	13.45	--	--
S-6	05/15/2006	188,000	24,800	20,700	2,540	12,400	--	<25.0	--	--	--	--	--	--	30.56	19.80	--	10.76	--	--
S-6	08/23/2006	133,000	24,900	16,100	2,280	10,500	--	<0.500	--	--	--	--	--	--	30.56	20.45	--	10.11	--	--
S-6	11/15/2006	66,000	19,000	8,400	1,900	7,400	--	<400	--	--	--	--	--	--	30.56	20.41	--	10.15	--	--
S-6	01/30/2007	88,000	18,000	9,600	1,900	7,200	--	<100	--	--	--	--	--	--	30.56	20.47	--	10.09	--	--
S-6	05/29/2007	56,000 h	17,000	6,700	1,700	5,400	--	<20	--	--	--	--	--	--	30.56	20.40	--	10.16	--	--
S-6	08/15/2007	57,000 h,i	15,000	6,800	1,600	6,100	--	<100	--	--	--	--	--	--	30.56	20.49	--	10.07	--	--
S-6	11/28/2007	42,000 h	13,000	5,000	1,300	5,000	--	<100	--	--	--	--	--	--	30.56	20.65	--	9.91	--	--
S-6	02/08/2008	35,000 h	12,000	5,000	1,200	4,050	--	<100	--	--	--	--	<50	<100	30.56	20.31	--	10.25	--	--
S-6	05/08/2008	45,000 h	15,000	6,100	1,400	5,000	--	<100	--	--	--	--	<50	<100	30.56	20.63	--	9.93	--	--
S-6	08/14/2008	37,000	11,000	5,200	1,200	4,600	--	<100	--	--	--	--	<50	<100	30.56	20.65	--	9.91	--	--
S-6	11/11/2008 k	37,000	15,000	6,200	1,200	3,390	--	<10	--	--	--	--	<5.0	<10	30.56	20.79	--	9.77	--	--
S-6	11/11/2008 l	14,000	5,200	680	400	1,060	--	<50	--	--	--	--	<25	<50	30.56	20.79	--	9.77	--	--
S-6	01/05/2009	53,000	9,400	3,600	890	3,100	--	<100	--	--	--	--	<50	<100	30.56	21.66	--	8.90	--	--
S-6	04/09/2009	Unable to sample	--	--	--	--	--	--	--	--	--	--	--	--	30.56	--	--	--	--	--
S-6	04/21/2009	13,000	3,700	1,100	270	750	--	<100	--	--	--	--	<50	<100	30.56	20.20	--	10.36	--	--
S-6	07/23/2009	15,000	4,400	1,100	360	1,000	--	--	--	--	--	--	--	--	30.56	20.66	--	9.90	1.13	-73
S-6	10/01/2009	21,000	5,100	1,300	420	1,200	--	--	--	--	--	--	--	--	30.56	20.86	--	9.70	0.58	16
S-6	01/28/2010	8,700	2,600	250	200	400	--	--	--	--	--	--	--	--	30.56	20.36	--	10.20	--	--
S-6	05/20/2010	4,400	1,600	82	85	150	--	--	--	--	--	--	--	--	30.56	20.68	--	9.88	1.08	64
S-6	08/31/2010	19,000	4,700	1,300	560	1,600	--	--	--	--	--	--	--	--	30.56	20.78	--	9.78	1.55	-88
S-6	12/29/2010	15,000	3,900	1,500	520	1,800	--	--	--	--	--	--	--	--	30.56	19.92	--	10.64	2.35	123
S-6	02/01/2011	16,000	4,000	1,700	600	1,800	--	--	--	--	--	--	--	--	30.56	19.05	--	11.51	0.61	-143
S-6	04/25/2011	23,000	7,800	3,500	960	3,000	--	--	--	--	--	--	--	--	30.56	17.73	--	12.83	0.76	-112
S-6	07/28/2011	17,000	5,500	1,500	600	1,600	--	--	--	--	--	--	--	--	30.56	17.62	--	12.94	0.77	-26
S-6	10/28/2011	42,000	11,000	4,500	1,600	5,900	--	--	--	--	--	--	--	--	30.56	18.12	--	12.44	4.64	-9
S-8	12/22/1994	600	120	32	5.2	34	--	--	--	--	--	--	--	--	27.21	24.87	--	2.34	--	--
S-8	04/20/1995	460	180	23	5.2	21	--	--	--	--	--	--	--	--	27.21	23.90	--	3.31	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-8	10/04/1995	830	210	38	11	42	---	---	---	---	---	---	---	---	27.21	24.48	---	2.73	---	---
S-8	01/03/1996	350	61	12	2.5	12	---	---	---	---	---	---	---	---	27.21	24.62	---	2.59	---	---
S-8 (D)	01/03/1996	340	54	12	2.4	12	---	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	04/11/1996	570	140	37	12	47	<6.2	---	---	---	---	---	---	---	27.21	24.32	---	2.89	---	---
S-8	07/11/1996	980	98	32	9.1	160	<12	---	---	---	---	---	---	---	27.21	24.10	---	3.11	---	---
S-8	10/02/1996	280	62	13	3.3	25	15	---	---	---	---	---	---	---	27.21	25.38	---	1.83	---	---
S-8 (D)	10/02/1996	490	110	24	7	45	22	<2.0	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	01/22/1997	400	90	13	4.9	25	12	---	---	---	---	---	---	---	27.21	23.91	---	3.30	---	---
S-8	07/21/1997	2,900	380	110	26	260	85	---	---	---	---	---	---	---	27.21	23.62	---	3.59	---	---
S-8 (D)	07/21/1997	3,200	420	120	32	300	130	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	01/22/1998	3,800	790	140	42	330	160	---	---	---	---	---	---	---	27.21	23.52	---	3.69	---	---
S-8 (D)	01/22/1998	3,500	780	120	33	300	160	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	07/08/1998	3,600	1,800	<25	<25	<25	<125	---	---	---	---	---	---	---	27.21	21.52	---	5.69	---	---
S-8 (D)	07/08/1998	4,000	1,800	<25	<25	31	<125	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	27.21	22.01	---	5.20	---	---
S-8	01/28/1999	2,000	630	6.2	24	51	43	---	---	---	---	---	---	---	27.21	23.03	---	4.18	---	---
S-8	04/23/1999	1,050	408	<5.00	<5.00	6.65	<50.0	---	---	---	---	---	---	---	27.21	22.15	---	5.06	---	---
S-8	07/29/1999	955	344	<2.50	6.90	16.2	<25.0	---	---	---	---	---	---	---	27.21	21.95	---	5.26	---	---
S-8	11/01/1999	1,800	550	6.45	15	40.4	<50.0	---	---	---	---	---	---	---	27.21	22.55	---	4.66	---	---
S-8	01/07/2000	1,300	600	11	29	48	<13	---	---	---	---	---	---	---	27.21	22.87	---	4.34	---	---
S-8	04/11/2000	342	101	4.42	4.24	14.7	21.4	---	---	---	---	---	---	---	27.21	21.86	---	5.35	---	---
S-8	07/19/2000	579	228	6.37	6.45	25	<12.5	---	---	---	---	---	---	---	27.21	21.93	---	5.28	---	---
S-8	10/12/2000	947	340	8.64	3.26	38.3	<12.5	<2.00	---	---	---	---	---	---	27.21	22.92	---	4.29	---	---
S-8	01/09/2001	1,090	394	<10.0	<10.0	33.3	57.6	---	---	---	---	---	---	---	27.21	23.19	---	4.02	---	---
S-8	04/06/2001	671	182	12.5	16.4	47.1	42.5	---	---	---	---	---	---	---	27.21	22.46	---	4.75	---	---
S-8	07/25/2001	500	70	6.7	11	23	---	<5.0	---	---	---	---	---	---	27.21	22.50	---	4.71	---	---
S-8	11/01/2001	1,900	250	28	39	180	---	<5.0	---	---	---	---	---	---	27.21	22.44	---	4.77	---	---
S-8	01/17/2002 d	830	140	11	12	89	---	<5.0	---	---	---	---	---	---	27.21	21.82	---	5.39	---	---
S-8	05/08/2002 d	210	34	1.7	4.1	15	---	<5.0	---	---	---	---	---	---	27.21	21.35	---	5.86	---	---
S-8	07/18/2002	650	68	2.8	9.7	42	---	<5.0	---	---	---	---	---	---	35.85	21.53	---	14.32	---	---
S-8	10/15/2002	1,000	160	4.2	7.7	74	---	<0.50	---	---	---	---	---	---	35.85	21.97	---	13.88	---	---
S-8	01/02/2003	440	55	1.8	2.9	31	---	<0.50	---	---	---	---	---	---	35.85	21.95	---	13.90	---	---
S-8	04/15/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.73	---	14.12	---	---
S-8	07/14/2003	60	6.8	<0.50	0.98	4.9	---	<0.50	---	---	---	---	---	---	35.85	21.40	---	14.45	---	---
S-8	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.94	---	13.91	---	---
S-8	01/22/2004	210	19	0.52	3.6	17	---	<0.50	---	---	---	---	---	---	35.85	21.40	---	14.45	---	---
S-8	04/19/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	20.83	---	15.02	---	---
S-8	07/13/2004	420	77	0.82	14	31	---	<0.50	---	---	---	---	---	---	35.85	21.05	---	14.80	---	---
S-8	10/28/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.77	---	14.08	---	---

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-8	01/17/2005	490	85	0.89	13	28	--	<0.50	--	--	--	--	--	--	35.85	20.92	--	14.93	--	--
S-8	04/14/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	21.57	--	14.28	--	--
S-8	07/28/2005	64	12	<0.50	1.5	1.6	--	<0.50	--	--	--	--	--	--	35.85	21.62	--	14.23	--	--
S-8	10/05/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	21.11	--	14.74	--	--
S-8	02/09/2006	<50.0	2.79	<0.500	<0.500	<0.500	--	<0.500	--	--	--	--	--	--	35.85	20.18	--	15.67	--	--
S-8	05/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	20.53	--	15.32	--	--
S-8	08/23/2006	<50.0	<0.500	<0.500	<0.500	<0.500	--	<0.500	--	--	--	--	--	--	35.85	21.49	--	14.36	--	--
S-8	11/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	22.05	--	13.80	--	--
S-8	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	35.85	22.41	--	13.44	--	--
S-8	05/29/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	22.65	--	13.20	--	--
S-8	08/15/2007	65 h,i	7.4	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	--	--	35.85	22.88	--	12.97	--	--
S-8	11/28/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	23.20	--	12.65	--	--
S-8	02/08/2008	350 h	22	<1.0	4.8	2.6	--	1.2	--	--	--	--	<0.50	<1.0	35.85	22.72	--	13.13	--	--
S-8	05/08/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	35.85	22.91	--	12.94	--	--
S-8	08/14/2008	420	28	<1.0	6.3	1.4	--	<1.0	--	--	--	--	<0.50	<1.0	35.85	23.12	--	12.73	--	--
S-8	11/11/2008 k	330	37	<1.0	5.1	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	35.85	23.37	--	12.48	1.6	28
S-8	11/11/2008 l	480	29	<1.0	5.4	<1.0	--	--	--	--	--	--	--	--	35.85	23.37	--	12.48	2.2	103
S-8	12/18/2008	340	38	<1.0	5.4	<1.0	--	--	--	--	--	--	--	--	35.83	23.31	--	12.52	--	--
S-8	01/05/2009	170	15	<1.0	1.2	<1.0	--	--	--	--	--	--	--	--	35.83	23.28	--	12.55	--	--
S-8	01/15/2009	260	45	<1.0	3.2	<1.0	--	--	--	--	--	--	--	--	35.83	23.05	--	12.78	--	--
S-8	02/12/2009	88	7.2	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.34	--	12.49	--	--
S-8	03/12/2009	12,000	1,700	2,100	200	2,400	--	--	--	--	--	--	--	--	35.83	22.90	--	12.93	--	--
S-8	04/09/2009	170	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.10	--	12.73	--	594
S-8	07/23/2009	140	0.55	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.02	--	12.81	2.38	-54
S-8	10/01/2009	140	0.68	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.31	--	12.52	4.34	359
S-8	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	22.80	--	13.03	--	--
S-8	05/20/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.55	--	12.28	0.64	42
S-8	08/31/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.48	--	12.35	0.54	-72
S-8	12/29/2010	79	0.83	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.83	23.18	--	12.65	0.74	133
S-8	02/01/2011	<50	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	35.83	22.57	--	13.26	1.68	104
S-8	04/25/2011	<50	1.1	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	35.83	21.26	--	14.57	1.78	12
S-8	07/28/2011	50	2.4	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	35.83	20.94	--	14.89	0.89	186
S-8	10/28/2011	<50	0.61	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	35.83	21.09	--	14.74	2.78	349
S-9	12/22/1994	2,600	400	150	42	310	--	--	--	--	--	--	--	--	26.06	24.37	--	1.69	--	--
S-9	04/20/1995	1,900	400	130	51	200	--	--	--	--	--	--	--	--	26.06	23.49	--	2.57	--	--
S-9	10/04/1995	3,200	590	260	68	280	--	--	--	--	--	--	--	--	26.06	24.01	--	2.05	--	--
S-9	01/03/1996	Well inaccessible			--	--	--	--	--	--	--	--	--	--	26.06	--	--	--	--	--
S-9	04/11/1996	2,100	440	1,500	42	210	<25	--	--	--	--	--	--	--	26.06	23.61	--	2.45	--	--

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-9	07/11/1996	5,200	940	450	120	520	<50	--	--	--	--	--	--	--	26.06	23.78	--	2.28	--	--
S-9 (D)	07/11/1996	4,800	890	430	110	500	<50	--	--	--	--	--	--	--	26.06	--	--	--	--	--
S-9	10/02/1996	3,000	680	220	56	270	<62	--	--	--	--	--	--	--	26.06	24.31	--	1.75	--	--
S-9	01/22/1997	1,500	230	71	36	130	<12	--	--	--	--	--	--	--	26.06	23.08	--	2.98	--	--
S-9	07/21/1997	3,400	590	57	19	210	96	--	--	--	--	--	--	--	26.06	22.83	--	3.23	--	--
S-9	01/22/1998	2,600	300	46	<10	270	62	--	--	--	--	--	--	--	26.06	21.96	--	4.10	--	--
S-9	07/08/1998	820	150	6	8	57	<10	--	--	--	--	--	--	--	26.06	20.85	--	5.21	--	--
S-9	10/26/1998	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	21.39	--	4.67	--	--
S-9	01/28/1999	<50	1.0	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	26.06	22.32	--	3.74	--	--
S-9	04/23/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	21.41	--	4.65	--	--
S-9	07/29/1999	117	7.77	0.817	0.683	5.05	<5.00	--	--	--	--	--	--	--	26.06	21.25	--	4.81	--	--
S-9	11/01/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	21.92	--	4.14	--	--
S-9	01/07/2000	<50	1.2	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	26.06	22.11	--	3.95	--	--
S-9	04/11/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	21.14	--	4.92	--	--
S-9	07/19/2000	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	26.06	--	--	--	--	--
S-9	10/12/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	22.24	--	3.82	--	--
S-9	01/09/2001	<50.0	1.45	<0.500	<0.500	<0.500	<2.50	--	--	--	--	--	--	--	26.06	22.52	--	3.54	--	--
S-9	04/06/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	23.61	--	2.45	--	--
S-9	07/25/2001	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	26.06	--	--	--	--	--
S-9	08/13/2001	Well inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	26.06	--	--	--	--	--
S-9	11/01/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	21.78	--	4.28	--	--
S-9	01/17/2002 d	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	26.06	21.15	--	4.91	--	--
S-9	05/08/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	26.06	20.56	--	5.50	--	--
S-9	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	34.70	20.88	--	13.82	--	--
S-9	10/15/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.41	--	13.29	--	--
S-9	01/02/2003	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--	--	--	--	--	--	34.70	21.35	--	13.35	--	--
S-9	04/15/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.14	--	13.56	--	--
S-9	07/14/2003	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.70	20.80	--	13.90	--	--
S-9	10/20/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.33	--	13.37	--	--
S-9	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.70	20.77	--	13.93	--	--
S-9	04/19/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	20.06	--	14.64	--	--
S-9	07/13/2004	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.70	20.44	--	14.26	--	--
S-9	10/28/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.02	--	13.68	--	--
S-9	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	--	<0.50	--	--	--	--	--	--	34.70	20.18	--	14.52	--	--
S-9	04/14/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.85	--	12.85	--	--
S-9	07/28/2005	360	190	1.8	1.1	3.9	--	<0.50	<5.0	<2.0	<2.0	<2.0	--	--	34.70	21.22	--	13.48	--	--
S-9	10/05/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	20.63	--	14.07	--	--
S-9	02/09/2006	<50.0	0.94	<0.500	<0.500	<0.500	--	<0.500	--	--	--	--	--	--	34.70	19.23	--	15.47	--	--
S-9	05/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	20.28	--	14.42	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-9	08/23/2006	7,000	1,740	55.6	193	278	--	<0.500	<10.0	<0.500	<0.500	<0.500	--	--	34.70	21.31	--	13.39	--	--
S-9	11/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	21.79	--	12.91	--	--
S-9	01/30/2007	12,000	2,200	250	480	980	--	<0.50	--	--	--	--	--	--	34.70	22.08	--	12.62	--	--
S-9	05/29/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	22.22	--	12.48	--	--
S-9	08/15/2007	9,800 h,i	2,400	100	410	602	--	<10	<100	<20	<20	<20	--	--	34.70	22.43	--	12.27	--	--
S-9	11/28/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	22.75	--	11.95	--	--
S-9	02/08/2008	69 h	2.2	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	34.70	22.31	--	12.39	--	--
S-9	05/08/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.70	22.49	--	12.21	--	--
S-9	08/14/2008	<50	<0.50	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	34.70	22.70	--	12.00	--	--
S-9	11/11/2008 k	<50	2.4	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	34.70	22.90	--	11.80	1.1	92
S-9	11/11/2008 l	550	74	12	22	55.3	--	--	--	--	--	--	--	--	34.70	22.90	--	11.80	3.6	98
S-9	12/18/2008	1,500	280	43	71	182	--	--	--	--	--	--	--	--	34.34	22.81	--	11.53	--	--
S-9	01/05/2009	1,000	230	24	45	64	--	--	--	--	--	--	--	--	34.34	22.75	--	11.59	--	--
S-9	01/15/2009	2,100	560	75	100	245	--	--	--	--	--	--	--	--	34.34	22.37	--	11.97	--	--
S-9	02/12/2009	500	120	19	26	50	--	--	--	--	--	--	--	--	34.34	22.61	--	11.73	--	--
S-9	03/12/2009	810	200	30	50	110	--	--	--	--	--	--	--	--	34.34	22.22	--	12.12	--	--
S-9	04/09/2009	2,300	450	60	110	260	--	--	--	--	--	--	--	--	34.34	22.12	--	12.22	0.65	79
S-9	05/18/2009	1,500	200	35	61	180	--	--	--	--	--	--	--	--	34.34	22.09	--	12.25	2.71	173
S-9	07/23/2009	1,700	430	49	110	190	--	--	--	--	--	--	--	--	34.34	22.48	--	11.86	0.21	346
S-9	10/01/2009	1,200	180	12	58	93	--	--	--	--	--	--	--	--	34.34	22.84	--	11.50	1.37	146
S-9	11/09/2009	1,400	260	21	67	81	--	--	--	--	--	--	--	--	34.34	22.63	--	11.71	0.42	--
S-9	12/01/2009	1,100	110	11	26	59	--	--	--	--	--	--	--	--	34.34	22.44	--	11.90	1.09	133
S-9	01/28/2010	860	130	9.3	38	79	--	--	--	--	--	--	--	--	34.34	22.35	--	11.99	1.95	--
S-9	05/20/2010	1,900	340	27	100	210	--	--	--	--	--	--	--	--	34.34	22.40	--	11.94	0.17	138
S-9	06/22/2010	1,400	240	30	65	130	--	--	--	--	--	--	--	--	34.34	22.64	--	11.70	2.16	577
S-9	08/31/2010	760	130	13	54	110	--	<1.0	<10	<2.0	<2.0	<2.0	--	--	34.34	22.92	--	11.42	1.53	415
S-9	12/29/2010	290	55	3.3	18	41	--	--	--	--	--	--	--	--	34.34	22.62	--	11.72	1.64	163
S-9	02/01/2011	640	99	7.8	38	72	--	--	--	--	--	--	--	--	34.34	21.88	--	12.46	1.34	0
S-9	04/25/2011	590	120	9.1	29	77	--	--	--	--	--	--	--	--	34.34	20.34	--	14.00	0.62	98
S-9	07/28/2011	1,700	280	47	88	230	--	<1.0	<10	<1.0	<1.0	<1.0	--	--	34.34	20.10	--	14.24	2.17	73
S-9	10/28/2011	1,900	370	32	110	260	--	--	--	--	--	--	--	--	34.34	20.54	--	13.80	2.18	122
S-10	12/22/1994	420	27	8.0	18	45	--	--	--	--	--	--	--	--	28.04	25.84	--	2.20	--	--
S-10	04/20/1995	820	49	3.7	97	52	--	--	--	--	--	--	--	--	28.04	24.92	--	3.12	--	--
S-10	10/04/1995	240	6.5	1.1	16	12	--	--	--	--	--	--	--	--	28.04	25.47	--	2.57	--	--
S-10	01/03/1996	1,100	27	4.9	110	70	--	--	--	--	--	--	--	--	28.04	25.60	--	2.44	--	--
S-10	04/11/1996	530	19	1.6	82	52	<5.0	--	--	--	--	--	--	--	28.04	25.27	--	2.77	--	--
S-10	07/11/1996	570	16	3.2	53	53	<2.5	--	--	--	--	--	--	--	28.04	25.46	--	2.58	--	--
S-10	10/02/1996	270	8.2	0.77	24	23	3.3	--	--	--	--	--	--	--	28.04	25.81	--	2.23	--	--

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-10	01/22/1997	160	4.8	0.73	16	11	<2.5	--	--	--	--	--	--	--	28.04	24.74	--	3.30	--	--
S-10	07/21/1997	530	5.7	0.7	29	69	<2.5	--	--	--	--	--	--	--	28.04	24.50	--	3.54	--	--
S-10	01/22/1998	1,500	15	<5.0	88	130	<25	--	--	--	--	--	--	--	28.04	24.44	--	3.60	--	--
S-10	07/08/1998	530	4.8	1.1	47	51	<2.5	--	--	--	--	--	--	--	28.04	22.36	--	5.68	--	--
S-10	10/26/1998	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	22.81	--	5.23	--	--
S-10	01/28/1999	630	4.6	0.98	<0.50	59	<2.5	--	--	--	--	--	--	--	28.04	23.82	--	4.22	--	--
S-10	04/23/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	22.96	--	5.08	--	--
S-10	07/29/1999	728	3.4	<1.00	41.8	38.0	<10.0	--	--	--	--	--	--	--	28.04	22.63	--	5.41	--	--
S-10	11/01/1999	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	23.02	--	5.02	--	--
S-10	01/07/2000	870	8.5	1.3	110	110	<2.5	--	--	--	--	--	--	--	28.04	23.33	--	4.71	--	--
S-10	04/11/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	22.64	--	5.40	--	--
S-10	07/19/2000	612	3.75	<0.500	41.6	43.6	<2.50	--	--	--	--	--	--	--	28.04	23.04	--	5.00	--	--
S-10	10/12/2000	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	23.92	--	4.12	--	--
S-10	01/09/2001	647	7.62	1.01	66.2	42.4	<2.50	--	--	--	--	--	--	--	28.04	24.13	--	3.91	--	--
S-10	04/06/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	25.37	--	2.67	--	--
S-10	07/25/2001	340	1.5	<0.50	42	19	--	<5.0	--	--	--	--	--	--	28.04	25.35	--	2.69	--	--
S-10	11/01/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	23.22	--	4.82	--	--
S-10	01/17/2002 d	1,100	3.5	<0.50	55	46	--	<5.0	--	--	--	--	--	--	28.04	22.72	--	5.32	--	--
S-10	05/08/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	28.04	22.35	--	5.69	--	--
S-10	07/18/2002	750	1.8	<0.50	42	26	--	<5.0	--	--	--	--	--	--	36.35	22.05	--	14.30	--	--
S-10	10/15/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.51	--	13.84	--	--
S-10	01/02/2003	440	1.8	<0.50	14	24	--	<5.0	--	--	--	--	--	--	36.35	22.50	--	13.85	--	--
S-10	04/15/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.32	--	14.03	--	--
S-10	07/14/2003	210	0.86	<0.50	13	12	--	<0.50	--	--	--	--	--	--	36.35	21.99	--	14.36	--	--
S-10	10/20/2003	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.53	--	13.82	--	--
S-10	01/22/2004	280	0.88	<0.50	10	11	--	<0.50	--	--	--	--	--	--	36.35	22.02	--	14.33	--	--
S-10	04/19/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	21.43	--	14.92	--	--
S-10	07/13/2004	770	1.5	<0.50	70	42	--	<0.50	--	--	--	--	--	--	36.35	21.68	--	14.67	--	--
S-10	10/28/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.37	--	13.98	--	--
S-10	01/17/2005	1,100	1.5	<0.50	73	51	--	<0.50	--	--	--	--	--	--	36.35	21.45	--	14.90	--	--
S-10	04/14/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.18	--	14.17	--	--
S-10	07/28/2005	260	<0.50	<0.50	19	9.7	--	<0.50	<5.0	<2.0	<2.0	<2.0	--	--	36.35	22.25	--	14.10	--	--
S-10	10/05/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	21.70	--	14.65	--	--
S-10	02/09/2006	630	<0.500	<0.500	13.8	13.8	--	<0.500	--	--	--	--	--	--	36.35	20.37	--	15.98	--	--
S-10	05/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	21.31	--	15.04	--	--
S-10	08/23/2006	<50.0	<0.500	<0.500	14.5	3.4	--	<0.500	<10.0	<0.500	<0.500	<0.500	--	--	36.35	22.12	--	14.23	--	--
S-10	11/15/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	22.68	--	13.67	--	--
S-10	01/30/2007	120	<0.50	<0.50	7	3.3	--	<0.50	--	--	--	--	--	--	36.35	23.09	--	13.26	--	--
S-10	05/29/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	23.20	--	13.15	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-10	08/15/2007	64 h,i	0.15 j	<1.0	1.4	0.72 j	--	<1.0	<10	<2.0	<2.0	<2.0	--	--	36.35	23.48	--	12.87	--	--
S-10	11/28/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	23.82	--	12.53	--	--
S-10	02/08/2008	61 h	<0.50	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.35	23.31	--	13.04	--	--
S-10	05/08/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	23.55	--	12.80	--	--
S-10	08/14/2008	58	<0.50	<1.0	2.7	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.35	23.75	--	12.60	--	--
S-10	11/11/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	23.08	--	13.27	--	--
S-10	12/18/2008	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	36.35	24.00	--	12.35	--	--
S-10	01/05/2009	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	36.35	23.87	--	12.48	--	--
S-10	01/15/2009	<50	<0.50	<1.0	1.1	<1.0	--	--	--	--	--	--	--	--	36.35	23.66	--	12.69	--	--
S-10	02/12/2009	56	<0.50	<1.0	3.4	<1.0	--	--	--	--	--	--	--	--	36.35	23.96	--	12.39	--	--
S-10	03/12/2009	53	<0.50	<1.0	4.9	<1.0	--	--	--	--	--	--	--	--	36.35	23.44	--	12.91	--	--
S-10	04/09/2009	--	--	--	--	--	--	--	--	--	--	--	--	--	36.35	23.26	--	13.09	--	--
S-10	07/23/2009	66	<0.50	<1.0	5.7	<1.0	--	--	--	--	--	--	--	--	36.35	23.56	--	12.79	0.06	112
S-10	10/01/2009	76	<0.50	<1.0	4.6	<1.0	--	--	--	--	--	--	--	--	36.35	23.80	--	12.55	1.26	206
S-10	01/28/2010	100	<0.50	<1.0	3.6	<1.0	--	--	--	--	--	--	--	--	36.35	23.30	--	13.05	--	--
S-10	05/20/2010	52	<0.50	<1.0	1.9	<1.0	--	--	--	--	--	--	--	--	36.35	24.04	--	12.31	0.68	59
S-10	08/31/2010	<50	0.69	<1.0	1.4	<1.0	--	<1.0	<10	<2.0	<2.0	<2.0	--	--	36.35	24.24	--	12.11	0.51	-3
S-10	12/29/2010	95	<0.50	<1.0	3.4	1.4	--	--	--	--	--	--	--	--	36.35	23.89	--	12.46	0.43	87
S-10	02/01/2011	69	<0.50	<0.50	2.2	<1.0	--	--	--	--	--	--	--	--	36.35	23.25	--	13.10	2.08	117
S-10	04/25/2011	55	0.51	<0.50	2.9	<1.0	--	--	--	--	--	--	--	--	36.35	21.87	--	14.48	1.32	21
S-10	07/28/2011	<50	<0.50	<1.0	0.92	<1.0	--	<1.0	<10	<1.0	<1.0	<1.0	--	--	36.35	21.39	--	14.96	0.32	227
S-10	10/28/2011	52	<0.50	<0.50	2.7	<1.0	--	--	--	--	--	--	--	--	36.35	21.68	--	14.67	2.68	327
S-12	12/17/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	36.44	24.58	--	11.86	--	--
S-12	02/08/2008	55 h	<0.50	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.44	24.32	--	12.12	--	--
S-12	05/08/2008	<50 h	<0.50	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.44	24.51	--	11.93	--	--
S-12	08/14/2008	<50	1.0	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.44	24.63	--	11.81	--	--
S-12	11/11/2008 k	<50	0.95	<1.0	<1.0	<1.0	--	<1.0	--	--	--	--	<0.50	<1.0	36.44	24.85	--	11.59	0.2	37
S-12	11/11/2008	65	8.1	2.2	4.8	1.5	--	--	--	--	--	--	--	--	36.44	24.85	--	11.59	0.2	45
S-12	12/18/2008	<50	8.3	<1.0	1.8	<1.0	--	--	--	--	--	--	--	--	36.44	24.81	--	11.63	--	--
S-12	01/05/2009	95	16	<1.0	3.2	<1.0	--	--	--	--	--	--	--	--	36.44	24.75	--	11.69	--	--
S-12	01/15/2009	140	36	<1.0	12	<1.0	--	--	--	--	--	--	--	--	36.44	24.54	--	11.90	--	--
S-12	02/12/2009	<50	5	<1.0	1.6	<1.0	--	--	--	--	--	--	--	--	36.44	24.81	--	11.63	--	--
S-12	03/12/2009	<50	4.8	<1.0	1.5	<1.0	--	--	--	--	--	--	--	--	36.44	24.41	--	12.03	--	--
S-12	04/09/2009	59	6.0	<1.0	1.6	<1.0	--	--	--	--	--	--	--	--	36.44	24.23	--	12.21	0.50	-3
S-12	07/23/2009	130	29	<1.0	13	<1.0	--	--	--	--	--	--	--	--	36.44	24.50	--	11.94	0.07	142
S-12	10/01/2009	130	25	<1.0	15	<1.0	--	--	--	--	--	--	--	--	36.44	24.76	--	11.68	0.74	135
S-12	01/28/2010	110	14	<1.0	19	<1.0	--	--	--	--	--	--	--	--	36.44	24.28	--	12.16	--	--
S-12	05/20/2010	75	8.5	<1.0	7.0	<1.0	--	--	--	--	--	--	--	--	36.44	24.71	--	11.73	0.14	740

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-12	08/31/2010	<50	0.56	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	36.44	25.08	--	11.36	1.18	180
S-12	12/29/2010	<50	0.98	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	36.44	24.60	--	11.84	1.27	121
S-12	02/01/2011	<50	1.8	<0.50	2.8	<1.0	--	--	--	--	--	--	--	--	36.44	23.94	--	12.50	2.06	-2
S-12	04/25/2011	<50	0.82	<0.50	1.7	<1.0	--	--	--	--	--	--	--	--	36.44	22.53	--	13.91	0.28	196
S-12	07/28/2011	<50	0.96	<0.50	2.8	<1.0	--	--	--	--	--	--	--	--	36.44	22.05	--	14.39	3.01	163
S-12	10/28/2011	99	15	<0.50	14	<1.0	--	--	--	--	--	--	--	--	36.44	22.50	--	13.94	3.67	91
S-13	12/17/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	35.16	23.33	--	11.83	--	--
S-13	02/08/2008	14,000 h	1,900	1,300	280	3,000	--	<10	--	--	--	--	<5.0	<10	35.16	23.01	--	12.15	--	--
S-13	05/08/2008	18,000 h	2,800	3,400	550	3,500	--	<10	--	--	--	--	<5.0	<10	35.16	23.31	--	11.85	--	--
S-13	08/14/2008	16,000	2,400	3,100	580	3,100	--	<20	--	--	--	--	<10	<20	35.16	23.31	--	11.85	--	--
S-13	11/11/2008 k	16,000	2,400	2,800	270	2,500	--	<50	--	--	--	--	<25	<50	35.16	23.60	--	11.56	0.8	-48
S-13	11/11/2008	4,400	560	630	88	530	--	--	--	--	--	--	--	--	35.16	23.60	--	11.56	1.2	-60
S-13	12/18/2008	3,900	530	560	76	510	--	--	--	--	--	--	--	--	35.05	23.61	--	11.44	--	--
S-13	01/05/2009	8,200	700	670	67	1,000	--	--	--	--	--	--	--	--	35.05	23.54	--	11.51	--	--
S-13	01/15/2009	5,400	610	610	48	950	--	--	--	--	--	--	--	--	35.05	23.10	--	11.95	--	--
S-13	02/12/2009	6,300	800	1,000	110	870	--	--	--	--	--	--	--	--	35.05	22.36	--	12.69	--	--
S-13	03/12/2009	14,000	1,700	2,300	190	2,400	--	--	--	--	--	--	--	--	35.05	23.20	--	11.85	--	--
S-13	04/09/2009	35,000	510	7,800	1,000	4,300	--	--	--	--	--	--	--	--	35.05	23.02	--	12.03	25.9	433
S-13	05/18/2009	35,000	820	7,000	1,100	6,600	--	--	--	--	--	--	--	--	35.05	23.07	--	11.98	5.21	83
S-13	07/23/2009	18,000	1,800	3,000	480	2,500	--	--	--	--	--	--	--	--	35.05	23.51	--	11.54	1.23	148
S-13	10/01/2009	2,000	330	87	33	5.2	--	--	--	--	--	--	--	--	35.05	23.61	--	11.44	1.23	413
S-13	11/09/2009	15,000	1,100	1,500	300	1,800	--	--	--	--	--	--	--	--	35.05	23.41	--	11.64	0.71	--
S-13	12/01/2009	1,600	210	190	34	36	--	--	--	--	--	--	--	--	35.05	23.15	--	11.90	16.3	231
S-13	01/28/2010	5,900	370	930	100	680	--	--	--	--	--	--	--	--	35.05	22.94	--	12.11	2.18	--
S-13	05/20/2010	400	35	120	9.5	52	--	--	--	--	--	--	--	--	35.05	23.36	--	11.69	0.31	211
S-13	06/22/2010	16,000	570	3,000	260	2,000	--	--	--	--	--	--	--	--	35.05	23.20	--	11.85	1.10	412
S-13	08/31/2010	3,000	140	490	83	540	--	--	--	--	--	--	--	--	35.05	24.00	--	11.05	0.90	400
S-13	12/29/2010	8,700	600	1,700	260	1,700	--	--	--	--	--	--	--	--	35.05	23.48	--	11.57	0.69	231
S-13	02/01/2011	2,100	170	390	75	410	--	--	--	--	--	--	--	--	35.05	22.71	--	12.34	1.10	248
S-13	04/25/2011	6,000	600	1,800	270	1,300	--	--	--	--	--	--	--	--	35.05	21.15	--	13.90	0.19	69
S-13	07/28/2011	3,700	320	430	160	790	--	--	--	--	--	--	--	--	35.05	20.64	--	14.41	2.65	44
S-13	10/28/2011	8,100	600	830	380	1,700	--	--	--	--	--	--	--	--	35.05	21.47	--	13.58	3.67	1
S-14	12/17/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	34.94	22.68	--	12.26	--	--
S-14	02/08/2008	5,300 h	380	300	34	970	--	<10	--	--	--	--	<5.0	<10	34.94	22.82	--	12.12	--	--
S-14	05/08/2008	4,300 h	750	270	30	520	--	<10	--	--	--	--	<5.0	<10	34.94	22.41	--	12.53	--	--
S-14	Well destroyed	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-14R	11/07/2008	—	—	—	—	—	—	—	—	—	—	—	—	—	35.19	22.91	—	12.28	—	—
S-14R	11/11/2008 k	8,500	680	270	<25	1,110	—	—	—	—	—	—	—	—	35.19	23.13	—	12.06	0.60	115
S-14R	11/11/2008	4,300	270	190	43	470	—	—	—	—	—	—	—	—	35.19	23.13	—	12.06	1.5	116
S-14R	12/18/2008	7,800	530	640	79	1,010	—	—	—	—	—	—	—	—	34.95	22.80	—	12.15	—	—
S-14R	01/05/2009	2,100	89	86	19	140	—	—	—	—	—	—	—	—	34.95	22.80	—	12.15	—	—
S-14R	01/15/2009	4,800	430	540	83	730	—	—	—	—	—	—	—	—	34.95	22.57	—	12.38	—	—
S-14R	02/12/2009	1,000	40	29	7	55	—	—	—	—	—	—	—	—	34.95	22.89	—	12.06	—	—
S-14R	03/12/2009	350	22	18	3	29	—	—	—	—	—	—	—	—	34.95	22.39	—	12.56	—	—
S-14R	04/09/2009	2,300	230	240	47	250	—	—	—	—	—	—	—	—	34.95	22.35	—	12.60	0.30	430
S-14R	05/18/2009	750	51	48	17	67	—	—	—	—	—	—	—	—	34.95	22.20	—	12.75	5.63	93
S-14R	07/23/2009	600	81	57	19	47	—	—	—	—	—	—	—	—	34.95	22.56	—	12.39	0.05	246
S-14R	10/01/2009	230	12	10	5.3	23	—	—	—	—	—	—	—	—	34.95	22.90	—	12.05	2.22	201
S-14R	11/09/2009	330	47	21	11	39	—	—	—	—	—	—	—	—	34.95	22.68	—	12.27	0.75	—
S-14R	12/01/2009	420	38	27	12	39	—	—	—	—	—	—	—	—	34.95	22.62	—	12.33	0.45	110
S-14R	01/28/2010	270	45	27	11	32	—	—	—	—	—	—	—	—	34.95	22.38	—	12.57	3.75	—
S-14R	05/20/2010	330	17	10	2.7	13	—	—	—	—	—	—	—	—	34.95	22.72	—	12.23	0.96	102
S-14R	08/31/2010	130	5.8	3.5	1.4	6.1	—	—	—	—	—	—	—	—	34.95	23.12	—	11.83	1.55	-13
S-14R	12/29/2010	480	56	30	13	52	—	—	—	—	—	—	—	—	34.95	22.75	—	12.20	0.48	375
S-14R	02/01/2011	570	56	32	20	59	—	—	—	—	—	—	—	—	34.95	22.10	—	12.85	0.58	143
S-14R	04/25/2011	860	100	59	41	97	—	—	—	—	—	—	—	—	34.95	20.80	—	14.15	0.81	-37
S-14R	07/28/2011	970	100	80	51	110	—	—	—	—	—	—	—	—	34.95	20.36	—	14.59	0.56	151
S-14R	10/28/2011	420	47	38	25	67	—	—	—	—	—	—	—	—	34.95	20.68	—	14.27	3.97	321
S-15	12/17/2007	—	—	—	—	—	—	—	—	—	—	—	—	—	35.34	23.00	—	12.34	—	—
S-15	02/08/2008	55,000 h	6,700	13,000	1,100	9,800	—	<10	—	—	—	—	<5.0	<10	35.34	22.71	—	12.63	—	—
S-15	05/08/2008	53,000 h	6,300	13,000	1,500	7,500	—	<200	—	—	—	—	<100	<200	35.34	22.91	—	12.43	—	—
S-15	Well destroyed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
S-16	12/17/2007	—	—	—	—	—	—	—	—	—	—	—	—	—	36.08	23.88	—	12.20	—	—
S-16	02/08/2008	6,000 h	670	730	88	1,290	—	<5.0	—	—	—	—	<2.5	<5.0	36.08	23.52	—	12.56	—	—
S-16	05/08/2008	3,200 h	670	320	18	580	—	<10	—	—	—	—	<5.0	<10	36.08	23.69	—	12.39	—	—
S-16	Well destroyed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
S-17	06/19/2008	—	—	—	—	—	—	—	—	—	—	—	—	—	35.49	23.30	—	12.19	—	—
S-17	06/25/2008	21,000	1,300	1,300	160	2,850	—	<5.0	—	—	—	—	<2.5	<5.0	35.49	23.33	—	12.16	—	—
S-17	08/14/2008	14,000	1,700	1,700	310	2,250	—	<10	—	—	—	—	<5.0	<10	35.49	23.50	—	11.99	—	—
S-17	11/11/2008 k	7,200	1,600	820	140	760	—	<5.0	—	—	—	—	<2.5	<5.0	35.49	23.70	—	11.79	—	—
S-17	11/11/2008	32,000	2,500	3,100	820	4,000	—	<25	—	—	—	—	<12	<25	35.49	23.70	—	11.79	—	—
S-17	01/05/2009	15,000	790	700	150	1,200	—	<10	—	—	—	—	<5.0	<10	35.50	23.66	—	11.84	—	—

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-17	01/15/2009	2,300	220	170	19	300	---	---	---	---	---	---	---	---	35.50	23.37	---	12.13	---	---
S-17	02/12/2009	4,700	750	200	37	23	---	---	---	---	---	---	---	---	35.50	23.66	---	11.84	---	---
S-17	03/12/2009	3,300	640	370	81	290	---	---	---	---	---	---	---	---	35.50	23.24	---	12.26	---	---
S-17	04/09/2009	1,300	200	110	37	100	---	---	---	---	---	---	---	---	35.50	23.20	---	12.30	0.69	429
S-17	05/18/2009	630	97	44	17	25	---	---	---	---	---	---	---	---	35.50	23.21	---	12.29	5.93	442
S-17	07/23/2009	3,900	480	410	160	480	---	---	---	---	---	---	---	---	35.50	23.70	---	11.80	0.15	34
S-17	10/01/2009	1,300	32	24	3	72	---	---	---	---	---	---	---	---	35.50	23.64	---	11.86	1.30	204
S-17	11/09/2009	5,300	260	330	56	500	---	---	---	---	---	---	---	---	35.50	23.52	---	11.98	0.18	---
S-17	12/01/2009	3,300	190	210	52	240	---	---	---	---	---	---	---	---	35.50	23.41	---	12.09	0.95	450
S-17	01/28/2010	3,500	260	250	85	310	---	---	---	---	---	---	---	---	35.50	23.21	---	12.29	1.93	---
S-17	05/20/2010	370	18	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.50	23.65	---	11.85	1.31	544
S-17	08/31/2010	1,900	120	110	52	260	---	---	---	---	---	---	---	---	35.50	23.92	---	11.58	1.32	370
S-17	12/29/2010	2,600	200	150	91	280	---	---	---	---	---	---	---	---	35.50	23.60	---	11.90	1.37	131
S-17	02/01/2011	950	100	72	47	130	---	---	---	---	---	---	---	---	35.50	22.91	---	12.59	1.40	136
S-17	04/25/2011	2,000	150	71	77	210	---	---	---	---	---	---	---	---	35.50	21.44	---	14.06	0.23	82
S-17	07/28/2011	3,400	270	98	170	370	---	---	---	---	---	---	---	---	35.50	21.06	---	14.44	1.45	70
S-17	10/28/2011	270	58	5.3	23	28	---	---	---	---	---	---	---	---	35.50	21.51	---	13.99	1.19	221
S-18	06/19/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.04	22.94	---	12.10	---	---
S-18	06/25/2008	58,000	2,200	5,600	880	10,200	---	<10	---	---	---	---	<5.0	<10	35.04	22.92	---	12.12	---	---
S-18	08/14/2008	25,000	2,500	4,500	860	5,800	---	<50	---	---	---	---	<25	<50	35.04	23.08	---	11.96	---	---
S-18	11/11/2008 k	24,000	2,400	3,300	820	3,800	---	<25	---	---	---	---	<12	<25	35.04	23.30	---	11.74	---	---
S-18	11/11/2008	43,000	3,900	5,500	1,300	6,500	---	<50	---	---	---	---	<25	<50	35.04	23.30	---	11.74	---	---
S-18	01/05/2009	20,000	830	1,000	290	1,400	---	<50	---	---	---	---	<25	<50	35.03	23.16	---	11.87	---	---
S-18	01/15/2009	8,200	690	790	150	1,230	---	---	---	---	---	---	---	---	35.03	22.97	---	12.06	---	---
S-18	02/12/2009	13,000	1,200	1,400	330	940	---	---	---	---	---	---	---	---	35.03	23.29	---	11.74	---	---
S-18	03/12/2009	52,000	5,300	9,000	1,600	10,000	---	---	---	---	---	---	---	---	35.03	22.85	---	12.18	---	---
S-18	04/09/2009	Insufficient water	---	---	---	---	---	---	---	---	---	---	---	---	35.03	22.79	---	12.24	---	---
S-18	05/18/2009	6,700	320	1,100	200	1,000	---	---	---	---	---	---	---	---	35.03	22.81	---	12.22	6.51	377
S-18	07/23/2009	8,900	500	890	290	1,600	---	---	---	---	---	---	---	---	35.03	22.91	---	12.12	0.20	---
S-18	10/01/2009	1,800	49	5.5	5.3	<5.0	---	---	---	---	---	---	---	---	35.03	23.65	---	11.38	6.25	557
S-18	11/09/2009	1,100	79	8.9	5.3	1.1	---	---	---	---	---	---	---	---	35.03	23.19	---	11.84	0.26	---
S-18	12/01/2009	570	50	7.5	2.7	1.2	---	---	---	---	---	---	---	---	35.03	23.12	---	11.91	4.07	460
S-18	01/28/2010	1,200	170	91	18	68	---	---	---	---	---	---	---	---	35.03	22.86	---	12.17	1.90	---
S-18	05/20/2010	3,900	500	690	79	240	---	---	---	---	---	---	---	---	35.03	23.12	---	11.91	1.77	169
S-18	06/22/2010	13,000	1,700	2,800	200	1,000	---	---	---	---	---	---	---	---	35.03	23.10	---	11.93	0.58	499
S-18	08/31/2010	6,600	970	1,100	230	1,000	---	---	---	---	---	---	---	---	35.03	23.55	---	11.48	1.23	258
S-18	12/29/2010	8,500	1,000	750	410	1,800	---	---	---	---	---	---	---	---	35.03	23.23	---	11.80	0.79	70
S-18	02/01/2011	2,100	210	190	87	180	---	---	---	---	---	---	---	---	35.03	22.52	---	12.51	1.13	220

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-18	04/25/2011	13,000	2,100	2,000	470	2,300	--	--	--	--	--	--	--	--	35.03	21.00	--	14.03	0.52	85
S-18	07/28/2011	8,200	1,200	1,000	290	1,200	--	--	--	--	--	--	--	--	35.03	20.56	--	14.47	1.57	27
S-18	10/28/2011	9,000	1,200	480	430	1,900	--	--	--	--	--	--	--	--	35.03	21.11	--	13.92	1.45	147
S-19	11/07/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.78	22.73	--	12.05	--	--
S-19	11/11/2008 k	7,100	500	600	25	1,010	--	--	--	--	--	--	--	--	34.78	22.87	--	11.91	1.0	62
S-19	11/11/2008	2,300	110	160	43	280	--	--	--	--	--	--	--	--	34.78	22.87	--	11.91	1.3	71
S-19	12/18/2008	2,900	190	300	41	420	--	--	--	--	--	--	--	--	34.57	22.60	--	11.97	--	--
S-19	01/05/2009	3,400	230	250	50	380	--	--	--	--	--	--	--	--	34.57	22.56	--	12.01	--	--
S-19	01/15/2009	3,100	340	540	70	440	--	--	--	--	--	--	--	--	34.57	22.31	--	12.26	--	--
S-19	02/12/2009	1,300	130	180	37	190	--	--	--	--	--	--	--	--	34.57	22.58	--	11.99	--	--
S-19	03/12/2009	880	110	150	30	160	--	--	--	--	--	--	--	--	34.57	22.44	--	12.13	--	--
S-19	04/09/2009	1,300	140	190	32	190	--	--	--	--	--	--	--	--	34.57	22.02	--	12.55	0.57	106
S-19	05/18/2009	780	69	87	17	100	--	--	--	--	--	--	--	--	34.57	22.04	--	12.53	6.47	75
S-19	07/23/2009	400	77	59	15	38	--	--	--	--	--	--	--	--	34.57	22.40	--	12.17	0.06	31
S-19	10/01/2009	1,500	160	170	33	120	--	--	--	--	--	--	--	--	34.57	22.66	--	11.91	0.52	301
S-19	11/09/2009	1,600	140	160	41	160	--	--	--	--	--	--	--	--	34.57	22.44	--	12.13	0.26	--
S-19	12/01/2009	1,600	150	180	45	170	--	--	--	--	--	--	--	--	34.57	22.62	--	11.95	0.79	161
S-19	01/28/2010	2,600	230	280	71	300	--	--	--	--	--	--	--	--	34.57	22.29	--	12.28	1.71	--
S-19	05/20/2010	850	110	55	11	5	--	--	--	--	--	--	--	--	34.57	22.49	--	12.08	1.77	118
S-19	08/31/2010	580	79	92	22	50	--	--	--	--	--	--	--	--	34.57	22.86	--	11.71	1.02	297
S-19	12/29/2010	920	120	120	54	150	--	--	--	--	--	--	--	--	34.57	22.48	--	12.09	1.12	150
S-19	02/01/2011	1,800	210	270	100	320	--	--	--	--	--	--	--	--	34.57	21.78	--	12.79	1.08	21
S-19	04/25/2011	2,100	290	360	140	470	--	--	--	--	--	--	--	--	34.57	20.42	--	14.15	0.25	115
S-19	07/28/2011	2,400	240	380	140	450	--	--	--	--	--	--	--	--	34.57	20.16	--	14.41	1.17	80
S-19	10/28/2011	3,600	210	420	190	750	--	--	--	--	--	--	--	--	34.57	20.41	--	14.16	1.73	160
S-20	11/07/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	34.50	22.80	--	11.70	--	--
S-20	11/11/2008 k	13,000	1,300	1,600	80	1,920	--	--	--	--	--	--	--	--	34.50	22.90	--	11.60	0.8	-39
S-20	11/11/2008	16,000	1,100	1,800	220	1,930	--	--	--	--	--	--	--	--	34.50	22.90	--	11.60	2.6	-64
S-20	01/05/2009	17,000	1,500	1,700	320	1,900	--	--	--	--	--	--	--	--	34.50	22.78	--	11.72	--	--
S-20	02/12/2009	11,000	1,300	1,400	230	1,600	--	--	--	--	--	--	--	--	34.50	22.80	--	11.70	2.6	-64
S-20	03/12/2009	19,000	2,700	3,200	390	3,100	--	--	--	--	--	--	--	--	34.50	22.40	--	12.10	--	--
S-20	04/09/2009	8,200	80	480	220	490	--	--	--	--	--	--	--	--	34.50	22.90	--	11.60	13.80	578
S-20	05/18/2009	21,000	970	1,500	630	4,800	--	--	--	--	--	--	--	--	34.50	22.42	--	12.08	4.58	197
S-20	07/23/2009	41,000	4,900	2,900	990	7,300	--	--	--	--	--	--	--	--	34.50	22.73	--	11.77	0.27	419
S-20	10/01/2009	1,800	140	39	33	39	--	--	--	--	--	--	--	--	34.50	23.00	--	11.50	0.85	533
S-20	11/09/2009	21,000	1,600	740	300	2,500	--	--	--	--	--	--	--	--	34.50	22.72	--	11.78	1.67	--
S-20	12/01/2009	12,000	1,100	450	160	1,200	--	--	--	--	--	--	--	--	34.50	22.61	--	11.89	1.38	347

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-20	01/28/2010	20,000	2,000	1,600	260	2,000	---	---	---	---	---	---	---	---	34.50	22.51	---	11.99	4.40	---
S-20	05/20/2010	4,300	1,100	110	26	61	---	---	---	---	---	---	---	---	34.50	22.90	---	11.60	8.96	555
S-20	06/22/2010	7,100	1,300	550	120	550	---	---	---	---	---	---	---	---	34.50	23.19	---	11.31	11.64	637
S-20	08/31/2010	9,600	1,800	1,400	230	580	---	---	---	---	---	---	---	---	34.50	23.13	---	11.37	0.94	529
S-20	12/29/2010	19,000	2,000	3,100	860	3,200	---	---	---	---	---	---	---	---	34.50	22.72	---	11.78	0.92	193
S-20	02/01/2011	26,000	3,900	7,100	1,300	5,800	---	---	---	---	---	---	---	---	34.50	22.04	---	12.46	1.03	390
S-20	04/25/2011	41,000	6,600	11,000	2,000	9,800	---	---	---	---	---	---	---	---	34.50	20.60	---	13.90	0.43	156
S-20	07/28/2011	34,000	4,200	5,300	1,400	6,300	---	---	---	---	---	---	---	---	34.50	20.30	---	14.20	1.25	-15
S-20	10/28/2011	17,000	1,500	1,900	1,000	3,400	---	---	---	---	---	---	---	---	34.50	20.78	---	13.72	1.28	431
S-21A	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.81	23.73	---	12.08	---	---
S-21A	11/11/2008 k	96,000	6,100	11,000	1,700	10,500	---	---	---	---	---	---	---	---	35.81	23.86	---	11.95	1.6	-42
S-21A	11/11/2008	87,000	6,300	13,000	1,700	10,300	---	---	---	---	---	---	---	---	35.81	23.86	---	11.95	1.8	-51
S-21A	12/18/2008	17,000	3,700	1,200	170	47	---	---	---	---	---	---	---	---	35.80	23.91	---	11.89	---	---
S-21A	01/05/2009	28,000	3,100	2,900	450	1,100	---	---	---	---	---	---	---	---	35.80	23.78	---	12.02	---	---
S-21A	01/15/2009	9,700	2,100	290	45	<25	---	---	---	---	---	---	---	---	35.80	23.53	---	12.27	---	---
S-21A	02/12/2009	19,000	3,100	2,500	330	500	---	---	---	---	---	---	---	---	35.80	23.83	---	11.97	---	---
S-21A	03/12/2009	31,000	2,600	3,800	810	3,700	---	---	---	---	---	---	---	---	35.80	23.35	---	12.45	---	---
S-21A	04/09/2009	7,800	700	750	130	<25	---	---	---	---	---	---	---	---	35.80	24.00	---	11.80	0.91	304
S-21A	05/18/2009	15,000	1,800	2,200	390	1,900	---	---	---	---	---	---	---	---	35.80	23.46	---	12.34	2.37	529
S-21A	07/23/2009	51,000	4,800	7,100	1,100	7,000	---	---	---	---	---	---	---	---	35.80	23.85	---	11.95	0.14	-3
S-21A	10/01/2009	18,000	2,300	2,200	310	2,400	---	---	---	---	---	---	---	---	35.80	24.06	---	11.74	7.92	575
S-21A	11/09/2009	41,000	3,500	5,800	600	4,800	---	---	---	---	---	---	---	---	35.80	23.73	---	12.07	0.34	---
S-21A	12/01/2009	43,000	3,100	6,700	640	4,900	---	---	---	---	---	---	---	---	35.80	23.60	---	12.20	2.55	350
S-21A	01/28/2010	65,000	3,900	9,900	970	6,600	---	---	---	---	---	---	---	---	35.80	23.54	---	12.26	1.43	---
S-21A	05/20/2010	6,000	670	760	110	150	---	---	---	---	---	---	---	---	35.80	23.92	---	11.88	1.37	541
S-21A	06/22/2010	16,000	690	2,000	370	2,300	---	---	---	---	---	---	---	---	35.80	23.87	---	11.93	2.33	439
S-21A	08/31/2010	5,000	230	420	190	990	---	---	---	---	---	---	---	---	35.80	24.13	---	11.67	0.73	392
S-21A	12/29/2010	5,100	500	430	230	810	---	---	---	---	---	---	---	---	35.80	23.84	---	11.96	0.95	464
S-21A	02/01/2011	9,200	840	750	370	1,300	---	---	---	---	---	---	---	---	35.80	23.18	---	12.62	0.84	110
S-21A	04/25/2011	22,000	3,800	4,000	960	4,800	---	---	---	---	---	---	---	---	35.80	21.71	---	14.09	0.36	336
S-21A	07/28/2011	27,000	3,400	3,600	1,000	4,300	---	---	---	---	---	---	---	---	35.80	21.48	---	14.32	1.02	223
S-21A	10/28/2011	20,000	2,400	3,000	840	3,600	---	---	---	---	---	---	---	---	35.80	21.65	---	14.15	2.06	213
S-21B	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.79	23.68	---	12.11	---	---
S-21B	11/11/2008 k	3,200	49	300	93	510	---	---	---	---	---	---	---	---	35.79	23.80	---	11.99	0.4	-108
S-21B	11/11/2008	7,500	67	470	150	960	---	---	---	---	---	---	---	---	35.79	23.80	---	11.99	5.6	-135
S-21B	12/18/2008	5,300	36	310	120	770	---	---	---	---	---	---	---	---	35.76	23.72	---	12.04	---	---
S-21B	01/05/2009	5,400	35	200	93	600	---	---	---	---	---	---	---	---	35.76	23.70	---	12.06	---	---

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-21B	01/15/2009	3,300	30	150	78	470	--	--	--	--	--	--	--	--	35.76	23.43	--	12.33	--	--
S-21B	02/12/2009	2,800	12	100	69	450	--	--	--	--	--	--	--	--	35.76	23.81	--	11.95	--	--
S-21B	03/12/2009	2,300	9.4	72	50	320	--	--	--	--	--	--	--	--	35.76	23.32	--	12.44	--	--
S-21B	04/09/2009	890	14	55	19	140	--	--	--	--	--	--	--	--	35.76	23.20	--	12.56	0.56	453
S-21B	05/18/2009	390	6.8	14	12	27	--	--	--	--	--	--	--	--	35.76	23.24	--	12.52	1.62	458
S-21B	06/17/2009	--	--	--	--	--	--	--	--	--	--	--	--	--	35.76	23.40	--	12.36	--	--
S-21B	07/23/2009	920	5.0	17	28	120	--	--	--	--	--	--	--	--	35.76	23.52	--	12.24	0.26	37
S-21B	10/01/2009	820	2.6	10	17	89	--	--	--	--	--	--	--	--	35.76	23.95	--	11.81	0.96	353
S-21B	01/28/2010	810	11	6.2	10	51	--	--	--	--	--	--	--	--	35.76	23.30	--	12.46	--	--
S-21B	05/20/2010	120	1.4	2.6	2.0	2.7	--	--	--	--	--	--	--	--	35.76	23.46	--	12.30	1.63	206
S-21B	08/31/2010	500	0.81	3.4	6.9	32	--	--	--	--	--	--	--	--	35.76	24.04	--	11.72	0.72	45
S-21B	12/29/2010	310	<0.50	1.9	4.5	21	--	--	--	--	--	--	--	--	35.76	23.59	--	12.17	0.40	191
S-21B	02/01/2011	270	<0.50	2.0	4.0	16	--	--	--	--	--	--	--	--	35.76	23.08	--	12.68	0.51	10
S-21B	04/25/2011	250	<0.50	1.9	4.6	16	--	--	--	--	--	--	--	--	35.76	21.86	--	13.90	1.43	72
S-21B	07/28/2011	270	<0.50	0.84	3.0	11	--	--	--	--	--	--	--	--	35.76	21.32	--	14.44	2.86	127
S-21B	10/28/2011	220	<0.50	0.53	2.3	9.2	--	--	--	--	--	--	--	--	35.76	21.52	--	14.24	0.96	153
S-22A	11/07/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	35.08	22.91	--	12.17	--	--
S-22A	11/11/2008 k	84,000	8,500	11,000	2,200	13,900	--	--	--	--	--	--	--	--	35.08	23.15	--	11.93	1.0	117
S-22A	11/11/2008	85,000	7,600	10,000	2,500	12,400	--	--	--	--	--	--	--	--	35.08	23.15	--	11.93	1.6	100
S-22A	12/18/2008	42,000	6,300	6,600	1,200	4,400	--	--	--	--	--	--	--	--	35.06	23.03	--	12.03	--	--
S-22A	01/05/2009	56,000	4,500	5,300	1,200	6,400	--	--	--	--	--	--	--	--	35.06	23.03	--	12.03	--	--
S-22A	01/15/2009	25,000	5,900	4,400	740	1,570	--	--	--	--	--	--	--	--	35.06	22.84	--	12.22	--	--
S-22A	02/12/2009	43,000	6,700	6,600	1,200	5,000	--	--	--	--	--	--	--	--	35.06	23.15	--	11.91	--	--
S-22A	03/12/2009	35,000	4,600	4,600	980	4,600	--	--	--	--	--	--	--	--	35.06	22.65	--	12.41	--	--
S-22A	04/09/2009	22,000	120	1,900	680	3,400	--	--	--	--	--	--	--	--	35.06	22.88	--	12.18	8.41	556
S-22A	05/18/2009	25,000	4,700	1,300	590	3,700	--	--	--	--	--	--	--	--	35.06	22.83	--	12.23	2.46	539
S-22A	05/18/2009	25,000	4,700	1,300	590	3,700	--	--	--	--	--	--	--	--	35.06	23.01	--	12.05	0.18	167
S-22A	07/23/2009	40,000	5,100	4,800	700	4,900	--	--	--	--	--	--	--	--	35.06	23.06	--	12.00	4.08	523
S-22A	10/01/2009	12,000	1,400	600	88	500	--	--	--	--	--	--	--	--	35.06	23.14	--	11.92	1.74	--
S-22A	11/09/2009	18,000	2,700	2,000	190	1,300	--	--	--	--	--	--	--	--	35.06	23.10	--	11.96	1.06	393
S-22A	12/01/2009	24,000	2,300	2,300	270	2,000	--	--	--	--	--	--	--	--	35.06	23.10	--	11.96	1.06	393
S-22A	01/28/2010	44,000	3,600	5,000	620	4,300	--	--	--	--	--	--	--	--	35.06	22.92	--	12.14	1.40	--
S-22A	05/20/2010	3,100	38	<10	<10	<10	--	--	--	--	--	--	--	--	35.06	23.22	--	11.84	0.48	423
S-22A	06/22/2010	2,400	110	15	4.3	6.6	--	--	--	--	--	--	--	--	35.06	23.51	--	11.55	6.10	542
S-22A	08/31/2010	5,000	690	600	78	350	--	--	--	--	--	--	--	--	35.06	23.52	--	11.54	1.03	553
S-22A	12/29/2010	13,000	1,300	1,800	490	2,100	--	--	--	--	--	--	--	--	35.06	23.17	--	11.89	0.70	476
S-22A	02/01/2011	13,000	1,800	3,100	640	2,800	--	--	--	--	--	--	--	--	35.06	22.45	--	12.61	0.89	453
S-22A	04/25/2011	23,000	2,600	5,500	1,200	6,200	--	--	--	--	--	--	--	--	35.06	21.37	--	13.69	0.40	506
S-22A	07/28/2011	Well inaccessible		--	--	--	--	--	--	--	--	--	--	--	35.06	--	--	--	--	--

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-22A	10/28/2011	31,000	1,800	4,700	1,600	8,100	--	--	--	--	--	--	--	--	35.06	20.98	--	14.08	1.33	342
S-22B	11/07/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	35.15	23.06	--	12.09	--	--
S-22B	11/11/2008 k	<50	<0.50	<1.0	<1.0	1.2	--	--	--	--	--	--	--	--	35.15	23.20	--	11.95	0.9	92
S-22B	11/11/2008	360	3.3	12	5.8	38	--	--	--	--	--	--	--	--	35.15	23.20	--	11.95	1.6	90
S-22B	12/18/2008	150	2.9	6.1	2.9	17.5	--	--	--	--	--	--	--	--	35.24	23.26	--	11.98	--	--
S-22B	01/05/2009	110	1.9	5.0	2.6	11	--	--	--	--	--	--	--	--	35.24	28.12	--	7.12	--	--
S-22B	01/15/2009	59	1.3	1.9	1.6	<1.0	--	--	--	--	--	--	--	--	35.24	22.90	--	12.34	--	--
S-22B	02/12/2009	290	11	6.8	7.9	19	--	--	--	--	--	--	--	--	35.24	23.02	--	12.22	--	--
S-22B	03/12/2009	390	4.4	4.6	3.8	12	--	--	--	--	--	--	--	--	35.24	22.86	--	12.38	--	--
S-22B	04/09/2009	280	5.3	2.5	4.0	6.8	--	--	--	--	--	--	--	--	35.24	22.62	--	12.62	2.24	164
S-22B	05/18/2009	170	3.7	2.9	2.4	8.6	--	--	--	--	--	--	--	--	35.24	22.62	--	12.62	1.42	-171
S-22B	07/23/2009	160	8.9	5.7	3.8	12	--	--	--	--	--	--	--	--	35.24	22.65	--	12.59	0.15	28
S-22B	10/01/2009	300	2.4	1.0	1.2	<1.0	--	--	--	--	--	--	--	--	35.24	23.18	--	12.06	2.62	173
S-22B	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.24	22.73	--	12.51	--	--
S-22B	05/20/2010	230	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.24	22.88	--	12.36	6.14	584
S-22B	08/31/2010	<50	0.57	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.24	23.51	--	11.73	0.92	377
S-22B	12/29/2010	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.24	23.04	--	12.20	1.07	391
S-22B	02/01/2011	<50	0.55	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	35.24	22.70	--	12.54	1.07	-3
S-22B	04/25/2011	<50	<0.50	0.62	<0.50	1.1	--	--	--	--	--	--	--	--	35.24	21.38	--	13.86	1.37	416
S-22B	07/28/2011	Well inaccessible			--	--	--	--	--	--	--	--	--	--	35.24	--	--	--	--	--
S-22B	10/28/2011	<50	<0.50	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	35.24	20.62	--	14.62	4.83	-12
S-23	11/07/2008	--	--	--	--	--	--	--	--	--	--	--	--	--	35.77	23.28	--	12.49	--	--
S-23	11/11/2008 k	8,800	640	610	82	1,260	--	--	--	--	--	--	--	--	35.77	23.58	--	12.19	--	--
S-23	11/11/2008	6,400	520	640	34	760	--	--	--	--	--	--	--	--	35.77	23.58	--	12.19	--	--
S-23	01/05/2009	830	63	98	14	58	--	--	--	--	--	--	--	--	35.75	23.51	--	12.24	--	--
S-23	02/12/2009	3,400	160	320	55	430	--	--	--	--	--	--	--	--	35.75	23.62	--	12.13	--	--
S-23	03/12/2009	4,600	210	460	71	610	--	--	--	--	--	--	--	--	35.75	23.03	--	12.72	--	--
S-23	04/09/2009	2,700	180	95	33	<5.0	--	--	--	--	--	--	--	--	35.75	22.98	--	12.77	1.24	567
S-23	05/18/2009	3,000	350	440	79	300	--	--	--	--	--	--	--	--	35.75	23.18	--	12.57	19.77	503
S-23	07/23/2009	2,900	180	400	67	340	--	--	--	--	--	--	--	--	35.75	23.48	--	12.27	0.21	133
S-23	10/01/2009	790	40	24	5.4	<1.0	--	--	--	--	--	--	--	--	35.75	23.82	--	11.93	8.64	428
S-23	11/09/2009	3,200	84	330	90	400	--	--	--	--	--	--	--	--	35.75	23.51	--	12.24	0.28	--
S-23	12/01/2009	1,800	47	180	50	190	--	--	--	--	--	--	--	--	35.75	23.31	--	12.44	2.49	472
S-23	01/28/2010	3,000	100	450	110	650	--	--	--	--	--	--	--	--	35.75	23.25	--	12.50	1.74	--
S-23	05/20/2010	900	8.2	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	--	35.75	23.80	--	11.95	3.76	607
S-23	06/22/2010	640	11	22	9.0	11	--	--	--	--	--	--	--	--	35.75	24.40	--	11.35	12.96	572
S-23	08/31/2010	710	14	45	34	110	--	--	--	--	--	--	--	--	35.75	23.95	--	11.80	1.25	322

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg ($\mu\text{g/L}$)	B ($\mu\text{g/L}$)	T ($\mu\text{g/L}$)	E ($\mu\text{g/L}$)	X ($\mu\text{g/L}$)	MTBE 8020 ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)	EDC ($\mu\text{g/L}$)	EDB ($\mu\text{g/L}$)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-23	12/29/2010	1,300	45	82	56	240	---	---	---	---	---	---	---	---	35.75	23.61	---	12.14	1.39	313
S-23	02/01/2011	1,300	51	110	72	270	---	---	---	---	---	---	---	---	35.75	22.92	---	12.83	1.30	107
S-23	04/25/2011	1,300	53	110	81	400	---	---	---	---	---	---	---	---	35.75	21.62	---	14.13	0.96	321
S-23	07/28/2011	1,400	43	79	74	320	---	---	---	---	---	---	---	---	35.75	21.28	---	14.47	0.92	209
S-23	10/28/2011	1,600	43	83	92	370	---	---	---	---	---	---	---	---	35.75	21.50	---	14.25	1.82	161
AS-1	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.33	22.91	---	12.42	---	---
AS-1	02/08/2008	130 h	1.1	3.4	<1.0	5.4	---	<1.0	---	---	---	---	<0.50	<1.0	35.33	22.62	---	12.71	---	---
AS-1	05/08/2008	<50 h	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	35.33	27.78	---	7.55	---	---
OW-1	04/09/2009	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
OW-1	05/18/2009	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Notes:

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to July 25, 2001, analyzed by EPA Method 8015 unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to July 25, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary-butyl ether analyzed by method noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

EDC = 1,2-Dichloroethane analyzed by EPA Method 8260B.

EDB = 1,2-Dibromoethane analyzed by EPA Method 8260B.

TOC = Top of casing elevation, in feet relative to mean sea level

SPH = Separate-phase hydrocarbon

GW = Groundwater

DO = Dissolved oxygen

ORP = Oxygen redox potential

$\mu\text{g/l}$ = Micrograms per liter

ft = Feet

MSL = Mean sea level

mg/L = Milligrams per liter

mV = Millivolts

<x = Not detected at reporting limit x

--- = Not analyzed or available

(D) = Duplicate sample

a = Included in xylenes analysis

b = Analyzed outside of EPA recommended holding time

GROUNDWATER DATA
 FORMER SHELL SERVICE STATION
 461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	---------------	----------------	----------------	----------------	---------------	---------------	-----------------	-------------------------------	--------------------------	-----------------------------	--------------	-------------

c = Depth to water measured from TOC; elevation unknown.

d = Grab sampled

e = Casing broken; TOC unknown.

h = Analyzed by EPA Method 8015B (M)

i = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

j = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

k = Pre-purge sample

Beginning July 18, 2002, well elevations measured from TOC

Site wells surveyed March 5, 2002 by Virgil Chavez Land Surveying

Site wells surveyed December 18, 2007 by Virgil Chavez Land Surveying

Wells S-14R and S-19 through S-23 surveyed on November 11, 2008 by Virgil Chavez Land Surveying

Well S-5 surveyed on November 11, 2008 by Virgil Chavez Land Surveying

Well S-5 surveyed on October 8, 2009 by Virgil Chavez Land Surveying

APPENDIX A

BLAINE TECH SERVICES, INC. -
FIELD NOTES

WELL GAUGING DATA

Project # 11028-WW1

Date 10/28/11

Client SMELL

Site 461 8th ST, OAKLAND, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
S-4	0835	4					21.35	28.55	↓	
S-5	0950	4				14.28	29.82			
S-6	1009	4				18.12	34.96			
S-8	0855	4				21.09	29.15			
S-9	0903	4				20.54	29.72			
S-10	0851	4				21.68	25.89			
S-12	0854	4				22.50	34.24			
S-13	0918	4				21.47	32.70			
S-14R	0900	4				20.68	30.22			
S-17	0909	2				21.51	33.44			
S-18	0915	2				21.11	33.19			
S-19	0904	4				20.41	34.69			
S-20	0921	4				20.78	34.89			
S-21A	0913	4				21.65	26.50			
S-21B	0905	4				21.52	39.54			
S-22A	0911	4				20.98	26.54			
S-22B	0845	4				20.62	39.75			

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: MW/PC/MN	Date: 10/28/11
Well I.D.: S-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 29.82	Depth to Water (DTW): 14.28
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.39	

Purge Method: Bailer Waterra Sampling Method: Bailer ^(W)
 Disposable Bailer Peristaltic ~~Disposable Bailer~~
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

$10.1 \text{ (Gals.)} \times 3 = 30.3 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														
I Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0952	65.2	7.28	468	170	10.1	odor
0955	66.6	6.67	495	660	20.2	"
WELL	DEWATERED @ 26 GALS					"
1005	64.4	6.46	529	414	—	" SLEEN

Did well dewater? Yes No Gallons actually evacuated: 26

Sampling Date: 10/28/11 Sampling Time: 1005 Depth to Water: 17.35

Sample I.D.: S-5 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge: 6.05 mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge: 190 mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: MW/PC	Date: 10/28/11
Well I.D.: S-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.96	Depth to Water (DTW): 18.12
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.49	

Purge Method: Bailer Disposable Bailer Positive Air Displacement <u>Electric Submersible</u>	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	--	---

11.0 (Gals.) X 3 = 33.0 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1012	63.0	6.59	732	41	11	odor
1014	63.8	6.59	711	22	22	"
1016	64.3	6.60	626	22	33	"

Did well dewater? Yes No Gallons actually evacuated: 33

Sampling Date: 10/28/11 Sampling Time: 1025 Depth to Water: 20.80

Sample I.D.: S-6 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	4.64	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	-9	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: PC	Date: 10/28/11
Well I.D.: S-8	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 29.15	Depth to Water (DTW): 21.09
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.70	

Purge Method: Bailer Disposable Bailer Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	--

$\frac{5.2}{1} \text{ (Gals.)} \times \frac{3}{\text{Specified Volumes}} = \frac{15.6}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1104	68.9	4.52	1782	7000	5.2	
1105	well dewatered					
1352	71.8	5.15	990.6	644	-	

Did well dewater? <input checked="" type="checkbox"/> Yes No	Gallons actually evacuated: 9	
Sampling Date: 10/28/11	Sampling Time: 1352	Depth to Water: 21.30
Sample I.D.: S-8	Laboratory: <u>Test America</u> Other _____	
Analyzed for: <u>TPH-G BTEX</u> MTBE TPH-D Oxygenates (5) Other:		
EB I.D. (if applicable): @ _____ Time	Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D* Oxygenates (5) Other:		
D.O. (if req'd): Pre-purge: <u>2.78</u> mg/L	Post-purge: _____ mg/L	
O.R.P. (if req'd): Pre-purge: <u>349</u> mV	Post-purge: _____ mV	

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: WW	Date: 10/28/11
Well I.D.: S-12	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.24	Depth to Water (DTW): 22.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.85	

Purge Method: Bailer	Waterra	Sampling Method: <u>Bailer</u>
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
<u>Electric Submersible</u>	Other _____	Dedicated Tubing
		Other: _____

$7.6 \text{ (Gals.)} \times 3 = 22.8 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														
I Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1052	67.0	7.50	551	86	7.6	
1053	67.4	7.33	584	123	15.2	
1055	67.4	7.23	592	87	22.8	

Did well dewater? Yes No Gallons actually evacuated: 22.8

Sampling Date: 10/28/11 Sampling Time: 10:00 ^{11:00} Depth to Water: 24.00

Sample I.D.: S-12 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge: 3.67 mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd):	Pre-purge: 91 mV	Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: <u>mw</u>	Date: 10/28/11
Well I.D.: S-17	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): 33.44	Depth to Water (DTW): 21.51
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>23.90</u>	

Purge Method: ~~Bailer~~ Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>1.9</u> (Gals.) X	<u>3</u> Specified Volumes	=	<u>5.7</u> Gals. Calculated Volume		
				Well Diameter	Multiplier
				Well Diameter	Multiplier
				1"	0.04
				4"	0.65
				2"	0.16
				6"	1.47
				3"	0.37
				Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1141	65.2	6.18	769	>1000	1.9	
1144	64.9	6.29	380	>1000	3.8	
1147	65.9	6.32	418	>1000	5.7	

Did well dewater? Yes No Gallons actually evacuated: 5.7
 Sampling Date: 10/28/11 Sampling Time: 1155 Depth to Water: 20.29

Sample I.D.: S-17 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	<u>1.19</u> mg/L		Post-purge:			
O.R.P. (if req'd):	Pre-purge:	<u>221</u> mV		Post-purge:			

SHELL WELL MONITORING DATA SHEET

BTS #: 111028 - WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: WW	Date: 10/28/11
Well I.D.: S-18	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 33.19	Depth to Water (DTW): 20.11
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.53	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$1.9 \text{ (Gals.)} \times 3 = 5.7 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1209	69.0	5.78	1843	< 1000	1.9	odor
1212	69.5	5.74	1843	< 1000	3.8	cc
1216	69.8	5.78	1937	< 1000	5.7	cc

Did well dewater? Yes No Gallons actually evacuated: 5.7

Sampling Date: 10/28/11 Sampling Time: 1225 Depth to Water: 22.00

Sample I.D.: S-18 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	1.45	mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:	147	mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: PC	Date: 10/28/11
Well I.D.: S-22B	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 39.75	Depth to Water (DTW): 20.62
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.45	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 *Electric Submersible Other _____ Dedicated Tubing
 Other: _____

12.4 (Gals.) X 3	37.2 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1028	67.7	6.10	512.7	21	12.4	
1031	68.5	4.68	607.8	44	24.8	
1034	68.7	4.28	936.1	308	37.2	
1037	69.0	4.25	821.9	34	49.6	
1040	68.9	4.39	834.0	17	62	

Did well dewater? Yes No Gallons actually evacuated: 62

Sampling Date: 10/28/11 Sampling Time: 1310 Depth to Water: 21.11

Sample I.D.: S-22B Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	4.83	mg/L	Post-purge:		mg/L
	Pre-purge:	-12	mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: 111028-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: PC	Date: 10/28/11
Well I.D.: S-23	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.59	Depth to Water (DTW): 21.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.12	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible

Water: Watterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing

Other: _____

<u>8.5</u> (Gals.) X <u>3</u>	<u>= 25.5</u> Gals.	
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1140	69.0	4.53	1400	240	8.5	
1142	70.1	4.35	1570	206	17	
1144	70.2	4.62	1610	77	25.5	

Did well dewater? Yes No Gallons actually evacuated: 25.5

Sampling Date: 10/28/11 Sampling Time: 1404 Depth to Water: 21.69 (2 Hrs.)

Sample I.D.: S-23 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	<u>1.82</u> mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge:	<u>161</u> mV	Post-purge:	

INCIDENT # 110170114
 DATE: 10/28/11

ADDRESS 761 8th St
 CITY & STATE OAKLAND, CA

Well ID	Observations Upon Arrival												Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition		Repair Date and PM Initials		
	Manway Cover, Type, Condition & Size					Well Labeled / Painted Property*		Well Cap (Gripper) Condition		Well Lock Condition				Well Pad / Surface Condition				
S-4	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	POOR - CRACKING PAD	Y	N	
S-5	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	CONFINED SPACE - SPREAD DRAIN GRATE	Y	N	
S-6	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	Metal plate 10" LID	Y	N	
S-8	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-9	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-10	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-12	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	NO TAG	Y	N	
S-13	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-14R	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-17	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	CRACKING PAD	Y	N	
S-18	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	CRACKING PAD	Y	N	

TOTAL # CAPS REPLACED = 0 = TOTAL # OF LOCKS REPLACED

Condition of Soil/Boring Patches or Abandoned Monitoring Wells	G	P	N/A	If POOR, Borings/Well IDs or Location Description:		Y	N
--	---	---	-----	--	--	---	---

Remediation Compound Type (Check boxes that apply)	Condition of Enclosure		Condition of Area Inside Enclosure		Compound Security		Emergency Contact Info Visible		Cleaning / Repairs Recommended and Conducted		Photos of Condition		Repair Date & PM Initials	
NA														
Building														
Building w/ Fence Comp.	G	P	N/A	G	P	N/A	G	P	N/A	Y	N	N/A	Y	N
Fenced Compound														
Trailer														

Number of Drums On-site	Does the Label Reveal the Source of the Contents		Labeled Correctly and Writing Legible		Drum Condition		Confirm Drums Related to Environmental		Drums Located to Min Business Interference		Detailed Explanation of Any Issues Resolved		Photos of Drum Condition		Date Drums Removed from Site and PM Initials
0	Y	N	N/A	Y	N	N/A	G	P	N/A	Y	N		Y	N	

G = Good (Acceptable) R = Replaced
 P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.
 Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).
 PELE GARNICK
 WILLIAM WORT / BLAINE TECH SERVICES
 Print or type Name of Field Personnel & Consultant Company

Well ID	Manway Cover, Type, Condition & Size					Observations Upon Arrival							Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition		Repair Date and PM Initials		
						Well Labeled / Painted Properly*	Well Cap (Gripper) Condition	Well Lock Condition			Well Pad / Surface Condition							
S-19	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-20	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-21A	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-21B	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-22A	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-22B	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
S-23	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	

TOTAL # CAPS REPLACED = 0 = TOTAL # OF LOCKS REPLACED

Condition of Soil Boring Patches or Abandoned Monitoring Wells:	G	P	N/A	If POOR, Borings/Well IDs or Location Description:		Y	N	
---	---	---	-----	--	--	---	---	--

Remediation Compound Type (Check boxes that apply)	Condition of Enclosure			Condition of Area Inside Enclosure			Compound Security			Emergency Contact Info Visible			Cleaning / Repairs Recommended and Conducted	Photos of Condition	Repair Date & PM Initials
NA															
Building															
Building w/ Fence Comp.	G	P	N/A	G	P	N/A	G	P	N/A	Y	N	N/A		Y	N
Fenced Compound															
Trailer															

Number of Drums On-site	Does the Label Reveal the Source of the Contents		Labeled Correctly and Writing Legible			Drum Condition			Confirm Drums Related to Environmental		Drums Located to Min Business Interference			Detailed Explanation of Any Issues Resolved	Photos of Drum Condition	Date Drums Removed from Site and PM Initials	
0	Y	N	N/A	Y	N	N/A	G	P	N/A	Y	N	Y	N	N/A		Y	N

G = Good (Acceptable) R = Replaced
 P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.
 Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

PETE WORNISH

WILLIAM WOOD / BLAKE TECH SERVICES
 Print or type Name of Field Personnel & Consultant Company

APPENDIX B

TEST AMERICA -
LABORATORY REPORT

LABORATORY REPORT

Prepared For: Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project: 461 8th St., Oakland, CA

Sampled: 10/28/11
Received: 10/29/11
Issued: 11/10/11 15:55

NELAP #01108CA California ELAP#2706 CSDLAC #10256 AZ #AZ0671 NV #CA01531


The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

This entire report was reviewed and approved for release.

SAMPLE CROSS REFERENCE

LABORATORY ID	CLIENT ID	MATRIX
IUJ3437-01	S-5	Water
IUJ3437-02	S-6	Water
IUJ3437-03	S-8	Water
IUJ3437-04	S-9	Water
IUJ3437-05	S-10	Water
IUJ3437-06	S-12	Water
IUJ3437-07	S-13	Water
IUJ3437-08	S-14R	Water
IUJ3437-09	S-17	Water
IUJ3437-10	S-18	Water
IUJ3437-11	S-19	Water
IUJ3437-12	S-20	Water
IUJ3437-13	S-21A	Water
IUJ3437-14	S-21B	Water
IUJ3437-15	S-22A	Water
IUJ3437-16	S-22B	Water
IUJ3437-17	S-23	Water

Reviewed By:



TestAmerica Irvine

Philip Sanelle
Project Manager

Blaine Tech San Jose/CRA Shell 1680 Rogers Avenue San Jose, CA 95112-1105 Attention: Lorin King	Project ID: 461 8th St., Oakland, CA Report Number: IUJ3437	Sampled: 10/28/11 Received: 10/29/11
--	--	---

VOLATILE FUEL HYDROCARBONS BY GC/MS (CA LUFT)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-01 (S-5 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	500	23000	10	11/8/2011	11/8/2011	
Surrogate: Dibromofluoromethane (80-120%)				100 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				103 %				
Sample ID: IUJ3437-02 (S-6 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	5000	42000	100	11/8/2011	11/8/2011	
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-03 (S-8 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	50	ND	1	11/8/2011	11/8/2011	
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				98 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Sample ID: IUJ3437-04 (S-9 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	250	1900	5	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Sample ID: IUJ3437-05 (S-10 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	50	52	1	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				97 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				99 %				
Sample ID: IUJ3437-06 (S-12 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	50	99	1	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				97 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11
 Received: 10/29/11

VOLATILE FUEL HYDROCARBONS BY GC/MS (CA LUFT)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-07 (S-13 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	500	8100	10	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-08 (S-14R - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	50	420	1	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Sample ID: IUJ3437-09 (S-17 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	50	270	1	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				101 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-10 (S-18 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	1000	9000	20	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-11 (S-19 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	250	3600	5	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-12 (S-20 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	2000	17000	40	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				103 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

VOLATILE FUEL HYDROCARBONS BY GC/MS (CA LUFT)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-13 (S-21A - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1074	2500	20000	50	11/8/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Sample ID: IUJ3437-14 (S-21B - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	50	220	1	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				104 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Sample ID: IUJ3437-15 (S-22A - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	2500	31000	50	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Sample ID: IUJ3437-16 (S-22B - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	50	ND	1	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				99 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Sample ID: IUJ3437-17 (S-23 - Water)								
Reporting Units: ug/l								
Volatile Fuel Hydrocarbons (C4-C12)	TPH by GC/MS	11K1247	50	1600	1	11/9/2011	11/9/2011	
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-01 (S-5 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	5.0	430	10	11/8/2011	11/8/2011	
Ethylbenzene	EPA 8260B	11K1074	5.0	570	10	11/8/2011	11/8/2011	
Toluene	EPA 8260B	11K1074	5.0	480	10	11/8/2011	11/8/2011	
Xylenes, Total	EPA 8260B	11K1074	10	1300	10	11/8/2011	11/8/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				103 %				
Surrogate: Dibromofluoromethane (80-120%)				100 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Sample ID: IUJ3437-02 (S-6 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	50	11000	100	11/8/2011	11/8/2011	
Ethylbenzene	EPA 8260B	11K1074	50	1600	100	11/8/2011	11/8/2011	
Toluene	EPA 8260B	11K1074	50	4500	100	11/8/2011	11/8/2011	
Xylenes, Total	EPA 8260B	11K1074	100	5900	100	11/8/2011	11/8/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Sample ID: IUJ3437-03 (S-8 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	0.50	0.61	1	11/8/2011	11/8/2011	
Ethylbenzene	EPA 8260B	11K1074	0.50	ND	1	11/8/2011	11/8/2011	
Toluene	EPA 8260B	11K1074	0.50	ND	1	11/8/2011	11/8/2011	
Xylenes, Total	EPA 8260B	11K1074	1.0	ND	1	11/8/2011	11/8/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				98 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-04 (S-9 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	2.5	370	5	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	2.5	110	5	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	2.5	32	5	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	5.0	260	5	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Sample ID: IUJ3437-05 (S-10 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	0.50	ND	1	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	0.50	2.7	1	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	0.50	ND	1	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	1.0	ND	1	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				99 %				
Surrogate: Dibromofluoromethane (80-120%)				97 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Sample ID: IUJ3437-06 (S-12 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	0.50	15	1	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	0.50	14	1	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	0.50	ND	1	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	1.0	ND	1	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Surrogate: Dibromofluoromethane (80-120%)				97 %				
Surrogate: Toluene-d8 (80-120%)				100 %				

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IUJ3437 <Page 6 of 17>

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-07 (S-13 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	5.0	600	10	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	5.0	380	10	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	5.0	830	10	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	10	1700	10	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Sample ID: IUJ3437-08 (S-14R - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	0.50	47	1	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	0.50	25	1	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	0.50	38	1	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	1.0	67	1	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				
Sample ID: IUJ3437-09 (S-17 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	0.50	58	1	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	0.50	23	1	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	0.50	5.3	1	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	1.0	28	1	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				101 %				
Surrogate: Toluene-d8 (80-120%)				100 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11
 Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-10 (S-18 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	10	1200	20	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	10	430	20	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	10	480	20	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	20	1900	20	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Sample ID: IUJ3437-11 (S-19 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	2.5	210	5	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	2.5	190	5	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	2.5	420	5	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	5.0	750	5	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Sample ID: IUJ3437-12 (S-20 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	20	1500	40	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	20	1000	40	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	20	1900	40	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	40	3400	40	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				103 %				
Surrogate: Dibromofluoromethane (80-120%)				102 %				
Surrogate: Toluene-d8 (80-120%)				101 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11
 Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-13 (S-21A - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1074	25	2400	50	11/8/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1074	25	840	50	11/8/2011	11/9/2011	
Toluene	EPA 8260B	11K1074	25	3000	50	11/8/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1074	50	3600	50	11/8/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Surrogate: Dibromofluoromethane (80-120%)				98 %				
Surrogate: Toluene-d8 (80-120%)				102 %				
Sample ID: IUJ3437-14 (S-21B - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	0.50	ND	1	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	0.50	2.3	1	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	0.50	0.53	1	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	1.0	9.2	1	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Surrogate: Dibromofluoromethane (80-120%)				104 %				
Surrogate: Toluene-d8 (80-120%)				100 %				
Sample ID: IUJ3437-15 (S-22A - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	25	1800	50	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	25	1600	50	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	25	4700	50	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	50	8100	50	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				102 %				
Surrogate: Dibromofluoromethane (80-120%)				99 %				
Surrogate: Toluene-d8 (80-120%)				101 %				

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IUJ3437-16 (S-22B - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	0.50	ND	1	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	0.50	ND	1	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	0.50	ND	1	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	1.0	ND	1	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				101 %				
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				99 %				
Sample ID: IUJ3437-17 (S-23 - Water)								
Reporting Units: ug/l								
Benzene	EPA 8260B	11K1247	0.50	43	1	11/9/2011	11/9/2011	
Ethylbenzene	EPA 8260B	11K1247	0.50	92	1	11/9/2011	11/9/2011	
Toluene	EPA 8260B	11K1247	0.50	83	1	11/9/2011	11/9/2011	
Xylenes, Total	EPA 8260B	11K1247	1.0	370	1	11/9/2011	11/9/2011	
Surrogate: 4-Bromofluorobenzene (80-120%)				100 %				
Surrogate: Dibromofluoromethane (80-120%)				103 %				
Surrogate: Toluene-d8 (80-120%)				101 %				

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IUJ3437 <Page 10 of 17>

Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

METHOD BLANK/QC DATA

VOLATILE FUEL HYDROCARBONS BY GC/MS (CA LUFT)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limit	RPD	RPD Limit	Data Qualifiers
Batch: 11K1074 Extracted: 11/08/11										
Blank Analyzed: 11/08/2011 (11K1074-BLK1)										
Volatile Fuel Hydrocarbons (C4-C12)	ND	50	ug/l							
Surrogate: Dibromofluoromethane	24.5		ug/l	25.0		98	80-120			
Surrogate: Toluene-d8	25.3		ug/l	25.0		101	80-120			
Surrogate: 4-Bromofluorobenzene	25.0		ug/l	25.0		100	80-120			
LCS Analyzed: 11/08/2011 (11K1074-BS2)										
Volatile Fuel Hydrocarbons (C4-C12)	429	50	ug/l	500		86	55-130			
Surrogate: Dibromofluoromethane	24.3		ug/l	25.0		97	80-120			
Surrogate: Toluene-d8	25.4		ug/l	25.0		102	80-120			
Surrogate: 4-Bromofluorobenzene	25.5		ug/l	25.0		102	80-120			
Matrix Spike Analyzed: 11/08/2011 (11K1074-MS1) Source: IUJ3437-03										
Volatile Fuel Hydrocarbons (C4-C12)	1290	50	ug/l	1720	30.5	73	50-145			
Surrogate: Dibromofluoromethane	24.4		ug/l	25.0		97	80-120			
Surrogate: Toluene-d8	24.9		ug/l	25.0		99	80-120			
Surrogate: 4-Bromofluorobenzene	25.6		ug/l	25.0		102	80-120			
Matrix Spike Dup Analyzed: 11/08/2011 (11K1074-MSD1) Source: IUJ3437-03										
Volatile Fuel Hydrocarbons (C4-C12)	1270	50	ug/l	1720	30.5	72	50-145	2	20	
Surrogate: Dibromofluoromethane	24.0		ug/l	25.0		96	80-120			
Surrogate: Toluene-d8	25.0		ug/l	25.0		100	80-120			
Surrogate: 4-Bromofluorobenzene	25.4		ug/l	25.0		102	80-120			
Batch: 11K1247 Extracted: 11/09/11										
Blank Analyzed: 11/09/2011 (11K1247-BLK1)										
Volatile Fuel Hydrocarbons (C4-C12)	ND	50	ug/l							
Surrogate: Dibromofluoromethane	23.7		ug/l	25.0		95	80-120			
Surrogate: Toluene-d8	25.2		ug/l	25.0		101	80-120			
Surrogate: 4-Bromofluorobenzene	25.0		ug/l	25.0		100	80-120			

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA
 Report Number: IUJ3437

Sampled: 10/28/11
 Received: 10/29/11

METHOD BLANK/QC DATA

VOLATILE FUEL HYDROCARBONS BY GC/MS (CA LUFT)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 11K1247 Extracted: 11/09/11									
LCS Analyzed: 11/09/2011 (11K1247-BS2)									
Volatile Fuel Hydrocarbons (C4-C12)	480	50	ug/l	500		96 55-130			
Surrogate: Dibromofluoromethane	23.2		ug/l	25.0		93 80-120			
Surrogate: Toluene-d8	25.1		ug/l	25.0		100 80-120			
Surrogate: 4-Bromofluorobenzene	25.4		ug/l	25.0		102 80-120			
Matrix Spike Analyzed: 11/09/2011 (11K1247-MS1) Source: IUK0039-01									
Volatile Fuel Hydrocarbons (C4-C12)	1440	50	ug/l	1720	50.5	80 50-145			
Surrogate: Dibromofluoromethane	25.4		ug/l	25.0		101 80-120			
Surrogate: Toluene-d8	25.1		ug/l	25.0		100 80-120			
Surrogate: 4-Bromofluorobenzene	26.1		ug/l	25.0		104 80-120			
Matrix Spike Dup Analyzed: 11/09/2011 (11K1247-MSD1) Source: IUK0039-01									
Volatile Fuel Hydrocarbons (C4-C12)	1410	50	ug/l	1720	50.5	79 50-145	2	20	
Surrogate: Dibromofluoromethane	25.2		ug/l	25.0		101 80-120			
Surrogate: Toluene-d8	25.3		ug/l	25.0		101 80-120			
Surrogate: 4-Bromofluorobenzene	25.9		ug/l	25.0		104 80-120			

TestAmerica Irvine
 Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

METHOD BLANK/QC DATA

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limit	RPD	RPD Limit	Data Qualifiers
Batch: 11K1074 Extracted: 11/08/11										
Blank Analyzed: 11/08/2011 (11K1074-BLK1)										
Benzene	ND	0.50	ug/l							
Ethylbenzene	ND	0.50	ug/l							
Toluene	ND	0.50	ug/l							
m,p-Xylenes	ND	1.0	ug/l							
o-Xylene	ND	0.50	ug/l							
Xylenes, Total	ND	1.0	ug/l							
Surrogate: 4-Bromofluorobenzene	25.0		ug/l	25.0		100	80-120			
Surrogate: Dibromofluoromethane	24.5		ug/l	25.0		98	80-120			
Surrogate: Toluene-d8	25.3		ug/l	25.0		101	80-120			
LCS Analyzed: 11/08/2011 (11K1074-BS1)										
Benzene	22.9	0.50	ug/l	25.0		91	70-120			
Ethylbenzene	25.9	0.50	ug/l	25.0		104	75-125			
Toluene	22.7	0.50	ug/l	25.0		91	70-120			
m,p-Xylenes	52.5	1.0	ug/l	50.0		105	75-125			
o-Xylene	27.1	0.50	ug/l	25.0		108	75-125			
Xylenes, Total	79.6	1.0	ug/l	75.0		106	70-125			
Surrogate: 4-Bromofluorobenzene	25.3		ug/l	25.0		101	80-120			
Surrogate: Dibromofluoromethane	24.1		ug/l	25.0		97	80-120			
Surrogate: Toluene-d8	25.4		ug/l	25.0		102	80-120			
Matrix Spike Analyzed: 11/08/2011 (11K1074-MS1)					Source: IUJ3437-03					
Benzene	23.4	0.50	ug/l	25.0	0.610	91	65-125			
Ethylbenzene	25.7	0.50	ug/l	25.0	ND	103	65-130			
Toluene	22.4	0.50	ug/l	25.0	ND	90	70-125			
m,p-Xylenes	48.5	1.0	ug/l	50.0	ND	97	65-130			
o-Xylene	25.6	0.50	ug/l	25.0	ND	102	65-125			
Xylenes, Total	74.1	1.0	ug/l	75.0	ND	99	60-130			
Surrogate: 4-Bromofluorobenzene	25.6		ug/l	25.0		102	80-120			
Surrogate: Dibromofluoromethane	24.4		ug/l	25.0		97	80-120			
Surrogate: Toluene-d8	24.9		ug/l	25.0		99	80-120			

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA
 Report Number: IUJ3437

Sampled: 10/28/11
 Received: 10/29/11

METHOD BLANK/QC DATA

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 11K1074 Extracted: 11/08/11										
Matrix Spike Dup Analyzed: 11/08/2011 (11K1074-MSD1)					Source: IUJ3437-03					
Benzene	24.0	0.50	ug/l	25.0	0.610	94	65-125	3	20	
Ethylbenzene	25.5	0.50	ug/l	25.0	ND	102	65-130	0.9	20	
Toluene	22.4	0.50	ug/l	25.0	ND	90	70-125	0	20	
m,p-Xylenes	46.2	1.0	ug/l	50.0	ND	92	65-130	5	25	
o-Xylene	24.8	0.50	ug/l	25.0	ND	99	65-125	3	20	
Xylenes, Total	71.0	1.0	ug/l	75.0	ND	95	60-130	4	20	
Surrogate: 4-Bromofluorobenzene	25.4		ug/l	25.0		102	80-120			
Surrogate: Dibromofluoromethane	24.0		ug/l	25.0		96	80-120			
Surrogate: Toluene-d8	25.0		ug/l	25.0		100	80-120			

Batch: 11K1247 Extracted: 11/09/11

Blank Analyzed: 11/09/2011 (11K1247-BLK1)

Benzene	ND	0.50	ug/l							
Ethylbenzene	ND	0.50	ug/l							
Toluene	ND	0.50	ug/l							
m,p-Xylenes	ND	1.0	ug/l							
o-Xylene	ND	0.50	ug/l							
Xylenes, Total	ND	1.0	ug/l							
Surrogate: 4-Bromofluorobenzene	25.0		ug/l	25.0		100	80-120			
Surrogate: Dibromofluoromethane	23.7		ug/l	25.0		95	80-120			
Surrogate: Toluene-d8	25.2		ug/l	25.0		101	80-120			

LCS Analyzed: 11/09/2011 (11K1247-BS1)

Benzene	21.6	0.50	ug/l	25.0		87	70-120			
Ethylbenzene	24.6	0.50	ug/l	25.0		98	75-125			
Toluene	21.3	0.50	ug/l	25.0		85	70-120			
m,p-Xylenes	50.4	1.0	ug/l	50.0		101	75-125			
o-Xylene	25.5	0.50	ug/l	25.0		102	75-125			
Xylenes, Total	76.0	1.0	ug/l	75.0		101	70-125			
Surrogate: 4-Bromofluorobenzene	25.1		ug/l	25.0		100	80-120			
Surrogate: Dibromofluoromethane	23.6		ug/l	25.0		94	80-120			
Surrogate: Toluene-d8	25.1		ug/l	25.0		100	80-120			

TestAmerica Irvine

Philip Sanelle
 Project Manager

Blaine Tech San Jose/CRA Shell
 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

METHOD BLANK/QC DATA

VOLATILE ORGANICS by GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 11K1247 Extracted: 11/09/11										
Matrix Spike Analyzed: 11/09/2011 (11K1247-MS1)					Source: IUK0039-01					
Benzene	23.2	0.50	ug/l	25.0	ND	93	65-125			
Ethylbenzene	26.1	0.50	ug/l	25.0	ND	105	65-130			
Toluene	22.9	0.50	ug/l	25.0	ND	92	70-125			
m,p-Xylenes	53.0	1.0	ug/l	50.0	ND	106	65-130			
o-Xylene	27.3	0.50	ug/l	25.0	ND	109	65-125			
Xylenes, Total	80.3	1.0	ug/l	75.0	ND	107	60-130			
Surrogate: 4-Bromofluorobenzene	26.1		ug/l	25.0		104	80-120			
Surrogate: Dibromofluoromethane	25.4		ug/l	25.0		101	80-120			
Surrogate: Toluene-d8	25.1		ug/l	25.0		100	80-120			
Matrix Spike Dup Analyzed: 11/09/2011 (11K1247-MSD1)					Source: IUK0039-01					
Benzene	23.0	0.50	ug/l	25.0	ND	92	65-125	1	20	
Ethylbenzene	25.5	0.50	ug/l	25.0	ND	102	65-130	3	20	
Toluene	22.6	0.50	ug/l	25.0	ND	90	70-125	1	20	
m,p-Xylenes	51.2	1.0	ug/l	50.0	ND	102	65-130	4	25	
o-Xylene	26.7	0.50	ug/l	25.0	ND	107	65-125	2	20	
Xylenes, Total	77.9	1.0	ug/l	75.0	ND	104	60-130	3	20	
Surrogate: 4-Bromofluorobenzene	25.9		ug/l	25.0		104	80-120			
Surrogate: Dibromofluoromethane	25.2		ug/l	25.0		101	80-120			
Surrogate: Toluene-d8	25.3		ug/l	25.0		101	80-120			

TestAmerica Irvine

Philip Sanelle
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

DATA QUALIFIERS AND DEFINITIONS

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.

RPD Relative Percent Difference

ADDITIONAL COMMENTS

For Volatile Fuel Hydrocarbons (C4-C12):

Volatile Fuel Hydrocarbons (C4-C12) are quantitated against a gasoline standard. Quantitation begins immediately before TBA-d9.

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IUJ3437 <Page 16 of 17>

Blaine Tech San Jose/CRA Shell
1680 Rogers Avenue
San Jose, CA 95112-1105
Attention: Lorin King

Project ID: 461 8th St., Oakland, CA

Report Number: IUJ3437

Sampled: 10/28/11

Received: 10/29/11

Certification Summary

TestAmerica Irvine

Method	Matrix	Nelac	California
EPA 8260B	Water	X	X
TPH by GC/MS	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

TestAmerica Irvine

Philip Sanelle
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IUJ3437 <Page 17 of 17>

LAB (LOCATION)



Shell Oil Products Chain Of Custody Record

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA (IRVINE)
- OTHER ()

Please Check Appropriate Box:

<input type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print/Bill To Contact Name: Peter Schaefer 241501

PO #: 4 0 - 4 0 3 4 9 7 3

INCIDENT # (ENV SERVICES): 9 7 0 9 3 3 9 9

CHECK IF NO INCIDENT # APPLIES

DATE: 10/28/11

PAGE: 2 of 2

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 481 8th St, Oakland

State: CA

GLOBAL ID NO.: T0600101263

ADDRESS: 1680 Rogers Avenue, San Jose, CA

EDF DELIVERABLE TO (Name, Company, Office Location): Brenda Carter, CRA, Emeryville

PHONE NO.: 510-420-3343

E-MAIL: shelledf@croworld.com

CONSULTANT PROJECT NO.: 111028-WW1

PROJECT CONTACT (Hardcopy or PDF Report to): Lorin King

TELEPHONE: 310-995-4455 x 108

FAX: 310-637-5802

E-MAIL: lking@blainetech.com

SAMPLER NAME(S) (Print or Write): WILLIAM WUNG / PETER CORNICH

LAB USE ONLY

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS

RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES :

Email invoice and copy of final report to Shell.Lab.Billing@croworld.com

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

TPH -GRO, Purgeable (8260B)	TPH -GRO, Extractable (8016M)	TPH (8016M)	BTEX (8260B)	BTEX + MTBE (8260B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) 8260B	Full VOC list (8260B)	Single Compound: (8260B)	1,2-DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8016M)	TEMPERATURE ON RECEIPT °C
-----------------------------	-------------------------------	-------------	--------------	---------------------	---------------------------	---	-----------------------	--------------------------	-----------------	-------------	-----------------	------------------	---------------------------

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS												Container PID Readings or Laboratory Notes		
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH -GRO, Purgeable (8260B)	TPH -GRO, Extractable (8016M)	TPH (8016M)	BTEX (8260B)	BTEX + MTBE (8260B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) 8260B	Full VOC list (8260B)	Single Compound: (8260B)	1,2-DCA (8260B)	EDB (8260B)	Ethanol (8260B)		Methanol (8016M)	
	S-19	10/28/11	1344	W	3					3	0														
	S-20		1240								0														
	S-21A		1345								0														
	S-21B		1320								0														
	S-22A		1320								0														
	S-22B		1310								0														
	S-23		1404								0														

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
<i>[Signature]</i>	<i>[Signature]</i> SAMPLE BY SCOD/BN	10/28/11	1518
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
<i>[Signature]</i> (Sample Custodian)	<i>[Signature]</i> Peter Schaefer	10/28/11	1600
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
<i>[Signature]</i> 10-28-11 18:00	<i>[Signature]</i> M. Wright	10/29/11	9:50

4.5°C (CS)