



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: June 28, 2012 REFERENCE NO.: 241501
PROJECT NAME: 461 8th Street, Oakland

TO: Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED

10:42 am, Jul 09, 2012

Alameda County
Environmental Health

Please find enclosed: Draft Final
 Originals Other
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other GeoTracker and Alameda County FTP

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - Second Quarter 2012

As Requested For Review and Comment
 For Your Use _____

COMMENTS:
If you have any questions regarding the contents of the document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US (electronic copy)
Leroy Griffin, Fire Prevention Bureau, 250 Frank Ogawa Plaza, 3rd Floor, Suite 3341,
Oakland, CA 94612
A.F. Evans Company (property owner), c/o Anye Spivey, 1000 Broadway, Suite 300,
Oakland, CA 94507
Leah Goldberg, Meyers Nave, 555 12th Street, Suite 1500, Oakland, CA 94607
Grover Buhr, Treadwell & Rollo (electronic copy)

Completed by: Peter Schaefer Signed: *Peter Schaefer*
Filing: Correspondence File



Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Former Shell Service Station
461 8th Street
Oakland, California
SAP Code 129453
Incident No. 97093399
ACEH Case No. RO0000343

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (707) 865-0251 with any questions or concerns.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is located below the "Sincerely," text.

Denis L. Brown
Senior Program Manager



GROUNDWATER MONITORING REPORT - SECOND QUARTER 2012

**FORMER SHELL SERVICE STATION
461 8TH STREET
OAKLAND, CALIFORNIA**

SAP CODE	129453
INCIDENT NO.	97093399
AGENCY NO.	RO0000343

JUNE 28, 2012

REF. NO. 241501 (31)

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

		<u>Page</u>
1.0	INTRODUCTION.....	1
1.1	SITE INFORMATION	1
2.0	SITE ACTIVITIES, FINDINGS, AND DISCUSSION.....	1
2.1	CURRENT QUARTER'S ACTIVITIES.....	1
2.2	CURRENT QUARTER'S FINDINGS	2
2.3	PROPOSED ACTIVITIES.....	2

LIST OF FIGURES
(Following Text)

FIGURE 1	VICINITY MAP
FIGURE 2	GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF TABLES
(Following Text)

TABLE 1	GROUNDWATER DATA
---------	------------------

LIST OF APPENDICES

APPENDIX A	BLAINE TECH SERVICES, INC. - FIELD NOTES
APPENDIX B	TEST AMERICA - LABORATORY REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

1.1 SITE INFORMATION

Site Address	461 8th Street, Oakland
Site Use	Parking lot
Shell Project Manager	Denis Brown
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACEH, Jerry Wickham
Agency Case No.	RO0000343
Shell SAP Code:	129453
Shell Incident No.	97093399

Date of most recent agency correspondence was February 27, 2012.

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

On January 26, 2012, CRA submitted a *Subsurface Investigation Report* detailing installation and sampling of seven nested soil vapor probes. Based on the results of the recent soil vapor investigation and historical soil vapor data, Alameda County Environmental Health's February 27, 2012 letter allowed suspension of further soil vapor investigations.

2.2 CURRENT QUARTER'S FINDINGS

Groundwater Flow Direction	Southerly to southwesterly
Hydraulic Gradient	0.006
Depth to Water	13.82 to 22.50 feet below top of well casing


2.3 PROPOSED ACTIVITIES

Blaine will gauge and sample wells during the second and fourth quarters according to the established monitoring program for this site, and CRA will issue groundwater monitoring reports semiannually following the sampling events.

All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES




Peter Schaefer, CEG, CHG




Aubrey K. Cool, PG

FIGURES



I:\Shell\6-chars\2415--\241501-Oakland 461 8th\241501-FIGURES\241501 VICINITY.AI

SOURCE: TOPOI MAPS




Former Shell Service Station
 461 8th Street
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**

Vicinity Map

I:\Shell\6-chars\2415-1241501-Oakland 461 8th St\241501-REPORTS\241501-RPT31-2012\241501 20M12-GW.DWG



EXPLANATION

- S-4 ● Monitoring well location
- S-21B ○ Deeper monitoring well location (not used in contouring)
- OW-1 ▲ Observation well location
- S-1 ⊗ Destroyed well location
- BART line tunnel
- Storm drain line (STM)
- Water line (W)
- Sanitary sewer line (SAN)
- Telecommunications line (T)
- Gas line (G)
- Electrical line (E)
- M.H. ○ Manhole
- C.B. □ Catch basin
- FL = 16.50' Flow line depth below ground surface
- x.xx Groundwater flow direction and gradient
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl)

Well	ELEV	TPHg	Benzene
S-10	14.35	50	0.84
S-23	14.16	870	50
S-22A	14.10	40,000	2,000
S-22B*	14.16	ND	1.4
S-8	14.60	ND	4.3
S-21A	13.90	12,000	2,200
S-21B*	13.72	170	ND
S-12	13.94	180	25
S-17	14.00	980	110
S-18	13.83	4,700	710
S-13	13.70	5,100	540
S-20	13.96	9,900	760
S-9	13.85	970	200
S-19	14.06	3,400	220
S-14R	14.18	630	68
S-5	13.42	16,000	150
S-6	13.06	38,000	14,000
S-4	13.76	240	86

Notes:
ND = Not detected


Groundwater Contour and Chemical Concentration Map



Former Shell Service Station
461 8th Street
Oakland, California

May 7, 2012

FIGURE **2**



TABLE

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	10/26/1988	130	3.8	13	4.0	30	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	02/14/1989	<50	0.50	<1.0	<1.0	3.0	---	---	---	---	---	---	---	---	93.51	12.82	---	80.69	---	---
S-4	05/01/1989	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	16.48	---	77.03	---	---
S-4	07/27/1989	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.84	---	77.67	---	---
S-4	10/05/1989	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.98	---	77.53	---	---
S-4	01/09/1990	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.86	---	77.65	---	---
S-4	04/30/1990	<50	<0.50	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	93.51	14.48	---	79.03	---	---
S-4	07/31/1990	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	10/30/1990	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	05/06/1991	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.23	---	78.28	---	---
S-4	06/27/1991	<50	<0.50	<0.50	<0.50	<0.50	---	---	---	---	---	---	---	---	93.51	13.54	---	79.97	---	---
S-4	09/24/1991	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.85	---	77.66	---	---
S-4	11/07/1991	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	15.60	---	77.91	---	---
S-4	02/13/1992	<50	<0.50	<0.50	<0.50	3.0	---	---	---	---	---	---	---	---	93.51	14.27	---	79.24	---	---
S-4	05/11/1992	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	12/03/1992	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	05/13/1993	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	14.81	---	78.70	---	---
S-4	07/22/1993	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	14.42	---	79.09	---	---
S-4	10/20/1993	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	---	---	---	---	---
S-4	01/25/1994	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	14.60	---	78.91	---	---
S-4	04/25/1994	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	93.51	14.39	---	79.12	---	---
S-4	07/21/1994	<50	<0.50	<0.50	<0.50	<0.50	---	---	---	---	---	---	---	---	93.51	22.29	---	71.22	---	---
S-4	10/24/1994	<500	<0.50	<0.50	<0.50	<0.50	---	---	---	---	---	---	---	---	93.51	22.72	---	70.79	---	---
S-4	12/22/1994	<50	<0.50	<0.50	<0.50	<0.50	---	---	---	---	---	---	---	---	25.77	22.25	---	3.52	---	---
S-4	04/20/1995	<50	<0.50	<0.50	<0.50	<0.50	---	---	---	---	---	---	---	---	25.77	21.16	---	4.61	---	---
S-4	10/04/1995	<50	1.2	0.70	<0.50	<0.50	---	---	---	---	---	---	---	---	25.77	22.25	---	3.52	---	---
S-4	01/03/1996	<50	0.60	<0.50	<0.50	1.7	---	---	---	---	---	---	---	---	25.77	23.28	---	2.49	---	---
S-4	04/11/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	21.58	---	4.19	---	---
S-4	07/11/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	21.60	---	4.17	---	---
S-4	10/02/1996	<50	<0.50	<0.50	<0.50	<0.50	2.6	---	---	---	---	---	---	---	25.77	22.46	---	3.31	---	---
S-4	01/22/1997	<50	0.73	<0.50	<0.50	0.63	<2.5	---	---	---	---	---	---	---	25.77	20.06	---	5.71	---	---
S-4	07/21/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	22.10	---	3.67	---	---
S-4	01/22/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	20.50	---	5.27	---	---
S-4	07/08/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	20.86	---	4.91	---	---
S-4	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.41	---	4.36	---	---
S-4	01/28/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	22.34	---	3.43	---	---
S-4	04/23/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.43	---	4.34	---	---
S-4	07/29/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	---	---	---	---	---	---	---	25.77	21.45	---	4.32	---	---
S-4	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	22.08	---	3.69	---	---

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	01/07/2000	<50	<0.50	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	25.77	22.29	---	3.48	---	---
S-4	04/11/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.11	---	4.66	---	---
S-4	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	---	---	---	---	---	---	---	25.77	21.19	---	4.58	---	---
S-4	10/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	22.22	---	3.55	---	---
S-4	01/09/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	---	---	---	---	---	---	---	25.77	22.17	---	3.60	---	---
S-4	04/06/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.50	---	4.27	---	---
S-4	07/25/2001	<50	2.0	0.52	<0.50	1.0	---	<5.0	---	---	---	---	---	---	25.77	21.50	---	4.27	---	---
S-4	11/01/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.95	---	3.82	---	---
S-4	01/17/2002	<50 d	<0.50 d	<0.50 d	<0.50 d	<0.50 d	---	<5.0 d	---	---	---	---	---	---	25.77	21.13	---	4.64	---	---
S-4	05/08/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	25.77	21.35	---	4.42	---	---
S-4	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	---	<5.0	---	---	---	---	---	---	34.41	21.19	---	13.22	---	---
S-4	10/15/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.42	---	12.99	---	---
S-4	01/02/2003	<50	<0.50	<0.50	<0.50	<0.50	---	<5.0	---	---	---	---	---	---	34.41	20.75	---	13.66	---	---
S-4	04/15/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.08	---	13.33	---	---
S-4	07/14/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	19.93	---	14.48	---	---
S-4	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	19.56	---	14.85	---	---
S-4	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.41	19.12	---	15.29	---	---
S-4	04/19/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	19.15	---	15.26	---	---
S-4	07/13/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.48	---	13.93	---	---
S-4	10/28/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.00	---	13.41	---	---
S-4	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.41	20.17	---	14.24	---	---
S-4	04/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	19.82	---	14.59	---	---
S-4	07/28/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.71	---	13.70	---	---
S-4	10/05/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.85	---	13.56	---	---
S-4	02/09/2006	<50.0	<0.500	<0.500	<0.500	<0.500	---	<0.500	---	---	---	---	---	---	34.41	19.47	---	14.94	---	---
S-4	05/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	19.52	---	14.89	---	---
S-4	08/23/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.75	---	13.66	---	---
S-4	11/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.03	---	14.38	---	---
S-4	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.41	21.30	---	13.11	---	---
S-4	05/29/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.15	---	13.26	---	---
S-4	08/15/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.38	---	13.03	---	---
S-4	11/28/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.55	---	12.86	---	---
S-4	02/08/2008	64 f	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	34.41	22.75	---	11.66	---	---
S-4	05/08/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	22.18	---	12.23	---	---
S-4	08/14/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.77	---	12.64	---	---
S-4	11/11/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.68	---	13.73	---	---
S-4	01/05/2009	250	1.8	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	34.41	20.92	---	13.49	---	---
S-4	04/09/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.10	---	13.31	---	---
S-4	07/23/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.76	---	12.65	---	---

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-4	10/01/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	22.10	---	12.31	---	---
S-4	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	34.41	21.75	---	12.66	---	---
S-4	05/20/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.44	---	12.97	---	---
S-4	08/31/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.72	---	12.69	---	---
S-4	12/29/2010	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.91	---	13.50	---	---
S-4	02/01/2011	<50	<0.50	<0.50	<0.50	1.1	---	---	---	---	---	---	---	---	34.41	21.19	---	13.22	1.84	157
S-4	04/25/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	17.32	---	17.09	---	---
S-4	07/28/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	20.92	---	13.49	---	---
S-4	10/28/2011	---	---	---	---	---	---	---	---	---	---	---	---	---	34.41	21.35	---	13.06	---	---
S-4	05/07/2012	240	86	22	9.5	25	---	---	---	---	---	---	---	---	34.41	20.65	---	13.76	2.52	119
S-5	04/16/1987	130,000	15,000	16,000	a	14,000	---	---	---	---	---	---	---	---	99.36	---	---	---	---	---
S-5	10/26/1988	110,000	20,000	25,000	2,300	10,000	---	---	---	---	---	---	---	---	99.36	---	---	---	---	---
S-5	02/14/1989	94,000	16,000	21,000	1,800	10,000	---	---	---	---	---	---	---	---	99.36	19.87	---	79.49	---	---
S-5	05/01/1989	120,000	29,000	35,000	3,100	15,000	---	---	---	---	---	---	---	---	99.36	21.23	---	78.13	---	---
S-5	07/27/1989	110,000	20,000	29,000	2,400	14,000	---	---	---	---	---	---	---	---	99.36	20.41	---	78.95	---	---
S-5	10/05/1989	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	20.43	0.01	78.94	---	---
S-5	01/09/1990	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.16	0.01	78.21	---	---
S-5	04/30/1990	100,000	13,000	22,000	2,100	11,000	---	---	---	---	---	---	---	---	99.36	20.96	---	78.40	---	---
S-5	07/31/1990	53,000	8,300	14,000	1,200	7,400	---	---	---	---	---	---	---	---	99.36	20.88	---	78.48	---	---
S-5	10/30/1990	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.96	0.03	77.42	---	---
S-5	05/06/1991	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	23.00	0.13	76.46	---	---
S-5	06/27/1991	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	20.53	0.03	78.85	---	---
S-5	09/24/1991	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.40	0.06	78.01	---	---
S-5	11/07/1991	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.33	0.25	78.23	---	---
S-5	02/13/1992	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.52	0.31	77.09	---	---
S-5	05/11/1992	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.46	0.58	77.36	---	---
S-5	12/03/1992	Well inaccessible			---	---	---	---	---	---	---	---	---	---	99.36	---	---	---	---	---
S-5	05/13/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.22	0.27	77.36	---	---
S-5	07/22/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.68	0.25	77.88	---	---
S-5	10/20/1993	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	20.51	0.23	79.03	---	---
S-5	01/25/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.93	0.18	77.57	---	---
S-5	04/25/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.97	0.35	77.67	---	---
S-5	05/26/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	20.84	0.35	78.80	---	---
S-5	06/10/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	21.01	0.32	78.61	---	---
S-5	07/21/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.18	0.47	77.56	---	---
S-5	08/25/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.01	0.44	77.70	---	---
S-5	09/22/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.00	0.15	77.48	---	---
S-5	10/24/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	99.36	22.28	0.56	77.53	---	---

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-5	12/22/1994	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	22.88	0.99	0.85	---	---
S-5	04/20/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	21.66	0.33	1.54	---	---
S-5	10/04/1995	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	22.18	---	0.76	---	---
S-5	01/03/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	22.80	0.83	0.80	---	---
S-5	04/11/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	21.15	0.67	2.33	---	---
S-5	07/11/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	22.62	0.90	1.04	---	---
S-5	10/02/1996	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	23.07	0.64	0.38	---	---
S-5	01/22/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	20.83	0.16	2.24	---	---
S-5	07/21/1997	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	21.16	0.05	1.82	---	---
S-5	01/22/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	20.04	0.04	2.93	---	---
S-5	07/08/1998	220	14	40	5.8	34	3.3	---	---	---	---	---	---	---	22.94	18.61	---	4.33	---	---
S-5	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	17.31	---	5.63	---	---
S-5	01/28/1999	51,000	13,000	1,200	1,200	2,400	2,400	---	---	---	---	---	---	---	22.94	20.11	---	2.83	---	---
S-5	04/23/1999	65,600	2,540	7,300	1,790	9,840	<1,000	---	---	---	---	---	---	---	22.94	19.21	---	3.73	---	---
S-5	07/29/1999	61,400	3,320	6,980	1,520	7,700	<1,000	---	---	---	---	---	---	---	22.94	14.77	---	8.17	---	---
S-5	11/01/1999	48,200	2,700	5,740	1,290	7,850	<500	<40.0	---	---	---	---	---	---	22.94	15.56	---	7.38	---	---
S-5	01/07/2000	39,000	3,900	8,500	790	8,300	1,500	---	---	---	---	---	---	---	22.94	15.82	---	7.12	---	---
S-5	04/11/2000	29,300	1,680	5,060	1,130	6,220	<250	---	---	---	---	---	---	---	22.94	18.19	---	4.75	---	---
S-5	07/19/2000	6,420	2,110	207	252	681	355	253 b	---	---	---	---	---	---	22.94	19.01	---	3.93	---	---
S-5	10/12/2000	41,500	2,940	4,940	1,520	7,770	<250	<66.7	---	---	---	---	---	---	22.94	19.62	---	3.32	---	---
S-5	01/09/2001	142,000	7,030	9,550	2,340	12,600	779	---	---	---	---	---	---	---	22.94	19.94	---	3.00	---	---
S-5	04/06/2001	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	22.94	---	---	---	---	---
S-5	04/13/2001	59,800	4,810	10,800	1,950	10,100	842	<10.0	---	---	---	---	---	---	22.94	14.72	---	8.22	---	---
S-5	07/25/2001	71,000	2,900	6,800	1,700	9,100	---	<250	---	---	---	---	---	---	22.94	14.91	---	8.03	---	---
S-5	08/13/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	22.94	19.43	---	3.51	---	---
S-5	11/01/2001	Unable to locate	---	---	---	---	---	---	---	---	---	---	---	---	22.94	---	---	---	---	---
S-5	01/17/2002	58,000 d	460 d	3,300 d	1,900 d	8,400 d	---	<200 d	---	---	---	---	---	---	c	14.27	---	---	---	---
S-5	05/08/2002	60,000 d	d	2,700 d	1,800 d	8,800 d	---	<100 d	---	---	---	---	---	---	22.94	18.40	---	4.54	---	---
S-5	07/18/2002	53,000	240	1,200	1,500	6,400	---	<100	---	---	---	---	---	---	27.36	14.25	---	13.11	---	---
S-5	10/15/2002	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	27.36	---	---	---	---	---
S-5	10/17/2002	42,000	420	1,100	1,200	5,500	---	<10	---	---	---	---	---	---	27.36	14.90	---	12.46	---	---
S-5	01/02/2003	26,000	680	1,500	780	3,800	---	<5.0	---	---	---	---	---	---	27.36	14.72	---	12.64	---	---
S-5	04/15/2003	3,600	29	38	65	370	---	<5.0	---	---	---	---	---	---	e	14.45	---	---	---	---
S-5	07/14/2003	21,000	210	460	650	2,900	---	<10	---	---	---	---	---	---	e	14.10	---	---	---	---
S-5	10/20/2003	37,000	390	590	870	3,500	---	<13	---	---	---	---	---	---	e	14.63	---	---	---	---
S-5	01/22/2004	29,000	200	210	710	2,400	---	<13	---	---	---	---	---	---	e	14.08	---	---	---	---
S-5	04/19/2004	25,000	490	460	750	2,400	---	19	---	---	---	---	---	---	e	13.43	---	---	---	---
S-5	07/13/2004	28,000	300	280	690	2,400	---	<13	---	---	---	---	---	---	e	14.88	---	---	---	---
S-5	08/14/2008	31,000	1,700	1,600	1,400	3,350	---	<10	---	---	---	---	<5.0	<10	e	16.65	---	---	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-5	11/11/2008	37,000 i	2,500 i	1,300 i	2,000 i	3,490 i	---	<50 i	---	---	---	---	<25 i	<50 i	e	16.81	---	---	---	---
S-5	11/11/2008	40,000 j	2,300 j	1,400 j	1,900 j	3,630 j	---	<50 j	---	---	---	---	<25 j	<50 j	e	16.81	---	---	---	---
S-5	01/05/2009	57,000	2,300	1,400	1,500	2,900	---	<10	---	---	---	---	<5.0	<10	e	16.71	---	---	---	---
S-5	04/09/2009	52,000	2,100	3,500	1,900	5,400	---	<20	---	---	---	---	<10	<20	e	16.31	---	---	0.3	163
S-5	07/23/2009	37,000	1,800	1,900	1,400	3,800	---	---	---	---	---	---	---	---	e	16.62	---	---	1.48	-84
S-5	10/01/2009	36,000	1,800	1,900	1,400	3,700	---	---	---	---	---	---	---	---	27.24	16.35	---	10.89	0.86	-52
S-5	01/28/2010	35,000	1,200	1,900	1,500	3,600	---	---	---	---	---	---	---	---	27.24	16.35	---	10.89	---	---
S-5	05/20/2010	36,000	1,600	2,500	1,700	4,500	---	---	---	---	---	---	---	---	27.24	16.50	---	10.74	1.22	227
S-5	08/31/2010	32,000	1,300	1,100	1,600	3,400	---	---	---	---	---	---	---	---	27.24	16.95	---	10.29	0.58	-102
S-5	12/29/2010	26,000	970	1,500	1,500	3,200	---	---	---	---	---	---	---	---	27.24	16.25	---	10.99	1.18	233
S-5	02/01/2011	27,000	1,100	1,500	1,400	3,100	---	---	---	---	---	---	---	---	27.24	15.38	---	11.86	1.65	-83
S-5	04/25/2011	70,000	380	440	720	1,200	---	---	---	---	---	---	---	---	27.24	13.98	---	13.26	0.95	-109
S-5	07/28/2011	21,000	340	430	570	1,000	---	---	---	---	---	---	---	---	27.24	13.80	---	13.44	0.71	-95
S-5	10/28/2011	23,000	430	480	570	1,300	---	---	---	---	---	---	---	---	27.24	14.28	---	12.96	6.05	190
S-5	05/07/2012	16,000	150	200	350	760	---	---	---	---	---	---	---	---	27.24	13.82	---	13.42	3.61	120
S-6	04/16/1987	81,000	16,000	9,000	a	6,400	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	10/26/1988	110,000	29,000	18,000	2,500	8,200	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	02/14/1989	54,000	18,000	4,500	1,400	4,000	---	---	---	---	---	---	---	---	100.58	20.87	---	79.71	---	---
S-6	05/01/1989	93,000	43,000	9,900	3,000	8,000	---	---	---	---	---	---	---	---	100.58	20.49	---	80.09	---	---
S-6	07/27/1989	52,000	20,000	3,200	1,700	5,500	---	---	---	---	---	---	---	---	100.58	21.01	---	79.57	---	---
S-6	10/05/1989	55,000	20,000	2,900	1,600	5,500	---	---	---	---	---	---	---	---	100.58	21.24	---	79.34	---	---
S-6	01/09/1990	76,000	35,000	9,100	2,300	8,600	---	---	---	---	---	---	---	---	100.58	22.62	Sheen	77.96	---	---
S-6	04/30/1990	39,000	13,000	2,300	900	2,800	---	---	---	---	---	---	---	---	100.58	22.10	---	78.48	---	---
S-6	07/31/1990	48,000	20,000	4,600	1,500	4,900	---	---	---	---	---	---	---	---	100.58	22.00	---	78.58	---	---
S-6	10/30/1990	27,000	7,400	900	600	1,400	---	---	---	---	---	---	---	---	100.58	22.14	---	78.44	---	---
S-6	05/06/1991	35,000	3,900	2,700	2,300	3,500	---	---	---	---	---	---	---	---	100.58	22.40	---	78.18	---	---
S-6	06/27/1991	51,000	19,000	5,600	1,700	6,300	---	---	---	---	---	---	---	---	100.58	21.21	---	79.37	---	---
S-6	09/24/1991	42,000	14,000	4,300	1,200	4,000	---	---	---	---	---	---	---	---	100.58	22.26	---	78.32	---	---
S-6	11/07/1991	39,000	11,000	2,000	800	2,300	---	---	---	---	---	---	---	---	100.58	22.35	---	78.23	---	---
S-6	02/13/1992	64,000	21,000	6,200	1,600	5,100	---	---	---	---	---	---	---	---	100.58	22.28	---	78.30	---	---
S-6	05/11/1992	57,000	22,000	7,600	2,200	7,700	---	---	---	---	---	---	---	---	100.58	22.10	---	78.48	---	---
S-6	12/03/1992	110,000	26,000	9,400	2,100	8,700	---	---	---	---	---	---	---	---	100.58	22.14	---	78.44	---	---
S-6	05/13/1993	58,000	21,000	6,800	2,500	9,800	---	---	---	---	---	---	---	---	100.58	22.16	---	78.42	---	---
S-6	07/22/1993	70,000	31,000	14,000	3,000	13,000	---	---	---	---	---	---	---	---	100.58	21.64	---	78.94	---	---
S-6	10/20/1993	48,000	28,000	9,800	3,200	12,000	---	---	---	---	---	---	---	---	100.58	21.62	---	78.96	---	---
S-6	01/25/1994	70,000	23,000	7,500	2,500	8,000	---	---	---	---	---	---	---	---	100.58	21.80	---	78.78	---	---
S-6	04/25/1994	61,000	16,000	4,000	1,800	5,100	---	---	---	---	---	---	---	---	100.58	21.68	---	78.90	---	---
S-6	07/21/1994	44,000	8,200	3,600	1,400	3,900	---	---	---	---	---	---	---	---	100.58	21.78	---	78.80	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-6 (D)	07/21/1994	32,000	7,800	3,400	1,300	3,700	---	---	---	---	---	---	---	---	100.58	---	---	---	---	---
S-6	10/24/1994	2,936	1,184	440.6	163.4	648.4	---	---	---	---	---	---	---	---	100.58	22.06	---	78.52	---	---
S-6 (D)	10/24/1994	2,968	770.8	325.3	144.1	622	---	---	---	---	---	---	---	---	22.08*	---	---	---	---	---
S-6	12/22/1994	32,000	7,000	2,900	790	2,400	---	---	---	---	---	---	---	---	22.08	21.91	---	0.17	---	---
S-6 (D)	12/22/1994	32,000	8,000	3,800	1,100	3,400	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	04/20/1995	56,000	15,000	3,800	1,900	4,900	---	---	---	---	---	---	---	---	22.08	21.38	---	0.70	---	---
S-6 (D)	04/20/1995	49,000	13,000	3,500	1,800	4,700	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	10/04/1995	49,000	8,400	4,700	1,800	4,800	---	---	---	---	---	---	---	---	22.08	21.80	---	0.28	---	---
S-6 (D)	10/04/1995	41,000	8,400	4,100	1,400	4,400	---	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	01/03/1996	52,000	9,100	7,100	1,800	5,800	---	---	---	---	---	---	---	---	22.08	21.70	---	0.38	---	---
S-6	04/11/1996	59,000	11,000	7,100	2,100	6,400	<500	---	---	---	---	---	---	---	22.08	21.62	---	0.46	---	---
S-6 (D)	04/11/1996	59,000	11,000	6,800	1,900	6,400	<500	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	07/11/1996	72,000	18,000	6,600	2,500	8,400	<1,000	---	---	---	---	---	---	---	22.08	21.65	---	0.43	---	---
S-6	10/02/1996	57,000	11,000	6,500	1,500	5,100	<500	---	---	---	---	---	---	---	22.08	21.80	---	0.28	---	---
S-6	01/22/1997	67,000	15,000	5,000	1,800	5,400	<1,000	---	---	---	---	---	---	---	22.08	19.95	---	2.13	---	---
S-6 (D)	01/22/1997	63,000	15,000	4,800	1,800	5,200	<1,000	---	---	---	---	---	---	---	22.08	---	---	---	---	---
S-6	07/21/1997	61,000	15,000	2,100	1,100	3,500	1,900	---	---	---	---	---	---	---	22.08	20.61	---	1.47	---	---
S-6	01/22/1998	46,000	14,000	3,200	1,300	3,400	<500	---	---	---	---	---	---	---	22.08	19.82	---	2.26	---	---
S-6	07/08/1998	74,000	26,000	7,500	2,200	6,200	<1,000	---	---	---	---	---	---	---	22.08	18.20	---	3.88	---	---
S-6	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	22.08	18.81	---	3.27	---	---
S-6	01/28/1999	120,000	9,000	14,000	2,700	14,000	3,700	---	---	---	---	---	---	---	22.08	19.73	---	2.35	---	---
S-6	04/23/1999	58,500	15,900	1,360	1,640	3,030	<2500	---	---	---	---	---	---	---	22.08	17.58	---	4.50	---	---
S-6	07/29/1999	36,200	10,300	760	930	1,360	<1,000	---	---	---	---	---	---	---	22.08	21.35	---	0.73	---	---
S-6	11/01/1999	36,000	11,700	767	865	1,670	<1,250	<40.0	---	---	---	---	---	---	22.08	19.23	---	2.85	---	---
S-6	01/07/2000	36,000	7,600	4,600	840	3,600	<1,000	---	---	---	---	---	---	---	22.08	19.53	---	2.55	---	---
S-6	04/11/2000	14,600	7,540	205	306	609	621	---	---	---	---	---	---	---	22.08	18.16	---	3.92	---	---
S-6	07/19/2000	2,590	629	63.9	99.6	267	124	72.7 b	---	---	---	---	---	---	22.08	18.40	---	3.68	---	---
S-6	10/12/2000	32,900	14,200	966	1,060	1,790	<500	<100	---	---	---	---	---	---	22.08	19.52	---	2.56	---	---
S-6	01/09/2001	27,600	11,200	675	666	1,580	1,430	<10.0 b	---	---	---	---	---	---	22.08	19.69	---	2.39	---	---
S-6	02/05/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	22.08	19.20	---	2.88	---	---
S-6	04/06/2001	16,900	7,800	343	172	966	809	<20.0	---	---	---	---	---	---	22.08	18.25	---	3.83	---	---
S-6	07/25/2001	29,000	9,800	1,700	1,000	1,800	---	<250	---	---	---	---	---	---	22.08	18.27	---	3.81	---	---
S-6	11/01/2001	41,000	15,000	2,400	1,100	2,500	---	<500	---	---	---	---	---	---	22.08	19.30	---	2.78	---	---
S-6	01/17/2002	38,000 d	11,000 d	1,700 d	990 d	2,200 d	---	<500 d	---	---	---	---	---	---	22.08	18.51	---	3.57	---	---
S-6	05/08/2002	72,000	21,000	4,400	2,200	5,300	---	<1,000	---	---	---	---	---	---	22.08	18.30	---	3.78	---	---
S-6	07/18/2002	71,000	17,000	4,300	1,700	4,800	---	<1,000	---	---	---	---	---	---	30.56	18.19	---	12.37	---	---
S-6	10/15/2002	55,000	16,000	4,600	1,500	4,600	---	<100	---	---	---	---	---	---	30.56	18.77	---	11.79	---	---
S-6	01/02/2003	75,000	21,000	5,000	2,400	6,400	---	<50	---	---	---	---	---	---	30.56	18.60	---	11.96	---	---
S-6	04/15/2003	64,000	29,000	6,400	2,700	5,600	---	<1,000	---	---	---	---	---	---	30.56	18.27	---	12.29	---	---

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-6	07/14/2003	47,000	19,000	4,300	1,500	4,300	---	<100	---	---	---	---	---	---	30.56	18.05	---	12.51	---	---
S-6	10/20/2003	63,000	21,000	5,800	1,900	5,200	---	<130	---	---	---	---	---	---	30.56	18.55	Sheen	12.01	---	---
S-6	01/22/2004	41,000	21,000	4,300	1,800	4,000	---	<130	---	---	---	---	---	---	30.56	18.18	Sheen	12.38	---	---
S-6	04/19/2004	58,000	23,000	4,200	2,200	3,900	---	<130	---	---	---	---	---	---	30.56	17.32	---	13.24	---	---
S-6	05/03/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	30.56	17.30	---	13.26	---	---
S-6	06/17/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	30.56	17.70	---	12.86	---	---
S-6	07/13/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	30.56	17.85	---	12.71	---	---
S-6	10/28/2004	45,000	21,000	3,600	1,700	3,300	---	<130	---	---	---	---	---	---	30.56	18.45	---	12.11	---	---
S-6	01/17/2005	61,000	21,000	3,500	1,600	3,200	---	<130	---	---	---	---	---	---	30.56	17.52	---	13.04	---	---
S-6	04/14/2005	36,000	12,000	6,200	850	4,800	---	<50	---	---	---	---	---	---	30.56	22.49	---	8.07	---	---
S-6	07/28/2005	54,000	16,000	9,100	1,800	5,900	---	<130	---	---	---	---	---	---	30.56	19.38	---	11.18	---	---
S-6	10/05/2005	59,000	14,000	7,500	1,400	5,000	---	<50	---	---	---	---	---	---	30.56	18.32	---	12.24	---	---
S-6	02/09/2006	41,100	7,060	3,900	673	2,380	---	<0.500	---	---	---	---	---	---	30.56	17.11	---	13.45	---	---
S-6	05/15/2006	188,000	24,800	20,700	2,540	12,400	---	<25.0	---	---	---	---	---	---	30.56	19.80	---	10.76	---	---
S-6	08/23/2006	133,000	24,900	16,100	2,280	10,500	---	<0.500	---	---	---	---	---	---	30.56	20.45	---	10.11	---	---
S-6	11/15/2006	66,000	19,000	8,400	1,900	7,400	---	<400	---	---	---	---	---	---	30.56	20.41	---	10.15	---	---
S-6	01/30/2007	88,000	18,000	9,600	1,900	7,200	---	<100	---	---	---	---	---	---	30.56	20.47	---	10.09	---	---
S-6	05/29/2007	56,000 f	17,000	6,700	1,700	5,400	---	<20	---	---	---	---	---	---	30.56	20.40	---	10.16	---	---
S-6	08/15/2007	57,000 f,g	15,000	6,800	1,600	6,100	---	<100	---	---	---	---	---	---	30.56	20.49	---	10.07	---	---
S-6	11/28/2007	42,000 f	13,000	5,000	1,300	5,000	---	<100	---	---	---	---	---	---	30.56	20.65	---	9.91	---	---
S-6	02/08/2008	35,000 f	12,000	5,000	1,200	4,050	---	<100	---	---	---	---	<50	<100	30.56	20.31	---	10.25	---	---
S-6	05/08/2008	45,000 f	15,000	6,100	1,400	5,000	---	<100	---	---	---	---	<50	<100	30.56	20.63	---	9.93	---	---
S-6	08/14/2008	37,000	11,000	5,200	1,200	4,600	---	<100	---	---	---	---	<50	<100	30.56	20.65	---	9.91	---	---
S-6	11/11/2008	37,000 i	15,000 i	6,200 i	1,200 i	3,390 i	---	<10 i	---	---	---	---	<5.0 i	<10 i	30.56	20.79	---	9.77	---	---
S-6	11/11/2008	14,000 j	5,200 j	680 j	400 j	1,060 j	---	<50 j	---	---	---	---	<25 j	<50 j	30.56	20.79	---	9.77	---	---
S-6	01/05/2009	53,000	9,400	3,600	890	3,100	---	<100	---	---	---	---	<50	<100	30.56	21.66	---	8.90	---	---
S-6	04/09/2009	Unable to sample	---	---	---	---	---	---	---	---	---	---	---	---	30.56	---	---	---	---	---
S-6	04/21/2009	13,000	3,700	1,100	270	750	---	<100	---	---	---	---	<50	<100	30.56	20.20	---	10.36	---	---
S-6	07/23/2009	15,000	4,400	1,100	360	1,000	---	---	---	---	---	---	---	---	30.56	20.66	---	9.90	1.13	-73
S-6	10/01/2009	21,000	5,100	1,300	420	1,200	---	---	---	---	---	---	---	---	30.56	20.86	---	9.70	0.58	16
S-6	01/28/2010	8,700	2,600	250	200	400	---	---	---	---	---	---	---	---	30.56	20.36	---	10.20	---	---
S-6	05/20/2010	4,400	1,600	82	85	150	---	---	---	---	---	---	---	---	30.56	20.68	---	9.88	1.08	64
S-6	08/31/2010	19,000	4,700	1,300	560	1,600	---	---	---	---	---	---	---	---	30.56	20.78	---	9.78	1.55	-88
S-6	12/29/2010	15,000	3,900	1,500	520	1,800	---	---	---	---	---	---	---	---	30.56	19.92	---	10.64	2.35	123
S-6	02/01/2011	16,000	4,000	1,700	600	1,800	---	---	---	---	---	---	---	---	30.56	19.05	---	11.51	0.61	-143
S-6	04/25/2011	23,000	7,800	3,500	960	3,000	---	---	---	---	---	---	---	---	30.56	17.73	---	12.83	0.76	-112
S-6	07/28/2011	17,000	5,500	1,500	600	1,600	---	---	---	---	---	---	---	---	30.56	17.62	---	12.94	0.77	-26
S-6	10/28/2011	42,000	11,000	4,500	1,600	5,900	---	---	---	---	---	---	---	---	30.56	18.12	---	12.44	4.64	-9
S-6	05/07/2012	38,000	14,000	4,800	1,300	4,400	---	---	---	---	---	---	---	---	30.56	17.50	---	13.06	2.32	116

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-8	12/22/1994	600	120	32	5.2	34	---	---	---	---	---	---	---	---	27.21	24.87	---	2.34	---	---
S-8	04/20/1995	460	180	23	5.2	21	---	---	---	---	---	---	---	---	27.21	23.90	---	3.31	---	---
S-8	10/04/1995	830	210	38	11	42	---	---	---	---	---	---	---	---	27.21	24.48	---	2.73	---	---
S-8	01/03/1996	350	61	12	2.5	12	---	---	---	---	---	---	---	---	27.21	24.62	---	2.59	---	---
S-8 (D)	01/03/1996	340	54	12	2.4	12	---	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	04/11/1996	570	140	37	12	47	<6.2	---	---	---	---	---	---	---	27.21	24.32	---	2.89	---	---
S-8	07/11/1996	980	98	32	9.1	160	<12	---	---	---	---	---	---	---	27.21	24.10	---	3.11	---	---
S-8	10/02/1996	280	62	13	3.3	25	15	---	---	---	---	---	---	---	27.21	25.38	---	1.83	---	---
S-8 (D)	10/02/1996	490	110	24	7.0	45	22	<2.0	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	01/22/1997	400	90	13	4.9	25	12	---	---	---	---	---	---	---	27.21	23.91	---	3.30	---	---
S-8	07/21/1997	2,900	380	110	26	260	85	---	---	---	---	---	---	---	27.21	23.62	---	3.59	---	---
S-8 (D)	07/21/1997	3,200	420	120	32	300	130	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	01/22/1998	3,800	790	140	42	330	160	---	---	---	---	---	---	---	27.21	23.52	---	3.69	---	---
S-8 (D)	01/22/1998	3,500	780	120	33	300	160	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	07/08/1998	3,600	1,800	<25	<25	<25	<125	---	---	---	---	---	---	---	27.21	21.52	---	5.69	---	---
S-8 (D)	07/08/1998	4,000	1,800	<25	<25	31	<125	---	---	---	---	---	---	---	27.21	---	---	---	---	---
S-8	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	27.21	22.01	---	5.20	---	---
S-8	01/28/1999	2,000	630	6.2	24	51	43	---	---	---	---	---	---	---	27.21	23.03	---	4.18	---	---
S-8	04/23/1999	1,050	408	<5.00	<5.00	6.65	<50.0	---	---	---	---	---	---	---	27.21	22.15	---	5.06	---	---
S-8	07/29/1999	955	344	<2.50	6.90	16.2	<25.0	---	---	---	---	---	---	---	27.21	21.95	---	5.26	---	---
S-8	11/01/1999	1,800	550	6.45	15.0	40.4	<50.0	---	---	---	---	---	---	---	27.21	22.55	---	4.66	---	---
S-8	01/07/2000	1,300	600	11	29	48	<13	---	---	---	---	---	---	---	27.21	22.87	---	4.34	---	---
S-8	04/11/2000	342	101	4.42	4.24	14.7	21.4	---	---	---	---	---	---	---	27.21	21.86	---	5.35	---	---
S-8	07/19/2000	579	228	6.37	6.45	25	<12.5	---	---	---	---	---	---	---	27.21	21.93	---	5.28	---	---
S-8	10/12/2000	947	340	8.64	3.26	38.3	<12.5	<2.00	---	---	---	---	---	---	27.21	22.92	---	4.29	---	---
S-8	01/09/2001	1,090	394	<10.0	<10.0	33.3	57.6	---	---	---	---	---	---	---	27.21	23.19	---	4.02	---	---
S-8	04/06/2001	671	182	12.5	16.4	47.1	42.5	---	---	---	---	---	---	---	27.21	22.46	---	4.75	---	---
S-8	07/25/2001	500	70	6.7	11	23	---	<5.0	---	---	---	---	---	---	27.21	22.50	---	4.71	---	---
S-8	11/01/2001	1,900	250	28	39	180	---	<5.0	---	---	---	---	---	---	27.21	22.44	---	4.77	---	---
S-8	01/17/2002	830 d	140 d	11 d	12 d	89 d	---	<5.0 d	---	---	---	---	---	---	27.21	21.82	---	5.39	---	---
S-8	05/08/2002	210 d	34 d	1.7 d	4.1 d	15 d	---	<5.0 d	---	---	---	---	---	---	27.21	21.35	---	5.86	---	---
S-8	07/18/2002	650	68	2.8	9.7	42	---	<5.0	---	---	---	---	---	---	35.85	21.53	---	14.32	---	---
S-8	10/15/2002	1,000	160	4.2	7.7	74	---	<0.50	---	---	---	---	---	---	35.85	21.97	---	13.88	---	---
S-8	01/02/2003	440	55	1.8	2.9	31	---	<0.50	---	---	---	---	---	---	35.85	21.95	---	13.90	---	---
S-8	04/15/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.73	---	14.12	---	---
S-8	07/14/2003	60	6.8	<0.50	0.98	4.9	---	<0.50	---	---	---	---	---	---	35.85	21.40	---	14.45	---	---
S-8	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.94	---	13.91	---	---
S-8	01/22/2004	210	19	0.52	3.6	17	---	<0.50	---	---	---	---	---	---	35.85	21.40	---	14.45	---	---

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-8	04/19/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	20.83	---	15.02	---	---
S-8	07/13/2004	420	77	0.82	14	31	---	<0.50	---	---	---	---	---	---	35.85	21.05	---	14.80	---	---
S-8	10/28/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.77	---	14.08	---	---
S-8	01/17/2005	490	85	0.89	13	28	---	<0.50	---	---	---	---	---	---	35.85	20.92	---	14.93	---	---
S-8	04/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.57	---	14.28	---	---
S-8	07/28/2005	64	12	<0.50	1.5	1.6	---	<0.50	---	---	---	---	---	---	35.85	21.62	---	14.23	---	---
S-8	10/05/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	21.11	---	14.74	---	---
S-8	02/09/2006	<50.0	2.79	<0.500	<0.500	<0.500	---	<0.500	---	---	---	---	---	---	35.85	20.18	---	15.67	---	---
S-8	05/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	20.53	---	15.32	---	---
S-8	08/23/2006	<50.0	<0.500	<0.500	<0.500	<0.500	---	<0.500	---	---	---	---	---	---	35.85	21.49	---	14.36	---	---
S-8	11/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	22.05	---	13.80	---	---
S-8	01/30/2007	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	35.85	22.41	---	13.44	---	---
S-8	05/29/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	22.65	---	13.20	---	---
S-8	08/15/2007	65 f,g	7.4	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	---	---	35.85	22.88	---	12.97	---	---
S-8	11/28/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	23.20	---	12.65	---	---
S-8	02/08/2008	350 f	22	<1.0	4.8	2.6	---	1.2	---	---	---	---	<0.50	<1.0	35.85	22.72	---	13.13	---	---
S-8	05/08/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.85	22.91	---	12.94	---	---
S-8	08/14/2008	420	28	<1.0	6.3	1.4	---	<1.0	---	---	---	---	<0.50	<1.0	35.85	23.12	---	12.73	---	---
S-8	11/11/2008	330 i	37 i	<1.0 i	5.1 i	<1.0 i	---	<1.0 i	---	---	---	---	<0.50 i	<1.0 i	35.85	23.37	---	12.48	1.6	28
S-8	11/11/2008	480 j	29 j	<1.0 j	5.4 j	<1.0 j	---	---	---	---	---	---	---	---	35.85	23.37	---	12.48	2.2	103
S-8	12/18/2008	340	38	<1.0	5.4	<1.0	---	---	---	---	---	---	---	---	35.83	23.31	---	12.52	---	---
S-8	01/05/2009	170	15	<1.0	1.2	<1.0	---	---	---	---	---	---	---	---	35.83	23.28	---	12.55	---	---
S-8	01/15/2009	260	45	<1.0	3.2	<1.0	---	---	---	---	---	---	---	---	35.83	23.05	---	12.78	---	---
S-8	02/12/2009	88	7.2	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.34	---	12.49	---	---
S-8	03/12/2009	12,000	1,700	2,100	200	2,400	---	---	---	---	---	---	---	---	35.83	22.90	---	12.93	---	---
S-8	04/09/2009	170	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.10	---	12.73	---	594
S-8	07/23/2009	140	0.55	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.02	---	12.81	2.38	-54
S-8	10/01/2009	140	0.68	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.31	---	12.52	4.34	359
S-8	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	22.80	---	13.03	---	---
S-8	05/20/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.55	---	12.28	0.64	42
S-8	08/31/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.48	---	12.35	0.54	-72
S-8	12/29/2010	79	0.83	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.83	23.18	---	12.65	0.74	133
S-8	02/01/2011	<50	<0.50	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.83	22.57	---	13.26	1.68	104
S-8	04/25/2011	<50	1.1	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.83	21.26	---	14.57	1.78	12
S-8	07/28/2011	50	2.4	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.83	20.94	---	14.89	0.89	186
S-8	10/28/2011	<50	0.61	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.83	21.09	---	14.74	2.78	349
S-8	05/07/2012	<50	4.3	1.4	0.59	1.0	---	---	---	---	---	---	---	---	35.83	21.23	---	14.60	2.42	209
S-9	12/22/1994	2,600	400	150	42	310	---	---	---	---	---	---	---	---	26.06	24.37	---	1.69	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-9	04/20/1995	1,900	400	130	51	200	---	---	---	---	---	---	---	---	26.06	23.49	---	2.57	---	---
S-9	10/04/1995	3,200	590	260	68	280	---	---	---	---	---	---	---	---	26.06	24.01	---	2.05	---	---
S-9	01/03/1996	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	26.06	---	---	---	---	---
S-9	04/11/1996	2,100	440	1,500	42	210	<25	---	---	---	---	---	---	---	26.06	23.61	---	2.45	---	---
S-9	07/11/1996	5,200	940	450	120	520	<50	---	---	---	---	---	---	---	26.06	23.78	---	2.28	---	---
S-9 (D)	07/11/1996	4,800	890	430	110	500	<50	---	---	---	---	---	---	---	26.06	---	---	---	---	---
S-9	10/02/1996	3,000	680	220	56	270	<62	---	---	---	---	---	---	---	26.06	24.31	---	1.75	---	---
S-9	01/22/1997	1,500	230	71	36	130	<12	---	---	---	---	---	---	---	26.06	23.08	---	2.98	---	---
S-9	07/21/1997	3,400	590	57	19	210	96	---	---	---	---	---	---	---	26.06	22.83	---	3.23	---	---
S-9	01/22/1998	2,600	300	46	<10	270	62	---	---	---	---	---	---	---	26.06	21.96	---	4.10	---	---
S-9	07/08/1998	820	150	6.2	7.5	57	<10	---	---	---	---	---	---	---	26.06	20.85	---	5.21	---	---
S-9	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	21.39	---	4.67	---	---
S-9	01/28/1999	<50	1.0	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	26.06	22.32	---	3.74	---	---
S-9	04/23/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	21.41	---	4.65	---	---
S-9	07/29/1999	117	7.77	0.817	0.683	5.05	<5.00	---	---	---	---	---	---	---	26.06	21.25	---	4.81	---	---
S-9	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	21.92	---	4.14	---	---
S-9	01/07/2000	<50	1.2	<0.50	<0.50	<0.50	<2.5	---	---	---	---	---	---	---	26.06	22.11	---	3.95	---	---
S-9	04/11/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	21.14	---	4.92	---	---
S-9	07/19/2000	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	26.06	---	---	---	---	---
S-9	10/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	22.24	---	3.82	---	---
S-9	01/09/2001	<50.0	1.45	<0.500	<0.500	<0.500	<2.50	---	---	---	---	---	---	---	26.06	22.52	---	3.54	---	---
S-9	04/06/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	23.61	---	2.45	---	---
S-9	07/25/2001	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	26.06	---	---	---	---	---
S-9	08/13/2001	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	26.06	---	---	---	---	---
S-9	11/01/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	21.78	---	4.28	---	---
S-9	01/17/2002	<50 d	<0.50 d	<0.50 d	<0.50 d	<0.50 d	---	<5.0 d	---	---	---	---	---	---	26.06	21.15	---	4.91	---	---
S-9	05/08/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	26.06	20.56	---	5.50	---	---
S-9	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	---	<5.0	---	---	---	---	---	---	34.70	20.88	---	13.82	---	---
S-9	10/15/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.41	---	13.29	---	---
S-9	01/02/2003	<50	<0.50	<0.50	<0.50	<0.50	---	<5.0	---	---	---	---	---	---	34.70	21.35	---	13.35	---	---
S-9	04/15/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.14	---	13.56	---	---
S-9	07/14/2003	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.70	20.80	---	13.90	---	---
S-9	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.33	---	13.37	---	---
S-9	01/22/2004	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.70	20.77	---	13.93	---	---
S-9	04/19/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	20.06	---	14.64	---	---
S-9	07/13/2004	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.70	20.44	---	14.26	---	---
S-9	10/28/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.02	---	13.68	---	---
S-9	01/17/2005	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	---	---	---	---	---	---	34.70	20.18	---	14.52	---	---
S-9	04/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.85	---	12.85	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-9	07/28/2005	360	190	1.8	1.1	3.9	---	<0.50	<5.0	<2.0	<2.0	<2.0	---	---	34.70	21.22	---	13.48	---	---
S-9	10/05/2005	---	---	---	---	---	---	<0.50	---	---	---	---	---	---	34.70	20.63	---	14.07	---	---
S-9	02/09/2006	<50.0	0.94	<0.500	<0.500	<0.500	---	<0.500	---	---	---	---	---	---	34.70	19.23	---	15.47	---	---
S-9	05/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	20.28	---	14.42	---	---
S-9	08/23/2006	7,000	1,740	55.6	193	278	---	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	34.70	21.31	---	13.39	---	---
S-9	11/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	21.79	---	12.91	---	---
S-9	01/30/2007	12,000	2,200	250	480	980	---	<0.50	---	---	---	---	---	---	34.70	22.08	---	12.62	---	---
S-9	05/29/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	22.22	---	12.48	---	---
S-9	08/15/2007	9,800 f,g	2,400	100	410	602	---	<10	<100	<20	<20	<20	---	---	34.70	22.43	---	12.27	---	---
S-9	11/28/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	22.75	---	11.95	---	---
S-9	02/08/2008	69 f	2.2	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	34.70	22.31	---	12.39	---	---
S-9	05/08/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.70	22.49	---	12.21	---	---
S-9	08/14/2008	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	34.70	22.70	---	12.00	---	---
S-9	11/11/2008	<50 i	2.4 i	<1.0 i	<1.0 i	<1.0 i	---	<1.0 i	---	---	---	---	<0.50 i	<1.0 i	34.70	22.90	---	11.80	1.1	92
S-9	11/11/2008	550 j	74 j	12 j	22 j	55.3 j	---	---	---	---	---	---	---	---	34.70	22.90	---	11.80	3.6	98
S-9	12/18/2008	1,500	280	43	71	182	---	---	---	---	---	---	---	---	34.34	22.81	---	11.53	---	---
S-9	01/05/2009	1,000	230	24	45	64	---	---	---	---	---	---	---	---	34.34	22.75	---	11.59	---	---
S-9	01/15/2009	2,100	560	75	100	245	---	---	---	---	---	---	---	---	34.34	22.37	---	11.97	---	---
S-9	02/12/2009	500	120	19	26	50	---	---	---	---	---	---	---	---	34.34	22.61	---	11.73	---	---
S-9	03/12/2009	810	200	30	50	110	---	---	---	---	---	---	---	---	34.34	22.22	---	12.12	---	---
S-9	04/09/2009	2,300	450	60	110	260	---	---	---	---	---	---	---	---	34.34	22.12	---	12.22	0.65	79
S-9	05/18/2009	1,500	200	35	61	180	---	---	---	---	---	---	---	---	34.34	22.09	---	12.25	2.71	173
S-9	07/23/2009	1,700	430	49	110	190	---	---	---	---	---	---	---	---	34.34	22.48	---	11.86	0.21	346
S-9	10/01/2009	1,200	180	12	58	93	---	---	---	---	---	---	---	---	34.34	22.84	---	11.50	1.37	146
S-9	11/09/2009	1,400	260	21	67	81	---	---	---	---	---	---	---	---	34.34	22.63	---	11.71	0.42	---
S-9	12/01/2009	1,100	110	11	26	59	---	---	---	---	---	---	---	---	34.34	22.44	---	11.90	1.09	133
S-9	01/28/2010	860	130	9.3	38	79	---	---	---	---	---	---	---	---	34.34	22.35	---	11.99	1.95	---
S-9	05/20/2010	1,900	340	27	100	210	---	---	---	---	---	---	---	---	34.34	22.40	---	11.94	0.17	138
S-9	06/22/2010	1,400	240	30	65	130	---	---	---	---	---	---	---	---	34.34	22.64	---	11.70	2.16	577
S-9	08/31/2010	760	130	13	54	110	---	<1.0	<10	<2.0	<2.0	<2.0	---	---	34.34	22.92	---	11.42	1.53	415
S-9	12/29/2010	290	55	3.3	18	41	---	---	---	---	---	---	---	---	34.34	22.62	---	11.72	1.64	163
S-9	02/01/2011	640	99	7.8	38	72	---	---	---	---	---	---	---	---	34.34	21.88	---	12.46	1.34	0
S-9	04/25/2011	590	120	9.1	29	77	---	---	---	---	---	---	---	---	34.34	20.34	---	14.00	0.62	98
S-9	07/28/2011	1,700	280	47	88	230	---	<1.0	<10	<1.0	<1.0	<1.0	---	---	34.34	20.10	---	14.24	2.17	73
S-9	10/28/2011	1,900	370	32	110	260	---	---	---	---	---	---	---	---	34.34	20.54	---	13.80	2.18	122
S-9	05/07/2012	970	200	14	46	100	---	<2.5	<50	<2.5	<2.5	<2.5	---	---	34.34	20.49	---	13.85	0.91	78
S-10	12/22/1994	420	27	8.0	18	45	---	---	---	---	---	---	---	---	28.04	25.84	---	2.20	---	---
S-10	04/20/1995	820	49	3.7	97	52	---	---	---	---	---	---	---	---	28.04	24.92	---	3.12	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-10	10/04/1995	240	6.5	1.1	16	12	---	---	---	---	---	---	---	---	28.04	25.47	---	2.57	---	---
S-10	01/03/1996	1,100	27	4.9	110	70	---	---	---	---	---	---	---	---	28.04	25.60	---	2.44	---	---
S-10	04/11/1996	530	19	1.6	82	52	<5.0	---	---	---	---	---	---	---	28.04	25.27	---	2.77	---	---
S-10	07/11/1996	570	16	3.2	53	53	<2.5	---	---	---	---	---	---	---	28.04	25.46	---	2.58	---	---
S-10	10/02/1996	270	8.2	0.77	24	23	3.3	---	---	---	---	---	---	---	28.04	25.81	---	2.23	---	---
S-10	01/22/1997	160	4.8	0.73	16	11	<2.5	---	---	---	---	---	---	---	28.04	24.74	---	3.30	---	---
S-10	07/21/1997	530	5.7	0.70	29	69	<2.5	---	---	---	---	---	---	---	28.04	24.50	---	3.54	---	---
S-10	01/22/1998	1,500	15	<5.0	88	130	<25	---	---	---	---	---	---	---	28.04	24.44	---	3.60	---	---
S-10	07/08/1998	530	4.8	1.1	47	51	<2.5	---	---	---	---	---	---	---	28.04	22.36	---	5.68	---	---
S-10	10/26/1998	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	22.81	---	5.23	---	---
S-10	01/28/1999	630	4.6	0.98	<0.50	59	<2.5	---	---	---	---	---	---	---	28.04	23.82	---	4.22	---	---
S-10	04/23/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	22.96	---	5.08	---	---
S-10	07/29/1999	728	3.4	<1.00	41.8	38.0	<10.0	---	---	---	---	---	---	---	28.04	22.63	---	5.41	---	---
S-10	11/01/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	23.02	---	5.02	---	---
S-10	01/07/2000	870	8.5	1.3	110	110	<2.5	---	---	---	---	---	---	---	28.04	23.33	---	4.71	---	---
S-10	04/11/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	22.64	---	5.40	---	---
S-10	07/19/2000	612	3.75	<0.500	41.6	43.6	<2.50	---	---	---	---	---	---	---	28.04	23.04	---	5.00	---	---
S-10	10/12/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	23.92	---	4.12	---	---
S-10	01/09/2001	647	7.62	1.01	66.2	42.4	<2.50	---	---	---	---	---	---	---	28.04	24.13	---	3.91	---	---
S-10	04/06/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	25.37	---	2.67	---	---
S-10	07/25/2001	340	1.5	<0.50	42	19	---	<5.0	---	---	---	---	---	---	28.04	25.35	---	2.69	---	---
S-10	11/01/2001	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	23.22	---	4.82	---	---
S-10	01/17/2002	1,100 d	3.5 d	<0.50 d	55 d	46 d	---	<5.0 d	---	---	---	---	---	---	28.04	22.72	---	5.32	---	---
S-10	05/08/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	28.04	22.35	---	5.69	---	---
S-10	07/18/2002	750	1.8	<0.50	42	26	---	<5.0	---	---	---	---	---	---	36.35	22.05	---	14.30	---	---
S-10	10/15/2002	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.51	---	13.84	---	---
S-10	01/02/2003	440	1.8	<0.50	14	24	---	<5.0	---	---	---	---	---	---	36.35	22.50	---	13.85	---	---
S-10	04/15/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.32	---	14.03	---	---
S-10	07/14/2003	210	0.86	<0.50	13	12	---	<0.50	---	---	---	---	---	---	36.35	21.99	---	14.36	---	---
S-10	10/20/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.53	---	13.82	---	---
S-10	01/22/2004	280	0.88	<0.50	10	11	---	<0.50	---	---	---	---	---	---	36.35	22.02	---	14.33	---	---
S-10	04/19/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	21.43	---	14.92	---	---
S-10	07/13/2004	770	1.5	<0.50	70	42	---	<0.50	---	---	---	---	---	---	36.35	21.68	---	14.67	---	---
S-10	10/28/2004	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.37	---	13.98	---	---
S-10	01/17/2005	1,100	1.5	<0.50	73	51	---	<0.50	---	---	---	---	---	---	36.35	21.45	---	14.90	---	---
S-10	04/14/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.18	---	14.17	---	---
S-10	07/28/2005	260	<0.50	<0.50	19	9.7	---	<0.50	<5.0	<2.0	<2.0	<2.0	---	---	36.35	22.25	---	14.10	---	---
S-10	10/05/2005	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	21.70	---	14.65	---	---
S-10	02/09/2006	630	<0.500	<0.500	13.8	13.8	---	<0.500	---	---	---	---	---	---	36.35	20.37	---	15.98	---	---

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-10	05/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	21.31	---	15.04	---	---
S-10	08/23/2006	<50.0	<0.500	<0.500	14.5	3.4	---	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	36.35	22.12	---	14.23	---	---
S-10	11/15/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	22.68	---	13.67	---	---
S-10	01/30/2007	120	<0.50	<0.50	7.0	3.3	---	<0.50	---	---	---	---	---	---	36.35	23.09	---	13.26	---	---
S-10	05/29/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	23.20	---	13.15	---	---
S-10	08/15/2007	64 f,g	0.15 h	<1.0	1.4	0.72 h	---	<1.0	<10	<2.0	<2.0	<2.0	---	---	36.35	23.48	---	12.87	---	---
S-10	11/28/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	23.82	---	12.53	---	---
S-10	02/08/2008	61 f	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	36.35	23.31	---	13.04	---	---
S-10	05/08/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	23.55	---	12.80	---	---
S-10	08/14/2008	58	<0.50	<1.0	2.7	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	36.35	23.75	---	12.60	---	---
S-10	11/11/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	23.08	---	13.27	---	---
S-10	12/18/2008	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	36.35	24.00	---	12.35	---	---
S-10	01/05/2009	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	36.35	23.87	---	12.48	---	---
S-10	01/15/2009	<50	<0.50	<1.0	1.1	<1.0	---	---	---	---	---	---	---	---	36.35	23.66	---	12.69	---	---
S-10	02/12/2009	56	<0.50	<1.0	3.4	<1.0	---	---	---	---	---	---	---	---	36.35	23.96	---	12.39	---	---
S-10	03/12/2009	53	<0.50	<1.0	4.9	<1.0	---	---	---	---	---	---	---	---	36.35	23.44	---	12.91	---	---
S-10	04/09/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	36.35	23.26	---	13.09	---	---
S-10	07/23/2009	66	<0.50	<1.0	5.7	<1.0	---	---	---	---	---	---	---	---	36.35	23.56	---	12.79	0.06	112
S-10	10/01/2009	76	<0.50	<1.0	4.6	<1.0	---	---	---	---	---	---	---	---	36.35	23.80	---	12.55	1.26	206
S-10	01/28/2010	100	<0.50	<1.0	3.6	<1.0	---	---	---	---	---	---	---	---	36.35	23.30	---	13.05	---	---
S-10	05/20/2010	52	<0.50	<1.0	1.9	<1.0	---	---	---	---	---	---	---	---	36.35	24.04	---	12.31	0.68	59
S-10	08/31/2010	<50	0.69	<1.0	1.4	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	---	---	36.35	24.24	---	12.11	0.51	-3
S-10	12/29/2010	95	<0.50	<1.0	3.4	1.4	---	---	---	---	---	---	---	---	36.35	23.89	---	12.46	0.43	87
S-10	02/01/2011	69	<0.50	<0.50	2.2	<1.0	---	---	---	---	---	---	---	---	36.35	23.25	---	13.10	2.08	117
S-10	04/25/2011	55	0.51	<0.50	2.9	<1.0	---	---	---	---	---	---	---	---	36.35	21.87	---	14.48	1.32	21
S-10	07/28/2011	<50	<0.50	<1.0	0.92	<1.0	---	<1.0	<10	<1.0	<1.0	<1.0	---	---	36.35	21.39	---	14.96	0.32	227
S-10	10/28/2011	52	<0.50	<0.50	2.7	<1.0	---	---	---	---	---	---	---	---	36.35	21.68	---	14.67	2.68	327
S-10	05/07/2012	50	0.84	<0.50	1.5	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	---	---	36.35	22.00	---	14.35	2.51	220
S-12	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	36.44	24.58	---	11.86	---	---
S-12	02/08/2008	55 f	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	36.44	24.32	---	12.12	---	---
S-12	05/08/2008	<50 f	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	36.44	24.51	---	11.93	---	---
S-12	08/14/2008	<50	1.0	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	36.44	24.63	---	11.81	---	---
S-12	11/11/2008	<50 i	0.95 i	<1.0 i	<1.0 i	<1.0 i	---	<1.0 i	---	---	---	---	<0.50 i	<1.0 i	36.44	24.85	---	11.59	0.2	37
S-12	11/11/2008	65 j	8.1 j	2.2 j	4.8 j	1.5 j	---	---	---	---	---	---	---	---	36.44	24.85	---	11.59	0.2	45
S-12	12/18/2008	<50	8.3	<1.0	1.8	<1.0	---	---	---	---	---	---	---	---	36.44	24.81	---	11.63	---	---
S-12	01/05/2009	95	16	<1.0	3.2	<1.0	---	---	---	---	---	---	---	---	36.44	24.75	---	11.69	---	---
S-12	01/15/2009	140	36	<1.0	12	<1.0	---	---	---	---	---	---	---	---	36.44	24.54	---	11.90	---	---
S-12	02/12/2009	<50	5.0	<1.0	1.6	<1.0	---	---	---	---	---	---	---	---	36.44	24.81	---	11.63	---	---

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-12	03/12/2009	<50	4.8	<1.0	1.5	<1.0	---	---	---	---	---	---	---	---	36.44	24.41	---	12.03	---	---
S-12	04/09/2009	59	6.0	<1.0	1.6	<1.0	---	---	---	---	---	---	---	---	36.44	24.23	---	12.21	0.50	-3
S-12	07/23/2009	130	29	<1.0	13	<1.0	---	---	---	---	---	---	---	---	36.44	24.50	---	11.94	0.07	142
S-12	10/01/2009	130	25	<1.0	15	<1.0	---	---	---	---	---	---	---	---	36.44	24.76	---	11.68	0.74	135
S-12	01/28/2010	110	14	<1.0	19	<1.0	---	---	---	---	---	---	---	---	36.44	24.28	---	12.16	---	---
S-12	05/20/2010	75	8.5	<1.0	7.0	<1.0	---	---	---	---	---	---	---	---	36.44	24.71	---	11.73	0.14	740
S-12	08/31/2010	<50	0.56	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	36.44	25.08	---	11.36	1.18	180
S-12	12/29/2010	<50	0.98	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	36.44	24.60	---	11.84	1.27	121
S-12	02/01/2011	<50	1.8	<0.50	2.8	<1.0	---	---	---	---	---	---	---	---	36.44	23.94	---	12.50	2.06	-2
S-12	04/25/2011	<50	0.82	<0.50	1.7	<1.0	---	---	---	---	---	---	---	---	36.44	22.53	---	13.91	0.28	196
S-12	07/28/2011	<50	0.96	<0.50	2.8	<1.0	---	---	---	---	---	---	---	---	36.44	22.05	---	14.39	3.01	163
S-12	10/28/2011	99	15	<0.50	14	<1.0	---	---	---	---	---	---	---	---	36.44	22.50	---	13.94	3.67	91
S-12	05/07/2012	180	25	<0.50	19	1.0	---	---	---	---	---	---	---	---	36.44	22.50	---	13.94	0.88	66
S-13	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.16	23.33	---	11.83	---	---
S-13	02/08/2008	14,000 f	1,900	1,300	280	3,000	---	<10	---	---	---	---	<5.0	<10	35.16	23.01	---	12.15	---	---
S-13	05/08/2008	18,000 f	2,800	3,400	550	3,500	---	<10	---	---	---	---	<5.0	<10	35.16	23.31	---	11.85	---	---
S-13	08/14/2008	16,000	2,400	3,100	580	3,100	---	<20	---	---	---	---	<10	<20	35.16	23.31	---	11.85	---	---
S-13	11/11/2008	16,000 i	2,400 i	2,800 i	270 i	2,500 i	---	<50 i	---	---	---	---	<25 i	<50 i	35.16	23.60	---	11.56	0.8	-48
S-13	11/11/2008	4,400 j	560 j	630 j	88 j	530 j	---	---	---	---	---	---	---	---	35.16	23.60	---	11.56	1.2	-60
S-13	12/18/2008	3,900	530	560	76	510	---	---	---	---	---	---	---	---	35.05	23.61	---	11.44	---	---
S-13	01/05/2009	8,200	700	670	67	1,000	---	---	---	---	---	---	---	---	35.05	23.54	---	11.51	---	---
S-13	01/15/2009	5,400	610	610	48	950	---	---	---	---	---	---	---	---	35.05	23.10	---	11.95	---	---
S-13	02/12/2009	6,300	800	1,000	110	870	---	---	---	---	---	---	---	---	35.05	22.36	---	12.69	---	---
S-13	03/12/2009	14,000	1,700	2,300	190	2,400	---	---	---	---	---	---	---	---	35.05	23.20	---	11.85	---	---
S-13	04/09/2009	35,000	510	7,800	1,000	4,300	---	---	---	---	---	---	---	---	35.05	23.02	---	12.03	25.9	433
S-13	05/18/2009	35,000	820	7,000	1,100	6,600	---	---	---	---	---	---	---	---	35.05	23.07	---	11.98	5.21	83
S-13	07/23/2009	18,000	1,800	3,000	480	2,500	---	---	---	---	---	---	---	---	35.05	23.51	---	11.54	1.23	148
S-13	10/01/2009	2,000	330	87	33	5.2	---	---	---	---	---	---	---	---	35.05	23.61	---	11.44	1.23	413
S-13	11/09/2009	15,000	1,100	1,500	300	1,800	---	---	---	---	---	---	---	---	35.05	23.41	---	11.64	0.71	---
S-13	12/01/2009	1,600	210	190	34	36	---	---	---	---	---	---	---	---	35.05	23.15	---	11.90	16.3	231
S-13	01/28/2010	5,900	370	930	100	680	---	---	---	---	---	---	---	---	35.05	22.94	---	12.11	2.18	---
S-13	05/20/2010	400	35	120	9.5	52	---	---	---	---	---	---	---	---	35.05	23.36	---	11.69	0.31	211
S-13	06/22/2010	16,000	570	3,000	260	2,000	---	---	---	---	---	---	---	---	35.05	23.20	---	11.85	1.10	412
S-13	08/31/2010	3,000	140	490	83	540	---	---	---	---	---	---	---	---	35.05	24.00	---	11.05	0.90	400
S-13	12/29/2010	8,700	600	1,700	260	1,700	---	---	---	---	---	---	---	---	35.05	23.48	---	11.57	0.69	231
S-13	02/01/2011	2,100	170	390	75	410	---	---	---	---	---	---	---	---	35.05	22.71	---	12.34	1.10	248
S-13	04/25/2011	6,000	600	1,800	270	1,300	---	---	---	---	---	---	---	---	35.05	21.15	---	13.90	0.19	69
S-13	07/28/2011	3,700	320	430	160	790	---	---	---	---	---	---	---	---	35.05	20.64	---	14.41	2.65	44

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-13	10/28/2011	8,100	600	830	380	1,700	---	---	---	---	---	---	---	---	35.05	21.47	---	13.58	3.67	1
S-13	05/07/2012	5,100	540	670	320	1,100	---	---	---	---	---	---	---	---	35.05	21.35	---	13.70	0.60	-176
S-14	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	34.94	22.68	---	12.26	---	---
S-14	02/08/2008	5,300 f	380	300	34	970	---	<10	---	---	---	---	<5.0	<10	34.94	22.82	---	12.12	---	---
S-14	05/08/2008	4,300 f	750	270	30	520	---	<10	---	---	---	---	<5.0	<10	34.94	22.41	---	12.53	---	---
S-14	Well destroyed	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-14R	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.19	22.91	---	12.28	---	---
S-14R	11/11/2008	8,500 i	680 i	270 i	<25 i	1,110 i	---	---	---	---	---	---	---	---	35.19	23.13	---	12.06	0.60	115
S-14R	11/11/2008	4,300 j	270 j	190 j	43 j	470 j	---	---	---	---	---	---	---	---	35.19	23.13	---	12.06	1.5	116
S-14R	12/18/2008	7,800	530	640	79	1,010	---	---	---	---	---	---	---	---	34.95	22.80	---	12.15	---	---
S-14R	01/05/2009	2,100	89	86	19	140	---	---	---	---	---	---	---	---	34.95	22.80	---	12.15	---	---
S-14R	01/15/2009	4,800	430	540	83	730	---	---	---	---	---	---	---	---	34.95	22.57	---	12.38	---	---
S-14R	02/12/2009	1,000	40	29	7.3	55	---	---	---	---	---	---	---	---	34.95	22.89	---	12.06	---	---
S-14R	03/12/2009	350	22	18	3.3	29	---	---	---	---	---	---	---	---	34.95	22.39	---	12.56	---	---
S-14R	04/09/2009	2,300	230	240	47	250	---	---	---	---	---	---	---	---	34.95	22.35	---	12.60	0.30	430
S-14R	05/18/2009	750	51	48	17	67	---	---	---	---	---	---	---	---	34.95	22.20	---	12.75	5.63	93
S-14R	07/23/2009	600	81	57	19	47	---	---	---	---	---	---	---	---	34.95	22.56	---	12.39	0.05	246
S-14R	10/01/2009	230	12	10	5.3	23	---	---	---	---	---	---	---	---	34.95	22.90	---	12.05	2.22	201
S-14R	11/09/2009	330	47	21	11	39	---	---	---	---	---	---	---	---	34.95	22.68	---	12.27	0.75	---
S-14R	12/01/2009	420	38	27	12	39	---	---	---	---	---	---	---	---	34.95	22.62	---	12.33	0.45	110
S-14R	01/28/2010	270	45	27	11	32	---	---	---	---	---	---	---	---	34.95	22.38	---	12.57	3.75	---
S-14R	05/20/2010	330	17	10	2.7	13	---	---	---	---	---	---	---	---	34.95	22.72	---	12.23	0.96	102
S-14R	08/31/2010	130	5.8	3.5	1.4	6.1	---	---	---	---	---	---	---	---	34.95	23.12	---	11.83	1.55	-13
S-14R	12/29/2010	480	56	30	13	52	---	---	---	---	---	---	---	---	34.95	22.75	---	12.20	0.48	375
S-14R	02/01/2011	570	56	32	20	59	---	---	---	---	---	---	---	---	34.95	22.10	---	12.85	0.58	143
S-14R	04/25/2011	860	100	59	41	97	---	---	---	---	---	---	---	---	34.95	20.80	---	14.15	0.81	-37
S-14R	07/28/2011	970	100	80	51	110	---	---	---	---	---	---	---	---	34.95	20.36	---	14.59	0.56	151
S-14R	10/28/2011	420	47	38	25	67	---	---	---	---	---	---	---	---	34.95	20.68	---	14.27	3.97	321
S-14R	05/07/2012	630	68	62	40	120	---	---	---	---	---	---	---	---	34.95	20.77	---	14.18	2.47	238
S-15	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.34	23.00	---	12.34	---	---
S-15	02/08/2008	55,000 f	6,700	13,000	1,100	9,800	---	<10	---	---	---	---	<5.0	<10	35.34	22.71	---	12.63	---	---
S-15	05/08/2008	53,000 f	6,300	13,000	1,500	7,500	---	<200	---	---	---	---	<100	<200	35.34	22.91	---	12.43	---	---
S-15	Well destroyed	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-16	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	36.08	23.88	---	12.20	---	---
S-16	02/08/2008	6,000 f	670	730	88	1,290	---	<5.0	---	---	---	---	<2.5	<5.0	36.08	23.52	---	12.56	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-16	05/08/2008	3,200 f	670	320	18	580	---	<10	---	---	---	---	<5.0	<10	36.08	23.69	---	12.39	---	---
S-16	Well destroyed	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S-17	06/19/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.49	23.30	---	12.19	---	---
S-17	06/25/2008	21,000	1,300	1,300	160	2,850	---	<5.0	---	---	---	---	<2.5	<5.0	35.49	23.33	---	12.16	---	---
S-17	08/14/2008	14,000	1,700	1,700	310	2,250	---	<10	---	---	---	---	<5.0	<10	35.49	23.50	---	11.99	---	---
S-17	11/11/2008	7,200 i	1,600 i	820 i	140 i	760 i	---	<5.0 i	---	---	---	---	<2.5 i	<5.0 i	35.49	23.70	---	11.79	---	---
S-17	11/11/2008	32,000 j	2,500 j	3,100 j	820 j	4,000 j	---	<25 j	---	---	---	---	<12 j	<25 j	35.49	23.70	---	11.79	---	---
S-17	01/05/2009	15,000	790	700	150	1,200	---	<10	---	---	---	---	<5.0	<10	35.50	23.66	---	11.84	---	---
S-17	01/15/2009	2,300	220	170	19	300	---	---	---	---	---	---	---	---	35.50	23.37	---	12.13	---	---
S-17	02/12/2009	4,700	750	200	37	23	---	---	---	---	---	---	---	---	35.50	23.66	---	11.84	---	---
S-17	03/12/2009	3,300	640	370	81	290	---	---	---	---	---	---	---	---	35.50	23.24	---	12.26	---	---
S-17	04/09/2009	1,300	200	110	37	100	---	---	---	---	---	---	---	---	35.50	23.20	---	12.30	0.69	429
S-17	05/18/2009	630	97	44	17	25	---	---	---	---	---	---	---	---	35.50	23.21	---	12.29	5.93	442
S-17	07/23/2009	3,900	480	410	160	480	---	---	---	---	---	---	---	---	35.50	23.70	---	11.80	0.15	34
S-17	10/01/2009	1,300	32	24	3.1	72	---	---	---	---	---	---	---	---	35.50	23.64	---	11.86	1.30	204
S-17	11/09/2009	5,300	260	330	56	500	---	---	---	---	---	---	---	---	35.50	23.52	---	11.98	0.18	---
S-17	12/01/2009	3,300	190	210	52	240	---	---	---	---	---	---	---	---	35.50	23.41	---	12.09	0.95	450
S-17	01/28/2010	3,500	260	250	85	310	---	---	---	---	---	---	---	---	35.50	23.21	---	12.29	1.93	---
S-17	05/20/2010	370	18	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.50	23.65	---	11.85	1.31	544
S-17	08/31/2010	1,900	120	110	52	260	---	---	---	---	---	---	---	---	35.50	23.92	---	11.58	1.32	370
S-17	12/29/2010	2,600	200	150	91	280	---	---	---	---	---	---	---	---	35.50	23.60	---	11.90	1.37	131
S-17	02/01/2011	950	100	72	47	130	---	---	---	---	---	---	---	---	35.50	22.91	---	12.59	1.40	136
S-17	04/25/2011	2,000	150	71	77	210	---	---	---	---	---	---	---	---	35.50	21.44	---	14.06	0.23	82
S-17	07/28/2011	3,400	270	98	170	370	---	---	---	---	---	---	---	---	35.50	21.06	---	14.44	1.45	70
S-17	10/28/2011	270	58	5.3	23	28	---	---	---	---	---	---	---	---	35.50	21.51	---	13.99	1.19	221
S-17	05/07/2012	980	110	3.6	66	100	---	---	---	---	---	---	---	---	35.50	21.50	---	14.00	0.62	84
S-18	06/19/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.04	22.94	---	12.10	---	---
S-18	06/25/2008	58,000	2,200	5,600	880	10,200	---	<10	---	---	---	---	<5.0	<10	35.04	22.92	---	12.12	---	---
S-18	08/14/2008	25,000	2,500	4,500	860	5,800	---	<50	---	---	---	---	<25	<50	35.04	23.08	---	11.96	---	---
S-18	11/11/2008	24,000 i	2,400 i	3,300 i	820 i	3,800 i	---	<25 i	---	---	---	---	<12 i	<25 i	35.04	23.30	---	11.74	---	---
S-18	11/11/2008	43,000 j	3,900 j	5,500 j	1,300 j	6,500 j	---	<50 j	---	---	---	---	<25 j	<50 j	35.04	23.30	---	11.74	---	---
S-18	01/05/2009	20,000	830	1,000	290	1,400	---	<50	---	---	---	---	<25	<50	35.03	23.16	---	11.87	---	---
S-18	01/15/2009	8,200	690	790	150	1,230	---	---	---	---	---	---	---	---	35.03	22.97	---	12.06	---	---
S-18	02/12/2009	13,000	1,200	1,400	330	940	---	---	---	---	---	---	---	---	35.03	23.29	---	11.74	---	---
S-18	03/12/2009	52,000	5,300	9,000	1,600	10,000	---	---	---	---	---	---	---	---	35.03	22.85	---	12.18	---	---
S-18	04/09/2009	Insufficient water	---	---	---	---	---	---	---	---	---	---	---	---	35.03	22.79	---	12.24	---	---
S-18	05/18/2009	6,700	320	1,100	200	1,000	---	---	---	---	---	---	---	---	35.03	22.81	---	12.22	6.51	377

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-18	07/23/2009	8,900	500	890	290	1,600	---	---	---	---	---	---	---	---	35.03	22.91	---	12.12	0.20	---
S-18	10/01/2009	1,800	49	5.5	5.3	<5.0	---	---	---	---	---	---	---	---	35.03	23.65	---	11.38	6.25	557
S-18	11/09/2009	1,100	79	8.9	5.3	1.1	---	---	---	---	---	---	---	---	35.03	23.19	---	11.84	0.26	---
S-18	12/01/2009	570	50	7.5	2.7	1.2	---	---	---	---	---	---	---	---	35.03	23.12	---	11.91	4.07	460
S-18	01/28/2010	1,200	170	91	18	68	---	---	---	---	---	---	---	---	35.03	22.86	---	12.17	1.90	---
S-18	05/20/2010	3,900	500	690	79	240	---	---	---	---	---	---	---	---	35.03	23.12	---	11.91	1.77	169
S-18	06/22/2010	13,000	1,700	2,800	200	1,000	---	---	---	---	---	---	---	---	35.03	23.10	---	11.93	0.58	499
S-18	08/31/2010	6,600	970	1,100	230	1,000	---	---	---	---	---	---	---	---	35.03	23.55	---	11.48	1.23	258
S-18	12/29/2010	8,500	1,000	750	410	1,800	---	---	---	---	---	---	---	---	35.03	23.23	---	11.80	0.79	70
S-18	02/01/2011	2,100	210	190	87	180	---	---	---	---	---	---	---	---	35.03	22.52	---	12.51	1.13	220
S-18	04/25/2011	13,000	2,100	2,000	470	2,300	---	---	---	---	---	---	---	---	35.03	21.00	---	14.03	0.52	85
S-18	07/28/2011	8,200	1,200	1,000	290	1,200	---	---	---	---	---	---	---	---	35.03	20.56	---	14.47	1.57	27
S-18	10/28/2011	9,000	1,200	480	430	1,900	---	---	---	---	---	---	---	---	35.03	21.11	---	13.92	1.45	147
S-18	05/07/2012	4,700	710	310	310	870	---	---	---	---	---	---	---	---	35.03	21.20	---	13.83	0.55	-68
S-19	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.78	22.73	---	12.05	---	---
S-19	11/11/2008	7,100 i	500 i	600 i	25 i	1,010 i	---	---	---	---	---	---	---	---	34.78	22.87	---	11.91	1.0	62
S-19	11/11/2008	2,300 j	110 j	160 j	43 j	280 j	---	---	---	---	---	---	---	---	34.78	22.87	---	11.91	1.3	71
S-19	12/18/2008	2,900	190	300	41	420	---	---	---	---	---	---	---	---	34.57	22.60	---	11.97	---	---
S-19	01/05/2009	3,400	230	250	50	380	---	---	---	---	---	---	---	---	34.57	22.56	---	12.01	---	---
S-19	01/15/2009	3,100	340	540	70	440	---	---	---	---	---	---	---	---	34.57	22.31	---	12.26	---	---
S-19	02/12/2009	1,300	130	180	37	190	---	---	---	---	---	---	---	---	34.57	22.58	---	11.99	---	---
S-19	03/12/2009	880	110	150	30	160	---	---	---	---	---	---	---	---	34.57	22.44	---	12.13	---	---
S-19	04/09/2009	1,300	140	190	32	190	---	---	---	---	---	---	---	---	34.57	22.02	---	12.55	0.57	106
S-19	05/18/2009	780	69	87	17	100	---	---	---	---	---	---	---	---	34.57	22.04	---	12.53	6.47	75
S-19	07/23/2009	400	77	59	15	38	---	---	---	---	---	---	---	---	34.57	22.40	---	12.17	0.06	31
S-19	10/01/2009	1,500	160	170	33	120	---	---	---	---	---	---	---	---	34.57	22.66	---	11.91	0.52	301
S-19	11/09/2009	1,600	140	160	41	160	---	---	---	---	---	---	---	---	34.57	22.44	---	12.13	0.26	---
S-19	12/01/2009	1,600	150	180	45	170	---	---	---	---	---	---	---	---	34.57	22.62	---	11.95	0.79	161
S-19	01/28/2010	2,600	230	280	71	300	---	---	---	---	---	---	---	---	34.57	22.29	---	12.28	1.71	---
S-19	05/20/2010	850	110	55	11	4.6	---	---	---	---	---	---	---	---	34.57	22.49	---	12.08	1.77	118
S-19	08/31/2010	580	79	92	22	50	---	---	---	---	---	---	---	---	34.57	22.86	---	11.71	1.02	297
S-19	12/29/2010	920	120	120	54	150	---	---	---	---	---	---	---	---	34.57	22.48	---	12.09	1.12	150
S-19	02/01/2011	1,800	210	270	100	320	---	---	---	---	---	---	---	---	34.57	21.78	---	12.79	1.08	21
S-19	04/25/2011	2,100	290	360	140	470	---	---	---	---	---	---	---	---	34.57	20.42	---	14.15	0.25	115
S-19	07/28/2011	2,400	240	380	140	450	---	---	---	---	---	---	---	---	34.57	20.16	---	14.41	1.17	80
S-19	10/28/2011	3,600	210	420	190	750	---	---	---	---	---	---	---	---	34.57	20.41	---	14.16	1.73	160
S-19	05/07/2012	3,400	220	480	210	880	---	---	---	---	---	---	---	---	34.57	20.51	---	14.06	2.54	244

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-20	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	34.50	22.80	---	11.70	---	---
S-20	11/11/2008	13,000 i	1,300 i	1,600 i	80 i	1,920 i	---	---	---	---	---	---	---	---	34.50	22.90	---	11.60	0.8	-39
S-20	11/11/2008	16,000 j	1,100 j	1,800 j	220 j	1,930 j	---	---	---	---	---	---	---	---	34.50	22.90	---	11.60	2.6	-64
S-20	01/05/2009	17,000	1,500	1,700	320	1,900	---	---	---	---	---	---	---	---	34.50	22.78	---	11.72	---	---
S-20	02/12/2009	11,000	1,300	1,400	230	1,600	---	---	---	---	---	---	---	---	34.50	22.80	---	11.70	2.6	-64
S-20	03/12/2009	19,000	2,700	3,200	390	3,100	---	---	---	---	---	---	---	---	34.50	22.40	---	12.10	---	---
S-20	04/09/2009	8,200	80	480	220	490	---	---	---	---	---	---	---	---	34.50	22.90	---	11.60	13.80	578
S-20	05/18/2009	21,000	970	1,500	630	4,800	---	---	---	---	---	---	---	---	34.50	22.42	---	12.08	4.58	197
S-20	07/23/2009	41,000	4,900	2,900	990	7,300	---	---	---	---	---	---	---	---	34.50	22.73	---	11.77	0.27	419
S-20	10/01/2009	1,800	140	39	33	39	---	---	---	---	---	---	---	---	34.50	23.00	---	11.50	0.85	533
S-20	11/09/2009	21,000	1,600	740	300	2,500	---	---	---	---	---	---	---	---	34.50	22.72	---	11.78	1.67	---
S-20	12/01/2009	12,000	1,100	450	160	1,200	---	---	---	---	---	---	---	---	34.50	22.61	---	11.89	1.38	347
S-20	01/28/2010	20,000	2,000	1,600	260	2,000	---	---	---	---	---	---	---	---	34.50	22.51	---	11.99	4.40	---
S-20	05/20/2010	4,300	1,100	110	26	61	---	---	---	---	---	---	---	---	34.50	22.90	---	11.60	8.96	555
S-20	06/22/2010	7,100	1,300	550	120	550	---	---	---	---	---	---	---	---	34.50	23.19	---	11.31	11.64	637
S-20	08/31/2010	9,600	1,800	1,400	230	580	---	---	---	---	---	---	---	---	34.50	23.13	---	11.37	0.94	529
S-20	12/29/2010	19,000	2,000	3,100	860	3,200	---	---	---	---	---	---	---	---	34.50	22.72	---	11.78	0.92	193
S-20	02/01/2011	26,000	3,900	7,100	1,300	5,800	---	---	---	---	---	---	---	---	34.50	22.04	---	12.46	1.03	390
S-20	04/25/2011	41,000	6,600	11,000	2,000	9,800	---	---	---	---	---	---	---	---	34.50	20.60	---	13.90	0.43	156
S-20	07/28/2011	34,000	4,200	5,300	1,400	6,300	---	---	---	---	---	---	---	---	34.50	20.30	---	14.20	1.25	-15
S-20	10/28/2011	17,000	1,500	1,900	1,000	3,400	---	---	---	---	---	---	---	---	34.50	20.78	---	13.72	1.28	431
S-20	05/07/2012	9,900	760	1,200	790	2,000	---	---	---	---	---	---	---	---	34.50	20.54	---	13.96	1.92	-106
S-21A	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.81	23.73	---	12.08	---	---
S-21A	11/11/2008	96,000 i	6,100 i	11,000 i	1,700 i	10,500 i	---	---	---	---	---	---	---	---	35.81	23.86	---	11.95	1.6	-42
S-21A	11/11/2008	87,000 j	6,300 j	13,000 j	1,700 j	10,300 j	---	---	---	---	---	---	---	---	35.81	23.86	---	11.95	1.8	-51
S-21A	12/18/2008	17,000	3,700	1,200	170	47	---	---	---	---	---	---	---	---	35.80	23.91	---	11.89	---	---
S-21A	01/05/2009	28,000	3,100	2,900	450	1,100	---	---	---	---	---	---	---	---	35.80	23.78	---	12.02	---	---
S-21A	01/15/2009	9,700	2,100	290	45	<25	---	---	---	---	---	---	---	---	35.80	23.53	---	12.27	---	---
S-21A	02/12/2009	19,000	3,100	2,500	330	500	---	---	---	---	---	---	---	---	35.80	23.83	---	11.97	---	---
S-21A	03/12/2009	31,000	2,600	3,800	810	3,700	---	---	---	---	---	---	---	---	35.80	23.35	---	12.45	---	---
S-21A	04/09/2009	7,800	700	750	130	<25	---	---	---	---	---	---	---	---	35.80	24.00	---	11.80	0.91	304
S-21A	05/18/2009	15,000	1,800	2,200	390	1,900	---	---	---	---	---	---	---	---	35.80	23.46	---	12.34	2.37	529
S-21A	07/23/2009	51,000	4,800	7,100	1,100	7,000	---	---	---	---	---	---	---	---	35.80	23.85	---	11.95	0.14	-3
S-21A	10/01/2009	18,000	2,300	2,200	310	2,400	---	---	---	---	---	---	---	---	35.80	24.06	---	11.74	7.92	575
S-21A	11/09/2009	41,000	3,500	5,800	600	4,800	---	---	---	---	---	---	---	---	35.80	23.73	---	12.07	0.34	---
S-21A	12/01/2009	43,000	3,100	6,700	640	4,900	---	---	---	---	---	---	---	---	35.80	23.60	---	12.20	2.55	350
S-21A	01/28/2010	65,000	3,900	9,900	970	6,600	---	---	---	---	---	---	---	---	35.80	23.54	---	12.26	1.43	---
S-21A	05/20/2010	6,000	670	760	110	150	---	---	---	---	---	---	---	---	35.80	23.92	---	11.88	1.37	541

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-21A	06/22/2010	16,000	690	2,000	370	2,300	---	---	---	---	---	---	---	---	35.80	23.87	---	11.93	2.33	439
S-21A	08/31/2010	5,000	230	420	190	990	---	---	---	---	---	---	---	---	35.80	24.13	---	11.67	0.73	392
S-21A	12/29/2010	5,100	500	430	230	810	---	---	---	---	---	---	---	---	35.80	23.84	---	11.96	0.95	464
S-21A	02/01/2011	9,200	840	750	370	1,300	---	---	---	---	---	---	---	---	35.80	23.18	---	12.62	0.84	110
S-21A	04/25/2011	22,000	3,800	4,000	960	4,800	---	---	---	---	---	---	---	---	35.80	21.71	---	14.09	0.36	336
S-21A	07/28/2011	27,000	3,400	3,600	1,000	4,300	---	---	---	---	---	---	---	---	35.80	21.48	---	14.32	1.02	223
S-21A	10/28/2011	20,000	2,400	3,000	840	3,600	---	---	---	---	---	---	---	---	35.80	21.65	---	14.15	2.06	213
S-21A	05/07/2012	12,000	2,200	1,900	510	2,100	---	---	---	---	---	---	---	---	35.80	21.90	---	13.90	1.01	107
S-21B	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.79	23.68	---	12.11	---	---
S-21B	11/11/2008	3,200 i	49 i	300 i	93 i	510 i	---	---	---	---	---	---	---	---	35.79	23.80	---	11.99	0.4	-108
S-21B	11/11/2008	7,500 j	67 j	470 j	150 j	960 j	---	---	---	---	---	---	---	---	35.79	23.80	---	11.99	5.6	-135
S-21B	12/18/2008	5,300	36	310	120	770	---	---	---	---	---	---	---	---	35.76	23.72	---	12.04	---	---
S-21B	01/05/2009	5,400	35	200	93	600	---	---	---	---	---	---	---	---	35.76	23.70	---	12.06	---	---
S-21B	01/15/2009	3,300	30	150	78	470	---	---	---	---	---	---	---	---	35.76	23.43	---	12.33	---	---
S-21B	02/12/2009	2,800	12	100	69	450	---	---	---	---	---	---	---	---	35.76	23.81	---	11.95	---	---
S-21B	03/12/2009	2,300	9.4	72	50	320	---	---	---	---	---	---	---	---	35.76	23.32	---	12.44	---	---
S-21B	04/09/2009	890	14	55	19	140	---	---	---	---	---	---	---	---	35.76	23.20	---	12.56	0.56	453
S-21B	05/18/2009	390	6.8	14	12	27	---	---	---	---	---	---	---	---	35.76	23.24	---	12.52	1.62	458
S-21B	06/17/2009	---	---	---	---	---	---	---	---	---	---	---	---	---	35.76	23.40	---	12.36	---	---
S-21B	07/23/2009	920	5.0	17	28	120	---	---	---	---	---	---	---	---	35.76	23.52	---	12.24	0.26	37
S-21B	10/01/2009	820	2.6	10	17	89	---	---	---	---	---	---	---	---	35.76	23.95	---	11.81	0.96	353
S-21B	01/28/2010	810	11	6.2	10	51	---	---	---	---	---	---	---	---	35.76	23.30	---	12.46	---	---
S-21B	05/20/2010	120	1.4	2.6	2.0	2.7	---	---	---	---	---	---	---	---	35.76	23.46	---	12.30	1.63	206
S-21B	08/31/2010	500	0.81	3.4	6.9	32	---	---	---	---	---	---	---	---	35.76	24.04	---	11.72	0.72	45
S-21B	12/29/2010	310	<0.50	1.9	4.5	21	---	---	---	---	---	---	---	---	35.76	23.59	---	12.17	0.40	191
S-21B	02/01/2011	270	<0.50	2.0	4.0	16	---	---	---	---	---	---	---	---	35.76	23.08	---	12.68	0.51	10
S-21B	04/25/2011	250	<0.50	1.9	4.6	16	---	---	---	---	---	---	---	---	35.76	21.86	---	13.90	1.43	72
S-21B	07/28/2011	270	<0.50	0.84	3.0	11	---	---	---	---	---	---	---	---	35.76	21.32	---	14.44	2.86	127
S-21B	10/28/2011	220	<0.50	0.53	2.3	9.2	---	---	---	---	---	---	---	---	35.76	21.52	---	14.24	0.96	153
S-21B	05/07/2012	170	<0.50	0.62	1.5	7.6	---	---	---	---	---	---	---	---	35.76	22.04	---	13.72	0.75	100
S-22A	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.08	22.91	---	12.17	---	---
S-22A	11/11/2008	84,000 i	8,500 i	11,000 i	2,200 i	13,900 i	---	---	---	---	---	---	---	---	35.08	23.15	---	11.93	1.0	117
S-22A	11/11/2008	85,000 j	7,600 j	10,000 j	2,500 j	12,400 j	---	---	---	---	---	---	---	---	35.08	23.15	---	11.93	1.6	100
S-22A	12/18/2008	42,000	6,300	6,600	1,200	4,400	---	---	---	---	---	---	---	---	35.06	23.03	---	12.03	---	---
S-22A	01/05/2009	56,000	4,500	5,300	1,200	6,400	---	---	---	---	---	---	---	---	35.06	23.03	---	12.03	---	---
S-22A	01/15/2009	25,000	5,900	4,400	740	1,570	---	---	---	---	---	---	---	---	35.06	22.84	---	12.22	---	---
S-22A	02/12/2009	43,000	6,700	6,600	1,200	5,000	---	---	---	---	---	---	---	---	35.06	23.15	---	11.91	---	---

TABLE 1

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-22A	03/12/2009	35,000	4,600	4,600	980	4,600	---	---	---	---	---	---	---	---	35.06	22.65	---	12.41	---	---
S-22A	04/09/2009	22,000	120	1,900	680	3,400	---	---	---	---	---	---	---	---	35.06	22.88	---	12.18	8.41	556
S-22A	05/18/2009	25,000	4,700	1,300	590	3,700	---	---	---	---	---	---	---	---	35.06	22.83	---	12.23	2.46	539
S-22A	07/23/2009	40,000	5,100	4,800	700	4,900	---	---	---	---	---	---	---	---	35.06	23.01	---	12.05	0.18	167
S-22A	10/01/2009	12,000	1,400	600	88	500	---	---	---	---	---	---	---	---	35.06	23.06	---	12.00	4.08	523
S-22A	11/09/2009	18,000	2,700	2,000	190	1,300	---	---	---	---	---	---	---	---	35.06	23.14	---	11.92	1.74	---
S-22A	12/01/2009	24,000	2,300	2,300	270	2,000	---	---	---	---	---	---	---	---	35.06	23.10	---	11.96	1.06	393
S-22A	01/28/2010	44,000	3,600	5,000	620	4,300	---	---	---	---	---	---	---	---	35.06	22.92	---	12.14	1.40	---
S-22A	05/20/2010	3,100	38	<10	<10	<10	---	---	---	---	---	---	---	---	35.06	23.22	---	11.84	0.48	423
S-22A	06/22/2010	2,400	110	15	4.3	6.6	---	---	---	---	---	---	---	---	35.06	23.51	---	11.55	6.10	542
S-22A	08/31/2010	5,000	690	600	78	350	---	---	---	---	---	---	---	---	35.06	23.52	---	11.54	1.03	553
S-22A	12/29/2010	13,000	1,300	1,800	490	2,100	---	---	---	---	---	---	---	---	35.06	23.17	---	11.89	0.70	476
S-22A	02/01/2011	13,000	1,800	3,100	640	2,800	---	---	---	---	---	---	---	---	35.06	22.45	---	12.61	0.89	453
S-22A	04/25/2011	23,000	2,600	5,500	1,200	6,200	---	---	---	---	---	---	---	---	35.06	21.37	---	13.69	0.40	506
S-22A	07/28/2011	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	35.06	---	---	---	---	---
S-22A	10/28/2011	31,000	1,800	4,700	1,600	8,100	---	---	---	---	---	---	---	---	35.06	20.98	---	14.08	1.33	342
S-22A	05/07/2012	40,000	2,000	7,200	2,000	12,000	---	---	---	---	---	---	---	---	35.06	20.96	---	14.10	2.50	230
S-22B	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.15	23.06	---	12.09	---	---
S-22B	11/11/2008	<50 i	<0.50 i	<1.0 i	<1.0 i	1.2 i	---	---	---	---	---	---	---	---	35.15	23.20	---	11.95	0.9	92
S-22B	11/11/2008	360 j	3.3 j	12 j	5.8 j	38 j	---	---	---	---	---	---	---	---	35.15	23.20	---	11.95	1.6	90
S-22B	12/18/2008	150	2.9	6.1	2.9	17.5	---	---	---	---	---	---	---	---	35.24	23.26	---	11.98	---	---
S-22B	01/05/2009	110	1.9	5.0	2.6	11	---	---	---	---	---	---	---	---	35.24	28.12	---	7.12	---	---
S-22B	01/15/2009	59	1.3	1.9	1.6	<1.0	---	---	---	---	---	---	---	---	35.24	22.90	---	12.34	---	---
S-22B	02/12/2009	290	11	6.8	7.9	19	---	---	---	---	---	---	---	---	35.24	23.02	---	12.22	---	---
S-22B	03/12/2009	390	4.4	4.6	3.8	12	---	---	---	---	---	---	---	---	35.24	22.86	---	12.38	---	---
S-22B	04/09/2009	280	5.3	2.5	4.0	6.8	---	---	---	---	---	---	---	---	35.24	22.62	---	12.62	2.24	164
S-22B	05/18/2009	170	3.7	2.9	2.4	8.6	---	---	---	---	---	---	---	---	35.24	22.62	---	12.62	1.42	-171
S-22B	07/23/2009	160	8.9	5.7	3.8	12	---	---	---	---	---	---	---	---	35.24	22.65	---	12.59	0.15	28
S-22B	10/01/2009	300	2.4	1.0	1.2	<1.0	---	---	---	---	---	---	---	---	35.24	23.18	---	12.06	2.62	173
S-22B	01/28/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.24	22.73	---	12.51	---	---
S-22B	05/20/2010	230	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.24	22.88	---	12.36	6.14	584
S-22B	08/31/2010	<50	0.57	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.24	23.51	---	11.73	0.92	377
S-22B	12/29/2010	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.24	23.04	---	12.20	1.07	391
S-22B	02/01/2011	<50	0.55	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.24	22.70	---	12.54	1.07	-3
S-22B	04/25/2011	<50	<0.50	0.62	<0.50	1.1	---	---	---	---	---	---	---	---	35.24	21.38	---	13.86	1.37	416
S-22B	07/28/2011	Well inaccessible	---	---	---	---	---	---	---	---	---	---	---	---	35.24	---	---	---	---	---
S-22B	10/28/2011	<50	<0.50	<1.0	<1.0	<1.0	---	---	---	---	---	---	---	---	35.24	20.62	---	14.62	4.83	-12
S-22B	05/07/2012	<50	1.4	<0.50	<0.50	<1.0	---	---	---	---	---	---	---	---	35.24	21.08	---	14.16	2.84	127

TABLE 1

GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	EDC (µg/L)	EDB (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	SPH Thickness (ft)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
S-23	11/07/2008	---	---	---	---	---	---	---	---	---	---	---	---	---	35.77	23.28	---	12.49	---	---
S-23	11/11/2008	8,800 i	640 i	610 i	82 i	1,260 i	---	---	---	---	---	---	---	---	35.77	23.58	---	12.19	---	---
S-23	11/11/2008	6,400 j	520 j	640 j	34 j	760 j	---	---	---	---	---	---	---	---	35.77	23.58	---	12.19	---	---
S-23	01/05/2009	830	63	98	14	58	---	---	---	---	---	---	---	---	35.75	23.51	---	12.24	---	---
S-23	02/12/2009	3,400	160	320	55	430	---	---	---	---	---	---	---	---	35.75	23.62	---	12.13	---	---
S-23	03/12/2009	4,600	210	460	71	610	---	---	---	---	---	---	---	---	35.75	23.03	---	12.72	---	---
S-23	04/09/2009	2,700	180	95	33	<5.0	---	---	---	---	---	---	---	---	35.75	22.98	---	12.77	1.24	567
S-23	05/18/2009	3,000	350	440	79	300	---	---	---	---	---	---	---	---	35.75	23.18	---	12.57	19.77	503
S-23	07/23/2009	2,900	180	400	67	340	---	---	---	---	---	---	---	---	35.75	23.48	---	12.27	0.21	133
S-23	10/01/2009	790	40	24	5.4	<1.0	---	---	---	---	---	---	---	---	35.75	23.82	---	11.93	8.64	428
S-23	11/09/2009	3,200	84	330	90	400	---	---	---	---	---	---	---	---	35.75	23.51	---	12.24	0.28	---
S-23	12/01/2009	1,800	47	180	50	190	---	---	---	---	---	---	---	---	35.75	23.31	---	12.44	2.49	472
S-23	01/28/2010	3,000	100	450	110	650	---	---	---	---	---	---	---	---	35.75	23.25	---	12.50	1.74	---
S-23	05/20/2010	900	8.2	<5.0	<5.0	<5.0	---	---	---	---	---	---	---	---	35.75	23.80	---	11.95	3.76	607
S-23	06/22/2010	640	11	22	9.0	11	---	---	---	---	---	---	---	---	35.75	24.40	---	11.35	12.96	572
S-23	08/31/2010	710	14	45	34	110	---	---	---	---	---	---	---	---	35.75	23.95	---	11.80	1.25	322
S-23	12/29/2010	1,300	45	82	56	240	---	---	---	---	---	---	---	---	35.75	23.61	---	12.14	1.39	313
S-23	02/01/2011	1,300	51	110	72	270	---	---	---	---	---	---	---	---	35.75	22.92	---	12.83	1.30	107
S-23	04/25/2011	1,300	53	110	81	400	---	---	---	---	---	---	---	---	35.75	21.62	---	14.13	0.96	321
S-23	07/28/2011	1,400	43	79	74	320	---	---	---	---	---	---	---	---	35.75	21.28	---	14.47	0.92	209
S-23	10/28/2011	1,600	43	83	92	370	---	---	---	---	---	---	---	---	35.75	21.50	---	14.25	1.82	161
S-23	05/07/2012	870	50	40	66	220	---	---	---	---	---	---	---	---	35.75	21.59	---	14.16	2.20	254
AS-1	12/17/2007	---	---	---	---	---	---	---	---	---	---	---	---	---	35.33	22.91	---	12.42	---	---
AS-1	02/08/2008	130 f	1.1	3.4	<1.0	5.4	---	<1.0	---	---	---	---	<0.50	<1.0	35.33	22.62	---	12.71	---	---
AS-1	05/08/2008	<50 f	<0.50	<1.0	<1.0	<1.0	---	<1.0	---	---	---	---	<0.50	<1.0	35.33	27.78	---	7.55	---	---
OW-1	04/09/2009	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
OW-1	05/18/2009	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Notes:

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to July 25, 2001, analyzed by EPA Method 8015 unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to July 25, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary-butyl ether analyzed by method noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

**GROUNDWATER DATA
FORMER SHELL SERVICE STATION
461 8TH STREET, OAKLAND, CALIFORNIA**

<i>Well ID</i>	<i>Date</i>	<i>TPHg</i> ($\mu\text{g/L}$)	<i>B</i> ($\mu\text{g/L}$)	<i>T</i> ($\mu\text{g/L}$)	<i>E</i> ($\mu\text{g/L}$)	<i>X</i> ($\mu\text{g/L}$)	<i>MTBE</i> 8020 ($\mu\text{g/L}$)	<i>MTBE</i> 8260 ($\mu\text{g/L}$)	<i>TBA</i> ($\mu\text{g/L}$)	<i>DIPE</i> ($\mu\text{g/L}$)	<i>ETBE</i> ($\mu\text{g/L}$)	<i>TAME</i> ($\mu\text{g/L}$)	<i>EDC</i> ($\mu\text{g/L}$)	<i>EDB</i> ($\mu\text{g/L}$)	<i>TOC</i> (ft MSL)	<i>Depth to</i> <i>Water</i> (ft TOC)	<i>SPH</i> <i>Thickness</i> (ft)	<i>GW</i> <i>Elevation</i> (ft MSL)	<i>DO</i> (mg/L)	<i>ORP</i> (mV)
----------------	-------------	------------------------------------	---------------------------------	---------------------------------	---------------------------------	---------------------------------	--	--	-----------------------------------	------------------------------------	------------------------------------	------------------------------------	-----------------------------------	-----------------------------------	------------------------	---	--	---	---------------------	--------------------

EDC = 1,2-Dichloroethane analyzed by EPA Method 8260B.

EDB = 1,2-Dibromoethane analyzed by EPA Method 8260B.

TOC = Top of casing elevation, in feet relative to mean sea level

SPH = Separate-phase hydrocarbon

GW = Groundwater

DO = Dissolved oxygen

ORP = Oxygen redox potential

$\mu\text{g/l}$ = Micrograms per liter

ft = Feet

MSL = Mean sea level

mg/L = Milligrams per liter

mV = Millivolts

<x = Not detected at reporting limit x

--- = Not analyzed or available

(D) = Duplicate sample

a = Included in xylenes analysis

b = Analyzed outside of EPA recommended holding time

c = Depth to water measured from TOC; elevation unknown.

d = Grab sampled

e = Casing broken; TOC unknown.

f = Analyzed by EPA Method 8015B (M)

g = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

h = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

i = Pre-purge sample

j = Post-purge sample

Beginning July 18, 2002, well elevations measured from TOC

Site wells surveyed March 5, 2002 by Virgil Chavez Land Surveying

Site wells surveyed December 18, 2007 by Virgil Chavez Land Surveying

Wells S-14R and S-19 through S-23 surveyed on November 11, 2008 by Virgil Chavez Land Surveying

Well S-5 surveyed on November 11, 2008 by Virgil Chavez Land Surveying

Well S-5 surveyed on October 8, 2009 by Virgil Chavez Land Surveying

APPENDIX A

BLAINE TECH SERVICES, INC. -
FIELD NOTES

WELL GAUGING DATA

 Project # 120507-WW1

 Date 5/7/12

 Client SHELL

 #
 Site 97093399 / 461 8th ST. OAKLAND, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
S-4	0742	4					20.65	28.33		
S-5	0900	4					13.82	29.74		
S-6	0926	4		—			17.50	35.02		
S-8	0759	4					21.23	28.84		
S-9	0750	4					20.49	29.93		
S-10	0803	4	over				22.00	35.85		
S-12	0745	4					22.50	34.34		
S-13	0822	4					21.35	32.57		
S-14R	1025	4					20.77	34.30		
S-17	0804	2					21.50	33.59		
S-18	0813	2					21.20	33.15		
S-19	1028	4					20.51	34.47		
S-20	0820	4					20.54	34.82		
S-21A	0810	4					21.90	26.64		
S-21B	0756	4					22.04	39.50		
S-22A	0813	4					20.96	26.45		
S-22B	0754	4					21.08	39.60		

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8 th ST, OAKLAND, CA
Sampler: WW	Date: 5/7/12
Well I.D.: S-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 35.02	Depth to Water (DTW): 17.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.00	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
 Other: _____

$11.4 \text{ (Gals.)} \times 3 = 34.2 \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume Specified Volumes Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0932	68.8	6.64	769	28	11.4	odor
0935	68.3	6.64	721	33	22.8	"
0937	67.9	6.46	693	18	34.2	"

Did well dewater? Yes No Gallons actually evacuated: 34.2

Sampling Date: 5/7/12 Sampling Time: 0945 Depth to Water: 19.71

Sample I.D.: S-6 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd): <u>Pre-purge:</u> 2.22 mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd): <u>Pre-purge:</u> 116 mV	Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: ww	Date: 5/7/12
Well I.D.: S-8	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 28.84	Depth to Water (DTW): 21.23
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.75	

Purge Method: Bailer Waterra Sampling Method: Bailer

Disposable Bailer Peristaltic Disposable Bailer

Positive Air Displacement Extraction Pump Extraction Port

Electric Submersible Other _____ Dedicated Tubing

Other: _____

$5.0 \text{ (Gals.)} \times 3 = 15.0 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														
1 Case Volume Specified Volumes Calculated Volume																	

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1052	69.2	6.4	305	>1000	5	
1053	69.7	6.4	416	>1000	10	
WELL DEWATERED @				12 GALS		
1305	71.1	5.21	586	737	—	white, chunky
					—	

Did well dewater? Yes No Gallons actually evacuated: 12

Sampling Date: 5/7/12 Sampling Time: 1305 Depth to Water: 21.44

Sample I.D.: S-8 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): <u>Pre-purge:</u> 2.42 mg/L	Post-purge: _____ mg/L
D.R.P. (if req'd): <u>Pre-purge:</u> 209 mV	Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-9	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 29.93	Depth to Water (DTW): 20.49
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.37	

Purge Method: Bailer Waterra Sampling Method: Bailer

Disposable Bailer Peristaltic Disposable Bailer

Positive Air Displacement Extraction Pump Extraction Port

Electric Submersible Other _____ Dedicated Tubing

Other: _____

6.1 (Gals.) X 3 = 18.3 Gals.

1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1005	68.3	6.42	356.1	27	6.1	
1006	68.1	6.35	362.9	15	12.2	
1007	68.1	6.37	368.5	11	18.3	

Did well dewater? Yes No Gallons actually evacuated: 18.3

Sampling Date: 5/7/12 Sampling Time: 1015 Depth to Water: 22.33

Sample I.D.: S-9 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	0.91 mg/L	Post-purge:	

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-12	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.34	Depth to Water (DTW): 22.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.87	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

7.7 (Gals.) X 3 = 23.1 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>uS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
0941	68.9	6.37	671.4	129	7.7	
0943	69.0	6.40	679.8	63	15.4	
0945	69.1	6.44	685.3	27	23.1	

Did well dewater? Yes No Gallons actually evacuated: 23.1

Sampling Date: 5/7/12 Sampling Time: 0955 Depth to Water: 24.10

Sample I.D.: S-12 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	0.88	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	66	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WWI	Site: 461 8 th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-13	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 32.57	Depth to Water (DTW): 21.35
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.59	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

7.3 (Gals.) X 3	= 21.9 Gals.	
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1210	70.9	6.28	1094	31	7.3	
1212	70.3	6.17	1175	20	14.6	
1214	70.7	6.11	1179	16	21.9	

Did well dewater? Yes No Gallons actually evacuated: 21.9

Sampling Date: 5/7/12 Sampling Time: 1220 Depth to Water: 23.30

Sample I.D.: S-13 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge:	0.60 mg/L	Post-purge:	
	O.R.P. (if req'd):	-176 mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8 th ST, OAKLAND, CA
Sampler: WW	Date: 5/7/12
Well I.D.: S-14R	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.30	Depth to Water (DTW): 20.77
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.48	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing
 Other: _____

$8.8 \text{ (Gals.)} \times 3 = 26.4 \text{ Gals.}$ <p>I Case Volume Specified Volumes Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1148	68.7	6.80	436	57	8.8	
1150	68.1	6.61	429	138	17.6	
1153	68.1	6.58	434	127	26.4	

Did well dewater? Yes No Gallons actually evacuated: 26.4

Sampling Date: 5/7/12 Sampling Time: 1200 Depth to Water: 23.24

Sample I.D.: S-14R Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd): <u>Pre-purge:</u> 2.47 mg/L	Post-purge: _____ mg/L
O.R.P. (if req'd): <u>Pre-purge:</u> 238 mV	Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WWI	Site: 461 8th ST, OAKLAND, CA
Sampler: PW	Date: 5/7/12
Well I.D.: S-17	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 33.59	Depth to Water (DTW): 21.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.92	

Purge Method: Bailer	Waterra	Sampling Method: Bailer
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
Electric Submersible	Other _____	Dedicated Tubing
		Other: _____

$2.0 \text{ (Gals.)} \times 3 = 6.0 \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume Specified Volumes Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1041	69.4	6.17	425.7	71000	2.0	
1044	69.6	6.07	452.2	71000	4.0	
1046	69.2	6.05	459.7	71000	6.0	

Did well dewater? Yes No Gallons actually evacuated: 6.0

Sampling Date: 5/7/12 Sampling Time: 1050 Depth to Water: 22.08

Sample I.D.: S-17 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge: 0.62 mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge: 84 mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-18	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 33.15	Depth to Water (DTW): 21.20
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.59	

Purge Method: (Bailer) Waterra Sampling Method: (Bailer)

Disposable Bailer Peristaltic
 Positive Air Displacement Extraction Pump
 Electric Submersible Other _____

Other: _____

$2.0 \text{ (Gals.)} \times 3 = 6.0 \text{ Gals.}$ <p style="font-size: small; margin: 0;"> 1 Case Volume Specified Volumes Calculated Volume </p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or (uS))	Turbidity (NTUs)	Gals. Removed	Observations
1150	69.5	5.63	1655	71000	2.0	
1152	69.3	5.57	1708	71000	4.0	
1154	69.4	5.86	1726	71000	6.0	

Did well dewater? Yes No Gallons actually evacuated: 6.0

Sampling Date: 5/7/12 Sampling Time: 1200 Depth to Water: 21.62

Sample I.D.: S-18 Laboratory: (Test America) Other _____

Analyzed for: (TPH-G BTEX) MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge: (0.55) mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge: (-68) mV	Post-purge:	

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WWI	Site: 461 8th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-20	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34.82	Depth to Water (DTW): 20.54
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.40	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

$9.3 \text{ (Gals.)} \times 3 = 27.9 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1230	70.8	5.97	2123	23	9.3	
1232	70.6	6.09	2376	26	18.6	
1234	70.8	6.06	2346	21	28.0	

Did well dewater? Yes No Gallons actually evacuated: 28.0

Sampling Date: 5/7/12 Sampling Time: 1245 Depth to Water: 23.31

Sample I.D.: S-20 Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge: 1.92 mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge: -106 mV	Post-purge:	

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: DW	Date: 5/7/12
Well I.D.: S-21A	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 26.64	Depth to Water (DTW): 21.90
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.85	

Purge Method: Bailer	Watterra	Sampling Method: Bailer
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
Electric Submersible	Other _____	Dedicated Tubing
		Other: _____

3.1 (Gals.)	X 3	= 9.3 Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1102	71.5	4.77	5004	216	3.1	
1102					3.5 gals	well dewatered @
1125	70.9	4.97	5622	826	Grab	

Did well dewater? Yes No Gallons actually evacuated: 3.5

Sampling Date: 5/7/12 Sampling Time: 1125 Depth to Water: 22.22

Sample I.D.: S-21A Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge: 0.6210 mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge: 107 mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8 th ST, OAKLAND, CA
Sampler: WW	Date: 5/7/12
Well I.D.: S-22A	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 26.45	Depth to Water (DTW): 20.96
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.06	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	---

$3.6 \text{ (Gals.)} \times 3 = 10.8 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>AS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1240	72.7	3.75	7070	569	3.6	white, cloudy, oo
WELL	DEWATERED		C	4.0	GALS	
1310	72.4	4.16	7333	468	Grab	

Did well dewater? Yes No Gallons actually evacuated: 4

Sampling Date: 5/7/12 Sampling Time: 1310 Depth to Water: 21.38

Sample I.D.: S-22A Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge: <u>2.50</u> mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge: <u>230</u> mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 120507-WW1	Site: 461 8th ST, OAKLAND, CA
Sampler: WW	Date: 5/7/12
Well I.D.: S-22B	Well Diameter: 2 3 (4) 6 8
Total Well Depth (TD): 39.60	Depth to Water (DTW): 21.08
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.78	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

12.0 (Gals.) X 3	=	36.0 Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1032	68.3	6.60	478	23	12	
1035	68.4	6.90	540	48	24	
1038	68.4	5.70	594	142	36	

Did well dewater? Yes No Gallons actually evacuated: 36

Sampling Date: 5/7/12 Sampling Time: 1045 Depth to Water: 24.36

Sample I.D.: S-22B Laboratory: Test America Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

D.O. (if req'd):	Pre-purge: 2.84 mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge: 127 mV	Post-purge:	mV

Well ID	Observations Upon Arrival													Note Repairs Made Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition	Repair Date and PM Initials			
	Manway Cover, Type, Condition & Size					Well Labeled/ Painted/ Property		Well Cap (Gripper) Condition		Well Lock Condition			Well Pad/ Surface Condition						
S-4	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	2" BELOW GRADE	Y	N		
S-5	Standpipe	Flush	G	P	Size (inch) 4x3'	Y	N	G	R	G	R	NL	G	P	SEWER GRATE	Y	N		
S-6	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	CHARISTLY BOX; DIAMOND PLATE LID.	Y	N		
S-8	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-9	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-10	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-12	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P	NO TAG	Y	N		
S-13	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-14R	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-17	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
S-18	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N		
TOTAL # CAPS REPLACED =									0		= TOTAL # OF LOCKS REPLACED								
Condition of Soil Boring Patches or Abandoned Monitoring Wells:		G	P	N/A	If POOR, Boring Well IDs or Location Description:													Y	N
Remediation Compound Type (Check boxes that apply)		Condition of Enclosure			Condition of Area Inside Enclosure			Compound Security			Emergency Contact info Visible			Cleaning / Repairs Recommended and Conducted			Photos of Condition		Repair Date & PM Initials
NA		P																	
Building		G			G			G			Y						Y		N
Building w/ Fence Comp.		G			G			G			Y						Y		N
Fenced Compound		G			G			G			Y						Y		N
Trailer		G			G			G			Y						Y		N
Number of Drums On-site	Does the Label Reveal the Source of the Contents	Labeled Correctly and Writing Legible			Drum Condition			Confirm Drums Related to Environmental		Drums Located to Min Business Interference			Detailed Explanation of Any Issues Resolved			Photos of Drum Condition		Date Drums Removed from Site and PM Initials	
0	Y	N	N/A	Y	N	N/A	G	P	N/A	Y	N	Y	N	N/A				Y	N

G = Good (Acceptable) R = Replaced

oor (needs attention) NL = No Lock Required

All repairs other than locks and grippers require Shell PM approval prior to repair.

Underwater monitoring well covers must be painted and labeled in accordance with applicable regulations.

4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

WILLIAM WONG / BLAIN & TECH SERVICES

Print or type Name of Field Personnel & Consultant Company

INCIDENT # 71095577

ADDRESS 761 8th ST.

DATE: 5/7/12

CITY & STATE OAKLAND, CA

Well ID	Observations Upon Arrival													Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition	Repair Date and PM Initials				
	Manway Cover, Type, Condition & Size					Well Labeled / Painted Property*		Well Cap (Gripper) Condition		Well Lock Condition			Well Pad / Surface Condition							
S-19	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-20	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-21A	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-21B	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-22A	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-22B	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
S-23	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N			
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N			
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N			
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N			
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N			
TOTAL # CAPS REPLACED =										0	= TOTAL # OF LOCKS REPLACED									
Condition of Soil Boring Patches or Abandoned Monitoring Wells		G	P	N/A	IF POOR, Borings/Well IDs or Location Description													Y	N	
Remediation Compound Type (Check boxes that apply)		Condition of Enclosure			Condition of Area Inside Enclosure			Compound Security			Emergency Contact Info Visible			Cleaning / Repairs Recommended and Conducted			Photos of Condition	Repair Date and PM Initials		
NA		G	P	N/A	G	P	N/A	G	P	N/A	Y	N	N/A		Y	N				
Building																				
Building w/ Fence Comp.																				
Fenced Compound																				
Trailer																				
Number of Drums On-site	Does the Label Reveal the Source of the Contents	Labeled Correctly and Writing Legible			Drum Condition			Confirm Drums Related to Environmental		Drums Located to Min Business Interference			Detailed Explanation of Any Issues Resolved			Photos of Drum Condition	Date Drums Removed from Site and PM Initials			
0	Y	N	N/A	Y	N	N/A	G	P	N/A	Y	N	Y	N	N/A		Y	N			

G = Good (Acceptable) R = Replaced
P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.

Version 2.4, March 2009

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

WILLIAM WONG / BLAINE TEAM SERVICES
Print or type Name of Field Personnel & Consultant Company

APPENDIX B

TEST AMERICA -
LABORATORY REPORT

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine

17461 Derian Ave

Suite 100

Irvine, CA 92614-5817

Tel: (949)261-1022

TestAmerica Job ID: 440-11443-1

Client Project/Site: 461 8th St., Oakland, CA

For:


Conestoga-Rovers & Associates, Inc.

5900 Hollis Street

Suite A

Emeryville, California 94608

Attn: Peter Schaefer



Authorized for release by:

5/25/2012 3:20:50 PM

Philip Sanelle

Project Manager I

philip.sanelle@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Chronicle	14
QC Sample Results	18
QC Association	31
Definitions	34
Certification Summary	35
Chain of Custody	36
Receipt Checklists	38

Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-11443-1	S-4	Water	05/07/12 10:10	05/10/12 09:50
440-11443-2	S-5	Water	05/07/12 09:15	05/10/12 09:50
440-11443-3	S-6	Water	05/07/12 09:45	05/10/12 09:50
440-11443-4	S-8	Water	05/07/12 13:05	05/10/12 09:50
440-11443-5	S-9	Water	05/07/12 10:15	05/10/12 09:50
440-11443-6	S-10	Water	05/07/12 11:20	05/10/12 09:50
440-11443-7	S-12	Water	05/07/12 09:55	05/10/12 09:50
440-11443-8	S-13	Water	05/07/12 12:20	05/10/12 09:50
440-11443-9	S-14R	Water	05/07/12 12:00	05/10/12 09:50
440-11443-10	S-17	Water	05/07/12 10:50	05/10/12 09:50
440-11443-11	S-18	Water	05/07/12 12:00	05/10/12 09:50
440-11443-12	S-19	Water	05/07/12 12:15	05/10/12 09:50
440-11443-13	S-20	Water	05/07/12 12:45	05/10/12 09:50
440-11443-14	S-21A	Water	05/07/12 11:25	05/10/12 09:50
440-11443-15	S-21B	Water	05/07/12 11:15	05/10/12 09:50
440-11443-16	S-22A	Water	05/07/12 13:10	05/10/12 09:50
440-11443-17	S-22B	Water	05/07/12 10:45	05/10/12 09:50
440-11443-18	S-23	Water	05/07/12 12:35	05/10/12 09:50

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Job ID: 440-11443-1

Laboratory: TestAmerica Irvine

Narrative

**Job Narrative
440-11443-1**

Comments

No additional comments.

Receipt

The samples were received on 5/10/2012 9:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 26067 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-4

Lab Sample ID: 440-11443-1

Date Collected: 05/07/12 10:10

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Volatile Fuel Hydrocarbons (C4-C12)	240		50		ug/L			05/15/12 14:42	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
Dibromofluoromethane (Surr)	92		80 - 120					05/15/12 14:42	1	
4-Bromofluorobenzene (Surr)	99		80 - 120					05/15/12 14:42	1	
Toluene-d8 (Surr)	94		80 - 120					05/15/12 14:42	1	

Method: 8260B - Volatile Organic Compounds (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	86		0.50		ug/L			05/15/12 14:42	1	
Toluene	22		0.50		ug/L			05/15/12 14:42	1	
Ethylbenzene	9.5		0.50		ug/L			05/15/12 14:42	1	
Xylenes, Total	25		1.0		ug/L			05/15/12 14:42	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	99		80 - 120					05/15/12 14:42	1	
Dibromofluoromethane (Surr)	92		80 - 120					05/15/12 14:42	1	
Toluene-d8 (Surr)	94		80 - 120					05/15/12 14:42	1	

Client Sample ID: S-5

Lab Sample ID: 440-11443-2

Date Collected: 05/07/12 09:15

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Volatile Fuel Hydrocarbons (C4-C12)	16000		1000		ug/L			05/15/12 15:09	20	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
Dibromofluoromethane (Surr)	96		80 - 120					05/15/12 15:09	20	
4-Bromofluorobenzene (Surr)	98		80 - 120					05/15/12 15:09	20	
Toluene-d8 (Surr)	98		80 - 120					05/15/12 15:09	20	

Method: 8260B - Volatile Organic Compounds (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	150		5.0		ug/L			05/17/12 04:43	10	
Toluene	200		5.0		ug/L			05/17/12 04:43	10	
Ethylbenzene	350		5.0		ug/L			05/17/12 04:43	10	
Xylenes, Total	760		10		ug/L			05/17/12 04:43	10	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	114		80 - 120					05/17/12 04:43	10	
Dibromofluoromethane (Surr)	93		80 - 120					05/17/12 04:43	10	
Toluene-d8 (Surr)	100		80 - 120					05/17/12 04:43	10	

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-6

Lab Sample ID: 440-11443-3

Date Collected: 05/07/12 09:45

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	38000		5000		ug/L			05/16/12 00:59	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	108		80 - 120					05/16/12 00:59	100
4-Bromofluorobenzene (Surr)	106		80 - 120					05/16/12 00:59	100
Toluene-d8 (Surr)	105		80 - 120					05/16/12 00:59	100

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	14000		50		ug/L			05/16/12 00:59	100
Toluene	4800		50		ug/L			05/16/12 00:59	100
Ethylbenzene	1300		50		ug/L			05/16/12 00:59	100
Xylenes, Total	4400		100		ug/L			05/16/12 00:59	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		80 - 120					05/16/12 00:59	100
Dibromofluoromethane (Surr)	108		80 - 120					05/16/12 00:59	100
Toluene-d8 (Surr)	105		80 - 120					05/16/12 00:59	100

Client Sample ID: S-8

Lab Sample ID: 440-11443-4

Date Collected: 05/07/12 13:05

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/17/12 05:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	100		80 - 120					05/17/12 05:40	1
4-Bromofluorobenzene (Surr)	94		80 - 120					05/17/12 05:40	1
Toluene-d8 (Surr)	93		80 - 120					05/17/12 05:40	1

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4.3		0.50		ug/L			05/17/12 05:40	1
Toluene	1.4		0.50		ug/L			05/17/12 05:40	1
Ethylbenzene	0.59		0.50		ug/L			05/17/12 05:40	1
Xylenes, Total	1.0		1.0		ug/L			05/17/12 05:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120					05/17/12 05:40	1
Dibromofluoromethane (Surr)	100		80 - 120					05/17/12 05:40	1
Toluene-d8 (Surr)	93		80 - 120					05/17/12 05:40	1

Client Sample ID: S-9

Lab Sample ID: 440-11443-5

Date Collected: 05/07/12 10:15

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	970		250		ug/L			05/15/12 16:30	5

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-9

Lab Sample ID: 440-11443-5

Date Collected: 05/07/12 10:15

Matrix: Water

Date Received: 05/10/12 09:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	95		80 - 120		05/15/12 16:30	5
4-Bromofluorobenzene (Surr)	103		80 - 120		05/15/12 16:30	5
Toluene-d8 (Surr)	95		80 - 120		05/15/12 16:30	5

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	200		2.5		ug/L			05/15/12 16:30	5
Toluene	14		2.5		ug/L			05/15/12 16:30	5
Ethylbenzene	46		2.5		ug/L			05/15/12 16:30	5
Xylenes, Total	100		5.0		ug/L			05/15/12 16:30	5
Methyl-t-Butyl Ether (MTBE)	ND		2.5		ug/L			05/15/12 16:30	5
tert-Butyl alcohol (TBA)	ND		50		ug/L			05/15/12 16:30	5
Isopropyl Ether (DIPE)	ND		2.5		ug/L			05/15/12 16:30	5
Ethyl-t-butyl ether (ETBE)	ND		2.5		ug/L			05/15/12 16:30	5
Tert-amyl-methyl ether (TAME)	ND		2.5		ug/L			05/15/12 16:30	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		80 - 120		05/15/12 16:30	5
Dibromofluoromethane (Surr)	95		80 - 120		05/15/12 16:30	5
Toluene-d8 (Surr)	95		80 - 120		05/15/12 16:30	5

Client Sample ID: S-10

Lab Sample ID: 440-11443-6

Date Collected: 05/07/12 11:20

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	50		50		ug/L			05/15/12 23:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99		80 - 120		05/15/12 23:11	1
4-Bromofluorobenzene (Surr)	101		80 - 120		05/15/12 23:11	1
Toluene-d8 (Surr)	97		80 - 120		05/15/12 23:11	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.84		0.50		ug/L			05/15/12 23:11	1
Toluene	ND		0.50		ug/L			05/15/12 23:11	1
Ethylbenzene	1.5		0.50		ug/L			05/15/12 23:11	1
Xylenes, Total	ND		1.0		ug/L			05/15/12 23:11	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			05/15/12 23:11	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			05/15/12 23:11	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			05/15/12 23:11	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			05/15/12 23:11	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			05/15/12 23:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		80 - 120		05/15/12 23:11	1
Dibromofluoromethane (Surr)	99		80 - 120		05/15/12 23:11	1
Toluene-d8 (Surr)	97		80 - 120		05/15/12 23:11	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-12

Lab Sample ID: 440-11443-7

Date Collected: 05/07/12 09:55

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	180		50		ug/L			05/16/12 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	91		80 - 120					05/16/12 01:04	1
4-Bromofluorobenzene (Surr)	105		80 - 120					05/16/12 01:04	1
Toluene-d8 (Surr)	94		80 - 120					05/16/12 01:04	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	25		0.50		ug/L			05/16/12 01:04	1
Toluene	ND		0.50		ug/L			05/16/12 01:04	1
Ethylbenzene	19		0.50		ug/L			05/16/12 01:04	1
Xylenes, Total	1.0		1.0		ug/L			05/16/12 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120					05/16/12 01:04	1
Dibromofluoromethane (Surr)	91		80 - 120					05/16/12 01:04	1
Toluene-d8 (Surr)	94		80 - 120					05/16/12 01:04	1

Client Sample ID: S-13

Lab Sample ID: 440-11443-8

Date Collected: 05/07/12 12:20

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	5100		500		ug/L			05/16/12 01:33	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	92		80 - 120					05/16/12 01:33	10
4-Bromofluorobenzene (Surr)	105		80 - 120					05/16/12 01:33	10
Toluene-d8 (Surr)	94		80 - 120					05/16/12 01:33	10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	540		5.0		ug/L			05/16/12 01:33	10
Toluene	670		5.0		ug/L			05/16/12 01:33	10
Ethylbenzene	320		5.0		ug/L			05/16/12 01:33	10
Xylenes, Total	1100		10		ug/L			05/16/12 01:33	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120					05/16/12 01:33	10
Dibromofluoromethane (Surr)	92		80 - 120					05/16/12 01:33	10
Toluene-d8 (Surr)	94		80 - 120					05/16/12 01:33	10

Client Sample ID: S-14R

Lab Sample ID: 440-11443-9

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	630		50		ug/L			05/16/12 02:01	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-14R

Lab Sample ID: 440-11443-9

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		80 - 120		05/16/12 02:01	1
4-Bromofluorobenzene (Surr)	107		80 - 120		05/16/12 02:01	1
Toluene-d8 (Surr)	95		80 - 120		05/16/12 02:01	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	68		0.50		ug/L			05/16/12 02:01	1
Toluene	62		0.50		ug/L			05/16/12 02:01	1
Ethylbenzene	40		0.50		ug/L			05/16/12 02:01	1
Xylenes, Total	120		1.0		ug/L			05/16/12 02:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		80 - 120		05/16/12 02:01	1
Dibromofluoromethane (Surr)	93		80 - 120		05/16/12 02:01	1
Toluene-d8 (Surr)	95		80 - 120		05/16/12 02:01	1

Client Sample ID: S-17

Lab Sample ID: 440-11443-10

Date Collected: 05/07/12 10:50

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	980		50		ug/L			05/16/12 02:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		80 - 120		05/16/12 02:30	1
4-Bromofluorobenzene (Surr)	109		80 - 120		05/16/12 02:30	1
Toluene-d8 (Surr)	97		80 - 120		05/16/12 02:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	110		0.50		ug/L			05/16/12 02:30	1
Toluene	3.6		0.50		ug/L			05/16/12 02:30	1
Ethylbenzene	66		0.50		ug/L			05/16/12 02:30	1
Xylenes, Total	100		1.0		ug/L			05/16/12 02:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		80 - 120		05/16/12 02:30	1
Dibromofluoromethane (Surr)	93		80 - 120		05/16/12 02:30	1
Toluene-d8 (Surr)	97		80 - 120		05/16/12 02:30	1

Client Sample ID: S-18

Lab Sample ID: 440-11443-11

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	4700		500		ug/L			05/16/12 02:58	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	89		80 - 120		05/16/12 02:58	10
4-Bromofluorobenzene (Surr)	107		80 - 120		05/16/12 02:58	10

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-18

Lab Sample ID: 440-11443-11

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	95		80 - 120		05/16/12 02:58	10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	710		5.0		ug/L			05/16/12 02:58	10
Toluene	310		5.0		ug/L			05/16/12 02:58	10
Ethylbenzene	310		5.0		ug/L			05/16/12 02:58	10
Xylenes, Total	870		10		ug/L			05/16/12 02:58	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		80 - 120		05/16/12 02:58	10
Dibromofluoromethane (Surr)	89		80 - 120		05/16/12 02:58	10
Toluene-d8 (Surr)	95		80 - 120		05/16/12 02:58	10

Client Sample ID: S-19

Lab Sample ID: 440-11443-12

Date Collected: 05/07/12 12:15

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	3400		500		ug/L			05/16/12 03:27	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	92		80 - 120		05/16/12 03:27	10
4-Bromofluorobenzene (Surr)	104		80 - 120		05/16/12 03:27	10
Toluene-d8 (Surr)	94		80 - 120		05/16/12 03:27	10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	220		5.0		ug/L			05/16/12 03:27	10
Toluene	480		5.0		ug/L			05/16/12 03:27	10
Ethylbenzene	210		5.0		ug/L			05/16/12 03:27	10
Xylenes, Total	880		10		ug/L			05/16/12 03:27	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		80 - 120		05/16/12 03:27	10
Dibromofluoromethane (Surr)	92		80 - 120		05/16/12 03:27	10
Toluene-d8 (Surr)	94		80 - 120		05/16/12 03:27	10

Client Sample ID: S-20

Lab Sample ID: 440-11443-13

Date Collected: 05/07/12 12:45

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	9900		1000		ug/L			05/16/12 03:55	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	92		80 - 120		05/16/12 03:55	20
4-Bromofluorobenzene (Surr)	104		80 - 120		05/16/12 03:55	20
Toluene-d8 (Surr)	95		80 - 120		05/16/12 03:55	20

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-20

Lab Sample ID: 440-11443-13

Date Collected: 05/07/12 12:45

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	760		10		ug/L			05/16/12 03:55	20
Toluene	1200		10		ug/L			05/16/12 03:55	20
Ethylbenzene	790		10		ug/L			05/16/12 03:55	20
Xylenes, Total	2000		20		ug/L			05/16/12 03:55	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		80 - 120					05/16/12 03:55	20
Dibromofluoromethane (Surr)	92		80 - 120					05/16/12 03:55	20
Toluene-d8 (Surr)	95		80 - 120					05/16/12 03:55	20

Client Sample ID: S-21A

Lab Sample ID: 440-11443-14

Date Collected: 05/07/12 11:25

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	12000		2500		ug/L			05/16/12 04:23	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	91		80 - 120					05/16/12 04:23	50
4-Bromofluorobenzene (Surr)	103		80 - 120					05/16/12 04:23	50
Toluene-d8 (Surr)	94		80 - 120					05/16/12 04:23	50

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	2200		25		ug/L			05/16/12 04:23	50
Toluene	1900		25		ug/L			05/16/12 04:23	50
Ethylbenzene	510		25		ug/L			05/16/12 04:23	50
Xylenes, Total	2100		50		ug/L			05/16/12 04:23	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		80 - 120					05/16/12 04:23	50
Dibromofluoromethane (Surr)	91		80 - 120					05/16/12 04:23	50
Toluene-d8 (Surr)	94		80 - 120					05/16/12 04:23	50

Client Sample ID: S-21B

Lab Sample ID: 440-11443-15

Date Collected: 05/07/12 11:15

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	170		50		ug/L			05/16/12 04:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		80 - 120					05/16/12 04:52	1
4-Bromofluorobenzene (Surr)	100		80 - 120					05/16/12 04:52	1
Toluene-d8 (Surr)	96		80 - 120					05/16/12 04:52	1

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			05/16/12 04:52	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-21B

Lab Sample ID: 440-11443-15

Date Collected: 05/07/12 11:15

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	0.62		0.50		ug/L			05/16/12 04:52	1
Ethylbenzene	1.5		0.50		ug/L			05/16/12 04:52	1
Xylenes, Total	7.6		1.0		ug/L			05/16/12 04:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		80 - 120					05/16/12 04:52	1
Dibromofluoromethane (Surr)	93		80 - 120					05/16/12 04:52	1
Toluene-d8 (Surr)	96		80 - 120					05/16/12 04:52	1

Client Sample ID: S-22A

Lab Sample ID: 440-11443-16

Date Collected: 05/07/12 13:10

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	40000		5000		ug/L			05/16/12 18:28	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	95		80 - 120					05/16/12 18:28	100
4-Bromofluorobenzene (Surr)	103		80 - 120					05/16/12 18:28	100
Toluene-d8 (Surr)	95		80 - 120					05/16/12 18:28	100

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	2000		50		ug/L			05/16/12 18:28	100
Toluene	7200		50		ug/L			05/16/12 18:28	100
Ethylbenzene	2000		50		ug/L			05/16/12 18:28	100
Xylenes, Total	12000		100		ug/L			05/16/12 18:28	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		80 - 120					05/16/12 18:28	100
Dibromofluoromethane (Surr)	95		80 - 120					05/16/12 18:28	100
Toluene-d8 (Surr)	95		80 - 120					05/16/12 18:28	100

Client Sample ID: S-22B

Lab Sample ID: 440-11443-17

Date Collected: 05/07/12 10:45

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/16/12 05:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	97		80 - 120					05/16/12 05:49	1
4-Bromofluorobenzene (Surr)	97		80 - 120					05/16/12 05:49	1
Toluene-d8 (Surr)	93		80 - 120					05/16/12 05:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.4		0.50		ug/L			05/16/12 05:49	1
Toluene	ND		0.50		ug/L			05/16/12 05:49	1
Ethylbenzene	ND		0.50		ug/L			05/16/12 05:49	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-22B

Lab Sample ID: 440-11443-17

Date Collected: 05/07/12 10:45

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		1.0		ug/L			05/16/12 05:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		80 - 120					05/16/12 05:49	1
Dibromofluoromethane (Surr)	97		80 - 120					05/16/12 05:49	1
Toluene-d8 (Surr)	93		80 - 120					05/16/12 05:49	1

Client Sample ID: S-23

Lab Sample ID: 440-11443-18

Date Collected: 05/07/12 12:35

Matrix: Water

Date Received: 05/10/12 09:50

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	870		50		ug/L			05/16/12 06:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		80 - 120					05/16/12 06:17	1
4-Bromofluorobenzene (Surr)	108		80 - 120					05/16/12 06:17	1
Toluene-d8 (Surr)	96		80 - 120					05/16/12 06:17	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	50		0.50		ug/L			05/16/12 06:17	1
Toluene	40		0.50		ug/L			05/16/12 06:17	1
Ethylbenzene	66		0.50		ug/L			05/16/12 06:17	1
Xylenes, Total	220		1.0		ug/L			05/16/12 06:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		80 - 120					05/16/12 06:17	1
Dibromofluoromethane (Surr)	93		80 - 120					05/16/12 06:17	1
Toluene-d8 (Surr)	96		80 - 120					05/16/12 06:17	1

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-4

Lab Sample ID: 440-11443-1

Date Collected: 05/07/12 10:10

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26067	05/15/12 14:42	SS	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26068	05/15/12 14:42	AT	TAL IRV

Client Sample ID: S-5

Lab Sample ID: 440-11443-2

Date Collected: 05/07/12 09:15

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		20	10 mL	10 mL	26068	05/15/12 15:09	AT	TAL IRV
Total/NA	Analysis	8260B		10	10 mL	10 mL	26599	05/17/12 04:43	RM	TAL IRV

Client Sample ID: S-6

Lab Sample ID: 440-11443-3

Date Collected: 05/07/12 09:45

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	10 mL	10 mL	26269	05/16/12 00:59	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		100	10 mL	10 mL	26270	05/16/12 00:59	RM	TAL IRV

Client Sample ID: S-8

Lab Sample ID: 440-11443-4

Date Collected: 05/07/12 13:05

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26599	05/17/12 05:40	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26600	05/17/12 05:40	RM	TAL IRV

Client Sample ID: S-9

Lab Sample ID: 440-11443-5

Date Collected: 05/07/12 10:15

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	10 mL	10 mL	26067	05/15/12 16:30	SS	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		5	10 mL	10 mL	26068	05/15/12 16:30	AT	TAL IRV

Client Sample ID: S-10

Lab Sample ID: 440-11443-6

Date Collected: 05/07/12 11:20

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/15/12 23:11	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/15/12 23:11	YK	TAL IRV

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-12

Lab Sample ID: 440-11443-7

Date Collected: 05/07/12 09:55

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 01:04	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 01:04	YK	TAL IRV

Client Sample ID: S-13

Lab Sample ID: 440-11443-8

Date Collected: 05/07/12 12:20

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	26320	05/16/12 01:33	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		10	10 mL	10 mL	26321	05/16/12 01:33	YK	TAL IRV

Client Sample ID: S-14R

Lab Sample ID: 440-11443-9

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 02:01	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 02:01	YK	TAL IRV

Client Sample ID: S-17

Lab Sample ID: 440-11443-10

Date Collected: 05/07/12 10:50

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 02:30	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 02:30	YK	TAL IRV

Client Sample ID: S-18

Lab Sample ID: 440-11443-11

Date Collected: 05/07/12 12:00

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	26320	05/16/12 02:58	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		10	10 mL	10 mL	26321	05/16/12 02:58	YK	TAL IRV

Client Sample ID: S-19

Lab Sample ID: 440-11443-12

Date Collected: 05/07/12 12:15

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	26320	05/16/12 03:27	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		10	10 mL	10 mL	26321	05/16/12 03:27	YK	TAL IRV

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Client Sample ID: S-20

Lab Sample ID: 440-11443-13

Date Collected: 05/07/12 12:45

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	10 mL	10 mL	26320	05/16/12 03:55	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		20	10 mL	10 mL	26321	05/16/12 03:55	YK	TAL IRV

Client Sample ID: S-21A

Lab Sample ID: 440-11443-14

Date Collected: 05/07/12 11:25

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		50	10 mL	10 mL	26320	05/16/12 04:23	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		50	10 mL	10 mL	26321	05/16/12 04:23	YK	TAL IRV

Client Sample ID: S-21B

Lab Sample ID: 440-11443-15

Date Collected: 05/07/12 11:15

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 04:52	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 04:52	YK	TAL IRV

Client Sample ID: S-22A

Lab Sample ID: 440-11443-16

Date Collected: 05/07/12 13:10

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	10 mL	10 mL	26382	05/16/12 18:28	CP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		100	10 mL	10 mL	26383	05/16/12 18:28	CP	TAL IRV

Client Sample ID: S-22B

Lab Sample ID: 440-11443-17

Date Collected: 05/07/12 10:45

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 05:49	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 05:49	YK	TAL IRV

Client Sample ID: S-23

Lab Sample ID: 440-11443-18

Date Collected: 05/07/12 12:35

Matrix: Water

Date Received: 05/10/12 09:50

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	26320	05/16/12 06:17	YK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	26321	05/16/12 06:17	YK	TAL IRV

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-26067/4

Matrix: Water

Analysis Batch: 26067

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.50		ug/L			05/15/12 09:04	1
Toluene	ND		0.50		ug/L			05/15/12 09:04	1
Ethylbenzene	ND		0.50		ug/L			05/15/12 09:04	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			05/15/12 09:04	1
Xylenes, Total	ND		1.0		ug/L			05/15/12 09:04	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			05/15/12 09:04	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			05/15/12 09:04	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			05/15/12 09:04	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			05/15/12 09:04	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	103		80 - 120		05/15/12 09:04	1
Dibromofluoromethane (Surr)	91		80 - 120		05/15/12 09:04	1
Toluene-d8 (Surr)	95		80 - 120		05/15/12 09:04	1

Lab Sample ID: LCS 440-26067/5

Matrix: Water

Analysis Batch: 26067

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	25.0	17.9		ug/L		72	70 - 120
Toluene	25.0	19.8		ug/L		79	70 - 120
Ethylbenzene	25.0	19.6		ug/L		78	75 - 125
m,p-Xylene	50.0	41.8		ug/L		84	75 - 125
Methyl-t-Butyl Ether (MTBE)	25.0	19.5		ug/L		78	60 - 135
o-Xylene	25.0	21.8		ug/L		87	75 - 125
tert-Butyl alcohol (TBA)	125	124		ug/L		99	70 - 135
Isopropyl Ether (DIPE)	25.0	21.6		ug/L		86	60 - 135
Ethyl-t-butyl ether (ETBE)	25.0	21.5		ug/L		86	65 - 135
Tert-amyl-methyl ether (TAME)	25.0	20.0		ug/L		80	60 - 135

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	95		80 - 120
Dibromofluoromethane (Surr)	95		80 - 120
Toluene-d8 (Surr)	95		80 - 120

Lab Sample ID: 440-11442-C-9 MS

Matrix: Water

Analysis Batch: 26067

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
Benzene	8000		5000	11200		ug/L		65	65 - 125
Toluene	15000		5000	18100	F	ug/L		62	70 - 125
Ethylbenzene	2700		5000	6560		ug/L		78	65 - 130
m,p-Xylene	10000		10000	18200		ug/L		78	65 - 130
Methyl-t-Butyl Ether (MTBE)	290		5000	4230		ug/L		79	55 - 145
o-Xylene	4800		5000	8950		ug/L		83	65 - 125
tert-Butyl alcohol (TBA)	ND		25000	24900		ug/L		100	65 - 140
Isopropyl Ether (DIPE)	ND		5000	4330		ug/L		87	60 - 140

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-11442-C-9 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26067

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
Ethyl-t-butyl ether (ETBE)	ND		5000	4350		ug/L		87	60 - 135
Tert-amyl-methyl ether (TAME)	ND		5000	4130		ug/L		83	60 - 140

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	92		80 - 120
Toluene-d8 (Surr)	98		80 - 120

Lab Sample ID: 440-11442-C-9 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26067

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Benzene	8000		5000	11100	F	ug/L		62	65 - 125	1	20
Toluene	15000		5000	17600	F	ug/L		53	70 - 125	3	20
Ethylbenzene	2700		5000	6070		ug/L		68	65 - 130	8	20
m,p-Xylene	10000		10000	16500	F	ug/L		61	65 - 130	10	25
Methyl-t-Butyl Ether (MTBE)	290		5000	4110		ug/L		76	55 - 145	3	25
o-Xylene	4800		5000	8200		ug/L		68	65 - 125	9	20
tert-Butyl alcohol (TBA)	ND		25000	24100		ug/L		96	65 - 140	3	25
Isopropyl Ether (DIPE)	ND		5000	4320		ug/L		86	60 - 140	0	25
Ethyl-t-butyl ether (ETBE)	ND		5000	4270		ug/L		85	60 - 135	2	25
Tert-amyl-methyl ether (TAME)	ND		5000	4030		ug/L		81	60 - 140	2	30

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	96		80 - 120
Toluene-d8 (Surr)	97		80 - 120

Lab Sample ID: MB 440-26269/4

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26269

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.50		ug/L			05/15/12 19:33	1
Toluene	ND		0.50		ug/L			05/15/12 19:33	1
Ethylbenzene	ND		0.50		ug/L			05/15/12 19:33	1
Xylenes, Total	ND		1.0		ug/L			05/15/12 19:33	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	105		80 - 120		05/15/12 19:33	1
Dibromofluoromethane (Surr)	105		80 - 120		05/15/12 19:33	1
Toluene-d8 (Surr)	103		80 - 120		05/15/12 19:33	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 440-26269/5

Matrix: Water

Analysis Batch: 26269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	25.0	25.0		ug/L		100	70 - 120
Toluene	25.0	25.0		ug/L		100	70 - 120
Ethylbenzene	25.0	25.1		ug/L		100	75 - 125
m,p-Xylene	50.0	50.9		ug/L		102	75 - 125
o-Xylene	25.0	24.2		ug/L		97	75 - 125

Surrogate	%Recovery	LCS Qualifier	LCS Limits
4-Bromofluorobenzene (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	102		80 - 120
Toluene-d8 (Surr)	103		80 - 120

Lab Sample ID: 440-11444-A-3 MS

Matrix: Water

Analysis Batch: 26269

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		25.0	24.8		ug/L		99	65 - 125
Toluene	ND		25.0	24.4		ug/L		98	70 - 125
Ethylbenzene	ND		25.0	24.2		ug/L		97	65 - 130
m,p-Xylene	ND		50.0	49.2		ug/L		98	65 - 130
o-Xylene	ND		25.0	24.0		ug/L		96	65 - 125

Surrogate	%Recovery	MS Qualifier	MS Limits
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	104		80 - 120
Toluene-d8 (Surr)	101		80 - 120

Lab Sample ID: 440-11444-A-3 MSD

Matrix: Water

Analysis Batch: 26269

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	ND		25.0	25.2		ug/L		101	65 - 125	1	20
Toluene	ND		25.0	25.2		ug/L		101	70 - 125	3	20
Ethylbenzene	ND		25.0	25.5		ug/L		102	65 - 130	5	20
m,p-Xylene	ND		50.0	51.4		ug/L		103	65 - 130	4	25
o-Xylene	ND		25.0	25.3		ug/L		101	65 - 125	5	20

Surrogate	%Recovery	MSD Qualifier	MSD Limits
4-Bromofluorobenzene (Surr)	107		80 - 120
Dibromofluoromethane (Surr)	109		80 - 120
Toluene-d8 (Surr)	104		80 - 120

Lab Sample ID: MB 440-26320/4

Matrix: Water

Analysis Batch: 26320

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			05/15/12 21:46	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-26320/4

Matrix: Water

Analysis Batch: 26320

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Toluene	ND		0.50		ug/L			05/15/12 21:46	1
Ethylbenzene	ND		0.50		ug/L			05/15/12 21:46	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			05/15/12 21:46	1
Xylenes, Total	ND		1.0		ug/L			05/15/12 21:46	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			05/15/12 21:46	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			05/15/12 21:46	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			05/15/12 21:46	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			05/15/12 21:46	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	96		80 - 120		05/15/12 21:46	1
Dibromofluoromethane (Surr)	101		80 - 120		05/15/12 21:46	1
Toluene-d8 (Surr)	94		80 - 120		05/15/12 21:46	1

Lab Sample ID: LCS 440-26320/5

Matrix: Water

Analysis Batch: 26320

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Toluene	25.0	23.1		ug/L		92	70 - 120
Ethylbenzene	25.0	24.3		ug/L		97	75 - 125
m,p-Xylene	50.0	52.9		ug/L		106	75 - 125
Methyl-t-Butyl Ether (MTBE)	25.0	18.7		ug/L		75	60 - 135
o-Xylene	25.0	26.8		ug/L		107	75 - 125
tert-Butyl alcohol (TBA)	125	157		ug/L		126	70 - 135
Isopropyl Ether (DIPE)	25.0	21.0		ug/L		84	60 - 135
Ethyl-t-butyl ether (ETBE)	25.0	20.1		ug/L		80	65 - 135
Tert-amyl-methyl ether (TAME)	25.0	19.6		ug/L		78	60 - 135

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	108		80 - 120
Dibromofluoromethane (Surr)	96		80 - 120
Toluene-d8 (Surr)	93		80 - 120

Lab Sample ID: 440-11443-6 MS

Matrix: Water

Analysis Batch: 26320

Client Sample ID: S-10

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Toluene	ND		25.0	24.3		ug/L		97	70 - 125
Ethylbenzene	1.5		25.0	26.1		ug/L		99	65 - 130
m,p-Xylene	ND		50.0	53.0		ug/L		106	65 - 130
Methyl-t-Butyl Ether (MTBE)	ND		25.0	20.5		ug/L		82	55 - 145
o-Xylene	ND		25.0	26.8		ug/L		107	65 - 125
tert-Butyl alcohol (TBA)	ND		125	159		ug/L		127	65 - 140
Isopropyl Ether (DIPE)	ND		25.0	22.1		ug/L		88	60 - 140
Ethyl-t-butyl ether (ETBE)	ND		25.0	21.4		ug/L		86	60 - 135

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-11443-6 MS										Client Sample ID: S-10	
Matrix: Water										Prep Type: Total/NA	
Analysis Batch: 26320											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Tert-amyl-methyl ether (TAME)	ND		25.0	21.1		ug/L		85	60 - 140		
Surrogate	MS %Recovery	MS Qualifier	Limits								
4-Bromofluorobenzene (Surr)	106		80 - 120								
Dibromofluoromethane (Surr)	96		80 - 120								
Toluene-d8 (Surr)	95		80 - 120								

Lab Sample ID: 440-11443-6 MSD										Client Sample ID: S-10	
Matrix: Water										Prep Type: Total/NA	
Analysis Batch: 26320											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.84		25.0	23.8		ug/L		92	65 - 125	2	20
Toluene	ND		25.0	23.5		ug/L		94	70 - 125	3	20
Ethylbenzene	1.5		25.0	25.5		ug/L		96	65 - 130	3	20
m,p-Xylene	ND		50.0	51.8		ug/L		104	65 - 130	2	25
Methyl-t-Butyl Ether (MTBE)	ND		25.0	20.9		ug/L		83	55 - 145	2	25
o-Xylene	ND		25.0	26.3		ug/L		105	65 - 125	2	20
tert-Butyl alcohol (TBA)	ND		125	152		ug/L		122	65 - 140	4	25
Isopropyl Ether (DIPE)	ND		25.0	22.0		ug/L		88	60 - 140	0	25
Ethyl-t-butyl ether (ETBE)	ND		25.0	21.4		ug/L		85	60 - 135	0	25
Tert-amyl-methyl ether (TAME)	ND		25.0	21.2		ug/L		85	60 - 140	0	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	107		80 - 120								
Dibromofluoromethane (Surr)	95		80 - 120								
Toluene-d8 (Surr)	94		80 - 120								

Lab Sample ID: MB 440-26382/4										Client Sample ID: Method Blank	
Matrix: Water										Prep Type: Total/NA	
Analysis Batch: 26382											
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Benzene	ND		0.50		ug/L			05/16/12 09:28		1	
Toluene	ND		0.50		ug/L			05/16/12 09:28		1	
Ethylbenzene	ND		0.50		ug/L			05/16/12 09:28		1	
Xylenes, Total	ND		1.0		ug/L			05/16/12 09:28		1	
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac			
4-Bromofluorobenzene (Surr)	96		80 - 120				05/16/12 09:28		1		
Dibromofluoromethane (Surr)	97		80 - 120				05/16/12 09:28		1		
Toluene-d8 (Surr)	94		80 - 120				05/16/12 09:28		1		

Lab Sample ID: LCS 440-26382/5										Client Sample ID: Lab Control Sample	
Matrix: Water										Prep Type: Total/NA	
Analysis Batch: 26382											
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits				
Benzene	25.0	23.0		ug/L		92	70 - 120				

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 440-26382/5

Matrix: Water

Analysis Batch: 26382

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Toluene	25.0	23.2		ug/L		93	70 - 120
Ethylbenzene	25.0	23.8		ug/L		95	75 - 125
m,p-Xylene	50.0	51.8		ug/L		104	75 - 125
o-Xylene	25.0	26.6		ug/L		106	75 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		80 - 120
Dibromofluoromethane (Surr)	98		80 - 120
Toluene-d8 (Surr)	95		80 - 120

Lab Sample ID: 440-11450-D-5 MS

Matrix: Water

Analysis Batch: 26382

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		25.0	23.6		ug/L		95	65 - 125
Toluene	ND		25.0	23.8		ug/L		95	70 - 125
Ethylbenzene	ND		25.0	24.2		ug/L		97	65 - 130
m,p-Xylene	ND		50.0	52.7		ug/L		105	65 - 130
o-Xylene	ND		25.0	26.9		ug/L		107	65 - 125

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		80 - 120
Dibromofluoromethane (Surr)	100		80 - 120
Toluene-d8 (Surr)	94		80 - 120

Lab Sample ID: 440-11450-D-5 MSD

Matrix: Water

Analysis Batch: 26382

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	ND		25.0	24.0		ug/L		96	65 - 125	1	20
Toluene	ND		25.0	24.2		ug/L		97	70 - 125	2	20
Ethylbenzene	ND		25.0	25.0		ug/L		100	65 - 130	3	20
m,p-Xylene	ND		50.0	54.6		ug/L		109	65 - 130	4	25
o-Xylene	ND		25.0	27.8		ug/L		111	65 - 125	3	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	109		80 - 120
Dibromofluoromethane (Surr)	97		80 - 120
Toluene-d8 (Surr)	94		80 - 120

Lab Sample ID: MB 440-26599/4

Matrix: Water

Analysis Batch: 26599

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			05/16/12 20:41	1
Toluene	ND		0.50		ug/L			05/16/12 20:41	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-26599/4										Client Sample ID: Method Blank		
Matrix: Water										Prep Type: Total/NA		
Analysis Batch: 26599												
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac			
Ethylbenzene	ND		0.50		ug/L			05/16/12 20:41	1			
Xylenes, Total	ND		1.0		ug/L			05/16/12 20:41	1			
Surrogate										Prepared	Analyzed	Dil Fac
	MB %Recovery	MB Qualifier	Limits									
4-Bromofluorobenzene (Surr)	94		80 - 120					05/16/12 20:41	1			
Dibromofluoromethane (Surr)	97		80 - 120					05/16/12 20:41	1			
Toluene-d8 (Surr)	95		80 - 120					05/16/12 20:41	1			

Lab Sample ID: LCS 440-26599/5										Client Sample ID: Lab Control Sample		
Matrix: Water										Prep Type: Total/NA		
Analysis Batch: 26599												
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits			
Benzene			25.0	22.8		ug/L		91	70 - 120			
Toluene			25.0	22.9		ug/L		92	70 - 120			
Ethylbenzene			25.0	24.0		ug/L		96	75 - 125			
m,p-Xylene			50.0	51.7		ug/L		103	75 - 125			
o-Xylene			25.0	26.4		ug/L		105	75 - 125			
Surrogate										Prepared	Analyzed	Dil Fac
	LCS %Recovery	LCS Qualifier	Limits									
4-Bromofluorobenzene (Surr)	106		80 - 120									
Dibromofluoromethane (Surr)	96		80 - 120									
Toluene-d8 (Surr)	94		80 - 120									

Lab Sample ID: 440-11586-A-2 MS										Client Sample ID: Matrix Spike		
Matrix: Water										Prep Type: Total/NA		
Analysis Batch: 26599												
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits			
Benzene	ND		25.0	22.0		ug/L		88	65 - 125			
Toluene	ND		25.0	23.3		ug/L		93	70 - 125			
Ethylbenzene	ND		25.0	23.4		ug/L		94	65 - 130			
m,p-Xylene	ND		50.0	50.5		ug/L		101	65 - 130			
o-Xylene	ND		25.0	25.7		ug/L		103	65 - 125			
Surrogate										Prepared	Analyzed	Dil Fac
	MS %Recovery	MS Qualifier	Limits									
4-Bromofluorobenzene (Surr)	104		80 - 120									
Dibromofluoromethane (Surr)	90		80 - 120									
Toluene-d8 (Surr)	97		80 - 120									

Lab Sample ID: 440-11586-A-2 MSD										Client Sample ID: Matrix Spike Duplicate		
Matrix: Water										Prep Type: Total/NA		
Analysis Batch: 26599												
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit	
Benzene	ND		25.0	22.3		ug/L		89	65 - 125	1	20	
Toluene	ND		25.0	23.3		ug/L		93	70 - 125	0	20	
Ethylbenzene	ND		25.0	23.7		ug/L		95	65 - 130	1	20	
m,p-Xylene	ND		50.0	49.9		ug/L		100	65 - 130	1	25	

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-11586-A-2 MSD

Matrix: Water

Analysis Batch: 26599

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
o-Xylene	ND		25.0	25.5		ug/L		102	65 - 125	1	20
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
4-Bromofluorobenzene (Surr)	104		80 - 120								
Dibromofluoromethane (Surr)	92		80 - 120								
Toluene-d8 (Surr)	96		80 - 120								

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-26068/4

Matrix: Water

Analysis Batch: 26068

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/15/12 09:04	1
Surrogate	%Recovery	MB Qualifier	MB Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	91		80 - 120					05/15/12 09:04	1
4-Bromofluorobenzene (Surr)	103		80 - 120					05/15/12 09:04	1
Toluene-d8 (Surr)	95		80 - 120					05/15/12 09:04	1

Lab Sample ID: LCS 440-26068/6

Matrix: Water

Analysis Batch: 26068

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	446		ug/L		89	55 - 130
Surrogate	%Recovery	LCS Qualifier	LCS Limits				
Dibromofluoromethane (Surr)	92		80 - 120				
4-Bromofluorobenzene (Surr)	102		80 - 120				
Toluene-d8 (Surr)	97		80 - 120				

Lab Sample ID: 440-11442-C-9 MS

Matrix: Water

Analysis Batch: 26068

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	94000		345000	312000		ug/L		63	50 - 145
Surrogate	%Recovery	MS Qualifier	MS Limits						
Dibromofluoromethane (Surr)	92		80 - 120						
4-Bromofluorobenzene (Surr)	100		80 - 120						
Toluene-d8 (Surr)	98		80 - 120						

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-11442-C-9 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26068

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Volatile Fuel Hydrocarbons (C4-C12)	94000		345000	303000		ug/L		61	50 - 145	3	20
Surrogate	%Recovery	MSD Qualifier	MSD Qualifier	Limits							
Dibromofluoromethane (Surr)	96			80 - 120							
4-Bromofluorobenzene (Surr)	96			80 - 120							
Toluene-d8 (Surr)	97			80 - 120							

Lab Sample ID: MB 440-26270/4

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26270

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac			
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/15/12 19:33	1			
Surrogate	%Recovery	MB Qualifier	MB Qualifier	Limits						Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	105			80 - 120						05/15/12 19:33	1	
4-Bromofluorobenzene (Surr)	105			80 - 120						05/15/12 19:33	1	
Toluene-d8 (Surr)	103			80 - 120						05/15/12 19:33	1	

Lab Sample ID: LCS 440-26270/6

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26270

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	524		ug/L		105	55 - 130
Surrogate	%Recovery	LCS Qualifier	LCS Qualifier	Limits			
Dibromofluoromethane (Surr)	101			80 - 120			
4-Bromofluorobenzene (Surr)	108			80 - 120			
Toluene-d8 (Surr)	102			80 - 120			

Lab Sample ID: 440-11444-A-3 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 26270

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1150		ug/L		67	50 - 145
Surrogate	%Recovery	MS Qualifier	MS Qualifier	Limits					
Dibromofluoromethane (Surr)	104			80 - 120					
4-Bromofluorobenzene (Surr)	100			80 - 120					
Toluene-d8 (Surr)	101			80 - 120					

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-11444-A-3 MSD							Client Sample ID: Matrix Spike Duplicate				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26270											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1240		ug/L		72	50 - 145	7	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Dibromofluoromethane (Surr)	109		80 - 120								
4-Bromofluorobenzene (Surr)	107		80 - 120								
Toluene-d8 (Surr)	104		80 - 120								

Lab Sample ID: MB 440-26321/4							Client Sample ID: Method Blank				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26321											
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/15/12 21:46	1		
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac					
Dibromofluoromethane (Surr)	101		80 - 120		05/15/12 21:46	1					
4-Bromofluorobenzene (Surr)	96		80 - 120		05/15/12 21:46	1					
Toluene-d8 (Surr)	94		80 - 120		05/15/12 21:46	1					

Lab Sample ID: LCS 440-26321/6							Client Sample ID: Lab Control Sample				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26321											
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits				
Volatile Fuel Hydrocarbons (C4-C12)	500	478		ug/L		96	55 - 130				
Surrogate	LCS %Recovery	LCS Qualifier	Limits								
Dibromofluoromethane (Surr)	93		80 - 120								
4-Bromofluorobenzene (Surr)	101		80 - 120								
Toluene-d8 (Surr)	98		80 - 120								

Lab Sample ID: 440-11443-6 MS							Client Sample ID: S-10				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26321											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Volatile Fuel Hydrocarbons (C4-C12)	50		1730	1480		ug/L		83	50 - 145		
Surrogate	MS %Recovery	MS Qualifier	Limits								
Dibromofluoromethane (Surr)	96		80 - 120								
4-Bromofluorobenzene (Surr)	106		80 - 120								
Toluene-d8 (Surr)	95		80 - 120								

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-11443-6 MSD							Client Sample ID: S-10				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26321											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Volatile Fuel Hydrocarbons (C4-C12)	50		1730	1430		ug/L		80	50 - 145	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Dibromofluoromethane (Surr)	95		80 - 120								
4-Bromofluorobenzene (Surr)	107		80 - 120								
Toluene-d8 (Surr)	94		80 - 120								

Lab Sample ID: MB 440-26383/4							Client Sample ID: Method Blank				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26383											
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/16/12 09:28	1		
Surrogate	MB %Recovery	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac				
Dibromofluoromethane (Surr)	97		80 - 120		05/16/12 09:28	05/16/12 09:28	1				
4-Bromofluorobenzene (Surr)	96		80 - 120		05/16/12 09:28	05/16/12 09:28	1				
Toluene-d8 (Surr)	94		80 - 120		05/16/12 09:28	05/16/12 09:28	1				

Lab Sample ID: LCS 440-26383/6							Client Sample ID: Lab Control Sample				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26383											
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits				
Volatile Fuel Hydrocarbons (C4-C12)	500	447		ug/L		89	55 - 130				
Surrogate	LCS %Recovery	LCS Qualifier	Limits								
Dibromofluoromethane (Surr)	91		80 - 120								
4-Bromofluorobenzene (Surr)	102		80 - 120								
Toluene-d8 (Surr)	97		80 - 120								

Lab Sample ID: 440-11450-D-5 MS							Client Sample ID: Matrix Spike				
Matrix: Water							Prep Type: Total/NA				
Analysis Batch: 26383											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1420		ug/L		82	50 - 145		
Surrogate	MS %Recovery	MS Qualifier	Limits								
Dibromofluoromethane (Surr)	100		80 - 120								
4-Bromofluorobenzene (Surr)	108		80 - 120								
Toluene-d8 (Surr)	94		80 - 120								

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-11450-D-5 MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 26383											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1400		ug/L		81	50 - 145	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Dibromofluoromethane (Surr)	97		80 - 120								
4-Bromofluorobenzene (Surr)	109		80 - 120								
Toluene-d8 (Surr)	94		80 - 120								

Lab Sample ID: MB 440-26600/4				Client Sample ID: Method Blank							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 26600											
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/16/12 20:41	1		
Surrogate	MB %Recovery	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac				
Dibromofluoromethane (Surr)	97		80 - 120			05/16/12 20:41	1				
4-Bromofluorobenzene (Surr)	94		80 - 120			05/16/12 20:41	1				
Toluene-d8 (Surr)	95		80 - 120			05/16/12 20:41	1				

Lab Sample ID: LCS 440-26600/6				Client Sample ID: Lab Control Sample							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 26600											
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits				
Volatile Fuel Hydrocarbons (C4-C12)	500	448		ug/L		90	55 - 130				
Surrogate	LCS %Recovery	LCS Qualifier	Limits								
Dibromofluoromethane (Surr)	93		80 - 120								
4-Bromofluorobenzene (Surr)	102		80 - 120								
Toluene-d8 (Surr)	98		80 - 120								

Lab Sample ID: 440-11586-A-2 MS				Client Sample ID: Matrix Spike							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 26600											
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Volatile Fuel Hydrocarbons (C4-C12)	1200		1730	2400		ug/L		72	50 - 145		
Surrogate	MS %Recovery	MS Qualifier	Limits								
Dibromofluoromethane (Surr)	90		80 - 120								
4-Bromofluorobenzene (Surr)	104		80 - 120								
Toluene-d8 (Surr)	97		80 - 120								

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-11586-A-2 MSD
 Matrix: Water
 Analysis Batch: 26600

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Volatile Fuel Hydrocarbons (C4-C12)	1200		1730	2410		ug/L		73	50 - 145	0	20
Surrogate	%Recovery	MSD Qualifier									Limits
Dibromofluoromethane (Surr)	92										80 - 120
4-Bromofluorobenzene (Surr)	104										80 - 120
Toluene-d8 (Surr)	96										80 - 120

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

GC/MS VOA

Analysis Batch: 26067

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11442-C-9 MS	Matrix Spike	Total/NA	Water	8260B	
440-11442-C-9 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
440-11443-1	S-4	Total/NA	Water	8260B	
440-11443-5	S-9	Total/NA	Water	8260B	
LCS 440-26067/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-26067/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 26068

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11442-C-9 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	
440-11442-C-9 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-1	S-4	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-2	S-5	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-5	S-9	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-26068/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-26068/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 26269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-3	S-6	Total/NA	Water	8260B	
440-11444-A-3 MS	Matrix Spike	Total/NA	Water	8260B	
440-11444-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
LCS 440-26269/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-26269/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 26270

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-3	S-6	Total/NA	Water	8260B/CA_LUFT MS	
440-11444-A-3 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	
440-11444-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-26270/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-26270/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 26320

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-6	S-10	Total/NA	Water	8260B	
440-11443-6 MS	S-10	Total/NA	Water	8260B	
440-11443-6 MSD	S-10	Total/NA	Water	8260B	
440-11443-7	S-12	Total/NA	Water	8260B	
440-11443-8	S-13	Total/NA	Water	8260B	
440-11443-9	S-14R	Total/NA	Water	8260B	
440-11443-10	S-17	Total/NA	Water	8260B	
440-11443-11	S-18	Total/NA	Water	8260B	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

GC/MS VOA (Continued)

Analysis Batch: 26320 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-12	S-19	Total/NA	Water	8260B	
440-11443-13	S-20	Total/NA	Water	8260B	
440-11443-14	S-21A	Total/NA	Water	8260B	
440-11443-15	S-21B	Total/NA	Water	8260B	
440-11443-17	S-22B	Total/NA	Water	8260B	
440-11443-18	S-23	Total/NA	Water	8260B	
LCS 440-26320/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-26320/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 26321

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-6	S-10	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-6 MS	S-10	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-6 MSD	S-10	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-7	S-12	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-8	S-13	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-9	S-14R	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-10	S-17	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-11	S-18	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-12	S-19	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-13	S-20	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-14	S-21A	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-15	S-21B	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-17	S-22B	Total/NA	Water	8260B/CA_LUFT MS	
440-11443-18	S-23	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-26321/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-26321/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 26382

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-16	S-22A	Total/NA	Water	8260B	
440-11450-D-5 MS	Matrix Spike	Total/NA	Water	8260B	
440-11450-D-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
LCS 440-26382/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-26382/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 26383

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-16	S-22A	Total/NA	Water	8260B/CA_LUFT MS	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

GC/MS VOA (Continued)

Analysis Batch: 26383 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11450-D-5 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	
440-11450-D-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-26383/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-26383/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 26599

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-2	S-5	Total/NA	Water	8260B	
440-11443-4	S-8	Total/NA	Water	8260B	
440-11586-A-2 MS	Matrix Spike	Total/NA	Water	8260B	
440-11586-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
LCS 440-26599/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-26599/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 26600

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-11443-4	S-8	Total/NA	Water	8260B/CA_LUFT MS	
440-11586-A-2 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	
440-11586-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT MS	
LCS 440-26600/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-26600/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F	MS or MSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 461 8th St., Oakland, CA

TestAmerica Job ID: 440-11443-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Irvine	Arizona	State Program	9	AZ0671
TestAmerica Irvine	California	LA Cty Sanitation Districts	9	10256
TestAmerica Irvine	California	NELAC	9	1108CA
TestAmerica Irvine	California	State Program	9	2706
TestAmerica Irvine	Guam	State Program	9	Cert. No. 12.002r
TestAmerica Irvine	Hawaii	State Program	9	N/A
TestAmerica Irvine	Nevada	State Program	9	CA015312007A
TestAmerica Irvine	New Mexico	State Program	6	N/A
TestAmerica Irvine	Northern Mariana Islands	State Program	9	MP0002
TestAmerica Irvine	Oregon	NELAC	10	4005
TestAmerica Irvine	USDA	Federal		P330-09-00080

Accreditation may not be offered or required for all methods and analytes reported in this package . Please contact your project manager for the laboratory's current list of certified methods and analytes.



Shell Oil Products Chain Of Custody Record

LAB (LOCATION)

- CALSCIENCE ()
- SPL Houston ()
- XENCO ()
- TEST AMERICA (IRVINE)
- OTHER ()

Please Check Appropriate Box:

<input type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SDR&M	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: 241501 Peter Schaefer

INCIDENT # (ENV-SERVICES): 9 7 0 9 3 3 9 9

PO #: _____ SAP #: _____

DATE: 5/7/12

PAGE: 1 of 2

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 461 8th St., Oakland State: CA GLOBAL ID NO.: T0600101263

ADDRESS: 1680 Rogers Avenue, San Jose, CA

EDF DELIVERABLE TO (Name, Company, Office Location): Brenda Carter, CRA, Emeryville, CA

PHONE NO.: 510-420-3343

E-MAIL: ShellEDF@CRAWorld.com

CONSULTANT PROJECT NO.: 241501-95-12.03

PROJECT CONTACT (Hardcopy or PDF Report to): Lorin King

TELEPHONE: (310) 885-4455 x 108 FAX: (310) 637-5802 E-MAIL: lking@blainetech.com

SAMPLER NAME(S) (Print): William Wong, Daniel Allen

LAB USE ONLY: 490-11443

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

1) Please upload the "CRA EQuIS 4-file EDD" to the CRA Website (<http://cralabddupload.craworld.com/equis/default.aspx>) and/or send it to the Shell-US-LabDataManagement@CRAworld.com email folder. 2) Please indicate that you have uploaded the EDD by including "EDD Uploaded to CRA website" in the body of the email used to deliver the final PDF report to the Shell-US-LabDataManagement@CRAworld.com email folder.

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT-NEEDED

RECEIPT VERIFICATION REQUESTED

Copy final report to Shell.Lab.Billing@craworld.com, ShellEDF@craworld.com, Shell-US-LabDataManagement@CRAworld.com, and pschaefer@CRAWorld.com

Email invoice to Shell.Lab.Billing@craworld.com

REQUESTED ANALYSIS

TPH-GRO, Purgeable (8260B)	X	TPH-GRO, Extractable (8015M)	X
BTEX (8260B)	X	BTEX + MTBE (8260B)	X
BTEX + MTBE + TBA (8260B)	X	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) (8260B)	X
VOCs Full list (8260B)	X	Single Compound: (8260B)	
1,2 DCA (8260B)		EDB (8260B)	
Ethanol (8260B)		Methanol (8015B)	X
5 OXYs (TOLUENE, XYLENE, STYRENE, TAME)	X		

TEMPERATURE ON RECEIPT:

CS

32.0°C

Matrix Codes - WG (groundwater), WS (surface water), WP (drinking water source), W (Trip or Temp Blank)

LAB USE ONLY	PROJECT NUMBER	DATE (MMDDYY)	SAMPLER INITIALS	WELL ID	TIME	MATRIX	PRESERVATIVE					NO. OF CONT.	TPH-GRO, Purgeable (8260B)	TPH-GRO, Extractable (8015M)	BTEX (8260B)	BTEX + MTBE (8260B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) (8260B)	VOCs Full list (8260B)	Single Compound: (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015B)	5 OXYs (TOLUENE, XYLENE, STYRENE, TAME)	TEMPERATURE ON RECEIPT	Container PID Readings or Laboratory Notes			
							HCL	HN03	H2S04	NONE	OTHER																			
	120567-0001	050712	WW	S-4	1910	WG	X					3	X	X																
				S-5	0915		X					3	X	X																
				S-6	0945		X					3	X	X																
				S-8	1305		X					3	X	X																
				S-9	1015		X					3	X	X																
				S-10	1120		X					3	X	X																
				S-12	0955		X					3	X	X																
				S-13	1220		X					3	X	X																
				S-14R	1200		X					3	X	X																
				S-17	1050		X					3	X	X																

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i> SAMPLE WSTWDHAN	Date: 5/7/12	Time: 1545
Relinquished by: (Signature) <i>[Signature]</i> (Sandra Custodan)	Received by: (Signature) <i>[Signature]</i> Gerald Shepler	Date: 5/9/12	Time: 1115
Relinquished by: (Signature) <i>[Signature]</i> Gerald Shepler 5-9-12 16100	Received by: (Signature) <i>[Signature]</i> v n Bannell	Date: 5/10/12	Time: 9:50

Page 36 of 38
5/25/2012

LAB (LOCATION)

- CALSCIENCE ()
- SPL Houston ()
- XENCO ()
- TEST AMERICA (IRVINE)
- OTHER ()



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SDB&CM	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER	

Print Bill To Contact Name: 241501 Peter Schaefer

INCIDENT # (ENV. SERVICES): 9 7 0 9 3 3 9 9

PO #: SAP #: 1 2 9 4 5 3

CHECK IF NO INCIDENT # APPLIES:

DATE: 5/7/12

PAGE: 2 of 2

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 461 8th St., Oakland State: CA GLOBAL ID NO.: T0600101263

EDF DELIVERABLE TO (Name, Company, Office Location): Brenda Carter, CRA, Emeryville, CA PHONE NO.: 510-420-3343 E-MAIL: ShellEDF@CRAWorld.com Shell-US-LabDataManagement@CRAworld.com CONSULTANT PROJECT NO.: 241501-05-12.03

PROJECT CONTACT (Hardcopy or PDF Report to): Lorin King TELEPHONE: (310) 885-4455 x 108 FAX: (310) 637-5802 E-MAIL: lking@blainetech.com

SAMPLER NAME(S) (Print): WILLIAM MORGAN, Darnel Allen

LAB USE ONLY: 440-11443

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES:

1) Please upload the "CRA EQuIS 4-file EDD" to the CRA Website (http://cralabupload.craworld.com/equis/default.aspx) and/or send it to the Shell-US-LabDataManagement@CRAworld.com email folder. 2) Please indicate that you have uploaded the EDD by including "EDD Uploaded to CRA website" in the body of the email used to deliver the final PDF report to the Shell-US-LabDataManagement@CRAworld.com email folder.

Copy final report to Shell.Lab.Billing@craworld.com, ShellEDF@craworld.com, Shell-US-LabDataManagement@CRAworld.com, and pschaefer@CRAWorld.com

Email invoice to Shell.Lab.Billing@craworld.com

Matrix Codes - WG (groundwater), WS (surface water), WP (drinking water source), W (Trip or Temp Blank)

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

TEMPERATURE ON RECEIPT: 3.2

LAB USE ONLY	SAMPLE ID						MATRIX	PRESERVATIVE					NO. OF CONT.	TPH-GRO, Purgeable (8260B)	TPH-DRO, Extractable (8015M)	BTEX (8260B)	BTEX + MTBE (8260B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) (8260B)	VOCs Full list (8260B)	Single Compound: (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015B)	Container PID Readings or Laboratory Notes
	PROJECT NUMBER	DATE (MMDDYY)	SAMPLER INITIALS	WELL ID	TIME	HCL		HN03	H2SO4	NONE	OTHER															
	WG-20507-1111	050712	WW	S-18	1200	WG		X																		
				S-19	1215		X																			
				S-20	1245		X																			
				S-21A	1125		X																			
				S-21B	1115		X																			
				S-22A	1310		X																			
				S-22B	1045		X																			
				S-23	1235		X																			

Released by: (Signature) [Signature]	Received by: (Signature) [Signature]	Date: 5/7/12	Time: 1545
Released by: (Signature) [Signature]	Received by: (Signature) [Signature]	Date: 5/9/12	Time: 1115
Released by: (Signature) [Signature]	Received by: (Signature) [Signature]	Date: 5/10/12	Time: 9:50

Page 1 of 2 5/25/2012

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 440-11443-1

Login Number: 11443

List Source: TestAmerica Irvine

List Number: 1

Creator: Perez, Angel

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	