

THRIFTY OIL CO.

RECEIVED

October 19, 2006

By dehloptoxic at 8:43 am, Oct 20, 2006

O.70774

Mr. Steven Plunkett
Alameda County Health Care Agency
Hazardous Material Specialist
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Local #RO0000348
RWQCB #01-1476
Confirmation No. 8517027556


RE: **Former Thrifty Oil Co. Station #054**
TOSCO Station #2602486
2504 Castro Valley Boulevard
Castro Valley, CA
3rd Quarter 2006, Status Report

Dear Mr. Plunkett:

Presented herein is the 3rd Quarter 2006, Status Report prepared for Former Thrifty Oil Co. (Thrifty) Station #054 located at 2504 Castro Valley Boulevard, Castro Valley, California (**Figure 1**). This report presents the results of the groundwater monitoring activities conducted during the third quarter of 2006. Thrifty has again provided evidence of a recent release of hydrocarbons at the site.

Should you have any questions regarding this report, please contact Larry Higinbotham or myself at 562 921-3581.

Respectfully submitted,



Larry Higinbotham, R.G.
Project Manager

A handwritten signature in black ink.

Chris Panaitescu
General Manager
Environmental Affairs

cc: - Erika Assadi, SRWQCB (USTCF)
- Liz Sewell, TOSCO Marketing Company
76 Broadway
Sacramento CA 95818
- MaryBeth Heydt, Thrifty Oil Co.
- File



13116 Imperial Highway, Santa Fe Springs, CA 90670 • (562)921-3581

Summary of Monitoring and Sampling Activities
Former Thrifty Oil Co. Station #054
Third Quarter 2006
Reporting Period: 7/1/2006 to 9/30/2006

Site Information:

Site address:	TOC SS #054 (TOSCO #2602486) 2504 Castro Valley Boulevard Castro Valley, CA
Global ID No.:	T0600101363
EDF Confirmation No.:	8517027556
Lead Agency No.:	Local # RO0000348
Lead Agency:	Alameda County Health Care Services
Agency Contact:	Mr. Steven Plunkett / 510 383-1767
Project Manager:	Michael Bowery / 562-921-3581 ext. 404

Field Activity:

Groundwater wells onsite:	9
Groundwater wells offsite:	4
Date(s) monitored:	9/26/2006
Date(s) sampled:	9/26/2006
Groundwater wells gauged:	13
Groundwater wells sampled:	9
Purging method:	Bailer / Pump
Treatment / disposal method during sampling event:	Drums – Safety-Kleen pickup
Groundwater wells with free product:	0
Free product thickness (feet):	NA
Free product bailouts other than sampling event:	NA
Treatment / disposal method/free product bailouts:	NA

Site Hydrogeology:

Depth to groundwater (feet bgs):	4.37 to 8.54
Groundwater elevation (feet above mean sea level):	155.49 to 161.99
Groundwater gradient and flow direction:	East-Northeast at approximately 0.030 ft./ft.
Consistent with previous quarter:	Consistent with previous quarters

Groundwater Conditions:

TPHg concentration (ug/L):	ND<5.6 to 9,810
Benzene concentration (ug/L):	ND<0.32 to ND<3.2
Toluene concentration (ug/L):	ND<0.10 to 1.3
Ethyl benzene concentration (ug/L):	ND<0.24 to ND<2.4
Total Xylenes concentration (ug/L):	ND<0.30 to 73
MTBE concentration (ug/L)	ND<0.63 to 24,700

Remediation Activity:

System type:	SVE & GWPT
System start-up:	April 1990
System Shut Down	January 2000
Cumulative Operation (hrs.):	19,388
Total GW discharge (gal.):	27,992
Total hydrocarbons extracted (lbs.):	5,631

Groundwater Monitoring

Depth to groundwater is measured in each monitoring well quarterly. Historic groundwater gauging data obtained from April 11, 1988 through September 26, 2006, is presented in **Table 1**. A groundwater elevation contour map based on the September 26, 2006, data is presented in **Figure 1**. Groundwater elevation data indicates that the general direction of groundwater flow beneath the site is toward the east-northeast with a hydraulic gradient of approximately 0.030 feet/foot. Data from well RE-6 was not used because it was considered anomalous.

Quarterly Groundwater Sampling

As part of the ongoing groundwater-monitoring program, groundwater samples were obtained from selected monitoring wells PW-1, RE-2, RE-3, RE-4, RE-6, RE-7, RS-8, RS-9, and RS-11 on September 26, 2006. In a letter from the Alameda County Health Care Services (ACHCS) dated November 6, 2001, the ACHCS released Thrifty from collecting groundwater samples from wells PW-2, RE-1, RE-5, RS-8, and RS-10 until further notice. Due to a suspected recent release from the site, Thrifty decided to sample well RS-8 to further assess the extent of the current dissolved hydrocarbon plume.

Groundwater samples were obtained by EMC and delivered in a chilled state in an ice chest following strict Chain-of-Custody procedures to a state-certified laboratory. The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by EPA Method 8015M for gasoline and for benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tert-butyl ether (MTBE) by EPA Method 8260B. Copies of the EMC Field Status Reports are presented in **Appendix A**, and copies of the laboratory analytical reports are contained in **Appendix B**.

TPHg, BTEX, and MTBE concentrations appear in **Table 1** and laboratory reports are provided in **Appendix B**. TPHg, benzene, and MTBE isoconcentration maps are presented in **Figures 2, 3, and 4**, respectively. The highest laboratory analytical concentrations for TPHg and MTBE were found in well PW-1 (9,810 ug/L and 24,700 ug/L, respectively). Benzene was not detected in any of the site wells.

Well RS-9 is located upgradient of the Thrifty site, and any contamination found in this well appears to be originating from an upgradient off-site source. However, the recent elevated dissolved hydrocarbon concentrations at the former Thrifty site appear to be from an onsite unauthorized release, as discussed in detail later in this report. TOSCO (ConocoPhillips) Marketing Company is the current operator of the service station and acquired the lease in 1994 from BP Oil, who previously leased the property beginning on July 10, 1991.

Site Remediation Activities

In August 1989, Remediation Service, Int'l. (RSI) installed a Spray Aeration Vapor Extraction (SAVE) system at the site for soil and groundwater remediation. However, due to unanticipated delays in permits, the system was not started until April 1990. Due to noise complaints, the system was operated only during daylight hours recovering hydrocarbon vapors during the first three months of operation. The equipment was moved to another location onsite in late June 1990, and from that date on the equipment was in operation for 24 hours a day.

On January 31, 2000, Thrifty submitted a *Request for Shutdown and Removal of the Vapor Extraction System* to the ACHCS. The ACHCS authorized the vapor extraction system shut down and removal on February 16, 2000. By the end of the operation, the system had destroyed a total of 5,631 pounds of hydrocarbons (**Table 2**) and treated/discharged 27,992 gallons of groundwater.

Continuing Evidence of New/Recent Release or Possible Presence of an Active Source

In a letter dated December 30, 2004, submitted jointly to TOSCO (ConocoPhillips) and the ACHCS, Thrifty provided evidence of a recent release of hydrocarbons as detected in groundwater samples collected during the 2nd, 3rd, and 4th Quarters 2004. Data collected during the 1st Quarter 2005 indicated that while TPHg, benzene, and MTBE concentrations decreased from their December 2004 levels, they were still elevated above the March, June, and September 2004 levels in onsite wells RE-2, RE-4, RE-6, and RE-7 located near the underground storage tanks and pump islands. The decrease in concentrations observed during the most recent sampling events may simply be the result that the dissolved plume is moving away from the source and/or that some of the plume is being sorbed onto the soil particles.

In a letter dated February 1, 2005, TOSCO (Conoco Phillips) responded to Thrifty's assertion that a recent release had occurred, suggested that the site is likely being impacted by an offsite source. TOSCO (ConocoPhillips) indicated in their letter that no pattern of fluctuation in dissolved hydrocarbon concentrations has been established to date that has not been seen before at the site. Thrifty's review of the data, however, indicates that over the past 14 years (since 1991), there have been no fluctuations in dissolved hydrocarbon concentrations even close to those seen between the 3rd and 4th Quarters of 2004. TOSCO (ConocoPhillips) stated in their February 2005 letter that dissolved elevated concentrations of hydrocarbons were present in wells RE-6 and RE-7, but were not present in well PW-1 located between RE-6 and RE-7, therefore a recent release was unlikely. **Data collected during the 2nd Quarter 2005 indicated that well PW-1 contained the highest TPHg and MTBE concentrations.** During the current quarter, well PW-1 again contained the highest TPHg and MTBE concentrations (9,810 ug/L and 24,700 ug/L, respectively). Thus, it appears that the recent release did impact well PW-1. Data during the third quarter 2005 indicates that dissolved hydrocarbon concentrations were not detected in well PW-1. However, the dissolved concentrations in adjacent, upgradient well RE-6 continued to decline whereas in downgradient well RE-7 the concentrations remained high indicating that the contamination is simply migrating in the area of these three wells. During the 1st quarter 2006, elevated TPHg and MTBE concentrations were again detected in well PW-1 at concentrations of 35,500 and 28,200 ug/L, respectively. TPHg remained high in RE-4 during the 2nd quarter 2006.

During the 2nd quarter 2006, Thrifty sampled offsite downgradient well RS-8 for the first time since December 2001. MTBE was present at 445 ug/L in well RS-8, which was the highest reported MTBE concentration detected in the 2nd quarter 2006. The downgradient location of this well provides further evidence that an onsite release occurred in approximately December 2004 and has migrated offsite.

TOSCO (ConocoPhillips) has asserted that the dissolved hydrocarbon concentrations noted in wells RE-3 and RE-4 were the result of migration of the dissolved plume from well RE-1. However, the maximum TPHg concentrations detected in well RE-1 was 150,000 ug/L on January 8, 1991, 28,000 ug/L on March 8, 1995, then consistently decreased to <50 ug/L beginning on December 1, 1999, as a result of active remediation conducted by Thrifty at the site from April 1990 to January 2000, whereas the TPHg concentration in well RE-4 was 297,000 ug/L in December 2004. The December 2004 levels were almost

double than the highest historical level recorded 13 years ago, when the active remediation was just initiated.

Thrifty has plotted TPHg, benzene, and MTBE concentrations over time versus groundwater elevations for wells RE-2 (**Figure 5**), RE-3 (**Figure 6**), RE-4 (**Figure 7**), RE-6 (**Figure 8**), RE-7 (**Figure 9**), and PW-1 (**Figure 10**). The increases in TPHg and MTBE in wells RE-2, RE-4, RE-6, and RE-7 for the 3rd and 4th quarters of 2004 and 1st quarter of 2005 are quite dramatic when compared to the TPHg and MTBE concentrations over time. There is also a significant increase in TPHg and MTBE concentrations in well PW-1 in the 1st quarter 2005, 1st quarter 2006, and the 3rd quarter 2006 (**Figure 10**). There is a corresponding rise in groundwater elevation in each of these wells; however, there have been comparable rises in groundwater elevations in the past with no corresponding increase in dissolved hydrocarbon concentrations. Thus, it appears that a rise in groundwater elevation is not the reason for the significant increases in dissolved hydrocarbon concentrations at the site.

Further evidence of a recent release is provided by the use of BTEX ratios that are used as a means to compare the relative age of gasoline releases into the subsurface. The most common method is the cumulative BTEX ration that is described as $B+T/E+X$. Site investigations indicate that values between 1 and 6 are supportive of a recent release and that values less than 0.5 usually indicate a release older than about 8 to 10 years (Kaplan et. al. 1997, "Forensic Environmental Geochemistry: Differentiation of Fuel Types, Their Sources and Release Time;" Robert D. Morrison: "Forensic Techniques for Establishing the Origin and Timing of Contaminant Release"). The table provided below provides $B+T/E+X$ ratios based on the groundwater samples collected during sampling events beginning in September 2004.

Sampling Date	Well ID	B	T	B+T	E	X	E+X	B+T/E+X
9/2/04	RE-3	982	65	1,047	77	86	163	6.42
9/2/04	RE-4	587	50	637	34	65	99	6.43
12/8/04	RE-4	4,680	44,900	49,580	4,850	29,000	33,850	1.46
12/8/04	RE-7	4,380	34,800	39,180	5,370	25,000	30,370	1.29
3/16/05	RE-7	2,840	19,400	22,240	2,760	14,400	17,160	1.30
6/1/05	RE-4	1,530	6,890	8,420	39	6,880	6,919	1.22
6/1/05	RE-7	1,860	8,690	10,550	1,180	4,980	6,160	1.71

Based on the September 2, 2004, sampling results, the $B+T/E+X$ for monitoring wells RE-4 and RE-3 were 6.43 and 6.42, respectively. Beginning in September 2004, the BTEX ratios ranged between 0.54 and 6.43 thus providing additional evidence of a recent release at former Thrifty Station #054. Wells RE-3 and RE-4 are located downgradient of the USTs/piping and well RE-7 is located downgradient of the dispensers. Although well RE-2 is not located downgradient of the dispensers, it is located very close to the dispensers which appear to be a source of the recent release along with the USTs and/or piping.

Thrifty has contended in the past that an offsite upgradient source contributed to the contamination previously detected in offsite, upgradient well RS-9. The concentrations in well RS-9, however, have never been detected at nearly as high of concentrations recently found in wells RE-2, RE-4, RE-6, and RE-7.

TOSCO (ConocoPhillips) also provided evidence of tank tightness testing and secondary containment testing. Unfortunately, the most recent tank tightness test report was dated May 5, 2004 and the most recent secondary containment test report was dated September 7, 2004, both of which could have predated the recent release that apparently occurred during the 4th Quarter 2004. The UST Monitor Certification Summary Report dated May 5, 2004 also reported one gallon of water in the 89 turbine sump and about 8 ounces of fuel in the 91 turbine sump.

In addition, the presence of MTBE in groundwater indicates a post 1991 release since Thrifty did not dispense MTBE blended gasoline during its operation. Thrifty's refinery (Golden West Refining Co.) began using MTBE in gasoline manufacturing processes in October 1992 when this site was already operated by BP Oil and later by TOSCO.

Summary of Meeting with ConocoPhillips and Thrifty (May 10, 2006)

A meeting with ConocoPhillips representatives and Thrifty took place on May 10, 2006. During the meeting, ConocoPhillips's consultant, Environmental Resolutions, Inc. (ERI) presented a response to Thrifty's claim of a new release as discussed below:

- ERI speculated that Thrifty's remedial efforts were not successful beneath the dispenser islands, which apparently led to a remobilization of contaminants and increase in dissolved hydrocarbons in year 2004. Thrifty disagrees with this speculation. As shown in the time versus concentration graphs for several site wells (**Figures 5 through 10**), the vapor extraction/groundwater treatment system which operated from years 1990 to 2000 was very successful in reducing the initially elevated hydrocarbon concentrations to very low, asymptotic levels. The sudden degradation of the dissolved hydrocarbon plume in 2004 came after a several-year period of non-detectable to low concentrations and plume stability following the agency-approved shut-down of the treatment system in year 2000. During this extended time period (up to and including year 2004), no significant change in groundwater levels occurred which would trigger a remobilization of the supposed existing contamination. For instance, in well RE-4, pre-release (3/8/04) MTBE concentrations of 1.1 ug/l spiked to 43,400 ug/l on 12/8/04, while the depth to water remained unchanged at 4.93 feet bgs. The year 2004 spikes in MTBE were accompanied by elevated TPHg and benzene levels, with several wells recording TPHg concentrations higher than Thrifty's pre-remedial levels. Thrifty was in an extended period of post-remedial monitoring, and was petitioning the lead agency for site closure at the time of the 2004 concentration spikes, which have now extended the timeframe for site closure.
- ERI suggests that an upgradient source is probably impacting the site, based on migration rates from upgradient well RS-9. A larger issue than the migration rate (which is theoretical and not based on any actual geotechnical data from the subsurface soils) is the relatively low concentrations in RS-9, which even in the period cited by ERI contained hydrocarbon concentrations two to three orders of magnitude lower than the concentrations seen on the subject site. In no conceivable way could this be a significant source for the elevated on-site concentrations observed in year 2004, which persist in some wells in the most recent sampling events.

- ERI stated that MTBE has been noted in groundwater since initial analysis began during 1996, up to 5,900 ppb in well PW-2, indicating MTBE was likely present prior to 1994 when ConocoPhillips began operations of the above-referenced facility. It should be noted that this 1996 water sample was analyzed by EPA Method 8020, and not confirmed by Method 8260. Even assuming that the MTBE was present in well PW-2 in 1996, the time for the MTBE to travel from the nearby source (dispenser or piping) to well PW-2 must be very short, given the very shallow groundwater (5.21 feet below grade during the 9/16/96 sampling event). Given the shallow groundwater conditions, the suggestion that the MTBE would take over two years to migrate to PW-2 appears very unlikely. In any event, the long-term presence of MTBE at the site through the latest (3/15/06) sampling event is in no way related to Thrifty's operations at the site. Thrifty never used MTBE in their gasoline at any site before 1992, and did not operate this site after May 1991. Thrifty therefore cannot be responsible for any MTBE detected at the site.

In a subsequent meeting with ConocoPhillips on September 11, 2006, Thrifty reiterated its position that the site had experienced new unauthorized release(s) subsequent to Thrifty's operation of the station, that must have resulted from ConocoPhillips and/or BP's operations at the site, due to the presence of MTBE in groundwater (which Thrifty did not use during their operations at the site), and also due to multiple concentration spikes of several gasoline constituents (including MTBE) during ConocoPhillips operations at the site.

The recent increase (June 2005, March 2006, and September 2006) in TPHg and MTBE concentrations in well PW-1 provide further evidence of a recent release at the site and strongly support Thrifty's position that if further assessment and remediation becomes necessary, it should be the responsibility of ConocoPhillips. *Thrifty respectfully repeats its request that the ACHCS acknowledge the evidence of a new release (s) that occurred after 1994 and to designate ConocoPhillips as the Primary Responsible Party for any corrective actions required in the future.*

Temporary Closure of Underground Storage Tanks

During the reporting period, ConocoPhillips ceased operations at the site. Subsequently, Thrifty performed activities for the temporary closure of three 10,000-gallon gasoline tanks at the site. The scope of work for the temporary closure was approved by the Alameda County Department of Environmental Health (ACDEH) in their letter dated September 28, 2006, and the temporary closure was completed by Cal-Phase Construction and inspected by ACDEH on October 11, 2006. A report on the temporary closure activities is currently under preparation by Thrifty's consultant Cal-Phase Construction, Inc.


Closing Comments

In a letter received by Thrifty dated December 7, 2005, the ACHCS requested site information including depth to water, groundwater flow direction, dissolved constituents concentrations, well screen levels, plume stability, and if active remediation was occurring onsite. Thrifty forwarded the requested information on January 10, 2006. The ACHCS also requested that a site conceptual model (SCM) be prepared for the site. Thrifty uploaded the SCM to the ACHCS FTP website on May 8, 2006.

Planned Activities

Thrifty will continue the groundwater monitoring, gauging, and sampling events at this site on a quarterly basis. All interpretations expressed in this report are based solely upon the review of data collected by EMC and laboratory analyses by Associated Laboratories.

Sincerely,



Chris Panaitescu
General Manager
Environmental Affairs

TABLES

SUMMARY TABLE
CURRENT PERIOD GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA, 94546
T0600101363

WELL	Monit/ Sampl. Date	ANALYTICAL PARAMETERS						MONITORING PARAMETERS				ELEVATION	
		TPHg (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DT P (feet)	DT W (feet)	DT B (feet)	PT (feet)	CASING (feet)	GW (feet)
PW-1	09/26/06	9,810	<3.2	<1.0	<2.4	73	24,700	NP	4.37	13.92	0.00	165.95	161.58
PW-2	09/26/06	-	-	-	-	-	-	NP	4.66	14.30	0.00	165.61	160.95
RE-1	09/26/06	-	-	-	-	-	-	NP	5.23	19.80	0.00	166.46	161.23
RE-2	09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	13	NP	5.03	17.06	0.00	166.61	161.58
RE-3	09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	6.0	NP	6.65	17.50	0.00	166.69	160.04
RE-4	09/26/06	52	<0.32	1.1 J	<0.24	1.4 J	10	NP	5.66	14.50	0.00	166.23	160.57
RE-5	09/26/06	-	-	-	-	-	-	NP	5.06	17.76	0.00	166.56	161.50
RE-6	09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	35	NP	6.27	13.60	0.00	166.15	159.88
RE-7	09/26/06	112	<0.32	<0.10	<0.24	<0.30	15	NP	5.43	13.16	0.00	165.33	159.90
RS-8	09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	8.54	25.16	0.00	164.03	155.49
RS-9	09/26/06	<5.6	<0.32	1.3 J	<0.24	<0.30	<0.63	NP	5.06	14.93	0.00	167.05	161.99
RS-10	09/26/06	-	-	-	-	-	-	NP	5.96	24.36	0.00	162.43	156.47
RS-11	09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	6.32	24.70	0.00	162.71	156.39

NOTE:

TPHg = Total Petroleum Hydrocarbons as gasoline

MTBE = Methyl-tert-butyl ether

" - " = Not analyzed / Not available

B = Benzene

" < " = Less than detection level indicated

T = Toluene

" J " = Flag indicating value between MDL & PQL

E = Ethylbenzene

NP = No free product

X = Total Xylenes

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)				
MONITORING WELL #PW-1											Screen Interval = 5 to 13 feet (Est.)
04/11/88	-	-	-	-	-	-	-	-	-	-	-
04/09/90	230,000	600	2,700	1,000	16,000	-	-	NP	5.10	0.00	166.46
10/30/90	35,000	240	970	240	3,580	-	-	NP	6.17	0.00	166.46
01/18/91	37,000	43	140	42	1,600	-	-	NP	6.28	0.00	166.46
02/12/91	45,000	99	130	25	700	-	-	NP	5.88	0.00	166.46
03/20/91	1,900	0.43	ND	ND	2.8	-	-	NP	4.75	0.00	166.46
05/22/91	41,000	600	730	250	3,800	-	-	NP	5.10	0.00	166.46
06/19/91	-	-	-	-	-	-	-	NP	5.61	0.00	166.46
07/17/91	-	-	-	-	-	-	-	FILM	5.53	0.00	166.46
08/07/91	-	-	-	-	-	-	-	FILM	5.67	0.00	166.46
09/24/91	-	-	-	-	-	-	-	FILM	5.57	0.00	166.46
10/23/91	-	-	-	-	-	-	-	FILM	6.53	0.00	166.46
11/06/91	-	-	-	-	-	-	-	FILM	5.85	0.00	166.46
12/04/91	-	-	-	-	-	-	-	FILM	5.91	0.00	166.46
01/29/92	-	-	-	-	-	-	-	FILM	5.43	0.00	166.46
02/26/92	-	-	-	-	-	-	-	FILM	5.54	0.00	166.46
03/19/92	ND	ND	ND	ND	ND	-	-	NP	5.47	0.00	166.46
04/22/92	-	-	-	-	-	-	-	FILM	5.62	0.00	166.46
05/21/92	1,300	19	2.9	0.7	58	-	-	NP	6.21	0.00	166.46
06/25/92	-	-	-	-	-	-	-	NP	6.94	0.00	166.46
07/30/92	-	-	-	-	-	-	-	FILM	5.90	0.00	166.46
08/20/92	-	-	-	-	-	-	-	FILM	7.12	0.00	166.46
09/30/92	3,400	57	ND	26	240	-	-	NP	6.42	0.00	166.46
12/23/92	-	-	-	-	-	-	-	FILM	5.56	0.00	166.46
03/10/93	-	-	-	-	-	-	-	FILM	5.65	0.00	166.46
06/09/93	400	<0.5	1.1	<1.0	<1.0	-	-	NP	5.30	0.00	166.46
09/14/93	180	3.7	3.2	1.5	14	-	-	NP	5.43	0.00	166.46
12/14/93	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	4.65	0.00	166.46
03/02/94	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	5.43	0.00	166.46
06/06/94	330	1.3	<0.3	0.88	9.8	-	-	NP	4.70	0.00	166.46
09/06/94	1,100	67	<0.3	<0.3	24	-	-	NP	6.48	0.00	166.46
12/07/94	<50	<0.3	<0.3	<0.5	<0.5	-	-	NP	5.22	0.00	166.46
03/08/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	6.94	0.00	166.46
06/15/95	260	0.8	0.6	<0.5	3.2	-	-	NP	5.72	0.00	166.46
09/05/95	330	2.1	<0.5	2.1	9.6	-	-	NP	5.96	0.00	166.46
11/21/95	660	13	1.3	<0.3	4.0	-	-	NP	6.04	0.00	166.46
03/11/96	660	0.94	0.77	<0.3	8.1	-	-	NP	3.60	0.00	166.46
06/19/96	120	0.53	<0.3	<0.3	2.3	-	-	NP	4.80	0.00	166.46
09/16/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.10	0.00	166.46
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.92	0.00	166.46
03/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.50	0.00	166.46
											161.96

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)					
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	-	-	-	-	-
09/16/97	690	0.97	<0.3	<0.3	<0.5	<20	-	NP	4.55	0.00	166.46	161.91
12/09/97	640	150	0.64	<0.3	5.2	1,300	-	NP	5.60	0.00	166.46	160.86
03/03/98	<50	<0.3	0.57	<0.3	<0.5	<20	-	NP	4.13	0.00	166.46	162.33
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	6.35	0.00	166.46	160.11
12/30/98	<50	1.1	<0.3	<0.3	<0.5	<5	-	NP	6.40	0.00	166.46	160.06
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	6.35	0.00	166.46	160.11
06/22/99	<50	<0.3	<0.3	<0.3	<0.5	53	-	NP	4.95	0.00	166.46	161.51
09/08/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.80	0.00	166.46	161.66
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	3.64	0.00	166.46	162.82
03/23/00	<50	0.5	0.5	1.1	<0.5	<5	-	NP	4.03	0.00	166.46	162.43
06/08/00	<50	<5	<5	<5	<5	-	<5	NP	4.40	0.00	166.46	162.06
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.73	0.00	166.46	161.73
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.01	0.00	166.46	162.45
03/22/01	600	<0.18	1.3	<0.18	<0.26	1,010	1,970	NP	6.32	0.00	166.46	160.14
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.32	0.00	166.46	160.14
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.32	0.00	166.46	160.14
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.32	0.00	166.46	160.14
03/13/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.02	0.00	166.46	160.44
06/12/02	1,320	1.0	1.0	<0.18	2.0	2,060	-	NP	6.30	0.00	166.46	160.16
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.30	0.00	166.46	160.16
12/18/02	113	<0.18	1.1	<0.18	<0.26	89	-	NP	7.06	0.00	166.46	159.40
03/19/03	<15	<0.04	2.2	<0.02	2.7	<0.03	-	NP	6.30	0.00	166.46	160.16
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	6.35	0.00	166.46	160.11
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	6.35	0.00	166.46	160.11
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.90	0.00	166.46	160.56
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	3.38	0.00	165.95	162.57
06/09/04	<15	<0.14	<0.16	<0.18	<0.45	<0.22	-	NP	5.51	0.00	165.95	160.44
09/02/04	133	<0.14	2.4	<0.18	1.9	<0.22	-	NP	5.35	0.00	165.95	160.60
12/08/04	<15	<0.14	1.3	<0.18	<0.45	<0.22	-	NP	6.33	0.00	165.95	159.62
03/16/05	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	4.59	0.00	165.95	161.36
06/01/05	49,300	1,540	3,990.0	154	6,190	69,000	42,000	NP	4.81	0.00	165.95	160.05
09/14/05	<2.9	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	4.74	0.00	165.95	161.14
12/06/05	272	6.6	1.5 J	5.1	9.6	-	217	NP	4.35	0.00	165.95	161.21
03/15/06	35,500	<3.2	<1.0	<2.4	862	-	28,500	NP	4.79	0.00	165.95	161.60
06/07/06	83	<0.32	<0.10	<0.24	<0.30	-	104	NP	4.74	0.00	165.95	161.16
09/26/06	9,810	<3.2	<1.0	<2.4	73	-	24,700	NP	4.37	0.00	165.95	161.21

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)				
MONITORING WELL PW-2											
04/11/88	-	-	-	-	-	-	-	-	-	-	-
04/09/90	600,000	1,300	11,000	4,600	4,300	-	-	NP	5.81	0.00	166.18
10/30/90	48,000	310	51	10	480	-	-	NP	6.95	0.00	166.18
01/18/91	86,000	230	1,400	350	8,300	-	-	NP	6.92	0.00	166.18
02/12/91	160,000	680	1,300	250	7,000	-	-	NP	6.78	0.00	166.18
03/20/91	17,000	34	50	ND	1,100	-	-	NP	5.54	0.00	166.18
05/22/91	14,000	57	2,100	500	8,200	-	-	NP	6.07	0.00	166.18
06/19/91	-	-	-	-	-	-	-	FILM	6.37	0.00	166.18
07/17/91	-	-	-	-	-	-	-	FILM	6.38	0.00	166.18
08/07/91	-	-	-	-	-	-	-	FILM	6.63	0.00	166.18
09/24/91	-	-	-	-	-	-	-	FILM	6.42	0.00	166.18
10/23/91	-	-	-	-	-	-	-	FILM	7.25	0.00	166.18
11/06/91	-	-	-	-	-	-	-	FILM	6.44	0.00	166.18
12/04/91	-	-	-	-	-	-	-	FILM	6.65	0.00	166.18
01/29/92	-	-	-	-	-	-	-	FILM	6.17	0.00	166.18
02/26/92	-	-	-	-	-	-	-	FILM	5.90	0.00	166.18
03/19/92	-	-	-	-	-	-	-	FILM	5.80	0.00	166.18
04/22/92	-	-	-	-	-	-	-	FILM	5.88	0.00	166.18
05/21/92	-	-	-	-	-	-	-	FILM	6.03	0.00	166.18
06/25/92	-	-	-	-	-	-	-	FILM	6.57	0.00	166.18
07/30/92	-	-	-	-	-	-	-	FILM	6.20	0.00	166.18
08/20/92	-	-	-	-	-	-	-	FILM	6.64	0.00	166.18
09/30/92	-	-	-	-	-	-	-	FILM	6.88	0.00	166.18
12/23/92	-	-	-	-	-	-	-	FILM	6.08	0.00	166.18
03/10/93	-	-	-	-	-	-	-	FILM	5.95	0.00	166.18
06/09/93	3,400	24	22	<0.5	240	-	-	NP	5.38	0.00	166.18
09/14/93	4,900	190	15	6.8	480	-	-	NP	6.26	0.00	166.18
12/14/93	1,700	4.2	<0.3	<0.3	<0.5	-	-	NP	5.22	0.00	166.18
03/02/94	-	-	-	-	-	-	-	FILM	5.75	0.00	166.18
06/06/94	980	25	1.2	<0.3	42	-	-	NP	5.25	0.00	166.18
09/06/94	3,200	95	3.0	<1.7	76	-	-	NP	6.80	0.00	166.18
12/07/94	510	1.8	<0.3	<0.5	1.7	-	-	NP	5.57	0.00	166.18
03/08/95	1,900	<0.5	<0.5	1.4	35	-	-	NP	4.10	0.00	166.18
06/15/95	1,700	5.6	<0.5	<0.5	1.6	-	-	NP	5.44	0.00	166.18
09/05/95	2,500	33	1.0	0.86	18	-	-	NP	6.13	0.00	166.18
11/21/95	2,800	130	59	18	190	-	-	NP	6.23	0.00	166.18
03/11/96	13,000	330	460	<15	3,800	-	-	NP	4.48	0.00	166.18
06/19/96	1,400	<0.3	<0.3	<0.3	<0.5	-	-	NP	5.38	0.00	166.18
09/16/96	3,500	<0.3	<0.3	<0.3	<0.5	5,900	-	NP	5.21	0.00	166.18
12/10/96	2,100	<0.3	<0.3	<0.3	<0.5	4,700	-	NP	4.87	0.00	166.18
03/12/97	600	1.6	<0.3	<0.3	5.8	1,100	-	NP	4.43	0.00	166.18
											161.75

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - S021 ($\mu\text{g/L}$)	MTBE - S260 ($\mu\text{g/L}$)				
06/12/97	270	<0.3	<0.3	<0.3	<0.5	630	-	-	-	-	-
09/10/97	220	<0.3	<0.3	<0.3	<0.5	320	-	NP	4.07	0.00	166.18
12/09/97	120	<0.3	0.73	<0.3	<0.5	420	-	NP	5.20	0.00	162.11
03/03/98	<50	0.43	0.48	<0.3	<0.5	47	-	NP	3.30	0.00	166.18
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	162.88
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.15	0.00	166.18
12/30/98	<50	1.1	<0.3	<0.3	<0.5	<5	-	NP	4.75	0.00	161.03
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.40	0.00	166.18
06/22/99	-	-	-	-	-	-	-	NP	4.50	0.00	161.78
09/08/99	100	<0.3	<0.3	<0.3	<0.5	230	-	NP	3.99	0.00	166.18
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	3.62	0.00	162.19
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	2.93	0.00	166.18
06/08/00	<50	<5	<5	<5	<5	-	-	NP	3.60	0.00	163.25
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	3.61	0.00	166.18
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	3.60	0.00	162.57
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.14	0.00	166.18
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.13	0.00	161.04
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.90	0.00	166.18
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.20	0.00	160.28
03/13/02	-	-	-	-	-	-	-	NP	5.14	0.00	166.18
06/12/02	-	-	-	-	-	-	-	NP	-	-	159.98
09/18/02	-	-	-	-	-	-	-	-	-	-	-
12/18/02	-	-	-	-	-	-	-	-	-	-	-
03/19/03	-	-	-	-	-	-	-	-	-	-	-
06/11/03	-	-	-	-	-	-	-	-	-	-	-
09/04/03	-	-	-	-	-	-	-	-	-	-	-
12/04/03	-	-	-	-	-	-	-	-	-	-	-
03/18/04	-	-	-	-	-	-	-	NP	3.20	0.00	165.61
06/09/04	-	-	-	-	-	-	-	NP	5.12	0.00	162.41
09/02/04	-	-	-	-	-	-	-	NP	4.72	0.00	165.61
12/08/04	-	-	-	-	-	-	-	NP	6.95	0.00	160.49
03/16/05	-	-	-	-	-	-	-	NP	3.63	0.00	165.61
06/01/05	-	-	-	-	-	-	-	NP	5.12	0.00	161.98
09/14/05	-	-	-	-	-	-	-	NP	4.00	0.00	165.61
12/06/05	-	-	-	-	-	-	-	NP	3.97	0.00	161.61
03/15/06	-	-	-	-	-	-	-	NP	3.97	0.00	165.61
06/07/06	-	-	-	-	-	-	-	NP	4.00	0.00	161.64
09/26/06	-	-	-	-	-	-	-	NP	4.73	0.00	165.61
									4.66	0.00	160.88
											160.95

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)				
	IPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)									
MONITORING WELL #RE-1																
	<i>Screen Interval = 5 to 17 feet</i>															
04/11/88	37,000	1,900	8,400	1,200	15,000	-	-	-	-	-	-	-				
04/09/90	45,000	6,100	7,000	2,000	8,800	-	-	NP	4.99	0.00	166.82	161.83				
10/30/90	72,000	7,700	5,300	1,800	8,900	-	-	NP	5.95	0.00	166.82	160.87				
01/18/91	150,000	11,000	14,000	1,800	4,300	-	-	NP	5.17	0.00	166.82	161.65				
02/12/91	140,000	11,000	12,000	1,600	13,000	-	-	NP	4.16	0.00	166.82	162.66				
03/20/91	53,000	3,100	4,200	400	5,500	-	-	NP	4.75	0.00	166.82	162.07				
05/22/91	85,000	8,700	10,000	1,800	12,000	-	-	NP	4.42	0.00	166.82	162.40				
06/19/91	110,000	8,500	9,600	2,600	16,000	-	-	NP	4.93	0.00	166.82	161.89				
07/17/91	5,500	950	ND	26	ND	-	-	NP	5.19	0.00	166.82	161.63				
08/07/91	-	6,700	5,000	ND	7,100	-	-	NP	5.12	0.00	166.82	161.70				
09/24/91	60,000	6,800	4,300	640	6,900	-	-	NP	5.87	0.00	166.82	160.95				
10/23/91	79,000	7,900	8,300	450	7,100	-	-	NP	5.81	0.00	166.82	161.01				
11/06/91	130,000	14,000	15,000	1,100	8,800	-	-	NP	5.56	0.00	166.82	161.26				
12/04/91	50,000	8,000	4,700	520	4,100	-	-	NP	5.35	0.00	166.82	161.47				
01/29/92	21,000	10,300	11,000	780	6,000	-	-	NP	4.50	0.00	166.82	162.32				
02/26/92	38000	8,400	10,500	720	7,100	-	-	NP	5.27	0.00	166.82	161.55				
03/19/92	48,000	6,200	9,700	780	7,200	-	-	NP	4.47	0.00	166.82	162.35				
04/22/92	-	-	-	-	-	-	-	NP	4.62	0.00	166.82	162.20				
05/21/92	20,000	7,600	10,100	830	6,900	-	-	NP	4.98	0.00	166.82	161.84				
06/25/92	-	-	-	-	-	-	-	FILM	5.14	0.00	166.82	161.68				
07/30/92	-	-	-	-	-	-	-	FILM	5.30	0.00	166.82	161.52				
08/20/92	-	-	-	-	-	-	-	FILM	5.28	0.00	166.82	161.54				
09/30/92	-	-	-	-	-	-	-	FILM	5.66	0.00	166.82	161.16				
12/23/92	-	-	-	-	-	-	-	FILM	4.81	0.00	166.82	162.01				
03/10/93	-	-	-	-	-	-	-	FILM	4.13	0.00	166.82	162.69				
06/09/93	-	-	-	-	-	-	-	FILM	4.48	0.00	166.82	162.34				
09/14/93	19,000	3,600	1,100	740	4,300	-	-	NP	5.35	0.00	166.82	161.47				
12/14/93	38,000	4,300	1,300	<6.6	11	-	-	NP	4.38	0.00	166.82	162.44				
03/02/94	-	-	-	-	-	-	-	FILM	4.22	0.00	166.82	162.60				
06/06/94	-	-	-	-	-	-	-	FILM	2.16	0.00	166.82	164.66				
09/06/94	74,000	3,300	3,900	1,200	6,100	-	-	NP	5.00	0.00	166.82	161.82				
12/07/94	30,000	3,200	2,900	1,200	4,600	-	-	NP	4.10	0.00	166.82	162.72				
03/08/95	28,000	4,200	2,300	810	7,800	-	-	NP	3.92	0.00	166.82	162.90				
06/15/95	-	-	-	-	-	-	-	FILM	4.78	0.00	-	-				
09/05/95	-	-	-	-	-	-	-	NP	4.82	0.00	166.82	162.04				
11/21/95	-	-	-	-	-	-	-	NP	3.32	0.00	166.82	162.00				
03/11/96	270	2.4	6.0	4.5	19	-	-	NP	4.20	0.00	166.82	163.50				
06/19/96	3,000	570	63	<1.5	400	-	-	NP	4.68	0.00	166.82	162.62				
09/16/96	7,700	440	69	<1.5	680	230	-	NP	4.93	0.00	166.82	162.14				
12/10/96	52	<0.3	<0.3	<0.3	<0.5	120	-	NP	4.10	0.00	166.82	161.89				
03/12/97	8,700	180	5.4	40	1,100	130	-	NP	-	-	166.82	162.72				

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - S260 ($\mu\text{g/L}$)					
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	36	-	-	-	-	-	-
09/16/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.55	0.00	166.82	162.27
12/09/97	<50	<0.3	0.44	<0.3	<0.5	<20	-	NP	5.30	0.00	166.82	161.52
03/03/98	1,100	13	0.51	<0.3	<0.5	220	-	NP	4.55	0.00	166.82	162.27
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	60	<0.3	<0.3	<0.3	<0.5	180	-	NP	6.05	0.00	166.82	160.77
12/30/98	<50	1.1	<0.3	<0.3	<0.5	<5	-	NP	5.65	0.00	166.82	161.17
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.68	0.00	166.82	161.14
06/22/99	880	14	0.98	<0.3	8.1	260	-	NP	4.95	0.00	166.82	161.87
09/08/99	72	<0.3	<0.3	<0.3	<0.5	120	-	NP	4.46	0.00	166.82	162.36
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.08	0.00	166.82	162.74
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	3.68	0.00	166.82	163.14
06/08/00	<50	<5	<5	<5	<5	-	<5	NP	4.07	0.00	166.82	162.75
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.07	0.00	166.82	162.75
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.06	0.00	166.82	162.76
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.22	0.00	166.82	161.60
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.99	0.00	166.82	160.83
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.84	0.00	166.82	161.98
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.80	0.00	166.82	162.02
03/13/02	-	-	-	-	-	-	-	NP	5.18	0.00	166.82	161.64
06/12/02	-	-	-	-	-	-	-	-	-	-	-	-
09/18/02	-	-	-	-	-	-	-	-	-	-	-	-
12/18/02	-	-	-	-	-	-	-	-	-	-	-	-
03/19/03	-	-	-	-	-	-	-	-	-	-	-	-
06/11/03	-	-	-	-	-	-	-	-	-	-	-	-
09/04/03	-	-	-	-	-	-	-	-	-	-	-	-
12/04/03	-	-	-	-	-	-	-	NP	4.50	0.00	166.46	161.96
03/18/04	-	-	-	-	-	-	-	NP	5.64	0.00	166.46	160.82
06/09/04	-	-	-	-	-	-	-	NP	5.65	0.00	166.46	160.81
09/02/04	-	-	-	-	-	-	-	NP	5.45	0.00	166.46	161.01
12/08/04	-	-	-	-	-	-	-	NP	4.64	0.00	166.46	161.82
03/16/05	-	-	-	-	-	-	-	NP	6.79	0.00	166.46	159.67
06/01/05	-	-	-	-	-	-	-	NP	4.43	0.00	166.46	162.03
09/14/05	-	-	-	-	-	-	-	NP	5.64	0.00	166.46	160.82
12/06/05	-	-	-	-	-	-	-	NP	5.64	0.00	166.46	160.82
03/15/06	-	-	-	-	-	-	-	NP	4.44	0.00	166.46	162.02
06/07/06	-	-	-	-	-	-	-	NP	6.02	0.00	166.46	160.44
09/26/06	-	-	-	-	-	-	-	NP	5.23	0.00	166.46	161.23

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)					
MONITORING WELL #RE-7											
04/11/88	-	-	-	-	-	-	-	-	-	-	-
04/09/90	850	5.8	0.5	4.8	1.1	-	-	-	-	-	-
10/30/90	440	2.8	0.91	13	3.14	-	-	NP	4.90	0.00	167.19
01/18/91	1,100	8.4	3.1	ND	10	-	-	NP	5.34	0.00	167.19
02/12/91	1,100	5.9	ND	1.77	ND	-	-	NP	4.90	0.00	167.19
03/20/91	550	4.3	ND	ND	ND	-	-	NP	4.94	0.00	167.19
05/22/91	1,000	5.3	3.6	4.4	8.9	-	-	NP	4.32	0.00	167.19
06/19/91	700	2.1	1.4	3.8	3.5	-	-	NP	4.43	0.00	167.19
07/17/91	880	12	8.0	4.3	28	-	-	NP	6.43	0.00	167.19
08/07/91	-	3.8	1.6	ND	ND	-	-	NP	4.75	0.00	167.19
09/24/91	670	7.2	7.1	ND	23	-	-	NP	4.87	0.00	167.19
10/23/91	2,700	52	60	22	130	-	-	NP	5.50	0.00	167.19
11/06/91	1,900	18	61	9.1	83	-	-	NP	5.63	0.00	167.19
12/04/91	1,100	26	47	4.3	42	-	-	NP	5.14	0.00	167.19
01/29/92	900	14	24	5.3	19	-	-	NP	5.26	0.00	167.19
02/26/92	500	3.4	3.5	2.7	2.7	-	-	NP	5.11	0.00	167.19
03/19/92	1,200	14	20	15	18	-	-	NP	4.31	0.00	167.19
04/22/92	200	ND	ND	ND	ND	-	-	NP	4.45	0.00	167.19
05/21/92	500	7.5	6.8	3.9	7.4	-	-	NP	4.78	0.00	167.19
06/25/92	ND	ND	0.9	0.7	ND	-	-	NP	5.02	0.00	167.19
07/30/92	500	7.7	8.6	3.2	1.7	-	-	NP	5.13	0.00	167.19
08/20/92	1,100	6.6	4.5	2.7	2.0	-	-	NP	5.19	0.00	167.19
09/30/92	500	5.4	2.4	1.8	4.5	-	-	NP	5.27	0.00	167.19
12/23/92	800	1.9	ND	ND	2.3	-	-	NP	5.45	0.00	167.19
03/10/93	1,200	ND	1.4	ND	2.1	-	-	NP	4.60	0.00	167.19
06/09/93	200	ND	ND	ND	ND	-	-	NP	4.18	0.00	167.19
09/17/93	360	1.6	1.1	3.2	8.9	-	-	NP	4.53	0.00	167.19
12/14/93	260	5.6	3.9	<0.3	21.0	-	-	NP	5.26	0.00	167.19
03/02/94	410	<0.3	<0.3	<0.3	<0.5	-	-	NP	2.75	0.00	167.19
06/06/94	760	4.6	<0.3	0.32	1.3	-	-	NP	4.27	0.00	167.19
09/06/94	1,300	43	45	8.9	69	-	-	NP	4.88	0.00	167.19
12/07/94	-	-	-	-	-	-	-	NP	5.16	0.00	167.19
03/08/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	4.16	0.00	167.19
06/15/95	130	<0.5	<0.5	<0.5	<0.5	-	-	NP	3.96	0.00	167.19
09/05/95	210	<0.5	<0.5	<0.5	<1	-	-	NP	4.52	0.00	167.19
11/21/95	160	0.65	<0.3	0.35	0.95	-	-	NP	4.76	0.00	167.19
03/11/96	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	4.83	0.00	167.19
06/19/96	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	3.36	0.00	167.19
09/16/96	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	4.68	0.00	167.19
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.10	0.00	167.19
03/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.47	0.00	167.19
								NP	4.05	0.00	167.19
											163.14

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)				
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.08	0.00	167.19
12/09/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.40	0.00	167.19
03/03/98	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	3.30	0.00	167.19
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	15	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.93	0.00	167.19
12/30/98	460	0.92	<0.3	<0.3	<0.5	1,400	-	NP	4.20	0.00	167.19
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.20	0.00	167.19
06/22/99	2,900	7.4	<0.3	0.43	4.1	4,500	-	NP	3.70	0.00	167.19
09/08/99	1,400	<3	<3	<3	<5	3,200	-	NP	3.96	0.00	167.19
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	3.58	0.00	167.19
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	3.19	0.00	167.19
06/08/00	<50	<5	<5	<5	<5	-	<5	NP	3.18	0.00	167.19
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	3.58	0.00	167.19
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	3.58	0.00	167.19
03/22/01	575	<0.18	1.3	<0.18	<0.26	950	2,070	NP	4.33	0.00	167.19
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.10	0.00	167.19
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.86	0.00	167.19
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.81	0.00	167.19
03/13/02	-	-	-	-	-	-	-	NP	4.33	0.00	162.86
06/12/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.86	0.00	167.19
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.86	0.00	161.33
12/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.86	0.00	167.19
03/19/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.48	0.00	167.19
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.86	0.00	167.19
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	5.86	0.00	167.19
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.48	0.00	161.71
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	8.4	NP	3.20	0.00	166.61
06/09/04	<15	<0.14	<0.16	<0.18	<0.45	8.4	-	NP	4.33	0.00	166.61
09/02/04	877	2.3	2.2	5.8	4.0	743	516	NP	4.32	0.00	162.28
12/08/04	194,000	1,960	26,900	4,660	23,200	10,700	13,000	NP	5.12	0.00	166.61
03/16/05	50,600	901	10,100	130 J	12,100	-	4,040	NP	3.65	0.00	166.61
06/01/05	23,300	519	3,370	<7	7,180	3,800	2,880	NP	5.47	0.00	161.14
09/14/05	14,000	22	15 J	<2.4	3,930	-	2,420	NP	4.32	0.00	166.61
12/06/05	140	<0.32	<0.10	<0.24	<0.3	-	34	NP	3.55	0.00	162.66
03/15/06	57	<0.32	<0.10	<0.24	<0.30	-	31	NP	3.95	0.00	166.61
06/07/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	4.2	NP	3.95	0.00	166.61
09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	13	NP	5.03	0.00	162.66
											161.58

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - S021 (ug/L)	MTBE - S260 (ug/L)					
MONITORING WELL #RE-3												Screen Interval = 5 to 18 feet
04/11/88	70,000	6,600	5,300	800	13,000	-	-	-	-	-	-	-
04/09/90	370,000	2,300	4,900	3,200	31,000	-	-	NP	7.15	0.00	167.39	160.24
10/30/90	13,000	860	660	220	2,210	-	-	NP	7.84	0.00	167.39	159.55
01/18/91	42,000	4,700	4,500	21	7,700	-	-	NP	6.90	0.00	167.39	160.49
02/12/91	72,000	3,600	4,500	ND	7,600	-	-	NP	6.62	0.00	167.39	160.77
03/20/91	65,000	2,400	9,400	50	9,800	-	-	NP	5.87	0.00	167.39	161.52
05/22/91	-	-	-	-	-	-	-	FILM	5.98	0.00	167.39	161.41
06/19/91	-	-	-	-	-	-	-	FILM	6.84	0.00	167.39	160.55
07/17/91	-	-	-	-	-	-	-	FILM	7.10	0.00	167.39	160.29
08/07/91	-	-	-	-	-	-	-	FILM	7.30	0.00	167.39	160.09
09/24/91	-	-	-	-	-	-	-	FILM	7.84	0.00	167.39	159.55
10/23/91	-	-	-	-	-	-	-	FILM	8.07	0.00	167.39	159.32
11/06/91	-	-	-	-	-	-	-	FILM	7.63	0.00	167.39	159.76
12/04/91	-	-	-	-	-	-	-	FILM	7.83	0.00	167.39	159.56
01/29/92	-	-	-	-	-	-	-	FILM	7.17	0.00	167.39	160.22
02/26/92	-	-	-	-	-	-	-	FILM	5.56	0.00	167.39	161.83
03/19/92	-	-	-	-	-	-	-	FILM	5.44	0.00	167.39	161.95
04/22/92	-	-	-	-	-	-	-	FILM	6.56	0.00	167.39	160.83
05/21/92	-	-	-	-	-	-	-	FILM	6.90	0.00	167.39	160.49
06/25/92	-	-	-	-	-	-	-	FILM	7.18	0.00	167.39	160.21
07/30/92	-	-	-	-	-	-	-	FILM	6.80	0.00	167.39	160.59
08/20/92	-	-	-	-	-	-	-	FILM	7.25	0.00	167.39	160.14
09/30/92	-	-	-	-	-	-	-	FILM	7.68	0.00	167.39	159.71
12/23/92	-	-	-	-	-	-	-	FILM	6.07	0.00	167.39	161.32
03/10/93	-	-	-	-	-	-	-	FILM	5.66	0.00	167.39	161.73
06/09/93	-	-	-	-	-	-	-	FILM	6.66	0.00	167.39	160.73
09/14/93	40,000	2,900	1,500	180	6,900	-	-	NP	7.30	0.00	167.39	160.09
12/14/93	-	-	-	-	-	-	-	NP	5.95	0.00	167.39	161.44
03/02/94	-	-	-	-	-	-	-	NP	5.08	0.00	167.39	162.31
09/06/94	11,000	260	26	<6.6	1,000	-	-	FILM	6.35	0.00	167.39	161.04
12/07/94	-	-	-	-	-	-	-	NP	7.50	0.00	167.39	159.89
03/08/95	-	-	-	-	-	-	-	FILM	5.48	0.00	167.39	161.91
06/15/95	-	-	-	-	-	-	-	FILM	5.18	0.00	167.39	162.21
09/05/95	-	-	-	-	-	-	-	FILM	-	-	-	-
11/21/95	10,000	210	<3	4.5	330	-	-	NP	6.84	0.00	167.39	160.55
03/11/96	1,600	640	15	10	46	-	-	NP	7.38	0.00	167.39	160.01
06/19/96	2,100	280	<3	<3	120	-	-	NP	4.85	0.00	167.39	162.54
09/16/96	140	<0.3	<0.3	<0.3	<0.5	110	-	NP	5.80	0.00	167.39	161.59
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.35	0.00	167.39	162.89
03/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	3.48	0.00	167.39	162.04
												163.91

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)					
06/12/97	<50	<0.3	<0.3	<0.3	0.58	<20	-	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	3.10	0.00	167.39	164.29
12/09/97	3,600	1,000	1,000	<6	570	260	-	NP	4.55	0.00	167.39	162.84
03/03/98	2,800	20	0.65	0.39	16	5,600	-	NP	2.30	0.00	167.39	165.09
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	23	-	NP	4.95	0.00	167.39	162.44
12/30/98	<50	1.1	<0.3	<0.3	<0.5	<5	-	NP	4.55	0.00	167.39	162.84
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.15	0.00	167.39	163.24
06/22/99	670	17	1.2	0.36	1.7	340	-	NP	3.85	0.00	167.39	163.54
09/08/99	140	0.72	<0.3	<0.3	<0.5	230	-	NP	2.63	0.00	167.39	164.76
12/01/99	95	<0.3	<0.3	<0.3	<0.5	200	-	NP	2.63	0.00	167.39	164.76
03/23/00	315	<0.25	<0.25	<0.25	<0.5	293	422	NP	2.25	0.00	167.39	165.14
06/08/00	<100	<5	<5	<5	<5	-	201	NP	3.02	0.00	167.39	164.37
09/27/00	154	<0.18	<0.14	<0.18	<0.26	254	160	NP	3.01	0.00	167.39	164.38
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	124	111	NP	3.02	0.00	167.39	164.37
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	90	57	NP	4.54	0.00	167.39	162.85
06/15/01	649	28	2.4	3.1	9.0	1,790	2,560	NP	4.92	0.00	167.39	162.47
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.80	0.00	167.39	159.59
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.35	0.00	167.39	160.04
03/13/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.53	0.00	167.39	162.86
06/12/02	969	<0.18	1.0	<0.18	<0.26	1,430	-	NP	4.90	0.00	167.39	162.49
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.28	0.00	167.39	162.11
12/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.52	0.00	167.39	162.87
03/19/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.67	0.00	167.39	161.72
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.67	0.00	167.39	161.72
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	5.26	0.00	167.39	162.13
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	2.59	0.00	166.69	164.10
03/18/04	57	<0.22	1.7 J	<0.31	<0.4	-	13	NP	4.50	0.00	166.69	162.19
06/09/04	7,950	39	21	<1.8	20	4,590	-	NP	5.85	0.00	166.69	160.84
09/02/04	9,560	982	65	77	86	5,950	4,360	NP	6.30	0.00	166.69	160.39
12/08/04	233	1.3	3.9	1.7	2.6	72	80	NP	4.48	0.00	166.69	162.21
03/16/05	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	6.80	0.00	166.69	159.89
06/01/05	1,710	3.7	<1.1	<0.7	9.2	20,100	14,400	NP	2.62	0.00	166.69	164.07
09/14/05	<2.9	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	4.51	0.00	166.69	162.18
12/06/05	<2.9	<0.32	<0.10	<0.24	<0.3	-	<0.63	NP	4.88	0.00	166.69	161.81
03/15/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	2.64	0.00	166.69	164.05
06/07/06	1,150	1.4	164	34	162	-	<0.63	NP	2.97	0.00	166.69	163.72
09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	6.0	NP	6.65	0.00	166.69	160.04

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)					
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)										
MONITORING WELL #RE-1																
			<i>Screen Interval = 5 to 15 feet</i>													
04/11/88	15,000	12,000	8,000	1,000	2,700	-	-	-	-	-	-					
04/09/90	-	-	-	-	-	-	-	-	-	-	-					
10/30/90	87,000	7,200	10,000	1,600	12,900	-	-	-	-	-	-					
01/18/91	70,000	5,000	5,400	790	9,900	-	-	NP	7.04	0.00	166.94					
02/12/91	87,000	5,200	2,800	240	11,000	-	-	NP	11.62	0.00	166.94					
03/20/91	6,500	370	230	17	670	-	-	NP	11.63	0.00	166.94					
05/22/91	-	-	-	-	-	-	-	NP	11.61	0.00	166.94					
06/19/91	-	-	-	-	-	-	-	FILM	10.30	0.00	166.94					
07/17/91	-	-	-	-	-	-	-	FILM	11.10	0.00	166.94					
08/17/91	-	-	-	-	-	-	-	FILM	6.20	0.00	166.94					
09/24/91	-	-	-	-	-	-	-	FILM	8.15	0.00	166.94					
10/23/91	-	-	-	-	-	-	-	FILM	10.40	0.00	166.94					
11/06/91	-	-	-	-	-	-	-	FILM	11.20	0.00	166.94					
12/04/91	-	-	-	-	-	-	-	FILM	6.62	0.00	166.94					
01/29/92	-	-	-	-	-	-	-	ILM	11.20	0.00	166.94					
02/26/92	-	-	-	-	-	-	-	FILM	7.72	0.00	166.94					
03/19/92	-	-	-	-	-	-	-	FILM	5.13	0.00	166.94					
04/22/92	-	-	-	-	-	-	-	FILM	5.00	0.00	166.94					
05/21/92	-	-	-	-	-	-	-	FILM	5.94	0.00	166.94					
06/25/92	-	-	-	-	-	-	-	FILM	5.40	0.00	166.94					
07/30/92	-	-	-	-	-	-	-	FILM	5.71	0.00	166.94					
08/20/92	-	-	-	-	-	-	-	FILM	6.33	0.00	166.94					
09/30/92	-	-	-	-	-	-	-	FILM	5.80	0.00	166.94					
12/23/92	-	-	-	-	-	-	-	FILM	6.34	0.00	166.94					
03/10/93	-	-	-	-	-	-	-	FILM	5.50	0.00	166.94					
06/09/93	-	-	-	-	-	-	-	FILM	4.67	0.00	166.94					
09/14/93	-	-	-	-	-	-	-	FILM	5.12	0.00	166.94					
12/14/93	-	-	-	-	-	-	-	NP	10.44	0.00	166.94					
03/02/94	-	-	-	-	-	-	-	NP	7.52	0.00	166.94					
06/06/94	-	-	-	-	-	-	-	FILM	4.85	0.00	166.94					
09/06/94	-	-	-	-	-	-	-	FILM	5.20	0.00	166.94					
12/07/94	-	-	-	-	-	-	-	FILM	9.85	0.00	166.94					
03/08/95	-	-	-	-	-	-	-	FILM	5.20	0.00	166.94					
06/15/95	-	-	-	-	-	-	-	FILM	4.98	0.00	166.94					
09/05/95	-	-	-	-	-	-	-	-	-	-	-					
11/21/95	32,000	46	21	66	340	-	-	FILM	13.72	0.00	166.94					
03/11/96	1,700	130	15	2.0	120	-	-	NP	12.53	0.00	166.94					
06/19/96	1,700	230	30	0.35	100	-	-	NP	4.72	0.00	166.94					
09/16/96	510	<0.3	0.73	<0.3	<0.5	800	-	NP	5.40	0.00	166.94					
12/10/96	520	<0.3	<0.3	<0.3	<0.5	1,000	-	NP	5.18	0.00	166.94					
03/12/97	420	3.2	<0.3	<0.3	<0.3	11	370	-	NP	4.65	0.00					
										3.87	0.00					
										166.94	163.07					

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - S021 (ug/L)					
06/12/97	510	0.66	<0.3	<0.3	<0.5	1,600	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.40	0.00	166.94
12/09/97	1,400	330	2.3	<0.3	1.5	2,500	-	NP	4.60	0.00	166.94
03/03/98	3,000	400	0.61	0.5	97	3,800	-	NP	5.05	0.00	166.94
07/08/98	650	<0.3	<0.3	<0.3	<0.5	1,800	-	-	-	-	161.89
09/10/98	2,700	<0.3	<0.3	<0.3	1.4	7,600	-	NP	4.60	0.00	166.94
12/30/98	530	<0.3	<0.3	<0.3	<0.5	1,500	-	NP	4.20	0.00	166.94
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	3.85	0.00	166.94
06/22/99	1,200	23	1.5	<0.3	2.4	1,400	-	NP	3.90	0.00	166.94
09/08/99	590	1.5	<0.6	<0.6	<1	1,100	-	NP	5.72	0.00	166.94
12/01/99	540	<0.3	<0.3	<0.3	<0.5	880	-	NP	5.34	0.00	166.94
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	5.36	0.00	161.60
06/08/00	67	<5	<5	<5	<5	-	<5	NP	5.34	0.00	166.94
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.35	0.00	166.94
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.71	0.00	166.94
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.19	0.00	166.94
06/15/01	409	18	2.0	2.0	5.0	1,060	1,480	NP	4.57	0.00	162.75
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.10	0.00	166.94
12/12/01	<50	<0.18	<0.14	<0.18	3.0	7.0	3.7	NP	4.95	0.00	166.94
03/13/02	511	3.0	3.0	<0.18	2.0	519	-	NP	4.17	0.00	161.99
06/12/02	380	2.0	2.0	1.0	2.0	479	-	NP	4.93	0.00	166.94
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.32	0.00	166.94
12/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.32	0.00	161.62
03/19/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	4.93	0.00	166.94
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	5.32	0.00	166.94
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	5.32	0.00	161.62
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	4.93	0.00	166.94
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	1.1	NP	4.93	0.00	166.23
06/09/04	<15	<0.14	<0.16	<0.18	<0.45	<0.22	-	NP	4.56	0.00	161.30
09/02/04	6,390	587	50	34	65	4,150	2,650	NP	6.00	0.00	166.23
12/08/04	278,000	4,680	44,900	4,850	29,000	54,800	43,400	NP	4.93	0.00	160.23
03/16/05	110,000	2,360	18,900	1,780	17,800	-	24,400	NP	5.32	0.00	166.23
06/01/05	40,800	1,530	6,890	39	6,880	25,800	17,900	NP	5.7	0.00	160.91
09/14/05	23,600	190	73	<2.4	3,460	-	14,200	NP	5.3	0.00	166.23
12/06/05	16,000	<3.2	<1.0	<2.4	<3	-	13,200	NP	4.55	0.00	160.91
03/15/06	4,910	37	<1.0	65	15 J	-	4,940	NP	5.70	0.00	166.23
06/07/06	10,100	12	1,380	349.0	1,540	-	<6.3	NP	5.70	0.00	160.53
09/26/06	52	<0.32	1.1 J	<0.24	1.4 J	-	10	NP	5.66	0.00	166.23
											160.57

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)					
MONITORING WELL #RE-5												
04/11/88	14,000	1,300	1,100	100	2,600	-	-	-	-	-	-	-
04/09/90	3,000	690	190	40	270	-	-	NP	4.79	0.00	166.51	161.72
10/30/90	3,400	910	48	87	249	-	-	NP	5.86	0.00	166.51	160.65
01/18/91	1,400	180	8.6	0.52	48	-	-	NP	4.40	0.00	166.51	162.11
02/12/91	1,000	ND	ND	0.65	ND	-	-	NP	4.76	0.00	166.51	161.75
03/20/91	3,000	250	53	ND	110	-	-	NP	5.08	0.00	166.51	161.43
05/22/91	2,500	330	7.8	5.6	200	-	-	NP	4.52	0.00	166.51	161.99
01/19/91	2,000	59	1.6	5.1	110	-	-	NP	4.39	0.00	166.51	162.12
07/17/91	-	-	-	-	-	-	-	FILM	5.05	0.00	166.51	161.46
08/07/91	-	-	-	-	-	-	-	FILM	5.02	0.00	166.51	161.49
09/24/91	-	-	-	-	-	-	-	FILM	5.86	0.00	166.51	160.65
10/23/91	-	-	-	-	-	-	-	FILM	5.84	0.00	166.51	160.67
11/06/91	9,900	2,300	37	260	160	-	-	NP	5.48	0.00	166.51	161.03
12/04/91	4,500	1,000	27	ND	180	-	-	NP	5.43	0.00	166.51	161.08
01/29/92	600	6.1	2.3	ND	47	-	-	NP	5.12	0.00	166.51	161.39
02/26/92	500	5.4	2.7	1.2	14	-	-	NP	4.93	0.00	166.51	161.58
03/19/92	ND	1.7	1.1	ND	5.5	-	-	NP	4.45	0.00	166.51	162.06
04/22/92	1,600	240	2.2	ND	160	-	-	NP	4.63	0.00	166.51	161.88
05/21/92	1,200	410	37	ND	118	-	-	NP	4.90	0.00	166.51	161.61
06/25/92	ND	1.0	0.8	0.8	0.4	-	-	NP	5.15	0.00	166.51	161.36
07/30/92	ND	2.0	1.8	1.9	6.4	-	-	NP	5.30	0.00	166.51	161.21
08/20/92	300	1.7	3.3	0.7	12	-	-	NP	5.44	0.00	166.51	161.07
09/30/92	1,900	140	ND	19	35	-	-	NP	5.73	0.00	166.51	160.78
12/23/92	400	8.0	ND	ND	ND	-	-	NP	4.75	0.00	166.51	161.76
03/10/93	1,100	290	9.7	ND	75	-	-	NP	4.14	0.00	166.51	162.37
06/09/93	400	1.5	0.5	ND	12	-	-	NP	5.42	0.00	166.51	161.09
09/14/93	240	6.9	8.8	1.4	67	-	-	NP	5.53	0.00	166.51	160.98
12/14/93	3,300	510	5.4	4.1	55	-	-	NP	478.00	0.00	166.51	-311.49
03/02/94	2,400	270	4.5	<0.3	13	-	-	NP	4.20	0.00	166.51	162.31
06/06/94	730	<0.3	<0.3	0.70	22	-	-	NP	5.13	0.00	166.51	161.38
09/06/94	2,400	180	28	2.3	76	-	-	NP	5.45	0.00	166.51	161.06
12/07/94	540	5.6	<0.3	<0.5	6.9	-	-	NP	4.13	0.00	166.51	162.38
03/08/95	1,500	220	5.5	<0.5	83	-	-	NP	5.20	0.00	166.51	161.31
06/15/95	3,200	820	53	6.2	74	-	-	NP	4.93	0.00	166.51	161.58
09/05/95	4,400	440	22	<2.5	57	-	-	NP	5.03	0.00	166.51	161.48
11/21/95	660	3.4	<0.3	<0.3	0.6	-	-	NP	5.23	0.00	166.51	161.28
03/11/96	1,000	76	2.2	<0.3	130	-	-	NP	4.16	0.00	166.51	162.35
06/09/96	90	<0.3	<0.3	<0.3	<0.5	-	-	NP	5.42	0.00	166.51	161.09
09/16/96	1,900	5.8	<0.3	<0.3	5.9	1,100	-	NP	5.20	0.00	166.51	161.31
12/10/96	740	<0.3	<0.3	<0.3	<0.5	1,300	-	NP	5.27	0.00	166.51	161.24
03/12/97	2,000	600	59	5.1	54	1,300	-	NP	3.85	0.00	166.51	162.66

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ng/L)	BENZENE (ng/L)	TOLUENE (ng/L)	EthylBenzene (ng/L)	XYLENE (ng/L)	MTBE - 3021 (ng/L)	MTBE - 5260 (ng/L)				
06/12/97	230	<0.3	<0.3	<0.3	<0.5	720	-	-	-	-	-
09/10/97	210	<0.3	<0.3	<0.3	<0.5	210	-	NP	4.10	0.00	166.51
12/09/97	11,000	2,500	2,700	<6	1,500	510	-	NP	5.20	0.00	166.51
03/03/98	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	3.70	0.00	166.51
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	6.77	0.00	166.51
12/30/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.95	0.00	166.51
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.25	0.00	166.51
06/22/99	110	<0.3	<0.3	<0.3	<0.5	200	-	NP	4.50	0.00	166.51
09/08/99	68	<0.3	<0.3	<0.3	<0.5	110	-	NP	4.43	0.00	166.51
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	3.66	0.00	166.51
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	4.06	0.00	166.51
06/08/00	<50	<5	<5	<5	<5	<5	-	NP	4.43	0.00	166.51
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.06	0.00	166.51
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.80	0.00	166.51
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.33	0.00	166.51
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.79	0.00	166.51
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.54	0.00	166.51
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.21	0.00	166.51
03/13/02	-	-	-	-	-	-	-	NP	6.32	0.00	166.51
06/12/02	-	-	-	-	-	-	-	-	-	-	-
09/18/02	-	-	-	-	-	-	-	-	-	-	-
12/18/02	-	-	-	-	-	-	-	-	-	-	-
03/19/03	-	-	-	-	-	-	-	-	-	-	-
06/11/03	-	-	-	-	-	-	-	-	-	-	-
09/04/03	-	-	-	-	-	-	-	-	-	-	-
12/04/03	-	-	-	-	-	-	-	NP	3.67	0.00	166.56
03/18/04	-	-	-	-	-	-	-	NP	5.20	0.00	166.56
06/09/04	-	-	-	-	-	-	-	NP	4.61	0.00	166.56
09/02/04	-	-	-	-	-	-	-	NP	4.93	0.00	166.56
12/08/04	-	-	-	-	-	-	-	NP	4.06	0.00	166.56
03/16/05	-	-	-	-	-	-	-	NP	5.56	0.00	166.56
06/01/05	-	-	-	-	-	-	-	NP	4.42	0.00	166.56
09/14/05	-	-	-	-	-	-	-	NP	4.41	0.00	166.56
12/06/05	-	-	-	-	-	-	-	NP	4.03	0.00	166.56
03/15/06	-	-	-	-	-	-	-	NP	4.42	0.00	166.56
06/07/06	-	-	-	-	-	-	-	NP	5.18	0.00	166.56
09/26/06	-	-	-	-	-	-	-	NP	5.06	0.00	166.56

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	IPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)					
MONITORING WELL #RE-6												
04/11/88	6,000	3,000	40	80	140	-	-	-	-	-	-	-
04/09/90	3,000	990	ND	70	ND	-	-	NP	5.64	0.00	166.51	160.87
10/30/90	3,400	1,000	28	ND	ND	-	-	NP	6.68	0.00	166.51	159.83
01/18/91	6,300	1,200	ND	3.0	15	-	-	NP	6.61	0.00	166.51	159.90
02/12/91	5,200	850	8.4	4.9	41	-	-	NP	6.20	0.00	166.51	160.31
03/20/91	5,800	680	12	8.0	16	-	-	NP	5.62	0.00	166.51	160.89
05/22/91	8,500	1,700	14	24	6.7	-	-	NP	6.05	0.00	166.51	160.46
06/19/91	-	-	-	-	-	-	-	FILM	6.12	0.00	166.51	160.39
07/17/91	120,000	9,300	13,000	2,400	16,000	-	-	NP	6.20	0.00	166.51	160.31
08/07/91	-	590	5.3	ND	14	-	-	NP	6.27	0.00	166.51	160.24
09/24/91	7,000	310	11	5.3	35	-	-	NP	6.63	0.00	166.51	159.88
10/23/91	-	-	-	-	-	-	-	FILM	6.36	0.00	166.51	160.15
11/06/91	4,000	710	18	29	49	-	-	NP	6.15	0.00	166.51	160.36
12/04/91	4,100	1,100	14	33	39	-	-	NP	6.19	0.00	166.51	160.32
01/29/92	2,600	790	14	ND	49	-	-	NP	6.70	0.00	166.51	159.81
02/26/92	3,100	950	21	30	33	-	-	NP	5.44	0.00	166.51	161.07
03/19/92	2,200	630	14	12	40	-	-	NP	5.30	0.00	166.51	161.21
04/22/92	-	730	2.2	ND	40	-	-	NP	6.00	0.00	166.51	160.51
05/21/92	1,500	840	7.8	7.1	34	-	-	NP	6.25	0.00	166.51	160.26
06/25/92	<2000	740	8.0	27	28	-	-	NP	6.38	0.00	166.51	160.13
07/30/92	-	-	-	-	-	-	-	FILM	6.42	0.00	166.51	160.09
08/20/92	2,800	630	17	23	22	-	-	NP	6.50	0.00	166.51	160.01
09/30/92	7,800	540	ND	12	29	-	-	NP	6.66	0.00	166.51	159.85
12/23/92	1,800	350	ND	7.7	11	-	-	NP	5.83	0.00	166.51	160.68
03/10/93	3,000	830	5.6	19	16	-	-	NP	5.63	0.00	166.51	160.88
06/09/93	4,800	920	6.2	3.2	12	-	-	NP	6.01	0.00	166.51	160.50
09/14/93	3,600	660	7.5	11	27	-	-	NP	6.53	0.00	166.51	159.98
12/14/93	1,500	200	<0.3	<0.3	8.8	-	-	NP	3.58	0.00	166.51	162.93
03/02/94	-	-	-	-	-	-	-	NP	5.12	0.00	166.51	161.39
06/06/94	2,400	290	4.6	1.3	24	-	-	NP	1.85	0.00	166.51	164.66
09/06/94	4,300	230	21	<6.6	130	-	-	NP	6.40	0.00	166.51	160.11
12/07/94	1,500	17	2.5	3.2	22	-	-	NP	5.68	0.00	166.51	160.83
03/08/95	2,500	460	5.5	2.1	51	-	-	NP	5.12	0.00	166.51	161.39
06/15/95	2,300	91	1.1	0.7	97	-	-	NP	5.72	0.00	166.51	160.79
09/05/95	3,300	60	<10	<10	74	-	-	NP	5.94	0.00	166.51	160.57
11/21/95	2,000	7.3	<0.3	0.56	8.7	-	-	NP	6.24	0.00	166.51	160.27
03/11/96	840	43	0.96	5.7	14	-	-	NP	5.16	0.00	166.51	161.35
06/19/96	1,800	160	2.7	9.9	25	-	-	NP	5.80	0.00	166.51	160.71
09/16/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.38	0.00	166.51	161.13
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.62	0.00	166.51	160.89
03/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.20	0.00	166.51	161.31

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8024 (ug/L)					
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	-	-	-	-
09/10/97	440	<0.3	<0.3	<0.3	<0.5	320	-	NP	5.20	0.00	166.51
12/09/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	5.97	0.00	161.31
03/03/98	400	7.0	<0.3	<0.3	4.3	65	-	NP	4.45	0.00	166.51
07/08/98	300	<0.3	<0.3	<0.3	1.0	35	-	-	-	-	162.06
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.90	0.00	166.51
12/30/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.20	0.00	166.51
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	8.4	-	NP	4.82	0.00	166.51
06/22/99	700	11	1.9	<0.3	3.9	140	-	NP	6.00	0.00	161.69
09/08/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.15	0.00	166.51
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	12	-	NP	4.02	0.00	161.36
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	4.41	0.00	166.51
06/08/00	<50	<5	<5	<5	<5	-	-	NP	4.78	0.00	162.10
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.78	0.00	166.51
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	4.77	0.00	166.51
03/22/01	367	<0.18	<0.14	<0.18	<0.26	581	674	NP	5.54	0.00	166.51
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.92	0.00	160.97
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.93	0.00	166.51
12/12/01	138	<0.18	<0.14	<0.18	<0.26	7.0	<0.6	NP	6.20	0.00	160.59
03/13/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.55	0.00	166.51
06/12/02	895	<0.18	1.0	<0.18	<0.26	1,360	-	NP	5.93	0.00	160.96
09/18/02	759	<0.18	<0.14	<0.18	<0.26	644	-	NP	6.03	0.00	166.51
12/18/02	531	<0.18	<0.14	<0.18	<0.26	441	-	NP	5.65	0.00	160.48
03/19/03	955	<0.04	<0.02	<0.02	<0.06	585	-	NP	6.34	0.00	166.51
06/11/03	945	<0.04	<0.02	<0.02	<0.06	328	-	NP	6.34	0.00	160.17
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	5.92	0.00	166.51
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	4.00	0.00	160.59
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	5.54	0.00	162.15
06/10/04	340	2.6	1.5	<0.18	1.8	283	-	NP	6.12	0.00	166.15
09/02/04	1,720	4.9	8.2	8.7	7.7	633	410	NP	6.50	0.00	160.03
12/09/04	297,000	1,620	38,500	9,470	56,000	6,660	8,870	NP	4.48	0.00	166.15
03/16/05	55,000	630	9,470	1,590	10,100	-	4,480	NP	6.67	0.00	161.67
06/01/05	19,400	380	4,350	864	4,850	3,140	2,180	NP	5.14	0.00	159.48
09/14/05	1,730	31	1.2 J	<0.24	126	-	1,090	NP	3.99	0.00	166.15
12/06/05	8,040	143	30 J	113	218	-	4,410	NP	4.38	0.00	161.01
03/15/06	166	<0.32	<0.10	<0.24	<0.30	-	117	NP	5.12	0.00	166.15
06/07/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	95	NP	5.15	0.00	161.03
09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	35	NP	6.27	0.00	159.88

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNWATER ELEVATION (feet)					
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)										
MONITORING WELL #RE-7																
	<i>Screen Interval = 5 to 15 feet</i>															
04/11/88	<50,000	17,000	4,400	600	8,400	-	-	-	-	-	-					
04/09/90	16,000	7,000	1,200	640	1,600	-	-	NP	5.93	0.00	166.04					
10/30/90	31,000	14,000	ND	ND	ND	-	-	NP	8.21	0.00	166.04					
01/18/91	-	-	-	-	-	-	-	NP	11.80	0.00	166.04					
02/12/91	-	-	-	-	-	-	-	FILM	10.80	0.00	166.04					
03/20/91	120,000	12,000	2,800	490	6,600	-	-	NP	9.96	0.00	166.04					
05/22/91	-	-	-	-	-	-	-	FILM	11.70	0.00	166.04					
06/19/91	-	-	-	-	-	-	-	FILM	11.50	0.00	166.04					
07/17/91	-	-	-	-	-	-	-	FILM	7.80	0.00	166.04					
08/07/91	-	-	-	-	-	-	-	0.03	9.88	9.85	166.04					
09/24/91	-	-	-	-	-	-	-	0.03	9.85	9.82	166.04					
10/23/91	-	-	-	-	-	-	-	FILM	9.96	0.00	166.04					
11/06/91	-	-	-	-	-	-	-	FILM	6.77	0.00	166.04					
12/04/91	-	-	-	-	-	-	-	FILM	10.80	0.00	166.04					
01/29/92	-	-	-	-	-	-	-	FILM	8.64	0.00	166.04					
02/26/92	-	-	-	-	-	-	-	FILM	6.00	0.00	166.04					
03/19/92	-	-	-	-	-	-	-	FILM	5.55	0.00	166.04					
04/22/92	-	-	-	-	-	-	-	FILM	6.12	0.00	166.04					
05/21/92	-	-	-	-	-	-	-	FILM	6.40	0.00	166.04					
06/25/92	-	-	-	-	-	-	-	0.02	6.73	6.71	166.04					
07/30/92	-	-	-	-	-	-	-	FILM	6.73	0.00	166.04					
08/20/92	-	-	-	-	-	-	-	FILM	6.82	0.00	166.04					
09/30/92	-	-	-	-	-	-	-	FILM	7.26	0.00	166.04					
12/23/92	-	-	-	-	-	-	-	FILM	6.22	0.00	166.04					
03/10/93	-	-	-	-	-	-	-	FILM	5.82	0.00	166.04					
06/09/93	-	-	-	-	-	-	-	FILM	6.17	0.00	166.04					
09/14/93	-	-	-	-	-	-	-	NP	11.33	0.00	166.04					
12/14/93	-	-	-	-	-	-	-	NP	8.40	0.00	166.04					
03/02/94	-	-	-	-	-	-	-	NP	6.82	0.00	166.04					
06/06/94	-	-	-	-	-	-	-	FILM	10.95	0.00	166.04					
09/06/94	-	-	-	-	-	-	-	FILM	11.30	0.00	166.04					
12/07/94	-	-	-	-	-	-	-	FILM	5.63	0.00	166.04					
03/08/95	-	-	-	-	-	-	-	FILM	5.06	0.00	166.04					
06/15/95	-	-	-	-	-	-	-	-	-	-	-					
09/05/95	-	-	-	-	-	-	-	FILM	7.98	0.00	166.04					
11/21/95	20,000	8,800	110	<30	310	-	-	NP	7.32	0.00	166.04					
03/11/96	4,800	2,200	38	26	120	-	-	NP	5.62	0.00	166.04					
06/19/96	4,400	3,300	49	5.8	70	-	-	NP	6.40	0.00	166.04					
09/19/96	7,200	510	83	<0.3	710	130	-	NP	6.20	0.00	166.04					
12/10/96	700	<0.3	<0.3	<0.3	<0.5	1,400	-	NP	5.92	0.00	166.04					
03/12/97	660	0.31	<0.3	<0.3	<0.5	1,400	-	NP	5.62	0.00	166.04					
											160.42					

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthyBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)					
06/12/97	320	<0.3	0.45	<0.3	<0.5	850	-	-	-	-	-	-
09/10/97	780	<0.3	<0.3	<0.3	<0.5	930	-	NP	7.45	0.00	166.04	158.59
12/09/97	14,000	3,500	3,700	<15	2,100	1,100	-	NP	7.10	0.00	166.04	158.94
03/03/98	6,100	2,500	18	<6	110	270	-	NP	6.70	0.00	166.04	159.34
07/08/98	1,300	8.7	<0.3	<0.3	<0.5	350	-	-	-	-	-	-
09/10/98	690	2.2	<0.3	<0.3	<0.5	350	-	NP	7.04	0.00	166.04	159.00
12/30/98	600	2.0	0.55	<0.3	<0.5	350	-	NP	6.25	0.00	166.04	159.79
03/15/99	350	0.71	<0.3	<0.3	<0.5	140	-	NP	6.02	0.00	166.04	160.02
06/22/99	5,900	2,100	16	4.6	48	170	-	NP	6.35	0.00	166.04	159.69
09/08/99	1,700	380	<3	<3	13	160	-	NP	7.03	0.00	166.04	159.01
12/01/99	930	3.7	<0.3	<0.3	<0.5	390	-	NP	6.25	0.00	166.04	159.79
03/23/00	581	5.4	5.3	1.9	7.3	168	183	NP	6.24	0.00	166.04	159.80
06/08/00	<100	<5	<5	<5	<5	-	74	NP	6.64	0.00	166.04	159.40
09/27/00	236	<0.18	<0.14	<0.18	<0.26	21	28	NP	7.03	0.00	166.04	159.01
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	13	19.8	NP	6.63	0.00	166.04	159.41
03/22/01	504	<0.18	<0.14	<0.18	1.0	666	1,420	NP	7.02	0.00	166.04	159.02
06/15/01	144	5.0	<0.14	0.5	2.0	369	408	NP	7.02	0.00	166.04	159.02
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.79	0.00	166.04	158.25
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.28	0.00	166.04	158.76
03/13/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.02	0.00	166.04	160.02
06/12/02	5,130	772	970	59	550	113	-	NP	7.79	0.00	166.04	158.25
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.40	0.00	166.04	158.64
12/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.63	0.00	166.04	159.41
03/19/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	7.40	0.00	166.04	158.64
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	8.3	-	NP	7.40	0.00	166.04	158.64
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	7.39	0.00	166.04	158.65
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	6.63	0.00	165.33	158.70
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	6.63	0.00	165.33	158.70
06/10/04	14,500	348	1,460	306	3,070	207	-	NP	6.20	0.00	165.33	159.13
09/02/04	35,900	2,390	174	1,250	8,020	419	274	NP	7.05	0.00	165.33	158.28
12/08/04	276,000	4,380	34,800	5,370	25,000	59,600	70,500	NP	3.80	0.00	165.33	161.53
03/16/05	114,000	2,840	19,400	2,760	14,400	-	29,300	NP	6.64	0.00	165.33	158.69
06/01/05	45,200	1,860	8,690	1,180	4,980	38,000	24,100	NP	7.06	0.00	165.33	158.27
09/14/05	33,900	770	943	<12	3,160	-	24,500	NP	7.02	0.00	165.33	158.31
12/06/05	25,600	<16	<5	<12	<15	-	22,300	NP	3.96	0.00	165.33	161.37
03/15/06	11,700	73	<1.0	143	22 J	-	10,200	NP	7.05	0.00	165.33	158.28
06/07/06	5,090	<3.2	852	223	1,040	-	<6.3	NP	7.01	0.00	165.33	158.32
09/26/06	112	<0.32	<0.10	<0.24	<0.30	-	15	NP	5.43	0.00	165.33	159.90

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)				
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)								
MONITORING WELL #RS-8															
	<i>Screen Interval = 5 to 25 feet</i>														
08/07/91	ND	ND	ND	ND	ND	-	-	NP	9.68	0.00	164.32				
09/27/91	ND	ND	ND	ND	ND	-	-	NP	9.89	0.00	164.32				
10/23/91	ND	ND	ND	ND	ND	-	-	NP	10.05	0.00	164.32				
11/06/91	ND	ND	ND	ND	ND	-	-	NP	9.71	0.00	164.32				
12/04/91	ND	ND	ND	ND	ND	-	-	NP	10.00	0.00	164.32				
01/29/92	ND	2.1	1.0	2.5	3.6	-	-	NP	9.28	0.00	164.32				
02/26/92	ND	ND	0.7	ND	0.7	-	-	NP	7.05	0.00	164.32				
03/19/92	ND	0.5	1.0	1.5	2.7	-	-	NP	7.30	0.00	164.32				
04/22/92	ND	ND	ND	ND	ND	-	-	NP	8.60	0.00	164.32				
05/21/92	ND	ND	ND	ND	ND	-	-	NP	9.22	0.00	164.32				
06/25/92	ND	ND	ND	ND	ND	-	-	NP	9.49	0.00	164.32				
07/30/92	ND	1.1	4.2	ND	3.0	-	-	NP	9.55	0.00	164.32				
08/20/92	ND	2.0	4.7	ND	5.7	-	-	NP	9.63	0.00	164.32				
09/30/92	ND	ND	ND	ND	ND	-	-	NP	9.90	0.00	164.32				
12/23/92	ND	ND	ND	ND	ND	-	-	NP	9.96	0.00	164.32				
05/10/93	ND	ND	ND	ND	ND	-	-	NP	8.95	0.00	164.32				
06/09/93	ND	ND	ND	ND	ND	-	-	NP	9.00	0.00	164.32				
09/14/93	200	0.3	ND	ND	ND	-	-	NP	9.50	0.00	164.32				
12/14/93	ND	ND	ND	ND	ND	-	-	NP	8.75	0.00	164.32				
03/02/94	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	7.52	0.00	164.32				
06/06/94	54	<0.3	<0.3	<0.3	2.4	-	-	NP	9.00	0.00	164.32				
09/06/94	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	9.26	0.00	164.32				
12/07/94	130	2.5	1.9	1.3	3.6	-	-	NP	8.67	0.00	164.32				
03/08/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	8.34	0.00	164.32				
06/15/95	<100	1.0	<0.5	<0.5	<1	-	-	NP	9.12	0.00	164.32				
09/05/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	9.56	0.00	164.32				
11/21/95	<50	0.44	<0.3	<0.3	1.5	-	-	NP	9.28	0.00	164.32				
03/11/96	<50	1.3	<0.3	<0.3	0.6	-	-	NP	7.52	0.00	164.32				
06/19/96	640	72	20	34	150	-	-	NP	7.80	0.00	164.32				
09/16/96	<50	<0.3	<0.3	<0.3	<0.5	20	-	NP	9.18	0.00	164.32				
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	6.08	0.00	164.32				
03/12/97	53	0.45	<0.3	<0.3	<0.5	140	-	NP	8.65	0.00	164.32				
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	68	-	-	-	-	-				
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	8.30	0.00	164.32				
12/09/97	<50	1.7	2.1	<0.3	1.4	82	-	NP	9.98	0.00	164.32				
03/03/98	<50	<0.3	<0.3	<0.3	<0.5	84	-	NP	8.33	0.00	164.32				
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	97	-	-	-	-	-				
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	97	-	NP	12.95	0.00	164.32				
12/30/98	<50	1.3	1.5	<0.3	0.86	19	-	NP	11.35	0.00	164.32				
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	9.6	-	NP	9.85	0.00	164.32				
06/22/99	66	0.39	<0.3	<0.3	<0.5	62	-	NP	9.90	0.00	164.32				

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)	
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)					
09/08/99	<50	<0.3	<0.3	<0.3	<0.5	25	-	NP	9.85	0.00	164.32	154.47
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	30	-	NP	8.30	0.00	164.32	156.02
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	13.6	18.2	NP	6.76	0.00	164.32	157.56
06/08/00	<50	<5	<5	<5	<5	10	10	NP	8.30	0.00	164.32	156.02
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	6.0	4.9	NP	8.30	0.00	164.32	156.02
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	8.28	0.00	164.32	156.04
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	12.89	0.00	164.32	151.43
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	12.89	0.00	164.32	151.43
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	9.82	0.00	164.32	154.50
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	9.25	0.00	164.32	155.07
03/13/02	-	-	-	-	-	-	-	NP	12.89	0.00	164.32	151.43
06/12/02	-	-	-	-	-	-	-	-	-	-	-	-
09/18/02	-	-	-	-	-	-	-	-	-	-	-	-
12/18/02	-	-	-	-	-	-	-	-	-	-	-	-
03/19/03	-	-	-	-	-	-	-	-	-	-	-	-
06/11/03	-	-	-	-	-	-	-	-	-	-	-	-
09/04/03	-	-	-	-	-	-	-	-	-	-	-	-
12/04/03	-	-	-	-	-	-	-	NP	6.78	0.00	164.03	157.25
03/18/04	-	-	-	-	-	-	-	NP	9.65	0.00	164.03	154.38
06/09/04	-	-	-	-	-	-	-	NP	6.86	0.00	164.03	157.17
09/02/04	-	-	-	-	-	-	-	NP	8.23	0.00	164.03	155.80
12/08/04	-	-	-	-	-	-	-	NP	6.76	0.00	164.03	157.27
03/16/05	-	-	-	-	-	-	-	NP	8.29	0.00	164.03	155.74
06/01/05	-	-	-	-	-	-	-	NP	9.83	0.00	164.03	154.20
09/14/05	-	-	-	-	-	-	-	NP	6.76	0.00	164.03	157.27
12/06/05	-	-	-	-	-	-	-	NP	6.76	0.00	164.03	157.27
03/15/06	-	-	-	-	-	-	-	NP	9.83	0.00	164.03	157.27
06/07/06	233	<0.32	<0.10	<0.24	2.3 J	-	445	NP	9.83	0.00	164.03	154.20
09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	8.54	0.00	164.03	155.49

MONITORING WELL #RS-9												
Screen Interval = 5 to 15 feet												
08/07/91	-	0.5	ND	330	1,200	-	-	NP	2.28	0.00	167.51	165.23
09/27/91	13,000	3.5	3.0	82	140	-	-	NP	2.77	0.00	167.51	164.74
10/23/91	11,000	ND	ND	39	340	-	-	NP	3.53	0.00	167.51	163.98
11/06/91	6,800	8.4	0.6	22	230	-	-	NP	2.51	0.00	167.51	165.00
12/04/91	6,500	6.5	0.7	87	200	-	-	NP	3.20	0.00	167.51	164.31
01/29/92	8,100	22	10	140	260	-	-	NP	2.65	0.00	167.51	164.86
02/26/92	13,000	40	16	220	600	-	-	NP	3.42	0.00	167.51	164.09
03/19/92	12,000	21	12	100	280	-	-	NP	3.12	0.00	167.51	164.39
04/22/92	8,600	ND	ND	20	37	-	-	NP	3.24	0.00	167.51	164.27
05/21/92	6,000	21	10	53	210	-	-	NP	3.75	0.00	167.51	163.76

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)	
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - S021 ($\mu\text{g/L}$)	MTBE - S269 ($\mu\text{g/L}$)					
06/25/92	370	2.3	1.5	0.7	4.3	-	-	NP	2.65	0.00	167.51	164.86
07/30/92	3,600	20	ND	39	80	-	-	NP	2.70	0.00	167.51	164.81
08/20/92	3,000	0.7	5.2	2.0	5.3	-	-	NP	2.83	0.00	167.51	164.68
09/30/92	9,200	4.8	6.5	12	91	-	-	NP	2.80	0.00	167.51	164.71
12/23/92	2,000	17	ND	8.2	18	-	-	NP	2.45	0.00	167.51	165.06
03/10/93	1,500	ND	2.6	21	12	-	-	NP	2.40	0.00	167.51	165.11
06/09/93	1,300	0.6	1.7	ND	7.5	-	-	NP	3.55	0.00	167.51	163.96
09/14/93	1,500	1.3	7.6	4.1	14	-	-	NP	2.81	0.00	167.51	164.70
12/14/93	560	ND	ND	ND	5.5	-	-	NP	2.63	0.00	167.51	164.88
03/02/94	1,100	<0.3	<0.3	<0.3	<0.5	-	-	NP	2.60	0.00	167.51	164.91
06/06/94	290	0.58	0.53	1.1	5.8	-	-	NP	2.52	0.00	167.51	164.99
09/06/94	890	<0.3	<0.3	<0.3	3.1	-	-	NP	3.16	0.00	167.51	164.35
12/07/94	940	22	23	10	32	-	-	NP	5.18	0.00	167.51	162.33
03/08/95	1,600	<0.5	<0.5	<0.5	2.3	-	-	NP	4.57	0.00	167.51	162.94
06/15/95	3,200	2.2	5.3	4.3	3.1	-	-	NP	5.08	0.00	167.51	162.43
09/05/95	1,100	<0.5	<0.5	<0.5	<1	-	-	NP	5.72	0.00	167.51	161.79
11/21/95	1,100	1.1	2.9	3.5	3.0	-	-	NP	2.46	0.00	167.51	165.05
03/11/96	440	0.7	0.34	<0.3	3.7	-	-	NP	3.44	0.00	167.51	164.07
06/19/96	580	3.8	0.49	1.2	<0.5	-	-	NP	3.80	0.00	167.51	163.71
09/16/96	490	<0.3	1.6	<0.3	<0.5	<20	-	NP	3.80	0.00	167.51	163.71
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	2.76	0.00	167.51	164.75
03/12/97	<50	<0.3	0.42	<0.3	1.5	<20	-	NP	3.20	0.00	167.51	164.31
06/12/97	<50	<0.3	<0.3	<0.3	0.51	<20	-	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	4.24	0.00	167.51	163.27
12/09/97	<50	<0.3	0.48	<0.3	<0.5	<20	-	NP	2.72	0.00	167.51	164.79
03/03/98	190	<0.3	<0.3	0.38	<0.5	<20	-	NP	1.90	0.00	167.51	165.61
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	2.72	0.00	167.51	164.79
12/30/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	1.20	0.00	167.51	166.31
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	4.25	0.00	167.51	163.26
06/22/99	1,300	4.2	1.2	0.69	0.74	<5	-	NP	3.70	0.00	167.51	163.81
09/08/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	2.71	0.00	167.51	164.80
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	2.70	0.00	167.51	164.81
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	2.70	0.00	167.51	164.81
06/08/00	585	<5	<5	<5	<5	-	821	NP	2.72	0.00	167.51	164.79
09/27/00	592	<0.18	<0.14	<0.18	<0.26	1,180	1,360	NP	2.72	0.00	167.51	164.79
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	403	444	NP	2.70	0.00	167.51	164.81
03/22/01	425	<0.18	<0.14	<0.18	<0.26	738	1,640	NP	2.69	0.00	167.51	164.82
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	2.68	0.00	167.51	164.83
08/30/01	164	<0.18	<0.14	<0.18	<0.26	396	284	NP	2.68	0.00	167.51	164.83
12/12/01	1,540	<0.18	<0.14	<0.18	<0.26	4,370	2,480	NP	2.41	0.00	167.51	165.10
03/13/02	1,540	<0.18	<0.14	<0.18	<0.26	3,360	-	NP	2.68	0.00	167.51	164.83

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)	
	TPH (ng/L)	BENZENE (ng/L)	TOLUENE (ng/L)	Ethy/Benzene (ng/L)	XYLENE (ng/L)	MTBE - S201 (ng/L)						
06/12/02	2,020	1.0	3.0	1.0	3.0	3,280	-	NP	4.21	0.00	167.51	163.30
09/18/02	915	<0.18	<0.14	<0.18	<0.26	768	-	NP	4.21	0.00	167.51	163.30
12/18/02	1,070	<0.18	<0.14	<0.18	<0.26	960	-	NP	2.68	0.00	167.51	164.83
03/19/03	1,600	<0.04	<0.02	<0.02	<0.06	836	-	NP	4.21	0.00	167.51	163.30
06/11/03	1,960	<0.04	<0.02	<0.02	<0.06	583	-	NP	4.21	0.00	167.51	163.30
09/04/03	117	<0.22	<0.32	<0.31	13	-	8.3	NP	4.21	0.00	167.51	163.30
12/04/03	19,200	5,270	6,550	144	2,540	217	-	NP	1.16	0.00	167.05	165.89
03/18/04	193	7.5	18	1.4 J	6.1	-	127	NP	2.68	0.00	167.05	164.37
06/10/04	159	<0.14	3.3	1.9	2.5	<0.22	-	NP	3.74	0.00	167.05	163.31
09/02/04	<15	<0.14	<0.16	<0.18	<0.45	<0.22	-	NP	3.68	0.00	167.05	163.37
12/09/04	<15	1.2	2.1	<0.18	0.99	<0.22	-	NP	1.20	0.00	167.05	165.85
03/16/05	<15	<0.22	1.1 J	<0.31	<0.4	-	2.1	NP	4.21	0.00	167.05	162.84
06/01/05	<2.9	<0.17	<0.22	<0.14	0.94	2.97 J	1.5	NP	2.71	0.00	167.05	164.34
09/14/05	63	<0.32	<0.10	<0.24	<0.30	-	36	NP	4.21	0.00	167.05	162.84
12/06/05	<2.9	<0.32	<0.10	<0.24	<0.3	-	32	NP	1.14	0.00	167.05	165.91
03/15/06	<5.6	<0.32	<0.10	<0.24	1.6 J	-	17	NP	2.71	0.00	167.05	164.34
06/07/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	8.7	NP	2.66	0.00	167.05	164.39
09/26/06	<5.6	<0.32	1.3 J	<0.24	<0.30	-	<0.63	NP	5.06	0.00	167.05	161.99

MONITORING WELL #RS-10												
Screen Interval = 5 to 25 feet												
08/07/91	ND	ND	ND	ND	ND	-	-	NP	6.16	0.00	162.89	156.73
09/27/91	ND	ND	ND	ND	ND	-	-	NP	6.48	0.00	162.89	156.41
10/23/91	ND	ND	ND	ND	ND	-	-	NP	7.37	0.00	162.89	155.52
11/06/91	ND	ND	ND	ND	ND	-	-	NP	6.44	0.00	162.89	156.45
12/04/91	ND	ND	ND	ND	ND	-	-	NP	7.02	0.00	162.89	155.87
01/29/92	ND	ND	ND	ND	ND	-	-	NP	6.78	0.00	162.89	156.11
02/26/92	ND	ND	ND	ND	ND	-	-	NP	8.33	0.00	162.89	154.56
03/19/92	ND	ND	ND	ND	0.6	-	-	NP	8.02	0.00	162.89	154.87
04/22/92	ND	ND	ND	ND	ND	-	-	NP	7.78	0.00	162.89	155.11
05/21/92	ND	ND	0.6	ND	1.2	-	-	NP	6.21	0.00	162.89	156.68
06/25/92	ND	ND	ND	ND	ND	-	-	NP	7.73	0.00	162.89	155.16
07/30/92	ND	ND	0.5	ND	1.0	-	-	NP	7.84	0.00	162.89	155.05
08/20/92	ND	ND	ND	ND	ND	-	-	NP	7.50	0.00	162.89	155.39
09/30/92	ND	ND	ND	ND	ND	-	-	NP	7.63	0.00	162.89	155.26
12/23/92	ND	ND	ND	ND	ND	-	-	NP	7.24	0.00	162.89	155.65
03/10/93	ND	ND	ND	ND	ND	-	-	NP	6.38	0.00	162.89	156.51
06/09/93	ND	ND	ND	ND	ND	-	-	NP	7.98	0.00	162.89	154.91
09/14/93	ND	ND	ND	ND	ND	-	-	NP	7.35	0.00	162.89	155.54
03/02/94	<50	<0.3	<0.3	<0.3	<0.3	-	-	NP	7.00	0.00	162.89	155.89
06/06/94	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	6.55	0.00	162.89	156.34
09/06/94	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	7.63	0.00	162.89	155.26

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE - 8021 (ug/L)	MTBE - 8260 (ug/L)					
12/07/94	56	<0.3	<0.3	<0.5	2.1	-	-	NP	5.92	0.00	162.89	156.97
03/08/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	7.84	0.00	162.89	155.05
06/15/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	6.97	0.00	162.89	155.92
09/05/95	<100	<0.5	<0.5	<0.5	<1	-	-	NP	8.14	0.00	162.89	154.75
11/21/95	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	7.68	0.00	162.89	155.21
03/11/96	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	6.76	0.00	162.89	156.13
06/19/96	<50	<0.3	<0.3	<0.3	<0.5	-	-	NP	7.20	0.00	162.89	155.69
09/16/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	6.30	0.00	162.89	156.59
12/10/96	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	6.05	0.00	162.89	156.84
03/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	7.56	0.00	162.89	155.33
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	7.55	0.00	162.89	155.34
12/09/97	1,900	610	510	<6	290	<20	-	NP	7.55	0.00	162.89	155.34
03/03/98	<50	2.0	<0.3	<0.3	<0.5	27	-	NP	6.03	0.00	162.89	156.86
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	72	-	NP	7.55	0.00	162.89	155.34
12/30/98	<50	1.1	<0.3	<0.3	<0.5	<5	-	NP	4.45	0.00	162.89	158.44
03/15/99	<50	<0.3	<0.3	<0.3	1.3	<5	-	NP	4.50	0.00	162.89	158.39
06/22/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	9.15	0.00	162.89	153.74
09/08/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	7.51	0.00	162.89	155.38
12/01/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	5.97	0.00	162.89	156.92
03/23/00	<50	<0.25	<0.25	<0.25	<0.5	<5	-	NP	4.47	0.00	162.89	158.42
06/08/00	<50	<5	<5	<5	<5	<5	-	NP	5.97	0.00	162.89	156.92
09/27/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.50	0.00	162.89	155.39
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	5.94	0.00	162.89	156.95
03/22/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.51	0.00	162.89	155.38
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.50	0.00	162.89	155.39
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	9.05	0.00	162.89	153.84
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.65	0.00	162.89	155.24
03/13/02	-	-	-	-	-	-	-	NP	9.05	0.00	162.89	153.84
06/12/02	-	-	-	-	-	-	-	-	-	-	-	-
09/18/02	-	-	-	-	-	-	-	-	-	-	-	-
12/18/02	-	-	-	-	-	-	-	-	-	-	-	-
03/19/03	-	-	-	-	-	-	-	-	-	-	-	-
06/11/03	-	-	-	-	-	-	-	-	-	-	-	-
09/04/03	-	-	-	-	-	-	-	-	-	-	-	-
12/04/03	-	-	-	-	-	-	-	NP	5.98	0.00	162.43	156.45
03/18/04	-	-	-	-	-	-	-	NP	8.85	0.00	162.43	153.58
06/09/04	-	-	-	-	-	-	-	NP	6.27	0.00	162.43	156.16
09/02/04	-	-	-	-	-	-	-	NP	6.17	0.00	162.43	156.26
12/08/04	-	-	-	-	* -	-	-	NP	6.00	0.00	162.43	156.43
03/16/05	-	-	-	-	-	-	-	NP	9.05	0.00	162.43	153.38

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH ($\mu\text{g/L}$)	BENZENE ($\mu\text{g/L}$)	TOLUENE ($\mu\text{g/L}$)	EthylBenzene ($\mu\text{g/L}$)	XYLENE ($\mu\text{g/L}$)	MTBE - 8021 ($\mu\text{g/L}$)	MTBE - 8260 ($\mu\text{g/L}$)					
06/01/05	-	-	-	-	-	-	-	NP	7.49	0.00	162.43	154.94
09/14/05	-	-	-	-	-	-	-	NP	7.49	0.00	162.43	154.94
12/06/05	-	-	-	-	-	-	-	NP	5.96	0.00	162.43	156.47
03/15/06	-	-	-	-	-	-	-	NP	7.52	0.00	162.43	154.91
06/07/06	-	-	-	-	-	-	-	NP	9.06	0.00	162.43	153.37
09/26/06	-	-	-	-	-	-	-	NP	5.96	0.00	162.43	156.47
MONITORING WELL #RS-II												
Screen Interval = 5 to 25 feet												
09/21/95	110	<0.5	<0.5	<0.5	<1	-	-	NP	9.37	0.00	163.28	153.91
11/21/95	-	-	-	-	-	-	-	-	-	-	-	-
03/11/96	-	-	-	-	-	-	-	-	-	-	-	-
06/19/96	-	-	-	-	-	-	-	-	-	-	-	-
09/16/96	-	-	-	-	-	-	-	-	-	-	-	-
03/12/97	74	9.5	<0.3	<0.3	0.57	<20	-	NP	7.75	0.00	163.28	155.53
06/12/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	-	-	-	-	-
09/10/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	NP	9.50	0.00	163.28	153.78
12/09/97	<50	0.79	1.2	<0.3	<0.5	<20	-	NP	9.50	0.00	163.28	153.78
03/03/98	140	22	0.63	<0.3	<0.5	<20	-	NP	7.93	0.00	163.28	155.35
07/08/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	-	-	-	-	-
09/10/98	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	-	-	-	-
12/30/98	<50	1.3	0.87	<0.3	0.55	<5	-	NP	9.48	0.00	163.28	153.80
03/15/99	<50	<0.3	<0.3	<0.3	<0.5	<5	-	NP	7.95	0.00	163.28	155.33
06/22/99	350	89	2.9	3.3	0.91	6.8	-	NP	6.40	0.00	163.28	156.88
09/08/99	99	9.1	0.37	<0.3	<0.5	<5	-	NP	11.00	0.00	163.28	152.28
12/01/99	82	9.7	0.44	<0.3	<0.5	<5	-	NP	7.90	0.00	163.28	155.38
03/23/00	73	5.8	2.3	<0.25	<0.5	11.2	7.9	NP	7.90	0.00	163.28	155.38
06/08/00	306	<5	<5	<5	<5	-	<5	NP	4.85	0.00	163.28	158.43
09/27/00	<50	1.0	<0.14	<0.18	<0.26	3.0 J	3.6	NP	7.90	0.00	163.28	155.38
12/13/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	6.34	0.00	163.28	153.84
03/22/01	408	<0.18	<0.14	<0.18	<0.26	664	941	NP	7.96	0.00	163.28	156.94
06/15/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.87	0.00	163.28	155.32
08/30/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	9.41	0.00	163.28	155.41
12/12/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.86	0.00	163.28	153.87
03/13/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	7.85	0.00	163.28	155.42
06/12/02	<50	<0.18	1.0	<0.18	<0.26	<0.24	-	NP	9.39	0.00	163.28	153.89
09/18/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	-	NP	9.38	0.00	163.28	153.90
12/18/02	110	<0.18	<0.14	<0.18	<0.26	101	-	NP	6.32	0.00	163.28	156.96
03/19/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	9.39	0.00	163.28	153.89
06/11/03	<15	<0.04	<0.02	<0.02	<0.06	20	-	NP	9.39	0.00	163.28	153.89
09/04/03	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	7.85	0.00	163.28	155.43
12/04/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	-	NP	6.32	0.00	162.71	156.39

TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #054, CASTRO VALLEY, CA.

DATE SAMPLED	ANALYTICAL PARAMETERS							DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ng/L)	BENZENE (ng/L)	TOLUENE (ng/L)	EthylBenzene (ng/L)	XYLENE (ng/L)	MTBE - 8020 (ng/L)	MTBE - 8260 (ng/L)					
03/18/04	<15	<0.22	<0.32	<0.31	<0.4	-	<0.18	NP	9.39	0.00	162.71	153.32
06/10/04	1,080	48	3.8	30	1.8	68	-	NP	6.87	0.00	162.71	155.84
09/02/04	1,600	94	5.9	4.3	3.8	185	78	NP	7.07	0.00	162.71	155.64
12/09/04	<15	1.2	1.3	<0.18	<0.45	22	<0.18	NP	6.34	0.00	162.71	156.37
03/16/05	<15	<0.22	<0.32	<0.31	<0.4	-	16	NP	7.85	0.00	162.71	154.86
06/01/05	<2.9	0.97	1.4	<0.14	2.0	22	16.3	NP	7.88	0.00	162.71	154.83
09/14/05	133	<0.32	<0.10	<0.24	<0.30	-	79	NP	7.84	0.00	162.71	154.87
12/06/05	905	16.00	3.1 J	11.0	23	-	578	NP	6.32	0.00	162.71	156.39
03/15/06	426	<0.32	<0.10	<0.24	<0.30	-	336	NP	7.89	0.00	162.71	154.82
06/07/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	7.83	0.00	162.71	154.88
09/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	-	<0.63	NP	6.32	0.00	162.71	156.39

NOTE: ND = Nondetectable

" - " = Not Analyzed / Not Available

NP = No Free Product

*MTBE 8020/8260

Benzene, toluene, ethylbenzene, and xylenes analyzed by EPA method 8020.

Total petroleum hydrocarbons (TPH) analyzed by EPA method 8015 modified for gasoline

Methyl-tert Butyl Ether (MTBE) analyzed by EPA method 8020

On 3/16/05, 3/18/04, 9/4/03 & 6/8/00, BTEX and MTBE analyzed by EPA Method 8260B

DTB - 4TH QTR.

TABLE 2
Vapor Extraction Operating Data
Thrifty Oil Station # 054, CASTRO VALLEY, CA

Month	Representative Date	Hour Meter Reading (hrs)	Operation Duration (hrs)	Inlet		Hydrocarbons Removed		Remark
				Average Flow (cm ³)	Average FID Conc. (ppmv)	Period (hrs)	Cumulative (hrs)	
Jan-91	1/9/1991	929	0	30	est. 10,000	0.0	0	
Feb-91	2/6/1991	979	50	30	est. 10,000	38.0	38	
Mar-91	3/6/1991	1,028	49	5	est. 10,000	6.2	44	System off 4/81 - 9/91
Oct-91	10/23/1991	1,786	758	15	est. 10,000	288.0	332	
Nov-91	11/6/1991	1,789	3	14	est. 10,000	1.1	333	
Dec-91	12/4/1991	1,896	107	14	est. 10,000	37.9	371	
Jan-92	1/29/1992	2,025	129	14	est. 10,000	45.7	417	
Feb-92	2/26/1992	2,293	268	14	est. 10,000	95.0	512	System off 3/92 - 7/92
Aug-93	8/11/1993	2,293	0	18	est. 10,000	0.0	512	
Sep-93	9/8/1993	2,446	153	17	est. 10,000	65.9	578	
Ocl-93	10/7/1993	2,960	514	18	est. 10,000	234.4	812	
Nov-93	11/3/1993	3,381	421	18	est. 10,000	191.9	1,004	
Dec-93	12/1/1993	3,705	324	18	est. 10,000	147.7	1,152	
Jan-94	1/3/1994	4,313	608	18	est. 10,000	277.2	1,429	
Feb-94	2/7/1994	4,849	536	17	10,000	230.8	1,660	
Mar-94	3/7/1994	5,196	347	20	10,000	175.8	1,836	
Apr-94	4/4/1994	5,597	401	16	10,000	162.5	1,998	
May-94	5/2/1994	6,003	406	17	est. 10,000	174.8	2,173	
Jun-94	6/6/1994	6,514	511	16	10,000	207.1	2,380	
Jul-94	7/18/1994	6,679	165	15	10,000	62.7	2,443	
Aug-94	8/1/1994	6,735	56	16	est. 10,000	22.7	2,466	
Sep-94	9/20/1994	7,340	605	16	est. 10,000	245.2	2,711	
Oct-94	10/5/1994	7,554	214	15	est. 10,000	81.3	2,792	
Dec-94	12/13/1994	7,656	102	15	est. 10,000	38.8	2,831	
Jan-95	1/6/1995	7,742	86	12	est. 10,000	26.1	2,857	
Feb-95	2/14/1995	7,906	164	13	est. 10,000	54.0	2,911	
Mar-95	3/2/1995	7,976	70	15	est. 10,000	26.6	2,938	
Apr-95	4/7/1995	8,009	33	8	est. 10,000	6.7	2,944	
May-95	5/5/1995	8,405	396	16	est. 10,000	160.5	3,105	
Jun-95	6/1/1995	8,436	31	16	est. 10,000	12.6	3,117	
Jul-95	7/7/1995	8,834	398	16	est. 10,000	161.3	3,279	
Aug-95	8/3/1995	8,910	76	16	10,000	30.8	3,309	
Sep-95	9/5/1995	9,068	158	16	est. 10,000	64.0	3,373	
Oct-95	10/24/1995	9,163	95	14	10,000	33.7	3,407	
Nov-95	11/2/1995	9,194	31	16	est. 10,000	12.6	3,420	
Jan-96	1/4/1996	8,930	0	9	est. 10,000	0.0	3,420	Replaced hour meter (8930)
Feb-96	2/1/1996	8,991	61	8	est. 10,000	12.4	3,432	System off 2/96 - 4/96
Apr-96	4/25/1996	9,084	93	8	210	0.4	3,432	
May-96	5/2/1996	9,124	40	12	220	0.3	3,433	
Jun-96	6/3/1996	9,279	155	9	1,000	3.5	3,436	
Jul-96	7/2/1996	9,370	91	17	420	1.6	3,438	
Aug-96	8/1/1996	9,391	21	9	340	0.2	3,438	
Sep-96	9/5/1996	9,721	330	17	est. 340	4.8	3,443	
Oct-96	10/24/1996	9,773	52	7	est. 340	0.3	3,443	
Dec-96	12/26/1996	9,776	3	8	est. 340	0.0	3,443	System off 10/96 - 12/96
Apr-97	4/3/1997	9,781	5	15	10,000	1.9	3,445	System off 1/97 - 4/97
May-97	5/1/1997	10,032	251	15	9,800	93.5	3,539	
Jun-97	6/12/1997	10,663	631	11	est. 9,000	158.2	3,697	
Jul-97	7/3/1997	10,712	49	12	est. 9,000	13.4	3,710	
Aug-97	8/7/1997	10,950	238	12	est. 9,000	65.1	3,775	
Sep-97	9/3/1997	11,136	186	16	est. 9,000	67.8	3,843	
Ocl-97	10/9/1997	11,320	184	12	est. 9,000	50.3	3,893	
Nov-97	11/6/1997	11,452	132	17	est. 9,000	51.2	3,945	
Dec-97	12/4/1997	11,510	58	19	9,000	25.1	3,970	
Jan-98	1/8/1998	11,784	274	17	10,000	118.0	4,088	
Feb-98	2/3/1998	12,180	396	16	10,000	160.5	4,248	
Mar-98	3/10/1998	13,011	831	17	10,000	357.8	4,606	
Apr-98	4/15/1998	13,060	49	17	est. 10,000	21.1	4,627	

TABLE 2
Vapor Extraction Operating Data
Thrifty Oil Station # 054, CASTRO VALLEY, CA


Month	Representative Date	Hour Meter Reading (hrs)	Operation Duration (hrs)	Inlet		Hydrocarbons Removed		Remark
				Average Flow (cm)	Average FID Conc. (rpm/V)	Period (hrs)	Cumulative (lbs)	
May-98	5/7/1998	13,311	251	16	10,000	101.7	4,729	
Jun-98	6/2/1998	13,658	347	17	10,000	149.4	4,878	
Jul-98	7/6/1998	14,340	682	16	est. 10,000	276.4	5,155	
Sep-98	9/21/1998	14,542	202	12	est. 10,000	61.4	5,216	System shut down, 10/98
Nov-98	11/16/1998	14,730	188	12	est. 10,000	57.1	5,273	
Dec-98	12/7/1998	15,124	394	11	est. 10,000	109.8	5,383	
Feb-99	2/9/1999	16,115	991	10	2,800	70.3	5,453	
Mar-99	3/12/1999	16,698	583	13	210	4.0	5,457	
Apr-99	4/6/1999	17,009	311	13	est. 210	2.2	5,459	
May-99	5/3/1999	17,098	89	10	est. 210	0.5	5,460	
Jun-99	6/28/1999	18,130	1,032	10	4,100	107.2	5,567	
Jul-99	7/7/1999	18,163	33	10	est. 4,000	3.3	5,570	
Aug-99	8/2/1999	18,196	33	11	est. 4,000	3.7	5,574	
Sep-99	9/13/1999	18,318	122	12	est. 4,000	14.8	5,589	
Oct-99	10/18/1999	18,348	30	13	est. 4,000	4.0	5,593	
Nov-99	11/29/1999	18,617	269	12	est. 4,000	32.7	5,626	
Dec-99	12/27/1999	19,096	479	12	210	3.1	5,629	
Jan-00	1/24/2000	19,388	292	12	est. 210	1.9	5,631	System shut down, 1/24/00

Note: 1. The "duration" is derived from subtracting the hour meter from a representative day of the month by the hour meter from a representative day of the previous month. Some months may have more than 30 days.

2. In January 2000, the "hydrocarbons removed" calculations were corrected to reflect the actual calibration gas (methane) of the instrument used. Therefore, the corrected cumulative total value is different than the previous versions of this table.

FIGURES

9/26/06




Thrifty Oil Co.
13116 Imperial Highway
Santa Fe Springs, CA 90670

GROUNDWATER CONTOURS

THRIFTY STATION #054
2504 Castro Valley Boulevard
Castro Valley, CA

Figure

9/26/06



(112) = Concentration of TPHg
in Groundwater (ug/l)
(NS) = Not Sampled




Thrifty Oil Co.
13116 Imperial Highway
Santa Fe Springs, CA 90670

TPHg IN GROUNDWATER

THRIFTY STATION #054
2504 Castro Valley Boulevard
Castro Valley, CA

Figure
2

9/26/06



(<0.32) = Concentration of Benzene
in Groundwater (ug/l)
(NS) = Not Sampled





Thrifty Oil Co.
13116 Imperial Highway
Santa Fe Springs, CA 90670

BENZENE IN GROUNDWATER

THRIFTY STATION #054
2504 Castro Valley Boulevard
Castro Valley, CA

Figure

9/26/06



Thrifty Oil Co.
13116 Imperial Highway
Santa Fe Springs, CA 90670

MTBE IN GROUNDWATER

THRIFTY STATION #054
2504 Castro Valley Boulevard
Castro Valley, CA

Figure

Figure 5
Groundwater Data - Monitoring Well RE-2
Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 6
Groundwater Data - Monitoring Well RE-3
Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 7
Groundwater Data - Monitoring Well RE-4
Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 8
Groundwater Data - Monitoring Well RE-6
Thrifty Oil Co. SS#054 - Castro Valley, CA




Figure 9
Groundwater Data - Monitoring Well RE-7
Thrifty Oil Co. SS#054 - Castro Valley, CA





Figure 10
Groundwater Data - Monitoring Well PW-1
Thrifty Oil Co. SS#054 - Castro Valley, CA



APPENDIX A



EARTH MANAGEMENT CO.



Environmental Remediation

PROJECT STATUS REPORT

SITE: **THRIFTY OIL CO. # 054**
ADDRESS: **2504 CASTRO VALLEY BLVD.**
CASTRO VALLEY, CA. 94546

DATE: 09. 26. 06

PERSONNEL: SERBANT P.

WELL ID	DTP (FT)	DTW (FT)	DTB (FT)	PT (FT)	WC (FT)	DIA (IN)	PURGE (GAL)		COMMENT
							EST.	ACT.	
QUARTERLY									
1 PW-1	4.37	13.92			9.55	4"	25	25	
2 RE-2	5.03	17.06			12.03	4"	31	31	
3 RE-3	6.65	17.50			10.85	4"	28	28	
4 RE-4	5.66	14.50			8.84	4"	23	23	
5 RE-6	6.27	13.60			7.33	4"	19	19	
6 RE-7	5.43	13.16			7.73	4"	20	20	
7 RS-8	8.54	25.16			16.62	2"	11	11	OPPOSITE
8 RS-9	5.06	14.93			9.87	2"	6	6	OPPOSITE
9 RS-11	6.32	24.70			18.38	2"	12	12	OPPOSITE

GAUGING ONLY

PW-2	4.66	14.80		4"	0	0	
RE-1	5.23	19.80		4"	0	0	
RE-5	5.06	17.76		4"	0	0	
RS-10	5.96	24.36		2"	0	0	OFFSITE

FREE PRODUCT REMOVED:

APPROX

GALLONS

PURGE-WATER REMOVED

APPROX 175 GALLONS

REMARKS:

MONITORING WELLS AND TAKE WATER SAMPLE FROM
9 WELLS -

EXPLANATION:

REV: 5/11/2006

DTP= DEPTH TO PRODUCT, DTW= DEPTH TO WATER, DTB= DEPTH TO BOTTOM; ALL MEASURED FROM TOP OF CASING
PT= PRODUCT THICKNESS, WC= WATER COLUMN, DIA= DIAMETER, EST=ESTIMATE, ACT= ACTUAL, FT= FEET. GAL= GALLONS

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	TL 054	Date:	09.26.06
Address:			
Personnel:	SERBAM	Weather:	SUNNY DAY
Well No:	PW-1	Equip:	BATL022

Before Purging:			
Total Well Depth: (ft.)	13.92	Well Diameter	44
Depth to Water (ft)	4.37	Est. Purge Volume:	25

Sampling Data:					
Initial Turbidity:			Final Turbidity:		
Time	8:40	8:45	8:50	8:55	9:00
EC	1390	1370	1410	1420	1410
pH	5.92	5.88	5.87	5.88	5.87
Temp	71.2	71.3	71.6	71.7	71.6
Gal.	5	10	15	20	25
Time					
EC					
pH					
Temp					
Gal.					

After Purging/Before Sample Collection	
Depth to Water (ft.)	6.11
Total Well Depth(ft.)	13.92

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	# 054	Date:	09.26.06
Address:			
Personnel:	SERBAL	Weather:	SUNNY DAY
Well No:	RE-2	Equip:	BAILER

Before Purging:

Total Well Depth: (ft)	16.98	Well Diameter	4"
Depth to Water (ft)	5.03	Est. Purge Volume:	31

Sampling Data:

Initial Turbidity:

Time	9:12	9:19	9:26	9:33	9:40		
EC	1730	1740	1730	1730	1740		
pH	6.09	5.69	5.91	5.73	6.74		
Temp	70.7	70.4	70.6	70.9	70.9		
Gal.	6	12	18	24	31		

Final Turbidity:

Time							
EC							
pH							
Temp							
Gal.							

After Purging/Before Sample Collection

Depth to Water (ft)	10.06	Total Well Depth(ft).	17.06
---------------------	-------	-----------------------	-------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	L 054	Date:	09.26.06
Address:			
Personnel:	SERBATI,	Weather:	SUNNY DRY
Well No:	RE-3	EQUIP:	BARRIER

Before Purging:

Total Well Depth: (ft)	17.51	Well Diameter	4"
Depth to Water (ft)	6.65	Est. Purge Volume:	28

Sampling Data:

Initial Turbidity:

Time	9:56	10:02	10:08
EC	1530	1520	1540
pH	6.13	6.14	6.12
Temp	71.5	71.1	70.9
Gal.	5	11	16

Final Turbidity:

Time	10:14	10:20
EC	1560	1560
pH	5.14	5.13
Temp	70.7	70.6
Gal.	22	28

Time							
EC							
pH							
Temp							
Gal.							

After Purging/Before Sample Collection

Depth to Water (ft)	10.14	Total Well Depth(ft).	17.50
---------------------	--------------	-----------------------	--------------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	L 054	Date:	09.26.06
Address:			
Personnel:	SERBAN	Weather:	SUNNY DAY
Well No:	RE-4	Equip:	BAILER

Before Purging:

Total Well Depth (ft)	14.50	Well Diameter	44
Depth to Water (ft)	5.66	Est. Purge Volume:	23

Sampling Data:

Initial Turbidity:

Time	10:30	10:35	10:40	10:45	10:50		
C	14.60	14.70	14.80	14.90	14.60		
H	5.81	5.72	5.75	5.64	5.64		
temp	70.3	70.6	70.8	70.7	70.8		
alt.	4	9	13	18	23		

Time							
C							
H							
temp							
alt.							

After Purging/Before Sample Collection

Depth to Water (ft)	9.24	Total Well Depth (ft)	14.50
---------------------	------	-----------------------	-------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	2054	Date:	09.26.06
Address:			
Personnel:	SPRBArd,	Weather:	SUNNY DAY
Well No:	R2-6	Equip:	BaileR

Before Purging:			
Total Well Depth: (ft)	13..	Well Diameter	4"
Depth to Water (ft)	6.27	Est. Purge Volume:	19

Sampling Data:					
Initial Turbidity:	Final Turbidity:				
Time	11:04	11:08	11:12	11:16	11:20
EC	1470	1420	1440	1430	1420
pH	6.11	6.19	6.06	6.03	6.03
Temp	72.3	72.4	72.7	72.5	72.6
Gal.	3	7	11	15	19
Time					
EC					
pH					
Temp					
Gal.					

After Purging/Before Sample Collection			
Depth to Water (ft)	10.06	Total Well Depth(ft)	13.60

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	# 054	Date:	09.26.06
Address:			
Personnel:	SERBAN	Weather:	SUNNY DAY
Well No:	RF-7	Equip:	BAIWER

Before Purging:

Total Well Depth (ft)	13.13	Well Diameter	4"
Depth to Water (ft)	5.43	Est. Purge Volume:	20

Sampling Data:

Initial Turbidity:

Time	11:34	11:38	11:42	11:46	11:50		
EC	1920	1930	1920	1920	1930		
pH	5.10	5.12	5.13	5.16	5.16		
Temp	71.4	71.2	70.8	70.6	70.4		
Gal.	4	8	12	16	20		

Final Turbidity:

Time							
EC							
pH							
Temp							
Gal.							

After Purging/Before Sample Collection

Depth to Water (ft)	9.11	Total Well Depth (ft)	13.16
---------------------	------	-----------------------	-------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	4054	Date:	09.26.06
Address:			
Personnel:	SERBAT	Weather:	SUNNY DAY
Well No:	RS-9	Equip:	BAILER

Before Purging:

Total Well Depth: (ft)	14.93	Well Diameter	24
Depth to Water (ft)	5.06	Est. Purge Volume:	6

Sampling Data:
Initial Turbidity:

Time	11:52	11:54	11:56	11:58	12:00		
EC	1530	1520	1540	1560	1560		
pH	5.87	5.88	5.89	5.88	5.89		
Temp	70.1	70.2	70.4	70.2	70.4		
Gal.	2	3	4	5	6		

Time							
EC							
pH							
Temp							
Gal.							

After Purging/Before Sample Collection

Depth to Water (ft)	9.32	Total Well Depth(ft)	14.93
---------------------	------	----------------------	-------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM

Site:	# 054	Date:	09.26.06
Address:			
Personnel:	SERBAN	Weather:	SUNNY DAY
Well No:	RS-11	Equip:	BAILER

Before Purging:

Total Well Depth: (ft.)	24.70	Well Diameter	24
Depth to Water (ft)	6.32	Est. Purge Volume:	12

Sampling Data:
Initial Turbidity:

Time	Initial Turbidity:			Final Turbidity:		
	12:19	12:21	12:24	12:27	12:30	
EC	1740	1740	1720	1730	1740	
pH	6.16	6.11	5.98	5.12	5.91	
Temp	71.2	71.4	70.9	70.8	70.8	
Gal.	2	4	7	9	12	

Time						
EC						
pH						
Temp						
Gal.						

After Purging/Before Sample Collection

Depth to Water (ft)	9.32	Total Well Depth(ft).	24.70
---------------------	------	-----------------------	-------

FIELD DATA - GROUNDWATER SAMPLING PROGRAM


Site:	# 054	Date:	09.26.06
Address:			
Personnel:	SERBATH	Weather:	SUNNY DAY
Well No:	RS-8	Equip:	BAILER

Before Purging:			
Total Well Depth: (ft.)	25.16	Well Diameter	24
Depth to Water (ft)	8.54	Est. Purge Volume:	11

Sampling Data:					
Initial Turbidity:			Final Turbidity:		
Time	12:48	12:51	12:54	12:57	13:00
EC	1930	1830	1820	1830	1820
pH	6.12	6.09	6.03	5.89	5.92
Temp	70.8	70.9	70.3	70.2	70.3
Gal.	2	4	6	8	11
Time					
EC					
pH					
Temp					
Gal.					

After Purging/Before Sample Collection	
Depth to Water (ft.)	12.32
Total Well Depth(ft.)	25.16

APPENDIX B



ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Thrifty Oil Company (8871) LAB REQUEST 177243 ✓
ATTN: Jeff Suryakusuma
13116 Imperial Hwy.
P.O. Box 2128
Santa Fe Springs, CA 90670

REPORTED 10/09/2006
RECEIVED 09/28/2006

PROJECT Station #054 ✓
2504 Castro Valley Blvd., Castro Valley

SUBMITTER Client


COMMENTS Global ID #T0600101363

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
745265	TOC #054 PW-1
745266	TOC #054 RE-2
745267	TOC #054 RE-3
745268	TOC #054 RE-4
745269	TOC #054 RE-6
745270	TOC #054 RE-7
745271	TOC #054 RS-9
745272	TOC #054 RS-11
745273	TOC #054 RS-8
745274	TOC #054 Trip Blank
745275	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 745265
Matrix: WATER

Client Sample ID: TOC #054 PW-1
Date Sampled: 09/26/2006 Time Sampled: 13:10

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	10	10.0	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	10	50.0	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	24700	200	200.0	0.63	ug/L	10/03/06 RP
Toluene	ND	10	50.0	0.10	ug/L	09/30/06 RP
Xylenes, total	73	10	50.0	0.3	ug/L	09/30/06 RP
Surrogates						Units
Surr1 - Dibromofluoromethane	118				%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	110				%	70 - 130
Surr3 - Toluene-d8	96				%	70 - 130
Surr4 - p-Bromofluorobenzene	95				%	70 - 130
8015B - Gasoline						
Gasoline	9810	10	500.0	5.6	ug/L	10/06/06 LD
Surrogates						Units
a,a,a-Trifluorotoluene	112				%	55 - 200

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace



Order #: 745266

Client Sample ID: TOC #054 RE-2

Matrix: WATER

Date Sampled: 09/26/2006 Time Sampled: 13:15

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	13	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						
Surr1 - Dibromofluoromethane	111			%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	106			%	70 - 130	
Surr3 - Toluene-d8	94			%	70 - 130	
Surr4 - p-Bromofluorobenzene	93			%	70 - 130	
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/29/06 LD
Surrogates						
a,a,a-Trifluorotoluene	87			%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



Order #: 745267
Matrix: WATER

Client Sample ID: TOC #054 RE-3
Date Sampled: 09/26/2006 Time Sampled: 13:20

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	6.0	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						Units
Surr1 - Dibromofluoromethane	115				%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	105				%	70 - 130
Surr3 - Toluene-d8	96				%	70 - 130
Surr4 - p-Bromofluorobenzene	96				%	70 - 130
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/30/06 LD
Surrogates						Units
a,a,a-Trifluorotoluene	99				%	55 - 200

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace



Order #: 745268
Matrix: WATER

Client Sample ID: TOC #054 RE-4
Date Sampled: 09/26/2006 Time Sampled: 13:25

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst	
8260B BTEX/MTBE Only							
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP	
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP	
Methyl-tert-butylether (MTBE)	10	1	1	0.63	ug/L	09/30/06 RP	
Toluene	1.1	J	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	1.4	J	1	5	0.3	ug/L	09/30/06 RP
Surrogates							
Surr1 - Dibromofluoromethane	115				%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	106				%	70 - 130	
Surr3 - Toluene-d8	94				%	70 - 130	
Surr4 - p-Bromofluorobenzene	97				%	70 - 130	
8015B - Gasoline							
Gasoline	52	1	50	5.6	ug/L	09/30/06 LD	
Surrogates							
a,a,a-Trifluorotoluene	103				%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace



Order #: 745269

Client Sample ID: TOC #054 RE-6

Matrix: WATER

Date Sampled: 09/26/2006 Time Sampled: 13:30

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	35	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						
Surr1 - Dibromofluoromethane	112			%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	106			%	70 - 130	
Surr3 - Toluene-d8	94			%	70 - 130	
Surr4 - p-Bromofluorobenzene	96			%	70 - 130	
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/30/06 LD
Surrogates						
a,a,a-Trifluorotoluene	85			%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



Order #: 745270
Matrix: WATER

Client Sample ID: TOC #054 RE-7
Date Sampled: 09/26/2006 Time Sampled: 13:55

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	15	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						
Surr1 - Dibromofluoromethane	114			%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	107			%	70 - 130	
Surr3 - Toluene-d8	97			%	70 - 130	
Surr4 - p-Bromofluorobenzene	101			%	70 - 130	
8015B - Gasoline						
Gasoline	112	1	50	5.6	ug/L	09/30/06 LD
Surrogates						
a,a,a-Trifluorotoluene	107			%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace



Order #: 745271

Client Sample ID: TOC #054 RS-9

Matrix: WATER

Date Sampled: 09/26/2006 Time Sampled: 14:05

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst	
8260B BTEX/MTBE Only							
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP	
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP	
Methyl-tert-butylether (MTBE)	ND	1	1	0.63	ug/L	09/30/06 RP	
Toluene	1.3	J	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP	
Surrogates						Units	
Surr1 - Dibromofluoromethane	110				%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	102				%	70 - 130	
Surr3 - Toluene-d8	95				%	70 - 130	
Surr4 - p-Bromofluorobenzene	100				%	70 - 130	
8015B - Gasoline							
Gasoline	ND	1	50	5.6	ug/L	09/30/06 LD	
Surrogates						Units	
a,a,a-Trifluorotoluene	86				%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



Order #: 745272

Client Sample ID: TOC #054 RS-11

Matrix: WATER

Date Sampled: 09/26/2006 Time Sampled: 14:35

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	ND	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						Units
Surr1 - Dibromofluoromethane	112				%	70 - 130
Surr2 - 1,2-Dichloroethane-d4	102				%	70 - 130
Surr3 - Toluene-d8	95				%	70 - 130
Surr4 - p-Bromofluorobenzene	94				%	70 - 130
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/30/06 LD
Surrogates						Units
a,a,a-Trifluorotoluene	85				%	55 - 200

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



Order #: 745273

Matrix: WATER

Client Sample ID: TOC #054 RS-8

Date Sampled: 09/26/2006 Time Sampled: 15:10

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	ND	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						
Surr1 - Dibromofluoromethane	114			%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	103			%	70 - 130	
Surr3 - Toluene-d8	100			%	70 - 130	
Surr4 - p-Bromofluorobenzene	95			%	70 - 130	
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/30/06 LD
Surrogates						
a,a,a-Trifluorotoluene	102			%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



Order #: 745274
Matrix: WATER

Client Sample ID: TOC #054 Trip Blank
Date Sampled: 09/26/2006 Time Sampled: 00:00

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/29/06 LD
Surrogates						Units
a,a,a-Trifluorotoluene	86			%		55 - 200

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace



Order #: 745275

Client Sample ID: Laboratory Method Blank

Matrix: WATER

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE Only						
Benzene	ND	1	1	0.32	ug/L	09/30/06 RP
Ethyl benzene	ND	1	5	0.24	ug/L	09/30/06 RP
Methyl-tert-butylether (MTBE)	ND	1	1	0.63	ug/L	09/30/06 RP
Toluene	ND	1	5	0.10	ug/L	09/30/06 RP
Xylenes, total	ND	1	5	0.3	ug/L	09/30/06 RP
Surrogates						Units
Surr1 - Dibromofluoromethane	114			%	70 - 130	
Surr2 - 1,2-Dichloroethane-d4	107			%	70 - 130	
Surr3 - Toluene-d8	97			%	70 - 130	
Surr4 - p-Bromofluorobenzene	94			%	70 - 130	
8015B - Gasoline						
Gasoline	ND	1	50	5.6	ug/L	09/29/06 LD
Surrogates						Units
a,a,a-Trifluorotoluene	93			%	55 - 200	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Trace



ASSOCIATED LABORATORIES
QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 3

Sample ID: MS/MSD Water Samples 177243-266

Date Prep: September 29, 2006

Date Analyzed: October 1, 2006 12:37 AM

Sample Matrix: Water

Units: µg/L

Applies to LR: 177243

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits %REC
1,1-Dichloroethene	0.00	50.0	44.63	43.56	89	87	2	22	59-172
MTBE	13.39	50.0	61.79	62.14	97	98	1	24	62-137
Benzene	0.00	50.0	47.34	46.14	95	92	3	24	62-137
Trichloroethene	0.00	50.0	49.18	48.51	98	97	1	21	66-142
Toluene	0.00	50.0	47.47	47.92	95	96	1	21	59-139
Chlorobenzene	0.00	50.0	49.79	48.24	100	96	3	21	60-133

Sample ID: LCS

Compound	Spike Added	Spike Res	Spike %Rec	Limits %REC
1,1-Dichloroethene	50.0	43.28	87	59-172
MTBE	50.0	45.54	91	62-137
Benzene	50.0	43.51	87	62-137
Trichloroethene	50.0	45.26	91	66-142
Toluene	50.0	43.88	88	59-139
Chlorobenzene	50.0	45.62	91	60-133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1	MS	MSD	LCS	Limits % Rec
Dibromofluoromethane	114	114	115	117	70-135
1,2-Dichloroethane-d4	107	96	96	100	70-135
Toluene-d8	97	98	99	98	70-135
p-Bromofluorobenzene	94	98	94	95	70-135

ASSOCIATED LABORATORIES
QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 4

Sample ID: MS/MSD Water Samples 177309-481
 Date Prep: October 2, 2006
 Date Analyzed: October 2, 2006 9:02 PM
 Sample Matrix: Water
 Units: µg/L

Applies to LR: 177131, 177290, 177291, 177014, 177145, 177310, 177311, 177243

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits %REC
1,1-Dichloroethene	0.00	50.0	43.21	46.26	86	93	7	22	59-172
MTBE	529.77	50.0	506.26	529.77	NC	NC	5	24	62-137
Benzene	0.00	50.0	43.53	45.71	87	91	5	24	62-137
Trichloroethene	0.00	50.0	41.89	42.67	84	85	2	21	66-142
Toluene	0.00	50.0	43.77	45.42	88	91	4	21	59-139
Chlorobenzene	0.00	50.0	45.52	46.72	91	93	3	21	60-133

Sample ID: LCS

Compound	Spike Added	Spike Res	Spike %Rec	Limits %REC
1,1-Dichloroethene	50.0	44.37	89	59-172
MTBE	50.0	40.40	81	62-137
Benzene	50.0	42.48	85	62-137
Trichloroethene	50.0	43.52	87	66-142
Toluene	50.0	45.61	91	59-139
Chlorobenzene	50.0	46.72	93	60-133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1	MB 2		MS	MSD		LCS	Limits % Rec
Dibromofluoromethane	90	91		96	98		91	70-135
1,2-Dichloroethane-d4	93	98		97	101		92	70-135
Toluene-d8	97	96		98	98		98	70-135
p-Bromofluorobenzene	94	90		86	90		90	70-135

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G15-LCS&LCSD

Matrix: WATER

Prep. Date: September 27, 2006

Analysis Date September 29, 2006

ID#'s in Batch: LR 177243, 177252, 177147, 177145, 177244, 176613

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = ug/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	495	477	99	95	4

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

%REC LIMITS = 70 - 130

RPD LIMITS = 30

SURROGATE RECOVERY

Sample No.	AAA-TFT
QC Limit	55-200
Method Blank	93
LCS	120
LCSD	115

AAA-TFT = *a,a,a*-Trifluorotoluene

ASSOCIATED LABORATORIES
QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 3

Sample ID: MS/MSD Water Samples 177244-276
 Date Prep: September 29, 2006
 Date Analyzed: September 30, 2006 #####
 Sample Matrix: Water
 Units: µg/L

Applies to LR: 177191, 177244, 177243

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike %Rec	Dup %Rec	RPD	QC RPD	Limits %REC
1,1-Dichloroethene	0.00	50.0	43.83	43.42	88	87	1	22	59-172
MTBE	24.40	50.0	70.34	71.46	92	94	2	24	62-137
Benzene	0.00	50.0	44.84	44.71	90	89	0	24	62-137
Trichloroethene	0.00	50.0	47.80	48.63	96	97	2	21	66-142
Toluene	0.00	50.0	46.12	46.75	92	94	1	21	59-139
Chlorobenzene	0.00	50.0	46.53	48.28	93	97	4	21	60-133

Sample ID: LCS


Compound	Spike Added	Spike Res	Spike %Rec	Limits %REC
1,1-Dichloroethene	50.0	44.87	90	59-172
MTBE	50.0	49.64	99	62-137
Benzene	50.0	45.95	92	62-137
Trichloroethene	50.0	50.42	101	66-142
Toluene	50.0	48.27	97	59-139
Chlorobenzene	50.0	50.19	100	60-133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1	MB 2		MS	MSD		LCS	Limits % Rec
Dibromofluoromethane	114	110		112	112		118	70-135
1,2-Dichloroethane-d4	106	100		98	100		100	70-135
Toluene-d8	98	97		95	97		97	70-135
p-Bromofluorobenzene	96	105		100	101		99	70-135



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1

Client: Thrifty Oil Co

Project: _____

Date Received: 9/28/06

Sample(s) received in cooler: Yes

No (Skip Section 2)

Section 2

Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____

Cooler or box temperature: 4.3 C

(Acceptance range is 2 to 6 Deg. C.)

Section 3

Was a COC received?

YES NO N/A

Were custody seals present?

YES NO N/A

If Yes - were they intact?

YES NO N/A

Were all samples sealed in plastic bags?

YES NO N/A

Did all samples arrive intact? If no, indicate below.

YES NO N/A

Did all bottle labels agree with COC? (ID, dates and times)

YES NO N/A

Were correct containers used for the tests required?

YES NO N/A

Was a sufficient amount of sample sent for tests indicated?

YES NO N/A

No head space in VOA vials?

YES NO N/A

Were the correct preservatives used?

YES NO N/A

Were the samples scanned for presence of radioactivity?

YES NO N/A

Was total residual chlorine measured (Fish Bioassay samples only)? *

YES NO N/A

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4

Explanations/Comments

Section 5

Was Project Manager notified of discrepancies: Y / N N/A

Completed By:

Date:

9/28/06

Chain of Custody Record

ASSOCIATED LABORATORIES

806 North Batavia • Orange, CA 92868
Phone: (714) 771-6900 • Fax: (714) 538-1209



Company	THIRTY OIL CO.	Phone	(562) 921-1221
Project Manager	JEFF SUYAKOSUMA	Fax	(562) 921-7510
Project Name	Q.W.S.V	Project #	054 ✓
Site Name and Address	2504 CASTRO VALLEY BLVD. CASTRO VALLEY 94546		

A.L. Job No.

17723 ✓

Page 1 of 1

Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.	Analysis Requested							Test Instructions & Comments	
							TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	TPH4(8016M)	
1. PW-1		09-26-06	13:10	1L-VOA	4CL	X	X								
2. RF-2			13:15			X	X	X							
3. RF-3			13:20			X	X	X							
4. RF-4			13:25			X	X	X							
5. RF-6			13:30			X	X	X							
6. RF-7			13:55			X	X	X							
7. RS-9			14:00			X	X	X							
8. RS-11			14:35			X	X	X							
9. RS-8			15:00			X	X	X							
10. TRIP BLISTER			00:00	2-VOA		X	X								
11.															
12.															
13.															
14.															
15.															

Sample Receipt - To Be Filled By Laboratory					Relinquished by 1. Sampler: E.M.C.	Relinquished by 2.	Relinquished by 3.								
Total Number of Containers 28		Properly Cooled Y/N / NA		Signature: <i>E.M.C.</i>	Signature:	Signature:									
Custody Seals Y/N / MA		Samples Intact Y/N / NA		Printed Name: <i>E.M.C.</i>	Printed Name:	Printed Name:									
Received in Good Condition Y/N		Samples Accepted Y/N		Date: 09/26/06 Time: 17:00	Date: Time:	Date: Time:									
Turn Around Time				Received By: G.S.O. 1.	Received By: 2.	Received By: 3.									
				Signature:	Signature:	Signature:									
				Printed Name:	Printed Name:	Printed Name:									
				Date: 09/26/06 Time: 17:00	Date: 09/26/06 Time: 17:00	Date: 09/26/06 Time: 17:00									
<input checked="" type="checkbox"/> Normal		<input type="checkbox"/> Rush		<input type="checkbox"/> Same Day	<input type="checkbox"/> 48 hrs.	<input type="checkbox"/> 72 hrs.									