Weiss Associates Environmental and Geologic Services

5500 Shellmound Street, Emeryville, CA 94608-2411 Fax: 510-547-5043 Phone: **510-547-5420**

94 AUG -3 PM 4:30

July 29, 1994

RO349

Barney Chan
Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway,
Suite 250
Alameda, CA 94502-6577

Re: Shell Service Station
WIC #204-5508-2402
7915 East 14th Street
Oakland, California
WA Job #81-424-104

Dear Mr. Chan:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1). This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 265.d. Included below are descriptions and results of activities performed in the second quarter 1994 and proposed work for the third quarter 1994.

Second Quarter 1994 Activities:

- Blaine Tech Services, Inc. (BTS) of San Jose, California measured depths to ground water and collected ground water samples from the site wells. The BTS report describing these activities including the laboratory analytic report for ground water samples is included as Attachment A.

- Weiss Associates (WA) compiled the ground water elevation and analytic data (Tables 1 and 2) and prepared a ground water elevation contour map (Figure 2).

July 29, 1994

Anticipated Third Quarter 1994 Activities:

WA will submit a report presenting the results of the third quarter 1994 ground water sampling and ground water depth measurements. The report will include tabulated chemical analytic results, ground water elevation measurements and a ground water elevation contour map. WA will also compile and tabulate historic ground water elevation and analytic data.

Comments

The following comments are in response to your letter to Mr. Lynn Walker of Shell Oil Company dated April 5, 1994.

- Monitoring well MW-3 is located approximately 20 ft directly south of former borehole BH-H.
- Monitoring well MW-2 is located near the older former tank pit. The ground water flow direction near MW-2 for the Second Quarter 1994 is west- northwestward, which is similar to the First Quarter 1994 flow direction. Soil boring data across the site indicates that subsurface soils in the upper 7 to 14 ft consist of low permeability silty clay with moderate permeability sandy silt directly below. The ground water table at MW-2 lies at about 10 ft below ground surface (bgs) in the silty clay. There is little likelihood for eastward or southward ground water migration from MW-2 because of lower permeability saturated soils and because MW-2 is downgradient or crossgradient of the residences. Since ground water is not likely to have migrated upgradient to the nearest residence nearly 50 ft away, and upward migration of vapor-phase hydrocarbons, if any, will be retarded due to low permeability soil found in the area, we believe there is little, if any, threat to occupants of the residences to the east and south of MW-2. In addition, since none of these structures have basements, there is even less potential exposure to possible hydrocarbon vapors in the subsurface.
- An upgradient subsurface investigation was requested for this site. Because the adjacent auto body repair and paint shop is located directly upgradient of the former fuel tanks, the nearest well would have to placed over 100 ft away along East 14th Street. Since it is unlikely that hydrocarbons in ground water at MW-2 would migrate upgradient and any migration would be retarded by the lower permeability sediments at the water table, further definition to the east of MW-2 is not warranted.

July 29, 1994

Please call if you have any questions.

Sincerely,
Weiss Associates

John Wolf
Technical Assistant

James W. Carmody, C.E.G.
Senior Project Hydrogeologist

JW/JWC:jw

J:\SHELL\400\424QMJY4.WP

Attachments: A - BTS Ground Water Monitoring Report

cc: Lynn Walker, Shell Oil Company, P.O. Box 4023, Concord, CA 94524
Lester Feldman, Water Quality Control Board, San Francisco Bay Region, 2101 Webster Street, Suite 500, Oakland, CA 94612



Figure 1 Site Location Map - Shell Service Station WIC #204-5508-2402, 7915 East 14th Street, Oakland, California

5/28/92



Figure 2 Monitoring Well Location and Ground Water Elevation Contour Map - June 6, 1994 - Former Shell Service Station WIC #204-5508-2402, 7915 East 14th Street, Oakland, California

Table 1. Ground Water Elevations - Shell Service Station WIC #204-5508-2402, 7915 East 14th Street, Oakland, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
MW-1	02/02/94	22.84	9.51	13.33
	06/16/94		**9.80**	**13.04**
MW-2	02/02/94	23.96	9.65	14.31
	06/16/94		**9.82**	**14.14**
MW-3	02/02/94	24.43	10.79	13.64
	06/16/94		**11.22**	**13.21**
MW-4	02/02/94	22.88	9.59	13.29
	06/16/94		**9.18**	**13.70**

Table 2. Analytic Results for Ground Water - Shell Service Station, WIC #204-5508-2402, 7915 East 14th Street, Oakland, California

Sample	Date Sampled	Depth to Water (ft)	TPH-G	B	E	T	X	POG
			<----------parts per billion (µg/L)---------->					
MW-1	02/02/94	9.51	<50	<0.5	<0.5	<0.5	<0.5	---
	06/16/94	9.80	<50	<0.5	<0.5	<0.5	<0.5	---
MW-2	02/02/94	9.65	25,000	3,800	990	560	5,300	---
	06/16/94	9.82	24,000	4,900	1,200	250	4,800	---
MW-3	02/02/94	10.79	<50	<0.5	<0.5	<0.5	<0.5	---
	06/16/94	11.22	<50	<0.5	<0.5	<0.5	<0.5	---
	06/16/94[dup]	11.22	<50	<0.5	<0.5	<0.5	<0.5	<5,000
MW-4	02/02/94	9.59	<50	<0.5	<0.5	<0.5	<0.5	---
	06/16/94	9.18	<50	<0.5	<0.5	<0.5	<0.5	---
Trip Blank	02/02/94		<50	<0.5	<0.5	<0.5	<0.5	---
	06/16/94		<50	<0.5	<0.5	<0.5	<0.5	---
DTSC MCLs			NE	1.0	680	100[a]	1,750	NE

Abbreviations:

TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015
TPH-D = Total petroleum hydrocarbons as diesel by Modified EPA Method 8015
B = Benzene by EPA Method 602 or 8020
E = Ethylbenzene by EPA Method 602 or 8020
T = Toluene by EPA Method 602 or 8020
X = Xylenes by EPA Method 602 or 8020
POG = Polar oil and grease by EPA Method 5520 B/F

DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water
NE = Not established
--- = Not analyzed
dup = Duplicate sample

Notes:

a = DTSC recommended action level for drinking water, MCL not established

ATTACHMENT A

BTS GROUND WATER MONITORING REPORT

BLAINE
TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

June 27, 1994

Shell Oil Company
P.O. Box 5278
Concord, CA 94520-9998

Attn: Lynn Walker

SITE:
Shell WIC #204-5508-2402
7915 E. 14th Street
Oakland, California

QUARTER:
2nd quarter of 1994

QUARTERLY GROUNDWATER SAMPLING REPORT 940616-K-4

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in response to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a TABLE OF WELL GAUGING DATA. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU) In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site

STANDARD PROCEDURES

Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water are removed in cases where more evacuation is needed to achieve stabilization of water parameters and when requested by the local implementing agency. Less water may be removed in cases where the well dewaters and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site. Effluent water from purging and on-site equipment cleaning is collected and transported to Shell's Martinez Manufacturing Complex in Martinez, California.

Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements The 2 0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This

recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such sites is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

Sample Containers

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

Sampling

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

Sample Designations

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label.

Chain of Custody

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

Hazardous Materials Testing Laboratory

The samples obtained at this site were delivered to National Environmental Testing, Inc. in Santa Rosa, California. NET is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #178.

Objective Information Collection

Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.

Richard C. Blaine

RCB/lp

attachments: table of well gauging data
chain of custody
certified analytical report

cc: Weiss Associates
5500 Shellmound Street
Emeryville, CA 94608-2411
ATTN Michael Asport

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	6/16/94	TOC	--	NONE	--	--	9.80	24.45
MW-2	6/16/94	TOC	ODOR	NONE	--	--	9.82	24.40
MW-3 *	6/16/94	TOC	--	NONE	--	--	11.22	23.67
MW-4	6/16/94	TOC	--	NONE	--	--	9.18	23.47

* Sample DUP was a duplicate sample taken from well MW-3.

9910

SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD
Serial No: 940616-K4

Date: 6/16/94
Page 1 of 1

Site Address: 7915 East 14th Street, Oakland

WIC#: 204-5508-2402

Shell Engineer: Daniel T. Kirk — Phone No.: (510) 675-6168, Fax #: 675-6160

Consultant Name & Address: Blaine Tech Services, Inc. 985 Timothy Dr., San Jose, CA 95133

Consultant Contact: Jim Keller — Phone No.: (408) 995-5535, Fax #: 293-8773

Comments:

Sampled by: KCB

Printed Name: Keith Bowen

Analysis Required

LAB: NET

CHECK ONE (1) BOX ONLY	CT/DT
Quarterly Monitoring [X]	5461
Site Investigation [ ]	5441
Soil Classify/Disposal [ ]	5442
Water Classify/Disposal [ ]	5443
Soil/Air Rem. or Sys. O & M [ ]	5452
Water Rem. or Sys. O & M [ ]	5453
Other [ ]	

TURN AROUND TIME: 24 hours [ ] 48 hours [ ] 16 days [X] (Normal) Other [ ]

NOTE: Notify Lab as soon as Possible of 24/48 hrs. TAT.

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	5520 O.i Grease		Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
MW1	6/16			W		3						X								
MW2	↓			↓		3						X								
MW3	↓			↓		5						X	(X) cancelled per Fran Thie to JS 6/20/94 LW							
MW4	↓			↓		3						X								
DUP	↓			↓		3						X							CUSTODY SEALED 6/17/94 @ [signature]	
EB	↓			↓		2						X							Seals Intact: AL	
TB	↓			↓		2						X								

Relinquished By (signature):	Printed Name:	Date: / Time:	Received (signature):	Printed Name:	Date: / Time:
[signature]	Keith Bowen	6/17/94 / 12:41	[signature]	GP LUMBRE	6/17/94 / 12:41
[signature]	GP Lumbre	6/17/94 / 17:00	Received (signature):	Printed Name:	Date: / Time:
Relinquished By (signature):	Printed Name:	Date: / Time:	A Lope via NCS	Amy Lope	6/18/94 / 10:30

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN OF CUSTODY WITH INVOICE AND RESULTS

9974

SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD
Serial No: 940616-K4

Date: 6/20/94
Page 1 of 1

Site Address: 7915 East 14th Street, Oakland

WIC#: 204-5508-2402

Shell Engineer: Daniel T. Kirk
Phone No.: (510) 675-6168
Fax #: 675-6160

Consultant Name & Address: Blaine Tech Services, Inc. 985 Timothy Dr., San Jose, CA 95133

Consultant Contact: Jim Keller
Phone No.: (408) 995-5535
Fax #: 293-8773

Comments:

Sampled by: [signature]

Printed Name: LAD B OLVER

LAB: NET

CHECK ONE (1) BOX ONLY	CT/DT
Quarterly Monitoring [X]	5461
Site Investigation [ ]	5441
Soil Classify/Disposal [ ]	5442
Water Classify/Disposal [ ]	5443
Soil/Air Rem. or Sys. O & M [ ]	5462
Water Rem. or Sys. O & M [ ]	5463
Other [ ]	

TURN AROUND TIME: 24 hours [ ] 48 hours [ ] 16 days [X] (Normal) Other [ ] ___

NOTE: Notify Lab as soon as Possible of 24/48 hrs. TAT.

Analysis Required

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	OIL & GREASE 5520 B+F		Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
MW-3	6/20			X		2							X							

CUSTODY SEALED 6/21/94 G. Lumbre @ seals intact @ 1630 AL

Relinquished By (signature):	Printed Name:	Date/Time:	Received (signature):	Printed Name:	Date/Time:
[signature]	LAD B OLVER	Date: 6/21/94 Time: 1205	[signature]	G P LUMBRE	Date: 6/21/94 Time: 1245
[signature]	G P LUMBRE	Date: 6/21/94 Time: 1630	Received (signature):	Printed Name:	Date: Time:
Relinquished By (signature):	Printed Name:	Date: Time:	A Lope via NCS	Anny Lope	Date: 6/22/94 Time: 13:00

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS

NATIONAL ENVIRONMENTAL® TESTING, INC.

Santa Rosa Division
435 Tesconi Circle
Santa Rosa, CA 95401
Tel: (707) 526-7200
Fax (707) 526-9623

Jim Keller
Blaine Tech Services
985 Timothy Dr.
San Jose, CA 95133

Date: 06/29/1994
NET Client Acct. No: 1821
NET Pacific Job No: 94.02578
Received: 06/18/1994

Client Reference Information

SHELL 7915 East 14th Street, Oakland, 940616-K4

Sample analysis in support of the project referenced above has been completed and results are presented on following pages. Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel welcome to contact Client Services.

Approved by:

Judy Ridley
Project Coordinator

Jim Hoch
Operations Manager

Enclosure(s)

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: MW-1
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197498

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/21/1994
DILUTION FACTOR*	1						06/21/1994
as Gasoline	ND		50	ug/L	5030		06/21/1994
METHOD 8020 (GC,Liquid)	--						06/21/1994
Benzene	ND		0.5	ug/L	8020		06/21/1994
Toluene	ND		0.5	ug/L	8020		06/21/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/21/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/21/1994
SURROGATE RESULTS	--						06/21/1994
Bromofluorobenzene (SURR)	93			% Rec.	5030		06/21/1994

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: MW-2
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197499

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/22/1994
DILUTION FACTOR*	10						06/22/1994
as Gasoline	24,000		500	ug/L	5030		06/22/1994
METHOD 8020 (GC,Liquid)	--						06/22/1994
Benzene	4,900	FF	5	ug/L	8020		06/22/1994
Toluene	250		5	ug/L	8020		06/22/1994
Ethylbenzene	1,200	FF	5	ug/L	8020		06/22/1994
Xylenes (Total)	4,800	FF	5	ug/L	8020		06/22/1994
SURROGATE RESULTS	--						06/22/1994
Bromofluorobenzene (SURR)	94			% Rec.	5030		06/22/1994

FF Compound quantitated at a 100X dilution factor

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: MW-3
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197500

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/22/1994
DILUTION FACTOR*	1						06/22/1994
as Gasoline	ND		50	ug/L	5030		06/22/1994
METHOD 8020 (GC,Liquid)	--						06/22/1994
Benzene	ND		0.5	ug/L	8020		06/22/1994
Toluene	ND		0.5	ug/L	8020		06/22/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/22/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/22/1994
SURROGATE RESULTS	--						06/22/1994
Bromofluorobenzene (SURR)	90			% Rec.	5030		06/22/1994

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: MW-4
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197501

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/21/1994
DILUTION FACTOR*	1						06/21/1994
as Gasoline	ND		50	ug/L	5030		06/21/1994
METHOD 8020 (GC,Liquid)	--						06/21/1994
Benzene	ND		0.5	ug/L	8020		06/21/1994
Toluene	ND		0.5	ug/L	8020		06/21/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/21/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/21/1994
SURROGATE RESULTS	--						06/21/1994
Bromofluorobenzene (SURR)	90			% Rec.	5030		06/21/1994

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: DUP
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197502

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/21/1994
DILUTION FACTOR*	1						06/21/1994
as Gasoline	ND		50	ug/L	5030		06/21/1994
METHOD 8020 (GC,Liquid)	--						06/21/1994
Benzene	ND		0.5	ug/L	8020		06/21/1994
Toluene	ND		0.5	ug/L	8020		06/21/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/21/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/21/1994
SURROGATE RESULTS	--						06/21/1994
Bromofluorobenzene (SURR)	96			% Rec.	5030		06/21/1994

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: EB
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197503

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/21/1994
DILUTION FACTOR*	1						06/21/1994
as Gasoline	ND		50	ug/L	5030		06/21/1994
METHOD 8020 (GC,Liquid)	--						06/21/1994
Benzene	ND		0.5	ug/L	8020		06/21/1994
Toluene	ND		0.5	ug/L	8020		06/21/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/21/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/21/1994
SURROGATE RESULTS	--						06/21/1994
Bromofluorobenzene (SURR)	91			% Rec.	5030		06/21/1994

Ref: SHELL 7915 East 14th Street, Oakland, 940616-K4

SAMPLE DESCRIPTION: TB
Date Taken: 06/16/1994
Time Taken:
NET Sample No: 197504

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
TPH (Gas/BTXE,Liquid)							
METHOD 5030/M8015	--						06/21/1994
DILUTION FACTOR*	1						06/21/1994
as Gasoline	ND		50	ug/L	5030		06/21/1994
METHOD 8020 (GC,Liquid)	--						06/21/1994
Benzene	ND		0.5	ug/L	8020		06/21/1994
Toluene	ND		0.5	ug/L	8020		06/21/1994
Ethylbenzene	ND		0.5	ug/L	8020		06/21/1994
Xylenes (Total)	ND		0.5	ug/L	8020		06/21/1994
SURROGATE RESULTS	--						06/21/1994
Bromofluorobenzene (SURR)	92			% Rec.	5030		06/21/1994

Ref: SHELL, 7915 East 14th Street, Oakland, Job NO. 940616-K4

SAMPLE DESCRIPTION: MW-3
Date Taken: 06/20/1994
Time Taken:
NET Sample No: 197773

Parameter	Results	Flags	Reporting Limit	Units	Method	Date Extracted	Date Analyzed
Oil & Grease (Total)	ND		5000	ug/L	5520B		06/28/1994
Oil & Grease (Non-Polar)	ND		5000	ug/L	5520B/F		06/28/1994

Ref: SHELL, 7915 East 14th Street, Oakland, Job NO. 940616-K4

CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

Parameter	CCV Standard % Recovery	CCV Standard Amount Found	CCV Standard Amount Expected	Units	Date Analyzed	Analyst Initials
TPH (Gas/BTXE,Liquid)						
as Gasoline	84.0	0.84	1.00	mg/L	06/21/1994	aal
Benzene	115.0	5.75	5.00	ug/L	06/21/1994	aal
Toluene	96.8	4.84	5.00	ug/L	06/21/1994	aal
Ethylbenzene	85.8	4.29	5.00	ug/L	06/21/1994	aal
Xylenes (Total)	87.3	13.1	15.0	ug/L	06/21/1994	aal
Bromofluorobenzene (SURR)	91.0	91	100	% Rec.	06/21/1994	aal
TPH (Gas/BTXE,Liquid)						
as Gasoline	88.0	0.88	1.00	mg/L	06/22/1994	aal
Benzene	112.8	5.64	5.00	ug/L	06/22/1994	aal
Toluene	92.6	4.63	5.00	ug/L	06/22/1994	aal
Ethylbenzene	89.4	4.47	5.00	ug/L	06/22/1994	aal
Xylenes (Total)	89.3	13.4	15.0	ug/L	06/22/1994	aal
Bromofluorobenzene (SURR)	94.0	94	100	% Rec.	06/22/1994	aal

Ref: SHELL, 7915 East 14th Street, Oakland, Job NO. 940616-K4

METHOD BLANK REPORT

Parameter	Method Blank Amount Found	Reporting Limit	Units	Date Analyzed	Analyst Initials
Oil & Grease (Total)	ND	5	mg/L	06/28/1994	mee
Oil & Grease (Non-Polar)	ND	5	mg/L	06/28/1994	mee
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	06/21/1994	aal
Benzene	ND	0.5	ug/L	06/21/1994	aal
Toluene	ND	0.5	ug/L	06/21/1994	aal
Ethylbenzene	ND	0.5	ug/L	06/21/1994	aal
Xylenes (Total)	ND	0.5	ug/L	06/21/1994	aal
Bromofluorobenzene (SURR)	85		% Rec.	06/21/1994	aal
TPH (Gas/BTXE,Liquid)					
as Gasoline	ND	0.05	mg/L	06/22/1994	aal
Benzene	ND	0.5	ug/L	06/22/1994	aal
Toluene	ND	0.5	ug/L	06/22/1994	aal
Ethylbenzene	ND	0.5	ug/L	06/22/1994	aal
Xylenes (Total)	ND	0.5	ug/L	06/22/1994	aal
Bromofluorobenzene (SURR)	95		% Rec.	06/22/1994	aal

Ref: SHELL, 7915 East 14th Street, Oakland, Job NO. 940616-K4

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

Parameter	Matrix Spike % Rec.	Matrix Spike Dup % Rec.	RPD	Spike Amount	Sample Conc.	Matrix Spike Conc.	Matrix Spike Dup. Conc.	Units	Date Analyzed	Analyst Initials
Oil & Grease (Total)	97.1	95.0	2.2	111.6	ND	108.4	109.2	mg/L	06/28/1994	mee
Oil & Grease (Non-Polar)	97.1	95.0	2.2	111.6	ND	108.4	109.2	mg/L	06/28/1994	mee
TPH (Gas/BTXE,Liquid)										
as Gasoline	80.0	82.0	2.5	1.00	ND	0.80	0.82	mg/L	06/21/1994	aal
Benzene	95.1	96.5	1.5	37.0	ND	35.2	35.7	ug/L	06/21/1994	aal
Toluene	96.9	98.4	1.5	94.3	ND	91.4	92.8	ug/L	06/21/1994	aal
TPH (Gas/BTXE,Liquid)										
as Gasoline	87.0	88.0	1.1	1.00	ND	0.87	0.88	mg/L	06/22/1994	aal
Benzene	97.9	99.2	1.3	38.7	ND	37.9	38.4	ug/L	06/22/1994	aal
Toluene	97.7	99.0	1.3	97.0	0.9	95.7	96.9	ug/L	06/22/1994	aal

Ref: SHELL, 7915 East 14th Street, Oakland, Job NO. 940616-K4

LABORATORY CONTROL SAMPLE REPORT

Parameter	LCS % Recovery	RPD	LCS Amount Found	LCS Amount Expected	Units	Date Analyzed	Analyst Initials
Oil & Grease (Total)	99.1		114.9	115.9	mg/L	06/28/1994	mee
Oil & Grease (Total)	97.4		110.2	113.1	mg/L	06/28/1994	mee
Oil & Grease (Non-Polar)	99.1		114.9	115.9	mg/L	06/28/1994	mee
Oil & Grease (Non-Polar)	97.4		110.2	113.1	mg/L	06/28/1994	mee

NET®

KEY TO ABBREVIATIONS and METHOD REFERENCES

<	:	Less than; When appearing in results column indicates analyte not detected at the value following. This datum supercedes the listed Reporting Limit.
*	:	Reporting Limits are a function of the dilution factor for any given sample. Actual reporting limits and results have been multiplied by the listed dilution factor. **Do not** multiply the reporting limits or reported values by the dilution factor.
dw	:	Result expressed as dry weight.
mean	:	Average; sum of measurements divided by number of measurements.
mg/Kg (ppm)	:	Concentration in units of milligrams of analyte per kilogram of sample, wet-weight basis (parts per million).
mg/L	:	Concentration in units of milligrams of analyte per liter of sample.
mL/L/hr	:	Milliliters per liter per hour.
MPN/100 mL	:	Most probable number of bacteria per one hundred milliliters of sample.
N/A	:	Not applicable.
NA	:	Not analyzed.
ND	:	Not detected; the analyte concentration is less than the applicable listed reporting limit.
NTU	:	Nephelometric turbidity units.
RPD	:	Relative percent difference, 100 [Value 1 - Value 2]/mean value.
SNA	:	Standard not available.
ug/Kg (ppb)	:	Concentration in units of micrograms of analyte per kilogram of sample, wet-weight basis (parts per billion).
ug/L	:	Concentration in units of micrograms of analyte per liter of sample.
umhos/cm	:	Micromhos per centimeter.

Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, Rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, Rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986., Rev. 1, December 1987.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.

Revised September, 1993
abb.93

COOLER RECEIPT FORM

Project: Shell, Oakland, 940616-K4 Log No: 9910
Cooler received on: 6-18-94 and checked on 6-20-94 by J Sorensen
(signature)

Were custody papers present? ..... YES NO
Were custody papers properly filled out? ..... YES NO
Were the custody papers signed? ..... YES NO 6.2°C
Was sufficient ice used? ..... YES NO
Did all bottles arrive in good condition (unbroken)? ..... YES NO
Did bottle labels match COC? ..... YES NO
Were proper bottles used for analysis indicated? ..... YES NO
Correct preservatives used? ..... YES NO
VOA vials checked for headspace bubbles? ..... YES NO
Note which voas (if any) had bubbles:*

Sample descriptor:	Number of vials:
TB	1 of 2

*All VOAs with headspace bubbles have been set aside so they will not be used for analysis ..... YES NO

List here all other jobs received in the same cooler:

Client Job #	NET log #

(coolerrec)

COOLER RECEIPT FORM

Project: Shell, Oakland, 940616-KH Log No: 9974
Cooler received on: 6-22-94 and checked on 6-22-94 by I. Sorensen
(signature)

Were custody papers present?..... (YES) NO

Were custody papers properly filled out?..... (YES) NO

Were the custody papers signed?..... (YES) NO

Was sufficient ice used?..... (YES) NO ~~3 2°C~~ AL 4.2°C

Did all bottles arrive in good condition (unbroken)?..... (YES) NO

Did bottle labels match COC?..... (YES) NO

Were proper bottles used for analysis indicated?..... (YES) NO

Correct preservatives used?..... (YES) NO

VOA vials checked for headspace bubbles?..... YES NO N/A
Note which voas (if any) had bubbles:*

Sample descriptor:	Number of vials:

*All VOAs with headspace bubbles have been set aside so they will not be used for analysis..... YES NO

List here all other jobs received in the same cooler:

Client Job #	NET log #

(coolerrec)