



**Eric Hetrick**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 790-6491  
ehetrick@chevron.com

March 16, 2015

**RECEIVED**

*By Alameda County Environmental Health at 3:29 pm, Mar 16, 2015*

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Former Chevron Service Station 95607  
5269 Crow Canyon Road  
Castro Valley, CA  
ACEH Case #RO 0350

I have reviewed the attached Monthly Remedial Progress Report – January 2015.

The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga Rovers Associates, upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric Hetrick".

Eric Hetrick  
Project Manager

Attachment: Monthly Remedial Progress Report – January 2015



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
<http://www.craworld.com>

March 16, 2015

Reference No. 311950

Mr. Mark Detterman  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway  
Alameda, California 94502

Re: Monthly Remedial Progress Report - January 2015  
Former Chevron Station 95607  
5269 Crow Canyon Road  
Castro Valley, California  
Fuel Leak Case RO0350

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA), on behalf of Chevron Environmental Management Company (Chevron), is providing this *Monthly Remedial Progress Report - January 2015 (Report)*, for the site referenced above (Figure 1). This report was prepared in accordance with Alameda County Environmental Health Services (ACEHS) *Approval of the Remedial Action Plan*, dated January 11, 2013. This report includes a summary of the DPE system operations conducted in the month of January 2015 and cumulatively (Tables 1 through 4).

DPE system compliance testing and sampling was performed on January 14, 2015 in accordance with system operational permits. During the reporting period, approximately 829 pounds of total petroleum hydrocarbons as gasoline (TPHg) and 11 pounds of benzene were removed in vapor phase (Table 4), and approximately 1.1 pounds of TPHg and 0.1 pounds of benzene were removed in dissolved phase (Table 2). A summary of the DPE system operational performance for the month of January 2015 is presented below.

**VAPOR-PHASE EXTRACTION DATA-JANUARY 2015**

Soil Vapor Influent Flow Rate (avg scfm)	124 scfm
Soil Vapor Laboratory Influent Concentrations (TPHg ppmv)	870 ppmv
Soil Vapor Laboratory Influent Concentrations (Benzene ppmv)	13 ppmv
Soil Vapor Mass Removal (lb TPHg/period)	829 pounds
Soil Vapor Mass Removal (lb Benzene/period)	11 pounds
Soil Vapor Extraction Period Operating Uptime (hours)	556 hours
Soil Vapor Treatment Destruction Efficiency (%)	99 percent
ppmv - parts per million by volume	

Equal  
Employment Opportunity  
Employer



**CONESTOGA-ROVERS  
& ASSOCIATES**

March 16, 2015

Reference No. 311950

- 2 -

**DISSOLVED-PHASE EXTRACTION DATA-JANUARY 2015**

Maximum Groundwater Extraction Rate (gpm)	1.7 gpm
Average Groundwater Extraction Rate (gpm)	1.1 gpm
Dissolved-Phase Mass Removal Rate (lb TPHg/period)	1.1 pounds
Dissolved-Phase Mass Removal Rate (lb Benzene/period)	0.1 pounds
Total Volume Groundwater Treated (gallons)	36,063 gallons
Groundwater Extraction Period Operating Uptime (hours)	556 hours

Please contact Darrell Smolko of CRA at (925) 334-8617 or Judy Gilbert of CRA at (510) 420-3314, if you have any questions or comments.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Darrell Smolko

Brandon S. Wilken, PG 7564




DS/aa/38

- Figure 1      General Site Plan
- Table 1      Groundwater Extraction & Treatment System Hydrocarbon Analytical Data
- Table 2      Groundwater Extraction & Treatment System Operational Data & Hydrocarbon Mass Removal
- Table 3      Soil Vapor Extraction Operational Data
- Table 4      Soil Vapor Extraction Analytical Data & Mass Removal
- Attachment A    Laboratory Analytical Reports

c.c.:    Mr. Eric Hetrick, Chevron EMC (*electronic copy*)  
          Mr. Kevin Hinkley, Property Owner  
          Ms. Diane Riggs, Forest Creek Townhomes Association

## FIGURES



**CLIENT**

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY

**PROJECT**

FORMER CHEVRON STATION #9-5607  
5269 CROW CANYON ROAD  
CASTRO VALLEY, CA

**TITLE**

GENERAL SITE PLAN

PROJECT #311950

**DRAWING STATUS**

N <sup>o</sup>	Revision	Date	By
1	RELOCATE GWE TRAILER	10/12/13	DK
1	ADD SVE-1 AND SVE-2	10/23/13	DK
2	RELOCATE GWE TRAILER	3/25/14	DS
3	AS-BUILT	10/10/14	DS

**SCALE VERIFICATION**  
THIS BAR MEASURES 1" ON ORIGINAL.

**CONESTOGA-ROVERS & ASSOCIATES**  
5900 HOLLIS STREET, SUITE A  
EMERYVILLE CA 94608  
PHONE: 510.420.0700  
FAX: 510.420.9170  
WWW.CRAWORLD.COM

Source Reference:

Designed By:	Date:	Drawing N <sup>o</sup> :
DS	10/10/2014	
Drafted By:	Date:	FIG 1
DS	10/10/2014	
Reviewed By:	Date:	
DK	10/23/2014	
Scale:	1:10	

**EXPLANATION**

- C-1 ● Monitoring Well Location
- RW-1 ● Recovery Well Location
- Underground Electrical Line (E)
- Underground Gas Line (G)
- Underground Phone/Cable Line
- Underground Water Line (W)
- Underground Sanitary Sewer (SS)
- - - Existing Underground Remediation Pipe
- Storm Drain Inlet / Catch Basin
- Ⓜ Ⓡ Ⓢ Utility Box/Vault/Cleanout

NOTE: See Figure 14 of current PG&E Document # 051122 for bollard type, spacing, and installation details

## TABLES

**Table 1**  
**Groundwater Extraction and Treatment System**  
**Influent and Effluent Hydrocarbon Concentration Data**  
**Former Chevron Station # 9-5607**  
**5269 Crow Canyon Road, Castro Valley, California**

Sample Date (mm/dd/yy)	Influent						Midfluent 1						Midfluent 2						Effluent						pH <sup>a</sup>	
	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)		
09/12/14	6,000	1,800	19	120	94	4	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.4
10/13/14	7,500	1,600	37	76	630	4	<50	2	<0.5	<0.5	<0.5	<0.5	NM	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
11/06/14	8,000	990	140	100	590	<10	<50	2	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
12/02/14	7,000	780	150	160	810	4	<50	2	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.3
01/14/15	3,700	290	36	33	390	3	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

**Notes and Abbreviations:**

mm/dd/yy = month/day/year

Conc. = concentration

TPHg = total petroleum hydrocarbons quantified as gasoline

MTBE = methyl tertiary butyl ether

µg/L = micrograms per liter

<X.X = not detected at or below the detection limit indicated

a = pH measured in the field

NS = Midfluent 3 not sampled due to bypassing one of the carbon vessels for a carbon changeout

TBD = Sample taken during this time and are awaiting results

TPHg analyzed by EPA Method 8015M.

Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B.

MTBE analyzed by EPA Method 8260B.

**Table 2**  
**Groundwater Extraction and Treatment System**  
**Operational Data and Dissolved Phase Hydrocarbons Mass Removal Data**  
**Former Chevron Station # 9-5607**  
**5269 Crow Canyon Road, Castro Valley, California**

Date (mm/dd/yy)	Well IDs	Hour Meter <sup>1</sup> (hours)	Totalizer Reading (gallons)	Period Volume (gallons)	Period Operational Flow Rate (gpm)	Cumulative Volume (gallons)	TPHg			Benzene			MTBE						
							TPHg Concentration (µg/L)	Period Removal <sup>2</sup> (pounds)	Cumulative Removal (pounds)	Benzene Concentration (µg/L)	Period Removal <sup>2</sup> (pounds)	Cumulative Removal (pounds)	MTBE Concentration (µg/L)	Period Removal <sup>2</sup> (pounds)	Cumulative Removal (pounds)				
9/12/14 9:00	DPE-1 - DPE-3, C-9	4008.5	330,400	0	0.0	0	---	---	---	---	---	---	---	---	---				
9/12/14 14:00	DPE-1 - DPE-3, C-9	4013.5	331,500	1,100	3.7	1,100	6,000	0.055	0.055	1,800	0.017	0.017	4	0.000	0.000				
9/29/14 14:00	DPE-1 - DPE-3, C-9	4019.0	332,000	500	1.5	1,600	---	0.025	0.08	---	0.008	0.024	---	0.000	0.000				
10/6/14 11:00	DPE-1 - DPE-3, C-9	4024.0	332,700	700	2.3	2,300	---	0.035	0.12	---	0.011	0.035	---	0.000	0.000				
10/13/14 14:00	DPE-1 - DPE-3, C-9	4,130.0	341,085	8,385	1.3	10,685	7,500	0.525	0.64	1,600	0.112	0.146	4	0.000	0.000				
10/20/14 11:30	DPE-1 - DPE-3, C-9	4,296.0	348,600	7,515	0.8	18,200	---	0.470	1.11	---	0.100	0.247	---	0.000	0.001				
10/27/14 11:00	DPE-1 - DPE-3, C-9	4,413.0	354,200	5,600	0.8	23,800	---	0.350	1.46	---	0.075	0.322	---	0.000	0.001				
11/6/14 13:15	DPE-1 - DPE-3, C-9	4,480.0	364,390	10,190	2.5	33,990	8,000	0.680	2.14	990	0.084	0.406	10	0.001	0.002				
11/21/14 13:50	DPE-1 - DPE-3, C-9	4,668.6	373,033	8,643	0.8	42,633	---	0.577	2.72	---	0.071	0.477	---	0.001	0.002				
12/2/14 15:15	DPE-1 - DPE-3, C-9	4,781.9	379,635	6,602	1.0	49,235	7,000	0.386	3.10	780	0.043	0.520	4	0.000	0.003				
12/16/14 11:30	DPE-1 - DPE-3, C-9	5,030.7	399,600	19,965	1.3	69,200	---	1.166	4.27	---	0.130	0.650	---	0.001	0.003				
12/31/14 10:30	DPE-1 - DPE-3, C-9	5,390.1	436,625	37,025	1.7	106,225	---	2.163	6.43	---	0.241	0.891	---	0.001	0.004				
1/14/15 11:25	DPE-1 - DPE-3, C-9	5,726.6	461,160	24,535	1.2	130,760	3,700	0.757	7.19	290	0.059	0.950	3	0.001	0.005				
1/23/15 14:35	DPE-1 - DPE-3, C-9	5,945.7	472,688	11,528	0.9	142,288	---	0.356	7.55	---	0.028	0.978	---	0.000	0.005				
<b>Agency Limits</b>																			
<b>Total Extracted Volume (gal):</b>						<b>142,288</b>	<b>Pounds Removed:</b>			<b>1.11</b>	<b>7.55</b>	<b>Pounds Removed:</b>		<b>0.09</b>	<b>0.98</b>	<b>Pounds Removed:</b>		<b>0.00</b>	<b>0.01</b>
<b>Average Operational Flow Rate (gpm)<sup>3</sup>:</b>						<b>1.22</b>	<b>Gallons Removed<sup>4</sup></b>			<b>0.18</b>	<b>1.24</b>	<b>Gallons Removed<sup>4</sup></b>		<b>0.0</b>	<b>0.13</b>	<b>Gallons Removed<sup>4</sup></b>		<b>0.00</b>	<b>0.00</b>
<b>Reporting Period: 12/31/14- 1/23/2015</b>							<b>Cumulative Results Since Start-up:</b>												
<b>Number of Days during Reporting Period</b>				<b>23 days</b>			<b>Number Days since Startup</b>				<b>133 days</b>								
<b>Gallons of Extracted Ground Water</b>				<b>36,063 gal</b>			<b>Cumulative Total Gallons Extracted</b>				<b>142,288 gal</b>								
<b>Average Flow Rate</b>				<b>1.08 gpm</b>			<b>Average Flow Rate<sup>3</sup></b>				<b>1.22 gpm</b>								
<b>Pounds of TPHg Removed</b>				<b>1.113 lbs</b>			<b>Cumulative Pounds of TPHg Removed</b>				<b>7.55 lbs</b>								
<b>TPHg Removal Rate</b>				<b>0.048 lbs/day</b>			<b>TPHg Removal Rate</b>				<b>0.057 lbs/day</b>								
<b>Pounds of Benzene Removed</b>				<b>0.087 lbs</b>			<b>Cumulative Pounds of Benzene Removed</b>				<b>0.978 lbs</b>								
<b>Benzene Removal Rate</b>				<b>0.004 lbs/day</b>			<b>Benzene Removal Rate</b>				<b>0.007 lbs/day</b>								
<b>Pounds of MTBE Removed</b>				<b>0.001 lbs</b>			<b>Cumulative Pounds of MTBE Removed</b>				<b>0.005 lbs</b>								
<b>MTBE Removal Rate</b>				<b>0.000 lbs/day</b>			<b>MTBE Removal Rate</b>				<b>0.000 lbs/day</b>								

**Formulas and Assumptions:**

- Hour meter readings taken at the beginning of the site visit
- Mass Removed During the Period = Volume of Water Extracted (gallons) x Concentration (µg/L) x (g/10<sup>6</sup> µg) x (lb/453.6g) x (3.785 L/gal)
- When concentration of individual parameters were not detected, the concentration was assumed to be half the detection limit for calculation  
Average Flow Rate = (Volume of Extracted Water (gal) / Number of Operational Days) \* (60 minutes/hour) \* (24 hours/day)
- Gallons Removed = (Mass (lb) / Density (g/cc)) x 453.6 (g/lb) x (L/1000 cc) x (gal/3.785 L)  
Density: = 0.73 g/cc TPHg  
= 0.88 g/cc Benzene  
= 0.74 g/cc MTBE

**Abbreviations:**

- TPHg = total petroleum hydrocarbons as gasoline  
MTBE = methyl tertiary butyl ether  
L = liter  
gal = gallon  
gpm = gallon per minute  
µg/L = micrograms per liter  
g = grams  
cc = cubic centimeter  
NM = not measured  
lb = pounds



**Table 3:  
Dual Phase Extraction System  
Operational Data  
Former Chevron Station # 9-5607  
5269 Crow Canyon Road, Castro Valley, California**

Date (mm/dd/my ham)	Operating Wells (open)	Operating Time (hours)	Hour Meter (hours)	System Uptime (%)	Period Operation (hours)	Blower Vacuum (inHg)	INF-1 Vacuum (inHg)	INF-1 Temperature (°F)	INF-1 Measured Flow (acfm)	INF-1 Calculated Flow (scfm)	INF-2 Pressure <sup>1</sup> (inH <sub>2</sub> O)	INF-2 Temperature (°F)	INF-2 Measured Flow <sup>1</sup> (acfm)	INF-2 Calculated Flow (scfm)	Effluent Flow Rate (scfm)	Dilution Air (% open)	Pre-Oxidizer Temp (°F)	Post-Oxidizer Temp (°F)	INF-2 OVA (ppmv)	Effluent PID (ppmv)	Mass Removal based on OVA (ppd)	Destruction Efficiency (%)
9/12/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	0.00	4013.5	0%	0.0	NM	3.00	NM	NM	NM	10.0	155	294	259	259	20	747	NM	8000	20.0	663.8	99.8%
9/29/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	5.50	4019.0	1.3%	5.5	15.0	2.81	93	165	143	11	189	255	213	213	20	880	NM	NM	0.0	NM	100.0%
10/6/14 11:00	C9, DPE-1 - DPE3, VE-1, VE-2	5.00	4024	3.0%	5.0	15.0	2.81	83	144	127	10	176	255	217	217	25	899	NM	560	0.2	39.0	100.0%
10/13/14 14:00	C9, DPE-1 - DPE-3	106.00	4130	62.0%	106.0	14.5	2.35	68	191	176	10.9	180	268	227	227	0	750	883	1100	5.0	80.1	99.5%
10/20/14 11:30	C9, DPE-1 - DPE-3	166.00	4296	100.3%	166.0	15.0	3.18	79	140	123	10.5	171	255	219	219	0	750	927	650	0.3	45.6	100.0%
10/27/14 11:00	C9, DPE-1, DPE-2	117.00	4413	69.9%	117.0	15.0	4.1	61	161	141	11.6	160	270	236	236	0	750	897	700	0.4	53.1	99.9%
11/6/14 13:15	C9, DPE-3, DPE-2	67.00	4480	27.7%	67.0	20.0	5.0	61	146	123	10.7	61	146	152	123	0	701	900	1250	0.0	60.9	100.0%
11/21/14 13:50	C9, DPE-3, DPE-2	188.60	4669	52.3%	188.6	20.0	5.3	68	132	109	11.1	174	176	151	109	0	698	809	558	0.4	27.0	99.9%
12/2/14 15:15	C9, DPE-3, DPE-2	113.30	4782	42.7%	113.3	20.0	7.4	63	103	78	3.3	169	157	133	78	0	697	785	1215	0.5	51.8	100.0%
12/16/14 11:30	C9, DPE-3, DPE-2	249.10	5031	75.0%	249.1	18.5	10.2	64	61	41	4.3	172	118	100	100	0	700	750	1650	3.0	52.7	99.8%
12/31/14 10:30	C9, DPE-3, DPE-2	359.10	5390	100.0%	359.1	22.0	10.0	72	133	88	7.2	179	133	112	112	0	698	707	425	5.0	15.2	98.8%
1/14/15 11:25	C9, DPE-3, DPE-2	336.50	5727	99.9%	336.5	23.0	8.1	71	148	107	9.8	176	148	126	126	0	700	752	1,000	0.5	40.4	100%
1/23/15 14:35	C9, DPE-3, DPE-2	219.10	5946	100.0%	219.1	23.0	7.1	76	157	118	9.6	174	157	134	134	0	700	764	915	3.5	39.3	99.6%
<b>Reporting Period</b>		<b>555.6</b>		<b>99.9%</b>										<b>124</b>								

**Permit Conditions:** <300 <300 >600 >98.5%

**Abbreviations and Notes:**

mm/dd/yy = month/day/year  
 hh:mm = hour : minute  
 inHg = inches of mercury  
 inH<sub>2</sub>O = inches of water  
 °F = degrees Fahrenheit  
 acfm = actual cubic feet per minute  
 scfm = standard cubic feet per minute (flow in scfm = flow in acfm \* [operating pressure{abs} / standard pressure {abs}] \* [standard temperature {abs} / operating temperature {abs}])  
 % = percentage  
 INF-1 = pre-dilution system influent  
 INF-2 = post-dilution system influent  
 NM = not measured  
 LEL = Lower Explosive Limit  
 ppmv = parts per million by volume  
 PID = photo-ionization detector  
 FID = flame ionization detector  
 OVA = organic vapor analyzer  
 ppd = pounds per day  
 1. = INF-2 flow read from chart recorder. INF-2 pressure used to convert acfm to scfm.  
 2. = water in pipe; unable to measure accurate concentration/ LEL readings

**Compliance:**

BAAQMD Requirements:  
 Flow Rate < 300 scfm  
 Oxidizer Temperature > 600 degrees Fahrenheit in electric catalytic mode and > 1400 degrees in thermal catalytic mode  
 Benzene Emission Limit < 0.017ppd  
 Destruction Efficiency (measured as hexane)  
 98.50% VOC >2,000 ppmv  
 97.00% VOC >200 and <2,000 ppmv  
 90.00% VOC < 200 ppmv

Note: If outlet VOC < 10 ppmv, destruction efficiency requirement is waived

Table 4  
Dual Phase Extraction System  
Analytical Data  
Former Chevron Station # 9-5607  
5269 Crow Canyon Road, Castro Valley, California

Date (mm/dd/yy hh:mm)	Concentrations <sup>1</sup>									TPHg			Benzene			MTBE			VOC		Destruction Efficiency (%)
	INF-2				Effluent				Removal Rate <sup>2,6</sup> (ppd)	Cumulative Removed <sup>7</sup> (pounds)	Emission Rate <sup>2,6</sup> (ppd)	Removal Rate <sup>3,6</sup> (ppd)	Cumulative Removed <sup>7</sup> (pounds)	Emission Rate <sup>3,6</sup> (ppd)	Removal Rate <sup>4,6</sup> (ppd)	Cumulative Removed <sup>7</sup> (pounds)	Emission Rate <sup>4,6</sup> (ppd)	Removal Rate <sup>5,6</sup> (ppd)	Emission Rate <sup>5,6</sup> (ppd)		
	Operating Wells	TPHg (ppmv)	Benzene (ppmv)	MTBE (ppmv)	VOC (ppmv)	TPHg (ppmv)	Benzene (ppmv)	MTBE (ppmv)												VOC (ppmv)	
9/12/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	4,200	44	38	4,282	46	0.39	0.19	46.58	348.5	0.0	3.8	3.3	0.0	0.0	0.0	0.0	0.0	355.3	4.0	98.9%
9/29/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	--	--	--	--	--	--	--	--	287.1	72.8	3.1	2.7	0.7	0.0	0.0	0.0	0.0	292.7	3.3	98.9%
10/6/14 11:00	C9, DPE-1 - DPE3, VE-1, VE-2	--	--	--	--	--	--	--	--	292.3	133.2	3.2	2.8	1.3	0.0	0.0	0.0	0.0	298.0	3.3	98.9%
10/13/14 11:00	C9, DPE-1 - DPE-3	1,500	10	< 20	1,530	< 5	< 0.5	< 0.5	< 6.0	109.3	1019.9	0.4	0.7	8.9	0.0	0.0	0.1	0.0	111.4	0.4	99.6%
10/20/14 11:30	C9, DPE-1 - DPE-3	--	--	--	--	--	--	--	--	105.3	1762.0	0.4	0.6	13.3	0.0	0.0	0.4	0.0	107.4	0.4	99.6%
10/27/14 11:00	C9, DPE-1, DPE2	--	--	--	--	--	--	--	--	113.8	2296.2	0.4	0.7	16.6	0.0	0.0	0.6	0.0	116.1	0.5	99.6%
11/6/14 13:15	C9, DPE-2, DPE3	--	--	--	--	--	--	--	--	73.1	2557.0	0.2	0.4	18.2	0.0	0.0	0.6	0.0	74.5	0.2	99.6%
11/21/14 13:50	C9, DPE-2, DPE-3*	558	0.01	0.01	558	0.31	0.0020	< 0.002	0.31	27.0	2950.0	0.0	0.0	19.9	0.0	0.0	0.7	0.0	27.0	0.0	99.9%
12/2/14 15:15	C9, DPE-2, DPE-3	1,000	12	9	1,021	0.23	0.0012	< 0.001	0.23	42.6	3114.3	0.0	0.5	21.0	0.0	0.0	0.7	0.0	43.5	0.0	100.0%
12/16/14 11:30	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	32.0	3501.4	0.0	0.3	25.2	0.0	0.0	0.7	0.0	32.6	0.0	100.0%
12/31/14 10:30	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	35.9	4008.9	0.0	0.4	30.7	0.0	0.0	0.7	0.0	36.6	0.0	100.0%
1/14/15 11:25	C9, DPE-2, DPE-3	870	13	4.7	888	0.08	< 0.001	< 0.001	0.08	35.1	4506.7	0.0	0.5	36.8	0.0	0.0	0.7	0.0	35.8	0.0	100.0%
1/23/15 14:35	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	37.4	4837.5	0.0	0.5	41.3	0.0	0.0	0.7	0.0	38.1	0.0	100.0%
Permit conditions													<0.017 ppd						>98.5% for >2,000 ppm inlet >97% for >200-<2,000 ppm inlet >90% for <200 ppm inlet		
Period Pounds Removed <sup>9</sup> :										TPHg = 829		Benzene = 11		MTBE = 0							
Total Pounds Removed:										TPHg = 4,838		Benzene = 41.3		MTBE = 0.74							

**Notes:**

1. TPHg, Benzene, and MTBE analyzed by EPA Method 8015/8020. Vapor samples were collected in 1-liter tedlar bags unless otherwise noted.
2. Molecular weight of TPHg assumed to be 86 lb/lb-mole as hexane.
3. Molecular weight of Benzene assumed to be 78 lb/lb-mole.
4. Molecular weight of MTBE assumed to be 88 lb/lb-mole.
5. Molecular weight of VOCs assumed to be 86 lb/lb-mole as hexane.
6. Removal/Emission Rate (ppd) = C (ppmv) x Q (scfm) x (1lb-mole/386ft<sup>3</sup>) x MW (lb/lb-mole) x 60 min/hr x 24 hr/day x 10<sup>-9</sup>  
C = concentration = concentration  
Q = flow = flow  
MW = molecular weight = molecular weight
7. Cumulative TPHg / Benzene / MTBE removed = Previous Total + (Average of Previous and Current Removal Rates \* Operation Interval)
8. Influent not measured due to water in vapor stream. Individual well samples were collected at a lower vacuum at this time.
- 9 Reporting period from December 31, 2014 through January 23, 2015

**BAAQMD Requirements:**

- Flow Rate < 300 scfm
  - Oxidizer Temperature > 600 deg Fahrenheit in electric catalytic mode and > 1400 degrees in thermal catalytic mode
  - Benzene Emission Limit < 0.017 ppd
  - Destruction efficiency (measured as hexane)
    - 98.50% VOC > 2,000 ppmv
    - 97.00% VOC > 200 and < 2,000 ppmv
    - 90.00% VOC < 200 ppmv
- Note: If outlet VOC < 10 ppmv, destruction efficiency requirement is waived

**Abbreviations:**

- mm/dd/yy = month/day/year
- hh:mm = hours : minutes
- TPHg #NAME?
- MTBE = methyl tertiary butyl ether
- VOC = volatile organic compounds
- ppmv = parts per million by volume
- ppd = pounds per day
- NA = not applicable
- NM = not measured
- lb = pounds
- ft<sup>3</sup> = cubic feet
- scfm = standard cubic feet per minute
- INF-1 = pre-dilution system influent
- INF-2 = post-dilution system influent
- TBD = Sample taken during this time and are awaiting results

ATTACHMENT A

LABORATORY ANALYTICAL REPORTS

1/28/2015

Ms. Judy Gilbert  
Conestoga-Rovers Associates (CRA)  
5900 Hollis Street  
Suite A  
Emeryville CA 94608

Project Name: Castro Valley  
Project #: 311950 2014.7 94.09  
Workorder #: 1501154

Dear Ms. Judy Gilbert

The following report includes the data for the above referenced project for sample(s) received on 1/15/2015 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-3 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Kyle Vagadori at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Kyle Vagadori  
Project Manager

**WORK ORDER #: 1501154**

Work Order Summary

<b>CLIENT:</b>	Ms. Judy Gilbert Conestoga-Rovers Associates (CRA) 5900 Hollis Street Suite A Emeryville, CA 94608	<b>BILL TO:</b>	Accounts Payable Chevron U.S.A. Inc. 6001 Bollinger Canyon Road L4310 San Ramon, CA 94583
<b>PHONE:</b>	510-420-3314	<b>P.O. #</b>	311950 2014.7 94.09
<b>FAX:</b>	510-420-9170	<b>PROJECT #</b>	311950 2014.7 94.09 Castro Valley
<b>DATE RECEIVED:</b>	01/15/2015	<b>CONTACT:</b>	Kyle Vagadori
<b>DATE COMPLETED:</b>	01/28/2015		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	EFF	Modified TO-3	Tedlar Bag	Tedlar Bag
02A	INF	Modified TO-3	Tedlar Bag	Tedlar Bag
03A	Lab Blank	Modified TO-3	NA	NA
04A	LCS	Modified TO-3	NA	NA
04AA	LCSD	Modified TO-3	NA	NA
04B	LCS	Modified TO-3	NA	NA
04BB	LCSD	Modified TO-3	NA	NA

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 01/28/15

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,  
 TX NELAP - T104704343-14-7, UT NELAP CA009332014-5, VA NELAP - 460197, WA NELAP - C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
 Accreditation number: CA300005, Effective date: 10/18/2014, Expiration date: 10/17/2015.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

**LABORATORY NARRATIVE**  
**Modified TO-3**  
**Conestoga-Rovers Associates (CRA)**  
**Workorder# 1501154**

Two 1 Liter Tedlar Bag samples were received on January 15, 2015. The laboratory performed analysis for volatile organic compounds in air via modified EPA Method TO-3 using gas chromatography with photo ionization and flame ionization detection. The TPH results are calculated using the response of Gasoline. A molecular weight of 100 is used to convert the TPH ppmv result to ug/L. The method involves concentrating up to 200 mL of sample. The concentrated aliquot is then dry purged to remove water vapor prior to entering the chromatographic system.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-3</i>	<i>ATL Modifications</i>
Daily Calibration Standard Frequency	Prior to sample analysis and every 4 - 6 hrs	Prior to sample analysis and after the analytical batch <math>\leq 20</math> samples.
Initial Calibration Calculation	4-point calibration using a linear regression model	5-point calibration using average Response Factor
Initial Calibration Frequency	Weekly	When daily calibration standard recovery is outside 75 - 125 %, or upon significant changes to procedure or instrumentation
Moisture Control	Nafion system	Sorbent system
Minimum Detection Limit (MDL)	Calculated using the equation $DL = A + 3.3S$ , where A is intercept of calibration line and S is the standard deviation of at least 3 reps of low level standard	40 CFR Pt. 136 App. B
Preparation of Standards	Levels achieved through dilution of gas mixture	Levels achieved through loading various volumes of the gas mixture

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

Total Xylenes concentration is calculated by summing the individual concentrations of m,p-Xylene and O-Xylene.

The recovery of surrogate Fluorobenzene in sample INF was outside control limits due to high level hydrocarbon matrix interference. Data is reported as qualified.

---

### **Definition of Data Qualifying Flags**

Seven qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in laboratory blank greater than reporting limit.
- J - Estimated value.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the detection limit.
- M - Reported value may be biased due to apparent matrix interferences.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

**Summary of Detected Compounds  
MODIFIED EPA METHOD TO-3 GC/PID/FID**

**Client Sample ID: EFF**

**Lab ID#: 1501154-01A**

<b>Compound</b>	<b>Rpt. Limit (ppmv)</b>	<b>Rpt. Limit (ug/L)</b>	<b>Amount (ppmv)</b>	<b>Amount (ug/L)</b>
Toluene	0.0010	0.0038	0.0040	0.015
Total Xylenes	0.0020	0.0087	0.0031	0.014
TPH (Gasoline Range)	0.025	0.10	0.076	0.31

**Client Sample ID: INF**

**Lab ID#: 1501154-02A**

<b>Compound</b>	<b>Rpt. Limit (ppmv)</b>	<b>Rpt. Limit (ug/L)</b>	<b>Amount (ppmv)</b>	<b>Amount (ug/L)</b>
Benzene	0.050	0.16	13	42
Toluene	0.050	0.19	2.4	9.2
Ethyl Benzene	0.050	0.22	2.0	8.8
Total Xylenes	0.10	0.43	10	46
Methyl tert-butyl ether	0.050	0.18	4.7	17
TPH (Gasoline Range)	1.2	5.1	870	3600





Air Toxics

Client Sample ID: EFF

Lab ID#: 1501154-01A

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

<b>File Name:</b>	<b>d011607</b>	<b>Date of Collection:</b> 1/14/15 12:45:00 PM
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 1/16/15 11:55 AM

<b>Compound</b>	<b>Rpt. Limit (ppmv)</b>	<b>Rpt. Limit (ug/L)</b>	<b>Amount (ppmv)</b>	<b>Amount (ug/L)</b>
Benzene	0.0010	0.0032	Not Detected	Not Detected
Toluene	0.0010	0.0038	0.0040	0.015
Ethyl Benzene	0.0010	0.0043	Not Detected	Not Detected
Total Xylenes	0.0020	0.0087	0.0031	0.014
Methyl tert-butyl ether	0.0010	0.0036	Not Detected	Not Detected
TPH (Gasoline Range)	0.025	0.10	0.076	0.31

**Container Type: 1 Liter Tedlar Bag**

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (FID)	107	75-150
Fluorobenzene (PID)	109	75-125

Client Sample ID: INF

Lab ID#: 1501154-02A

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

<b>File Name:</b>	<b>d011608</b>	<b>Date of Collection:</b> 1/14/15 12:30:00 PM
<b>Dil. Factor:</b>	<b>50.0</b>	<b>Date of Analysis:</b> 1/16/15 12:27 PM

<b>Compound</b>	<b>Rpt. Limit (ppmv)</b>	<b>Rpt. Limit (ug/L)</b>	<b>Amount (ppmv)</b>	<b>Amount (ug/L)</b>
Benzene	0.050	0.16	13	42
Toluene	0.050	0.19	2.4	9.2
Ethyl Benzene	0.050	0.22	2.0	8.8
Total Xylenes	0.10	0.43	10	46
Methyl tert-butyl ether	0.050	0.18	4.7	17
TPH (Gasoline Range)	1.2	5.1	870	3600

Q = Exceeds Quality Control limits, possibly due to matrix effects.

**Container Type: 1 Liter Tedlar Bag**

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (FID)	289 Q	75-150
Fluorobenzene (PID)	251 Q	75-125



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1501154-03A

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

<b>File Name:</b>	<b>d011606</b>	<b>Date of Collection:</b> NA
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 1/16/15 11:12 AM

<b>Compound</b>	<b>Rpt. Limit (ppmv)</b>	<b>Rpt. Limit (ug/L)</b>	<b>Amount (ppmv)</b>	<b>Amount (ug/L)</b>
Benzene	0.0010	0.0032	Not Detected	Not Detected
Toluene	0.0010	0.0038	Not Detected	Not Detected
Ethyl Benzene	0.0010	0.0043	Not Detected	Not Detected
Total Xylenes	0.0020	0.0087	Not Detected	Not Detected
Methyl tert-butyl ether	0.0010	0.0036	Not Detected	Not Detected
TPH (Gasoline Range)	0.025	0.10	Not Detected	Not Detected

Container Type: NA - Not Applicable

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (FID)	98	75-150
Fluorobenzene (PID)	100	75-125



Air Toxics

Client Sample ID: LCS

Lab ID#: 1501154-04A

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

File Name:	d011602	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/16/15 07:52 AM

<b>Compound</b>	<b>%Recovery</b>	<b>Method Limits</b>
TPH (Gasoline Range)	86	75-125

Container Type: NA - Not Applicable

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (FID)	98	75-150



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1501154-04AA

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

File Name:	d011615	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/16/15 05:08 PM

<b>Compound</b>	<b>%Recovery</b>	<b>Method Limits</b>
TPH (Gasoline Range)	78	75-125

Container Type: NA - Not Applicable

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (FID)	99	75-150



Air Toxics

Client Sample ID: LCS

Lab ID#: 1501154-04B

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

File Name:	d011605b	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 1/16/15 10:16 AM

Compound	%Recovery	Method Limits
Benzene	90	75-125
Toluene	95	75-125
Ethyl Benzene	106	75-125
Total Xylenes	113	75-125
Methyl tert-butyl ether	94	75-125

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (PID)	97	75-125



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1501154-04BB

**MODIFIED EPA METHOD TO-3 GC/PID/FID**

<b>File Name:</b>	<b>d011614b</b>	<b>Date of Collection:</b> NA
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 1/16/15 04:19 PM

<b>Compound</b>	<b>%Recovery</b>	<b>Method Limits</b>
Benzene	86	75-125
Toluene	91	75-125
Ethyl Benzene	102	75-125
Total Xylenes	108	75-125
Methyl tert-butyl ether	89	75-125

**Container Type: NA - Not Applicable**

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
Fluorobenzene (PID)	120	75-125

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

ChevronTexaco  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

January 28, 2015

Project: 95607

Submittal Date: 01/17/2015  
Group Number: 1532028  
PO Number: 0015164161  
Release Number: HETRICK

State of Sample Origin: CA

Client Sample Description

EFF-1-W-150114 Grab Groundwater  
MID-1-W-150114 Grab Groundwater  
INF-1-W-150114 Grab Groundwater

Lancaster Labs (LL) #

7742961  
7742963  
7742964

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
ELECTRONIC COPY TO

Chevron  
CRA  
CRA

Attn: CRA EDD  
Attn: Judy Gilbert  
Attn: Darrell Smolko



Respectfully Submitted,



Amek Carter  
Specialist

(717) 556-7252

Sample Description: **EFF-1-W-150114 Grab Groundwater**  
**Facility# 95607 CRAW**  
**5269 Crow Canyon-Castro Va T0600100344**

LL Sample # **WW 7742961**  
 LL Group # **1532028**  
 Account # **10880**

Project Name: **95607**

Collected: 01/14/2015 13:45 by DS

ChevronTexaco

6001 Bollinger Canyon Rd L4310

Submitted: 01/17/2015 10:10

San Ramon CA 94583

Reported: 01/28/2015 09:45

CCCE1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>			<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>			<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

### General Sample Comments

CA ELAP Lab Certification No. 2792

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	P150212AA	01/21/2015 08:29	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P150212AA	01/21/2015 08:29	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15021B20A	01/21/2015 18:37	Brett W Kenyon	1
01146	GC VOA Water Prep	SW-846 5030B	1	15021B20A	01/21/2015 18:37	Brett W Kenyon	1

\*=This limit was used in the evaluation of the final result

Sample Description: MID-1-W-150114 Grab Groundwater  
Facility# 95607 CRAW  
5269 Crow Canyon-Castro Va T0600100344

LL Sample # WW 7742963  
LL Group # 1532028  
Account # 10880

Project Name: 95607

Collected: 01/14/2015 13:35 by DS

ChevronTexaco

6001 Bollinger Canyon Rd L4310

Submitted: 01/17/2015 10:10

San Ramon CA 94583

Reported: 01/28/2015 09:45

CCCM1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>			ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>			ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

### General Sample Comments

CA ELAP Lab Certification No. 2792

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	F150202AA	01/20/2015 09:02	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F150202AA	01/20/2015 09:02	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15020A20A	01/20/2015 13:52	Brett W Kenyon	1
01146	GC VOA Water Prep	SW-846 5030B	1	15020A20A	01/20/2015 13:52	Brett W Kenyon	1

\*=This limit was used in the evaluation of the final result

Sample Description: INF-1-W-150114 Grab Groundwater  
Facility# 95607 CRAW  
5269 Crow Canyon-Castro Va T0600100344

LL Sample # WW 7742964  
LL Group # 1532028  
Account # 10880

Project Name: 95607

Collected: 01/14/2015 13:30 by DS

ChevronTexaco

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 01/17/2015 10:10

Reported: 01/28/2015 09:45

CCCC11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>			<b>SW-846 8260B</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>
10945	Benzene	71-43-2	290	3	5	5
10945	Ethylbenzene	100-41-4	33	3	5	5
10945	Methyl Tertiary Butyl Ether	1634-04-4	3 J	3	5	5
10945	Toluene	108-88-3	36	3	5	5
10945	Xylene (Total)	1330-20-7	390	3	5	5
<b>GC Volatiles</b>			<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>
01728	TPH-GRO N. CA water C6-C12	n.a.	3,700	250	500	5

### General Sample Comments

CA ELAP Lab Certification No. 2792  
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	P150212AA	01/21/2015 09:54	Anita M Dale	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P150212AA	01/21/2015 09:54	Anita M Dale	5
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15021B20A	01/21/2015 19:04	Brett W Kenyon	5
01146	GC VOA Water Prep	SW-846 5030B	1	15021B20A	01/21/2015 19:04	Brett W Kenyon	5

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 01/28/15 at 09:45 AM

Group Number: 1532028

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F150202AA	Sample number(s): 7742963								
Benzene	N.D.	0.5	1	ug/l	91		78-120		
Ethylbenzene	N.D.	0.5	1	ug/l	91		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	99		75-120		
Toluene	N.D.	0.5	1	ug/l	92		80-120		
Xylene (Total)	N.D.	0.5	1	ug/l	94		80-120		
Batch number: P150212AA	Sample number(s): 7742961,7742964								
Benzene	N.D.	0.5	1	ug/l	102		78-120		
Ethylbenzene	N.D.	0.5	1	ug/l	89		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	108		75-120		
Toluene	N.D.	0.5	1	ug/l	92		80-120		
Xylene (Total)	N.D.	0.5	1	ug/l	95		80-120		
Batch number: 15020A20A	Sample number(s): 7742963								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	125	125	80-139	0	30
Batch number: 15021B20A	Sample number(s): 7742961,7742964								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	123	120	80-139	2	30

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F150202AA	Sample number(s): 7742963 UNSPK: P740592								
Benzene	98	97	72-134	0	30				
Ethylbenzene	98	96	71-134	2	30				
Methyl Tertiary Butyl Ether	100	99	72-126	1	30				
Toluene	100	97	80-125	3	30				
Xylene (Total)	100	97	79-125	3	30				
Batch number: P150212AA	Sample number(s): 7742961,7742964 UNSPK: 7742961								
Benzene	104	103	72-134	1	30				
Ethylbenzene	92	91	71-134	1	30				
Methyl Tertiary Butyl Ether	105	105	72-126	1	30				
Toluene	92	91	80-125	1	30				
Xylene (Total)	97	96	79-125	0	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 01/28/15 at 09:45 AM

Group Number: 1532028

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX/MTBE  
Batch number: F150202AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7742963	102	100	100	98
Blank	102	100	100	97
LCS	103	103	100	99
MS	102	102	102	101
MSD	103	103	100	99
Limits:	80-116	77-113	80-113	78-113

Analysis Name: BTEX/MTBE  
Batch number: P150212AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7742961	109	99	92	95
7742964	109	99	93	97
Blank	109	96	93	97
LCS	109	104	92	98
MS	109	103	92	97
MSD	110	103	92	98
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 15020A20A

	Trifluorotoluene-F
7742963	88
Blank	90
LCS	92
LCSD	93
Limits:	63-135

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 15021B20A

	Trifluorotoluene-F
7742961	86
7742964	93
Blank	86
LCS	91
LCSD	93
Limits:	63-135

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



**Lancaster Laboratories Environmental**

011615-01

Acct. # 10880

Group # 1532028

Sample # 7742961-64

Client: <b>Chevron EMC</b>		Site ID #: 95607		Matrix <input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Other:		Analyses Requested			For Lab Use Only			
Project Name/#: Castro Valley		P.O. #: Direct Bill To Chevron				Preservation Codes			SF #: _____			
Project Manager: Judy Gilbert		PWSID #:		Total # of Containers			TPH-g by 8015M BTEX by 8260 MTBE by 8260			SCR #: _____		
Sampler: <i>David Smolko</i>		Quote #:										
Phone #: <u>925 334 8617</u>		State where sample(s) were collected: <u>CA</u> GWE Effluent										
State where sample(s) were collected: <u>CA</u> GWE Effluent										Preservation Codes H = HCl                      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> P = H <sub>3</sub> PO <sub>4</sub> O = Other		
<b>Sample Identification</b>		<b>Collection</b>							<b>Remarks</b>			
	Date	Time	Grab	Composite	Soil	Water	Other:					
EFF-1	1/14/15	1:15	X			X		6	X	X	X	
MID-2	↓	1:40	X			X		6	X	X	X	HOLD MID-2, SAMPLE ONLY IF MID-1 > N.D.
MID-1	↓	1:35	X			X		6	X	X	X	
INF-1	↓	1:30	X			X		6	X	X	X	
<b>Turnaround Time Requested (TAT)</b> (please check):		Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>		Relinquished by: <i>David Smolko</i>		Date	Time	Received by:	Date	Time		
(Rush TAT is subject to laboratory approval and surcharges.)						1/14/15	2:00	<i>[Signature]</i>	1/14/15	1:35		
Date results are needed:		Rush results requested by (please check):		Relinquished by: <i>A. Salazar</i>		Date	Time	Received by:	Date	Time		
E-mail Address: <u>jjgilbert@craworld.com</u> <u>dsmolko@craworld.com</u>		E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>				1/16/15	16:38	FEDEX				
Phone:				Relinquished by:		Date	Time	Received by:	Date	Time		
<b>Data Package Options</b> (please check if required)		Type I (Validation/non-CLP) <input type="checkbox"/> MA MCP <input type="checkbox"/>		Relinquished by:		Date	Time	Received by:	Date	Time		
Type III (Reduced non-CLP) <input type="checkbox"/> CT RCP <input type="checkbox"/>		Type IV (CLP SOW) <input type="checkbox"/> TX TRRP-13 <input type="checkbox"/>										
Type VI (Raw Data Only) <input type="checkbox"/>				Relinquished by:		Date	Time	Received by: <i>[Signature]</i>	Date	Time		
									1/17/15	10:10		
<b>EDD Required?</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		If yes, format: <u>Zip File</u>		Relinquished by Commercial Carrier:		UPS _____ FedEx _____ Other _____			Temperature upon receipt <u>0.7</u> °C			

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m<sup>3</sup></b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter
<b>&lt;</b>	less than		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## Laboratory Data Qualifiers:

- B - Analyte detected in the blank
- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value  $\geq$  the Method Detection Limit (MDL or DL) and the  $<$  Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column  $>40\%$ . The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column  $>100\%$ . The reporting limit is raised due to this disparity and evident interference...

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

## Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, ISO17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.