



Carryl MacLeod
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6506
cmacleod@chevron.com

January 26, 2016

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Former Chevron Service Station 95607
5269 Crow Canyon Road
Castro Valley, CA
ACEH Case #RO 0350

RECEIVED

By Alameda County Environmental Health 10:01 am, Jan 28, 2016

I have reviewed the attached Monthly Remedial Progress Report – December 2015.

The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by GHD Services Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in cursive script that reads "Carryl MacLeod".

Carryl MacLeod
Project Manager

Attachment: Monthly Remedial Progress Report – December 2015



January 26, 2016

Reference No. 311950

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway
Alameda, California 94502

Re: Monthly Remedial Progress Report – December 2015
Former Chevron Station 9-5607
5269 Crow Canyon Road
Castro Valley, California
Fuel Leak Case RO0350

Dear Mr. Detterman:

GHD Services Inc. (GHD), on behalf of Chevron Environmental Management Company (EMC), is providing this *Monthly Remedial Progress Report – December 2015* (Report), for the site referenced above (Figure 1). This report was prepared in accordance with Alameda County Environmental Health Services (ACEHS) Approval of the Remedial Action Plan, dated December 11, 2013. This report includes a monthly and cumulative summary of the dual-phase extraction (DPE) system operations for the reporting period between November 26, 2015 and December 26, 2015 (Tables 1 through 4).

The soil vapor extraction (SVE) and groundwater extraction and treatment (GWET) systems (collectively referred to as the DPE system) operated continuously from November 26, 2015 until a temporary shutdown occurred on December 17, 2015 due to a high holding tank alarm. The DPE system was restarted on December 21, 2015. In addition, the DPE system shutdown sometime between December 25 and December 26, 2015 due to unknown causes. The DPE system was restarted on January 5, 2016. On December 2, 2015, GHD collected compliance effluent samples from the SVE and GWET systems. During the reporting period, approximately 0.07 pounds of TPHg and 0.0002 pounds of benzene were removed via the dissolved phase (Table 2). In addition, approximately 4,192 pounds of TPHg and 46.0 pounds of benzene were removed via the vapor phase (Table 4). A summary of the DPE system operational performance for the month of December 2015 is presented below.

VAPOR-PHASE EXTRACTION DATA - DECEMBER 2015

Soil Vapor Influent Flow Rate (average scfm)	134 scfm
Soil Vapor Laboratory Influent Concentrations (TPHg ppmv)	3,700 ppmv
Soil Vapor Laboratory Influent Concentrations (Benzene ppmv)	52 ppmv
Soil Vapor Mass Removal (lb TPHg/period)	4,192 pounds
Soil Vapor Mass Removal (lb Benzene/period)	46.0 pounds
Soil Vapor Extraction Period Operating Uptime (hours)	641.9 hours
Soil Vapor Treatment Destruction Efficiency (%)	100%

ppmv – parts per million by volume

scfm – standard cubic feet per minute

DISSOLVED-PHASE EXTRACTION DATA - DECEMBER 2015

Maximum Groundwater Extraction Rate (gpm)	1.01 gpm
Average Groundwater Extraction Rate (gpm)	0.64 gpm
Dissolved-Phase Mass Removal Rate (lb TPHg/period)	0.07 pounds
Dissolved-Phase Mass Removal Rate (lb Benzene/period)	0.0002 pounds
Total Volume Groundwater Treated (gallons)	24,600 gallons
Groundwater Extraction Period Operating Uptime (hours)	641.9 hours

gpm – gallons per minute

Please contact Judy Gilbert of GHD at (510) 420-3314, if you have any questions or comments.

Sincerely,
GHD



DATED:


Matthew B. Smith, PE 82552

MBS/mws/56

Figure 1	General Site Plan
Table 1	Groundwater Extraction & Treatment System – Influent and Effluent Hydrocarbon Concentration Data
Table 2	Groundwater Extraction & Treatment System - Operational Data and Dissolved Phase Hydrocarbons Mass Removal Data
Table 3	Soil Vapor Extraction System - Operational Data
Table 4	Soil Vapor Extraction System - Analytical and Mass Removal Data
Attachment A	Eurofins Lancaster Laboratory Analytical Report
Attachment B	Eurofins Air Toxics Laboratory Analytical Report

c.c.: Ms. Carryl MacLeod, Chevron EMC (*electronic copy*)
Mr. Kevin Hinkley, Property Owner
Ms. Diane Riggs, Forest Creek Townhomes Association

Figure



CLIENT

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY

PROJECT

FORMER CHEVRON STATION #9-5607
5269 CROW CANYON ROAD
CASTRO VALLEY, CA

TITLE

GENERAL SITE PLAN

PROJECT #311950

DRAWING STATUS

N ^o	Revision	Date	By
1	RELOCATE GWE TRAILER	10/12/13	DK
1	ADD SVE-1 AND SVE-2	10/23/13	DK
2	RELOCATE GWE TRAILER	3/25/14	DS
3	AS-BUILT	10/10/14	DS

SCALE VERIFICATION
THIS BAR MEASURES 1" ON ORIGINAL.



GHD
5900 HOLLIS STREET, SUITE A
EMERYVILLE CA 94608
PHONE: 510.420.0700
FAX: 510.420.9170
WWW.GHD.COM

Source Reference:

Designed By: DS	Date: 10/10/2014	Drawing N ^o : FIG 1
Drafted By: DS	Date: 10/10/2014	
Reviewed By: DK	Date: 10/23/2014	
Scale: 1:10		

EXPLANATION

- C-1 ● Monitoring Well Location
- RW-1 ● Recovery Well Location
- - - - - Underground Electrical Line (E)
- - - - - Underground Gas Line (G)
- - - - - Underground Phone/Cable Line
- - - - - Underground Water Line (W)
- - - - - Underground Sanitary Sewer (SS)
- - - - - Existing Underground Remediation Pipe
- ☐ Storm Drain Inlet / Catch Basin
- ⊗ ⊘ ⊙ Utility Box/Vault/Cleanout

Tables

Table 1
Groundwater Extraction and Treatment System
Influent and Effluent Hydrocarbon Concentration Data
Former Chevron Station # 9-5607
5269 Crow Canyon Road, Castro Valley, California

Sample Date (mm/dd/yy)	Influent						Midfluent 1						Midfluent 2						Effluent					pH ^a		
	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)	MTBE Conc. (µg/L)	TPHg Conc. (µg/L)	Benzene Conc. (µg/L)	Toluene Conc. (µg/L)	Ethylbenzene Conc. (µg/L)	Xylenes Conc. (µg/L)		MTBE Conc. (µg/L)	
09/12/14	6,000	1,800	19	120	94	4.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.4
10/13/14	7,500	1,600	37	76	630	4.0	<50	2.0	<0.5	<0.5	<0.5	<0.5	NM	<0.5	<0.5	<0.5	<0.5	<0.5	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
11/06/14	8,000	990	140	100	590	<10	<50	2.0	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
12/02/14	7,000	780	150	160	810	4.0	<50	2.0	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.3
01/14/15	3,700	290	36	33	390	3.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
02/04/15	4,100	190	14	<0.5	350	3.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
03/03/15	4,300	280	45	43	320	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.8
04/16/15	1,800	180	6.0	0.8	92	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
05/14/15	2,900	570	16	42	89	3.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
06/23/15	380	3.0	<0.5	<0.5	5.0	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.2
07/20/15	480	2.0	<0.5	<0.5	6.0	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
08/05/15	380	1.0	<0.5	<0.5	3.0	3.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
09/02/15	1,300	120	3.0	2.0	14	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.2
10/01/15	1,100	56	1.0	0.7 J	6.0	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	7.4
11/09/15	340	1.0	<0.5	<0.5	1.0	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
12/02/15	360	1.0	<0.5	<0.5	0.9 J	2.0	<50	<0.5	<0.5	<0.5	<0.5	<0.5	NM	NM	NM	NM	NM	NM	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Notes and Abbreviations:

mm/dd/yy = month/day/year

Conc. = concentration

TPHg = total petroleum hydrocarbons quantified as gasoline

MTBE = methyl tertiary butyl ether

µg/L = micrograms per liter

<X.X = not detected at or below the detection limit indicated

a = pH measured in the field

J = estimated value ≥ the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)

NM = Not measured due to nondetect at MID-1

TPHg analyzed by EPA Method 8015M.

Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B.

MTBE analyzed by EPA Method 8260B.

Table 2
Groundwater Extraction and Treatment System
Operational Data and Dissolved Phase Hydrocarbons Mass Removal Data
Former Chevron Station # 9-5607
5269 Crow Canyon Road, Castro Valley, California

Date (mm/dd/yy)	Well IDs	Operatin Time ¹ (hours)	Totalizer Reading (gallons)	Period Volume (gallons)	Period Operational Flow Rate (gpm)	Cumulative Volume (gallons)	TPHg			Benzene			MTBE														
							TPHg Concentration (µg/L)	Period Removal ² (pounds)	Cumulative Removal (pounds)	Benzene Concentration (µg/L)	Period Removal ² (pounds)	Cumulative Removal (pounds)	MTBE Concentration (µg/L)	Period Removal ² (pounds)	Cumulative Removal (pounds)												
9/12/14 9:00	DPE-1 - DPE-3, C-9	---	330,400	0	---	0	---	---	---	---	---	---	---	---	---												
9/12/14 14:00	DPE-1 - DPE-3, C-9	5.0	331,500	1,100	3.67	1,100	6,000	0.06	0.06	1,800	0.02	0.02	4.0	0.00004	0.00004												
9/29/14 14:00	DPE-1 - DPE-3, C-9	5.5	332,000	500	1.52	1,600	---	0.03	0.08	---	0.01	0.02	---	0.00002	0.00005												
10/6/14 11:00	DPE-1 - DPE-3, C-9	5.0	332,700	700	2.33	2,300	---	0.04	0.12	---	0.01	0.03	---	0.00002	0.00008												
10/13/14 14:00	DPE-1 - DPE-3, C-9	106.0	341,085	8,385	1.32	10,685	7,500	0.52	0.64	1,600	0.11	0.15	4.0	0.0003	0.0004												
10/20/14 11:30	DPE-1 - DPE-3, C-9	166.0	348,600	7,515	0.75	18,200	---	0.47	1.1	---	0.10	0.25	---	0.0003	0.0006												
10/27/14 11:00	DPE-1 - DPE-3, C-9	117.0	354,200	5,600	0.80	23,800	---	0.35	1.5	---	0.07	0.32	---	0.0002	0.0008												
11/6/14 13:15	DPE-1 - DPE-3, C-9	67.0	364,390	10,190	2.53	33,990	8,000	0.68	2.1	990	0.08	0.41	10	0.0009	0.002												
11/21/14 13:50	DPE-1 - DPE-3, C-9	188.6	373,033	8,643	0.76	42,633	---	0.58	2.7	---	0.07	0.48	---	0.0007	0.002												
12/2/14 15:15	DPE-1 - DPE-3, C-9	113.3	379,635	6,602	0.97	49,235	7,000	0.39	3.1	780	0.04	0.52	4.0	0.0002	0.003												
12/16/14 11:30	DPE-1 - DPE-3, C-9	249.1	399,600	19,965	1.34	69,200	---	1.17	4.3	---	0.13	0.65	---	0.0007	0.003												
12/31/14 10:30	DPE-1 - DPE-3, C-9	359.1	436,625	37,025	1.72	106,225	---	2.16	6.4	---	0.24	0.89	---	0.001	0.004												
1/14/15 11:25	DPE-1 - DPE-3, C-9	336.5	461,160	24,535	1.22	130,760	3,700	0.76	7.2	290	0.06	0.95	3.0	0.0006	0.005												
1/23/15 14:35	DPE-1 - DPE-3, C-9	219.1	472,688	11,528	0.88	142,288	---	0.36	7.5	---	0.03	0.98	---	0.0003	0.005												
2/4/15 11:00	DPE-1 - DPE-3, C-9	281.0	486,220	13,532	0.80	155,820	4,100	0.46	8.0	190	0.02	1.0	3.0	0.0003	0.006												
2/17/15 14:30	DPE-1 - DPE-3, C-9	82.3	491,310	5,090	1.03	160,910	---	0.17	8.2	---	0.01	1.0	---	0.0001	0.006												
3/3/15 14:25	DPE-1 - DPE-3, C-9	167.0	504,915	13,605	1.36	174,515	4,300	0.49	8.7	280	0.03	1.0	2.0	0.0002	0.006												
3/11/15 11:45	DPE-1 - DPE-3, C-9	25.9	507,364	2,449	1.58	176,964	---	0.09	8.8	---	0.01	1.0	---	0.00004	0.006												
3/16/15 12:00	DPE-1 - DPE-3, C-9	28.7	509,837	2,473	1.44	179,437	---	0.09	8.8	---	0.01	1.1	---	0.00004	0.006												
4/2/15 9:30	DPE-1 - DPE-3, C-9	223.8	525,400	15,563	1.16	195,000	---	0.56	9.4	---	0.04	1.1	---	0.0003	0.006												
4/16/15 14:30	DPE-1 - DPE-3, C-9	340.8	546,110	20,710	1.01	215,710	1,800	0.31	9.7	180	0.03	1.1	2.0	0.0003	0.007												
4/30/15 10:20	DPE-1 - DPE-3, C-9	236.9	559,100	12,990	0.91	228,700	---	0.20	9.9	---	0.02	1.1	---	0.0002	0.007												
5/14/15 12:15	DPE-1 - DPE-3, C-9	21.2	562,200	3,100	2.44	231,800	2,900	0.08	10.0	570	0.01	1.2	3.0	0.0001	0.007												
5/29/15 9:30	DPE-1 - DPE-3, C-9	259.6	576,000	13,800	0.89	245,600	---	0.33	10.3	---	0.07	1.2	---	0.0002	0.007												
6/23/15 11:45	DPE-1 - DPE-3, C-9	602.3	597,000	21,000	0.58	266,600	380	0.07	10.4	3.0	0.0005	1.2	2.0	0.0004	0.008												
7/20/15 9:00	DPE-1 - DPE-3, C-9	645.2	616,830	19,830	0.51	286,430	480	0.08	10.5	2.0	0.0003	1.2	2.0	0.0003	0.008												
8/5/15 15:15	DPE-1 - DPE-3, C-9	390.2	627,335	10,505	0.45	296,935	380	0.03	10.5	1.0	0.0001	1.2	3.0	0.0003	0.008												
8/19/15 15:00	DPE-1 - DPE-3, C-9	335.8	635,900	8,565	0.43	305,500	---	0.03	10.5	---	0.0001	1.2	---	0.0002	0.008												
9/2/15 14:00	DPE-1 - DPE-3, C-9	239.0	641,700	5,800	0.40	311,300	1,300	0.06	10.6	120	0.006	1.2	2.0	0.0001	0.009												
9/16/15 17:30	DPE-1 - DPE-3, C-9	339.5	649,900	8,200	0.40	319,500	---	0.09	10.7	---	0.008	1.2	---	0.0001	0.009												
10/1/15 14:00	DPE-1 - DPE-3, C-9	356.5	650,430	530	0.02	320,030	1,100	0.005	10.7	56	0.0002	1.2	2.0	0.00001	0.009												
10/22/15 18:30	DPE-1 - DPE-3, C-9	342.1	661,400	10,970	0.53	331,000	---	0.10	10.8	---	0.005	1.2	---	0.0002	0.009												
10/28/15 16:37	DPE-1 - DPE-3, C-9	142.1	663,200	1,800	0.21	332,800	---	0.02	10.8	---	0.0008	1.2	---	0.00003	0.009												
11/9/15 12:15	DPE-1 - DPE-3, C-9	283.6	669,730	6,530	0.38	339,330	340	0.02	10.8	1.0	0.0001	1.2	2.0	0.00011	0.009												
11/18/15 13:10	DPE-1 - DPE-3, C-9	111.1	670,913	1,183	0.18	340,513	---	0.00	10.8	---	0.00001	1.2	---	0.00002	0.009												
11/25/15 17:34	DPE-1 - DPE-3, C-9	118.8	674,400	3,487	0.49	344,000	---	0.01	10.8	---	0.00003	1.2	---	0.00006	0.009												
12/2/15 11:20	DPE-1 - DPE-3, C-9	161.8	679,100	4,700	0.48	348,700	360	0.01	10.8	1.0	0.0000	1.2	2.0	0.00008	0.009												
12/17/15 11:30	DPE-1 - DPE-3, C-9	360.2	691,900	12,800	0.59	361,500	---	0.04	10.9	---	0.00011	1.2	---	0.00021	0.009												
12/21/15 11:00	DPE-1 - DPE-3, C-9	13.0	692,440	540	0.69	362,040	---	0.00	10.9	---	0.00000	1.2	---	0.00001	0.009												
12/25/15 23:00	DPE-1 - DPE-3, C-9	108.0	699,000	6,560	1.01	368,600	---	0.02	10.9	---	0.0001	1.2	---	0.00011	0.009												
Total Extracted Volume (gal):							368,600	Pounds Removed:			0.07	10.9	Pounds Removed:			0.0002	1.2	Pounds Removed:		0.0004	0.009						
Average Operational Flow Rate (gpm) ³ :							0.75	Gallons Removed ⁴ :			0.01	1.79	Gallons Removed ⁴ :			0.00003	0.17	Gallons Removed ⁴ :			0.00007	0.002					
Reporting Period: 11/25/2015 - 12/25/2015							Cumulative Results Since Start-up:																				
Number of Days during Reporting Period							30 days			Number Days since Startup			470 days			Gallons of Extracted Ground Water			24,600 gal			Cumulative Total Gallons Extracted			368,600 gal		
Average Flow Rate							0.64 gpm			Average Flow Rate ³			0.75 gpm			Pounds of TPHg Removed			0.07 lbs			Cumulative Pounds of TPHg Removed			10.9 lbs		
TPHg Removal Rate							0.002 lbs/day			TPHg Removal Rate			0.02 lbs/day			Pounds of Benzene Removed			0.0002 lbs			Cumulative Pounds of Benzene Removed			1.2 lbs		
Benzene Removal Rate							0.000007 lbs/day			Benzene Removal Rate			0.003 lbs/day			Pounds of MTBE Removed			0.0004 lbs			Cumulative Pounds of MTBE Removed			0.009 lbs		
MTBE Removal Rate							0.00001 lbs/day			MTBE Removal Rate			0.00002 lbs/day														

Formulas and Assumptions:

- Hour meter readings taken at the end of the site visit
- Mass Removed During the Period = Volume of Water Extracted (gallons) x Concentration (µg/L) x (g/10⁶ µg) x (lb/45)
- When concentration of individual parameters were not detected, the concentration was assumed to be half the de
Average Flow Rate = (Volume of Extracted Water (gal) / Number of Operational Days) * (60 minutes/hour) * (24 ho
- Gallons Removed = (Mass (lb) / Density (g/cc)) x 453.6 (g/lb) x (L/1000 cc) x (gal/3.785 L)
Density: = 0.73 g/cc TPHg
= 0.88 g/cc Benzene
= 0.74 g/cc MTBE

Abbreviations:

- TPHg = total petroleum hydrocarbons as gasoline
- MTBE = methyl tertiary butyl ether
- L = liter
- gal = gallon
- gpm = gallon per minute
- µg/L = micrograms per liter
- g = grams
- cc = cubic centimeter
- lb = pounds

**Table 3
Dual Phase Extraction System
Operational Data
Former Chevron Station # 9-5607
5269 Crow Canyon Road, Castro Valley, California**

Date (mm/dd/yy hh:mm)	Operating Wells (open)	Operating Time (hours)	Hour Meter (hours)	System Uptime (%)	Period Operation (hours)	Blower Vacuum (inHg)	INF-1 Vacuum (inHg)	INF-1 Temperature (°F)	INF-1 Measured Flow (acfm)	INF-1 Calculated Flow (scfm)	INF-2 Pressure ¹ (inH ₂ O)	INF-2 Temperature (°F)	INF-2 Measured Flow ¹ (acfm)	INF-2 Calculated Flow (scfm)	Effluent Flow Rate (scfm)	Effluent Flow Rate (scfh)	Effluent Vapor (cubic feet)	Dilution Air (% open)	Pre-Oxidizer Temp (°F)	Post-Oxidizer Temp (°F)	INF-2 OVA (ppmv)	Effluent PID (ppmv)	Mass Removal based on OVA (ppd)	Destruction Efficiency (%)	
9/12/14 14:00	C-9, DPE-1 - DPE3, VE-1, VE-2	0.0	4013.5	0%	0.0	NM	3.00	NM	NM	NM	10.0	155	294	259	259	15,517	0	20	747	NM	8,000	20.0	663.8	99.8%	
9/29/14 14:00	C-9, DPE-1 - DPE3, VE-1, VE-2	5.5	4019.0	1.3%	5.5	15.0	2.81	93	165	143	11	189	255	213	213	12,784	70,312	20	880	NM	NM	0.0	NM	100.0%	
10/6/14 11:00	C-9, DPE-1 - DPE3, VE-1, VE-2	5.0	4024.0	3.0%	5.0	15.0	2.81	83	144	144	10	176	255	217	217	13,014	65,070	25	899	NM	560	0.2	39.0	100.0%	
10/13/14 14:00	C-9, DPE-1 - DPE-3	106.0	4130.0	62.0%	106.0	14.5	2.35	68	191	176	10.9	180	268	227	227	13,621	1,443,865	0	750	883	1,100	5.0	80.1	99.5%	
10/20/14 11:30	C-9, DPE-1 - DPE-3	166.0	4296.0	100%	166.0	15.0	3.18	79	140	123	10.5	171	255	219	219	13,133	2,180,062	0	750	927	650	0.3	45.6	100.0%	
10/27/14 11:00	C-9, DPE-1, DPE-2	117.0	4413.0	69.9%	117.0	15.0	4.14	61	161	141	11.6	160	270	236	236	14,189	1,660,164	0	750	897	700	0.4	53.1	99.9%	
11/6/14 13:15	C-9, DPE-3, DPE-2	67.0	4480.0	27.7%	67.0	20.0	5.00	61	146	123	10.7	61	146	152	123	7,394	495,403	0	701	900	1,250	0.0	60.9	100.0%	
11/21/14 13:50	C-9, DPE-3, DPE-2	188.6	4668.6	52.3%	188.6	20.0	5.30	68	132	109	11.1	174	176	151	109	6,517	1,229,109	0	698	809	558	0.4	27.0	99.9%	
12/2/14 15:15	C-9, DPE-3, DPE-2	113.3	4781.9	42.7%	113.3	20.0	7.40	63	103	78	3.3	169	157	133	78	4,696	532,051	0	697	785	1,215	0.5	51.8	100.0%	
12/16/14 11:30	C-9, DPE-3, DPE-2	249.1	5031.0	75.0%	249.1	18.5	10.20	64	61	41	4.3	172	118	100	100	5,977	1,488,981	0	700	750	1,650	3.0	52.7	99.8%	
12/31/14 10:30	C-9, DPE-3, DPE-2	359.1	5390.1	100%	359.1	22.0	10.00	72	133	88	7.2	179	133	112	112	6,710	2,409,733	0	698	707	425	5.0	15.2	98.8%	
1/14/15 11:25	C-9, DPE-3, DPE-2	336.5	5726.6	100%	336.5	23.0	8.10	71	148	107	9.8	176	148	126	126	7,550	2,540,450	0	700	752	1,000	0.5	40.4	100%	
1/23/15 14:35	C-9, DPE-3, DPE-2	219.1	5945.7	100%	219.1	23.0	7.10	76	157	118	9.6	174	157	134	134	8,030	1,759,403	0	700	764	915	3.5	39.3	99.6%	
2/4/15 11:00	C-9, DPE-2	281.0	6226.7	98.8%	281.0	22.0	8.30	75	137	98	5.9	183	137	114	114	6,848	1,924,213	0	698	738	715	0.7	26.2	99.9%	
2/17/15 14:30	C-9, DPE-2	82.3	6309.0	26.1%	82.3	21.5	10.1	62	136	91	6.9	170	136	116	116	6,955	572,382	0	698	682	515	0.1	19.2	100.0%	
3/3/15 14:25	C-9, DPE-1	167.0	6476.0	49.7%	167.0	23.0	11.1	79	118	73	4.0	185	118	98	98	5,853	977,400	0	690	698	295	0.4	9.2	99.9%	
3/11/15 11:45	C-9, DPE-3	25.9	6501.9	13.7%	25.9	23.0	10.9	67	118	75	7.2	151	118	104	104	6,226	161,266	0	710	740	480	0.2	16.0	100.0%	
3/16/15 12:00	C-9, DPE-3	28.7	6530.6	23.9%	28.7	23.0	10.2	67	121	80	7.1	175	121	102	102	6,145	176,359	0	700	689	235	0.0	7.7	100.0%	
4/2/15 9:30	C-9, DPE-3	223.8	6754.4	55.2%	223.8	23.0	8.4	73	146	104	10.0	177	146	124	124	7,445	1,666,264	0	698	688	125	0.4	5.0	99.7%	
4/16/15 14:30	DPE-2, DPE-3	340.8	7095.2	100.0%	340.8	23.0	8.4	87	137	95	6.8	199	137	112	112	6,696	2,282,011	0	699	700	210	0.6	7.5	99.7%	
4/30/15 10:20	DPE-1, DPE-2	236.9	7332.1	71.4%	236.9	23.0	8.2	86	137	96	4.6	193	137	112	112	6,722	1,592,355	0	701	699	140	0.8	5.0	99.4%	
5/14/15 12:15	DPE-1, VEW-2	21.2	7353.3	6.3%	21.2	23.0	13.0	81	98	54	1.9	187	223	183	183	10,970	232,565	40	698	693	75	0.0	4.4	100.0%	
5/29/15 9:30	DPE-1, VEW-2	259.6	7612.9	72.7%	259.6	23.0	11.8	79	44	26	4.2	180	118	98	98	5,901	1,531,975	50	699	724	190	2.3	6.0	98.8%	
6/23/15 11:45	DPE-1, VEW-2	177.9	7790.8	29.5%	177.9	23.0	10.1	79	175	114	5.6	190	118	97	97	5,830	1,037,208	0	700	746	280	2.0	8.7	99.3%	
7/4/15 3:35	DPE-1, VEW-2	132.6	7923.4	51.8%	132.6	SVE SYSTEM DOWN FOR REPAIR																			
10/22/15 18:30	DPE-1, VEW-1	6.2	7929.6	0.2%	6.2	22.5	5.4	79	105	84	6.0	180	157	131	131	7,886	48,894	0	700	761	174	0.0	7.3	100.0%	
10/28/15 16:37	DPE-1, VEW-1	22.8	7952.4	16.0%	22.8	NM	5.8	NM	NM	NM	NM	NM	176	NM	NM	NM	NM	0	700	773	NM	NM	NM	NM	
11/9/15 12:15	DPE-1, VEW-2	284.3	8236.7	100%	284.3	23.0	8.0	55	66	50	6.5	175	176	149	149	8,921	2,536,202	0	699	762	250	0.0	11.9	100.0%	
11/18/15 13:10	DPE-1, VEW-2	44.6	8281.3	20.6%	44.6	23.0	7.1	64	81	63	6.4	171	157	133	133	8,006	357,082	0	701	734	153	0.8	6.6	99.5%	
11/25/15 17:34	DPE-1, VEW-2	118.8	8400.1	68.9%	118.8	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
12/2/15 11:20	DPE-1, C-9	163.0	8563.1	100.0%	163.0	22.5	7.2	53	84	66	7.5	174	157	133	133	7,995	1,303,135	0	700	833	230	0.6	9.8	99.7%	
12/17/15 11:30	DPE-1, C-9	358.6	8921.7	100.0%	358.6	23.0	7.2	54	64	50	7.0	170	157	134	134	8,031	2,879,800	0	700	795	425	3.0	18.3	99.3%	
12/21/15 11:00	DPE-1, C-9	12.3	8934.0	12.9%	12.3	22.5	7.7	54	53	40	6.7	172	157	133	133	7,999	98,393	0	700	731	206	3.0	8.8	98.5%	
12/25/15 23:00	DPE-1, C-9	108.0	9042.0	100.0%	108.0	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	

Since Startup: 46% 5,029 Average Flow Rate (acfm/scfm): 170 145
 Year to Date: 42% 3,652 Maxium Flow Rate (acfm/scfm): 294 259 Throughput (cubic feet) from 9/12/14 to 12/25/15: 35,252,107
 Month to Date: 88% 641.9

Cumulative Results Since Startup: 9/12/2014 to 12/25/2015

Number Days Since Startup 469 days
 Number of Hours Operated Since Startup 5029 hours

Abbreviations and Notes:

Reporting period: GWE off from 7/4/2015 to 10/22/2015 for system repairs.
 mm/dd/yy = month/day/year
 hh:mm = hour : minute
 inHg = inches of mercury
 inH₂O = inches of water
 °F = degrees Fahrenheit
 acfm = actual cubic feet per minute
 scfm = standard cubic feet per minute (flow in scfm = flow in acfm * [operating pressure(abs) / standard pressure (abs)] * [standard temperature (abs) / operating temperature (abs)])
 % = percentage
 INF-1 = pre-dilution system influent
 INF-2 = post-dilution system influent
 NM = not measured
 LEL = Lower Explosive Limit
 ppmv = parts per million by volume
 PID = photo-ionization detector
 FID = flame ionization detector
 OVA = organic vapor analyzer
 ppd = pounds per day
 1. = INF-2 flow read from chart recorder. INF-2 pressure used to convert acfm to scfm.
 2. = water in pipe; unable to measure accurate concentration/ LEL readings

Compliance:

BAAQMD Requirements:
 Flow Rate < 300 scfm
 Oxidizer Temperature > 600 degrees Fahrenheit in electric catalytic mode and > 1400 degrees in thermal catalytic mode
 Benzene Emission Limit < 0.017ppd
 Destruction Efficiency (measured as hexane)
 98.50% VOC >2,000 ppmv
 97.00% VOC >200 and <2,000 ppmv
 90.00% VOC < 200 ppmv
 Note: If outlet VOC < 10 ppmv, destruction efficiency requirement is waived

Table 4
Dual Phase Extraction System
Analytical Data
Former Chevron Station # 9-5607
5269 Crow Canyon Road, Castro Valley, California

Date (mm/dd/yy hh:mm)	Concentrations ¹									TPHg			Benzene			MTBE			VOC		Destruction Efficiency (%)	
	INF-2				Effluent				Removal Rate ^{2,6} (ppd)	Cumulative Removed ⁷ (pounds)	Emission Rate ^{2,6} (ppd)	Removal Rate ^{3,6} (ppd)	Cumulative Removed ⁷ (pounds)	Emission Rate ^{3,6} (ppd)	Removal Rate ^{4,6} (ppd)	Cumulative Removed ⁷ (pounds)	Emission Rate ^{4,6} (ppd)	Removal Rate ^{5,6} (ppd)	Emission Rate ^{5,6} (ppd)			
	Operating Wells	TPHg (ppmv)	Benzene (ppmv)	MTBE (ppmv)	VOC (ppmv)	TPHg (ppmv)	Benzene (ppmv)	MTBE (ppmv)												VOC (ppmv)		
9/12/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	4,200	44	38	4,282	46	0.39	0.19	46.58	405.2	0.0	4.4	3.3	0.0	0.03	3.2	0.0	0.02	355.3	3.9	98.9%	
9/29/14 14:00	C9, DPE-1 - DPE3, VE-1, VE-2	--	--	--	--	--	--	--	--	333.8	84.7	3.7	2.7	0.7	0.03	2.7	0.7	0.01	292.7	3.2	98.9%	
10/6/14 11:00	C9, DPE-1 - DPE3, VE-1, VE-2	--	--	--	--	--	--	--	--	339.8	155	3.7	2.8	1.3	0.03	2.7	1.2	0.01	298.0	3.2	98.9%	
10/13/14 11:00	C9, DPE-1 - DPE-3	1,500	10	< 20	1,530	<5	< 0.5	< 0.5	< 6.0	127.0	1186	0.42	0.7	8.9	0.04	1.5	10.5	0.04	111.4	0.4	99.6%	
10/20/14 11:30	C9, DPE-1 - DPE-3	--	--	--	--	--	--	--	--	122.5	2049	0.41	0.6	13.3	0.04	1.4	20.6	0.04	107.4	0.4	99.6%	
10/27/14 11:00	C9, DPE-1, DPE2	--	--	--	--	--	--	--	--	132.3	2670	0.44	0.7	16.6	0.04	1.6	27.9	0.04	116.1	0.5	99.6%	
11/6/14 13:15	C9, DPE-2, DPE3	--	--	--	--	--	--	--	--	85.0	2973	0.23	0.4	18.2	0.02	1.0	31.5	0.02	74.5	0.2	99.6%	
11/21/14 13:50	C9, DPE-2, DPE-3	585*	0.01	0.01	585	0.31	0.0020	< 0.0020	0.31	32.9	3436	0.01	0.0	19.9	0.00007	0.0	35.4	0.00007	28.3	0.01	99.9%	
12/2/14 15:15	C9, DPE-2, DPE-3	1,000	12	8.8	1,021	0.23	0.0012	< 0.0010	0.23	49.6	3631	0.007	0.5	21.0	0.00003	0.4	36.3	0.00003	43.5	0.006	100.0%	
12/16/14 11:30	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	37.2	4081	0.009	0.3	25.2	0.00004	0.3	39.8	0.00003	32.6	0.007	100.0%	
12/31/14 10:30	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	41.7	4671	0.010	0.4	30.7	0.00004	0.3	44.4	0.00004	36.6	0.008	100.0%	
1/14/15 11:25	C9, DPE-2, DPE-3	870	13	4.7	888	0.08	< 0.0010	< 0.0010	0.08	40.8	5250	0.004	0.5	36.8	0.00004	0.2	48.0	0.00004	35.8	0.003	100.0%	
1/23/15 14:35	C9, DPE-2, DPE-3	--	--	--	--	--	--	--	--	43.4	5635	0.004	0.5	41.3	0.00004	0.2	49.8	0.00004	38.1	0.00	100.0%	
2/4/15 11:00	C-9, DPE-2	800	17	7.3	824	1.5	0.014	0.0012	1.52	34.1	6088	0.06	0.6	47.5	0.00005	0.3	52.6	0.00004	30.2	0.06	99.8%	
2/17/15 14:30	C-9, DPE-2	--	--	--	--	--	--	--	--	34.6	6206	0.06	0.6	49.5	0.00005	0.3	53.6	0.00005	30.7	0.06	99.8%	
3/3/15 14:25	C-9, DPE-1	320	5.4	2.5	328	0.076	< 0.0010	< 0.0010	0.078	11.6	6367	0.003	0.2	52.0	0.00003	0.1	54.8	0.00003	10.3	0.002	100.0%	
3/11/15 11:45	C-9, DPE-3	--	--	--	--	--	--	--	--	12.4	6380	0.003	0.2	52.2	0.00003	0.1	54.9	0.00003	10.9	0.003	100.0%	
3/16/15 12:00	C-9, DPE-3	--	--	--	--	--	--	--	--	12.2	6395	0.003	0.2	52.4	0.00003	0.1	55.0	0.00003	10.8	0.003	100.0%	
4/2/15 9:30	C-9, DPE-3	--	--	--	--	--	--	--	--	14.8	6521	0.004	0.2	54.1	0.00004	0.1	55.9	0.00004	13.1	0.003	100.0%	
4/16/15 14:30	DPE-2, DPE-3	250	2.7	1.1	254	0.84	0.008	0.002	0.85	10.4	6700	0.03	0.1	56.1	0.0003	0.0	56.9	0.00007	9.1	0.03	99.7%	
4/30/15 10:20	DPE-1, DPE-2	--	--	--	--	--	--	--	--	10.4	6803	0.04	0.1	56.9	0.0003	0.0	57.3	0.00007	9.1	0.03	99.7%	
5/14/15 12:15	DPE-1, VEW-2	160	2.8	0.71	164	0.11	< 0.032	< 0.036	0.18	10.9	6812	0.008	0.1	57.0	0.002	0.0	57.3	0.002	9.6	0.01	99.9%	
5/29/15 9:30	DPE-1, VEW-2	--	--	--	--	--	--	--	--	5.9	6903	0.004	0.1	58.3	0.001	0.0	57.7	0.001	5.2	0.01	99.9%	
6/23/15 11:45	DPE-1, VEW-2	2,300	35.0	11.0	2,346	0.48	< 0.032	< 0.0010	0.51	83.4	7234	0.02	1.0	62.2	0.001	0.4	59.1	0.00003	73.1	0.02	100.0%	
7/4/15 3:35	DPE-1, VEW-2	SVE SYSTEM OFF FOR REPAIR									83.4 a	7694 a	0.02 a	1.0 a	67.7 a	0.001 a	0.4 a	61.0 a	0.00003 a	73.1 a	0.02 a	100.0% a
10/22/15 18:30	DPE-1, VEW-1	1,000	18	9.0	1,027	0.26	< 0.0010	< 0.0010	0.26	49.0 b	7707 b	0.01 b	0.7 b	67.9 b	0.00004 b	0.4 b	61.1 b	0.00004 b	43.3 b	0.01 b	100.0% b	
10/28/15 16:37	DPE-1, VEW-1	--	--	--	--	--	--	--	--	49.0 b,c	7753 b,c	0.01 b,c	0.7 b,c	68.5 b,c	0.00004 b,c	0.4 b,c	61.5 b,c	0.00004 b,c	43.3 b,c	0.01 b,c	100.0% b,c	
11/9/15 12:15	DPE-1, VEW-2	870	13	6.2	889	0.58	0.0010	< 0.0010	0.58	48.3	8325	0.03	0.6	75.9	0.00005	0.3	65.6	0.00005	42.4	0.03	99.9%	
11/18/15 13:10	DPE-1, VEW-2	--	--	--	--	--	--	--	--	43.3	8406	0.03	0.5	76.9	0.00004	0.3	66.1	0.00004	38.1	0.02	99.9%	
11/25/15 18:10	DPE-1, VEW-2	--	--	--	--	--	--	--	--	43.3 c	8486 c	0.03 c	0.5 c	77.9 c	0.00004 c	0.3 c	66.6 c	0.00004 c	38.1 c	0.02 c	99.9% c	
12/2/15 11:20	DPE-1, C-9	3,700	52	28	3,780	0.87	0.0045	0.0012	0.88	184	9735	0.04	2.0	91.6	0.0002	1.2	74.9	0.00005	162	0.04	100.0%	
12/17/15 11:30	DPE-1, C-9	--	--	--	--	--	--	--	--	185	12489	0.04	2.0	122	0.0002	1.2	93.2	0.00005	162	0.04	100.0%	
12/21/15 11:00	DPE-1, C-9	--	--	--	--	--	--	--	--	184	12584	0.04	2.0	123	0.0002	1.2	93.9	0.00005	162	0.04	100.0%	
12/25/15 23:00	DPE-1, C-9	--	--	--	--	--	--	--	--	184 c	12678 c	0.04 c	2.0 c	124 c	0.0002 c	1.2 c	94.5 c	0.00005 c	162 c	0.04 c	100.0%	
Period Pounds Removed ⁸ :										TPHg =	4,192			Benzene =	46.0			MTBE =	27.9			
Total Pounds Removed:										TPHg =	12,678			Benzene =	124			MTBE =	94.5			
Reporting Period: December 2015																						
Number Days in Reporting Period		30																				
Pounds of TPHg Removed during Reporting Period		4,192																				
Average TPHg Removal Rate (lb/day)		138.8																				
Pounds of Benzene Removed during Reporting Period		46.0																				
Average Benzene Removal Rate (lb/day)		1.52																				
Pounds of MTBE Removed during Reporting Period		27.9																				
Average MTBE Removal Rate (lb/day)		0.92																				
Cumulative Results Since Startup: 9/12/2014 through 12/25/2015																						
Number Days in Since Startup		469																				
Cumulative Pounds of TPHg Removed Since Startup		12,678																				
Average TPHg Removal Rate (lb/day) Since Startup		90.7																				
Cumulative Pounds of Benzene Removed Since Startup		124																				
Average Benzene Removal Rate (lb/day) Since Startup		0.84																				
Cumulative Pounds of MTBE Removed Since Startup		27.9																				
Average MTBE Removal Rate (lb/day) Since Startup		0.70																				

Notes:
1. TPHg, Benzene, and MTBE analyzed by EPA Method 8015/8020. Vapor samples were collected in 1-liter tedlar bags unless otherwise noted.
2. Molecular weight of TPHg assumed to be 100 lb/lb-mole as hexane.
3. Molecular weight of Benzene assumed to be 78 lb/lb-mole.
4. Molecular weight of MTBE assumed to be 88 lb/lb-mole.
5. Molecular weight of VOCs assumed to be 86 lb/lb-mole as hexane.
6. Removal/Emission Rate (ppd) = C (ppmv) x Q (scfm) x (1lb-mole/386ft³) x MW (lb/lb-mole) x 60 min/hr x 24 hr/day x 10⁻⁶
C = concentration
Q = flow
MW = molecular weight
7. Cumulative TPHg / Benzene / MTBE removed = Previous Total + (Average of Previous and Current Removal Rates * Operation Interval)
8. Influent not measured due to water in vapor stream. Individual well samples were collected at a lower vacuum at this time.
9. Reporting period: SVE system off for repair from 7/4/2015 to 8/19/2015.
a. Air sample was not taken before system malfunction occurred. Used 6/23/15 sample data to calculate removal and efficiency rate and cumulative removed.
b. Air sample was taken on 10/15/15, but no readings were taken during this time. Used 10/22/15 operational data to calculate removal and efficiency rate and cumulative removed.
c. Air flow was not taken during this time, so the flow rate from the previous event was used to calculate removal and efficiency rate and cumulative removed.
* Laboratory reading was 1.3 ppmv. However, this is unlikely due to laboratory samples taken the month before and afterwards. Therefore, the field OVA reading was used in place of the laboratory sample result.

Abbreviations:
mm/dd/yy = month/day/year
hh:mm = hours : minutes
TPHg = total petroleum hydrocarbons as gasoline
MTBE = methyl tertiary butyl ether
VOC = volatile organic compounds
ppmv = parts per million by volume
ppd = pounds per day
lb = pounds
ft³ = cubic feet
scfm = standard cubic feet per minute
INF-1 = pre-dilution system influent
INF-2 = post-dilution system influent
TBD = Sample taken during this time and are awaiting results
n/a = Not available due to SVE equipment malfunction

BAAQMD Requirements:
Flow Rate < 300 scfm
Oxidizer Temperature > 600 deg Fahrenheit in electric catalytic mode and > 1400 degrees in thermal catalytic mode
Benzene Emission Limit < 0.017 ppd
Destruction efficiency (measured as hexane)
98.50% VOC > 2,000 ppmv
97.00% VOC > 200 and < 2,000 ppmv
90.00% VOC < 200 ppmv
Note: If outlet VOC < 10 ppmv, destruction efficiency requirement is waived

Attachment A
Eurofins Lancaster Laboratory Analytical Report

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

December 28, 2015

Project: 95607

Submittal Date: 12/05/2015
Group Number: 1614742
PO Number: 0015164161
Release Number: CMACLEOD
State of Sample Origin: CA

Client Sample Description

EFF-1-W-151202 NA Groundwater
MID-1-W-151202 NA Groundwater
INF-1-W-151202 NA Groundwater

Lancaster Labs (LL) #

8162404
8162406
8162407

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO

GHD
GHD
CRA
Chevron

Attn: Andy Leung
Attn: Matt B. Smith
Attn: Judy Gilbert
Attn: GHD EDD

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

Sample Description: **EFF-1-W-151202 NA Groundwater**
Facility# 95607 CRAW
5269 Crow Canyon Rd-Castro T0600100344

LL Sample # **WW 8162404**
 LL Group # **1614742**
 Account # **10880**

Project Name: **95607**

Collected: 12/02/2015 09:00 by GB

ChevronTexaco

6001 Bollinger Canyon Rd L4310

Submitted: 12/05/2015 10:00

San Ramon CA 94583

Reported: 12/28/2015 15:41

CCEFF

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS Volatiles		SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles		SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

CA ELAP Lab Certification No. 2792
 Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	Z153432AA	12/09/2015 14:47	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z153432AA	12/09/2015 14:47	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15342A20A	12/08/2015 16:01	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	15342A20A	12/08/2015 16:01	Jeremy C Giffin	1

*=This limit was used in the evaluation of the final result

Sample Description: MID-1-W-151202 NA Groundwater
Facility# 95607 CRAW
5269 Crow Canyon Rd-Castro T0600100344

LL Sample # WW 8162406
LL Group # 1614742
Account # 10880

Project Name: 95607

Collected: 12/02/2015 09:10 by GB

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 12/05/2015 10:00

Reported: 12/28/2015 15:41

CCMI1

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS Volatiles		SW-846 8260B	ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.5	1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles		SW-846 8015B	ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

CA ELAP Lab Certification No. 2792
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	Z153432AA	12/09/2015 16:00	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z153432AA	12/09/2015 16:00	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15342A20A	12/08/2015 16:24	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	15342A20A	12/08/2015 16:24	Jeremy C Giffin	1

*=This limit was used in the evaluation of the final result

Sample Description: INF-1-W-151202 NA Groundwater
Facility# 95607 CRAW
5269 Crow Canyon Rd-Castro T0600100344

LL Sample # WW 8162407
LL Group # 1614742
Account # 10880

Project Name: 95607

Collected: 12/02/2015 09:15 by GB

ChevronTexaco

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 12/05/2015 10:00

Reported: 12/28/2015 15:41

CCINF

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10945	Benzene	71-43-2	1	ug/l 0.5	ug/l 1	1
10945	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1	1
10945	Toluene	108-88-3	N.D.	0.5	1	1
10945	Xylene (Total)	1330-20-7	0.9 J	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	360	ug/l 50	ug/l 100	1

General Sample Comments

CA ELAP Lab Certification No. 2792
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	BTEX/MTBE	SW-846 8260B	1	Z153432AA	12/09/2015 16:24	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z153432AA	12/09/2015 16:24	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	15342A20A	12/08/2015 16:46	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	15342A20A	12/08/2015 16:46	Jeremy C Giffin	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: ChevronTexaco
Reported: 12/28/2015 15:41

Group Number: 1614742

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: Z153432AA	Sample number(s): 8162404,8162406-8162407								
Benzene	N.D.	0.5	1	ug/l	94		78-120		
Ethylbenzene	N.D.	0.5	1	ug/l	97		78-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	95		75-120		
Toluene	N.D.	0.5	1	ug/l	97		80-120		
Xylene (Total)	N.D.	0.5	1	ug/l	97		80-120		
Batch number: 15342A20A	Sample number(s): 8162404,8162406-8162407								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	95	96	71-138	1	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: Z153432AA	Sample number(s): 8162404,8162406-8162407 UNSPK: 8162404								
Benzene	109	113	78-120	4	30				
Ethylbenzene	109	114	78-120	4	30				
Methyl Tertiary Butyl Ether	102	106	75-120	4	30				
Toluene	111	116	80-120	5	30				
Xylene (Total)	110	115	80-120	5	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX/MTBE
Batch number: Z153432AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
8162404	103	100	98	93
8162406	102	98	97	93
8162407	100	96	99	96

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 12/28/2015 15:41

Group Number: 1614742

Surrogate Quality Control

Blank	101	99	98	94
LCS	99	96	99	98
MS	101	98	98	98
MSD	100	100	99	99
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 15342A20A
Trifluorotoluene-F

8162404	90
8162406	87
8162407	93
Blank	87
LCS	99
LCSD	96
Limits:	63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Environmental Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 10880 Group # 1614742 Sample # 8162404-07

Client: Chevron EMC				Matrix			Analyses Requested						For Lab Use Only	
Project Name#: Castro Valley		Site ID #: 95607		<input type="checkbox"/> Sediment	<input checked="" type="checkbox"/> Ground	<input type="checkbox"/> Surface	Preservation Codes						SF #: _____	
Project Manager: Judy Gilbert		P.O. #: Direct Bill To Chevron		<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	<input type="checkbox"/> Other:							SCR #: _____	
Sampler: <u>GREG BRUSKI</u>		PWSID #:		<input type="checkbox"/> Soil	<input type="checkbox"/> Water	<input type="checkbox"/> Other:							Preservation Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ P = H ₃ PO ₄ O = Other	
Phone #: <u>707 332 8265</u>		Quote #:												
State where sample(s) were collected: GWE Effluent													Remarks	
Sample Identification		Collection		<input type="checkbox"/> Grab	<input type="checkbox"/> Composite									
	Date	Time				Total # of Containers	TPH-g by 8015M	BTEX by 8260	MTBE by 8260					
EFF-1	12.2.15	0900				6	X	X	X					
MID-2	12.2.15	0905				6	X	X	X				HOLD MID-2, SAMPLE ONLY IF MID-1 > N.D.	
MID-1	12.2.15	0910				6	X	X	X					
INF-1	12.2.15	0915				6	X	X	X					
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>				Relinquished by: <u>Belen</u>			Date	Time	Received by: <u>SECURIBO OFFICIE EMERYVILLE</u>		Date	Time		
(Rush TAT is subject to laboratory approval and surcharges.)							12.2.15	1500			12.2.15	1500		
Date results are needed:				Relinquished by: <u>[Signature]</u>			Date	Time	Received by: <u>[Signature]</u>		Date	Time		
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>							12/4/15	1210			12/4/15	1210		
E-mail Address: Judy.Gilbert@ghd.com matthew.b.smith@ghd.com				Relinquished by: <u>[Signature]</u>			Date	Time	Received by: <u>FE</u>		Date	Time		
Phone: _____							12/4/15	1600						
Data Package Options (please check if required)				Relinquished by: _____			Date	Time	Received by: _____		Date	Time		
Type I (Validation/non-CLP)	<input type="checkbox"/>	MA MCP	<input type="checkbox"/>											
Type III (Reduced non-CLP)	<input type="checkbox"/>	CT RCP	<input type="checkbox"/>											
Type IV (CLP SOW)	<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>											
Type VI (Raw Data Only)	<input type="checkbox"/>													
EDD Required? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, format: <u> </u> Zip File				Relinquished by Commercial Carrier: _____										
				UPS _____ FedEx <input checked="" type="checkbox"/> Other _____							Temperature upon receipt <u>1.0 - 3.2</u> °C			

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Laboratory Data Qualifiers:

- B - Analyte detected in the blank
- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference...

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Attachment B
Eurofins Air Toxics Laboratory Analytical Report

12/16/2015

Ms. Judy Gilbert

GHD

5900 Hollis Street

Suite A

Emeryville CA 94608

Project Name: Castro Valley

Project #: 311950 2015.0 94.09

Workorder #: 1512035

Dear Ms. Judy Gilbert

The following report includes the data for the above referenced project for sample(s) received on 12/3/2015 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-3 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free the Project Manager: Kyle Vagadori at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Kyle Vagadori

Project Manager

WORK ORDER #: 1512035

Work Order Summary

CLIENT:	Ms. Judy Gilbert GHD 5900 Hollis Street Suite A Emeryville, CA 94608	BILL TO:	Accounts Payable Chevron U.S.A. Inc. 6001 Bollinger Canyon Road L4310 San Ramon, CA 94583
PHONE:	510-420-3314	P.O. #	311950 2015.0 94.09
FAX:	510-420-9170	PROJECT #	311950 2015.0 94.09 Castro Valley
DATE RECEIVED:	12/03/2015	CONTACT:	Kyle Vagadori
DATE COMPLETED:	12/16/2015		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	EFF	Modified TO-3	Tedlar Bag	Tedlar Bag
02A	INF	Modified TO-3	Tedlar Bag	Tedlar Bag
03A	Lab Blank	Modified TO-3	NA	NA
04A	LCS	Modified TO-3	NA	NA
04AA	LCSD	Modified TO-3	NA	NA
04B	LCS	Modified TO-3	NA	NA
04BB	LCSD	Modified TO-3	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 12/16/15

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704343-14-7, UT NELAP CA009332014-5, VA NELAP - 460197, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2014, Expiration date: 10/17/2015.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-3
GHD
Workorder# 1512035

Two 1 Liter Tedlar Bag samples were received on December 03, 2015. The laboratory performed analysis for volatile organic compounds in air via modified EPA Method TO-3 using gas chromatography with photo ionization and flame ionization detection. The TPH results are calculated using the response of Gasoline. A molecular weight of 100 is used to convert the TPH ppmv result to ug/L. The method involves concentrating up to 200 mL of sample. The concentrated aliquot is then dry purged to remove water vapor prior to entering the chromatographic system.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-3</i>	<i>ATL Modifications</i>
Daily Calibration Standard Frequency	Prior to sample analysis and every 4 - 6 hrs	Prior to sample analysis and after the analytical batch ≤ 20 samples.
Initial Calibration Calculation	4-point calibration using a linear regression model	5-point calibration using average Response Factor
Initial Calibration Frequency	Weekly	When daily calibration standard recovery is outside 75 - 125 %, or upon significant changes to procedure or instrumentation
Moisture Control	Nafion system	Sorbent system
Minimum Detection Limit (MDL)	Calculated using the equation $DL = A + 3.3S$, where A is intercept of calibration line and S is the standard deviation of at least 3 reps of low level standard	40 CFR Pt. 136 App. B
Preparation of Standards	Levels achieved through dilution of gas mixture	Levels achieved through loading various volumes of the gas mixture

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

The recovery of surrogate Fluorobenzene in sample INF was outside control limits due to high level hydrocarbon matrix interference. Data is reported as qualified.

Total Xylenes concentration is calculated by summing the individual concentrations of m,p-Xylene and O-Xylene.

The hydrocarbon profile present in sample EFF did not resemble that of commercial gasoline. Results were calculated using the response factor derived from the current gasoline linear calibration.

Definition of Data Qualifying Flags

Seven qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in laboratory blank greater than reporting limit.
- J - Estimated value.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the detection limit.
- M - Reported value may be biased due to apparent matrix interferences.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

**Summary of Detected Compounds
MODIFIED EPA METHOD TO-3 GC/PID/FID**

Client Sample ID: EFF

Lab ID#: 1512035-01A

Compound	Rpt. Limit (ppmv)	Rpt. Limit (ug/L)	Amount (ppmv)	Amount (ug/L)
Benzene	0.0010	0.0032	0.0045	0.014
Toluene	0.0010	0.0038	0.0059	0.022
Ethyl Benzene	0.0010	0.0043	0.0051	0.022
Total Xylenes	0.0020	0.0087	0.028	0.12
Methyl tert-butyl ether	0.0010	0.0036	0.0012	0.0045
TPH (Gasoline Range)	0.025	0.10	0.87	3.5

Client Sample ID: INF

Lab ID#: 1512035-02A

Compound	Rpt. Limit (ppmv)	Rpt. Limit (ug/L)	Amount (ppmv)	Amount (ug/L)
Benzene	0.20	0.64	52	160
Toluene	0.20	0.75	8.2	31
Ethyl Benzene	0.20	0.87	8.0	34
Total Xylenes	0.40	1.7	40	170
Methyl tert-butyl ether	0.20	0.72	28	100
TPH (Gasoline Range)	5.0	20	3700	15000



Air Toxics

Client Sample ID: EFF

Lab ID#: 1512035-01A

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120411	Date of Collection: 12/2/15 11:10:00 AM
Dil. Factor:	1.00	Date of Analysis: 12/4/15 11:28 AM

Compound	Rpt. Limit (ppmv)	Rpt. Limit (ug/L)	Amount (ppmv)	Amount (ug/L)
Benzene	0.0010	0.0032	0.0045	0.014
Toluene	0.0010	0.0038	0.0059	0.022
Ethyl Benzene	0.0010	0.0043	0.0051	0.022
Total Xylenes	0.0020	0.0087	0.028	0.12
Methyl tert-butyl ether	0.0010	0.0036	0.0012	0.0045
TPH (Gasoline Range)	0.025	0.10	0.87	3.5

Container Type: 1 Liter Tedlar Bag

Surrogates	%Recovery	Method Limits
Fluorobenzene (FID)	100	75-150
Fluorobenzene (PID)	115	75-125



Air Toxics

Client Sample ID: INF

Lab ID#: 1512035-02A

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120413	Date of Collection:	12/2/15 11:15:00 AM
Dil. Factor:	200	Date of Analysis:	12/4/15 12:51 PM

Compound	Rpt. Limit (ppmv)	Rpt. Limit (ug/L)	Amount (ppmv)	Amount (ug/L)
Benzene	0.20	0.64	52	160
Toluene	0.20	0.75	8.2	31
Ethyl Benzene	0.20	0.87	8.0	34
Total Xylenes	0.40	1.7	40	170
Methyl tert-butyl ether	0.20	0.72	28	100
TPH (Gasoline Range)	5.0	20	3700	15000

Q = Exceeds Quality Control limits, due to matrix effects. Matrix effects confirmed by re-analysis.

Container Type: 1 Liter Tedlar Bag

Surrogates	%Recovery	Method Limits
Fluorobenzene (FID)	215 Q	75-150
Fluorobenzene (PID)	212 Q	75-125



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1512035-03A

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120405	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/3/15 08:29 PM

Compound	Rpt. Limit (ppmv)	Rpt. Limit (ug/L)	Amount (ppmv)	Amount (ug/L)
Benzene	0.0010	0.0032	Not Detected	Not Detected
Toluene	0.0010	0.0038	Not Detected	Not Detected
Ethyl Benzene	0.0010	0.0043	Not Detected	Not Detected
Total Xylenes	0.0020	0.0087	Not Detected	Not Detected
Methyl tert-butyl ether	0.0010	0.0036	Not Detected	Not Detected
TPH (Gasoline Range)	0.025	0.10	Not Detected	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (FID)	96	75-150
Fluorobenzene (PID)	110	75-125



Air Toxics

Client Sample ID: LCS

Lab ID#: 1512035-04A

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120404b	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/3/15 07:42 PM

Compound	%Recovery	Method Limits
Benzene	98	75-125
Toluene	90	75-125
Ethyl Benzene	91	75-125
Total Xylenes	92	75-125
Methyl tert-butyl ether	104	75-125

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (PID)	90	75-125



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1512035-04AA

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120415b	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/4/15 03:00 PM

Compound	%Recovery	Method Limits
Benzene	91	75-125
Toluene	88	75-125
Ethyl Benzene	90	75-125
Total Xylenes	92	75-125
Methyl tert-butyl ether	92	75-125

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (PID)	105	75-125



Air Toxics

Client Sample ID: LCS

Lab ID#: 1512035-04B

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120402	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/3/15 05:46 PM

Compound	%Recovery	Method Limits
TPH (Gasoline Range)	88	75-125

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (FID)	86	75-150



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1512035-04BB

MODIFIED EPA METHOD TO-3 GC/PID/FID

File Name:	d120414	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/4/15 01:37 PM

Compound	%Recovery	Method Limits
TPH (Gasoline Range)	89	75-125

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Fluorobenzene (FID)	121	75-150