

STID 9/2

ENVIRONMENTAL PROTECTION



97 FEB -4 PM 3:58

Chevron

January 31, 1997

Dr. Ravi Arulanantham
RWQCB- San Francisco Bay Region
2101 Webster Street, Suite 500
Oakland, CA 94612

Chevron Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West
Phone 510 842-9500

**Re: Former Chevron Service Station #9-3864
5101 Telegraph Avenue, Oakland, CA**

Dear Dr. Arulanantham:

Enclosed is the Fourth Quarter Groundwater Monitoring Reports for 1996, that were prepared by our consultant Blaine Tech Services, Inc. for the above noted site. Ground water samples were collected and analyzed for TPH-g, BTEX and MtBE constituents.

Concentrations of dissolved TPH-g, BTEX and MtBE constituents were below method detection limits for monitoring wells C-4, MW-1, MW-2, and MW-5. Benzene constituents decreased from the third quarter in monitoring wells C-1, C-2, MW-3, MW-4 and increased slightly in C-3. Depth to ground water varied from 7.91 to 13.81 feet below grade, with a direction of flow southwesterly.

Note that monitoring wells C-1 and C-4 have been abandoned and will not be included in the next quarterly report. Since monitoring wells MW-2 and MW-5 have been below method detection limits for all constituents for the last eight quarters, Chevron requests that these wells be sampled annually. Chevron will continue to sample the remaining wells quarterly. If you have any questions or comments, call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY

Philip R. Briggs
Site Assessment and Remediation Project Manger

Enclosure

*OK to close C-2 & C-3
but keep C-3
worked on 2/13/97*

January 31, 1997
Dr. Ravi Arulanantham
Former Chevron Service Station # 9-3864
Page 2

ENVIRONMENTAL
PROTECTION
97 FEB -4 PM 3: 33

cc. Mr. Bette Owen, Chevron

↙ Ms. Susan Hugo
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Mr. Fran Thie
Blaine Tech Services Inc.
1680 Rogers Avenue
San Jose, CA 95112 (Note the two wells abandoned, for next sampling event. Report not incl.)

Mr. Saul Gevertz & Mr. Jon Eager
Temescal Triangle Investors
4179 Piedmont Avenue
Oakland, CA 94611

Mr. Breece Sloan
2057 Vanderslice Avenue
Walnut Creek, CA 94596

Mr. John Gwynn
Gwynn-Schiels & Associates
300 Lakeside Drive, Suite 1980
Oakland, CA 94612

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

ENVIRONMENTAL
PROTECTION

97 FEB -4 PM 3:33

January 16, 1997

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 5004
San Ramon, CA 94583-0804

4th Quarter 1996 Monitoring at 9-3864

Fourth Quarter 1996 Groundwater Monitoring at
Chevron Service Station Number 9-3864
5101 Telegraph Avenue
Oakland, CA

Monitoring Performed on December 11, 1996

Groundwater Sampling Report 961211-F-1

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "James Keller". The signature is fluid and cursive, with a large initial "J" and a long horizontal stroke at the end.




James Keller
Vice President




JPK/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix

EXPLANATION

- MW-2  GROUND-WATER MONITORING WELL
- 104.17 GROUND-WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL
-  102 GROUND-WATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL
-  0.03 APPROXIMATE DIRECTION OF GROUND-WATER FLOW. GRADIENT INDICATED IN FEET / FEET



NOTES:

TITLE : GROUND-WATER ELEVATION CONTOUR MAP - DECEMBER 31, 1996
 LOCATION : FORMER CHEVRON SERVICE STATION 9-3864 5101 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
 SOURCE : CAMBRIA ENVIRONMENTAL TECHNOLOGY, INC.



GEOCONSULTANTS, INC
 SAN JOSE, CALIFORNIA
 Project No. G758-09
 DRWG NO: W121196 REV:

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-1										
12/06/90	117.45	102.11	15.34	--	1900	17	11	3.0	21	--
06/06/91	117.45	102.83	14.62	--	3400	21	15	11	18	--
12/04/91	117.45	102.97	14.48	--	2700	22	16	13	23	--
06/02/92	117.45	102.92	14.53	--	1900	170	170	13	83	--
09/16/92	117.45	102.52	14.93	--	810	5.8	5.7	2.0	6.3	--
12/21/92	117.45	103.72	13.73	--	75	2.4	2.9	1.4	4.7	--
03/11/93	117.45	103.62	13.83	--	150	2.4	20	3.3	23	--
06/11/93	117.45	103.26	14.19	--	400	4.3	2.3	1.0	3.5	--
09/13/93	117.45	102.85	14.60	--	4100	62	43	34	57	--
12/14/93	117.45	103.67	13.78	--	3100	9.5	4.5	1.2	11	--
03/16/94	117.45	103.44	14.01	--	410	6.3	3.1	1.3	4.5	--
06/17/94	117.45	102.90	14.55	--	3700	100	42	30	91	--
08/29/94	117.45	102.96	14.49	--	2600	15	<0.5	6.7	9.7	--
12/06/94	117.45	104.04	13.41	--	510	2.0	2.2	1.7	9.4	--
03/31/95	117.45	105.33	12.12	--	5440	9.0	2.3	2.0	3.6	--
06/24/95	117.45	103.45	14.00	--	260	5.8	1.0	0.94	0.88	--
09/12/95	117.45	103.42	14.03	--	650	14	1.1	1.6	2.4	--
12/29/95	117.45	104.50	12.95	--	990	32	6.3	4.0	3.2	46
02/29/96	117.45	105.27	12.18	--	840	2.5	<1.0	2.6	7.3	<5.0
06/26/96	117.45	103.72	13.73	--	290	3.6	0.73	1.0	1.1	9.9
09/12/96	117.45	103.32	14.13	--	1200	17	1.8	4.0	4.4	24
12/11/96	117.45	104.66	12.79	--	7700	<10	53	19	44	87

abandoned 1/97

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-2										
12/06/90	116.16	100.82	15.34	--	210	140	9.0	2.0	11	--
06/06/91	116.16	101.54	14.62	--	4800	340	23	19	23	--
12/04/91	116.16	100.73	15.43	--	3900	85	15	9.1	15	--
06/02/92	116.16	101.74	14.42	--	3300	76	9.2	14	15	--
09/16/92	116.16	101.35	14.81	--	3000	16	15	3.4	7.5	--
12/21/92	116.16	102.79	13.37	--	2200	21	12	7.1	15	--
03/11/93	116.16	102.69	13.47	--	2200	33	24	12	25	--
06/11/93	116.16	102.18	13.98	--	2600	21	25	11	26	--
09/13/93	116.16	101.61	14.55	--	2100	31	25	18	39	--
12/14/93	116.16	102.46	13.70	--	3800	<2.5	24	12	20	--
03/16/94	116.16	102.51	13.65	--	2600	12	15	10	17	--
06/17/94	116.16	102.87	13.29	--	2400	17	19	28	71	--
08/29/94	116.16	111.60	4.56	--	3000	29	15	20	4.2	--
12/06/94	116.16	102.98	13.18	--	1900	7.9	30	14	31	--
03/31/95	116.16	104.10	12.06	--	890	<1.3	<1.3	2.6	<1.3	--
06/24/95	116.16	102.19	13.97	--	730	4.8	<0.5	5.4	0.96	--
09/12/95	116.16	102.28	13.88	--	1600	<2.5	<2.5	5.4	<2.5	--
12/29/95	116.16	103.31	12.85	--	1000	9.1	2.7	8.7	2.7	19
02/29/96	116.16	104.09	12.07	--	850	<2.5	<2.5	8.7	11	<12
06/26/96	116.16	102.50	13.66	--	2500	14	<5.0	13	6.3	<25
09/12/96	116.16	102.25	13.91	--	1800	26	19	17	31	37
12/11/96	116.16	103.82	12.34	--	2800	<5.0	34	14	<5.0	41

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-3										
12/06/90	115.70	98.84	16.86	--	210	2.0	<0.5	<0.5	1.0	--
12/06/90	115.70	--	--	Duplicate	220	2.0	0.6	<0.5	2.0	--
06/06/91	115.70	100.01	15.69	--	6400	310	21	16	21	--
09/16/92	115.70	99.81	15.89	--	7100	130	26	12	30	--
12/04/91	115.70	100.32	15.38	--	5100	120	18	17	20	--
06/02/92	115.70	100.30	15.40	--	6700	140	44	17	37	--
12/21/92	115.70	101.79	13.91	--	13,000	390	360	100	410	--
03/11/93	115.70	101.95	13.75	--	5100	86	20	12	23	--
06/11/93	115.70	101.03	14.67	--	7200	91	38	19	38	--
09/13/93	115.70	100.17	15.53	--	6800	100	52	41	75	--
12/14/93	115.70	101.30	14.40	--	8600	74	23	18	36	--
03/16/94	115.70	101.44	14.26	--	6000	100	42	27	30	--
06/17/94	115.70	100.60	15.10	--	15,000	170	120	120	270	--
08/29/94	115.70	100.30	15.40	--	26,000	51	<0.5	58	107	--
12/06/94	115.70	101.90	13.80	--	34,000	88	140	98	390	--
03/31/95	115.70	102.91	12.79	--	2800	42	<5.0	<5.0	6.6	--
06/24/95	115.70	100.84	14.86	--	5200	34	<10	<10	13	--
09/12/95	115.70	100.76	14.94	--	7000	45	<10	28	42	--
12/29/95	115.70	102.12	13.58	--	5100	20	<10	<10	19	<50
02/29/96	115.70	102.88	12.82	--	2600	15	<5.0	17	16	<25
06/26/96	115.70	101.32	14.38	--	4400	<10	<10	<10	<10	<50
09/12/96	115.70	100.75	14.95	--	5800	73	22	18	17	61
12/11/96	115.70	103.08	12.62	--	8800	81	<20	<20	37	200

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-4										
12/06/90	116.10	98.42	17.68	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	116.10	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	116.10	99.61	16.49	--	<50	1.0	1.0	<0.5	0.7	--
12/04/91	116.10	99.28	16.82	--	70	6.5	9.8	1.7	8.6	--
06/02/92	116.10	99.18	16.92	--	70	3.0	4.4	1.8	9.0	--
09/16/92	116.10	98.39	17.71	--	<50	1.4	1.8	<0.5	1.1	--
12/21/92	116.10	100.74	15.36	--	<50	0.6	0.7	<0.5	1.5	--
03/11/93	116.10	100.61	15.49	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	116.10	99.83	16.27	--	52	0.9	3.1	0.7	3.8	--
09/13/93	116.10	98.92	17.18	--	64	0.9	1.0	<0.5	1.7	--
12/14/93	116.10	101.03	15.07	--	<50	<0.5	0.8	<0.5	0.7	--
03/16/94	116.10	100.19	15.91	--	<50	<0.5	1.0	<0.5	0.8	--
06/17/94	116.10	99.46	16.64	--	230	0.6	2.2	2.2	11	--
08/29/94	116.10	99.05	17.05	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.10	101.52	14.58	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	116.10	102.26	13.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.10	100.05	16.05	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.10	99.87	16.23	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.10	101.35	14.75	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.10	102.40	13.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.10	100.30	15.80	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.10	99.67	16.43	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.10	103.18	12.92	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Permitted 1/97

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
MW-1										
09/20/93	115.05	102.37	12.68	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	115.05	105.01	10.04	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	115.05	103.10	11.95	--	<50	<0.5	1.7	<0.5	2.1	--
06/17/94	115.05	102.51	12.54	--	350	1.2	3.7	2.0	12	--
08/29/94	115.05	101.98	13.07	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	115.05	104.45	10.60	--	140	0.9	2.8	1.1	4.2	--
03/31/95	115.05	104.74	10.31	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	115.05	102.44	12.61	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	115.05	102.00	13.05	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/02/96	115.05	106.19	8.86	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	115.05	105.39	9.66	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	115.05	102.85	12.20	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	115.05	101.55	13.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	115.05	105.90	9.15	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
MW-2										
09/20/93	112.08	99.93	12.15	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	112.08	97.36	14.72	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	112.08	100.92	11.16	--	<50	<0.5	1.1	<0.5	0.9	--
06/17/94	112.08	100.41	11.67	--	330	1.4	3.3	1.9	11	--
08/29/94	112.08	100.08	12.00	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	112.08	102.57	9.51	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	112.08	103.24	8.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	112.08	100.44	11.64	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	112.08	100.00	12.08	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	112.08	101.58	10.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	112.08	104.08	8.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	112.08	100.58	11.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	112.08	99.81	12.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	112.08	104.17	7.91	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
MW-3										
09/20/93	113.67	97.25	16.42	--	6600	400	11	32	23	--
12/14/93	113.67	98.95	14.72	--	8400	390	9.4	13	<2.5	--
03/16/94	113.67	98.45	15.22	--	6900	260	30	32	27	--
06/17/94	113.67	97.62	16.05	--	10,000	190	61	58	190	--
08/29/94	113.67	97.44	16.23	--	7200	74	9.8	26	24	--
12/06/94	113.67	99.35	14.32	--	13,000	610	86	88	140	--
03/31/95	113.67	99.98	13.69	--	4300	120	<10	12	<10	--
06/24/95	113.67	98.02	15.65	--	6200	210	24	29	12	--
09/12/95	113.67	97.68	15.99	--	7200	190	<20	<20	<20	--
12/29/95	113.67	99.67	14.00	--	7100	200	<10	45	24	<50
02/29/96	113.67	100.91	12.76	--	1200	30	<5.0	<5.0	<5.0	<25
06/26/96	113.67	98.44	15.23	--	7900	180	<20	35	28	240
09/12/96	113.67	97.73	15.94	--	11,000	150	<5.0	35	28	170
12/11/96	113.67	99.86	13.81	--	7500	75	8.8	30	45	110
MW-4										
09/20/93	118.10	107.17	10.93	--	5800	16	4.2	35	48	--
12/14/93	118.10	108.33	9.77	--	7100	19	6.5	24	35	--
03/16/94	118.10	107.99	10.11	--	8500	83	43	60	70	--
06/17/94	118.10	107.20	10.90	--	21,000	150	20	140	350	--
08/29/94	118.10	107.28	10.82	--	10,000	86	71	44	85	--
12/06/94	118.10	108.70	9.40	--	13,000	68	56	67	110	--
03/31/95	118.10	109.31	8.79	--	6700	100	9.4	26	23	--
06/24/95	118.10	107.60	10.50	--	6300	<20	<20	<20	24	--
09/12/95	118.10	107.90	10.20	--	7100	65	16	<10	21	--
12/29/95	118.10	108.86	9.24	--	3300	<10	<10	12	14	720
02/29/96	118.10	111.85	6.25	--	5100	<10	37	23	21	85
06/26/96	118.10	107.92	10.18	--	6800	<20	<20	<20	<20	<100
09/12/96	118.10	107.53	10.57	--	13,000	150	<10	38	35	240
12/11/96	118.10	109.39	8.71	--	26,000	<20	<20	<20	170	<100

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
MW-5										
09/20/93	116.74	101.43	15.31	--	590	25	1.8	0.6	2.0	--
12/14/93	116.74	102.19	14.55	--	210	11	6.3	2.3	6.1	--
03/16/94	116.74	101.77	14.97	--	270	12	16	4.8	17	--
06/17/94	116.74	101.36	15.38	--	220	24	17	6.7	28	--
08/29/94	116.74	101.54	15.20	--	1000	<0.5	<0.5	<0.5	<0.5	--
12/06/94	116.74	102.09	14.65	--	110	9.2	9.7	2.2	11	--
03/31/95	116.74	103.04	13.70	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	116.74	101.95	14.79	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	116.74	102.15	14.59	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	116.74	101.76	14.98	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/29/96	116.74	103.07	13.67	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	116.74	102.50	14.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	116.74	102.12	14.62	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/11/96	116.74	102.93	13.81	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
TRIP BLANK										
12/06/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/18/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/04/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/02/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/16/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/21/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/11/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/13/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/16/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/17/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/29/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/24/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/26/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/12/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/11/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on March 31, 1995. Earlier field data and analytical results provided by Sierra Environmental.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl t-butyl ether

Analytical Appendix



Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: C-1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-01	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/14/96 Reported: 12/19/96
Attention: Jim Keller		

QC Batch Number: GC121496BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	7700
Methyl t-Butyl Ether	50	87
Benzene	10	N.D.
Toluene	10	53
Ethyl Benzene	10	19
Xylenes (Total)	10	44
Chromatogram Pattern: Unidentified HC		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	106

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133 Attention: Jim Keller	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: C-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-02	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/14/96 Reported: 12/19/96
---	--	---

QC Batch Number: GC121496BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	2800
Methyl t-Butyl Ether	25	41
Benzene	5.0	N.D.
Toluene	5.0	34
Ethyl Benzene	5.0	14
Xylenes (Total)	5.0	N.D.
Chromatogram Pattern: Unidentified HC		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	108

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133 Attention: Jim Keller	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: C-3 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-03	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/19/96 Reported: 12/19/96
---	--	---

QC Batch Number: GC121896BTEX03A
Instrument ID: GCHP3

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	8800
Methyl t-Butyl Ether	100	200
Benzene	20	81
Toluene	20	N.D.
Ethyl Benzene	20	N.D.
Xylenes (Total)	20	37
Chromatogram Pattern: Unidentified HC		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	99

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: C-4 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-04	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/14/96 Reported: 12/19/96
--	--	---

QC Batch Number: GC121496BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	97

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Client Proj. ID: Chevron 9-3864/961211-F1
Sample Descript: MW-1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9612757-05

Sampled: 12/11/96
Received: 12/12/96
Analyzed: 12/14/96
Reported: 12/19/96

QC Batch Number: GC121496BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	93

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: MW-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-06	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/14/96 Reported: 12/19/96
Attention: Jim Keller		

QC Batch Number: GC121496BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	100

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133

Client Proj. ID: Chevron 9-3864/961211-F1
Sample Descript: MW-3
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9612757-07

Sampled: 12/11/96
Received: 12/12/96
Analyzed: 12/16/96
Reported: 12/19/96

QC Batch Number: GC121696BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	7500
Methyl t-Butyl Ether	25	110
Benzene	5.0	75
Toluene	5.0	8.8
Ethyl Benzene	5.0	30
Xylenes (Total)	5.0	45
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	144 Q

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: MW-4 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-08	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/17/96 Reported: 12/19/96
--	---	---

QC Batch Number: GC121796BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	2000	26000
Methyl t-Butyl Ether	100	N.D.
Benzene	20	N.D.
Toluene	20	N.D.
Ethyl Benzene	20	N.D.
Xylenes (Total)	20	170
Chromatogram Pattern: Unidentified HC		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	108

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133 Attention: Jim Keller	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: MW-5 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-09	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/16/96 Reported: 12/19/96
---	---	---

QC Batch Number: GC121696BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	97

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Technical Services 985 Timothy Drive San Jose, CA 95133	Client Proj. ID: Chevron 9-3864/961211-F1 Sample Descript: TB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9612757-10	Sampled: 12/11/96 Received: 12/12/96 Analyzed: 12/16/96 Reported: 12/19/96
Attention: Jim Keller		


QC Batch Number: GC121696BTEX17A
Instrument ID: GCHP17

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	91

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager





Blaine Technical Services
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Proj. ID: Chevron 9-3864/961211-F1
Lab Proj. ID: 9612757

Received: 12/12/96
Reported: 12/19/96

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 16 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9612757-01 was diluted 20-fold.
Sample 9612757-02 was diluted 10-fold.
Sample 9612757-03 was diluted 40-fold.
Sample 9612757-07 was diluted 10-fold.
Sample 9612757-08 was diluted 40-fold.

SEQUOIA ANALYTICAL


Peggy Penner
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-3864 / 961211-F1
Matrix: Liquid

Work Order #: 9612757 -01-02, 04-06

Reported: Dec 20, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC121496BTEX17A	GC121496BTEX17A	GC121496BTEX17A	GC121496BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	J. Heider	J. Heider	J. Heider	J. Heider
MS/MSD #:	961251806	961251806	961251806	961251806
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	12/14/96	12/14/96	12/14/96	12/14/96
Analyzed Date:	12/14/96	12/14/96	12/14/96	12/14/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L

Result:	9.0	10	11	33
MS % Recovery:	90	100	110	110

Dup. Result:	8.6	10	11	33
MSD % Recov.:	86	100	110	110

RPD:	4.5	0.0	0.0	0.0
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK121496	BLK121496	BLK121496	BLK121496
Prepared Date:	12/14/96	12/14/96	12/14/96	12/14/96
Analyzed Date:	12/14/96	12/14/96	12/14/96	12/14/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	8.4	9.6	10	31
LCS % Recov.:	84	96	100	103

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD= MS Duplicate, RPD= Relative % Difference

9612757.BLA <1>





Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-3864 / 961211-F1
Matrix: Liquid

Work Order #: 9612757-03

Reported: Dec 20, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC121896BTEX03A	GC121896BTEX03A	GC121896BTEX03A	GC121896BTEX03A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	D. Jirsa	D. Jirsa	D. Jirsa	D. Jirsa
MS/MSD #:	961274504	961274504	961274504	961274504
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	12/18/96	12/18/96	12/18/96	12/18/96
Analyzed Date:	12/18/96	12/18/96	12/18/96	12/18/96
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	9.3	9.0	8.9	28
MS % Recovery:	93	90	89	93
Dup. Result:	9.4	9.1	8.9	29
MSD % Recov.:	94	91	89	97
RPD:	1.1	1.1	0.0	3.5
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK121896	BLK121896	BLK121896	BLK121896
Prepared Date:	12/18/96	12/18/96	12/18/96	12/18/96
Analyzed Date:	12/18/96	12/18/96	12/18/96	12/18/96
Instrument I.D.#:	GCHP3	GCHP3	GCHP3	GCHP3
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	9.2	8.8	8.8	28
LCS % Recov.:	92	88	88	93

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Reggy Penner
Project Manager

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD= Relative % Difference

9612757.BLA <2>





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-3864 / 961211-F1
Matrix: Liquid

Work Order #: 9612757-08

Reported: Dec 20, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC121696BTEX17B	GC121696BTEX17B	GC121696BTEX17B	GC121696BTEX17B
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	D. Jirsa	D. Jirsa	D. Jirsa	D. Jirsa
MS/MSD #:	961271501	961271501	961271501	961271501
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	12/16/96	12/16/96	12/16/96	12/16/96
Analyzed Date:	12/16/96	12/16/96	12/16/96	12/16/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	10	10	9.8	29
MS % Recovery:	100	100	98	97
Dup. Result:	9.8	9.1	9.7	29
MSD % Recov.:	98	91	97	97
RPD:	2.0	3.0	1.0	0.0
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK121696	BLK121696	BLK121696	BLK121696
Prepared Date:	12/16/96	12/16/96	12/16/96	12/16/96
Analyzed Date:	12/16/96	12/16/96	12/16/96	12/16/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	11	10	10	31
LCS % Recov.:	110	100	100	103

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9612757.BLA <3>





Blaine Tech Services, Inc.
985 Timothy Drive
San Jose, CA 95133
Attention: Jim Keller

Client Project ID: Chevron 9-3864 / 961211-F1
Matrix: Liquid

Work Order #: 9612757-07, 09-10

Reported: Dec 20, 1996

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes
QC Batch#:	GC121696BTEX17A	GC121696BTEX17A	GC121696BTEX17A	GC121696BTEX17A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Miraftab	A. Miraftab	A. Miraftab	A. Miraftab
MS/MSD #:	961258808	961258808	961258808	961258808
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	12/16/96	12/16/96	12/16/96	12/16/96
Analyzed Date:	12/16/96	12/16/96	12/16/96	12/16/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
Result:	10	9.9	9.9	29
MS % Recovery:	100	99	99	97
Dup. Result:	10	10	10	30
MSD % Recov.:	100	100	100	100
RPD:	0.0	1.0	1.0	3.4
RPD Limit:	0-25	0-25	0-25	0-25

LCS #:	BLK121696	BLK121696	BLK121696	BLK121696
Prepared Date:	12/16/96	12/16/96	12/16/96	12/16/96
Analyzed Date:	12/16/96	12/16/96	12/16/96	12/16/96
Instrument I.D.#:	GCHP17	GCHP17	GCHP17	GCHP17
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L
LCS Result:	10	10	10	30
LCS % Recov.:	100	100	100	100

MS/MSD	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130
Control Limits				

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9612757.BLA <4>



**Field
Data
Sheets**

CHEVRON WELL MONITORING DATA SHEET

Project #: 961211-F1	Station #: 9-3864
Sampler: TG	Date: 12/11/96
Well I.D.: C-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: 29.60	Depth to Water: 12.34
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer	Sampling Method: Bailer
Disposable Bailer	Disposable Bailer
Middleburg	Extraction Port
Electric Submersible	Other: _____
Extraction Pump	
Other: _____	

2.8	x	3	=	8.4	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1123	69.6	6.4	640	3.0	ODOR / SHEEN
1126	67.6	6.4	720	5.75	
1129	68.2	6.2	720	8.5	

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Gallons actually evacuated: 8.5
Sampling Time: 1140	Sampling Date: 12/11/96
Sample I.D.: C-2	Laboratory: Sequoia GTEL N. Creek Assoc. Labs
Analyzed for: TPH-G BTEX MTBE TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: mg/L Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 961211-F1	Station #: 9-3864
Sampler: 7G	Date: 12/11/96
Well I.D.: C-3	Well Diameter: (2) 3 4 6 8
Total Well Depth: 29.19	Depth to Water: 12.62
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer Disposable Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump
 Other: _____

2.7	x	3	=	8.1	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1154	62.8	6.3	640	2.75	odor / SHEEN
1156	66.0	6.2	640	5.5	
1159	67.4	6.3	660	8.25	

Did well dewater? Yes No Gallons actually evacuated: 8.25

Sampling Time: 12/10 Sampling Date: 12/11/96

Sample I.D.: C-3 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>961211-F1</u>	Station #: <u>9-3864</u>
Sampler: <u>TC</u>	Date: <u>12/11/96</u>
Well I.D.: <u>C-4</u>	Well Diameter: <u>(2)</u> 3 4 6 8 <u> </u>
Total Well Depth: <u>29.34</u>	Depth to Water: <u>12.92</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer	Sampling Method: Bailer
Disposable Bailer <input checked="" type="checkbox"/>	Disposable Bailer <input checked="" type="checkbox"/>
Middleburg	Extraction Port
Electric Submersible	Other: _____
Extraction Pump	
Other: _____	

<u>2.6</u>	x	<u>3</u>	=	<u>7.8</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1036	67.0	6.4	500	2.75	
1038	67.8	6.4	500	5.25	
1040	67.4	6.4	510	8.0	

Did well dewater? Yes (No) Gallons actually evacuated: 8.0

Sampling Time: 1045 Sampling Date: 12/11/96

Sample I.D.: C-4 Laboratory: (Sequioia) GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 961211-F1	Station #: 9-3864
Sampler: TG	Date: 12/11/96
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: 29.61	Depth to Water: 7.91
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: Bailer Disposable Bailer Extraction Port Other: _____
--	---

<u>3.5</u>	x	<u>3</u>	=	<u>10.5</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1012	67.0	6.6	400	3.5	
1015	67.6	6.7	360	7.0	
1018	67.6	6.7	360	10.5	

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Time: 1025 Sampling Date: 12/11/96

Sample I.D.: MW-2 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: ~~TPH-G BTEX MTBE~~ TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 961211-F1	Station #: 9-3864
Sampler: TG	Date: 12/11/96
Well I.D.: mw-3	Well Diameter: (2) 3 4 6 8
Total Well Depth: 26.88	Depth to Water: 13.81
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer	Sampling Method: Bailer
Disposable Bailer <input checked="" type="checkbox"/>	Disposable Bailer <input checked="" type="checkbox"/>
Middleburg	Extraction Port
Electric Submersible	Other: _____
Extraction Pump	
Other: _____	

2.1	x	3	=	6.3	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1223	68.2	6.6	680	2.25	ODOR / STEEN
1225	68.4	6.6	700	4.25	
1227	67.8	6.4	680	6.5	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 6.5
Sampling Time: 1235	Sampling Date: 12/11/96
Sample I.D.: mw-3	Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs
Analyzed for: TPH-G BTEX MTBE TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: mg/L Post-purge: mg/L
O.R.P. (if req'd):	Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>961211-F1</u>	Station #: <u>9-3864</u>
Sampler: <u>TG</u>	Date: <u>12/11/96</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>21.42</u>	Depth to Water: <u>8.71</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer ✓ Disposable Bailer ✓
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump
 Other: _____

<u>2.0</u>	X	<u>3</u>	=	<u>6.0</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1246</u>	<u>70.0</u>	<u>6.5</u>	<u>620</u>	<u>2.0</u>	<u>ODOR / LIGHT SHEEN</u>
<u>1248</u>	<u>70.4</u>	<u>6.4</u>	<u>620</u>	<u>4.0</u>	
<u>1250</u>	<u>70.4</u>	<u>6.4</u>	<u>600</u>	<u>6.0</u>	

Did well dewater? Yes No Gallons actually evacuated: 6.0

Sampling Time: 1300 Sampling Date: 12/11/96

Sample I.D.: MW-4 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

