



January 11, 2018

Ms. Karel Detterman
Hazardous Materials
Specialist
Alameda County Environmental Health
Services 1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Re: 3rd Party Review Response to Report Revision Based on Technical Review of Scoping Ecological Risk Assessment for the Penske Site at 725 Julie Ann Way Oakland, California, Alameda County Site ID RO#354

Dear Ms. Detterman:

Enclosed with this cover letter is the *Response to Report Revisions Based on Technical Review of Scoping Ecological Risk Assessment for the Penske Site at 725 Julie Ann Way Oakland, California (Stantec 2016), Alameda County Site ID R00000354*, prepared by AECOM.

As an authorized representative of Penske Truck Leasing Co, LP, I offer the following statement:

I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to ACDEH's FTP server and the SWRCB's GeoTracker website.

Should you have any questions, please contact me at 610-775-6123.

Best Regards,

A handwritten signature in blue ink, appearing to read "Chris Hawk", written over a light blue circular stamp.

Chris Hawk
Environmental Engineer, Environmental Services
Penske Truck Leasing

VIA EMAIL TO christopher.hawk@penske.com

aecom.com

Christopher Hawk
Environmental Engineer
Penske Truck Leasing Co., L.P.
PO Box 7635
Reading, PA 19603

January 11, 2018

Subject: Response to Report Revisions Based on Technical Review of Scoping Ecological Risk Assessment for the Penske Site at 725 Julie Ann Way Oakland, California (Stantec 2016), Alameda County Site ID R00000354

Dear Mr. Hawk,

AECOM Technical Services Inc. (AECOM) has reviewed Stantec's responses to our comments and the *Revised Scoping Ecological Risk Assessment for the Penske Site at 725 Julie Ann Way Oakland, California* dated August 8, 2017. AECOM appreciates Stantec's comprehensive responses and report revisions to address our comments. The majority of these comments were addressed in a satisfactory manner, and there are no key comments that remain unresolved. AECOM agrees with the conclusion of minimal risk to aquatic life from chemicals in site groundwater on the basis of the revised text. Based on our review of the revised ERA, AECOM agrees with the overall findings that there are likely no potentially complete and significant pathways in the aquatic habitats of the site, and no further action is warranted to address ecological receptors.

Thank you for the opportunity to review this revised report. If you have any questions regarding our comments, please contact Usha Vedagiri at (510) 874-3123 or Heather Loso at (727) 258-7540.

Yours sincerely,

AECOM Technical Services, Inc.Usha Vedagiri, Ph.D.
Group Manager and Principal Risk Assessor
Environmental Design and Consulting
Usha.Vedagiri@aecom.comHeather Loso
Principal Ecological Risk Assessor
Environmental Design and Consulting
Heather.Loso@aecom.com