Wickham, Jerry, Env. Health

From: Wickham, Jerry, Env. Health

Sent: Wednesday, February 19, 2014 3:07 PM

To: 'Ken Mateik'

Subject: RE: Proposed Well Destructions at ACEH Site #RO355, 22315 Redwood Road, Castro

Valley, CA

Ken,

Provided that pressure-grouting is acceptable to the permitting agency, Alameda County Public Works, we have no objection.

Regards,

Jerry Wickham Alameda County Environmental Health

1131 Harbor Bay Parkway Alameda, CA 94502-6577 phone: 510-567-6791 jerry.wickham@acgov.org

From: Ken Mateik [mailto:KMateik@horizonenvironmental.net]

Sent: Wednesday, February 19, 2014 2:58 PM

To: Wickham, Jerry, Env. Health

Subject: Proposed Well Destructions at ACEH Site #RO355, 22315 Redwood Road, Castro Valley, CA

Jerry:

Do you or the ACHCSA have any concerns with destroying the six monitoring wells, three vapor extraction wells, and three vapor monitoring points at the subject Site by **pressure-grouting** rather than over-drilling ???

Sincerely,

Ken Mateik, Project Geologist

HORIZON ENVIRONMENTAL INC.

4970 Windplay Drive, Suite #5 El Dorado Hills, California 95762

(916) 939-2170 (Office) (916) 939-2172 (Fax)

(916) 997-8621 (Cell)

www.Horizonenvironmentalinc.com

From: Ken Mateik

Sent: Tuesday, February 18, 2014 2:01 PM

To: 'jamesy@acpwa.org'

Subject: FW: Proposed Well Destructions in Castro Valley, CA

From: Ken Mateik

Sent: Tuesday, February 18, 2014 12:32 PM

To: 'Wells'

Subject: RE: Proposed Well Destructions in Castro Valley, CA

Thanks James. Wells MW-7 and MW-8 were destroyed way back in 1998 before Redwood Road was widened. All the other 12 wells are 2-inch or 4-inch diameter wells, and if we are allowed to pressure-grout, then our standard protocol is to drill out the upper 5 feet of each well and backfill with neat cement slurry grout between 1 and 5 feet, then concrete tinted to match the surrounding surface for the upper one foot, unless in lawn or landscaping areas where the upper foot would be soil and/or lawn. The well boxes will be removed too during the drill out of the upper 5 feet.

Sincerely,

Ken Mateik, Project Geologist **HORIZON ENVIRONMENTAL INC.**4970 Windplay Drive, Suite #5

El Dorado Hills, California 95762
(916) 939-2170 (Office)
(916) 939-2172 (Fax)
(916) 997-8621 (Cell)

www.Horizonenvironmentalinc.com

From: Wells [mailto:wells@acpwa.org]
Sent: Tuesday, February 18, 2014 12:09 PM

To: Ken Mateik

Subject: RE: Proposed Well Destructions in Castro Valley, CA

Hi ken:

Yes and No. Let me explain.

Looking at the site map and not knowing the well specs, I would say that you could pressure grout all the monitoring wells on private property. This is assuming that the well are 2 inch, 4 inch and 6 inch diameter (I have to check that first). Wells that are ¾ inch and 1 inch and 1.5 inch wells will have to be drilled out to total depth. So far, I believe that wells MW-8, MW-5A and MW-7 will need to be drilled out the upper 5ft. bgs if they are located in the County Right-Of-Way.

Let me know if that answer your question.

JAMES YOO
ENVIRONMENTAL COMPLIANCE SPECIALIST
ALAMEDA COUNTY PUBLIC WORKS AGENCY
WATER RESOURCES SECTION
399 Elmhurst Street
Hayward, CA 94544
Ph: 510-670-6633

Fax: 510-782-1939 jamesy@acpwa.org www.acgov.org/pwa/wells From: Ken Mateik [mailto:KMateik@horizonenvironmental.net]

Sent: Tuesday, February 18, 2014 11:59 AM

To: Wells

Subject: Proposed Well Destructions in Castro Valley, CA

Importance: High

To Whom it may concern:

Horizon Environmental will be destroying six monitoring wells, three vapor extraction wells, and three vapor monitoring points at a Site in Castro Valley, as directed by the Alameda Health Care Services Agency (see attached letter). Is it possible to destroy these wells by **pressure-grouting** rather than over-drilling???

Thank You for your help.

Sincerely,

Ken Mateik, Project Geologist **HORIZON ENVIRONMENTAL INC.**4970 Windplay Drive, Suite #5
El Dorado Hills, California 95762
(916) 939-2170 (Office)
(916) 939-2172 (Fax)
(916) 997-8621 (Cell) **www.Horizonenvironmentalinc.com**

