

Environmental

1704 Via Riata, Roseville, CA 95747

Tel: (916) 771-7098, FAX : (916) 771-4584

April 21, 2003

Mr. Richard Hiett
 California Regional Water Quality Control Board
 San Francisco Bay Region
 1515 Clay Street, Suite 1400
 Oakland, CA 94612

Subject: Quarterly *Ground Water Monitoring Report, First Half 2003*
 Former Beacon Station No. 12574
 22315 Redwood Road
 Castro Valley, California
 RDM Project No. 00-12574

Dear Mr. Hiett:

RDM Environmental (RDM) has been authorized by Ultramar Inc. to perform ground water monitoring oversight for the subject site. This report describes ground water monitoring activities conducted during the **First Half 2003**.

Work Performed During the First Half 2003:

- Doulous Environmental, Inc. conducted quarterly monitoring activities on **March 4, 2003**.

STATUS OF GROUND WATER MONITORING

Cumulative ground water sampling information is tabulated in Table 1. A site topographic map, site map, ground water elevation contour map and a concentration map are shown as Figures 1 through 4, respectively. The site history is included in Enclosure A, the monitoring data sheets are included in Enclosure B, the analytical results are included in Enclosure C and the historical ground water monitoring data is included in Enclosure D.

- Historical ground water flow direction is to the southwest.

CONCLUSIONS/RECOMMENDATIONS

Based on the March 2003 sampling results and historical ground water data, RDM recommends the ground water monitoring events continue on a semi-annual basis.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are

Mr. Richard Hiett
California Regional Water Quality Control Board
San Francisco Bay Region
April 21, 2003
Page 2


arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Richard Munsch at (916) 771-7098.

RDM ENVIRONMENTAL



Richard D. Munsch
Project Manager



Michael G. Lee, P.E.
California Registered Civil Engineer No. C055795



RDM (12574 3Q GWM 8-21-02)

cc: Mr. Joe Aldridge - Ultramar, Inc.
Mr. Amir K. Gholami - Alameda County Department of Environmental Health
Mr. Bill Courtney - Property Manager

Enclosures:

- Enclosure A: Site Background Information
- Enclosure B: Ground Water Sampling Information
- Enclosure C: Ground Water Monitoring Analytical Results
- Enclosure D: Historical Ground Water Monitoring Data

TABLE 1
GROUND WATER MONITORING DATA

Former Beacon Station
No. 12574
22315 Redwood Road
Castro Valley, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Comments
MW-1	02/11/02	158.70	22.58	136.12	7,600	160	1,600	4,200	41,000	640	
	08/21/02		23.18	135.52	2,000	31	220	510	7,400	270	
	03/04/03		22.43	136.27	6,000	130	1,300	2,900	30,000	490	
MW-2	02/11/02	157.33	21.03	136.30	3,100	270	690	1,600	17,000	660	
	08/21/02		21.60	135.73	1,600	44	290	260	6,800	440	
	03/04/03		20.86	136.47	3,400	200	590	1,100	20,000	670	
MW-3	02/11/02	159.23	21.55	137.68	NS	NS	NS	NS	NS	NS	
	08/21/02		22.00	137.23	NS	NS	NS	NS	NS	NS	
	03/04/03		21.48	137.75	NS	NS	NS	NS	NS	NS	
MW-4	02/11/02	154.13	16.81	137.32	NS	NS	NS	NS	NS	NS	
	08/21/02		17.58	136.55	NS	NS	NS	NS	NS	NS	
	03/04/03		16.70	137.43	NS	NS	NS	NS	NS	NS	
MW-5	02/11/02	150.73	15.70	135.03	NS	NS	NS	NS	NS	NS	
	08/21/02		16.17	134.56	NS	NS	NS	NS	NS	NS	
	03/04/03		15.46	135.27	NS	NS	NS	NS	NS	NS	

TABLE 1
GROUND WATER MONITORING DATA

Former Beacon Station
No. 12574
22315 Redwood Road
Castro Valley, California

Monitoring Well	Date	Reference Elevation (ft)	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)	Comments
MW-6	02/11/02	156.11	20.78	135.33	NS	NS	NS	NS	NS	NS	
	08/21/02		21.41	134.70	NS	NS	NS	NS	NS	NS	
	03/04/03		20.64	135.47	NS	NS	NS	NS	NS	NS	

TPH = Total petroleum hydrocarbons.


MTBE = Methyl tertiary butyl ether.

NA = Not analyzed

ND = Not detected at or above the laboratory reporting limit.

NS = Not sampled

$\mu\text{g}/\text{L}$ = Micrograms per liter.



GENERAL NOTES:
BASE MAP FROM U.S.G.S.
HAYWARD, CA.
7.5 MINUTE TOPOGRAPHIC
PHOTOREVISED 1980



QUADRANGLE LOCATION



SCALE 1:24,000


FIGURE 1


SITE LOCATION MAP

**FORMER BEACON STATION NO. 12574
22315 REDWOOD ROAD
CASTRO VALLEY, CA.**

PROJECT NO. 00-12574	DRAWN BY M.L. 4/12/02
FILE NO. 12574 Topo	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY Environmental










FIGURE 4
GROUNDWATER ANALYTICAL SUMMARY
3/4/03

FORMER BEACON STATION NO. 12574
22315 REDWOOD ROAD
CASTRO VALLEY, CA.

PROJECT NO. 00-12574	DRAWN BY M.L. 4/12/02
FILE NO. 12574 Site	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY

R D M
Environmental

ENCLOSURE A

Site Background Information

Historical Background Information

Former Beacon No. 12574
22315 Redwood Road
Castro Valley, California

Ultramar Inc.

- On May 5, 1987, five underground storage tanks (two gasoline, two diesel and one waste oil) were excavated and removed from the site. Soil samples were collected from beneath the tanks and analyzed for hydrocarbon constituents. It was determined that gasoline and diesel were present in the soil beneath the former fuel tanks. Soil was over-excavated to the depth of groundwater. Most soil samples collected after the over-excavation confirmed removal of impacted soil. A sample collected from the over-excavation northeast of the former tanks contained petroleum hydrocarbons at a concentration of 1989 parts per million. No further excavation was conducted.
- During March 1991, three groundwater monitoring wells were installed on-site. Laboratory analysis of soil samples obtained from monitoring well borings indicated that soil had been impacted in the vicinity of former USTs (these USTs were no longer present when Beacon operated the station) to the depth of groundwater, where it then apparently spread across the site and impacted soil immediately above groundwater.
- In May 1993, five ground water monitoring wells were installed. With the installation of these new wells the extent of impacted groundwater was defined.
- During the first quarter 1994, a soil gas survey/performance test, aquifer pump test, and air sparging was conducted.
- During the fourth quarter 1994, a PAR/RAP was submitted. The consultant concluded that further assessment and remediation were not necessary. It was recommended that groundwater monitoring continue.
- In December 1996, a Risk-Based Corrective Action (RBCA) assessment was prepared and submitted to the County. Correspondence prepared by the County in May 1997, and July 1998, requested further RBCA analyses. A *Supplement to Risk-Based Corrective Action Tier 1 and Tier 2 Analyses* was completed in March 1999.
- In September 1998, monitoring wells MW-7 and MW-8 were abandoned, as required by the Alameda County Department of Public Works.
- In July 1999, the property owner had a geophysical survey completed, which concluded that additional USTs were not present at the site.
- In January 2002, RDM Environmental was contracted by Ultramar Inc. to continue environmental oversight of the site.

ENCLOSURE B

Ground Water Sampling Information

DOULOS ENVIRONMENTAL, INC.
GROUNDWATER/LIQUID LEVEL DATA
(measurements in feet)

Project Address: Beacon # 12574 22315 Redwood Rd.

Date: 3-4-03

Castro Valley, Ca.

Project No.: 12574-25

Recorded by: _____

Notes:

DOULOS ENVIRONMENTAL8, INC.

SAMPLING INFORMATION SHEET

Client: Ultramar

Sampling Date: 3-4-03

Site: Beacon #12574

Project No.: _____

22315 Redwood Rd.

Well Designation: MW-1

Castro Valley, Ca.

Is setup of traffic control devices required?

 NO

YES

time: _____ hours

Is there standing water in the well box?

 NO

YES

Above TOC Below TOC

Is top of casing cut level?

 NO YES

If no, see remarks

Is well cap sealed and locked?

 NO YES

If no, see remarks

Height of well casing riser (in inches):

3

Well cover type: 8" or 12" UV

12" EMCO

8" or 12" BK

8" Christy

12" Christy

8" M&D

12" M&D

12" DWP

12" CNI

36" CNI

12" Potenco

Other:

General condition of wellhead assembly:

Excellent

Good

Fair Poor

Purging Equipment: 2" disposable bailer Submersible pump

2" PVC bailer

Dedicated bailer

4" PVC bailer

Centrifugal pump

Sampled with: Disposable bailer Teflon bailer Disposable Tubing

Well Diameter: 2"

4"

6"

8"

0.16

0.65

1.47

2.61

gal/ft.

Purge Vol. Multiplier:

Initial Measurement

Time: 8:56

Recharge Measurement

Depth of well: 29.73

Time: 9:31

Calculated purge: 18.9

Depth to water: 23.88

Depth to water: 23.88

Actual purge: 18.9

Depth to water: 22.43

Start purge: 9:00

Sampling time: 9:33

Time	Temperature	E.C.	pH	Turbidity	Volume
9:02	69.5	1004	7.41		1
9:04	71.3	996	7.30		2
9:07	72.0	981	7.24		3
9:10	73.4	930	7.21		4
					DRY

Sample appearance: clear Lock: dolphin

Equipment replaced: (check all that apply)

Note condition of replaced item(s)

2" Locking Cap: _____

Lock: _____

7/32 Allenhead: _____

4" Locking Cap: _____

Lock-Dolphin: _____

9/16 Bolt: _____

6" Locking Cap: _____

Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

DOULOS ENVIRONMENTAL, INC.

SAMPLING INFORMATION SHEET

Client: Ultramar

Sampling Date: 3-4-03

Site: Beacon #12574

Project No.: _____

22315 Redwood Rd.

Well Designation: MW-2

Castro Valley, Ca.

Is setup of traffic control devices required?

NO
 NO
 YES
 YES
 NO
 NO
 YES
 YES

time: _____ hours
 Above TOC _____ Below TOC
 If no, see remarks
 If no, see remarks

Is there standing water in the well box?

Is top of casing cut level?

Is well cap sealed and locked?

Height of well casing riser (in inches):

3

Well cover type: 8" or 12" UV 12" EMCO 8" or 12" BK 8" Christy 12" Christy 8" M&D 12" M&D 12" DWP 12" CNI 36" CNI 12" Pomeco Other: _____General condition of wellhead assembly: Excellent Good Fair Poor

Purging Equipment:	2" disposable bailer	Submersible pump
	2" PVC bailer	Dedicated bailer
	4" PVC bailer	Centrifugal pump

Sampled with: Disposable bailer Teflon bailer Disposable Tubing

Well Diameter: 2"	4" <input checked="" type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>
Purge Vol. Multiplier:	0.16	0.65	1.47
Initial Measurement			

Time: 8:50	Recharge Measurement	Calculated purge: 22.4
Depth of well: 29.50	Time: 9:40	Actual purge: 22.4
Depth to water: 21.59		
Depth to water: 20.86		

Start purge: 9:18 Sampling time: 9:42

Time	Temperature	E.C.	pH	Turbidity	Volume
9:20	72.9	904	7.30		
9:22	73.0	903	7.21		
9:24	73.6	891	7.16		
9:26	74.1	850	7.4		

DR4

Sample appearance: Clean Lock: dolphin

Equipment replaced: (check all that apply) Note condition of replaced item(s)

2" Locking Cap: _____ Lock: _____ 7/32 Allenhead: _____

4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____

6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

ENCLOSURE C

**Ground Water Monitoring
Analytical Results**



Report Number : 31970

Date : 3/14/03

Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 2 Water Samples
Project Name : Beacon
Project Number : 12574 Castro Valley
P.O. Number : 12574-25

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". Below the signature, the name "Joel Kiff" is printed in a smaller, black, sans-serif font.
Joel Kiff



Report Number : 31970

Date : 3/14/03

Project Name : Beacon

Project Number : 12574 Castro Valley

Sample : MW-1

Matrix : Water

Lab Number : 31970-01

Sample Date : 3/4/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	6000	25	ug/L	EPA 8260B	3/11/03
Toluene	130	25	ug/L	EPA 8260B	3/11/03
Ethylbenzene	1300	25	ug/L	EPA 8260B	3/11/03
Total Xylenes	2900	25	ug/L	EPA 8260B	3/11/03
Methyl-t-butyl ether (MTBE)	490	25	ug/L	EPA 8260B	3/11/03
TPH as Gasoline	30000	2500	ug/L	EPA 8260B	3/11/03
Toluene - d8 (Surr)	98.7		% Recovery	EPA 8260B	3/11/03
4-Bromofluorobenzene (Surr)	103		% Recovery	EPA 8260B	3/11/03

Sample : MW-2

Matrix : Water

Lab Number : 31970-02

Sample Date : 3/4/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	3400	20	ug/L	EPA 8260B	3/11/03
Toluene	200	20	ug/L	EPA 8260B	3/11/03
Ethylbenzene	590	20	ug/L	EPA 8260B	3/11/03
Total Xylenes	1100	20	ug/L	EPA 8260B	3/11/03
Methyl-t-butyl ether (MTBE)	670	20	ug/L	EPA 8260B	3/11/03
TPH as Gasoline	20000	2000	ug/L	EPA 8260B	3/11/03
Toluene - d8 (Surr)	98.1		% Recovery	EPA 8260B	3/11/03
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	3/11/03

Approved By: Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800

Report Number : 31970

Date : 3/14/03

QC Report : Method Blank Data

Project Name : Beacon

Project Number : 12574 Castro Valley

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	3/10/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	3/10/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	3/10/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	3/10/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	3/10/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	3/10/03
Toluene - d8 (Surrogate)	100		%	EPA 8260B	3/10/03
4-Bromofluorobenzene (Surrogate)	102		%	EPA 8260B	3/10/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

Approved By: Joel Kiff



KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 31970

Date : 3/14/03

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Beacon

Project Number : 12574 Castro Valley

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	31989-02	<0.50	40.2	39.7	40.5	40.3	ug/L	EPA 8260B	3/10/03	101	101	0.519	70-130	25
Toluene	31989-02	<0.50	40.2	39.7	39.8	39.4	ug/L	EPA 8260B	3/10/03	99.2	99.3	0.0755	70-130	25
Tert-Butanol	31989-02	540	201	198	759	724	ug/L	EPA 8260B	3/10/03	107	90.3	16.6	70-130	25
Methyl-t-Butyl Ether	31989-02	<0.50	40.2	39.7	41.8	41.6	ug/L	EPA 8260B	3/10/03	104	105	0.598	70-130	25

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By: Joel Kiff



Report Number : 31970

Date : 3/14/03

QC Report : Laboratory Control Sample (LCS)

Project Name : **Beacon**

Project Number : **12574 Castro Valley**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	3/10/03	90.7	70-130
Toluene	40.0	ug/L	EPA 8260B	3/10/03	89.4	70-130
Tert-Butanol	200	ug/L	EPA 8260B	3/10/03	93.4	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	3/10/03	92.8	70-130

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:

Joel Kiff



Project Contact (Hardcopy or PDF to):
Richard Munsch

720 Olive Drive, Suite D

Davis CA 95616

Tab: 530 297 4800

Fax: 530 297 48

EDF Report?

Yes No

Lab No. 31970

Page 1 of 8

Chain-of-Custody Record and Analysis Request

Analysis Request

Relinquished by

Dat

1

Received by

Remarks

Relinquished by

- 8 -

1

Time Received by

Belonged to

Da

1

Received by Laboratory

三

ONE

JOE ALDRIDGE

ENCLOSURE D

**Historical Ground Water Monitoring
Data**

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
MW-1	156.55	03/27/92	22.43	134.12	-
		06/04/92	23.40	133.15	-
		09/23/92	24.07	132.48	-
		11/12/92	24.16	132.39	29.33
		02/02/93	21.87	134.68	29.80
		05/07/93	22.58	133.97	29.84
		05/18/93	22.66	133.89	-
		08/11/93	23.41	133.14	29.81
		11/05/93	24.09	132.46	29.81
		03/01/94	22.76	133.79	29.85
		06/02/94	23.24	133.31	29.85
		09/09/94	23.93	132.62	29.86
		12/20/94	22.94	133.61	29.85
		03/08/95	22.20	134.35	29.71
		06/14/95	22.65	133.90	29.70
		09/26/95	23.44	133.11	29.71
		12/27/95	23.04	133.51	29.72
		03/26/96	21.39	135.16	29.71
		06/05/96	22.43	134.12	29.73
		09/16/96	24.42	132.13	29.74
		12/02/96	23.14	133.41	29.75
		03/10/97	22.30	134.25	29.76
		06/12/97	22.97	133.58	29.76
		09/29/97	23.35	133.20	29.78
		12/01/97	22.73	133.82	29.79
		03/19/98	20.56	135.99	29.78
		05/28/98	21.78	134.77	29.76
		08/31/98	22.64	133.91	29.78
		12/08/98	22.87	133.68	29.76
		02/17/99	21.53	135.02	29.75
		06/10/99	22.74	133.81	29.74
		09/07/99	23.06	133.49	29.73
		12/13/00	23.06	133.46	29.74
		3/16/00	20.66	135.89	29.75
		6/12/00	22.53	134.02	29.76
		9/5/00	22.73	133.82	29.74
		11/13/00	23.20	133.35	29.74
		2/26/01	21.75	134.80	29.73
		6/12/01	22.70	133.85	29.73
		9/21/01	23.40	133.15	29.73
MW-2	155.17	03/27/92	20.82	134.35	-
		06/04/92	21.81	133.36	-
		09/23/92	22.45	132.72	-
		11/12/92	22.60	132.57	29.71

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		02/02/93	20.28	134.89	29.73
		05/07/93	20.97	134.20	29.73
		05/18/93	21.06	134.11	-
		08/11/93	21.85	133.32	29.70
		11/05/93	22.32	132.85	29.70
		03/01/94	21.19	133.98	29.68
		06/02/94	21.59	133.58	29.69
		09/09/94	22.33	132.84	29.66
		12/20/94	21.37	133.80	29.65
		03/08/95	20.60	134.57	29.52
		06/14/95	21.04	134.13	29.54
		09/26/95	21.84	133.33	29.53
		12/27/95	21.44	133.73	29.56
		03/26/96	19.81	135.36	29.56
		06/05/96	20.83	134.34	29.59
		09/16/96	21.93	133.24	29.58
		12/02/96	21.54	133.63	29.58
		03/10/97	20.71	134.46	29.58
		06/12/97	21.41	133.76	29.52
		09/29/97	21.26	133.91	29.51
		12/01/97	20.97	134.20	29.50
		03/19/98	18.98	136.19	29.51
		05/28/98	20.22	134.95	29.50
		08/31/98	21.09	134.08	29.51
		12/08/98	21.31	133.86	29.50
		02/17/99	20.02	135.15	29.51
		06/10/99	21.30	133.87	29.50
		09/07/99	21.49	133.68	29.50
		12/13/99	21.52	133.65	29.50
		3/16/00	19.13	136.04	29.50
		6/12/00	20.93	134.24	29.50
		9/5/00	21.15	134.02	29.50
		11/13/00	21.66	133.51	29.50
		2/26/01	20.17	135.00	29.50
		6/12/01	21.15	134.02	29.50
		9/21/01	21.63	133.54	29.50
MW-3	157.13	03/27/92	21.46	135.67	-
		06/04/92	22.34	134.79	-
		09/23/92	22.84	134.29	-
		11/12/92	23.04	134.09	29.55
		02/02/93	21.03	136.10	29.45
		05/07/93	21.59	135.54	29.53
		05/18/93	21.73	135.40	-
		08/11/93	22.31	134.82	29.41
		11/05/93	22.85	134.28	29.41

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		03/01/94	21.97	135.16	29.55
		06/02/94	22.29	134.84	29.56
		09/09/94	22.91	134.22	29.56
		12/20/94	22.11	135.02	29.54
		03/08/95	21.40	135.73	29.38
		06/14/95	21.80	135.33	29.36
		09/26/95	22.38	134.75	29.37
		12/27/95	22.07	135.06	29.37
		03/26/96	20.73	136.40	29.38
		06/05/96	21.54	135.59	29.40
		09/16/96	22.37	134.76	29.43
		12/02/96	22.35	134.78	29.45
		03/10/97	21.44	135.69	29.47
		06/12/97	21.97	135.16	29.45
		09/29/97	22.30	134.83	29.45
		12/01/97	21.78	135.35	29.46
		03/19/98	19.88	137.25	29.46
		05/28/98	20.91	136.22	29.47
		08/31/98	21.61	135.52	29.47
		12/08/98	21.83	135.30	29.47
		02/17/99	20.81	130.32	29.45
		06/10/99	21.61	135.52	29.45
		09/07/99	21.91	135.22	29.45
		12/13/99	21.93	135.20	29.44
		3/16/00	19.86	137.27	29.46
		6/12/00	21.61	135.52	29.46
		9/5/00	21.54	135.59	29.47
		11/13/00	21.98	135.15	29.46
		2/26/01	20.65	136.48	29.46
		6/12/01	21.70	135.43	29.46
		9/21/01	22.05	135.07	29.46
MW-4	151.96	05/18/93	17.55	134.41	-
		08/11/93	17.50	134.46	28.43
		11/05/93	15.84	136.12	28.43
		03/01/94	17.35	134.61	28.11
		06/02/94	17.68	134.28	28.12
		09/09/94	18.19	133.77	28.13
		12/20/94	17.52	134.44	28.10
		03/08/95	16.82	135.14	27.97
		06/14/95	17.22	134.74	27.97
		09/26/95	17.79	134.17	27.91
		12/27/95	17.47	134.49	27.89
		03/26/96	16.32	135.64	27.89
		06/05/96	17.10	134.86	27.88
		09/16/96	17.85	134.11	27.89

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		12/02/96	17.59	134.37	27.88
		03/10/97	16.79	135.17	27.89
		06/12/97	17.49	134.47	27.90
		09/29/97	18.33	133.63	27.91
		12/01/97	17.36	134.60	27.90
		03/19/98	15.90	136.06	27.91
		05/28/98	16.34	135.62	27.90
		08/31/98	16.83	135.13	27.90
		12/08/98	17.37	134.59	27.91
		02/17/99	16.49	135.47	27.98
		06/10/99	17.63	134.33	24.76
		09/07/99	17.80	134.16	24.75
		12/13/99	17.82	134.14	24.73
		3/16/00	15.81	136.15	24.71
		6/12/00	16.64	135.32	24.70
		9/5/00	16.71	135.25	24.70
		11/13/00	17.24	134.72	24.70
		2/26/01	15.83	136.13	24.70
		6/12/01	16.80	135.16	24.70
		9/21/01	17.30	134.66	24.71
MW-5	148.68	05/18/93	15.72	132.96	-
		08/11/93	16.42	132.26	28.43
		11/05/93	16.92	131.76	28.43
		03/01/94	15.54	133.14	28.11
		06/02/94	16.19	132.49	28.12
		09/09/94	16.87	131.81	28.13
		12/20/94	15.87	132.84	28.10
		03/08/95	15.11	133.57	27.97
		06/14/95	15.69	132.99	27.97
		09/26/95	16.46	132.22	27.91
		12/27/95	15.91	132.77	27.89
		03/26/96	14.31	134.37	27.89
		06/05/96	15.43	133.25	27.88
		09/16/96	16.52	132.16	27.89
		12/02/96	16.05	132.63	27.88
		03/10/97	14.80	133.88	27.89
		06/12/97	15.95	132.78	27.90
		09/29/97	16.33	132.35	27.91
		12/01/97	15.48	133.20	27.90
		03/19/98	13.16	135.52	27.91
		05/28/98	14.04	134.64	27.90
		08/31/98	14.81	133.87	27.90
		12/08/98	15.75	132.93	27.91
		02/17/99	14.80	133.88	27.98
		06/10/99	15.54	133.14	24.76

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		09/07/99	16.01	132.67	24.75
		12/13/99	16.21	132.47	24.73
		3/16/00	14.35	134.33	29.60
		6/12/00	15.21	133.47	29.61
		9/5/00	15.80	132.88	29.60
		11/13/00	16.21	132.47	29.60
		2/26/01	14.71	133.97	29.61
		6/12/01	15.72	132.96	29.60
		9/21/01	16.21	132.47	29.60
MW-6	153.96	05/18/93	20.80	133.16	-
		08/11/93	21.64	132.32	31.15
		11/05/93	22.11	131.85	31.15
		03/01/94	20.80	133.16	29.96
		06/02/94	21.37	132.59	29.98
		09/09/94	22.05	131.91	29.96
		12/20/94	21.06	132.90	29.89
		03/08/95	20.29	133.67	29.67
		06/14/95	20.81	133.15	29.65
		09/26/95	21.62	132.34	29.66
		12/27/95	21.12	132.84	29.63
		03/26/96	19.50	134.46	29.60
		06/05/96	20.56	133.40	29.63
		09/16/96	21.70	132.26	29.65
		12/02/96	21.25	132.71	29.66
		03/10/97	20.16	133.80	29.64
		06/12/97	21.16	132.80	29.62
		09/29/97	21.51	132.45	29.62
		12/01/97	20.89	133.07	29.61
		03/19/98	18.71	135.25	29.60
		05/28/98	19.99	133.97	29.62
		08/31/98	20.81	133.15	29.63
		12/08/98	21.00	132.96	29.64
		02/17/99	19.54	134.42	29.63
		06/10/99	20.74	133.22	27.98
		09/07/99	21.23	132.73	27.98
		12/13/99	21.22	132.74	27.98
		3/16/00	18.79	135.17	27.99
		6/12/00	20.49	133.47	27.99
		9/5/00	20.95	133.01	27.98
		11/13/00	21.44	132.52	27.98
		2/26/01	19.86	134.10	27.99
		6/12/01	20.91	133.05	27.98
		9/21/01	21.22	132.74	27.99
MW-7	156.09	05/18/93	22.64	133.45	-

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		08/11/93	23.25	132.84	30.75
		11/05/93	23.93	132.16	30.75
		03/01/94	22.72	133.37	30.11
		06/02/94	23.22	132.87	30.12
		09/09/94	23.90	132.19	30.12
		12/20/94	22.98	133.11	30.10
		03/08/95	22.14	133.95	29.91
		06/14/95	22.61	133.48	29.91
		09/26/95	23.43	132.66	29.90
		12/27/95	23.01	133.08	29.90
		03/26/96	21.32	134.77	29.87
		06/05/96	22.37	133.72	29.91
		09/16/96	23.51	132.58	29.90
		12/02/96	23.08	133.01	29.91
		03/10/97	21.94	134.15	29.90
		06/12/97	22.96	133.13	29.88
		09/29/97	23.35	132.74	29.87
		12/01/97	22.68	133.41	29.88
		03/19/98	20.52	135.57	29.88
		05/28/98	21.76	134.33	29.88
		08/31/98	22.66	133.43	29.86
		12/08/98 ³			
MW-8	158.04	05/18/93	21.55	136.49	-
		08/11/93	22.43	135.61	34.82
		11/05/93	23.00	135.04	34.82
		03/01/94	22.05	135.99	34.04
		06/02/94	22.29	135.75	34.04
		09/09/94	22.99	135.05	34.04
		12/20/94	22.14	135.90	33.98
		03/08/95	21.25	136.79	34.48
		06/14/95	21.70	136.34	34.49
		09/26/95	22.29	135.75	34.40
		12/27/95	21.96	136.08	34.43
		03/26/96	20.48	137.56	34.42
		06/05/96	21.50	136.54	34.41
		09/16/96	22.38	135.66	34.43
		12/02/96	22.39	135.65	34.42
		03/10/97	20.89	137.16	34.43
		06/12/97	21.80	136.24	34.42
		09/29/97	22.81	135.23	34.40
		12/01/97	21.70	136.34	34.41
		03/19/98	19.35	138.69	34.42
		05/28/98	20.52	137.52	34.41
		08/31/98	21.40	136.64	34.40
		12/08/98 ³			

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
---------	--	-----------------	--	---	-------------------------

NOTES:

1 : Measurement and reference elevation taken from notch/mark on top north side of well casing.

2 : Elevation reference to mean sea level.

Well Depth : Measured from top of casing to bottom of well.

3 : Well abandoned.

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg ($\mu\text{g/L}$)	TPHd ($\mu\text{g/L}$)	TPHmo ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW-2	9/21/01	23,000	NA	NA	4,600	75	1,200	2,300	450
	03/27/92	18,000	<50	<50	2,400	2,300	870	3,300	-
	06/04/92	14,000	<5,000	NA	1,900	1,700	580	2,300	-
	09/23/92	22,000	NA	NA	2,100	1,500	760	2,900	-
	11/12/92	29,000	NA	NA	2,400	860	540	3,500	-
	02/02/93	24,000	NA	NA	2,700	1,900	590	2,600	-
	05/07/93	19,000	NA	NA	1,800	1,300	460	2,600	-
	08/11/93	23,000	NA	NA	2,300	1,500	550	2,300	-
	11/05/93	30,000	NA	NA	3,100	2,900	860	3,700	-
	03/01/94	13,000	NA	NA	1,500	490	350	1,100	-
	06/02/94	12,000	NA	NA	2,000	790	460	1,300	-
	09/09/94	13,000	NA	NA	1,800	660	440	1,000	-
	12/20/94	16,000	NA	NA	2,300	1,000	650	1,900	-
	03/08/95	16,000	NA	NA	2,200	1,000	550	2,100	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	18,000	NA	NA	2,500	1,000	770	2,700	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	33,000	NA	NA	4,200	2,600	1,000	5,000	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	19,000	NA	NA	2,600	490	560	2,000	940
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	23,000	NA	NA	3,700	870	650	3,000	1,400
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	30,000	NA	NA	4,900	880	990	3,800	1,400
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	72,000	NA	NA	14,000	9,500	2,300	11,000	<1,500
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	29,000	NA	NA	4,900	1,600	960	3,900	890
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	26,000	NA	NA	5,200	930	1,200	4,400	640
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	32,000	NA	NA	5,700	600	1200	3,500	1,100
	12/13/99	NS	NS	NS	NS	NS	NS	NS	NS
	3/16/00	38,000	NA	NA	4,900	780	1,100	3,700	870
	6/12/00	NS	NS	NS	NS	NS	NS	NS	NS
	9/5/00	21,000	NA	NA	3,400	490	730	2,200	1,000
	11/13/00	NS	NS	NS	NS	NS	NS	NS	NS
	2/26/01	33,000	NA	NA	5,200	260	1,400	3,200	740

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg ($\mu\text{g/L}$)	TPHd ($\mu\text{g/L}$)	TPHmo ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW-3	6/12/01	NS	NS	NS	NS	NS	NS	NS	NS
	9/21/01	63,000	NA	NA	4,400	180	1,000	2,000	730
	03/27/92	160	<50	<50	9.2	4.8	10	23	-
	06/04/92	120	<50	NA	7.5	2.7	0.5	15	-
	09/23/92	220	NA	NA	8.3	4.3	62	19	-
	11/12/92	230	NA	NA	12	5.5	77	19	-
	02/02/93	86	NA	NA	2.4	0.71	27	6.2	-
	05/07/93	140	NA	NA	2.6	1.2	39	8.4	-
	08/11/93	490	NA	NA	15	8.1	14	37	-
	11/05/93	820	NA	NA	45	24	34	93	-
	03/01/94	410	NA	NA	7.4	2.7	56	10	-
	06/02/94	440	NA	NA	13	4.9	14	31	-
	09/09/94	620	NA	NA	12	4.8	97	20	-
	12/20/94	770	NA	NA	24	11	16	36	-
	03/08/95	300	NA	NA	6.1	0.97	4.8	7.5	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	130	NA	NA	4.8	1.6	4.8	9.4	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	170	NA	NA	10	2.9	44	15	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	84	NA	NA	2.3	<0.50	14	2.6	<5.0
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	740	NA	NA	61	9.8	42	61	<5.0
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	320	NA	NA	6.7	1.0	10	9.3	3.4
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	310	NA	NA	<5.0	8.6	1.8	13	14
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	99	NA	NA	4.2	0.51	4.0	3.0	<5.0
	12/13/99	NS	NS	NS	NS	NS	NS	NS	NS
	3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	6/12/00	NS	NA	NA	NS	NS	NS	NS	NS
	9/5/00	240	NA	NA	3.0	0.53	9.6	4.0	<5.0
	11/13/00	NS	NA	NA	NS	NS	NS	NS	NS

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg ($\mu\text{g/L}$)	TPHd ($\mu\text{g/L}$)	TPHmo ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW-4	2/26/01	100	NA	NA	0.84	<0.50	3.5	1.7	0.84
	6/12/01	NS	NS	NS	NS	NS	NS	NS	NS
	8/27/01 ³	-	-	-	-	-	-	-	-
	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	NS	NS	NS	NS	NS	NS	NS	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	NS	NS	NS	NS	NS	NS	NS	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	NS	NS	NS	NS	NS	NS	NS	NS
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	NS	NS	NS	NS	NS	NS	NS	NS
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	NS	NS	NS	NS	NS	NS	NS	NS
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	NS	NS	NS	NS	NS	NS	NS	NS
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	NS	NS	NS	NS	NS	NS	NS	NS
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	NS	NS	NS	NS	NS	NS	NS	NS
	12/13/99	NS	NS	NS	NS	NS	NS	NS	NS
MW-5	3/16/00	NS	NS	NS	NS	NS	NS	NS	NS
	6/12/00	NS	NS	NS	NS	NS	NS	NS	NS
	9/5/00	NS	NS	NS	NS	NS	NS	NS	NS
	11/13/00	NS	NS	NS	NS	NS	NS	NS	NS
	2/26/01	NS	NS	NS	NS	NS	NS	NS	NS
	6/12/01	NS	NS	NS	NS	NS	NS	NS	NS
MW-5	8/27/01 ³	-	-	-	-	-	-	-	-
	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
MW-5 (cont.)	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/14/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/26/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	12/27/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	03/26/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	06/05/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	15
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
	12/02/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	12
	03/10/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	7.0
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	7.2
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50
	12/08/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	02/17/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	06/10/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	09/07/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/13/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
MW-6	3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	6/12/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	9/5/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	11/13/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50
	2/26/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50
	6/12/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50
	8/27/01 ³	-	-	-	-	-	-	-	-
	05/18/93	170	NA	NA	<0.5	<0.5	<0.5	<0.5	
	08/11/93	78	NA	NA	<0.5	<0.5	<0.5	<0.5	
	11/05/93	170	NA	NA	<0.5	<0.5	<0.5	<0.5	

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
	03/08/95	180 ¹	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/14/95	220 ¹	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/26/95	110 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
	12/27/95	130 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
	03/08/95	100 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
MW-6 (cont.)	06/05/96	100 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	430
	09/16/96	170	NA	NA	<0.50	<0.50	<0.50	<0.50	430
	12/02/96	160	NA	NA	<0.50	<0.50	<0.50	<0.50	160
	03/10/97	140	NA	NA	<0.50	<0.50	<0.50	<0.50	390
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	330
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	130
	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	200
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	240
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	12/08/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	230
	02/17/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	200
	06/10/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	09/07/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	230
	12/13/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	180
	3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	260
	6/12/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	160
	9/5/00	<50	NA	NA	<0.50	0.50	<0.50	0.81	170
	11/13/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	190
	2/26/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	130
	6/12/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	96
MW-7	8/27/01 ³	-	-	-	-	-	-	-	-
	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	03/01/94	60	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	03/08/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/14/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/26/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	
	12/27/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg ($\mu\text{g/L}$)	TPHd ($\mu\text{g/L}$)	TPHmo ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
	03/08/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	
	06/05/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	26
	12/02/96	140	NA	NA	<0.50	<0.50	<0.50	<0.50	140
	03/10/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	29
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	28
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	27
MW-7 (cont.)	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	29
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	6.0
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	25
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
MW-8	12/08/98 ²								
	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	NS	NS	NS	NS	NS	NS	NS	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	NS	NS	NS	NS	NS	NS	NS	NS
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	NS	NS	NS	NS	NS	NS	NS	NS
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	NS	NS	NS	NS	NS	NS	NS	NS
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	NS	NS	NS	NS	NS	NS	NS	NS
	12/08/98 ²								

Notes:

<: Below indicated detection limit.

NS : Not sampled.

NA: Not Analyzed.

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California