



HORIZON ENVIRONMENTAL INC.

Ro 355

Specialists in Site Assessment, Remedial Testing, Design and Operation

October 4, 2005

Mr. Steve Coodey
Ultramar Inc.
685 West Third Street
Hanford, California 93230

Alameda County
OCT 07 2005
Environmental Health

Subject: **Semi-Annual Groundwater Monitoring Report**
Third Quarter 2005
Former Beacon Station No. 12574
22315 Redwood Road, Castro Valley, California

Mr. Coodey:

Horizon Environmental Inc. (Horizon) has prepared this report which documents third quarter 2005 groundwater monitoring at the above-referenced site, as shown on Figure 1. There are currently six groundwater monitoring wells (MW-1 through MW-6) associated with this site. Wells MW-1 through MW-4 are located within the property boundaries, while wells MW-5 and MW-6 are located off-site to the west and south of the property on adjoining properties (Figure 2).

Groundwater Monitoring

Groundwater monitoring activities were performed by Doulos Environmental Company (Doulos) on July 29, 2005 according to Ultramar Field Procedures (Attachment A). Monitoring activities included measurement of static groundwater levels, purging groundwater from the wells, collection of groundwater samples, and preparation and delivery of the water samples to the analytical laboratory by Doulos.

The depth to water (DTW) levels in the monitoring wells were measured to the nearest 0.01-foot from the top-of-casing (TOC) in monitoring wells MW-1, MW-2, MW-3, MW-4 and MW-6. Offsite well MW-5 could not be located. The groundwater physical parameters of conductivity, pH and temperature were monitored with field instrumentation during the purging process. Groundwater levels and purge data are recorded on the Doulos Sampling Information Sheets (Attachment B).

Groundwater samples were collected by Doulos from monitoring wells MW-1 and MW-2, and were submitted under chain-of-custody documentation to Kiff Analytical LLC, a California Department of Health Services-certified analytical laboratory (ELAP No. 2236) located in Davis, California. The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg); the volatile aromatic compounds benzene, toluene, ethylbenzene and total

xylenes (BTEX); and the fuel oxygenate methyl-t-butyl ether (MTBE) by Environmental Protection Agency (EPA) Method 8260B.

Groundwater Monitoring Results

Depth-to-groundwater measurements were subtracted from the surveyed historical TOC elevations to calculate groundwater elevations. Groundwater elevation data were used to construct the Groundwater Elevation Contour Map shown on Figure 2. The groundwater flow direction beneath the site is primarily towards the southwest at an average rate of 0.015 foot / foot. Groundwater monitoring previously performed at the site has indicated a similar groundwater flow direction and magnitude.

Groundwater analytical results are summarized in Table 1. The distribution of TPHg, Benzene and MTBE analytical data are shown on Figure 3. The analytical report is contained in Attachment C. Historical groundwater data as reported by previous consultants is included as Attachment D.

GeoTracker Electronic Data Deliverables

The analytical electronic data deliverable (EDD) was prepared and uploaded by Kiff. The groundwater level EDD (GEO_WELL) was prepared and uploaded by Horizon. The GEO_WELL upload confirmation sheet for this quarter and the Quarterly Monitoring Report EDD (GEO_REPORT) upload confirmation sheet for the previous quarter are contained in Attachment E.

Report Distribution


We recommend a copy of this report be forwarded to:

Mr. Jerry Wickham
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502

If you have any questions, please contact Horizon at (916) 939-2170.

Sincerely,


HORIZON ENVIRONMENTAL INC.



Kenny B. Matek
Professional Geologist, C.E.G. No. 1935



Karen P. Liptak
Staff Geologist




Attachments:

- Figure 1: Site Vicinity Map
- Figure 2: Site Map / Groundwater Elevation Contour Map
- Figure 3: Groundwater Analytical Summary

Table 1: Groundwater Monitoring Data

- Attachment A: Ultramar Field Procedures
- Attachment B: Doulos Sampling Information Sheets
- Attachment C: Analytical Report
- Attachment D: Historical Groundwater Data
- Attachment E: GeoTracker Electronic Data Deliverable Confirmation Sheets

c: Mr. Bill Courtney, Property Manager



GENERAL NOTES:
 BASE MAP FROM U.S.G.S.
 HAYWARD, CA.
 7.5 MINUTE TOPOGRAPHIC
 PHOTOREVISED 1980



QUADRANGLE LOCATION



SCALE 1:24,000



HORIZON ENVIRONMENTAL INC.

Project Number: 1574.41
 Prepared By: K. Liplak
 Reviewed By: K. Mateik

Drawn By: M. LaCoste
 Date: 10/7/04
 Revised Date:

SITE LOCATION MAP


**FORMER BEACON STATION NO. 12574
 22315 REDWOOD ROAD
 CASTRO VALLEY, CA.**

FIGURE

1

GROVE WAY

MW-8 ■



MW-5 ⊕ (NM)

⊕ MW-4 (137.07)

⊕ MW-3 (137.86)

⊕ MW-2 (136.36)

⊕ MW-1 (136.15)

⊕ MW-6 (135.33)

MW-7 ■

REDWOOD ROAD



EXPLANATION:

- ⊕ MW-6 Groundwater Monitoring Well
- MW-8 Abandoned Monitoring Well

(137.86) Elevation of Groundwater Measured in Feet; Datum Is Mean Sea Level

137.5 Line Of Equal Elevation Of Groundwater Measured in Feet; Datum Is Mean Sea Level

↙ Direction Of Groundwater Flow

(NM) Not Measured

Wells Measured 7/29/05

Source: Figure Modified From Survey Drawing Prepared By Majors For Tesoro Refining.



HORIZON ENVIRONMENTAL INC.

Project Number: 1574.42
 Prepared By: K. Liptak
 Reviewed By: K. Mateik

Drawn By: C. Bechtell
 Date: 9/05
 Revised Date:

SITE MAP/GROUNDWATER ELEVATION CONTOUR MAP


FORMER BEACON STATION NO. 12574
 22315 REDWOOD ROAD
 CASTRO VALLEY, CA.

FIGURE

2

GROVE WAY

MW-8 ■



EXPLANATION:

⊕ MW-6 Groundwater Monitoring Well

■ MW-8 Abandoned Monitoring Well

TPHg	36,000
B	6,800
MTBE	360

TOTAL PETROLEUM HYDROCARBONS AS GASOLINE IN PARTS PER MILLION (ppm)

BENZENE CONCENTRATION IN ppm

METHYL-TERT BUTYL ETHER IN ppm

(NS) Not Sampled

Wells Measured 7/29/05

Source: Figure Modified From Survey Drawing Prepared By Majors For Tesoro Refining.



HORIZON ENVIRONMENTAL INC.

Project Number: 1574.42
 Prepared By: K. Liptak
 Reviewed By: K. Mateik

Drawn By: C. Bechtell
 Date: 9/05
 Revised Date:

GROUNDWATER ANALYTICAL SUMMARY
 FORMER BEACON STATION NO. 12574
 22315 REDWOOD ROAD
 CASTRO VALLEY, CA.

FIGURE

3

**Table 1 - Groundwater Monitoring Data
Former Beacon Station No. 12574
22315 Redwood Road
Castro Valley, California**

Well Number	Date	TPHg ppb	Benzene ppb	Toluene ppb	Ethylbenz. ppb	Xylenes ppb	MTBE ppb	Depth to GW	T.O.C. Elevation	GW Elevation	Comments
MW-1	02/11/02	41,000	7,600	160	1,600	4,200	640	22.58	158.70	136.12	
	08/21/02	7,400	2,000	31	220	510	270	23.18		135.52	
	03/04/03	30,000	6,000	130	1,300	2,900	490	22.43		136.27	
	09/09/03	18,000	3,900	69	760	1,700	390	23.02		135.68	
	03/23/04	24,000	4,500	89	1,000	2,000	410	21.97		136.73	
	08/31/04	22,000	4,000	77	780	1,600	290	23.35		135.35	no comments
	02/01/05	36,000	6,800	160	1,800	3,000	360	21.98		136.72	no comments
07/29/05	14,000	2,400	54	460	750	170	22.55		136.15	no comments	
MW-2	02/11/02	17,000	3,100	270	690	1,600	660	21.03	157.33	136.30	
	08/21/02	6,800	1,600	44	290	260	440	21.60		135.73	
	03/04/03	20,000	3,400	200	590	1,100	670	20.86		136.47	
	09/09/03	19,000	3,200	120	630	940	630	21.45		135.88	
	03/23/04	18,000	3,200	110	640	740	580	20.41		136.92	
	08/31/04	13,000	2,800	59	510	420	430	21.75		135.58	no comments
	02/01/05	17,000	3,200	110	700	730	440	20.42		136.91	no comments
07/29/05	22,000	3,900	210	770	930	360	20.97		136.36	no comments	
MW-3	02/11/02	ns	ns	ns	ns	ns	ns	21.55	159.23	137.68	
	08/21/02	ns	ns	ns	ns	ns	ns	22.00		137.23	
	03/04/03	ns	ns	ns	ns	ns	ns	21.48		137.75	
	09/09/03	ns	ns	ns	ns	ns	ns	21.84		137.39	
	03/23/04	ns	ns	ns	ns	ns	ns	20.82		138.41	
	08/31/04	ns	ns	ns	ns	ns	ns	21.93		137.30	no comments
	02/01/05	ns	ns	ns	ns	ns	ns	20.56		138.67	no comments
07/29/05	ns	ns	ns	ns	ns	ns	21.37		137.86	no comments	

**Table 1 - Groundwater Monitoring Data
Former Beacon Station No. 12574
22315 Redwood Road
Castro Valley, California**

Well Number	Date	TPHg ppb	Benzene ppb	Toluene ppb	Ethylbenz. ppb	Xylenes ppb	MTBE ppb	Depth to GW	T.O.C. Elevation	GW Elevation	Comments
MW-4	02/11/02	ns	ns	ns	ns	ns	ns	16.81	154.13	137.32	no comments no comments no comments
	08/21/02	ns	ns	ns	ns	ns	ns	17.58		136.55	
	03/04/03	ns	ns	ns	ns	ns	ns	16.70		137.43	
	09/09/03	ns	ns	ns	ns	ns	ns	17.48		136.65	
	03/23/04	ns	ns	ns	ns	ns	ns	16.35		137.78	
	08/31/04	ns	ns	ns	ns	ns	ns	nm		nm	
	02/01/05	ns	ns	ns	ns	ns	ns	16.70		137.43	
07/29/05	ns	ns	ns	ns	ns	ns	17.06		137.07		
MW-5	02/11/02	ns	ns	ns	ns	ns	ns	15.70	150.73	135.03	unable to locate due to construction unable to locate due to construction unable to locate due to construction
	08/21/02	ns	ns	ns	ns	ns	ns	16.17		134.56	
	03/04/03	ns	ns	ns	ns	ns	ns	15.46		135.27	
	09/09/03	ns	ns	ns	ns	ns	ns	16.05		134.68	
	03/23/04	ns	ns	ns	ns	ns	ns	14.88		135.85	
	08/31/04	ns	ns	ns	ns	ns	ns	nm		nm	
	02/01/05	ns	ns	ns	ns	ns	ns	nm		nm	
07/29/05	ns	ns	ns	ns	ns	ns	nm		nm		
MW-6	02/11/02	ns	ns	ns	ns	ns	ns	20.78	156.11	135.33	no comments no comments no comments
	08/21/02	ns	ns	ns	ns	ns	ns	21.41		134.70	
	03/04/03	ns	ns	ns	ns	ns	ns	20.64		135.47	
	09/09/03	ns	ns	ns	ns	ns	ns	21.23		134.88	
	03/23/04	ns	ns	ns	ns	ns	ns	20.21		135.90	
	08/31/04	ns	ns	ns	ns	ns	ns	21.50		134.61	
	02/01/05	ns	ns	ns	ns	ns	ns	20.22		135.89	
07/29/05	ns	ns	ns	ns	ns	ns	20.78		135.33		

Notes:

TPHg = Total Petroleum Hydrocarbons as gasoline
 TPHd = Total Petroleum Hydrocarbons as diesel
 MTBE = Methyl Tertiary-Butyl Ether
 < = less than the specified laboratory detection limit
 ppb = parts per billion

nm = not measured
 ns = not sampled
 nc = not calculated
 na = not analyzed

T.O.C. = Top of casing
 Depths and Elevations recorded in feet.
 GW = Groundwater

ATTACHMENT A

ULTRAMAR FIELD PROCEDURES

ATTACHMENT A - ULTRAMAR FIELD PROCEDURES

The following section describes procedures used by field personnel in the performance of ground water sampling at Ultramar Inc. sites.

Ground Water Level and Total Depth Determination

A water level indicator is lowered down the well and a measurement of the depth to water from an established reference point on the casing is taken. The indicator probe is used to sound the bottom of the well and a measurement of the total depth of the well is taken. Both the water level and total depth measurements are taken to the nearest 0.01-foot.

Visual Analysis of Ground Water

Prior to purging and sampling ground water monitoring wells, a water sample is collected from each well for subjective analysis. The visual analysis involves gently lowering a clean, disposable, polyethylene bailer to approximately one-half the bailer length past the water table interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating product or the appearance of a petroleum product sheen. If measurable free product is noted in the bailer, a water/product interface probe is used to determine the thickness of the free product to the nearest 0.01-foot. The thickness of free product is determined by subtracting the depth to product from the depth to water.

Monitoring Well Purging and Sampling

Monitoring wells are purged by removing approximately four casing volumes of water from the well using a clean disposable bailer or electrical submersible purge pump. Purge volumes are calculated prior to purging. During purging, the temperature, pH, and electric conductivity of the purge water are monitored. The well is considered to be sufficiently purged when: The four casing volumes have been removed; the temperature, pH, and conductivity values have stabilized to within 10% of the initial readings; and the ground water being removed is relatively free of suspended solids. After purging, ground water levels are allowed to stabilize to within 80% of the initial water level reading. A water sample is then collected from each well with a clean, disposable polyethylene bailer. If the well is bailed or pumped dry prior to removing the minimum volume of water, the ground water is allowed to recharge. If the well has recharged to within 80% of the initial depth to water reading within two hours, the well will continue to be purged until the minimum volume of water has been removed. If the well has not recharged to at least 80% of the initial depth to water reading within two hours, the well is considered to contain formational water and a ground water sample is collected. Ground water removed from the well is stored in 55-gallon drums at the site and labeled pending disposal.

In wells where free product is detected, the wells will be bailed to remove the free product. An estimate of the volume of product and water well be recorded. If the free product thickness is reduced to the point where a measurable thickness is no longer present in the well, a ground water sample will be collected. If free product persists throughout the purging process, a final free product thickness measurement will be taken and a ground water sample will not be collected.

Ground water samples are stored in 40-milliliter vials so that air passage through the sample is minimized (to prevent volatilization of the sample). The vial is tilted and filled slowly until an upward convex meniscus forms over the mouth of the vial. The Teflon™ side of the septum (in cap) is then placed against the meniscus, and the cap is screwed on tightly. The sample is then inverted and the bottle is tapped lightly to check for air bubbles. If an air bubble is present in the vial, the cap is removed and more sample is transferred from the bailer. The vial is then resealed and rechecked for air bubbles. The sample is then appropriately labeled and stored on ice from the time of collection through the time of delivery to the laboratory. The Chain-of-Custody form is completed to ensure sample integrity. Ground water samples are transported to a state-certified laboratory and analyzed within the U.S. Environmental Protection Agency-specified hold times for the specified analytes.

ATTACHMENT B

DOULOS SAMPLING INFORMATION SHEETS

DOULOS ENVIRONMENTAL, INC.
GROUNDWATER/LIQUID LEVEL DATA
(measurements in feet)

Project Address: Beacon # 12574 22315 Redwood Rd.
Castro Valley, Ca.

Date: 7-29-05

Project No.: 12574-25

Recorded by: _____

Well No.	Time	Well Elev. TOC	Depth to Groundwater	Measured Total Depth	Groundwater Elevation	Depth to Product	Product Thickness	Comments
MW-1	8:59		22.55	29.73				
MW-2	9:05		20.97	29.50				
MW-3	8:53		21.37	29.46				
MW-4	8:50		17.06	24.71				
MW-5								
MW-6	8:45		20.78	27.99				COVERED

Notes: NEW CONSTRUCTION OVER WELL MW-5
(HOMES)

Client: Ultramar

Sampling Date: 7-29-05

Site: Beacon #12574

Project No.: _____

22315 Redwood Rd.

Well Designation: MW-1

Castro Valley, Ca.

Is setup of traffic control devices required? NO YES

Is there standing water in the well box? NO YES

Is top of casing cut level? NO YES

Is well cap sealed and locked? NO YES

Height of well casing riser (in inches): 3

Well cover type: 8" or 12" UV X 12" EMCO _____ 8" or 12" BK _____ 8" Christy _____

12" Christy _____ 8" M&D _____ 12" M&D _____ 12" DWP _____

12" CNI _____ 36" CNI _____ 12" Pomeco _____ Other: _____

General condition of wellhead assembly: Excellent _____ Good X Fair _____ Poor _____

time: _____ hours
Above TOC Below TOC
If no, see remarks
If no, see remarks

Purging Equipment: _____ 2" disposable bailer _____ Submersible pump

_____ 2" PVC bailer _____ Dedicated bailer

_____ 4" PVC bailer X Centrifugal pump

Sampled with: Disposable bailer X Teflon bailer _____ Disposable Tubing _____

Well Diameter: 2" _____ 4" X 6" _____ 8" _____
Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.

Initial Measurement

Recharge Measurement

Time: 2:59

Time: 10:10

Calculated purge: 18.6

Depth of well: 29.73

Depth to water: 23.70

Actual purge: 19

Depth to water: 22.55

Start purge: 9:10

Sampling time: 10:11

Time	Temperature	E.C.	pH	Turbidity	Volume
9:12	72.5	573	7.56		1
9:14	73.0	530	7.35		2
9:17	73.4	502	7.24		3
9:20	73.7	495	7.17		4

Sample appearance: Clear

Lock: Dolphin

Equipment replaced: (check all that apply)

Note condition of replaced item(s)

2" Locking Cap: _____

Lock: _____ 7/32 Allenhead: _____

4" Locking Cap: _____

Lock-Dolphin: _____ 9/16 Bolt: _____

6" Locking Cap: _____

Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

Client: Ultramar
 Site: Beacon #12574
22315 Redwood Rd.
Castro Valley, Ca.

Sampling Date: 7-29-05
 Project No.: _____
 Well Designation: MU-2

Is setup of traffic control devices required? (NO) YES time: _____ hours
 Is there standing water in the well box? (NO) YES Above TOC Below TOC
 Is top of casing cut level? NO (YES) If no, see remarks
 Is well cap sealed and locked? NO (YES) If no, see remarks
 Height of well casing riser (in inches): 3
 Well cover type: 8" or 12" UV X 12" EMCO _____ 8" or 12" BK _____ 8" Christy _____
 12" Christy _____ 8" M&D _____ 12" M&D _____ 12" DWP _____
 12" CNI _____ 36" CNI _____ 12" Pomeco _____ Other: _____
 General condition of wellhead assembly: Excellent _____ Good X Fair _____ Poor _____

Purging Equipment: _____ 2" disposable bailer _____ Submersible pump
 _____ 2" PVC bailer _____ Dedicated bailer
 _____ 4" PVC bailer X Centrifugal pump
 Sampled with: Disposable bailer X Teflon bailer _____ Disposable Tubing _____

Well Diameter: 2" _____ 4" X 6" _____ 8" _____
 Purge Vol. Multiplier: 0.16 0.65 1.47 2.61 gal/ft.
Initial Measurement Recharge Measurement
 Time: 3:05 Time: 10:20 Calculated purge: 22.1
 Depth of well: 29.50 Depth to water: 21.50 Actual purge: 23.0
 Depth to water: 20.97

Start purge: 9:39 Sampling time: 10:23

Time	Temperature	E.C.	pH	Turbidity	Volume
9:41	74.0	506	7.70		1
9:45	74.2	480	7.56		2
9:47	74.6	419	7.50		3
9:50	74.9	412	7.45		4

Sample appearance: clear Lock: lockdown

Equipment replaced: (check all that apply) Note condition of replaced item(s)
 2" Locking Cap: _____ Lock: _____ 7/32 Allenhead: _____
 4" Locking Cap: _____ Lock-Dolphin: _____ 9/16 Bolt: _____
 6" Locking Cap: _____ Pinned Allenhead (DWP): _____

Remarks: _____

Signature: _____

ATTACHMENT C

ANALYTICAL REPORT



Report Number : 45092

Date : 8/4/2005

Ken Mateik
Horizon Environmental
4970 Windplay Drive, Suite 5
El Dorado Hills, CA 95762

1574.42

Subject : 2 Water Samples
Project Name : BEACON
Project Number : 12574
P.O. Number : 12-574-28

Dear Mr. Mateik,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff



Report Number : 45092

Date : 8/4/2005

Project Name : BEACON

Project Number : 12574

Sample : MW-1

Matrix : Water

Lab Number : 45092-01

Sample Date :7/29/2005

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	2400	15	ug/L	EPA 8260B	8/2/2005
Toluene	54	15	ug/L	EPA 8260B	8/2/2005
Ethylbenzene	460	15	ug/L	EPA 8260B	8/2/2005
Total Xylenes	750	15	ug/L	EPA 8260B	8/2/2005
Methyl-t-butyl ether (MTBE)	170	15	ug/L	EPA 8260B	8/2/2005
TPH as Gasoline	14000	1500	ug/L	EPA 8260B	8/2/2005
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	8/2/2005
4-Bromofluorobenzene (Surr)	94.5		% Recovery	EPA 8260B	8/2/2005

Sample : MW-2

Matrix : Water

Lab Number : 45092-02

Sample Date :7/29/2005

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	3900	7.0	ug/L	EPA 8260B	8/2/2005
Toluene	210	7.0	ug/L	EPA 8260B	8/2/2005
Ethylbenzene	770	7.0	ug/L	EPA 8260B	8/2/2005
Total Xylenes	930	7.0	ug/L	EPA 8260B	8/2/2005
Methyl-t-butyl ether (MTBE)	360	7.0	ug/L	EPA 8260B	8/2/2005
TPH as Gasoline	22000	700	ug/L	EPA 8260B	8/2/2005
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	8/2/2005
4-Bromofluorobenzene (Surr)	94.4		% Recovery	EPA 8260B	8/2/2005

Approved By:

Joel Kiff

QC Report : Method Blank Data

Project Name : BEACON

Project Number : 12574

Report Number : 45092

Date : 8/4/2005

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
Benzene	< 0.50	0.50	ug/L	EPA 8260B	8/1/2005
Toluene	< 0.50	0.50	ug/L	EPA 8260B	8/1/2005
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	8/1/2005
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	8/1/2005
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	8/1/2005
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	8/1/2005
Toluene - d8 (Sum)	102		%	EPA 8260B	8/1/2005
4-Bromofluorobenzene (Sum)	93.5		%	EPA 8260B	8/1/2005

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
------------------	-----------------------	-------------------------------	--------------	------------------------	----------------------

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:  _____
Joel Kiff

Report Number : 45092

Date : 8/4/2005

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : BEACON

Project Number : 12574

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	45091-01	<0.50	40.0	40.0	39.9	38.9	ug/L	EPA 8260B	8/1/05	99.8	97.2	2.59	70-130	25
Toluene	45091-01	<0.50	40.0	40.0	39.7	39.2	ug/L	EPA 8260B	8/1/05	99.2	97.9	1.32	70-130	25
Tert-Butanol	45091-01	<5.0	200	200	193	192	ug/L	EPA 8260B	8/1/05	96.4	96.2	0.168	70-130	25
Methyl-t-Butyl Ether	45091-01	<0.50	40.0	40.0	37.2	37.6	ug/L	EPA 8260B	8/1/05	93.1	94.0	0.928	70-130	25

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

QC Report : Laboratory Control Sample (LCS)

Report Number : 45092

Date : 8/4/2005

Project Name : **BEACON**

Project Number : **12574**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	8/1/05	97.9	70-130
Toluene	40.0	ug/L	EPA 8260B	8/1/05	102	70-130
Tert-Butanol	200	ug/L	EPA 8260B	8/1/05	95.6	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	8/1/05	90.6	70-130

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:



Joe Kiff

Project Contact (Hardcopy or PDF To):

K. MATEIK

California EDF Report? Yes No

Company/Address:

HORIZON

Recommended but not mandatory to complete this section:
 Sampling Company Log Code: DE10

Chain-of-Custody Record and Analysis Request

Phone No.: 939 2170 FAX No.: 939 2172

Project Number: 12574 P.O. No.: 12-574-28

Global ID: 70600100155

EDF Deliverable To (Email Address):

Project Name: BEACON

Sampler Signature: Edgar Chantre

Analysis Request

Project Address: CASTRO VALLEY

Sample Designation

Sample Designation	Sampling		Container				Preservative				Matrix		BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/M8015)	TPH as Diesel (M8015)	TPH as Motor Oil (M8015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/238.2) TOTAL (X) W.E.T. (X)	TAT	For Lab Use Only		
	Date	Time	40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER	SOIL																			
<u>MW-1</u>	<u>7-29-05</u>	<u>10:11</u>	<u>3</u>		<u>X</u>	<u>X</u>			<u>X</u>			<u>X</u>																	
<u>MW-2</u>	<u>7-29-05</u>	<u>10:23</u>	<u>3</u>		<u>X</u>	<u>X</u>			<u>X</u>			<u>X</u>																	

Relinquished by: [Signature] Date: _____ Time: _____

Received by: _____

Relinquished by: _____ Date: _____ Time: _____

Received by: _____

Relinquished by: _____ Date: _____ Time: _____

Received by Laboratory: [Signature]

Remarks: Sample Receipt Temp 5 Therm. (DB) 12.1 Cooling present (Y) N

Bill to: STEVE COODEY

ATTACHMENT D

HISTORICAL GROUNDWATER DATA

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
MW-1	156.55	03/27/92	22.43	134.12	-
		06/04/92	23.40	133.15	-
		09/23/92	24.07	132.48	-
		11/12/92	24.16	132.39	29.33
		02/02/93	21.87	134.68	29.80
		05/07/93	22.58	133.97	29.84
		05/18/93	22.66	133.89	-
		08/11/93	23.41	133.14	29.81
		11/05/93	24.09	132.46	29.81
		03/01/94	22.76	133.79	29.85
		06/02/94	23.24	133.31	29.85
		09/09/94	23.93	132.62	29.86
		12/20/94	22.94	133.61	29.85
		03/08/95	22.20	134.35	29.71
		06/14/95	22.65	133.90	29.70
		09/26/95	23.44	133.11	29.71
		12/27/95	23.04	133.51	29.72
		03/26/96	21.39	135.16	29.71
		06/05/96	22.43	134.12	29.73
		09/16/96	24.42	132.13	29.74
		12/02/96	23.14	133.41	29.75
		03/10/97	22.30	134.25	29.76
		06/12/97	22.97	133.58	29.76
		09/29/97	23.35	133.20	29.78
		12/01/97	22.73	133.82	29.79
		03/19/98	20.56	135.99	29.78
		05/28/98	21.78	134.77	29.76
		08/31/98	22.64	133.91	29.78
		12/08/98	22.87	133.68	29.76
		02/17/99	21.53	135.02	29.75
06/10/99	22.74	133.81	29.74		
09/07/99	23.06	133.49	29.73		
12/13/00	23.06	133.46	29.74		
3/16/00	20.66	135.89	29.75		
6/12/00	22.53	134.02	29.76		
9/5/00	22.73	133.82	29.74		
11/13/00	23.20	133.35	29.74		
2/26/01	21.75	134.80	29.73		
6/12/01	22.70	133.85	29.73		
9/21/01	23.40	133.15	29.73		
MW-2	155.17	03/27/92	20.82	134.35	-
		06/04/92	21.81	133.36	-
		09/23/92	22.45	132.72	-
		11/12/92	22.60	132.57	29.71

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		02/02/93	20.28	134.89	29.73
		05/07/93	20.97	134.20	29.73
		05/18/93	21.06	134.11	-
		08/11/93	21.85	133.32	29.70
		11/05/93	22.32	132.85	29.70
		03/01/94	21.19	133.98	29.68
		06/02/94	21.59	133.58	29.69
		09/09/94	22.33	132.84	29.66
		12/20/94	21.37	133.80	29.65
		03/08/95	20.60	134.57	29.52
		06/14/95	21.04	134.13	29.54
		09/26/95	21.84	133.33	29.53
		12/27/95	21.44	133.73	29.56
		03/26/96	19.81	135.36	29.56
		06/05/96	20.83	134.34	29.59
		09/16/96	21.93	133.24	29.58
		12/02/96	21.54	133.63	29.58
		03/10/97	20.71	134.46	29.58
		06/12/97	21.41	133.76	29.52
		09/29/97	21.26	133.91	29.51
		12/01/97	20.97	134.20	29.50
		03/19/98	18.98	136.19	29.51
		05/28/98	20.22	134.95	29.50
		08/31/98	21.09	134.08	29.51
		12/08/98	21.31	133.86	29.50
		02/17/99	20.02	135.15	29.51
		06/10/99	21.30	133.87	29.50
		09/07/99	21.49	133.68	29.50
		12/13/99	21.52	133.65	29.50
		3/16/00	19.13	136.04	29.50
		6/12/00	20.93	134.24	29.50
		9/5/00	21.15	134.02	29.50
		11/13/00	21.66	133.51	29.50
		2/26/01	20.17	135.00	29.50
		6/12/01	21.15	134.02	29.50
		9/21/01	21.63	133.54	29.50
MW-3	157.13	03/27/92	21.46	135.67	-
		06/04/92	22.34	134.79	-
		09/23/92	22.84	134.29	-
		11/12/92	23.04	134.09	29.55
		02/02/93	21.03	136.10	29.45
		05/07/93	21.59	135.54	29.53
		05/18/93	21.73	135.40	-
		08/11/93	22.31	134.82	29.41
		11/05/93	22.85	134.28	29.41

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		03/01/94	21.97	135.16	29.55
		06/02/94	22.29	134.84	29.56
		09/09/94	22.91	134.22	29.56
		12/20/94	22.11	135.02	29.54
		03/08/95	21.40	135.73	29.38
		06/14/95	21.80	135.33	29.36
		09/26/95	22.38	134.75	29.37
		12/27/95	22.07	135.06	29.37
		03/26/96	20.73	136.40	29.38
		06/05/96	21.54	135.59	29.40
		09/16/96	22.37	134.76	29.43
		12/02/96	22.35	134.78	29.45
		03/10/97	21.44	135.69	29.47
		06/12/97	21.97	135.16	29.45
		09/29/97	22.30	134.83	29.45
		12/01/97	21.78	135.35	29.46
		03/19/98	19.88	137.25	29.46
		05/28/98	20.91	136.22	29.47
		08/31/98	21.61	135.52	29.47
		12/08/98	21.83	135.30	29.47
		02/17/99	20.81	130.32	29.45
		06/10/99	21.61	135.52	29.45
		09/07/99	21.91	135.22	29.45
		12/13/99	21.93	135.20	29.44
		3/16/00	19.86	137.27	29.46
		6/12/00	21.61	135.52	29.46
		9/5/00	21.54	135.59	29.47
		11/13/00	21.98	135.15	29.46
		2/26/01	20.65	136.48	29.46
		6/12/01	21.70	135.43	29.46
		9/21/01	22.05	135.07	29.46
MW-4	151.96	05/18/93	17.55	134.41	-
		08/11/93	17.50	134.46	28.43
		11/05/93	15.84	136.12	28.43
		03/01/94	17.35	134.61	28.11
		06/02/94	17.68	134.28	28.12
		09/09/94	18.19	133.77	28.13
		12/20/94	17.52	134.44	28.10
		03/08/95	16.82	135.14	27.97
		06/14/95	17.22	134.74	27.97
		09/26/95	17.79	134.17	27.91
		12/27/95	17.47	134.49	27.89
		03/26/96	16.32	135.64	27.89
		06/05/96	17.10	134.86	27.88
		09/16/96	17.85	134.11	27.89

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		12/02/96	17.59	134.37	27.88
		03/10/97	16.79	135.17	27.89
		06/12/97	17.49	134.47	27.90
		09/29/97	18.33	133.63	27.91
		12/01/97	17.36	134.60	27.90
		03/19/98	15.90	136.06	27.91
		05/28/98	16.34	135.62	27.90
		08/31/98	16.83	135.13	27.90
		12/08/98	17.37	134.59	27.91
		02/17/99	16.49	135.47	27.98
		06/10/99	17.63	134.33	24.76
		09/07/99	17.80	134.16	24.75
		12/13/99	17.82	134.14	24.73
		3/16/00	15.81	136.15	24.71
		6/12/00	16.64	135.32	24.70
		9/5/00	16.71	135.25	24.70
		11/13/00	17.24	134.72	24.70
		2/26/01	15.83	136.13	24.70
		6/12/01	16.80	135.16	24.70
		9/21/01	17.30	134.66	24.71
MW-5	148.68	05/18/93	15.72	132.96	-
		08/11/93	16.42	132.26	28.43
		11/05/93	16.92	131.76	28.43
		03/01/94	15.54	133.14	28.11
		06/02/94	16.19	132.49	28.12
		09/09/94	16.87	131.81	28.13
		12/20/94	15.87	132.84	28.10
		03/08/95	15.11	133.57	27.97
		06/14/95	15.69	132.99	27.97
		09/26/95	16.46	132.22	27.91
		12/27/95	15.91	132.77	27.89
		03/26/96	14.31	134.37	27.89
		06/05/96	15.43	133.25	27.88
		09/16/96	16.52	132.16	27.89
		12/02/96	16.05	132.63	27.88
		03/10/97	14.80	133.88	27.89
		06/12/97	15.95	132.78	27.90
		09/29/97	16.33	132.35	27.91
		12/01/97	15.48	133.20	27.90
		03/19/98	13.16	135.52	27.91
		05/28/98	14.04	134.64	27.90
		08/31/98	14.81	133.87	27.90
		12/08/98	15.75	132.93	27.91
		02/17/99	14.80	133.88	27.98
		06/10/99	15.54	133.14	24.76

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		09/07/99	16.01	132.67	24.75
		12/13/99	16.21	132.47	24.73
		3/16/00	14.35	134.33	29.60
		6/12/00	15.21	133.47	29.61
		9/5/00	15.80	132.88	29.60
		11/13/00	16.21	132.47	29.60
		2/26/01	14.71	133.97	29.61
		6/12/01	15.72	132.96	29.60
		9/21/01	16.21	132.47	29.60
MW-6	153.96	05/18/93	20.80	133.16	-
		08/11/93	21.64	132.32	31.15
		11/05/93	22.11	131.85	31.15
		03/01/94	20.80	133.16	29.96
		06/02/94	21.37	132.59	29.98
		09/09/94	22.05	131.91	29.96
		12/20/94	21.06	132.90	29.89
		03/08/95	20.29	133.67	29.67
		06/14/95	20.81	133.15	29.65
		09/26/95	21.62	132.34	29.66
		12/27/95	21.12	132.84	29.63
		03/26/96	19.50	134.46	29.60
		06/05/96	20.56	133.40	29.63
		09/16/96	21.70	132.26	29.65
		12/02/96	21.25	132.71	29.66
		03/10/97	20.16	133.80	29.64
		06/12/97	21.16	132.80	29.62
		09/29/97	21.51	132.45	29.62
		12/01/97	20.89	133.07	29.61
		03/19/98	18.71	135.25	29.60
		05/28/98	19.99	133.97	29.62
		08/31/98	20.81	133.15	29.63
		12/08/98	21.00	132.96	29.64
		02/17/99	19.54	134.42	29.63
		06/10/99	20.74	133.22	27.98
		09/07/99	21.23	132.73	27.98
		12/13/99	21.22	132.74	27.98
		3/16/00	18.79	135.17	27.99
		6/12/00	20.49	133.47	27.99
		9/5/00	20.95	133.01	27.98
		11/13/00	21.44	132.52	27.98
		2/26/01	19.86	134.10	27.99
		6/12/01	20.91	133.05	27.98
		9/21/01	21.22	132.74	27.99
MW-7	156.09	05/18/93	22.64	133.45	-

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet) ¹	Date Sounded	Depth to Groundwater (Feet) ¹	Groundwater Elevation (Feet) ²	Well Depth (Feet)
		08/11/93	23.25	132.84	30.75
		11/05/93	23.93	132.16	30.75
		03/01/94	22.72	133.37	30.11
		06/02/94	23.22	132.87	30.12
		09/09/94	23.90	132.19	30.12
		12/20/94	22.98	133.11	30.10
		03/08/95	22.14	133.95	29.91
		06/14/95	22.61	133.48	29.91
		09/26/95	23.43	132.66	29.90
		12/27/95	23.01	133.08	29.90
		03/26/96	21.32	134.77	29.87
		06/05/96	22.37	133.72	29.91
		09/16/96	23.51	132.58	29.90
		12/02/96	23.08	133.01	29.91
		03/10/97	21.94	134.15	29.90
		06/12/97	22.96	133.13	29.88
		09/29/97	23.35	132.74	29.87
		12/01/97	22.68	133.41	29.88
		03/19/98	20.52	135.57	29.88
		05/28/98	21.76	134.33	29.88
		08/31/98	22.66	133.43	29.86
		12/08/98 ³			
MW-8	158.04	05/18/93	21.55	136.49	-
		08/11/93	22.43	135.61	34.82
		11/05/93	23.00	135.04	34.82
		03/01/94	22.05	135.99	34.04
		06/02/94	22.29	135.75	34.04
		09/09/94	22.99	135.05	34.04
		12/20/94	22.14	135.90	33.98
		03/08/95	21.25	136.79	34.48
		06/14/95	21.70	136.34	34.49
		09/26/95	22.29	135.75	34.40
		12/27/95	21.96	136.08	34.43
		03/26/96	20.48	137.56	34.42
		06/05/96	21.50	136.54	34.41
		09/16/96	22.38	135.66	34.43
		12/02/96	22.39	135.65	34.42
		03/10/97	20.89	137.16	34.43
		06/12/97	21.80	136.24	34.42
		09/29/97	22.81	135.23	34.40
		12/01/97	21.70	136.34	34.41
		03/19/98	19.35	138.69	34.42
		05/28/98	20.52	137.52	34.41
		08/31/98	21.40	136.64	34.40
		12/08/98 ³			

Table 2
Cumulative Groundwater Elevation Data
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Top of Casing Elevation (Feet)¹	Date Sounded	Depth to Groundwater (Feet)¹	Groundwater Elevation (Feet)²	Well Depth (Feet)
----------------	---	---------------------	--	---	--------------------------

NOTES:

1 : Measurement and reference elevation taken from notch/mark on top north side of well casing.

2 : Elevation reference to mean sea level.

Well Depth : Measured from top of casing to bottom of well.

3 : Well abandoned.

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
MW-2	9/21/01	23,000	NA	NA	4,600	75	1,200	2,300	450
	03/27/92	18,000	<50	<50	2,400	2,300	870	3,300	-
	06/04/92	14,000	<5,000	NA	1,900	1,700	580	2,300	-
	09/23/92	22,000	NA	NA	2,100	1,500	760	2,900	-
	11/12/92	29,000	NA	NA	2,400	860	540	3,500	-
	02/02/93	24,000	NA	NA	2,700	1,900	590	2,600	-
	05/07/93	19,000	NA	NA	1,800	1,300	460	2,600	-
	08/11/93	23,000	NA	NA	2,300	1,500	550	2,300	-
	11/05/93	30,000	NA	NA	3,100	2,900	860	3,700	-
	03/01/94	13,000	NA	NA	1,500	490	350	1,100	-
	06/02/94	12,000	NA	NA	2,000	790	460	1,300	-
	09/09/94	13,000	NA	NA	1,800	660	440	1,000	-
	12/20/94	16,000	NA	NA	2,300	1,000	650	1,900	-
	03/08/95	16,000	NA	NA	2,200	1,000	550	2,100	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	18,000	NA	NA	2,500	1,000	770	2,700	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	33,000	NA	NA	4,200	2,600	1,000	5,000	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	19,000	NA	NA	2,600	490	560	2,000	940
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	23,000	NA	NA	3,700	870	650	3,000	1,400
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	30,000	NA	NA	4,900	880	990	3,800	1,400
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	72,000	NA	NA	14,000	9,500	2,300	11,000	<1,500
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	29,000	NA	NA	4,900	1,600	960	3,900	890
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	26,000	NA	NA	5,200	930	1,200	4,400	640
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	32,000	NA	NA	5,700	600	1200	3,500	1,100
	12/13/99	NS	NS	NS	NS	NS	NS	NS	NS
3/16/00	38,000	NA	NA	4,900	780	1,100	3,700	870	
6/12/00	NS	NS	NS	NS	NS	NS	NS	NS	
9/5/00	21,000	NA	NA	3,400	490	730	2,200	1,000	
11/13/00	NS	NS	NS	NS	NS	NS	NS	NS	
2/26/01	33,000	NA	NA	5,200	260	1,400	3,200	740	

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
MW-3	6/12/01	NS	NS	NS	NS	NS	NS	NS	NS
	9/21/01	63,000	NA	NA	4,400	180	1,000	2,000	730
	03/27/92	160	<50	<50	9.2	4.8	10	23	-
	06/04/92	120	<50	NA	7.5	2.7	0.5	15	-
	09/23/92	220	NA	NA	8.3	4.3	62	19	-
	11/12/92	230	NA	NA	12	5.5	77	19	-
	02/02/93	86	NA	NA	2.4	0.71	27	6.2	-
	05/07/93	140	NA	NA	2.6	1.2	39	8.4	-
	08/11/93	490	NA	NA	15	8.1	14	37	-
	11/05/93	820	NA	NA	45	24	34	93	-
	03/01/94	410	NA	NA	7.4	2.7	56	10	-
	06/02/94	440	NA	NA	13	4.9	14	31	-
	09/09/94	620	NA	NA	12	4.8	97	20	-
	12/20/94	770	NA	NA	24	11	16	36	-
	03/08/95	300	NA	NA	6.1	0.97	4.8	7.5	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	130	NA	NA	4.8	1.6	4.8	9.4	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	170	NA	NA	10	2.9	44	15	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	84	NA	NA	2.3	<0.50	14	2.6	<5.0
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	740	NA	NA	61	9.8	42	61	<5.0
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	320	NA	NA	6.7	1.0	10	9.3	3.4
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	310	NA	NA	<5.0	8.6	1.8	13	14
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	99	NA	NA	4.2	0.51	4.0	3.0	<5.0
12/13/99	NS	NS	NS	NS	NS	NS	NS	NS	
3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0	
6/12/00	NS	NA	NA	NS	NS	NS	NS	NS	
9/5/00	240	NA	NA	3.0	0.53	9.6	4.0	<5.0	
11/13/00	NS	NA	NA	NS	NS	NS	NS	NS	

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
MW-4	2/26/01	100	NA	NA	0.84	<0.50	3.5	1.7	0.84
	6/12/01	NS	NS	NS	NS	NS	NS	NS	NS
	8/27/01 ³	-	-	-	-	-	-	-	-
	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	NS	NS	NS	NS	NS	NS	NS	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/26/96	NS	NS	NS	NS	NS	NS	NS	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	NS	NS	NS	NS	NS	NS	NS	NS
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	NS	NS	NS	NS	NS	NS	NS	NS
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	NS	NS	NS	NS	NS	NS	NS	NS
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	NS	NS	NS	NS	NS	NS	NS	NS
	12/08/98	NS	NS	NS	NS	NS	NS	NS	NS
	02/17/99	NS	NS	NS	NS	NS	NS	NS	NS
	06/10/99	NS	NS	NS	NS	NS	NS	NS	NS
	09/07/99	NS	NS	NS	NS	NS	NS	NS	NS
	12/13/99	NS	NS	NS	NS	NS	NS	NS	NS
	3/16/00	NS	NS	NS	NS	NS	NS	NS	NS
	6/12/00	NS	NS	NS	NS	NS	NS	NS	NS
9/5/00	NS	NS	NS	NS	NS	NS	NS	NS	
11/13/00	NS	NS	NS	NS	NS	NS	NS	NS	
2/26/01	NS	NS	NS	NS	NS	NS	NS	NS	
6/12/01	NS	NS	NS	NS	NS	NS	NS	NS	
8/27/01 ³	-	-	-	-	-	-	-	-	-
MW-5	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
MW-5 (cont.)	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/14/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/26/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	12/27/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	03/26/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	-
	06/05/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	15
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
	12/02/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	12
	03/10/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	7.0
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	7.2
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50
	12/08/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	02/17/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	06/10/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	09/07/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/13/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	6/12/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
9/5/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0	
11/13/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	
2/26/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	
6/12/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<0.50	
8/27/01 ³	-	-	-	-	-	-	-	-	-
MW-6	05/18/93	170	NA	NA	<0.5	<0.5	<0.5	<0.5	
	08/11/93	78	NA	NA	<0.5	<0.5	<0.5	<0.5	
	11/05/93	170	NA	NA	<0.5	<0.5	<0.5	<0.5	
	03/01/94	210	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/02/94	190	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/09/94	140	NA	NA	<0.5	<0.5	<0.5	<0.5	
	12/20/94	210	NA	NA	<0.5	<0.5	<0.5	<0.5	

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
	03/08/95	180 ¹	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/14/95	220 ¹	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/26/95	110 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
	12/27/95	130 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
	03/08/95	100 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	
MW-6 (cont.)	06/05/96	100 ¹	NA	NA	<0.50	<0.50	<0.50	<0.50	430
	09/16/96	170	NA	NA	<0.50	<0.50	<0.50	<0.50	430
	12/02/96	160	NA	NA	<0.50	<0.50	<0.50	<0.50	160
	03/10/97	140	NA	NA	<0.50	<0.50	<0.50	<0.50	390
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	330
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	130
	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	200
	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	240
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	12/08/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	230
	02/17/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	200
	06/10/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	290
	09/07/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	230
	12/13/99	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	180
	3/16/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	260
	6/12/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	160
	9/5/00	<50	NA	NA	<0.50	0.50	<0.50	0.81	170
	11/13/00	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	190
	2/26/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	130
6/12/01	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	96	
8/27/01 ³	-	-	-	-	-	-	-	-	
MW-7	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	03/01/94	60	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	03/08/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	06/14/95	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	
	09/26/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	
12/27/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50		

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
	03/08/95	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	
	06/05/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	26
	12/02/96	140	NA	NA	<0.50	<0.50	<0.50	<0.50	140
	03/10/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	29
	06/12/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	28
	09/29/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	27
MW-7	12/01/97	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	29
(cont.)	03/19/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	6.0
	05/28/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	25
	08/31/98	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	20
	12/08/98 ²								
MW-8	05/18/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	08/11/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	11/05/93	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/01/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	06/02/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	09/09/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	12/20/94	<50	NA	NA	<0.5	<0.5	<0.5	<0.5	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/14/95	NS	NS	NS	NS	NS	NS	NS	-
	09/26/95	NS	NS	NS	NS	NS	NS	NS	-
	12/27/95	NS	NS	NS	NS	NS	NS	NS	-
	03/08/95	NS	NS	NS	NS	NS	NS	NS	-
	06/05/96	NS	NS	NS	NS	NS	NS	NS	-
	09/16/96	<50	NA	NA	<0.50	<0.50	<0.50	<0.50	<5.0
	12/02/96	NS	NS	NS	NS	NS	NS	NS	NS
	03/10/97	NS	NS	NS	NS	NS	NS	NS	NS
	06/12/97	NS	NS	NS	NS	NS	NS	NS	NS
	09/29/97	NS	NS	NS	NS	NS	NS	NS	NS
	12/01/97	NS	NS	NS	NS	NS	NS	NS	NS
	03/19/98	NS	NS	NS	NS	NS	NS	NS	NS
	05/28/98	NS	NS	NS	NS	NS	NS	NS	NS
	08/31/98	NS	NS	NS	NS	NS	NS	NS	NS
	12/08/98 ²								

Notes:

<: Below indicated detection limit.

NS : Not sampled.

NA: Not Analyzed.

Table 3
Summary of Groundwater Analytical Results
Former Beacon Station # 12574 - Castro Valley, California

Well ID	Sample Date	TPHg (µg/L)	TPHd (µg/L)	TPHmo (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE (µg/L)
¹ : Product not typical gasoline. ² : Well abandoned ³ : As directed by Alameda County, Monitoring wells not sampled.									

ATTACHMENT E

**GEOTRACKER ELECTRONIC DATA DELIVERABLE
CONFIRMATION SHEETS**

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_WELL FILE

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

Submittal Title: 1574-Q305
Submittal Date/Time: 8/11/2005 6:48:17 AM
Confirmation Number: 6846577200

[Back to Main Menu](#)

Logged in as HORIZON (AUTH_RP)

[CONTACT SITE ADMINISTRATOR.](#)

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_REPORT FILE

YOUR DOCUMENT UPLOAD WAS SUCCESSFUL!

Facility Name: BEACON 12574
Global ID: T0600100155
Title: QMR-1574-Q105
Document Type: Monitoring Report - Semi-annual
Submittal Type: GEO_REPORT
Submittal Date/Time: 6/24/2005 1:00:28 PM
Confirmation Number: 4928619205

. 42

[Click here to view the document.](#)

[Back to Main Menu](#)

Logged in as HORIZON (AUTH_RP)

[CONTACT SITE ADMINISTRATOR](#)