

# BP Amoco



Scott T. Hooton  
Portfolio Manager

BP Exploration & Oil Inc.  
295 SW 41<sup>st</sup> Street  
Bldg. 13, Ste. "N"  
Renton, Washington 98055

Phone: (425) 251-0689  
Fax: 425-251-0736  
Internet: hootonst@bp.com

A BP Amoco Group Company

October 9, 2000

Alameda County Health Care Services Department  
Attention Mr. Scott Seery  
1131 Harbor Bay Parkway, Room 250  
Alameda, CA 94502-6577

RE: BP Oil Site No. 11117  
7210 Bancroft Avenue (at 73<sup>rd</sup>)  
Oakland, CA

Dear Mr. Seery:

This letter transmits the *Third Quarter 2000 Groundwater Monitoring* report dated 3 October 2000 prepared by Blaine Tech Services on behalf of BP.

A petroleum release was documented during 1991 when a site assessment was performed in support of the property owner's plans to refinance an adjacent shopping center property, which also includes the BP site. After BP performed several iterations of groundwater monitoring and site assessment, the business and related improvements were sold to the current operator (Tosco Corporation) in 1994. Tosco recently replaced the UST system at this site during 1998.

The enclosed groundwater monitoring and sampling reports includes laboratory data for samples collected on 31 August 2000. The results show that aromatic petroleum hydrocarbons were detected in the samples obtained from three of the monitoring wells.

Please give me a call at (425) 251-0689 if you have any comments or questions.

Sincerely,

Scott Hooton

attachments

cc: site file  
D. Camille - Tosco (w/attachments)  
Bancroft Oakland Investment Company, c/o SB Management Corporation, Attention Ms.  
K. R. Stimson, 422 North Camden Drive, STE#1070, Beverly Hills, CA 90210  
(w/attachments)  
Khaled Rahman - Cambria (w/attachment)

00 OCT 16 PM 4: 08  
ENVIRONMENTAL PROTECTION

BLAINE  
TECH SERVICES, INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

1117-10

October 3, 2000

Scott Hooton  
BP Oil Company  
295 SW 41st Street, Bldg. 13, Suite N  
Renton, WA 98055-4931

### 3rd Quarter 2000 Monitoring at 1117

Third Quarter 2000 Groundwater Monitoring  
BP Service Station Number 1117  
7210 Bancroft Avenue  
Oakland, CA

Monitoring Performed on August 31, 2000

---

### Groundwater Sampling Report 000831-A-2

This report covers the routine monitoring of groundwater wells at this BP facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, the appropriate calculated purge volume, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to Seaport Petroleum Corporation for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The **Professional Engineering Appendix** contains a **Groundwater Elevation Map** and a **Dissolved Petroleum Hydrocarbon Concentration Map**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,


A handwritten signature in black ink, appearing to read 'Francis Thie', written in a cursive style.

Francis Thie  
Vice President

FPT/cm

attachments: Professional Engineering Appendix  
Cumulative Table of Well Data and Analytical Results  
Analytical Appendix  
Field Data Sheets

# **Professional Engineering Appendix**



Ref. 11117bm.dwg  
Basemap from Alisto Engineering Group

PREPARED BY

**RRM**  
engineering contracting firm


**BP Oil Service Station No. 11117**  
7210 Bancroft Avenue  
Oakland, California

**GROUNDWATER ELEVATION CONTOUR MAP,**  
**AUGUST 31, 2000**

FIGURE:

1

PROJECT:  
DAC04



MW-6

MW-6	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	1200
MTBE	3900

MW-7

MW-7	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	440
MTBE	900

MW-10

B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	1700
MTBE	13000

NA  
MW-3

MW-1

MW-1	
B	18
T	5.5
E	7.9
X	5.0
TPHg	1700
MTBE	510

MW-2



MW-2	
B	16000
T	26000
E	2500
X	16000
TPHg	200000
MTBE	38000

MW-4

MW-4	
B	8800
T	7600
E	3400
X	14000
TPHg	110000
MTBE	18000

- EXPLANATION**
- MONITORING WELL
  - TPHg TOTAL PETROLEUM HYDROCARBON CALCULATED AS GASOLINE IN PARTS PER BILLION (ppb)
  - B BENZENE, ppb
  - T TOLUENE, ppb
  - E ETHYLBENZENE, ppb
  - X XYLENE, ppb
  - MTBE METHYL-TERT-BUTYL-ETHER, ppb
  - NA DATA NOT AVAILABLE

MW-9  
NA



Ref. 11117btex.dwg  
Basemap from Alisto Engineering Group

PREPARED BY  
**RRM**  
engineering contracting firm

**BP Oil Service Station No. 11117**  
7210 Bancroft Avenue  
Oakland, California

**HYDROCARBON CONCENTRATION MAP,**  
AUGUST 31, 2000

**FIGURE:**  
**2**

**PROJECT:**  
DAC04

# **Table of Well Data and Analytical Results**

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-1	01/05/92	49.80	33.16	---	16.64	57000	50000	2400	1000	1100	3100	---	ND	---	---
MW-1	01/10/92	49.80	33.16	---	16.64	---	---	---	---	---	---	---	---	---	---
MW-1	06/05/92	49.80	29.01	---	20.79	31000	---	2800	2100	800	2300	---	---	---	---
MW-1	07/24/92	49.80	29.45	---	20.35	---	---	---	---	---	---	---	---	---	---
MW-1	07/27/92	49.80	29.45	---	20.35	---	---	---	---	---	---	---	---	---	---
MW-1	09/15/92	49.80	30.53	---	19.27	40000	1200 (c)	3400	3000	1300	3400	---	---	---	ANA
QC-1 (d)	09/15/92	---	---	---	---	36000	---	3800	3400	1400	3800	---	---	---	ANA
MW-1	12/15/92	49.80	31.26	---	18.54	27000	1100 (c)	1700	580	700	1900	---	---	---	ANA
QC-1 (d)	12/15/92	---	---	---	---	22000	---	1500	440	510	1300	---	---	---	ANA
MW-1	03/15/93	49.80	24.80	---	25.00	17000	580	1700	1200	590	1800	---	---	---	PACE
QC-1 (d)	03/15/93	---	---	---	---	15000	---	1100	860	440	1400	---	---	---	PACE
MW-1	06/07/93	49.80	25.01	---	24.79	750	100	0.8	0.8	ND<0.5	ND<0.5	---	---	---	PACE
QC-1 (d)	06/07/93	---	---	---	---	720	---	0.7	0.7	ND<0.5	ND<0.5	---	---	---	PACE
MW-1	09/23/93	49.80	28.70	---	21.10	40000	770	4000	500	920	3000	6600	(e)	---	PACE
MW-1	12/27/93	49.80	28.66	---	21.14	27000	---	2000	400	940	2600	14000	(e)	---	PACE
QC-1 (d)	12/27/93	---	---	---	---	21000	---	1700	380	830	2400	9200	(e)	---	PACE
MW-1	04/05/94	49.80	26.37	---	23.43	27000	---	3400	930	950	2900	8600	(e)	---	PACE
QC-1 (d)	04/05/94	---	---	---	---	29000	---	3700	1000	1000	3100	9700	(e)	1.3	PACE
MW-1	07/22/94	49.80	26.54	---	23.26	1700	---	220	2.3	2.0	3.4	220	(e)	---	2.0 PACE
MW-1	10/13/94	49.80	27.46	---	22.34	1200	---	250	21	ND<0.5	3.2	320	(e)	---	2.6 PACE
MW-1	01/25/95	49.80	20.96	---	28.84	1000	---	420	8	13	4	---	---	---	ATI
MW-1	04/19/95	49.80	19.59	---	30.21	5200	---	420	51	230	340	---	---	6.0	ATI
MW-1	07/05/95	49.80	19.61	---	30.19	320	---	4.2	ND<0.50	ND<0.50	ND<1.0	---	---	4.6	ATI
MW-1	10/05/95	49.80	24.40	---	25.40	5800	---	1000	40	31	180	7800	---	2.3	ATI
MW-1	01/12/96	49.80	25.44	---	24.36	370	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	3.7	ATI
MW-1	04/22/96	49.80	18.02	---	31.78	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	3.9	SPL
MW-1	07/02/96	49.80	19.72	---	30.08	---	---	---	---	---	---	---	---	---	---
MW-1	07/03/96	49.80	---	---	---	ND<250	---	ND<2.5	ND<5	ND<5	ND<5	ND<50	---	3.6	SPL
MW-1	11/08/96	49.80	19.98	---	29.82	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.3	SPL
MW-1	01/03/97	49.80	19.49	---	30.31	ND<50	---	ND<0.5	14	ND<1.0	ND<1.0	ND<10	---	4.6	SPL
MW-1	04/28/97	49.80	20.20	---	29.60	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.9	SPL
MW-1	07/01/97	49.80	22.53	---	27.27	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.9	SPL
MW-1	10/02/97	49.80	24.27	---	25.53	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.6	SPL
MW-1	01/09/98	49.80	21.07	---	28.73	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.2	SPL
MW-1	05/06/98	49.80	14.94	---	34.86	60	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
MW-1	07/21/98	49.80	15.11	---	34.69	70	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
MW-1	12/30/98	49.80	19.95	---	29.85	---	---	---	---	---	---	---	---	---	---
MW-1	02/02/99	49.80	19.12	---	30.68	420	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	390	---	---	SPL
MW-1	05/10/99	49.80	15.51	---	34.29	---	---	---	---	---	---	---	---	---	---



TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-1	09/23/99	49.80	21.65	---	28.15	440	---	49	ND<1.0	ND<1.0	ND<1.0	910	---	---	SPL
MW-1	12/23/99	49.80	22.32	---	27.48	---	---	---	---	---	---	---	---	---	---
MW-1	03/27/00	49.80	15.72	---	34.08	2500	---	230	3.0	83	36	4400	---	---	PACE
MW-1	05/22/00	49.80	16.92	---	32.88	---	---	---	---	---	---	---	---	---	---
MW-1	08/31/00	49.80	20.12	---	29.68	1700	---	18	5.5	7.9	5.0	510	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-2	01/05/92	51.07	DRY	---	DRY	---	---	---	---	---	---	---	---	---	---
MW-2	01/10/92	51.07	DRY	---	DRY	---	---	---	---	---	---	---	---	---	---
MW-2	06/05/92	51.07	30.05	---	21.02	11000	---	2000	180	490	1900	---	---	---	---
MW-2	07/24/92	51.07	30.72	---	20.35	---	---	---	---	---	---	---	---	---	---
MW-2	07/27/92	51.07	30.52	---	20.55	---	---	---	---	---	---	---	---	---	---
MW-2	09/15/92	51.07	31.56	---	19.51	75000	3200 (c)	2000	6500	2300	13000	---	---	---	ANA
MW-2	12/15/92	51.07	32.40	---	18.67	34000	1600 (c)	6200	8900	2000	7900	---	---	---	ANA
MW-2	03/15/93	51.07	26.14	---	24.93	150000	8400	12000	18000	3200	22000	82000	(e)	---	PACE
MW-2 (f)	06/07/93	51.07	26.38	SHEEN	24.69	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	09/23/93	51.07	31.43	1.92	21.08	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	12/27/93	51.07	34.07	1.07	17.80	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	04/05/94	51.07	30.44	3.30	23.11	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	07/22/94	51.07	28.51	0.80	23.16	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	10/13/94	51.07	29.33	0.70	22.27	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	01/25/95	51.07	25.55	4.25	28.71	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	04/19/95	51.07	19.78	0.12	31.38	---	---	---	---	---	---	---	---	---	---
MW-2	07/05/95	51.07	20.88	0.09	30.26	140000	---	14000	30000	3500	26000	---	---	---	ATI
MW-2 (f)	10/05/95	51.07	24.68	0.10	26.47	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	01/12/96	51.07	25.72	0.06	25.40	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	04/22/96	51.07	19.33	0.08	31.80	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	07/02/96	51.07	20.01	0.04	31.09	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	11/08/96	51.07	20.28	0.01	30.80	---	---	---	---	---	---	---	---	---	---
MW-2 (f)	01/03/97	51.07	19.87	0.02	31.22	---	---	---	---	---	---	---	---	---	---
MW-2	04/28/97	51.07	20.59	0.01	30.49	560000	---	1200	1300	290	2310	6100	---	3.9	SPL
MW-2	07/01/97	51.07	22.90	0.01	28.18	24000	---	15000	16000	4900	24400	63000	---	3.7	SPL
QC-1 (d)	07/01/97	---	---	---	---	150000	---	14000	13000	1800	14200	57000	---	---	SPL
MW-2	10/02/97	51.07	24.65	0.02	26.44	---	---	---	---	---	---	---	---	---	---
MW-2	10/03/97	51.07	---	---	---	250000	---	32000	39000	6000	42000	160000	---	4.5	SPL
MW-2	01/09/98	51.07	21.22	0.01	29.86	420000	---	23000	29000	5800	43000	75000	---	4.0	SPL
QC-1 (d)	01/09/98	---	---	---	---	300000	---	20000	25000	5200	37000	84000	---	---	SPL
MW-2	05/06/98	51.07	15.10	0.01	35.98	180000	---	25000	26000	3400	22900	35000	---	3.7	SPL
MW-2	07/21/98	51.07	15.31	0.01	35.77	270000	---	21000	20000	2700	18800	34000	---	3.8	SPL
MW-2	12/30/98	51.07	21.10	0.10	30.05	300000	---	22000	24000	4200	26000	89000/95000 (j)	---	---	SPL
MW-2	02/02/98	51.07	20.11	---	30.96	410000	---	27000	43000	6700	50000	20000	---	---	SPL
MW-2	05/10/99	51.07	16.68	---	34.39	220000	---	20000	20000	2800	20000	100000	---	---	SPL
MW-2	09/23/99	51.07	22.50	---	28.57	160000	---	21000	24000	2900	20000	44000	---	---	SPL
MW-2 (k)	12/23/99	51.07	22.64	---	28.43	170000	---	25000	41000	3100	24000	40000	---	---	PACE
MW-2	03/27/00	51.07	16.88	---	34.19	140000	---	15000	25000	3400	21000	19000	---	---	PACE
MW-2	05/22/00	51.07	17.75	---	33.32	150000	---	18000	31000	3500	22000	26000	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-2	08/31/00	51.07	21.97	---	29.10	200000	---	16000	26000	2500	16000	38000	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-3	01/05/92	49.95	33.69	---	16.26	7400	4000	790	23	210	40	---	ND	---	---
MW-3	01/10/92	49.95	33.74	---	16.21	---	---	---	---	---	---	---	---	---	---
MW-3	06/05/92	49.95	29.65	---	20.30	2000	---	130	5.3	93	20	---	---	---	---
MW-3	07/24/92	49.95	30.14	---	19.81	---	---	---	---	---	---	---	---	---	---
MW-3	07/27/92	49.95	30.14	---	19.81	---	---	---	---	---	---	---	---	---	---
MW-3	09/15/92	49.95	31.07	---	18.88	450	ND<50	55	3.1	34	7.1	---	---	---	ANA
MW-3	12/15/92	49.95	31.93	---	18.02	12000	710 (c)	940	ND<50	310	120	---	---	---	ANA
MW-3	03/15/93	49.95	25.71	---	24.24	ND<50	60	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
MW-3	06/07/93	49.95	25.80	---	24.15	150	ND<50	3.6	ND<0.5	0.9	1.3	---	---	---	PACE
MW-3	09/23/93	49.95	29.18	---	20.77	---	---	---	---	---	---	---	---	---	---
MW-3	09/24/93	49.95	---	---	---	160	ND<50	8.4	ND<0.5	3.7	1.3	---	---	---	PACE
MW-3	12/27/93	49.95	29.25	---	20.70	9400	---	1100	48	530	120	2700	(e)	---	PACE
MW-3	04/05/94	49.95	26.84	---	23.11	7000	---	860	19	330	52	---	---	2.0	PACE
MW-3	07/22/94	49.95	26.90	---	23.11	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	2.1	PACE
MW-3	10/13/94	49.95	27.83	---	22.12	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	2.6	PACE
MW-3	01/25/95	49.95	21.65	---	28.30	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	---	ATI
MW-3	04/19/95	49.95	19.33	---	30.62	2400	---	170	8.0	130	27	---	---	5.0	ATI
MW-3	07/05/95	49.95	20.27	---	29.68	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	4.4	ATI
MW-3	10/05/95	49.95	23.73	---	26.22	2300	---	210	3.1	10	5.1	2400	---	4.2	ATI
MW-3	01/12/96	49.95	24.84	---	25.11	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	4.1	ATI
MW-3	04/22/96	49.95	18.60	---	31.35	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	4.4	SPL
MW-3	07/02/96	49.95	18.88	---	31.07	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	4.2	SPL
MW-3	11/08/96	49.95	19.14	---	30.81	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.4	SPL
MW-3	01/03/97	49.95	18.72	---	31.23	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.6	SPL
MW-3	04/28/97	49.95	19.38	---	30.57	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.2	SPL
MW-3	07/01/97	49.95	21.65	---	28.30	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
MW-3	10/02/97	49.95	23.45	---	26.50	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.5	SPL
MW-3	01/09/98	49.95	20.10	---	29.85	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.1	SPL
MW-3	05/06/98	49.95	15.57	---	34.38	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
MW-3	07/21/98	49.95	15.88	---	34.07	51	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
QC-1 (d)	07/21/98	---	---	---	---	60	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	SPL
MW-3	12/30/98	49.95	20.30	---	29.65	---	---	---	---	---	---	---	---	---	SPL
MW-3	02/02/99	49.95	19.75	---	30.20	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	SPL
MW-3	05/10/99	49.95	16.17	---	33.78	---	---	---	---	---	---	---	---	---	---
MW-3	09/23/99	49.95	22.05	---	27.90	---	---	---	---	---	---	---	---	---	---
MW-3	12/23/99	49.95	22.55	---	27.40	---	---	---	---	---	---	---	---	---	---
MW-3	03/27/00	49.95	16.40	---	33.55	350	---	22	ND<0.5	ND<0.5	ND<0.5	580	---	---	PACE
MW-3	05/22/00	49.95	9.49*	---	40.46	---	---	---	---	---	---	---	---	---	---
MW-3	08/31/00	49.95	13.02	---	36.93	---	---	---	---	---	---	---	---	---	---

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-4	07/24/92	50.76	30.02	---	20.74	42000	---	3200	3600	1400	4100	---	---	---	---
MW-4	07/27/92	50.76	30.02	---	20.74	---	---	---	---	---	---	---	---	---	---
MW-4	09/15/92	50.76	31.14	---	19.62	55000	1700 (c)	7600	13000	2800	9500	---	---	---	ANA
MW-4	12/15/92	50.76	31.98	---	18.78	36000	2200 (c)	3700	4700	1200	4000	---	---	---	ANA
MW-4	03/15/93	50.76	25.34	---	25.42	69000	1200	7600	15000	2500	11000	---	---	---	PACE
MW-4	06/07/93	50.76	25.67	---	25.09	73000	2500	10000	19000	3400	14000	---	---	---	PACE
MW-4	09/23/93	50.76	29.37	---	21.39	---	---	---	---	---	---	---	---	---	---
MW-4	09/24/93	50.76	---	---	---	68000	5700	11000	2100	8600	990	---	---	---	PACE
QC-1 (d)	09/24/93	---	---	---	---	59000	---	5300	10000	2200	8400	---	---	---	PACE
MW-4	12/27/93	50.76	29.40	---	21.36	32000	---	2500	4400	1300	4400	---	---	---	PACE
MW-4	04/05/94	50.76	27.09	---	23.67	64000	---	6500	14000	1900	9600	---	---	1.4	PACE
MW-4	07/22/94	50.76	27.33	---	23.43	85000	---	10000	20000	3200	13000	---	---	0.8	PACE
QC-1 (d)	07/22/94	---	---	---	---	85000	---	11000	21000	3300	14000	---	---	---	PACE
MW-4	10/13/94	50.76	28.25	---	22.51	51000	---	7100	13000	2100	8900	790	(e)	2.9	PACE
QC-1 (d)	10/13/94	---	---	---	---	51000	---	7400	13000	2100	9100	---	---	---	PACE
MW-4	01/25/95	50.76	21.85	---	28.91	26000	---	3600	9600	1200	6400	---	---	---	ATI
QC-1 (d)	01/25/95	---	---	---	---	28000	---	4200	12000	1500	7800	---	---	---	ATI
MW-4	04/19/95	50.76	19.44	---	31.32	89000	---	12000	24000	3500	18000	---	---	5.1	ATI
QC-1 (d)	04/19/95	---	---	---	---	100000	---	12000	26000	3800	21000	---	---	---	ATI
MW-4	07/05/95	50.76	20.52	---	30.24	130000	---	13000	29000	3300	25000	---	---	4.3	ATI
MW-4	10/05/95	50.76	24.23	---	26.53	110000	---	10000	23000	3600	17000	34000	---	2.1	ATI
MW-4	01/12/96	50.76	25.34	---	25.42	46000	---	3500	8300	1100	8000	3000	---	3.3	ATI
QC-1 (d)	01/12/96	---	---	---	---	40000	---	3500	9000	1200	8700	4300	---	---	ATI
MW-4	04/22/96	50.76	19.13	---	31.63	40000	---	5100	9600	980	11800	29000	---	3.2	SPL
QC-1 (d)	04/22/96	---	---	---	---	61000	---	8300	16000	1600	15200	36000	---	---	SPL
MW-4	07/02/96	50.76	20.67	---	30.09	74000	---	9800	21000	2100	16600	41000	---	3.4	SPL
QC-1 (d)	07/02/96	---	---	---	---	78000	---	9800	21000	1900	15300	42000	---	---	SPL
MW-4	11/08/96	50.76	20.95	---	29.81	100000	---	7900	16000	2500	13700	37000	---	3.7	SPL
QC-1 (d)	11/08/96	---	---	---	---	110000	---	9100	20000	3000	15400	39000	---	---	SPL
MW-4	01/03/97	50.76	20.54	---	30.22	99000	---	17000	30000	4300	22700	79000	---	4.2	SPL
QC-1 (d)	01/03/97	---	---	---	---	66000	---	12000	19000	2900	15000	69000	---	---	SPL
MW-4	04/28/97	50.76	21.28	---	29.48	130000	---	12000	28000	3800	21000	37000	---	3.9	SPL
QC-1 (d)	04/28/97	---	---	---	---	110000	---	11000	26000	3200	18200	34000	---	---	SPL
MW-4	07/01/97	50.76	23.61	---	27.15	110000	---	16000	25000	4900	24400	37000	---	3.6	SPL
MW-4	10/02/97	50.76	25.39	---	25.37	---	---	---	---	---	---	---	---	---	---
MW-4	10/03/97	50.76	---	---	---	66000	---	8200	8600	2700	13400	80000	---	4.4	SPL
QC-1 (d)	10/03/97	---	---	---	---	71000	---	8600	8700	2900	13500	84000	---	---	SPL
MW-4	01/09/98	50.76	21.25	---	29.51	100000	---	9700	3200	1500	4700	92000	---	3.8	SPL
MW-4	05/06/98	50.76	15.96	---	34.80	430000	---	6900	31000	11000	56000	ND<5000	---	3.9	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
QC-1 (d)	05/06/98	---	---	---	---	440000	---	8000	39000	14000	70000	ND<5000	---	---	SPL
MW-4	07/21/98	50.76	16.1	---	34.66	250000	---	11000	26000	5500	26900	29000	---	3.7	SPL
QC-1 (d)	07/21/98	---	---	---	---	210000	---	11000	27000	5600	26800	29000	---	---	SPL
MW-4	12/30/98	50.76	20.91	---	29.85	370000	---	11000	22000	8500	40000	90000/92000 (j)	---	---	SPL
MW-4	02/02/99	50.76	20.13	---	30.63	190000	---	4100	19000	4800	32000	28000	---	---	SPL
MW-4	05/10/99	50.76	16.63	---	34.13	2700	---	23	7.1	8.1	25	120	---	---	SPL
MW-4	09/23/99	50.76	22.48	---	28.28	180000	---	11000	29000	7000	38000	12000	---	---	SPL
MW-4 (k)	12/23/99	50.76	22.94	---	27.82	66000	---	6300	5200	2200	7800	35000	---	---	PACE
MW-4	03/27/00	50.76	16.84	---	33.92	120000	---	8700	12000	3800	16000	27000	---	---	PACE
MW-4	05/22/00	50.76	17.85	---	32.91	110000	---	7600	16000	4400	20000	25000	---	---	PACE
MW-4	08/31/00	50.76	21.71	---	29.05	110000	---	8800	7600	3400	14000	18000	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-6	07/24/92	50.32	30.63	---	19.69	ND	---	1.6	ND	ND	ND	---	---	---	---
MW-6	07/27/92	50.32	30.63	---	19.69	---	---	---	---	---	---	---	---	---	---
MW-6	09/15/92	50.32	31.52	---	18.80	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	ANA
MW-6	12/15/92	50.32	32.42	---	17.90	58	ND<50	1.3	ND<0.5	ND<0.5	ND<0.5	---	---	---	ANA
MW-6	03/15/93	50.32	26.29	---	24.03	ND<50	ND<50	ND<0.5	0.6	ND<0.5	0.7	---	---	---	PACE
MW-6	06/07/93	50.32	26.33	---	23.99	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	1.5	---	---	---	PACE
MW-6	09/23/93	50.32	29.64	---	20.68	---	---	---	---	---	---	---	---	---	---
MW-6	09/24/93	50.32	---	---	---	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
MW-6	12/27/93	50.32	29.75	---	20.57	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	55	(e)	---	PACE
MW-6	04/05/94	50.32	27.26	---	23.06	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	300	(e)	1.7	PACE
MW-6	07/22/94	50.32	27.34	---	22.98	350	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	800	(e)	4.5	PACE
MW-6 (g)	10/13/94	50.32	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	01/25/95	50.32	22.16	---	28.16	240	---	6	ND<0.5	ND<0.5	ND<1	---	---	---	ATI
MW-6 (g)	04/19/95	50.32	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	07/05/95	50.32	20.80	---	29.52	180	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	4.9	ATI
MW-6	10/05/95	50.32	24.20	---	26.12	860	---	ND<5.0	ND<5.0	ND<5.0	ND<10	3600	---	2.8	ATI
MW-6	01/12/96	50.32	25.30	---	25.02	860	---	ND<5.0	ND<5.0	ND<5.0	ND<10	2800	---	4.2	ATI
MW-6	04/22/96	50.32	19.13	---	31.19	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	470	---	4.3	SPL
MW-6	07/02/96	50.32	20.66	---	29.66	100	---	ND<0.5	ND<1	ND<1	ND<1	1100	---	4.2	SPL
MW-6	11/08/96	50.32	20.98	---	29.34	1100	---	ND<5	ND<10	ND<10	ND<10	1500	---	4.3	SPL
MW-6	01/03/97	50.32	20.53	---	29.79	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	450	---	4.5	SPL
MW-6	04/28/97	50.32	21.25	---	29.07	1400	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	3500	---	4.4	SPL
MW-6	07/01/97	50.32	23.40	---	26.92	6100	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	9100	---	3.9	SPL
MW-6	10/02/97	50.32	25.16	---	25.16	---	---	---	---	---	---	---	---	---	---
MW-6	10/03/97	50.32	---	---	---	330	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	2600	---	4.4	SPL
MW-6	01/09/98	50.32	21.13	---	29.19	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.3	SPL
MW-6	05/06/98	50.32	16.11	---	34.21	410	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	500	---	3.6	SPL
MW-6	07/21/98	50.32	16.33	---	33.99	4300	---	ND<5	ND<10	ND<10	ND<10	3800	---	4.0	SPL
MW-6	12/30/98	50.32	20.89	---	29.43	---	---	---	---	---	---	---	---	---	---
MW-6	02/02/99	50.32	20.20	---	30.12	---	---	---	---	---	---	---	---	---	---
MW-6	05/10/99	50.32	16.75	---	33.57	---	---	---	---	---	---	---	---	---	---
MW-6	09/23/99	50.32	22.55	---	27.77	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1600	---	---	SPL
MW-6	12/23/99	50.32	23.00	---	27.32	---	---	---	---	---	---	---	---	---	---
MW-6	03/27/00	50.32	16.89	---	33.43	1700	---	4.4	0.54	ND<0.5	1.0	14000	---	---	PACE
MW-6	05/22/00	50.32	18.02	---	32.30	---	---	---	---	---	---	---	---	---	---
MW-6	08/31/00	50.32	21.62	---	28.70	1200	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	3900	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-7	01/25/95	51.40	21.67	---	29.73	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	7.0	ATI
MW-7	04/19/95	51.40	25.27	---	26.13	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	5.0	ATI
MW-7	07/05/95	51.40	24.63	---	26.77	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	4.2	ATI
MW-7	10/05/95	51.40	28.21	---	23.19	83	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	77	---	4.5	ATI
MW-7	01/12/96	51.40	29.29	---	22.11	63	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	120	---	4.8	ATI
MW-7	04/22/96	51.40	23.11	---	28.29	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	13	---	4.8	SPL
MW-7	07/02/96	51.40	23.56	---	27.84	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	4.8	SPL
MW-7	11/08/96	51.40	20.06	---	31.34	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	5.1	SPL
MW-7	01/03/97	51.40	23.42	---	27.98	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.7	SPL
MW-7	04/28/97	51.40	24.12	---	27.28	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.9	SPL
MW-7	07/01/97	51.40	26.40	---	25.00	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.2	SPL
MW-7	10/02/97	51.40	28.14	---	23.26	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.7	SPL
MW-7	01/09/98	51.40	24.02	---	27.38	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.1	SPL
MW-7	05/06/98	51.40	21.00	---	30.40	1900	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	1800	---	3.5	SPL
MW-7	07/21/98	51.40	21.17	---	30.23	50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.7	SPL
MW-7	12/30/98	51.40	22.13	---	29.27	---	---	---	---	---	---	---	---	---	---
MW-7	02/02/99	51.40	22.08	---	29.32	---	---	---	---	---	---	---	---	---	---
MW-7	05/10/99	51.40	18.58	---	32.82	---	---	---	---	---	---	---	---	---	---
MW-7	09/23/99	51.40	24.29	---	27.11	70	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	4700	---	---	SPL
MW-7	12/23/99	51.40	24.53	---	26.87	---	---	---	---	---	---	---	---	---	---
MW-7	03/27/00	51.40	18.58	---	32.82	910	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	2600	---	---	PACE
MW-7	05/22/00	51.40	19.49	---	31.91	---	---	---	---	---	---	---	---	---	---
MW-7	08/31/00	51.40	22.53	---	28.87	440	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	900	---	---	PACE



TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-8	01/25/95	50.88	31.59	---	19.29	54	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	7.1	ATI
MW-8	04/19/95	50.88	19.18	---	31.70	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	5.1	ATI
MW-8	07/05/95	50.88	19.03	---	31.85	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	4.5	ATI
MW-8	10/05/95	50.88	24.40	---	26.48	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	4.1	ATI
MW-8	01/12/96	50.88	25.51	---	25.37	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	4.6	ATI
MW-8	04/22/96	50.88	18.00	---	32.88	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	4.8	SPL
MW-8	07/02/96	50.88	19.83	---	31.05	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	4.5	SPL
MW-8	11/08/96	50.88	20.09	---	30.79	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.7	SPL
MW-8	01/03/97	50.88	19.72	---	31.16	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.4	SPL
MW-8	04/28/97	50.88	20.44	---	30.44	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.1	SPL
MW-8	07/01/97	50.88	22.72	---	28.16	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.8	SPL
MW-8	10/02/97	50.88	24.51	---	26.37	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.2	SPL
MW-8	01/09/98	50.88	21.17	---	29.71	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.5	SPL
MW-8	05/06/98	50.88	18.34	---	32.54	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.6	SPL
MW-8	07/21/98	50.88	18.55	---	32.33	90	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.3	SPL
MW-8	12/30/98	50.88	20.40	---	30.48	---	---	---	---	---	---	---	---	---	---
MW-8	02/02/99	50.88	19.28	---	31.60	---	---	---	---	---	---	---	---	---	---
MW-8	05/10/99	50.88	15.62	---	35.26	---	---	---	---	---	---	---	---	---	---
MW-8	09/23/99	50.88	21.74	---	29.14	---	---	---	---	---	---	---	---	---	---
MW-8	12/23/99	50.88	22.83	---	28.05	---	---	---	---	---	---	---	---	---	---
MW-8	03/27/00	50.88	16.25	---	34.63	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
MW-8	05/22/00	50.88	17.06	---	33.82	---	---	---	---	---	---	---	---	---	---
MW-8	08/31/00	50.88	21.72	---	29.16	---	---	---	---	---	---	---	---	---	---

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT THICKNESS (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
MW-9	01/25/95	51.05	22.32	---	28.73	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	7.4	ATI
MW-9	04/19/95	51.05	19.86	---	31.19	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1	---	---	5.2	ATI
MW-9	07/05/95	51.05	20.78	---	30.27	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	4.4	ATI
MW-9	10/05/95	51.05	24.33	---	26.72	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	2.3	ATI
QC-1 (d)	10/05/95	---	---	---	---	52	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	160	---	---	ATI
MW-9	01/12/96	51.05	25.44	---	25.61	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	3.2	ATI
MW-9	04/22/96	51.05	18.01	---	33.04	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	11	---	3.5	SPL
MW-9	07/02/96	51.05	19.70	---	31.35	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	3.3	SPL
MW-9	11/08/96	51.05	19.96	---	31.09	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.7	SPL
MW-9	01/03/97	51.05	19.52	---	31.53	ND<250	---	ND<2.5	ND<5.0	ND<5.0	ND<5.0	ND<50	---	4.4	SPL
MW-9	04/28/97	51.05	20.22	---	30.83	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.0	SPL
MW-9	07/01/97	51.05	22.59	---	28.46	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.9	SPL
MW-9	10/02/97	51.05	24.33	---	26.72	---	---	---	---	---	---	---	---	---	---
MW-9	10/03/97	51.05	---	---	---	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.4	SPL
MW-9	01/09/98	51.05	21.11	---	29.94	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.9	SPL
MW-9	05/06/98	51.05	18.26	---	32.79	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.0	SPL
MW-9	07/21/98	51.05	18.46	---	32.59	70	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	3.7	SPL
MW-9 (g)	12/30/98	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	02/02/99	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	05/10/99	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	09/23/99	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	12/23/99	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	03/27/00	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	05/22/00	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-9 (g)	08/31/00	51.05	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-10	01/09/98	---	(h) 20.97	---	---	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.3	SPL
MW-10	05/06/98	---	(h) 18.07	---	---	800	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	980	---	3.9	SPL
MW-10	07/21/98	---	(h) 18.28	---	---	80	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	4.0	SPL
MW-10	12/30/98	---	(h) 22.22	---	---	---	---	---	---	---	---	---	---	---	---
MW-10	02/02/99	---	(h) 21.83	---	---	940	---	ND<10	ND<10	ND<10	ND<10	690	---	---	SPL
MW-10	05/10/99	---	(h) 17.99	---	---	---	---	---	---	---	---	---	---	---	---
MW-10	09/23/99	---	(h) 22.61	---	---	ND<50	---	ND<1.0	ND<1.0	ND<1.0	1.4	1000	---	---	SPL
MW-10	12/23/99	---	(h) 23.75	---	---	---	---	---	---	---	---	---	---	---	---
MW-10	03/27/00	---	(h) 18.83	---	---	1900	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	28000	---	---	PACE
MW-10	05/22/00	---	(h) 19.47	---	---	---	---	---	---	---	---	---	---	---	---
MW-10	08/31/00	---	(h) 22.64	---	---	1700	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	13000	---	---	PACE

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	PRODUCT GROUNDWATER THICKNESS (Feet)	ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	Organic Lead (ug/l)	DO (ppm)	LAB
QC-2 (i)	09/15/92	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	ANA
QC-2 (i)	12/15/92	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	ANA
QC-2 (i)	03/15/93	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	06/07/93	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	09/24/93	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	12/27/93	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	04/05/94	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	07/22/94	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	10/13/94	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	PACE
QC-2 (i)	01/25/95	---	---	---	---	ND<50	---	ND<0.5	2	0.6	1	---	---	---	ATI
QC-2 (i)	04/19/95	---	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	ATI
QC-2 (i)	07/05/95	---	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	---	ATI
QC-2 (i)	10/05/95	---	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	---	ATI
QC-2 (i)	01/12/96	---	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	---	ATI
QC-2 (i)	04/22/96	---	---	---	---	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	---	SPL
QC-2 (i)	07/02/96	---	---	---	---	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	---	SPL

TABLE 1 - SUMMARY OF RESULTS OF GROUNDWATER MONITORING

ABBREVIATIONS:

TPH-G	Total petroleum hydrocarbons as gasoline
TPH-D	Total petroleum hydrocarbons as diesel
B	Benzene
T	Toluene
E	Ethylbenzene
X	Total xylenes
MTBE	Methyl tert butyl ether
DO	Dissolved oxygen
ug/l	Micrograms per liter
ppm	Parts per million
ND	Not detected above reported detection limit
---	Not analyzed/applicable/measurable
ANA	Anamatrix, Inc.
PACE	Pace, Inc.
ATI	Analytical Technologies, Inc.
SPL	Southern Petroleum Laboratories

NOTES:

- (a) Casing elevations surveyed to the nearest 0.01 foot relative to mean sea level.
  - (b) Groundwater elevations adjusted assuming a specific gravity of 0.75 for free product.
  - (c) Concentrations reported as diesel from MW-1, MW-2 and MW-4 are primarily due to the presence of a lighter petroleum product, possibly gasoline or kerosene.
  - (d) Blind duplicate.
  - (e) A copy of the documentation for this data is included in Appendix C of Alisto report 10-018-05-004.
  - (f) Well not sampled due to presence of free product.
  - (g) Well inaccessible.
  - (h) Top of casing not surveyed.
  - (i) Travel blank.
  - (j) EPA method by 8020\8260
  - (k) Samples ran outside of EPA recommended hold time.
- \* Depth to water and resulting groundwater elevation is anomalous and not used in groundwater contouring.

# Analytical Appendix



**Pace Analytical Services, Inc.**  
3970 Gilman Street  
Long Beach, CA 90815  
Phone: 562.498.9515  
Fax: 562.597.0786

September 08, 2000

Mr. MORGAN HARGRAVE  
BLAINE TECH SERVICES, INC.  
1680 ROGERS AVE.  
SAN JOSE, CA 95112

RE: Pace Project Number: 6044591  
Client Project ID: BP 11117

Dear Mr. HARGRAVE:

Enclosed are the analytical results for sample(s) received by the laboratory on September 7, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lily Bayati  
Project Manager

Enclosures

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**  
 3970 Gilman Street  
 Long Beach, CA 90815  
 Phone: 562.498.9515  
 Fax: 562.597.0786

DATE: 09/08/00  
 PAGE: 1

BLAINE TECH SERVICES, INC.  
 1680 ROGERS AVE.  
 SAN JOSE, CA 95112

Pace Project Number: 6044591  
 Client Project ID: BP 11117

Attn: Mr. MORGAN HARGRAVE  
 Phone: (408)573-0555 x218

Solid results are reported on a wet weight basis

Pace Sample No: 603798687 Date Collected: 08/31/00 Matrix: Water  
 Client Sample ID: A Date Received: 09/07/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
------------	---------	-------	-----	----------	---------	------	-----------

Long Beach Laboratory

GAS BTEX by 8015, Water	Method: EPA 8015/8020 Modif	Prep Method: EPA 8015/8020 Modif
Gasoline	440 ug/l 50	09/07/00 VN
Benzene	ND ug/l 0.5	09/07/00 VN 71-43-2
Toluene	ND ug/l 0.5	09/07/00 VN 108-88-3
Ethylbenzene	ND ug/l 0.5	09/07/00 VN 100-41-4
Methyl-tert-butyl Ether	900 ug/l 38	09/07/00 VN 1634-04-4
Xylene (Total)	ND ug/l 0.5	09/07/00 VN 1330-20-7
a,a,a-Trifluorotoluene (S)	96 %	09/07/00 VN 2164-17-2

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**

3970 Gilman Street  
Long Beach, CA 90815

Phone: 562.498.9515

Fax: 562.597.0786

DATE: 09/08/00

PAGE: 2

Pace Project Number: 6044591

Client Project ID: BP 11117

Pace Sample No: 603798695 Date Collected: 08/31/00 Matrix: Water  
Client Sample ID: B Date Received: 09/07/00

Parameters Results Units PRL Analyzed Analyst CAS# Footnotes

Long Beach Laboratory

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GAS BTEX by 8015, Water Method: EPA 8015/8020 Modif Prep Method: EPA 8015/8020 Modif							
Gasoline	1200	ug/l	50	09/07/00	VN		
Benzene	ND	ug/l	0.5	09/07/00	VN	71-43-2	
Toluene	ND	ug/l	0.5	09/07/00	VN	108-88-3	
Ethylbenzene	ND	ug/l	0.5	09/07/00	VN	100-41-4	
Methyl-tert-butyl Ether	3900	ug/l	75	09/07/00	VN	1634-04-4	
Xylene (Total)	ND	ug/l	0.5	09/07/00	VN	1330-20-7	
a,a,a-Trifluorotoluene (S)	105	%		09/07/00	VN	2164-17-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



DATE: 09/08/00

PAGE: 3

Pace Project Number: 6044591  
Client Project ID: BP 11117

Pace Sample No: 603798703 Date Collected: 08/31/00 Matrix: Water  
Client Sample ID: C Date Received: 09/07/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
------------	---------	-------	-----	----------	---------	------	-----------

Long Beach Laboratory

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GAS BTEX by 8015, Water		Method: EPA 8015/8020 Modif		Prep Method: EPA 8015/8020 Modif			
Gasoline	1700	ug/l	50	09/07/00	VN		
Benzene	ND	ug/l	0.5	09/07/00	VN	71-43-2	
Toluene	ND	ug/l	0.5	09/07/00	VN	108-88-3	
Ethylbenzene	ND	ug/l	0.5	09/07/00	VN	100-41-4	
Methyl-tert-butyl Ether	13000	ug/l	250	09/07/00	VN	1634-04-4	
Xylene (Total)	ND	ug/l	0.5	09/07/00	VN	1330-20-7	
a,a,a-Trifluorotoluene (S)	102	%		09/07/00	VN	2164-17-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

DATE: 09/08/00  
PAGE: 4

Pace Project Number: 6044591  
Client Project ID: BP 11117

Pace Sample No: 603798711 Date Collected: 08/31/00 Matrix: Water  
Client Sample ID: D Date Received: 09/07/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
------------	---------	-------	-----	----------	---------	------	-----------

Long Beach Laboratory

GAS BTEX by 8015, Water		Method: EPA 8015/8020 Modif			Prep Method: EPA 8015/8020 Modif		
Gasoline	1700	ug/l	50	09/07/00	VN		
Benzene	18	ug/l	0.5	09/07/00	VN	71-43-2	
Toluene	5.5	ug/l	0.5	09/07/00	VN	108-88-3	
Ethylbenzene	7.9	ug/l	0.5	09/07/00	VN	100-41-4	
Methyl-tert-butyl Ether	510	ug/l	38	09/07/00	VN	1634-04-4	
Xylene (Total)	5.0	ug/l	0.5	09/07/00	VN	1330-20-7	
a.a.a-Trifluorotoluene (S)	315	%		09/07/00	VN	2164-17-2	1

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**

3970 Gilman Street  
Long Beach, CA 90815

Phone: 562.498.9515

Fax: 562.597.0786

DATE: 09/08/00

PAGE: 5

Pace Project Number: 6044591

Client Project ID: BP 11117

Pace Sample No: 603798729 Date Collected: 08/31/00 Matrix: Water  
Client Sample ID: E Date Received: 09/07/00

Parameters Results Units PRL Analyzed Analyst CAS# Footnotes

Long Beach Laboratory

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GAS BTEX by 8015, Water Method: EPA 8015/8020 Modif Prep Method: EPA 8015/8020 Modif							
Gasoline	110000	ug/l	7500	09/07/00	VN		
Benzene	8800	ug/l	1500	09/07/00	VN	71-43-2	
Toluene	7600	ug/l	1500	09/07/00	VN	108-88-3	
Ethylbenzene	3400	ug/l	75	09/07/00	VN	100-41-4	
Methyl-tert-butyl Ether	18000	ug/l	75	09/07/00	VN	1634-04-4	
Xylene (Total)	14000	ug/l	1500	09/07/00	VN	1330-20-7	
a,a,a-Trifluorotoluene (S)	162	%		09/07/00	VN	2164-17-2	1

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**  
 3970 Gilman Street  
 Long Beach, CA 90815  
 Phone: 562.498.9515  
 Fax: 562.597.0786

DATE: 09/08/00  
 PAGE: 6

Pace Project Number: 6044591  
 Client Project ID: BP 11117

Pace Sample No: 603798737 Date Collected: 08/31/00 Matrix: Water  
 Client Sample ID: F Date Received: 09/07/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
------------	---------	-------	-----	----------	---------	------	-----------

Long Beach Laboratory

GAS BTEX by 8015, Water		Method: EPA 8015/8020 Modif			Prep Method: EPA 8015/8020 Modif		
Gasoline	200000	ug/l	10000	09/07/00	VN		
Benzene	16000	ug/l	1900	09/07/00	VN	71-43-2	
Toluene	26000	ug/l	1900	09/07/00	VN	108-88-3	
Ethylbenzene	2500	ug/l	100	09/07/00	VN	100-41-4	
Methyl-tert-butyl Ether	38000	ug/l	1900	09/07/00	VN	1634-04-4	
Xylene (Total)	16000	ug/l	1900	09/07/00	VN	1330-20-7	
a,a,a-Trifluorotoluene (S)	130	%		09/07/00	VN	2164-17-2	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**

3970 Gilman Street  
Long Beach, CA 90815

Phone: 562.498.9515  
Fax: 562.597.0786

DATE: 09/08/00

PAGE: 7

Pace Project Number: 6044591

Client Project ID: BP 11117

---

PARAMETER FOOTNOTES

ND Not Detected  
NC Not Calculable  
PRL Pace Reporting Limit  
(S) Surrogate  
[1] Matrix Effect

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**  
 3970 Gilman Street  
 Long Beach, CA 90815  
 Phone: 562.498.9515  
 Fax: 562.597.0786

QUALITY CONTROL DATA

DATE: 09/08/00  
 PAGE: 8

BLAINE TECH SERVICES, INC.  
 1680 ROGERS AVE.  
 SAN JOSE, CA 95112

Pace Project Number: 6044591  
 Client Project ID: BP 11117

Attn: Mr. MORGAN HARGRAVE  
 Phone: (408)573-0555 x218

QC Batch ID: 90191

QC Batch Method: EPA 8015/8020 Modif

Analysis Method: EPA 8015/8020 Modif

Analysis Description: GAS BTEX by 8015, Water

Associated Pace Samples: 603798687 603798695 603798703 603798711 603798729  
 603798737

603798695 603798703 603798711 603798729

METHOD BLANK: 603799537

Associated Pace Samples:

603798687 603798695 603798703 603798711 603798729 603798737

Parameter	Units	Method	PRL	Footnotes
		Blank Result		
Gasoline	ug/l	ND	12	
Benzene	ug/l	ND	0.05	
Toluene	ug/l	ND	0.05	
Ethylbenzene	ug/l	ND	0.05	
Methyl-tert-butyl Ether	ug/l	ND	0.05	
Xylene (Total)	ug/l	ND	0.05	
a,a,a-Trifluorotoluene (S)	%	105		

LABORATORY CONTROL SAMPLE & LCSD: 603799545

603799552

Parameter	Units	Spike	LCS	Spike	LCSD	Spike	Footnotes
		Conc.	Result	% Rec	Result	% Rec RPD	
Gasoline	ug/l	40	43.80	110	39.40	98.5 11	
Benzene	ug/l	6.667	6.320	94.8	5.624	84.4 12	
Toluene	ug/l	6.667	6.510	97.7	5.730	86.0 13	
Ethylbenzene	ug/l	6.667	6.300	94.5	5.710	85.7 10	
Methyl-tert-butyl Ether	ug/l	6.667	6.830	102	6.663	99.9 2	
Xylene (Total)	ug/l	20	18.23	91.2	16.60	83.0 9	
a,a,a-Trifluorotoluene (S)				113		105	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc.



**Pace Analytical Services, Inc.**

3970 Gilman Street  
Long Beach, CA 90815

Phone: 562.498.9515

Fax: 562.597.0786

DATE: 09/08/00

PAGE: 9

Pace Project Number: 6044591

Client Project ID: BP 11117

---

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



# CHAIN OF CUSTODY

17025 A

6044591

Page 1 of 1

CONSULTANT'S NAME <b>Blaine Tech Services, Inc.</b>		CONSULTANT'S ADDRESS <b>1680 Rogers Ave., San Jose CA 95112</b>	
BP SITE NUMBER <b>11117</b>	BP SITE / FACILITY ADDRESS <b>7210 Bancroft, Oakland</b>		
CONSULTANT PROJECT MANAGER <b>Morgan Hargrave</b>		PHONE NUMBER <b>(408) 573-0555 x 218</b>	FAX NUMBER <b>(408) 573-7771</b>
BP CONTACT <b>Scott Hoolon</b>		BP ADDRESS <b>295 SW 41st Street, Suite N, Renton WA</b>	PHONE NUMBER <b>(425) 251-0689</b>
LAB CONTACT <b>Pace - Lily Bayati</b>		LABORATORY ADDRESS <b>3970 Gilman Street, Long Beach, CA</b>	PHONE NUMBER <b>(562) 498-9515</b>
BP CONTACT REQUESTING RUSH TAT (Print BP Contact Name)		RUSH REQUESTED OF (Print Consultant Contact Name)	DATE/TIME
			SHIPMENT DATE
			CONSULTANT PROJECT NUMBER <b>000831-AZ</b>
			CONSULTANT CONTRACT NUMBER <b>J264102</b>
			FAX NO. <b>(425) 251-0736</b>
			FAX NO. <b>(562) 597-0786</b>
			SHIPMENT METHOD <b>Airborne</b>

TAT:  24 HOURS     48 HOURS     72 HOURS     Standard 7 or 14 Days

**ANALYSIS REQUIRED**

SAMPLE DESCRIPTION	COLLECTION DATE	COLLECTION TIME	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	TPH-G + BTEX / MTBE (8015M)	TPH-D (8015M)	FUEL OXYGENATES (8260)	1,2 DCA + EOB (8010)									COMMENTS		
				NO.	TYPE (VOL)	LAB SAMPLE #															
A	8-31-00	1224	W	3	40ml	Hcl	X														
B	8-31-00	1250	W	3	}	}	X														
C	8-31-00	1310	W	3			X														
D	8-31-00	1330	W	3			X														
E	8-31-00	1318	W	3			X														
F	8-31-00	1415	W	3			X														

SAMPLED BY (Please Print Name) <b>Oscar Angulo</b>			SAMPLED BY (Signature) <i>Oscar Angulo</i>			ADDITIONAL COMMENTS <b>4.4°C</b>		
RELINQUISHED BY / AFFILIATION (Print Name / Signature)	DATE	TIME	ACCEPTED BY / AFFILIATION (Print Name / Signature)	DATE	TIME			
			<i>[Signature]</i>	9/7/00	09:30			



# Field Data Sheets

## WELL GAUGING DATA

Project # 000831-A2 Date 8-31-00 Client BP

Site 7210 Bancroft Oakland (1117)

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: <del>TOB</del> <u>or TOC</u>
MW-1	2	D				20.12	36.99	
MW-2	2	F				21.97	39.38	
MW-3	2					13.02	40.69	
MW-4	2	E				21.74	39.53	
MW-6	2	B				21.62	38.49	
MW-7	2	A				22.53	44.73	
MW-8	2					21.72	39.36	
MW-9		Inaccessible (scope)				—	—	
MW-10	2	C				22.64	35.70	

## BP WELL MONITORING DATA SHEET

Project #: 000831-172	Station # 11117
Sampler: Oscar	Date: 8-31-00
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth: 36.94	Depth to Water: 20.12
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2) 2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method: <del>Bailer</del> Disposable Bailer Middleburg (P) Electric Submersible Extraction Pump Other: _____	Sampling Method: <del>Bailer</del> Disposable Bailer Extraction Port Other: _____
---	--

2.6	x	3	=	7.8	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1320	66.9	7.3	813	3	odor
1323	66.6	7.0	810	6	
1326	66.5	6.9	790	8	

Did well dewater? Yes <input type="radio"/> No <input checked="" type="radio"/>	Gallons actually evacuated: 8
Sampling Time: 1320	Sampling Date: 8-31-00
Sample I.D. (Blind): D	Laboratory: (Pace) Other: _____
Analyzed for: (TPH-G BTEX MTBE TPH-D) Other: _____	

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## BP WELL MONITORING DATA SHEET

Project #: 000831-172	Station # 1117
Sampler: Oscar	Date: 8-31-00
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: 39.38	Depth to Water: 21.97
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2) 3"	0.16	6"	1.47
5"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailers  Disposable Bailer  Middleburg  Electric Submersible Extraction Pump

Other: \_\_\_\_\_

Sampling Method:  Bailers  Disposable Bailer  Extraction Port

Other: \_\_\_\_\_

2.7	X	3	=	8	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1402	69.0	6.8	683	3	Order
1405	69.3	6.6	732	6	
1407	69.3	6.5	761	8	

Did well dewater? Yes  No  Gallons actually evacuated: 8

Sampling Time: 1915 Sampling Date: 8-31-00

Sample I.D. (Blind): F Laboratory: (Pace) Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## BP WELL MONITORING DATA SHEET

Project #: 000831-172	Station # 1117
Sampler: Oscar	Date: 8-31-00
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8
Total Well Depth: 39.53	Depth to Water: 21.71
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2)	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input checked="" type="checkbox"/> Middleburg <input type="checkbox"/> Electric Submersible <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port Other: _____
---	---

2.8	x	3	=	8.9	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1338	68.10	6.7	1018	3	odor
1340	69.3	6.4	964	6	
1344	69.3	6.3	980	9	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 9
Sampling Time: 1348	Sampling Date: 8-31-00
Sample I.D. (Blind): E	Laboratory: (face) Other: _____
Analyzed for: TPH-G BTEX MTBE TPH-D Other:	

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## BP WELL MONITORING DATA SHEET

Project #: 000831-172	Station # 1117
Sampler: Oscar	Date: 8-31-00
Well I.D.: MW-6	Well Diameter: (2) 3 4 6 8
Total Well Depth: 39.49	Depth to Water: 2.62
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2)	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method:  Bailers  
 Disposable Bailer  
 Middleburg  
 Electric Submersible  
 Extraction Pump  
 Other: \_\_\_\_\_

Sampling Method:  Bailers  
 Disposable Bailer  
 Extraction Port  
 Other: \_\_\_\_\_

2.6	x	3	=	7.8	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1236	68.7	6.9	1111	3	
1239	68.0	6.9	1117	6	
1247	66.7	6.6	1115	8	

Did well dewater? Yes  No

Gallons actually evacuated: 8

Sampling Time: 1250      Sampling Date: 8-31-00

Sample I.D. (Blind): B      Laboratory: (Pace)      Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## BP WELL MONITORING DATA SHEET

Project #: 000831-172	Station # 11117
Sampler: O-Scan	Date: 8-31-00
Well I.D.: MW-7	Well Diameter: (2) 3 4 6 8
Total Well Depth: <del>44.73</del> 44.73	Depth to Water: 22.53
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2) 2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method: <input checked="" type="checkbox"/> Bailers <input type="checkbox"/> Disposable Bailer <input checked="" type="checkbox"/> Middleburg <input type="checkbox"/> Electric Submersible <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailers <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port Other: _____
--	--

3.5	X	3	=	10.5	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1211	69.8	6.3	708	9	
1215	70.0	6.7	708	8	
1218	70.1	6.7	704	11	

Did well dewater? Yes  No  Gallons actually evacuated: 11

Sampling Time: 1224 Sampling Date: 8-31-00

Sample I.D. (Blind): A Laboratory: (Pace) Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## BP WELL MONITORING DATA SHEET

Project #: 000831-142	Station # 1117
Sampler: Oscar	Date: 8-31-00
Well I.D.: MW-10	Well Diameter: (2) 3 4 6 8
Total Well Depth: 35.70	Depth to Water: 22.64
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
(2) 2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Purge Method: <input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input checked="" type="checkbox"/> Middleburg <input type="checkbox"/> Electric Submersible <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Disposable Bailor <input type="checkbox"/> Extraction Port Other: _____
---	---

2	x	3	=	6	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1302	70.0	6.8	1209	2	
1304	70.3	6.8	1197	4	
1304	70.3	7.0	1201	6	

Did well dewater? Yes <input checked="" type="checkbox"/> No	Gallons actually evacuated: 6
Sampling Time: 1310	Sampling Date: 8-31-00
Sample I.D. (Blind): C	Laboratory: (Pace) Other: _____
Analyzed for: TPH-G BTEX MTBE TPH-D Other:	

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV