

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

ExxonMobil

May 13, 2016

RECEIVED

By Alameda County Environmental Health 3:53 pm, May 13, 2016

Mr. Keith Nowell
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70235/2225 Telegraph Avenue, Oakland California.

Dear Mr. Nowell:

Attached for your review and comment is a copy of the letter report entitled *Semi-Annual Groundwater Monitoring Report, First Quarter 2016*, dated May 13, 2016 for the above-referenced site. The report was prepared by Cardno of Petaluma, California, and details activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: Cardno's *Semi-Annual Groundwater Monitoring Report, First Quarter 2016*, dated May 13, 2016

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Mr. Scott Perkins, Cardno

May 13, 2016
Cardno 2229C.Q161

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

Cardno

601 N. McDowell Boulevard
Petaluma, CA 94954
USA

Phone: +1 800 382 9105
Fax: +1 707 789 0414
Contractor: #997036

www.cardno.com

SUBJECT **Semi-Annual Groundwater Monitoring Report, First Quarter 2016**
Former Exxon Service Station 70235
2225 Telegraph Avenue, Oakland, California

Alameda County RO #358

INTRODUCTION

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Cardno is submitting this report detailing first quarter 2016 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site is an active Valero service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging date: 03/16/16

Sampling dates: 03/16/16 and 03/17/16

Wells gauged and sampled: MW6B, MW6E through MW6I, MW6Ka, MW6Kb, MW6La, MW6Lb, RW1, RW2, RW3A

Wells gauged only: MW6I, MW6F

Wells inaccessible: MW6J (encroachment permit restrictions)

Presence of NAPL: Not observed

Laboratory: Eurofins Calscience, Inc., Garden Grove, California

Analyses performed: EPA Method 8015B TPHd, TPHg, TPHmo
EPA Method 8021B BTEX
EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE, Ethanol (select wells)

Waste disposal: 159 gallons of purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 03/18/16

May 13, 2016
Cardno 2229C.Q161 Former Exxon Service Station 70235, Oakland, California

REMEDIAL ACTIVITIES SUMMARY

Prior to 1990, a GWPTS operated at the site under the ownership of Texaco. The GWPTS was shut down in 1990 and replaced with an SVE system, which operated from approximately 1991 to 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Company, U.S.A. in 1996. The GWPTS and SVE system are no longer at the site.

In January 2014, Cardno ERI conducted feasibility testing to evaluate the feasibility of AS/DPE as a remedial technology to reduce petroleum hydrocarbons in soil and groundwater in the vicinity of the USTs and dispenser islands. Approximately 25.7 pounds of TPHg were removed during a 24-hour period (Cardno ERI, 2014a).

Site data indicated that remaining residual and dissolved-phase petroleum hydrocarbons were located in the northeast corner of the site in the vicinity of the USTs and dispenser islands. The results of the feasibility testing and groundwater monitoring and sampling conducted in first quarter 2014 indicated that AS/DPE might be an effective remedial technology to remove petroleum hydrocarbons from the northeastern portion of the site; therefore, Cardno ERI proposed performing additional extraction events to assess concentrations and mass removal over time (Cardno ERI, 2014b).

During third quarter 2014, Cardno ERI conducted a five-day (42-hour) high-intensity targeted (HIT) event to evaluate hydrocarbon removal and air flow rates. Approximately 36.268 pounds of TPHg were removed during the test (Cardno ERI, 2014c).

RESULTS AND CONCLUSIONS

Groundwater elevations increased at the site and were an average of approximately 2.68 feet higher than during third quarter 2015, with the maximum increase (4.27 feet) occurring in well MW6F. The groundwater flow direction was towards the southeast, consistent with historical results.

Slight (approximately 1 foot) changes in groundwater elevation at the site have been associated with significant changes in dissolved-phase concentrations, with lower elevations associated with lower concentrations. During the first quarter, concentrations increased at the site, likely due to the increase in groundwater elevations. Concentrations were primarily limited to the site, which continues to operate as a service station.

This was the first sampling event where there was sufficient water in wells MW6Ka and MW6La to collect groundwater samples. Concentrations in the wells were approximately one to three orders of magnitude higher than concentrations reported in the associated "b" wells, indicating that wells MW6Ka and MW6La are screened in the zone of maximum concentrations. Wells MW6Ka and MW6La are screened from 11 to 13 feet bgs.

RECOMMENDATIONS

Cardno recommends continued semi-annual groundwater monitoring and sampling as detailed in the attached schedule (Table 3).

Cardno also recommends performing an additional HIT event at the site. Cardno is in the process of permitting a portable, trailer-mounted remediation system to conduct the HIT event.

LIMITATIONS

For documents cited that were not generated by Cardno, the data taken from those documents is used "as is" and is assumed to be accurate. Cardno does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document and the work performed have been undertaken in good faith, with due diligence and with the expertise, experience, capability, and specialized knowledge necessary to perform the work in a good and workmanlike manner and within all accepted standards pertaining to providers of environmental services in

May 13, 2016
Cardno 2229C.Q161 Former Exxon Service Station 70235, Oakland, California


California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please contact Mr. Scott Perkins, Cardno's project manager for this site, at (707) 766-2000 or at scott.perkins@cardno.com with any questions regarding this report.

Sincerely,

SCANNED
Christine M. Capwell
IMAGE

SCANNED
David R. Daniels
IMAGE



Christine M. Capwell
Senior Technical Editor
for Cardno
707 766 2000
Email: christine.capwell@cardno.com

David R. Daniels
P.G. 8737
for Cardno
707 766 2000
Email: david.daniels@cardno.com

Enclosures:

References
Acronym List

Plate 1 Site Vicinity Map
Plate 2 Select Analytical Results
Plate 3 Groundwater Elevation Map

Table 1A Cumulative Groundwater Monitoring and Sampling Data
Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
Table 1C Additional Cumulative Groundwater Monitoring and Sampling Data - Metals
Table 2 Well Construction Details
Table 3 Groundwater Monitoring Plan

Appendix A Protocols
Appendix B Field Data Sheets
Appendix C Laboratory Analytical Report
Appendix D Waste Disposal Documentation

cc: Mr. Keith Nowell, Alameda County Health Care Services Agency, Department of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, California, 94502-6577

Mr. Shay Wideman, The Valero Companies, Environmental Liability Management, P.O. Box 696000, San Antonio, Texas, 78269

May 13, 2016

Cardno 2229C.Q161 Former Exxon Service Station 70235, Oakland, California

REFERENCES


Cardno ERI. February 26, 2014a. *AS/DPE Feasibility Test Report, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

Cardno ERI. March 12, 2014b. *Semi-Annual Groundwater Monitoring Report, First Quarter 2014, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

Cardno ERI. September 25, 2014c. *Semi-Annual Groundwater Monitoring Report, Third Quarter 2014, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

ACRONYM LIST


µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1 : 19,200 Detail: 13-0 Datum: WGS84


FN 2229Topo

EXPLANATION



1/2-mile radius circle

APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.

2229

PLATE

1



Analyte concentrations in ug/L
 Sampled March 16 and 17, 2016


Total Petroleum Hydrocarbons
 as gasoline
 Benzene
 Methyl Tertiary Butyl Ether

< Less than the Stated Laboratory
 Reporting Limit


ug/L Micrograms per Liter

d The chromatographic pattern does
 not match that of the specified
 standard.

w Reporting limits raised due to high
 level of non-target analytes.



APPROXIMATE SCALE



FN 2229 16 1QTR_QM



SELECT ANALYTICAL RESULTS
March 16 and 17, 2016

FORMER EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION


- MW6Lb Groundwater Monitoring Well
- RW3A Recovery Groundwater Monitoring Well

PROJECT NO.



2229

PLATE

2



GROUNDWATER FLOW DIRECTION ROSE DIAGRAM
 Second Quarter 2003-First Quarter 2016



FN 2229 16 1QTR_QM

GROUNDWATER ELEVATION MAP
March 16, 2016
 FORMER EXXON SERVICE STATION 70235
 225 Telegraph Avenue
 Oakland, California

EXPLANATION

- MW6Lb Groundwater Monitoring Well
- 10.64 Groundwater elevation in feet; datum is mean sea level
- RW3A Recovery Groundwater Monitoring Well
- 12----- Line of Equal Groundwater Elevation; datum is mean sea level

PROJECT NO.

2229

PLATE

3



TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
Monitoring Well Samples																
MW6A	June 1988	---	Well installed.													
MW6A	06/24/88	---	98.99i	---	---	---	---	---	---	---	---	<0.5	<1	<2	<1	---
MW6A	07/11/88	---	98.99i	13.25	85.74	---	---	---	---	---	---	---	---	---	---	---
MW6A	10/20/88	---	98.99i	---	---	---	---	---	---	---	---	0.6	<1	<2	<1	---
MW6A	12/15/88	---	98.99i	13.40	85.59i	---	---	---	---	---	---	---	---	---	---	---
MW6A	09/07/89	---	98.99i	---	---	---	---	ND	---	---	---	2.0	ND	ND	ND	---
MW6A	05/11/90	---	98.99i	12.87	86.12i	---	---	<500	---	---	---	150	6.2	<0.25	13	---
MW6A	10/16/90	---	98.99i	13.27	85.72i	---	---	---	---	---	---	---	---	---	---	---
MW6A	12/06/90	---	98.99i	13.28	85.71i	---	---	---	---	---	---	---	---	---	---	---
MW6A	02/08/91	---	98.99i	12.49	86.50i	---	---	---	---	---	---	---	---	---	---	---
MW6A	05/07/91	---	98.99i	11.94	87.05i	---	---	2,700	---	---	---	700	64	67	74	---
MW6A	06/26/91	---	98.99i	12.87	86.12i	---	---	---	---	---	---	---	---	---	---	---
MW6A	08/05/91	---	98.99i	13.44	85.55i	---	---	---	---	---	---	---	---	---	---	---
MW6A	08/14/91	---	98.99i	13.47	85.52i	---	---	ND	---	---	---	3.6	<0.5	<0.5	<0.5	---
MW6A	09/11/91	---	98.99i	13.48	85.51i	---	---	---	---	---	---	---	---	---	---	---
MW6A	10/16/91	---	98.99i	13.64	85.35i	---	---	---	---	---	---	---	---	---	---	---
MW6A	12/30/91	---	Well damaged.													
MW6A	05/02/92	---	Well destroyed.													
MW6B	June 1988	---	Well installed.													
MW6B	06/24/88	---	98.81i	---	---	---	---	---	---	---	---	<0.5	<1	<2	5.0	---
MW6B	07/11/88	---	98.81i	12.86	85.95i	---	---	---	---	---	---	---	---	---	---	---
MW6B	10/20/88	---	98.81i	---	---	---	---	---	---	---	---	4.1	<1	<2	<1	---
MW6B	12/15/88	---	98.81i	12.94	85.87i	---	---	---	---	---	---	---	---	---	---	---
MW6B	09/07/89	---	98.81i	---	---	---	---	2,700	---	---	---	70	3.0	ND	160	---
MW6B	04/30/90	---	98.81i	12.53	86.28i	---	---	168	---	---	---	45	8.0	60	22	---
MW6B	10/16/90	---	98.81i	12.73	86.08i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/06/90	---	98.81i	12.74	86.07i	---	---	---	---	---	---	---	---	---	---	---
MW6B	01/14/91	---	98.81i	12.57	86.24i	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/08/91	---	98.81i	12.16	86.65i	---	---	---	---	---	---	---	---	---	---	---
MW6B	04/02/91	---	98.81i	11.50	87.31i	---	---	---	---	---	---	---	---	---	---	---
MW6B	05/07/91	---	98.81i	12.02	86.79i	---	---	3,300	---	---	---	240	6.0	20	660	---
MW6B	05/31/91	---	98.81i	12.40	86.41i	---	---	---	---	---	---	---	---	---	---	---
MW6B	06/26/91	---	98.81i	12.69	86.12i	---	---	---	---	---	---	---	---	---	---	---
MW6B	08/05/91	---	98.81i	12.95	85.86i	---	---	---	---	---	---	---	---	---	---	---
MW6B	08/14/91	---	98.81i	12.93	85.88i	---	---	980	---	---	---	9.1	42	310	150	---
MW6B	09/11/91	---	98.81i	13.01	85.80i	---	---	---	---	---	---	---	---	---	---	---
MW6B	10/16/91	---	98.81i	13.09	85.72i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/30/91	---	98.81i	12.62	86.19i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/31/91	---	98.81i	---	---	---	---	1,200	---	---	---	46	<5.0	85	220	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6B	02/25/92	---	98.81i	11.81	87.00i	---	---	---	---	---	---	---	---	---	---	---
MW6B	03/25/92	---	98.81i	11.58	87.23j	---	---	190	---	---	---	31	8.6	84	8.6	---
MW6B	06/16/92	---	15.34	12.54	2.80	---	---	1,700	---	---	---	44	1.7	7.2	230	---
MW6B	09/08/92	---	15.34	12.87	2.47	No	---	2,900	---	---	---	35	8.3	110	330	---
MW6B	11/05/92	---	15.34	12.70	2.64	No	---	1,400	---	---	---	29	<0.5	75	190	---
MW6B	12/14/92	---	15.34	12.19	3.15	No	---	---	---	---	---	---	---	---	---	---
MW6B	01/28/93	---	15.34	11.39	3.95	No	---	---	---	---	---	---	---	---	---	---
MW6B	02/11/93	---	15.34	11.70	3.64	No	---	210	---	---	---	1.2	<0.5	2.8	4.3	---
MW6B	03/09/93	---	15.34	11.70	3.64	No	---	---	---	---	---	---	---	---	---	---
MW6B	04/14/93	---	15.34	11.87	3.47	No	---	---	---	---	---	---	---	---	---	---
MW6B	05/11/93	---	15.34	12.22	3.12	No	---	570	---	---	---	54	2.4	37	36	---
MW6B	06/17/93	---	15.34	12.46	2.88	No	---	---	---	---	---	---	---	---	---	---
MW6B	07/26/93	---	15.34	12.72	2.58	No	---	---	---	---	---	---	---	---	---	---
MW6B	08/10/93	---	15.34	12.82	2.52	No	---	1,300	---	---	---	48	2.4	28	44	---
MW6B	09/21/93	---	15.34	13.08	2.26	No	---	---	---	---	---	---	---	---	---	---
MW6B	10/27/93	---	15.34	13.18	2.16	No	---	1,300	---	---	---	23	1.7	25	250	---
MW6B	11/23/93	---	15.34	13.07	2.27	No	---	---	---	---	---	---	---	---	---	---
MW6B	12/17/93	---	15.34	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/16/94	---	15.34	12.07	3.27	---	---	300	---	---	---	16	<0.5	3.5	2.4	---
MW6B	05/31/94	---	15.34	12.42	2.92	No	---	690	---	---	---	21	3.9	11	36	---
MW6B	08/30/94	---	17.48j	13.02	4.46	No	---	260	---	---	---	4	0.62	0.82	4	---
MW6B	11/11/94	---	17.48j	11.72	5.76	No	---	300	---	---	---	60	2	1.2	2.4	---
MW6B	02/27/95	---	17.48j	11.84	5.64	No	---	180	---	---	---	28	2.6	0.65	1.6	---
MW6B	05/30/95	---	17.48j	12.09	5.39	No	---	200	---	---	---	23	3.6	0.88	2.3	---
MW6B	08/30/95	---	17.48j	12.76	4.72	No	---	120	---	42	---	3.8	3.6	0.61	0.69	---
MW6B	11/26/96	---	17.48j	12.26	5.22	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	02/27/97	---	17.48j	11.73	5.75	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	0.80	---
MW6B	05/21/97	---	17.48j	12.70	4.78	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	08/18/97	---	17.48j	12.89	4.59	No	---	380	---	<30	---	4.3	<0.5	1.2	1.5	---
MW6B	03/13/98	---	17.48j	11.15	6.33	No	---	360	---	<6.2	---	93	4.9	4.1	12	---
MW6B	04/20/98	---	17.48j	11.49	5.99	No	---	110	---	5.5	---	19	1.3	1.5	3.9	---
MW6B	07/21/98	---	21.37	12.18	9.19	No	---	<50	---	8.7	---	0.84	0.59	<0.5	<0.5	---
MW6B	10/06/98	---	21.37	12.70	8.67	No	---	190	---	6.0	---	2.4	0.56	0.51	1.2	---
MW6B	01/11/99	---	21.37	12.48	8.89	No	---	50	---	3.9	---	1.2	<0.5	<0.5	0.95	---
MW6B	04/08/99	---	21.37	11.52	9.85	No	---	85	---	14.0	---	4.4	<0.5	<0.5	<0.5	---
MW6B	07/19/99	---	21.37	11.39	9.98	No	---	<50	---	<2.50	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	07/27/99	---	21.37	12.71	8.66	No	---	---	---	---	---	---	---	---	---	---
MW6B	10/25/99	---	21.37	12.49	8.88	No	---	260	---	<2	---	2.3	<0.5	<0.5	<0.5	---
MW6B	01/27/00	---	21.37	11.80	9.57	No	---	770	---	13	---	210	4.8	4.9	13	---
MW6B	04/03/00	---	21.37	11.61	9.76	No	---	670	---	3.4	---	110	6.6	3.8	9.45	---
MW6B	07/05/00	---	21.37	12.27	9.10	No	---	<50	---	2.1	---	0.89	<0.5	<0.5	<0.5	---
MW6B	10/04/00	---	21.37	12.67	8.70	No	---	<50	---	54	---	<0.5	<0.5	<0.5	2	---
MW6B	10/05/00	---	21.37	---	---	---	---	---	<1,000	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6B	01/04/01	---	21.37	12.47	8.90	No	---	<50	---	35	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	04/03/01	---	21.37	11.81	9.56	No	---	<50	---	7.8	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	07/05/01	---	21.37	12.44	8.93	No	---	<50	---	3	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	10/03/01	---	21.37	12.52	8.85	No	---	310	---	10	---	2.1	<0.5	6.5	11.6	---
MW6B	Oct-01	---	21.09	Well surveyed in compliance with AB 2886 requirements.												
MW6B	01/02/02	---	21.09	11.25	9.84	No	---	710	---	21.8	---	99.5	4.40	3.30	7.40	---
MW6B	04/02/02	---	21.09	11.72	9.37	No	---	<50.0	<100	12.2	---	0.60	<0.50	<0.50	<0.50	---
MW6B	07/01/02	---	21.09	12.34	8.75	No	---	<50	<100a	10.7	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	10/02/02	---	21.09	12.71	8.38	No	---	<50.0	<100	10.9	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	01/07/03	---	21.09	11.65	9.44	No	---	82.5	<50	20.8	27.8	3.7	0.5	<0.5	0.8	---
MW6B	06/17/03	---	21.09	12.09	9.00	No	---	<50.0	<100	7.3	6.10a	0.50	<0.5	<0.5	<0.5	---
MW6B	07/16/03	---	21.09	12.29	8.80	No	---	<50.0	<100	11.0	8.5	<0.50	<0.5	<0.5	<0.5	---
MW6B	10/07/03	---	21.09	12.63	8.46	No	<50	<50.0	<100	4.1	3.10	<0.50	<0.5	<0.5	<0.5	---
MW6B	01/14/04	---	21.09	11.50	9.59	No	54	62.0	<100	9.0	11.0	2.10	<0.5	<0.5	<0.5	---
MW6B	06/03/04	---	21.09	12.12	8.97	No	---	56.0	<100	6.2	5.90	0.60	<0.5	<0.5	<0.5	---
MW6B	08/12/04	---	21.09	c	c	c	<50c	94.0c	<100c	---	3.40c	0.70c	<0.5c	<0.5c	0.9c	---
MW6B	11/04/04	---	21.09	12.27	8.82	No	<50	<50.0	143	---	2.60	<0.50	<0.5	<0.5	0.7	---
MW6B	02/01/05	---	21.09	11.48	9.61	No	<100	55.9	<100	---	7.50	1.30	<0.5	<0.5	<0.5	---
MW6B	05/03/05	---	21.09	11.48	9.61	No	<50	<50.0	<100	---	4.90	0.50	<0.5	<0.5	0.8	---
MW6B	08/04/05	---	21.09	12.23	8.86	No	<50.0	<50.0	<100	---	5.99	<0.500	<0.500	<0.500	0.692	---
MW6B	10/27/05	---	21.09	12.60	8.49	No	<50.0	<50.0	<50.0	---	1.65	<0.50	0.94f	<0.50	1.29	---
MW6B	01/26/06	---	21.09	11.39	9.70	No	83d	510	<500	---	12	130	12	14	39	---
MW6B	04/28/06	---	21.09	10.99	10.10	No	240d	3,100	<470	---	43	920h	110	130	290	---
MW6B	07/05/06	---	21.09	12.05	9.04	No	<47.6	79.4	<95.2	---	11.4	2.95	<1.00	<1.00	<3.00	---
MW6B	10/27/06	---	21.09	12.53	8.56	No	<47	<50.0	<470	---	2.25	0.63	<0.50	<0.50	<0.50	---
MW6B	01/19/07	---	21.09	12.05	9.04	No	<47	<50.0	<470	---	3.75	<0.50	<0.50	<0.50	<0.50	---
MW6B	04/24/07	---	21.09	11.71	9.38	No	60.9d	<50.0	<46.9	---	4.19	0.51	<0.50	<0.50	<0.50	---
MW6B	07/24/07	---	21.09	12.24	8.85	No	<47	<50	<470	---	3.2	0.80	<0.50	<0.50	<0.50	---
MW6B	12/03/07	---	21.09	12.71	8.38	No	<47	64	<470	---	2.8	2.5	<0.50	<0.50	<0.50	---
MW6B	03/06/08	---	21.09	11.50	9.59	No	52d	330	<470	---	6.2	60	2.5	4.1	5.4	---
MW6B	06/26/08	---	21.09	12.76	8.33	No	<47	<50	<470	---	6.4	<0.50	<0.50	<0.50	<0.50	---
MW6B	08/12/08	---	21.09	12.89	8.20	No	72.0d,m,n	<50.0	89.3m	---	3.59	1.52	<0.50	<0.50	1.18	---
MW6B	10/23/08	---	21.09	13.18	7.91	No	<50	<50	<250	---	6.1	<0.50	<0.50	<0.50	<1.0	---
MW6B	03/25/09	---	21.09	11.76	9.33	No	730	5,400	<250	---	39	1,700	220	250	500	---
MW6B	06/17/09	---	21.09	12.36	8.73	No	420	2,500	<250	---	51	1,000	99	84	150	---
MW6B	06/17/09	---	21.09	---	---	---	420	2,500	<250	---	51	1000	99	84	150	---
MW6B	09/04/09	---	21.09	12.85	8.24	No	90d	710	<250	---	33	69	2.7	<0.50	4.1	---
MW6B	03/09/10	---	21.09	10.88	10.21	No	1,500d	6,500	<250	---	57	2,200	140	200	430	---
MW6B	09/17/10	---	21.09	12.92	8.17	No	<50	590d	<250	---	45	77	<10	<10	<20	---
MW6B	02/15/11	---	21.09	11.68	9.41	No	830d	6,600d	<250	---	63	2,700	120	140	260	---
MW6B	08/23/11	---	21.09	12.07	9.02	No	450d	4,500d	<250	---	57	1,100	27	5.9	43	---
MW6B	02/09/12	---	21.09	11.98	9.11	No	230d	1,700d	<250	---	61s	280	8.0	5.6	19	---
MW6B	07/24/12	---	21.09	12.41	8.68	No	820d	6,200	<250	---	82	2,100	130	57	200	675

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6B	03/08/13	---	21.09	11.85	9.24	No	---	---	---	---	---	---	---	---	---	---
MW6B	03/11/13	---	21.09	---	---	---	620d	5,700	<250	---	78	1,500	44	14	58	---
MW6B	09/04/13	---	21.09	12.60	8.49	No	59d	320	<250	---	39	10	<0.50	<0.50	<0.50	---
MW6B	12/11/13 b	---	21.09	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	01/30/14	---	21.09	12.84	8.25	No	<48	83d	<240	---	10	<0.50	<0.50	<0.50	<0.50	---
MW6B	08/28/14	---	21.09	12.76	8.33	No	<50	120d	<250	---	26	3.4	<0.50	<0.50	<0.50	---
MW6B	03/02/15	---	21.09	11.84	9.25	No	---	---	---	---	---	---	---	---	---	---
MW6B	03/03/15	---	21.09	---	---	---	700d	4,000	<250	---	46	1,500	46	22	51	---
MW6B	09/14/15	---	21.09	12.80	8.29	No	---	---	---	---	---	---	---	---	---	---
MW6B	09/15/15	---	21.09	---	---	---	<47	190d	<240	---	29	0.94	<0.50	<0.50	<0.50	---
MW6B	03/16/16	---	21.09	10.57	10.52	No	1,600d	6,100d	<230	---	48	2,400	62	83	87	---
MW6C	06/15/88	---	99.89i	Well installed.												
MW6C	06/24/88	---	99.89i	---	---	---	---	---	---	---	---	7,400	7.1	170	2,300	---
MW6C	07/11/88	---	99.89i	14.21	85.68i	---	---	---	---	---	---	---	---	---	---	---
MW6C	10/20/88	---	99.89i	---	---	---	---	---	---	---	---	9,500	65	170	850	---
MW6C	12/15/88	---	99.89i	14.10	85.79i	---	---	---	---	---	---	---	---	---	---	---
MW6C	09/07/89	---	99.89i	---	---	---	---	18,000	---	---	---	7,900	430	350	1,100	---
MW6C	04/30/90	---	99.89i	13.81	86.68i	---	---	30,000	---	---	---	6,100	1,500	1,000	2,700	---
MW6C	05/10/90	---	99.89i	Well over-drilled into recovery well RW3.												
MW6D	07/06/88	---	98.78i	Well installed.												
MW6D	07/11/88	---	98.78i	13.48	85.24i	0.002083	---	---	---	---	---	220	27	<20	<10	---
MW6D	10/20/88	---	98.78i	---	---	---	---	---	---	---	---	710	74	22	110	---
MW6D	12/15/88	---	98.78i	13.44	85.34i	---	---	---	---	---	---	---	---	---	---	---
MW6D	09/07/89	---	98.78i	---	---	---	---	2,200	---	---	---	600	26	58	31	---
MW6D	04/30/90	---	98.78i	13.19	85.59i	---	---	3,600	---	---	---	800	150	310	280	---
MW6D	05/10/90	---	98.78i	Well over-drilled into recovery well RW2.												
MW6E	10/04/88	---	98.99i	Well installed.												
MW6E	10/20/88	---	98.99i	---	---	---	---	---	---	---	---	1.1	<2	<1	3.4	---
MW6E	12/15/88	---	98.99i	13.70	85.29i	---	---	---	---	---	---	---	---	---	---	---
MW6E	09/07/89	---	98.99i	---	---	---	---	220	---	---	---	3.0	ND	ND	ND	---
MW6E	04/30/90	---	98.99i	13.43	85.56i	---	---	250	---	---	---	57	<5.0	<5.0	53	---
MW6E	10/16/90	---	98.99i	13.77	85.22i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/06/90	---	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/14/91	---	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---	---
MW6E	02/08/91	---	98.99i	13.20	85.79i	---	---	---	---	---	---	---	---	---	---	---
MW6E	04/02/91	---	98.99i	12.28	86.71i	---	---	---	---	---	---	---	---	---	---	---
MW6E	05/07/91	---	98.99i	13.48	85.51i	---	---	160	---	---	---	32	1.0	2.2	1.4	---
MW6E	05/31/91	---	98.99i	14.09	84.90i	---	---	---	---	---	---	---	---	---	---	---
MW6E	06/26/91	---	98.99i	12.54	86.45i	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6E	08/05/91	---	98.99i	14.39	84.60i	---	---	---	---	---	---	---	---	---	---	---
MW6E	08/14/91	---	98.99i	14.18	84.81i	---	---	ND	---	---	---	0.9	<0.5	<0.5	<0.5	---
MW6E	09/11/91	---	98.99i	14.73	84.26i	---	---	---	---	---	---	---	---	---	---	---
MW6E	10/16/91	---	98.99i	14.40	84.59i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/30/91	---	98.99i	13.39	85.60i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/31/91	---	98.99i	---	---	---	---	90	---	---	---	3.1	<0.5	<0.5	<0.5	---
MW6E	02/25/92	---	98.99i	13.16	85.83i	---	---	---	---	---	---	---	---	---	---	---
MW6E	03/25/92	---	98.99i	12.15	86.84i	---	---	830	---	---	---	41	1.0	3.8	16	---
MW6E	06/16/92	---	15.23	13.54	1.69	---	---	3,400	---	---	---	300	23	68	510	---
MW6E	09/08/92	---	15.23	14.78	0.45	No	---	480	---	---	---	27	<0.5	3.6	21	---
MW6E	11/05/92	---	15.23	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/14/92	---	15.23	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/28/93	---	15.23	11.62	3.61	No	---	---	---	---	---	---	---	---	---	---
MW6E	02/11/93	---	15.23	12.85	2.38	No	---	270	---	---	---	15	<0.5	<0.5	8.7	---
MW6E	03/09/93	---	15.23	12.83	2.40	No	---	---	---	---	---	---	---	---	---	---
MW6E	04/14/93	---	15.23	---	---	No	---	---	---	---	---	---	---	---	---	---
MW6E	05/11/93	---	15.23	13.59	1.64	No	---	<50	---	---	---	2.3	<0.5	1.4	3.2	---
MW6E	06/17/93	---	15.23	13.74	1.49	No	---	---	---	---	---	---	---	---	---	---
MW6E	07/26/93	---	15.23	14.01	1.22	No	---	---	---	---	---	---	---	---	---	---
MW6E	08/10/93	---	15.23	14.13	1.10	No	---	1,700	---	---	---	130	2.7	23	140	---
MW6E	09/21/93	---	15.23	14.20	1.03	No	---	---	---	---	---	---	---	---	---	---
MW6E	10/27/93	---	15.23	14.34	0.89	No	---	100	---	---	---	6.0	<0.5	<0.5	<0.5	---
MW6E	11/23/93	---	15.23	13.97	1.26	No	---	---	---	---	---	---	---	---	---	---
MW6E	12/17/93	---	15.23	13.08	2.15	No	---	---	---	---	---	---	---	---	---	---
MW6E	02/16/94	---	15.23	13.34	1.89	No	---	640	---	---	---	45	<0.5	12	15	---
MW6E	05/31/94	---	15.23	13.82	1.41	No	---	52	---	---	---	1.5	0.97	<0.5	<0.5	---
MW6E	08/30/94	---	17.63j	14.32	3.31	No	---	920	---	---	---	22	0.98	5.2	33	---
MW6E	11/11/94	---	17.63j	13.92	3.71	No	---	910	---	---	---	13	2.4	13	2.5	---
MW6E	02/27/95	---	17.63j	12.96	4.67	No	---	<50	---	---	---	1.9	1.3	<0.5	0.83	---
MW6E	05/30/95	---	17.63j	13.20	4.43	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	08/30/95	---	17.63j	13.85	3.78	No	---	1,500	---	11	---	91	2.3	56	59	---
MW6E	11/26/96	---	17.63j	12.94	4.69	No	---	<50	---	<30	---	1.1	<0.5	<0.5	<0.5	---
MW6E	02/27/97	---	17.63j	12.28	5.35	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	05/21/97	---	17.63j	13.60	4.03	No	---	160	---	<5	---	10	1.4	5.5	4.8	---
MW6E	08/18/97	---	17.63j	13.75	3.88	No	---	66	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	03/13/98	---	17.63j	11.36	6.27	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/20/98	---	17.63j	11.88	5.75	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	07/21/98	---	21.58	13.10	8.48	No	---	1,200	---	<10	---	81	3.1	28	77	---
MW6E	10/06/98	---	21.58	13.55	8.03	No	---	<50	---	6.6	---	1.4	0.51	<0.5	0.97	---
MW6E	01/11/99	---	21.58	13.40	8.18	No	---	<50	---	5.1	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/08/99	---	21.58	12.04	9.54	No	---	<50	---	4.7	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	07/19/99	---	21.58	11.59	9.99	No	---	---	---	---	---	---	---	---	---	---
MW6E	07/27/99	---	21.58	13.65	7.93	No	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6E	10/25/99	---	21.58	13.52	8.06	No	---	<50	---	2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	01/27/00	---	21.58	11.71	9.87	No	---	<50	---	2.3	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/03/00	---	21.58	12.11	9.47	No	---	<50	---	<2	---	0.51	<0.5	<0.5	<0.5	---
MW6E	07/05/00	---	21.58	12.91	8.67	No	---	<50	---	<2	---	3.7	<0.5	<0.5	<0.5	---
MW6E	10/04/00	---	21.58	13.35	8.23	No	---	<50	---	<2	---	4.1	<0.5	<0.5	<0.5	---
MW6E	10/05/00	---	21.58	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6E	01/04/01	---	21.58	13.09	8.49	No	---	61	---	<2	---	11	<0.5	<0.5	<0.5	---
MW6E	04/03/01	---	21.58	12.39	9.19	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	07/05/01	---	21.58	13.21	8.37	No	---	210	---	<2	---	80	<0.5	0.94	2.3	---
MW6E	10/03/01	---	21.58	13.30	8.28	No	---	<50	---	<2	---	2.8	<0.5	<0.5	<0.5	---
MW6E	Oct-01	---	21.24	Well surveyed in compliance with AB 2886 requirements.												
MW6E	01/02/02	---	21.24	10.11	11.13	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6E	04/02/02	---	21.24	12.11	9.13	No	---	<50.0	<100	0.70	---	<0.50	<0.50	<0.50	<0.50	---
MW6E	07/01/02	---	21.24	12.46	8.78	No	---	56.0	<100a	<0.5	---	19.9	<0.5	<0.5	<0.5	---
MW6E	10/02/02	---	21.24	13.48	7.76	No	---	<50.0	<100	0.8	---	0.5	<0.5	<0.5	<0.5	---
MW6E	01/07/03	---	21.24	11.81	9.43	No	---	<50.0	<50	<0.5	<0.50	0.5	<0.5	<0.5	<0.5	---
MW6E	06/17/03	---	21.24	12.72	8.52	No	---	<50.0	153	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6E	07/16/03	---	21.24	12.92	8.32	No	---	<50.0	<100	<0.5	<0.50	4.50	<0.5	<0.5	<0.5	---
MW6E	10/07/03	---	21.24	13.34	7.90	No	<50	<50.0	<100	0.9	0.60	2.50	<0.5	<0.5	<0.5	---
MW6E	01/14/04	---	21.24	11.92	9.32	No	<50	<50.0	<100	<0.5	<0.50	0.50	<0.5	<0.5	<0.5	---
MW6E	06/03/04	---	21.24	12.97	8.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6E	08/12/04	---	21.24	c	c	c	<50c	<50.0c	<100c	---	<0.50c	4.30c	<0.5c	<0.5c	0.8c	---
MW6E	11/04/04	---	21.24	12.68	8.56	No	<50	<50.0	124	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6E	02/01/05	---	21.24	11.75	9.49	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6E	05/03/05	---	21.24	11.93	9.31	No	64d	<50.0	116	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6E	08/04/05	---	21.24	12.92	8.32	No	96.2d	87.9	122	---	<0.500	14.1	<0.500	<0.500	0.792	---
MW6E	10/27/05	---	21.24	13.24	8.00	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.91f	<0.50	1.22	---
MW6E	01/26/06	---	21.24	11.78	9.46	No	<50	<50	<500	---	<0.50	7.2	0.67	0.71	2.0	---
MW6E	04/28/06	---	21.24	11.27	9.97	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	07/05/06	---	21.24	12.67	8.57	No	149	<50.0	316	---	<0.500	<1.00	<1.00	<1.00	<3.00	---
MW6E	10/27/06	---	21.24	13.34	7.90	No	<47	<50.0	<470	---	<0.500	<0.50	0.81	<0.50	1.26	---
MW6E	01/19/07	---	21.24	12.66	8.58	No	<47	<50.0	<470	---	<0.500	2.33	<0.50	<0.50	<0.50	---
MW6E	04/24/07	---	21.24	12.00	9.24	No	82.2d	<50.0	76.7	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6E	07/24/07	---	21.24	13.02	8.22	No	70d	55	<470	---	<0.50	18	<0.50	<0.50	<0.50	---
MW6E	12/03/07	---	21.24	13.24	8.00	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	03/06/08	---	21.24	11.79	9.45	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	06/26/08	---	21.24	13.15	8.09	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	08/12/08	---	21.24	13.32	7.92	No	72.7d,m,n	<50.0	112m	---	<0.500	6.74	<0.50	<0.50	3.51	---
MW6E	10/23/08	---	21.24	13.52	7.72	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6E	03/25/09	---	21.24	11.66	9.58	No	<50	<50	<250	---	<0.50	0.82	<0.50	<0.50	1.1o	---
MW6E	06/17/09	---	21.24	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6E	06/17/09	---	21.24	12.68	8.56	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6E	09/04/09	---	21.24	13.20	8.04	No	58d	79	<250	---	<0.50	8.1	<0.50	<0.50	<1.0	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6E	03/09/10	---	21.24	10.86	10.38	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6E	09/17/10	---	21.24	13.13	8.11	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6E	02/15/11	---	21.24	11.84	9.40	No	<50	<50	<250	---	<0.50	1.3	<0.50	<0.50	<1.0	---
MW6E	08/23/11	---	21.24	12.73	8.51	No	<50	<50	<250	---	<0.50	8.9	<0.50	<0.50	<1.0	---
MW6E	02/09/12	---	21.24	12.38	8.86	No	<50	57d	<250	---	<0.50	9.2	<0.50	<0.50	<1.0	---
MW6E	07/24/12	---	21.24	13.84	7.40	No	<50	<50	<250	---	<0.50	3.1	<0.50	<0.50	<1.0	335
MW6E	03/08/13	---	21.24	12.19	9.05	No	---	---	---	---	---	---	---	---	---	---
MW6E	03/11/13	---	21.24	---	---	---	52d	120d	<250	---	<0.50	23	<0.50	<0.50	<0.50	---
MW6E	09/04/13	---	21.24	13.07	8.17	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	12/11/13 b	---	21.24	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/30/14	---	21.24	13.35	7.89	No	58d	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	08/28/14	---	21.24	13.35	7.89	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	03/02/15	---	21.24	12.20	9.04	No	<50	55	<250	---	<0.50	11	<0.50	<0.50	<0.50	---
MW6E	09/14/15	---	21.24	13.29	7.95	No	<47	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	03/16/16	---	21.24	10.18	11.06	No	<47	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	10/05/88	---	99.91i	Well installed.			---	---	---	---	---	---	---	---	---	---
MW6F	10/25/88	---	99.91i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	2.4	---
MW6F	12/15/88	---	99.91i	14.48	85.43i	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/07/89	---	99.91i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6F	04/30/90	---	99.91i	14.14	85.77i	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6F	10/16/90	---	99.91i	14.77	85.14i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/06/90	---	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6F	01/14/91	---	99.91i	14.73	85.18i	---	---	---	---	---	---	---	---	---	---	---
MW6F	02/08/91	---	99.91i	13.73	86.18ii	---	---	---	---	---	---	---	---	---	---	---
MW6F	04/02/91	---	99.91i	12.38	87.53i	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/07/91	---	99.91i	13.67	86.24i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	05/31/91	---	99.91i	14.43	85.48i	---	---	---	---	---	---	---	---	---	---	---
MW6F	06/26/91	---	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/05/91	---	99.91i	14.96	84.95i	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/14/91	---	99.91i	14.87	85.04i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	09/11/91	---	99.91i	15.11	84.80i	---	---	---	---	---	---	---	---	---	---	---
MW6F	10/16/91	---	99.91i	15.16	84.75i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/30/91	---	99.91i	13.78	86.13i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/31/91	---	99.91i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	02/25/92	---	99.91i	12.68	87.23i	---	---	---	---	---	---	---	---	---	---	---
MW6F	03/25/92	---	99.91i	11.93	87.98i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	06/16/92	---	16.46	14.34	2.12	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	09/08/92	---	16.46	14.75	1.71	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/05/92	---	16.46	14.35	2.11	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	12/14/92	---	16.46	12.90	3.56	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/28/93	---	16.46	11.60	4.86	No	---	---	---	---	---	---	---	---	---	---
MW6F	02/11/93	---	16.46	12.25	4.21	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6F	03/09/93	---	16.46	12.50	3.96	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/14/93	---	16.46	12.71	3.75	No	---	---	---	---	---	---	---	---	---	---
MW6F	05/11/93	---	16.46	13.63	2.83	No	---	<50	---	---	---	---	---	---	---	---
MW6F	06/17/93	---	16.46	14.02	2.44	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/26/93	---	16.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/10/93	---	16.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/21/93	---	16.46	14.80	1.66	No	---	---	---	---	---	---	---	---	---	---
MW6F	10/27/93	---	16.46	14.85	1.61	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/23/93	---	16.46	Well inaccessible.			---	---	---	---	---	---	---	---	---	---
MW6F	12/17/93	---	16.46	13.86	2.60	No	---	---	---	---	---	---	---	---	---	---
MW6F	02/16/94	---	16.46	13.08	3.38	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	05/31/94	---	16.46	14.06	2.40	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	08/30/94	---	18.58j	14.84	3.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/11/94	---	18.58j	12.60	5.98	No	---	<50	---	---	---	<0.5	0.54	<0.5	<0.5	---
MW6F	02/27/95	---	18.58j	12.75	5.83	No	---	<50	---	---	---	6.2	3.0	0.82	3.5	---
MW6F	05/30/95	---	18.58j	13.16	5.42	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	08/30/95	---	18.58j	14.31	4.27	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/26/96	---	18.58j	13.29	5.29	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	02/27/97	---	18.58j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/21/97	---	18.58j	14.18	4.40	No	---	---	---	---	---	---	---	---	---	---
MW6F	08/18/97	---	18.58j	14.69	3.89	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/13/98	---	18.58j	10.93	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	04/20/98	---	18.58j	11.77	6.81	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/21/98	---	22.51	13.62	8.89	No	---	---	---	---	---	---	---	---	---	---
MW6F	10/06/98	---	22.51	13.52	8.99	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/11/99	---	22.51	14.06	8.45	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/08/99	---	22.51	11.86	10.65	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/19/99	---	22.51	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	07/27/99	---	22.51	Well inaccessible.			---	---	---	---	---	---	---	---	---	---
MW6F	10/25/99	---	22.51	12.63	9.88	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/27/00	---	22.51	12.23	10.28	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/03/00	---	22.51	12.11	10.40	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/05/00	---	22.51	13.38	9.13	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	10/04/00	---	22.51	14.02	8.49	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	0.7	---
MW6F	10/05/00	---	22.51	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6F	01/04/01	---	22.51	13.69	8.82	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	04/03/01	---	22.51	12.55	9.96	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	07/05/01	---	22.51	13.74	8.77	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	10/03/01	---	22.51	13.82	8.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	Oct-01	---	22.17	Well surveyed in compliance with AB 2886 requirements.			---	---	---	---	---	---	---	---	---	---
MW6F	01/02/02	---	22.17	9.16	13.01	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/02/02	---	22.17	12.14	10.03	No	---	<50.0	<100	<0.50	---	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/01/02	---	22.17	13.46	8.71	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6F	10/02/02	---	22.17	14.19	7.98	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	01/07/03	---	22.17	11.73	10.44	No	---	<50.0	<50	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5	---
MW6F	06/17/03	---	22.17	13.13	9.04	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	07/16/03	---	22.17	13.51	8.66	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	10/07/03	---	22.17	14.05	8.12	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	01/14/04	---	22.17	11.90	10.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	06/03/04	---	22.17	13.45	8.72	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	08/12/04	---	22.17	c	c	c	52c	<50.0c	<100c	---	<0.50c	<0.50c	<0.5c	<0.5c	<0.5c	---
MW6F	11/04/04	---	22.17	13.03	9.14	No	<50	<50.0	109	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	02/01/05	---	22.17	11.56	10.61	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	05/03/05	---	22.17	11.92	10.25	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	08/04/05	---	22.17	13.42	8.75	No	<50.0	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6F	10/27/05	---	22.17	13.88	8.29	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.93f	<0.50	<0.50	---
MW6F	01/26/06	---	22.17	11.83	10.34	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/28/06	---	22.17	10.96	11.21	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/05/06	---	22.17	13.05	9.12	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00	---
MW6F	10/27/06	---	22.17	14.06	8.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	01/19/07	---	22.17	13.06	9.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/24/07	---	22.17	12.01	10.16	No	103d	<50.0	93.5	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/24/07	---	22.17	13.61	8.56	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	12/03/07	---	22.17	13.80	8.37	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/06/08	---	22.17	11.77	10.40	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	06/26/08	---	22.17	13.74	8.43	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	08/12/08	---	22.17	14.00	8.17	No	<47.6m,n	<50.0	75.5m	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	10/23/08	---	22.17	14.28	7.89	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	03/25/09	---	22.17	11.64	10.53	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	06/17/09	---	22.17	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	06/17/09	---	22.17	13.13	9.04	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	09/04/09	---	22.17	13.85	8.32	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	03/09/10	---	22.17	10.64	11.53	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	09/17/10	---	22.17	13.81	8.36	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	02/15/11	---	22.17	12.17	10.00	No	<50	<50	<250	---	<0.50	0.59	<0.50	<0.50	<1.0	---
MW6F	08/23/11	---	22.17	13.17	9.00	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	02/09/12	---	22.17	12.82	9.35	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	07/24/12	---	22.17	13.49	8.68	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	225
MW6F	03/08/13	---	22.17	12.54	9.63	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/11/13	---	22.17	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	09/04/13	---	22.17	13.88	8.29	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	12/11/13 b	---	22.17	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	01/30/14	---	22.17	14.07	8.10	No	50d	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	08/28/14	---	22.17	14.15	8.02	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	03/02/15	---	22.17	12.60	9.57	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	09/14/15	---	22.17	14.07	8.10	No	<47	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)	
MW6F	03/16/16	---	22.17	9.80	12.37	No	Well no longer sampled.			---							
MW6G	11/16/88	---	99.16i	Well installed.													
MW6G	12/07/88	---	99.16i	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/15/88	---	99.16i	12.22	86.94i	---	---	ND	---	---	---	<0.5	<1	<2	<1	---	
MW6G	09/07/89	---	99.16i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---	
MW6G	04/30/90	---	99.16i	11.73	87.43i	---	---	ND	---	---	---	ND	ND	ND	ND	---	
MW6G	10/16/90	---	99.16i	12.28	86.88i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	12/06/90	---	99.16i	12.27	86.89i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	01/14/91	---	99.16i	12.14	87.02i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	02/08/91	---	99.16i	11.44	87.72i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	04/02/91	---	99.16i	10.03	89.13i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	05/07/91	---	99.16i	11.00	88.16i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---	
MW6G	05/31/91	---	99.16i	11.75	87.41i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	06/26/91	---	99.16i	12.91	86.25i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	08/05/91	---	99.16i	12.43	86.73i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	08/14/91	---	99.16i	12.43	86.73i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---	
MW6G	09/11/91	---	99.16i	12.48	86.68i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	10/16/91	---	99.16i	12.64	86.52i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	12/30/91	---	99.16i	11.80	87.36i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	12/31/91	---	99.16i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---	
MW6G	02/25/92	---	99.91i	10.32	88.84i	---	---	---	---	---	---	---	---	---	---	---	
MW6G	03/25/92	---	99.91i	9.93	89.23i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---	
MW6G	06/16/92	---	14.71	11.88	2.83	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---	
MW6G	09/08/92	---	14.71	12.20	2.51	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	11/05/92	---	14.71	12.02	2.69	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	12/14/92	---	14.71	10.95	3.76	No	---	---	---	---	---	---	---	---	---	---	
MW6G	01/28/93	---	14.71	9.56	5.15	No	---	---	---	---	---	---	---	---	---	---	
MW6G	02/11/93	---	14.71	10.04	4.67	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	03/09/93	---	14.71	10.10	4.61	No	---	---	---	---	---	---	---	---	---	---	
MW6G	04/14/93	---	14.71	10.43	4.28	No	---	---	---	---	---	---	---	---	---	---	
MW6G	05/11/93	---	14.71	11.05	3.66	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	06/17/93	---	14.71	11.49	3.22	No	---	---	---	---	---	---	---	---	---	---	
MW6G	07/26/93	---	14.71	11.98	2.73	No	---	---	---	---	---	---	---	---	---	---	
MW6G	08/10/93	---	14.71	12.17	2.54	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	09/21/93	---	14.71	12.42	2.29	No	---	---	---	---	---	---	---	---	---	---	
MW6G	10/27/93	---	14.71	13.47	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	11/23/93	---	14.71	12.48	2.23	No	---	---	---	---	---	---	---	---	---	---	
MW6G	12/17/93	---	14.71	11.19	3.52	No	---	---	---	---	---	---	---	---	---	---	
MW6G	02/16/94	---	14.71	10.62	4.09	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	05/31/94	---	14.71	11.40	3.31	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	08/30/94	---	16.82j	12.32	4.50	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---	
MW6G	11/11/94	---	16.82j	11.06	5.76	No	---	58	---	---	---	0.58	1.6	<0.5	1.6	---	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6G	02/27/95	---	16.82j	10.32	6.50	No	---	<50	---	---	---	0.86	0.99	<0.5	0.51	---
MW6G	05/30/95	---	16.82j	10.77	6.05	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	08/30/95	---	16.82j	11.92	4.90	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	11/26/96	---	16.82j	11.12	5.70	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	02/27/97	---	16.82j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/21/97	---	16.82j	11.76	5.06	No	---	---	---	---	---	---	---	---	---	---
MW6G	08/18/97	---	16.82j	12.23	4.59	No	---	---	---	---	---	---	---	---	---	---
MW6G	03/13/98	---	16.82j	9.13	7.69	No	---	<50	---	4.4	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	04/20/98	---	16.82j	9.73	7.09	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/21/98	---	20.72	11.15	9.57	No	---	---	---	---	---	---	---	---	---	---
MW6G	10/06/98	---	20.72	11.91	8.81	No	---	---	---	---	---	---	---	---	---	---
MW6G	01/11/99	---	20.72	12.00	8.72	No	---	---	---	---	---	---	---	---	---	---
MW6G	04/08/99	---	20.72	10.04	10.68	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	---	20.72	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	---	20.72	11.75	8.97	No	---	---	---	---	---	---	---	---	---	---
MW6G	10/25/99	---	20.72	11.76	8.96	No	---	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	---	20.72	11.46	9.26	No	---	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	---	20.72	10.00	10.72	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/05/00	---	20.72	11.24	9.48	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/04/00	---	20.72	11.88	8.84	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/05/00	---	20.72	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6G	01/04/01	---	20.72	11.56	9.16	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	04/03/01	---	20.72	10.45	10.27	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	07/05/01	---	20.72	11.51	9.21	No	---	<50	---	<2	---	0.75	<0.5	<0.5	<0.5	---
MW6G	10/03/01	---	20.72	11.63	9.09	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	Oct-01	---	20.46	Well surveyed in compliance with AB 2886 requirements.												
MW6G	01/02/02	---	20.46	9.15	11.31	No	---	<100	---	1.8	---	<0.50	<0.50	<0.50	<0.50	---
MW6G	04/02/02	---	20.46	10.19	10.27	No	---	<50.0	<100	1.10	---	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/01/02	---	20.46	11.35	9.11	No	---	<50	<100a	1.3	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/02/02	---	20.46	11.99	8.47	No	---	<50.0	<100	0.7	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	01/07/03	---	20.46	9.97	10.49	No	---	<50.0	<50	1.3	2.0	<0.5	<0.5	<0.5	<0.5	---
MW6G	06/17/03	---	20.46	10.98	9.48	No	---	<50.0	<100	1.5	1.6	<0.50	<0.5	<0.5	<0.5	---
MW6G	07/16/03	---	20.46	11.37	9.09	No	---	<50.0	<100	1.2	0.9	<0.50	<0.5	<0.5	<0.5	---
MW6G	10/07/03	---	20.46	11.90	8.56	No	<50	<50.0	<100	0.8	0.80	<0.50	<0.5	<0.5	<0.5	---
MW6G	01/14/04	---	20.46	10.10	10.36	No	<50	<50.0	<100	1.0	1.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	06/03/04	---	20.46	11.10	9.36	No	<50	<50.0	<100	1.40	1.4	<0.50	<0.5	<0.5	<0.5	---
MW6G	08/12/04	---	20.46	c	c	c	99c	<50.0c	101c	---	1.10c	<0.50c	<0.5c	<0.5c	<0.5c	---
MW6G	11/04/04	---	20.46	11.18	9.28	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6G	02/01/05	---	20.46	9.79	10.67	No	<100	<50.0	<100	---	3.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	05/03/05	---	20.46	9.95	10.51	No	<50	<50.0	<100	---	1.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	08/04/05	---	20.46	11.22	9.24	No	<50.0	<50.0	<100	---	1.42	<0.500	<0.500	<0.500	<0.500	---
MW6G	10/27/05	---	20.46	11.76	8.70	No	<50.0	<50.0	61.3	---	0.810	<0.50	0.93f	<0.50	<0.50	---
MW6G	01/26/06	---	20.46	11.07	9.39	No	<50	<50	<500	---	1.8	<0.50	<0.50	<0.50	<0.50	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6G	04/28/06	---	20.46	9.11	11.35	No	<47	<50	<470	---	2.8	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/05/06	---	20.46	10.70	9.76	No	88.6	<50.0	277	---	2.49	<1.00	<1.00	<1.00	<3.00	---
MW6G	10/27/06	---	20.46	11.75	8.71	No	<47	61.9	<470	---	1.40	<0.50	<0.50	<0.50	<0.50	---
MW6G	01/19/07	---	20.46	10.94	9.52	No	<47	<50.0	<470	---	1.34	<0.50	<0.50	<0.50	<0.50	---
MW6G	04/24/07	---	20.46	10.40	10.06	No	<47.6	<50.0	<47.6	---	2.17	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/24/07	---	20.46	11.49	8.97	No	<47	<50	<470	---	1.3	<0.50	<0.50	<0.50	<0.50	---
MW6G	12/03/07	---	20.46	11.60	8.86	No	<47	<50	<470	---	0.88	<0.50	<0.50	<0.50	<0.50	---
MW6G	03/06/08	---	20.46	9.79	10.67	No	<47	<50	<470	---	2.0	<0.50	<0.50	<0.50	<0.50	---
MW6G	06/26/08	---	20.46	11.43	9.03	No	<47	<50	<470	---	1.6	<0.50	<0.50	<0.50	<0.50	---
MW6G	08/12/08	---	20.46	11.94	8.52	No	99.1d,m,n	<50.0	135m	---	1.35	<0.50	<0.50	<0.50	<0.50	---
MW6G	10/23/08	---	20.46	12.34	8.12	No	<50	<50	<250	---	1.4	<0.50	<0.50	<0.50	<1.0	---
MW6G	03/25/09	---	20.46	9.93	10.53	No	<50	<50	<250	---	1.3	<0.50	<0.50	<0.50	<1.0	---
MW6G	06/17/09	---	20.46	11.11	9.35	No	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	06/17/09	---	20.46	---	---	---	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	09/04/09	---	20.46	11.85	8.61	No	<50	<50	<250	---	1.5	<0.50	<0.50	<0.50	<1.0	---
MW6G	03/09/10	---	20.46	8.94	11.52	No	<50	<50	<250	---	2.0	<0.50	<0.50	<0.50	<1.0	---
MW6G	09/17/10	---	20.46	11.64	8.82	No	<50	<50	<250	---	1.1	<0.50	<0.50	<0.50	<1.0	---
MW6G	02/15/11	---	20.46	10.51	9.95	No	<50	<50	<250	---	1.2	<0.50	<0.50	<0.50	<1.0	---
MW6G	08/23/11	---	20.46	10.98	9.48	No	<50	<50	<250	---	1.9	<0.50	<0.50	<0.50	<1.0	---
MW6G	02/09/12	---	20.46	10.91	9.55	No	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	07/24/12	---	20.46	11.39	9.07	No	<50	<50	<250	---	1.5	<0.50	<0.50	<0.50	<1.0	510
MW6G	03/08/13	---	20.46	10.62	9.84	No	---	---	---	---	---	---	---	---	---	---
MW6G	03/11/13	---	20.46	---	---	---	<50	<50	<250	---	0.91	<0.50	<0.50	<0.50	<0.50	---
MW6G	09/04/13	---	20.46	11.77	8.69	No	<50	<50	<250	---	0.78	<0.50	<0.50	<0.50	<0.50	---
MW6G	12/11/13 b	---	20.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	01/30/14	---	20.46	11.97	8.49	No	83d	<50	<240	---	0.61	<0.50	<0.50	<0.50	<0.50	---
MW6G	08/28/14	---	20.46	12.05	8.41	No	<50	<50	<250	---	1.1	<0.50	<0.50	<0.50	<0.50	---
MW6G	03/02/15	---	20.46	10.65	9.81	No	<48	<50	<240	---	1.5	<0.50	<0.50	<0.50	<0.50	---
MW6G	09/14/15	---	20.46	12.07	8.39	No	<47	<50	<240	---	0.81	<0.50	<0.50	<0.50	<0.50	---
MW6G	03/16/16	---	20.46	8.66	11.80	No	<47	<50	<240	---	2.0	<0.50	<0.50	<0.50	<0.50	---
MW6H	11/16/88	---	Well installed.													
MW6H	12/07/88	---	97.93i	---	---	---	---	---	---	---	---	1,200	320	110	220	---
MW6H	12/15/88	---	97.93i	12.36	85.57i	---	---	---	---	---	---	---	---	---	---	---
MW6H	09/07/89	---	97.93i	---	---	---	---	660	---	---	---	480	<10	16	<15	---
MW6H	04/30/90	---	97.93i	12.10	85.83i	---	---	630	---	---	---	700	39	31	50	---
MW6H	10/16/90	---	97.93i	12.18	85.75i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/06/90	---	97.93i	12.29	85.64i	---	---	---	---	---	---	---	---	---	---	---
MW6H	01/14/91	---	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---	---
MW6H	02/08/91	---	97.93i	11.93	86.00i	---	---	---	---	---	---	---	---	---	---	---
MW6H	04/02/91	---	97.93i	11.59	86.34i	---	---	---	---	---	---	---	---	---	---	---
MW6H	05/07/91	---	97.93i	12.24	85.69i	---	---	570	---	---	---	95	14	15	21	---
MW6H	05/31/91	---	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6H	06/26/91	---	97.93i	14.34	83.59i	---	---	---	---	---	---	---	---	---	---	---
MW6H	08/05/91	---	97.93i	12.62	85.31i	---	---	---	---	---	---	---	---	---	---	---
MW6H	08/14/91	---	97.93i	12.43	85.50i	---	---	540	---	---	---	52	9.9	11	18	---
MW6H	09/11/91	---	97.93i	12.83	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6H	10/16/91	---	97.93i	12.71	85.22i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/30/91	---	97.93i	12.16	85.77i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/31/91	---	97.93i	---	---	---	---	790	---	---	---	52	28	22	42	---
MW6H	02/25/92	---	97.93i	12.17	85.76i	---	---	---	---	---	---	---	---	---	---	---
MW6H	03/25/92	---	97.93i	11.65	86.28i	---	---	920	---	---	---	170	52	25	54	---
MW6H	06/16/92	---	14.47	12.12	2.35	---	---	460	---	---	---	31	11	6.8	16	---
MW6H	09/08/92	---	14.47	12.30	2.17	No	---	780	---	---	---	69	23	17	18	---
MW6H	11/05/92	---	14.47	12.05	2.42	No	---	3,400	---	---	---	500	260	85	160	---
MW6H	12/14/92	---	14.47	11.65	2.82	No	---	---	---	---	---	---	---	---	---	---
MW6H	01/28/93	---	14.47	11.57	2.90	No	---	---	---	---	---	---	---	---	---	---
MW6H	02/11/93	---	14.47	12.22	2.25	No	---	2,500	---	---	---	410	170	28	130	---
MW6H	03/09/93	---	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---	---
MW6H	04/14/93	---	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---	---
MW6H	05/11/93	---	14.47	12.35	2.12	No	---	4,200	---	---	---	490	270	80	210	---
MW6H	06/17/93	---	14.47	12.22	2.25	No	---	---	---	---	---	---	---	---	---	---
MW6H	07/26/93	---	14.47	12.32	2.15	No	---	---	---	---	---	---	---	---	---	---
MW6H	08/10/93	---	14.47	12.30	2.17	No	---	650	---	---	---	83	22	14	29	---
MW6H	09/21/93	---	14.47	12.79	1.68	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/27/93	---	14.47	13.93	0.54	No	---	1,600	---	---	---	130	90	29	130	---
MW6H	11/23/93	---	14.47	12.46	2.01	No	---	---	---	---	---	---	---	---	---	---
MW6H	12/17/93	---	14.47	12.08	2.39	No	---	---	---	---	---	---	---	---	---	---
MW6H	02/16/94	---	14.47	12.31	2.16	No	---	<50	---	---	---	<0.5	<0.5	<0.5	2.9	---
MW6H	05/31/94	---	14.47	12.46	2.01	No	---	1,800	---	---	---	370	220	65	210	---
MW6H	08/30/94	---	16.58j	12.72	3.86	No	---	1,900	---	---	---	130	90	19	86	---
MW6H	11/11/94	---	16.58j	11.98	4.60	No	---	13,000	---	---	---	1,700	1,400	260	1,800	---
MW6H	02/27/95	---	16.58j	11.89	4.69	No	---	320	---	---	---	450	120	28	79	---
MW6H	05/30/95	---	16.58j	12.05	4.53	No	---	2,300	---	---	---	960	260	64	200	---
MW6H	08/30/95	---	16.58j	12.34	4.24	No	---	2,100	---	50	---	590	35	24	74	---
MW6H	11/26/96	---	16.58j	11.87	4.71	No	---	1,200	---	<30	---	320	110	22	85	---
MW6H	02/27/97	---	16.58j	11.58	5.00	No	---	1,800	---	<200	---	760	31	8.4	44	---
MW6H	05/21/97	---	16.58j	12.23	4.35	No	---	1,100	---	81	---	640	18	5.4	45	---
MW6H	08/18/97	---	16.58j	12.29	4.29	No	---	870	---	26	---	200	3.6	2.4	7.4	---
MW6H	03/13/98	---	20.47	11.44	9.03	No	---	5,300	---	<125	---	1,900	720	100	470	---
MW6H	04/20/98	---	20.47	11.58	8.89	No	---	6,000	---	2,700	---	1,500	600	91	440	---
MW6H	07/21/98	---	20.47	11.97	8.50	No	---	2,200	---	1,600	---	740	44	15	63	---
MW6H	10/06/98	---	20.47	12.23	8.24	No	---	5,400	---	3,000	---	1,900	<25	<25	76	---
MW6H	01/11/99	---	20.47	12.17	8.30	No	---	2,600	---	4,300	---	1,200	<12	<12	20	---
MW6H	04/08/99	---	20.47	11.56	8.91	No	---	13,000	---	13,000	---	3,400	1,300	260	1,200	---
MW6H	07/19/99	---	20.47	11.71	8.76	No	---	<2,000	---	6,920	8,520	732	<20	<20	<20	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6H	07/27/99	---	20.47	12.39	8.08	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/25/99	---	20.47	12.16	8.31	No	---	700	---	4,000	---	360	1.1	0.68	2	---
MW6H	01/27/00	---	20.47	11.60	8.87	No	---	9,100	---	7,600	---	2,400	840	150	670	---
MW6H	04/03/00	---	20.47	11.62	8.85	No	---	12,000	---	8,800	---	2,800	1,100	230	1,020	---
MW6H	07/05/00	---	20.47	11.93	8.54	No	---	12,000	---	8,000	---	1,200	56	13	92	---
MW6H	10/04/00	---	20.47	12.16	8.31	No	---	4,400	---	8,400	---	1,500	23	12	80.6	---
MW6H	10/05/00	---	20.47	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6H	01/04/01	---	20.47	12.03	8.44	No	---	2,300	---	3,800	---	880	15	6.4	33.9	---
MW6H	04/03/01	---	20.47	11.73	8.74	No	---	7,800	---	5,100	---	2,000	730	140	590	---
MW6H	07/05/01	---	20.47	11.98	8.49	No	---	2,300	---	3,200	---	630	25	10	40.8	---
MW6H	10/03/01	---	20.47	12.1	8.37	No	---	1,400	---	550	---	270	5.6	4.2	11.6	---
MW6H	Oct-01	---	20.20	Well surveyed in compliance with AB 2886 requirements.												
MW6H	01/02/02	---	20.20	11.14	9.06	No	---	47,100	---	4,260	---	7,880	5,220	1,060	4,460	---
MW6H	04/02/02	---	20.20	11.68	8.52	No	---	17,500	<500	1,590	---	2,280	1,290	282	1,090	---
MW6H	07/01/02	---	20.20	11.97	8.23	No	---	5,370	<100a	1,910	---	1,170	200	44.0	158	---
MW6H	10/02/02	---	20.20	12.20	8.00	No	---	2,570	<100	899	---	655	13.0	8.0	25.0	---
MW6H	01/07/03	---	20.20	11.58	8.62	No	---	12,500	<50	1,700	2,500	2,480	1,340	250	1,120	---
MW6H	06/17/03	---	20.20	11.82	8.38	No	---	6,330	<100	1,490	1,660	604	104	44.0	152	---
MW6H	07/16/03	---	20.20	12.89	7.31	No	---	3,170	<100	1,270	1,170	614	20.0	9.5	31.8	---
MW6H	10/07/03	---	20.20	12.10	8.10	No	---	2,090	<100	612	640	433	11.6	6.7	22.5	---
MW6H	01/14/04	---	20.20	11.55	8.65	No	390	6,320	<100	59.0	1,250	1,340	517	117	515	---
MW6H	06/03/04	---	20.20	11.92	8.28	No	---	3,330	<100	604	632	546	128	38.4	140	---
MW6H	08/12/04	---	20.20	c	c	c	174c	1,920c	<100c	---	426c	330c	17.9c	9.3c	35.3c	---
MW6H	11/04/04	---	20.20	11.86	8.34	No	578	8,090	552	---	442	1,280	620	185	822	---
MW6H	02/01/05	---	20.20	11.55	8.65	No	616	9,500	193	---	335	1,360	764	214	844	---
MW6H	05/03/05	---	20.20	11.54	8.66	No	560d	9,120	168	---	323	1,320	886	245	928	---
MW6H	08/04/05	---	20.20	11.89	8.31	No	269d	1,810	143	---	268	349	57.0	20.1	70.0	---
MW6H	10/27/05	---	20.20	12.10	8.10	No	228	942	98.5	---	164	154	23.1f	6.09	23.2	---
MW6H	01/26/06	---	20.20	11.54	8.66	No	910d	20,000	<500	---	270	3,200	3,400	660	3,100	---
MW6H	04/28/06	---	20.20	11.29	8.91	No	550d	11,000	<470	---	160	2,000	1,500	380	1,600	---
MW6H	07/05/06	---	20.20	11.90	8.30	No	273	2,360	114	---	82.9	389	111	39.5	125	---
MW6H	10/27/06	---	20.20	12.08	8.12	No	120d	1,460	<470	---	69.4	215	27.9	16.2	43.4	---
MW6H	01/19/07	---	20.20	11.81	8.39	No	290d	4,950	<470	---	77.5	831	638	129	451	---
MW6H	04/24/07	---	20.20	11.52	8.68	No	997d	13,800	140	---	90.5	1,330	1,420	357	1,360	---
MW6H	07/24/07	---	20.20	11.90	8.30	No	150d	1,600	<470	---	56	300	110	29	100	---
MW6H	12/03/07	---	20.20	12.03	8.17	No	140d,l	1,800	<470	---	51	420	14	8.3	33	---
MW6H	03/06/08	---	20.20	11.81	8.39	No	280d	4,400	<470	---	48	630	540	130	460	---
MW6H	06/26/08	---	20.20	12.41	7.79	No	320d	3,700	<470	---	40	930	100	130	550	---
MW6H	08/12/08	---	20.20	12.40	7.80	No	740d,m,n	5,010	294m	---	29.8	684	354	114	466	---
MW6H	10/23/08	---	20.20	12.47	7.73	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/30/08	---	20.20	---	---	---	<50	2,100	<250	---	23	270	64	35	120	---
MW6H	03/25/09	---	20.20	11.41	8.79	No	770	14,000	<250	---	<50	2,000	1,700	620	2,300	---
MW6H	06/17/09	---	20.20	11.82	8.38	No	720	6,000	<250	---	<50	2,000	420	280	930	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6H	06/17/09	---	20.20	---	---	---	720	6000	<250	---	<50	2000	420	280	930	---
MW6H	09/04/09	---	20.20	12.18	8.02	No	390d	3,700	<250	---	23	660	53	59	180	---
MW6H	03/09/10	---	20.20	10.72	9.48	No	4,400d	16,000	<250	---	26	2,600	1,400	830	2,800	---
MW6H	09/17/10	---	20.20	12.09	8.11	No	280d	2,200	<250	---	18	660	86	60	170	---
MW6H	02/15/11	---	20.20	11.28	8.92	No	740d	5,800d	<250	---	10	1,600	630	250	980	---
MW6H	08/23/11	---	20.20	11.56	8.64	No	780d	6,500	<250	---	16	1,600	200	150	380	---
MW6H	02/09/12	---	20.20	11.58	8.62	No	750d	7,300	<250	---	19s	1,200	520	280	770	---
MW6H	07/24/12	---	20.20	11.93	8.27	No	700d	6,400	<250	---	<20	1,600	500	320	960	485
MW6H	03/08/13	---	20.20	11.36	8.84	No	---	---	---	---	---	---	---	---	---	---
MW6H	03/11/13	---	20.20	---	---	---	420d	3,900	<250	---	<20	610	140	82	290	---
MW6H	09/04/13	---	20.20	11.96	8.24	No	380d	2,700	<250	---	<10	350	39	26	80	---
MW6H	12/11/13 b	---	20.20	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6H	01/30/14	---	20.20	12.22	7.98	No	800d	3,800	1,500d	---	15	640	69	100	280	---
MW6H	08/28/14	---	20.20	12.11	8.09	No	400d	2,200	<250	---	<10	410	37	45	130	---
MW6H	03/02/15	---	20.20	11.34	8.86	No	---	---	---	---	---	---	---	---	---	---
MW6H	03/03/15	---	20.20	---	---	---	630d	6,200	<250	---	<25	1,000	200	350	780	---
MW6H	09/14/15	---	20.20	12.11	8.09	No	---	---	---	---	---	---	---	---	---	---
MW6H	09/15/15	---	20.20	---	---	---	340d	2,000	<240	---	12	250	17	19	34	---
MW6H	03/16/16	---	20.20	10.42	9.78	No	---	---	---	---	---	---	---	---	---	---
MW6H	03/17/16	---	20.20	---	---	---	2,300d	10,000	<230	---	<50w	1,400	710	750	2200	---
MW6I	11/17/88	---	Well installed.													
MW6I	12/07/88	---	97.60i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	<1	---
MW6I	12/15/88	---	97.60i	12.83	84.77i	---	---	---	---	---	---	---	---	---	---	---
MW6I	09/07/89	---	97.60i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6I	04/30/90	---	97.60i	12.66	84.94i	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6I	10/16/90	---	97.60i	12.71	84.89i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/06/90	---	97.60i	12.75	84.85i	---	---	---	---	---	---	---	---	---	---	---
MW6I	01/14/91	---	97.60i	12.55	85.05i	---	---	---	---	---	---	---	---	---	---	---
MW6I	02/08/91	---	97.60i	12.32	85.28i	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/02/91	---	97.60i	12.22	85.38i	---	---	---	---	---	---	---	---	---	---	---
MW6I	05/07/91	---	97.60i	12.61	84.99i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	05/31/91	---	97.60i	12.82	84.78i	---	---	---	---	---	---	---	---	---	---	---
MW6I	06/26/91	---	97.60i	12.93	84.67i	---	---	---	---	---	---	---	---	---	---	---
MW6I	08/05/91	---	97.60i	13.01	84.59i	---	---	---	---	---	---	---	---	---	---	---
MW6I	08/14/91	---	97.60i	12.98	84.62i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	09/11/91	---	97.60i	13.11	84.49i	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/16/91	---	97.60i	13.04	84.56i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/30/91	---	97.60i	12.72	84.88i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/31/91	---	97.60i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	02/25/92	---	97.60i	12.45	85.15i	---	---	---	---	---	---	---	---	---	---	---
MW6I	03/25/92	---	97.60i	12.12	85.48i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	06/16/92	---	14.14	12.75	1.39	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	09/08/92	---	14.14	12.84	1.30	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/05/92	---	14.14	12.75	1.39	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	12/14/92	---	14.14	12.40	1.74	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/28/93	---	14.14	12.20	1.94	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/11/93	---	14.14	12.40	1.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	03/09/93	---	14.14	12.45	1.69	No	---	---	---	---	---	---	---	---	---	---
MW6I	04/14/93	---	14.14	12.43	1.71	No	---	---	---	---	---	---	---	---	---	---
MW6I	05/11/93	---	14.14	12.73	1.41	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	06/17/93	---	14.14	12.78	1.36	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/26/93	---	14.14	12.92	1.22	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/10/93	---	14.14	12.97	1.17	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	09/21/93	---	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---	---
MW6I	10/27/93	---	14.14	13.10	1.04	No	---	<50	---	---	---	<0.5	<0.5	<0.5	1.1	---
MW6I	11/23/93	---	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---	---
MW6I	12/17/93	---	14.14	12.65	1.49	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/16/94	---	14.14	12.66	1.48	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/31/94	---	14.14	12.90	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	08/30/94	---	16.26j	13.06	3.20	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/11/94	---	16.26j	15.20	1.06	No	---	53	---	---	---	0.62	1.8	<0.5	2.0	---
MW6I	02/27/95	---	16.26j	12.51	3.75	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/30/95	---	16.26j	12.57	3.69	No	---	69	---	---	---	2.8	0.96	1.1	4.3	---
MW6I	08/30/95	---	16.26j	12.86	3.4	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/26/96	---	16.26j	12.45	3.81	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	02/27/97	---	16.26j	12.24	4.02	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/21/97	---	16.26j	12.82	3.44	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	08/18/97	---	16.26j	12.81	3.45	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	03/13/98	---	16.26j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/20/98	---	16.26j	12.14	4.12	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	07/21/98	---	20.24	12.59	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/06/98	---	20.24	12.81	7.43	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/11/99	---	20.24	12.74	7.50	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/08/99	---	20.24	11.93	8.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/19/99	---	20.24	11.75	8.49	No	---	281	---	17.6	---	35.4	9.1	7.4	30.7	---
MW6I	07/27/99	---	20.24	12.95	7.29	No	---	---	---	---	---	---	---	---	---	---
MW6I	10/25/99	---	20.24	12.79	7.45	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/27/00	---	20.24	12.06	8.18	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/03/00	---	20.24	12.24	8.00	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/05/00	---	20.24	12.48	7.76	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/04/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/05/00	---	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6I	01/04/01	---	20.24	12.54	7.70	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/03/01	---	20.24	12.32	7.92	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	07/05/01	---	20.24	12.55	7.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	10/01/01	---	19.87	Well surveyed in compliance with AB 2886 requirements.												
MW6I	10/03/01	---	20.24	12.67	7.57	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	01/02/02	---	19.87	10.98	8.89	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6I	04/02/02 b	---	19.87	12.24	7.63	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	---	19.87	12.51	7.36	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/02/02 b	---	19.87	12.72	7.15	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	---	19.87	12.09	7.78	No	---	<50.0	<50	<0.5	1.10	<0.5	<0.5	<0.5	<0.5	---
MW6I	06/17/03 b	---	19.87	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	07/16/03	---	19.87	12.49	7.38	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	10/07/03 b	---	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/14/04	---	19.87	12.13	7.74	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	06/03/04 b	---	19.87	12.56	7.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/12/04	---	19.87	c	c	c	99c	<50.0c	155c	---	<0.50c	<0.50c	<0.5c	<0.5c	0.8c	---
MW6I	11/04/04 b	---	19.87	12.33	7.54	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/01/05	---	19.87	12.09	7.78	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	05/03/05 b	---	19.87	12.16	7.71	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/04/05	---	19.87	12.46	7.41	No	54.2d	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6I	10/27/05 b	---	19.87	12.58	7.29	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/26/06	---	19.87	12.04	7.83	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	04/28/06 b	---	19.87	11.94	7.93	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/05/06	---	19.87	13.06	6.81	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00	---
MW6I	10/27/06 b	---	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/19/07	---	19.87	12.41	7.46	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	0.62	---
MW6I	04/24/07 b	---	19.87	12.11	7.76	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/24/07	---	19.87	12.51	7.36	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	12/03/07	---	19.87	12.64	7.23	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	03/06/08	---	19.87	11.97	7.90	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	06/26/08 b	---	19.87	12.54	7.33	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/12/08	---	19.87	12.53	7.34	No	81.3d,m,n	<50.0	137m	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6I	10/23/08 b	---	19.87	12.56	7.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	03/25/09	---	19.87	12.14	7.73	No	<50	<50	<250	---	<0.50	1.1	1.1	0.53	2.3	---
MW6I	06/17/09 b	---	19.87	12.43	7.44	No	---	---	---	---	---	---	---	---	---	---
MW6I	09/04/09	---	19.87	12.55	7.32	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	03/09/10	---	19.87	11.82	8.05	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	09/17/10	---	19.87	12.63	7.24	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	02/15/11	---	19.87	12.04	7.83	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	08/23/11	---	19.87	12.41	7.46	No	<50	<50	<250	---	<0.50	0.73	<0.50	<0.50	<1.0	---
MW6I	02/09/12	---	19.87	12.33	7.54	No	<50	<50	<250	---	<0.50	<0.50	1.2	0.87o	2.6	---
MW6I	07/24/12	---	19.87	12.51	7.36	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	230
MW6I	03/08/13	---	19.87	12.18	7.69	No	---	---	---	---	---	---	---	---	---	---
MW6I	03/11/13	---	19.87	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	09/04/13	---	19.87	12.10	7.77	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	12/11/13 b	---	19.87	---	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	01/30/14	---	19.87	12.66	7.21	No	<48	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	08/28/14	---	19.87	12.53	7.34	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	03/02/15	---	19.87	12.07	7.80	No	---	---	---	---	---	---	---	---	---	---
MW6I	03/03/15	---	19.87	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	09/14/15	---	19.87	12.45	7.42	No	<47	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	03/16/16	---	19.87	11.14	8.73	No	Well no longer sampled.									
MW6J	04/06/01	---	Well installed.													
MW6J	07/05/01	---	20.72	13.47	7.25	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	10/03/01	---	20.72	13.57	7.15	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	Oct-01	---	20.75	Well surveyed in compliance with AB 2886 requirements.												
MW6J	01/02/02	---	20.75	13.19	7.56	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/02/02	---	20.75	13.74	7.01	No	---	<50.0	<100	1.00	---	0.80	<0.50	<0.50	0.80	---
MW6J	07/01/02	---	20.75	13.58	7.17	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	10/02/02	---	20.75	13.79	6.96	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	01/07/03	---	20.75	13.49	7.26	No	---	<50.0	<50	0.60	1.30	<0.5	<0.5	<0.5	<0.5	---
MW6J	06/17/03	---	20.75	13.76	6.99	No	---	<50.0	<100	3.00	0.70	<0.50	<0.5	<0.5	<0.5	---
MW6J	07/16/03	---	20.75	13.57	7.18	No	---	<50.0	<100	0.70	0.60	<0.50	<0.5	<0.5	<0.5	---
MW6J	10/07/03	---	20.75	13.74	7.01	No	---	<50.0	<100	1.1	1.20	<0.50	<0.5	<0.5	<0.5	---
MW6J	01/14/04	---	20.75	13.46	7.29	No	<50	<50.0	<100	1.8	1.80	<0.50	<0.5	<0.5	<0.5	---
MW6J	06/03/04	---	20.75	13.72	7.03	No	<50	<50.0	<100	5.1	10.3	0.50	<0.5	<0.5	<0.5	---
MW6J	08/12/04	---	20.75	c	c	c	<50c	<50.0c	<100c	---	3.30c	1.40c	2.1c	1.3c	4.6c	---
MW6J	11/04/04	---	20.75	13.68	7.07	No	<50	<50.0	116	---	3.50	0.50	0.5	<0.5	<0.5	---
MW6J	02/01/05	---	20.75	13.47	7.28	No	<100	<50.0	<100	---	5.50	<0.50	<0.5	<0.5	0.6	---
MW6J	05/03/05	---	20.75	13.66	7.09	No	<50	<50.0	<100	---	3.00	0.70	0.9	0.6	0.8	---
MW6J	08/04/05	---	20.75	13.75	7.00	No	55.8d	<50.0	130	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6J	10/27/05	---	20.75	13.71	7.04	No	<50.0	<50.0	<50.0	---	2.48	<0.50	0.94f	<0.50	<0.50	---
MW6J	01/26/06	---	20.75	13.49	7.26	No	<50	<50	<500	---	6.2	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/28/06	---	20.75	13.56	7.19	No	<47	<50	<470	---	7.2	<0.50	<0.50	<0.50	<0.50	---
MW6J	07/05/06	---	20.75	13.75	7.00	No	<47.6	<50.0	<95.2	---	7.73	<1.00	<1.00	<1.00	<3.00	---
MW6J	10/27/06	---	20.75	13.66	7.09	No	<47	67.7	<470	---	9.15	<0.50	<0.50	<0.50	<0.50	---
MW6J	01/19/07	---	20.75	13.51	7.24	No	<47	<50.0	<470	---	12.1	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/24/07	---	20.75	13.76	6.99	No	<47.6	<50.0	<47.6	---	12.8	<0.50	<0.50	<0.50	<0.50	---
MW6J	07/24/07	---	20.75	14.01	6.74	No	<47	<50	<470	---	16	<0.50	<0.50	<0.50	<0.50	---
MW6J	12/03/07	---	20.75	13.71	7.04	No	<47	<50	<470	---	29	<0.50	<0.50	<0.50	<0.50	---
MW6J	03/06/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	06/26/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	08/12/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	10/23/08	---	20.75	13.40	7.35	No	<50	<50	<250	---	10	<0.50	<0.50	<0.50	<1.0	---
MW6J	03/25/09	---	20.75	13.19	7.56	No	<50	<50	<250	---	8.7	<0.50	<0.50	<0.50	1.4	---
MW6J	06/17/09	---	20.75	---	---	---	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	06/17/09	---	20.75	13.69	7.06	No	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	09/04/09	---	20.75	13.31	7.44	No	<50	<50	<250	---	16	<0.50	<0.50	<0.50	<1.0	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6J	03/09/10	---	20.75	12.84	7.91	No	<50	<50	<250	---	12	<0.50	<0.50	<0.50	<1.0	---
MW6J	09/17/10	---	20.75	13.27	7.48	No	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	02/15/11	---	20.75	12.80	7.95	No	<50	<50	<250	---	6.7	0.73	<0.50	<0.50	<1.0	---
MW6J	08/23/11	---	20.75	13.18	7.57	No	<50	<50	<250	---	5.1	<0.50	<0.50	<0.50	<1.0	---
MW6J	02/09/12	---	20.75	13.17	7.58	No	<50	<50	<250	---	5.3	0.71	3.0	2.1	6.1	---
MW6J	07/24/12	---	20.75	13.61	7.14	No	<54	<50	<270	---	14	<0.50	<0.50	<0.50	<1.0	405
MW6J	03/08/13 t	---	20.75	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6J	09/04/13	---	20.75	13.26	7.49	No	<50	<50	<250	---	19	<0.50	<0.50	<0.50	<0.50	---
MW6J	12/11/13 b	---	20.75	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6J	01/30/14	---	20.75	13.39	7.36	No	48d	<50	<240	---	8.4	<0.50	<0.50	<0.50	<0.50	---
MW6J	08/28/14	---	20.75	13.35	7.40	No	<50	<50	<250	---	6.9	<0.50	<0.50	<0.50	<0.50	---
MW6J	03/02/15	---	20.75	Well inaccessible due to encroachment permit restrictions.												---
MW6J	09/14/15	---	20.75	13.29	7.46	No	<47	<50	<240	---	6.8	<0.50	<0.50	<0.50	<0.50	---
MW6J	03/16/16	---	20.75	Well inaccessible due to encroachment permit restrictions.												---
MW6Ka	06/13/13	---	Well installed.													
MW6Ka	06/17/13	---	---	12.08	---	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	06/21/13	---	Well surveyed.													
MW6Ka	06/21/13 v	---	21.04	12.11u	---	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	09/04/13 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	12/11/13 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	01/30/14 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	08/28/14 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	03/02/15	---	21.04	11.56	9.48	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	03/03/15 v	---	21.04	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	09/14/15 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	03/16/16	---	21.04	9.91	11.13	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	03/17/16	---	21.04	---	---	---	7,900d	55,000	490d	---	<250w	12,000	480	4,000	16,000	---
MW6Kb	06/13/13	---	Well installed.													
MW6Kb	06/17/13	---	---	11.85	---	No	---	---	---	---	---	---	---	---	---	---
MW6Kb	06/21/13	---	Well surveyed.													
MW6Kb	06/21/13	---	20.81	11.88	8.93	No	1,900d	9,700	<250	---	36	630	430	480	1,500	---
MW6Kb	09/04/13	---	20.81	12.20	8.61	No	720d	2,800d	<250	---	17	140	14	98	30	---
MW6Kb	12/11/13	---	20.81	12.28	8.53	No	<48	1,500	<240	---	19	220	14	42	20	---
MW6Kb	01/30/14	---	20.81	12.51	8.30	No	270d	450	<240	---	1.3	11	7.4	11	66	---
MW6Kb	08/28/14	---	20.81	12.55	8.26	No	330d	570d	<250	---	18	38	1.6	3.0	2.1	---
MW6Kb	03/02/15	---	20.81	11.17	9.64	No	---	---	---	---	---	---	---	---	---	---
MW6Kb	03/03/15	---	20.81	---	---	---	340d	880	<250	---	33	110	8.7	5.0	47	---
MW6Kb	09/14/15	---	20.81	12.55	8.26	No	---	---	---	---	---	---	---	---	---	---
MW6Kb	09/15/15	---	20.81	---	---	---	49d	150d	<240	---	21	15	3.9	<0.50	3.2	---
MW6Kb	03/16/16	---	20.81	9.62	11.19	No	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6Kb	03/17/16	---	20.81	---	---	---	510d	1,200	<230	---	38	230	28	18	47	---
MW6La	06/12/13	---	Well installed.													
MW6La	06/17/13	---	---	12.17	---	No	---	---	---	---	---	---	---	---	---	---
MW6La	06/21/13	---	Well surveyed.													
MW6La	06/21/13 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	09/04/13 v	---	21.18	12.27u	u	No	---	---	---	---	---	---	---	---	---	---
MW6La	12/11/13 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	01/30/14 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	08/28/14 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	03/02/15 v	---	21.18	11.92u	u	No	---	---	---	---	---	---	---	---	---	---
MW6La	09/14/15 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	03/16/16	---	21.18	11.00	10.18	No	---	---	---	---	---	---	---	---	---	---
MW6La	03/17/16	---	21.18	---	---	---	5,600d	25,000	240d	---	<250w	9,500	7,300	2,800	12,000	---
MW6Lb	06/12/13	---	Well installed.													
MW6Lb	06/17/13	---	---	12.37	---	No	---	---	---	---	---	---	---	---	---	---
MW6Lb	06/21/13	---	Well surveyed.													
MW6Lb	06/21/13	---	21.19	12.40	8.79	No	1,200d	5,400	<250	---	6.0	290	190	140	610	---
MW6Lb	09/04/13	---	21.19	12.76	8.43	No	490d	2,600	<250	---	6.6	310	19	36	46	---
MW6Lb	12/11/13	---	21.19	12.77	8.42	No	<48	2,000	<2,400	---	7.1	550	17	17	20	---
MW6Lb	01/30/14	---	21.19	13.01	8.18	No	420d	620	<240	---	2.9	49	27	53	110	---
MW6Lb	08/28/14	---	21.19	13.05	8.14	No	110d	260d	<250	---	5.6	12	<0.50	<0.50	1.8	---
MW6Lb	03/02/15	---	21.19	12.04	9.15	No	---	---	---	---	---	---	---	---	---	---
MW6Lb	03/03/15	---	21.19	---	---	---	56d	280	<250	---	2.2	14	1.8	1.2	3.0	---
MW6Lb	09/14/15	---	21.19	12.98	8.21	No	---	---	---	---	---	---	---	---	---	---
MW6Lb	09/15/15	---	21.19	---	---	---	110d	870	<240	---	7.2	150	16	1.2	52	---
MW6Lb	03/16/16	---	21.19	10.55	10.64	No	---	---	---	---	---	---	---	---	---	---
MW6Lb	03/17/16	---	21.19	---	---	---	320d	1,200d	<230	---	2.5	33	4.6	1.5	5.7	---
RW1	05/10/90	---	97.89i	Well installed.												
RW1	10/16/90	---	97.89i	12.24	85.65i	---	---	---	---	---	---	---	---	---	---	---
RW1	01/14/91	---	97.89i	12.80	85.09i	---	---	---	---	---	---	---	---	---	---	---
RW1	02/08/91	---	97.89i	12.53	85.36i	---	---	---	---	---	---	---	---	---	---	---
RW1	05/31/91	---	97.89i	12.86	85.03i	---	---	---	---	---	---	---	---	---	---	---
RW1	08/05/91	---	97.89i	13.19	84.70i	---	---	---	---	---	---	---	---	---	---	---
RW1	08/13/91	---	97.89i	14.05	83.84i	---	---	---	---	---	---	---	---	---	---	---
RW1	09/11/91	---	97.89i	15.96	81.93i	---	---	---	---	---	---	---	---	---	---	---
RW1	10/16/91	---	97.89i	16.00	81.89i	---	---	---	---	---	---	---	---	---	---	---
RW1	12/30/91	---	97.89i	12.65	85.24i	---	---	---	---	---	---	---	---	---	---	---
RW1	02/25/92	---	97.89i	14.40	83.49i	---	---	---	---	---	---	---	---	---	---	---
RW1	03/25/92	---	97.89i	---	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW1	06/16/92	---	14.42	12.37	2.05	---	---	6,200	---	---	---	620	1,400	240	1,400	---
RW1	09/08/92	---	Not monitored or sampled.													
RW1	08/30/94	---	16.79j	Well resurveyed.												
RW1	08/31/94 - 10/16/98	---	Not monitored or sampled.													
RW1	01/11/99	---	20.24	12.37	7.87	No	---	---	---	---	---	---	---	---	---	---
RW1	04/08/99	---	20.24	10.41	9.83	No	---	---	---	---	---	---	---	---	---	---
RW1	07/19/99	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	07/27/99	---	20.24	12.76	7.48	No	---	---	---	---	---	---	---	---	---	---
RW1	10/25/99	---	20.24	12.50	7.74	No	---	---	---	---	---	---	---	---	---	---
RW1	01/27/00	---	20.24	12.11	8.13	No	---	---	---	---	---	---	---	---	---	---
RW1	04/03/00	---	20.24	12.07	8.17	No	---	---	---	---	---	---	---	---	---	---
RW1	07/05/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/04/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/05/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	01/04/01	---	20.24	13.90	6.34	No	---	8,000	---	2,500	---	1,200	65	250	258	---
RW1	04/03/01	---	20.24	11.92	8.32	No	---	4,100	---	610	---	62	<2.5	18	61	---
RW1	07/05/01	---	20.24	Well inaccessible.												
RW1	10/03/01	---	20.24	12.32	8.32	No	---	11,000	---	4,100	---	1,900	780	150	700	---
RW1	Oct-01	---	20.43	Well surveyed in compliance with AB 2886 requirements.												
RW1	01/02/02	---	20.43	10.85	9.58	No	---	32,000	---	7,760	---	358	2,270	894	4,820	---
RW1	04/02/02	---	20.43	11.72	8.71	No	---	4,220	<500	922	---	172	22.5	106	340	---
RW1	07/01/02	---	20.43	12.17	8.26	No	---	2,500	<100a	986	---	176	8.0	71.0	75.0	---
RW1	10/02/02	---	20.43	12.44	7.99	No	---	2,970	1,720	1,310	---	197	11.0	70.0	69.0	---
RW1	01/07/03	---	20.43	11.64	8.79	No	---	2,210	1,340	747	1,010	134	12.0	33.0	53.0	---
RW1	06/17/03	---	20.43	11.98	8.45	No	---	3,850	316	645	847	48.9	38.7	46.1	197	---
RW1	07/16/03	---	20.43	12.11	8.32	No	---	2,640	2,080	730	615	78.5	20.0	47.5	166	---
RW1	10/07/03	---	20.43	12.35	8.08	No	1,340	2,310	1,040	744	578	118	7.6	25.1	52.1	---
RW1	01/14/04	---	20.43	11.61	8.82	No	4,240	4,230	5,640	7.8	328	52.7	65.8	42.7	543	---
RW1	06/03/04	---	20.43	12.12	8.31	No	---	2,910	1,840	234	250	79.9	6.0	28.6	67.2	---
RW1	08/12/04	---	20.43	c	c	c	---	1,980c	164c	---	107c	146c	5.7c	18.1c	10.9c	---
RW1	11/04/04	---	20.43	12.06	8.37	No	2,570	127,000	1,790	---	386	130	5,150	4,020	24,300	---
RW1	02/01/05	---	20.43	11.55	8.88	No	3,530	2,880	4,680	---	78.7	25.3	13.3	49.3	258	---
RW1	05/03/05	---	20.43	11.58	8.85	No	6,830d,e	2,490	14,600	---	91.3	33.8	18.4	17.3	97.7	---
RW1	08/04/05	---	20.43	12.10	8.33	No	2,430d	3,080	3,410	---	49.6	193	20.4	48.2	117	---
RW1	10/27/05	---	20.43	12.32	8.11	No	1,970	348	2,960	---	36.3	9.40	1.99f	2.22	5.36	---
RW1	01/26/06	---	20.43	11.55	8.88	No	5,000d	640	<10,000	---	72	13	7.5	1.8	5.2	---
RW1	04/28/06	---	20.43	11.23	9.20	No	950d	810	1,500	---	30	18	12	4.9	19	---
RW1	07/05/06	---	20.43	11.96	8.47	No	687	1,020	886	---	40.0	25.0	4.77	4.67	11.4	---
RW1	10/27/06	---	20.43	12.31	8.12	No	550d	937	600	---	45.4	21.1	4.82	5.37	8.14	---
RW1	01/19/07	---	20.43	11.96	8.47	No	2,500d	1,070	2,500	---	33.4	21.9	2.22	3.40	6.99	---
RW1	04/24/07	---	20.43	11.61	8.82	No	k	806	k	---	28.0	20.9	2.77	2.81	5.46	---
RW1	07/24/07	---	20.43	12.20	8.23	No	2,100d	510	3,500d	---	17	18	1.8	0.92	2.0	---
RW1	12/03/07	---	20.43	12.30	8.13	No	1,100d,l	400	1,700d	---	12	18	1.4	1.6	1.8	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW1	03/06/08	---	20.43	11.62	8.81	No	380d	490	480	---	22	18	1.6	<1.0	1.7	---
RW1	06/26/08	---	20.43	12.52	7.91	No	1,100d	560	1,800d	---	20	51	3.1	2.0	4.2	---
RW1	08/12/08	---	20.43	12.51	7.92	No	6,500d,e,m,l	1,720	20,400m	---	16.8	391	29.7	29.7	52.5	---
RW1	10/23/08	---	20.43	12.68	7.75	No	---	---	---	---	---	---	---	---	---	---
RW1	10/30/08	---	20.43	---	---	---	930	2,500	1,200	---	18	21	7.9	11	15	---
RW1	03/25/09	---	20.43	11.45	8.98	No	2,400	1,100	1,800	---	21	45	2.9	<2.5	<5.0	---
RW1	06/17/09	---	20.43	---	---	---	390	2000	<250	---	30	62	<0.50	3.4	5.6	---
RW1	06/17/09	---	20.43	11.97	8.46	No	390	2,000	<250	---	30	62	<0.50	3.4	5.6	---
RW1	09/04/09	---	20.43	12.37	8.06	No	710d	1,300	750	---	22	16	3.1	0.75	<1.0	---
RW1	03/09/10	---	20.43	10.69	9.74	No	630d	1,800	340	---	23	85	4.4	5.9	8.8	---
RW1	09/17/10	---	20.43	12.29	8.14	No	400d	670d	<250	---	17	48	2.9	2.6	4.0	---
RW1	02/15/11	---	20.43	11.29	9.14	No	350d	1,300d	<250	---	12	47	4.5	3.2	8.7	---
RW1	08/23/11	---	20.43	11.86	8.57	No	460d	1,100d	300	---	9.0	13	1.8	2.4	4.3	---
RW1	02/09/12	---	20.43	11.68	8.75	No	1,200d	1,400d	1,300	---	7.2s	34	6.7	3.4	10	---
RW1	07/24/12	---	20.43	12.04	8.39	No	1,700d	1,800	2,100d	---	6.4	13	<0.50	<0.50	<1.0	510
RW1	03/08/13	---	20.43	11.57	8.86	No	---	---	---	---	---	---	---	---	---	---
RW1	03/11/13	---	20.43	---	---	---	300d	1,500	<250	---	5.5	46	6.0	5.7	13	---
RW1	09/04/13	---	20.43	12.18	8.25	No	550d	1,500d	350d	---	4.7	54	4.1	1.7	5.4	---
RW1	12/11/13 b	---	20.43	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	01/30/14	---	20.43	12.43	8.00	No	860d	960	620d	---	3.6	34	1.5	<0.50	1.2	---
RW1	08/28/14	---	20.43	12.34	8.09	No	430d	2,700	<250	---	3.4	52	<0.50	<0.50	<0.50	---
RW1	03/02/15	---	20.43	11.50	8.93	No	---	---	---	---	---	---	---	---	---	---
RW1	03/03/15	---	20.43	---	---	---	500d	1,700d	320d	---	3.4	40	<0.50	<0.50	<0.50	---
RW1	09/14/15	---	20.43	12.32	8.11	No	---	---	---	---	---	---	---	---	---	---
RW1	09/15/15	---	20.43	---	---	---	1,800d	1,100d	1,400d	---	3.1	8.6	8.4	1.3	2.1	---
RW1	03/16/16	---	20.43	10.25	10.18	No	---	---	---	---	---	---	---	---	---	---
RW1	03/17/16	---	20.43	---	---	---	340d	1,400d	<230	---	3.5	38	2.7	1.5	2.1	---
RW2	10/16/90	---	98.11i	12.77	85.34i	---	---	---	---	---	---	---	---	---	---	---
RW2	02/08/91	---	98.11i	13.11	85.00i	---	---	---	---	---	---	---	---	---	---	---
RW2	04/02/91	---	98.11i	11.70	86.41i	---	---	---	---	---	---	---	---	---	---	---
RW2	05/07/91	---	98.11i	14.09	84.02i	---	---	11,000	---	---	---	3,200	480	150	780	---
RW2	05/31/91	---	98.11i	16.01	82.10i	---	---	---	---	---	---	---	---	---	---	---
RW2	06/26/91	---	98.11i	14.60	83.51i	---	---	---	---	---	---	---	---	---	---	---
RW2	08/05/91	---	98.11i	14.00	84.11i	---	---	---	---	---	---	---	---	---	---	---
RW2	08/13/91	---	98.11i	21.30	76.81i	---	---	---	---	---	---	---	---	---	---	---
RW2	09/11/91	---	98.11i	19.97	78.14i	---	---	---	---	---	---	---	---	---	---	---
RW2	10/16/91	---	98.11i	15.19	82.92i	---	---	---	---	---	---	---	---	---	---	---
RW2	12/30/91	---	98.11i	13.19	84.92i	---	---	---	---	---	---	---	---	---	---	---
RW2	02/25/92	---	98.11i	16.27	81.84i	---	---	---	---	---	---	---	---	---	---	---
RW2	03/25/92	---	98.11i	---	---	---	---	---	---	---	---	---	---	---	---	---
RW2	06/16/92	---	14.61	12.86	1.75	---	---	28,000	---	---	---	2,900	1,000	120	2,700	---
RW2	09/08/92 - 05/31/94	---	Not monitored or sampled.													

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW2	08/30/94	---	17.02]	Well resurveyed.												
RW2	08/31/94 - 04/20/98	---	Not monitored or sampled.													
RW2	07/21/98	---	20.44	12.65	7.79	No	---	3,500	---	170	---	240	100	41	96	---
RW2	10/06/98	---	20.44	13.06	7.38	No	---	3,200	---	200	---	120	48	56	120	---
RW2	01/11/99	---	20.44	12.88	7.56	No	---	3,300	---	350	---	150	17	35	40	---
RW2	04/08/99	---	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---	---
RW2	07/19/99	---	20.44	11.61	8.83	No	---	1,980	---	160	499	44	4.16	22.3	11.6	---
RW2	07/27/99	---	20.44	13.26	7.18	No	---	---	---	---	---	---	---	---	---	---
RW2	10/25/99	---	20.44	12.96	7.48	No	---	1,800	---	440	---	51	<0.5	4.7	9.5	---
RW2	01/27/00	---	20.44	12.70	7.74	No	---	1,900	---	750	---	38	<2.5	4.8	10.4	---
RW2	04/03/00	---	20.44	11.97	8.47	No	---	2,100	---	300	---	28	2.4	1.4	0.73	---
RW2	07/05/00	---	20.44	12.50	7.94	No	---	2,300	---	230	---	20	<2.5	5.3	8	---
RW2	10/04/00	---	20.44	12.97	7.47	No	---	1,300	---	570	---	42	<2.5	15	17.7	---
RW2	10/05/00	---	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
RW2	01/04/01	---	20.44	13.71	6.73	No	---	1,000	---	380	---	33	<2.5	13	17.7	---
RW2	04/03/01	---	20.44	12.10	8.34	No	---	1,300	---	99	---	18	2.1	16	19.4	---
RW2	07/05/01	---	20.44	Well inaccessible.												
RW2	10/03/01	---	20.44	12.8	7.64	No	---	1,900	---	240	---	35	4.4	34	105	---
RW2	Oct-01	---	20.64	Well surveyed in compliance with AB 2886 requirements.												
RW2	01/02/02	---	20.64	10.22	10.42	No	---	2,440	---	76.0	---	24.4	6.20	26.2	83.0	---
RW2	04/02/02	---	20.64	12.02	8.62	No	---	1,460	260	47.5	---	8.60	3.30	5.30	29.1	---
RW2	07/01/02	---	20.64	12.51	8.13	No	---	1,380	<100a	39.9	---	11.0	1.8	17.9	45.0	---
RW2	10/02/02	---	20.64	12.91	7.73	No	---	720	<100	46.9	---	5.5	1.7	3.7	11.9	---
RW2	01/07/03	---	20.64	11.61	9.03	No	---	1,180	197	48.0	56.0	12.3	3.6	12.2	25.6	---
RW2	06/17/03	---	20.64	12.32	8.32	No	---	1,070	<100	29.7	26.4	13.9	4.4	11.8	16.9	---
RW2	07/16/03	---	20.64	12.51	8.13	No	---	1,200	295	32.9	19.3	6.60	4.1	10.9	12.3	---
RW2	10/07/03	---	20.64	12.81	7.83	No	332	1,170	<100	55.0	50.2	8.70	1.1	9.3	12.2	---
RW2	01/14/04	---	20.64	11.70	8.94	No	167	1,250	<100	8.4	128	18.0	4.4	8.6	10.7	---
RW2	06/03/04	---	20.64	12.93	7.71	No	---	1,100	1,310	17.0	10.9	6.70	1.3	4.0	11.5	---
RW2	08/12/04	---	20.64	c	c	c	438c	1,110c	521c	---	32.8c	7.00c	1.5c	3.1c	10.2c	---
RW2	11/04/04	---	20.64	12.30	8.34	No	503	506	419	---	r	4.30	5.9	6.2	16.0	---
RW2	02/01/05	---	20.64	11.61	9.03	No	725	640	1,400	---	13.7	5.30	1.5	4.0	3.8	---
RW2	05/03/05	---	20.64	11.72	8.92	No	493d,e	1,130	801	---	8.20	10.3	1.1	5.8	6.3	---
RW2	08/04/05	---	20.64	12.46	8.18	No	3,020d	1,060	3,810	---	9.02	6.36	0.848	1.90	2.47	---
RW2	10/27/05	---	20.64	12.71	7.93	No	716	163	703	---	8.74	<0.50	<0.50	<0.50	0.95	---
RW2	01/26/06	---	20.64	11.65	8.99	No	410d	620a	<500	---	5.1	6.1 a	1.2 a	4.3 a	2.1 a	---
RW2	04/28/06	---	20.64	11.24	9.40	No	300d	680	<470	---	2.6	9.7	1.2	5.3	2.9	---
RW2	07/05/06	---	20.64	12.33	8.31	No	284	946	221	---	<0.500	8.87	1.05	1.81	3.10	---
RW2	10/27/06	---	20.64	12.78	7.86	No	240d	920	<470	---	4.59	<0.50	<0.50	3.65	3.09	---
RW2	01/19/07	---	20.64	12.29	8.35	No	230d	794	<470	---	3.72	6.32	2.27	<0.50	3.09	---
RW2	04/24/07	---	20.64	11.81	8.83	No	652d	1,170	332	---	3.01	7.21	<0.50	6.74	6.15	---
RW2	07/24/07	---	20.64	12.51	8.13	No	250d	970	<470	---	2.5	9.1	<0.50	2.8	1.9	---
RW2	12/03/07	---	20.64	12.71	7.93	No	660d,l	460	660d	---	6.8	7.5	<2.5	<2.5	<2.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW2	03/06/08	---	20.64	11.61	9.03	No	610d	750	620d	---	2.2	8.5	<2.5	2.7	<2.5	---
RW2	06/26/08	---	20.64	12.71	7.93	No	500d	400	580d	---	1.6	5.6	<1.0	<1.0	1.1	---
RW2	08/12/08	---	20.64	12.81	7.83	No	372d,m,n	317	222m	---	1.36	37.3	<0.50	4.13	3.99	---
RW2	10/23/08	---	20.64	12.97	7.67	No	190	370	<250	---	<0.50	3.2	<0.50	5.5	8.1	---
RW2	03/25/09	---	20.64	11.47	9.17	No	270	400	<250	---	0.89	<0.50	0.86	3.7	3.5	---
RW2	06/17/09	---	20.64	---	---	---	310	1100	<250	---	0.76	6.8	<0.50	5.7	4.4	---
RW2	06/17/09	---	20.64	12.25	8.39	No	310	1,100	<250	---	0.76	6.8	<0.50	5.7	4.4	---
RW2	09/04/09	---	20.64	12.68	7.96	No	170d	840	<250	---	<0.50	<0.50	<0.50	0.76o	<1.0	---
RW2	03/09/10	---	20.64	10.73	9.91	No	340d	1,400	<250	---	<0.50	6.1	1.7	7.2	3.7	---
RW2	09/17/10	---	20.64	12.61	8.03	No	120d	550d	<250	---	0.95	<0.50	0.67	3.1	1.5	---
RW2	02/15/11	---	20.64	11.50	9.14	No	110d	600d	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
RW2	08/23/11	---	20.64	12.19	8.45	No	140d	970d	<250	---	0.64	2.0	2.7	4.6	7.8	---
RW2	02/09/12	---	20.64	11.81	8.83	No	200d	810d	<250	---	<0.50	<0.50	<0.50	3.8	5.0	---
RW2	07/24/12	---	20.64	12.37	8.27	No	790d	720d	600d	---	0.53	3.0	<0.50	<0.50	<1.0	395
RW2	03/08/13	---	20.64	11.79	8.85	No	---	---	---	---	---	---	---	---	---	---
RW2	03/11/13	---	20.64	---	---	---	130d	700	<250	---	<0.50	7.7	<0.50	<0.50	<0.50	---
RW2	09/04/13	---	20.64	12.51	8.13	No	160d	780d	<250	---	0.89	<0.50	<0.50	<0.50	<0.50	---
RW2	12/11/13 b	---	20.64	---	---	---	---	---	---	---	---	---	---	---	---	---
RW2	01/30/14	---	20.64	12.80	7.84	No	170d	500d	<240	---	1.4	<0.50	<0.50	<0.50	<0.50	---
RW2	08/28/14	---	20.64	12.77	7.87	No	620d	1,000	470	---	9.9	<0.50	<0.50	<0.50	<0.50	---
RW2	03/02/15	---	20.64	11.78	8.86	No	---	---	---	---	---	---	---	---	---	---
RW2	03/03/15	---	20.64	---	---	---	110d	660d	<250	---	3.7	4.7	<0.50	<0.50	<0.50	---
RW2	09/14/15	---	20.64	12.71	7.93	No	---	---	---	---	---	---	---	---	---	---
RW2	09/15/15	---	20.64	---	---	---	300d	700d	280d	---	6.8	<0.50	<0.50	2.5	2.4	---
RW2	03/16/16	---	20.64	10.12	10.52	No	340d	1,600d	<230	---	4.1	<0.50	<0.50	<0.50	<0.50	---
RW3	10/16/90	---	98.97i	13.29	85.68i	---	---	---	---	---	---	---	---	---	---	---
RW3	01/14/91	---	98.97i	14.50	84.47i	---	---	---	---	---	---	---	---	---	---	---
RW3	02/08/91	---	98.97i	12.54	86.43i	---	---	---	---	---	---	---	---	---	---	---
RW3	04/02/91	---	98.97i	11.39	87.58i	---	---	---	---	---	---	---	---	---	---	---
RW3	05/07/91	---	98.97i	12.47	86.50i	---	---	5,800	---	---	---	4,200	640	220	670	---
RW3	05/31/91	---	98.97i	16.31	82.66i	---	---	---	---	---	---	---	---	---	---	---
RW3	06/26/91	---	98.97i	15.50	83.47i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/05/91	---	98.97i	13.69	85.28i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/13/91	---	98.97i	13.67	85.30i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/14/91	---	98.97i	---	---	---	---	3,800	---	---	---	2,300	300	49	360	---
RW3	09/11/91	---	98.97i	13.77	85.20i	---	---	---	---	---	---	---	---	---	---	---
RW3	10/16/91	---	98.97i	16.66	82.31i	---	---	---	---	---	---	---	---	---	---	---
RW3	11/05/91	---	Well destroyed.													
RW3A	08/24/92 - 04/20/98	---	Not monitored or sampled.													
RW3A	08/24/92	---	---	Well installed in place of RW3.												

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW3A	07/21/98	---	21.75	13.08	8.67	No	---	280	---	16	---	97	<1.2	<1.2	<1.2	---
RW3A	10/06/98	---	21.89	13.72	8.17	No	---	78	---	26	---	26	0.89	<0.5	<0.5	---
RW3A	01/11/99	---	21.75	12.00	9.75	No	---	1,000	---	230	---	490	5.0	<5.0	7.4	---
RW3A	04/08/99	---	21.75	11.90	9.85	No	---	130	---	11	---	70	<1.0	<1.0	<1.0	---
RW3A	07/19/99	---	21.75	11.75	10.00	No	---	989	---	16.4	---	393	6.40	5.70	15.0	---
RW3A	07/27/99	---	21.75	13.68	8.07	No	---	---	---	---	---	---	---	---	---	---
RW3A	10/25/99	---	21.75	13.61	8.14	No	---	150	---	19	---	53	<0.5	<0.5	<0.5	---
RW3A	01/27/00	---	21.75	12.22	9.53	No	---	500	---	12	---	210	0.59	1.40	2.29	---
RW3A	04/03/00	---	21.75	12.00	9.75	No	---	1,100	---	16	---	420	1.6	1.8	1.4	---
RW3A	07/05/00	---	21.75	13.01	8.74	No	---	1,200	---	16	---	440	1.4	2.5	1.9	---
RW3A	10/04/00	---	21.75	13.60	8.15	No	---	390	---	8.3	---	160	1.1	1.5	2.6	---
RW3A	10/05/00	---	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
RW3A	01/04/01	---	21.75	13.65	8.10	No	---	500	---	12	---	230	0.97	1.1	1.4	---
RW3A	04/03/01	---	21.75	12.30	9.45	No	---	710	---	7.5	---	290	<0.5	<0.5	<0.5	---
RW3A	07/05/01	---	21.75	13.28	8.47	No	---	640	---	9	---	280	1.4	1.6	2.7	---
RW3A	10/03/01	---	21.75	13.58	8.17	No	---	<50	---	12	---	21	<0.5	<0.5	<0.5	---
RW3A	Oct-01	---	21.89	Well surveyed in compliance with AB 2886 requirements.												
RW3A	01/02/02	---	21.89	10.80	11.09	No	---	<100	---	11.2	---	<0.50	<0.50	<0.50	<0.50	---
RW3A	04/02/02	---	21.89	12.03	9.86	No	---	55.7	<100	11.0	---	1.30	<0.50	<0.50	<0.50	---
RW3A	07/01/02	---	21.89	13.13	8.76	No	---	275	<100a	21.7	---	60.4	<0.5	2.4	4.2	---
RW3A	10/02/02	---	21.89	13.70	8.19	No	---	138	114	11.1	---	53.4	<0.5	<0.5	0.7	---
RW3A	01/07/03	---	21.89	11.77	10.12	No	---	<50.0	<50	22.4	30.9	1.5	<0.5	<0.5	<0.5	---
RW3A	06/17/03	---	21.89	12.82	9.07	No	---	54.5	<100	12.8	16.0	7.40	<0.5	<0.5	<0.5	---
RW3A	07/16/03	---	21.89	13.40	8.49	No	---	112	<100	18.0	13.6	26.0	<0.5	<0.5	<0.5	---
RW3A	10/07/03	---	21.89	13.93	7.96	No	124	62.6	<100	10.4	11.3	7.30	<0.5	<0.5	<0.5	---
RW3A	01/14/04	---	21.89	11.55	10.34	No	401	<50.0	<100	11.7	16.2	3.10	<0.5	<0.5	<0.5	---
RW3A	06/03/04	---	21.89	13.43	8.46	No	---	79.0	<100	19.4	22.4	6.30	<0.5	<0.5	<0.5	---
RW3A	08/12/04	---	21.89	c	c	c	1,190c	<50.0c	296c	---	16.2c	<0.50c	<0.5c	<0.5c	<0.5c	---
RW3A	11/04/04	---	21.89	12.91	8.98	No	178	<50.0	122	---	5.40	<0.50	1.7	0.7	3.6	---
RW3A	02/01/05	---	21.89	11.63	10.26	No	<100	<50.0	<100	---	11.8	<0.50	<0.5	<0.5	<0.5	---
RW3A	05/03/05	---	21.89	11.79	10.10	No	158d	<50.0	<100	---	8.50	<0.50	<0.5	<0.5	<0.5	---
RW3A	08/04/05	---	21.89	12.99	8.90	No	687d	89.9	107	---	16.7	26.0	0.645	<0.500	0.835	---
RW3A	10/27/05	---	21.89	13.49	8.40	No	140	<50.0	79.1	---	4.00	9.63	<0.50	<0.50	0.65	---
RW3A	01/26/06	---	21.89	11.76	10.13	No	210d	100a	<500	---	17	5.6a	<0.50a	<0.50a	<0.50a	---
RW3A	04/28/06	---	21.89	10.96	10.93	No	140g	82	<470	---	19	2.6	<0.50	<0.50	<0.50	---
RW3A	07/05/06	---	21.89	13.12	8.77	No	340	50.0	<95.2	---	8.11	1.37	<1.00	<1.00	<3.00	---
RW3A	10/27/06	---	21.89	13.48	8.41	No	63d	789	<470	---	10.6	287	1.29	<0.50	2.03	---
RW3A	01/19/07	---	21.89	12.69	9.20	No	49d	<50.0	<470	---	6.25	2.08	<0.50	<0.50	<0.50	---
RW3A	04/24/07	---	21.89	12.12	9.77	No	<47.6	107	<47.6	---	4.95	17.9	<0.50	<0.50	0.57	---
RW3A	07/24/07	---	21.89	13.11	8.78	No	<47	<500	<470	---	8.5	240	<5.0	<5.0	<5.0	---
RW3A	12/03/07	---	21.89	13.35	8.54	No	61d,l	1,200g	<470	---	12	700	<10	<10	13	---
RW3A	03/06/08	---	21.89	11.69	10.20	No	<47	52	<470	---	4.4	1.5	<0.50	<0.50	<0.50	---
RW3A	06/26/08	---	21.89	13.46	8.43	No	<47	120	<470	---	10	29	<0.50	<0.50	<0.50	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW3A	08/12/08	---	21.89	13.67	8.22	No	100d,m,n	59.3	146m	---	9.63	19.5	<0.50	<0.50	<0.50	---
RW3A	10/23/08	---	21.89	13.97	7.92	No	---	---	---	---	---	---	---	---	---	---
RW3A	10/30/08	---	21.89	---	---	---	<50	<50	<250	---	6.5	0.99	<0.50	<0.50	<1.0	---
RW3A	03/25/09	---	21.89	11.62	10.27	No	<50	<50	<250	---	6.4	<0.50	<0.50	<0.50	<1.0	---
RW3A	06/17/09	---	21.89	---	---	---	<50	<50	<250	---	3.3	0.70	<0.50	<0.50	<1.0	---
RW3A	06/17/09	---	21.89	12.87	9.02	No	<50	<50	<250	---	3.3	0.70o	<0.50	<0.50	<1.0	---
RW3A	09/04/09	---	21.89	13.54	8.35	No	<50	<50	<250	---	5.6	<0.50	<0.50	<0.50	<1.0	---
RW3A	03/09/10	---	21.89	10.71	11.18	No	<50	<50	<250	---	4.3	1.8	<0.50	<0.50	<1.0	---
RW3A	09/17/10	---	21.89	13.46	8.43	No	<50	<50	<250	---	5.2	9.7	<0.50	<0.50	<1.0	---
RW3A	02/15/11	---	21.89	11.99	9.90	No	<50	<50	<250	---	1.9	2.2	<0.50	<0.50	<1.0	---
RW3A	08/23/11	---	21.89	12.77	9.12	No	<50	<50	<250	---	2.8	2.5	<0.50	<0.50	<1.0	---
RW3A	02/09/12	---	21.89	12.52	9.37	No	<50	<50	<250	---	1.7	3.8	<0.50	<0.50	<1.0	---
RW3A	07/24/12	---	21.89	13.08	8.81	No	<50	59d	<250	---	2.0	1.1	<0.50	<0.50	<1.0	425
RW3A	03/08/13	---	21.89	12.37	9.52	No	---	---	---	---	---	---	---	---	---	---
RW3A	03/11/13	---	21.89	---	---	---	<50	<50	<250	---	1.9	0.77	<0.50	<0.50	<0.50	---
RW3A	09/04/13	---	21.89	13.41	8.48	No	<50	210d	<250	---	2.1	71	0.78	<0.50	<0.50	---
RW3A	12/11/13 b	---	21.89	---	---	---	---	---	---	---	---	---	---	---	---	---
RW3A	01/30/14	---	21.89	13.68	8.21	No	<48	50	<240	---	1.1	6.0	<0.50	<0.50	<0.50	---
RW3A	08/28/14	---	21.89	13.65	8.24	No	83d	630d	<250	---	2.3	320	4.0	1.5	5.5	---
RW3A	03/02/15	---	21.89	12.35	9.54	No	---	---	---	---	---	---	---	---	---	---
RW3A	03/03/15	---	21.89	---	---	---	<50	110d	<250	---	0.96	13	<0.50	<0.50	<0.50	---
RW3A	09/14/15	---	21.89	13.68	8.21	No	<47	<50	<240	---	1.4	3.0	<0.50	<0.50	<0.50	---
RW3A	03/16/16	---	21.89	10.19	11.70	No	<45	90d	<230	---	1.4	3.7	<0.50	<0.50	<0.50	---

Grab Groundwater Samples

W-Comp	10/26/00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W-15-CPT1	10/24/08	15	---	---	---	---	26,000	2,400	720	---	<10	500	1,400	750	3,700	---
W-38-CPT1	10/24/08	38	---	---	---	---	380	670	340	---	<2.5	65	110	21	79	---
W-15 -CPT2	10/27/08	15	---	---	---	---	260	990	<250	---	2.0	<0.50	<0.50	<0.50	<1.0	---
W-29 -CPT2	10/27/08	29	---	---	---	---	q	60	q	---	0.66	<0.50	<0.50	<0.50	<1.0	---
W-39 -CPT2	10/27/08	39	---	---	---	---	160	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
W-14 -CPT3	10/23/08	14	---	---	---	---	q	20,000	q	---	59	4,200	2,400	860	4,100	---
W-13-GP1	03/29/00	13	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-23-GP1	03/29/00	23	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-12-GP2	03/29/00	12	---	---	---	---	---	100	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-23-GP2	03/29/00	23	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
W-15-B7	03/05/07	15	---	---	---	---	66d	<50	<470	---	0.54	<0.50	<0.50	<0.50	<0.50	---
W-22-B7	03/05/07	22	---	---	---	---	220d	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
W-14-B8	03/02/07	14	---	---	---	---	1,900d	<50	2,800d	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
W-14-16-B9	03/06/07	14-16	---	---	---	---	1,000d	38,000	<480	---	120	15,000	890	700	1,700	---
W-22.5-24-B9	03/06/07	22.5-24	---	---	---	---	81d	490	<480	---	17	160	21	12	40	---
UOW r	11/27/91	---	---	---	---	---	18,000	550	---	---	---	12/15p	4.9/7p	19/20p	72/<5p	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in matrix spike and matrix spike duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.
- w = Reporting limits raised due to high level of non-target analytes.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
Monitoring Well Samples										
MW6A	June 1988	---	Well installed.							
MW6A	06/24/88 - 12/31/91	---	Not analyzed for these analytes.							
MW6A	05/02/92	---	Well destroyed.							
MW6B	June 1988	---	Well installed.							
MW6B	06/24/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6B	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6B	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6B	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6B	01/26/06	---	<0.50	<0.50	0.56	<20	<0.50	<0.50	<100	
MW6B	04/28/06	---	<0.50	15	<0.50	27	<0.50	3.6	---	
MW6B	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	07/24/07	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
MW6B	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6B	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6B	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6B	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6B	03/25/09	---	<12	<12	<12	<120	<12	<12	---	
MW6B	06/17/09	---	<20	<20	<20	<200	<20	<20	---	
MW6B	06/17/09	---	<20	<20	<20	<200	<20	<20	---	
MW6B	09/04/09	---	<2.0	<2.0	<2.0	<20	<2.0	<2.0	---	
MW6B	03/09/10	---	<2.0	<2.0	<2.0	28	<2.0	7.8	---	
MW6B	09/17/10	---	---	---	<1.0	16	<1.0	2.7	---	
MW6B	02/15/11	---	<10	<10	<10	<100	<10	10	---	
MW6B	08/23/11	---	<12	<12	<12	<120	<12	<12	---	
MW6B	02/09/12	---	<0.50	<0.50	<0.50	53	<0.50	7.4	---	
MW6B	07/24/12	---	<5.0	<5.0	<5.0	73	<5.0	17	---	
MW6B	03/11/13	---	<10	<10	<10	<100	<10	17	<1,000	
MW6B	09/04/13	---	<0.50	<0.50	<0.50	15	<0.50	4.0	---	
MW6B	12/11/13 b	---	---	---	---	---	---	---	---	
MW6B	01/30/14	---	<0.50	<0.50	<0.50	5.9	<0.50	0.68	---	
MW6B	08/28/14	---	<0.50	<0.50	<0.50	10	<0.50	1.9	---	
MW6B	03/03/15	---	<25	<25	<25	<250	<25	<25	---	
MW6B	09/15/15	---	<0.50	<0.50	<0.50	6.5	<0.50	2.9	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6B	03/16/16	---	<10	<10	<10	<100	<10	14	---
MW6C	06/15/88	---	Well installed.						
MW6C	06/24/88 - 04/30/90	---	Not analyzed for these analytes.						
MW6C	05/10/90	---	Well over-drilled into recovery well RW3.						
MW6D	07/06/88	---	Well installed.						
MW6D	07/11/88 - 04/30/90	---	Not analyzed for these analytes.						
MW6D	05/10/90	---	Well over-drilled into recovery well RW2.						
MW6E	10/04/88	---	Well installed.						
MW6E	10/20/88 - 10/02/02	---	Not analyzed for these analytes.						
MW6E	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6E	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6E	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6E	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6E	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW6E	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6E	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6E	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6E	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---
MW6E	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.51	<50
MW6E	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	12/11/13 b	---	---	---	---	---	---	---	---
MW6E	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW6E	08/28/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	03/02/15	---	<0.50	<0.50	<0.50	6.5	<0.50	<0.50	---	
MW6E	09/14/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	03/16/16	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	10/05/88	---	Well installed.							---
MW6F	10/20/88 - 10/02/02	---	Not analyzed for these analytes.							---
MW6F	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6F	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6F	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	05/03/05	---	<0.50	1.70	0.90	<10.0	<0.50	<0.50	<50.0	
MW6F	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6F	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
MW6F	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
MW6F	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	12/03/07	---	---	---	---	---	---	---	---	
MW6F	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6F	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6F	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---	
MW6F	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6F	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	12/11/13 b	---	---	---	---	---	---	---	---	
MW6F	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	08/28/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/02/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	09/14/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/16/16	---	Well no longer sampled.							---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW6G	11/16/88	---	Well installed.							
MW6G	12/07/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6G	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6G	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6G	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6G	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6G	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6G	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6G	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6G	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6G	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6G	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
MW6G	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
MW6G	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6G	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<100	
MW6G	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6G	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6G	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100	
MW6G	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100	
MW6G	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100	
MW6G	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100	
MW6G	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6G	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	12/11/13 b	---	---	---	---	---	---	---	---	
MW6G	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	08/28/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	03/02/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	09/14/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6G	03/16/16	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6H	Dec-88	---	Well installed.							
MW6H	12/07/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6H	01/07/03	---	<0.50	<0.50	<0.50	952	<0.50	7.50	---	
MW6H	06/17/03	---	<0.50	<0.50	<0.50	678	<0.50	7.10	<100	
MW6H	07/16/03	---	<0.50	14.6	0.70	307	<0.50	6.20	<100	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6H	10/07/03	---	<0.50	<0.50	<0.50	294	<0.50	7.40	<100
MW6H	01/14/04	---	<0.50	<0.50	<0.50	883	<0.50	6.80	<50.0
MW6H	06/03/04	---	<0.50	<0.50	<0.50	541	<0.50	5.80	<50.0
MW6H	08/12/04	---	<0.50c	<0.50c	<0.50c	754c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6H	02/01/05	---	<0.50	<0.50	<0.50	625	<0.50	4.20	<50.0
MW6H	05/03/05	---	<0.50	<0.50	<0.50	436	<0.50	3.10	<50.0
MW6H	08/04/05	---	<0.500	<0.500	<0.500	530	<0.500	3.73	<50.0
MW6H	10/27/05	---	<0.500	<0.500	<0.500	422	<0.500	4.62	<100
MW6H	01/26/06	---	<25	<25	<25	<1,000	<25	<25	<5,000
MW6H	04/28/06	---	<25	<25	<25	<1,000	<25	<25	<5,000
MW6H	07/05/06	---	<0.500	<0.500	<0.500	137	<0.500	2.41	<50.0
MW6H	10/27/06	---	<0.500	<0.500	<0.500	131	<0.500	3.61	<100
MW6H	01/19/07	---	<0.500	25.7	28.1	161	<0.500	2.96	<50.0
MW6H	04/24/07	---	<0.500	<0.500	<0.500	173	<0.500	1.97	<50.0
MW6H	07/24/07	---	<0.50	<0.50	<0.50	140	<0.50	3.8	<100
MW6H	12/03/07	---	<0.50	<0.50	<0.50	150	<0.50	7.0	<100
MW6H	03/06/08	---	<0.50	<0.50	<0.50	92	<0.50	1.8	<100
MW6H	06/26/08	---	<0.50	<0.50	<0.50	80	<0.50	1.6	<100
MW6H	08/12/08	---	<0.500	<0.500	<0.500	66.6	<0.500	1.79	<50.0
MW6H	10/30/08	---	<0.50	<0.50	<0.50	76	<0.50	2.4	<50
MW6H	03/25/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	06/17/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	06/17/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	09/04/09	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	03/09/10	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	09/17/10	---	---	---	<12	<120	<12	<12	<1,200
MW6H	02/15/11	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	08/23/11	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	02/09/12	---	<0.50	<0.50	<0.50	9.5s	<0.50	1.2	<50
MW6H	07/24/12	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	03/11/13	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	09/04/13	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	12/11/13 b	---	---	---	---	---	---	---	---
MW6H	01/30/14	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	08/28/14	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	03/03/15	---	<25	<25	<25	<250	<25	<25	<2,500
MW6H	09/15/15	---	<0.50	<0.50	<0.50	10	<0.50	0.72	<50
MW6H	03/17/16	---	<50w	<50w	<50w	<500w	<50w	<50w	<5,000w
MW6I	Dec-88	---	Well installed.						
MW6I	12/07/88 - 10/02/02	---	Not analyzed for these analytes.						
MW6I	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6I	06/17/03 b	---	---	---	---	---	---	---	---
MW6I	07/16/03	---	<0.50	<0.50	<0.50	16.4	<0.50	<0.50	<100
MW6I	10/07/03 b	---	---	---	---	---	---	---	---
MW6I	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	05/03/04 b	---	---	---	---	---	---	---	---
MW6I	06/03/04 b	---	---	---	---	---	---	---	---
MW6I	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6I	11/04/04 b	---	---	---	---	---	---	---	---
MW6I	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/05 b	---	---	---	---	---	---	---	---
MW6I	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6I	04/28/06 b	---	---	---	---	---	---	---	---
MW6I	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/06 b	---	---	---	---	---	---	---	---
MW6I	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	04/24/07 b	---	---	---	---	---	---	---	---
MW6I	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6I	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	06/26/08 b	---	---	---	---	---	---	---	---
MW6I	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6I	10/23/08 b	---	---	---	---	---	---	---	---
MW6I	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	06/17/09 b	---	---	---	---	---	---	---	---
MW6I	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---
MW6I	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6I	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	12/11/13 b	---	---	---	---	---	---	---	---
MW6I	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	08/28/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/03/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	09/14/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/16/16	---	Well no longer sampled.						
MW6J	04/06/01	---	Well installed.						
MW6J	07/05/01 - 10/02/02	---	Not analyzed for these analytes.						
MW6J	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6J	06/17/03	---	<0.50	0.90	<0.50	<10.0	<0.50	<0.50	<100
MW6J	07/16/03	---	<0.50	1.00	<0.50	<10.0	<0.50	<0.50	<100
MW6J	10/07/03	---	<0.50	<0.5	<0.50	<10.0	<0.50	<0.50	<100
MW6J	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	06/03/04	---	<0.50	2.00	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/12/04	---	<0.50c	1.20c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6J	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	02/01/05	---	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	05/03/05	---	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6J	01/26/06	---	<0.50	1.1	<0.50	<20	<0.50	<0.50	<100
MW6J	04/28/06	---	<0.50	1.3	<0.50	<20	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)		
MW6J	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0		
MW6J	10/27/06	---	<0.500	1.04	<0.500	<10.0	<0.500	<0.500	---		
MW6J	01/19/07	---	<0.500	1.15	<0.500	<10.0	<0.500	<0.500	<50.0		
MW6J	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---		
MW6J	07/24/07	---	<0.50	1.1	<0.50	<20	<0.50	<0.50	---		
MW6J	12/03/07	---	<0.50	1.8	<0.50	<10	<0.50	<0.50	---		
MW6J	03/06/08	---	Well inaccessible due to encroachment permit restrictions.								
MW6J	06/26/08	---	Well inaccessible due to encroachment permit restrictions.								
MW6J	08/12/08	---	Well inaccessible due to encroachment permit restrictions.								
MW6J	10/23/08	---	<0.50	0.59	<0.50	<5.0	<0.50	<0.50	<50		
MW6J	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	09/04/09	---	<0.50	0.74	<0.50	<5.0	<0.50	<0.50	---		
MW6J	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---		
MW6J	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	08/23/11	---	<0.50	0.58	<0.50	<5.0	<0.50	<0.50	---		
MW6J	02/09/12	---	<0.50	<0.50	<0.50	8.5s	<0.50	<0.50	---		
MW6J	07/24/12	---	<0.50	0.72	<0.50	<5.0	<0.50	<0.50	---		
MW6J	03/08/13 t	---	---	---	---	---	---	---	---		
MW6J	09/04/13	---	<0.50	0.57	<0.50	<5.0	<0.50	<0.50	---		
MW6J	12/11/13 b	---	---	---	---	---	---	---	---		
MW6J	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	08/28/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	03/02/15	---	Well inaccessible due to encroachment permit restrictions.								
MW6J	09/14/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
MW6J	03/16/16	---	Well inaccessible due to encroachment permit restrictions.								
MW6Ka	06/21/13 v	---	---	---	---	---	---	---	---		
MW6Ka	09/04/13 v	---	---	---	---	---	---	---	---		
MW6Ka	12/11/13 v	---	---	---	---	---	---	---	---		
MW6Ka	01/30/14 v	---	---	---	---	---	---	---	---		
MW6Ka	08/28/14 v	---	---	---	---	---	---	---	---		
MW6Ka	03/02/15 v	---	---	---	---	---	---	---	---		
MW6Ka	09/14/15 v	---	---	---	---	---	---	---	---		
MW6Ka	03/17/16	---	<250w	<250w	<250w	<2,500w	<250w	<250w	---		
MW6Kb	06/21/13	---	<10	<10	<10	<100	<10	<10	<1,000		
MW6Kb	09/04/13	---	<2.5	<2.5	<2.5	<25	<2.5	3.1	---		
MW6Kb	12/11/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500		
MW6Kb	01/30/14	---	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---		
MW6Kb	08/28/14	---	<0.50	<0.50	<0.50	9.9	<0.50	2.0	---		
MW6Kb	03/03/15	---	<0.50	<0.50	<0.50	32	<0.50	7.8	---		
MW6Kb	09/15/15	---	<0.50	<0.50	<0.50	8.4	<0.50	2.9	---		
MW6Kb	03/17/16	---	<5.0	<5.0	<5.0	<50	<5.0	12	---		
MW6La	06/21/13 v	---	---	---	---	---	---	---	---		
MW6La	09/04/13 v	---	---	---	---	---	---	---	---		
MW6La	12/11/13 v	---	---	---	---	---	---	---	---		

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW6La	01/30/14 v	---	---	---	---	---	---	---	---	
MW6La	08/28/14 v	---	---	---	---	---	---	---	---	
MW6La	03/02/15 v	---	---	---	---	---	---	---	---	
MW6La	09/14/15 v	---	---	---	---	---	---	---	---	
MW6La	03/17/16	---	<250w	<250w	<250w	<2,500w	<250w	<250w	---	
MW6Lb	06/21/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500	
MW6Lb	09/04/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500	
MW6Lb	12/11/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500	
MW6Lb	01/30/14	---	<1.0	<1.0	<1.0	<10	<1.0	1.5	---	
MW6Lb	08/28/14	---	<0.50	<0.50	<0.50	9.7	<0.50	2.6	---	
MW6Lb	03/03/15	---	<0.50	<0.50	<0.50	6.1	<0.50	0.89	---	
MW6Lb	09/15/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	3.3	---	
MW6Lb	03/17/16	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.97	---	
RW1	05/10/90	---	Well installed.							---
RW1	10/16/90 - 10/02/02	---	Not analyzed for these analytes.							---
RW1	01/07/03	---	<10.0	<10.0	<10.0	<200	<10.0	<10.0	---	
RW1	06/17/03	---	<0.50	<0.50	<0.50	324	<0.50	<0.50	<100	
RW1	07/16/03	---	<10.0	1.70	<0.50	110	<0.50	1.10	<100	
RW1	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
RW1	01/14/04	---	<0.50	<0.50	<0.50	234	<0.50	0.90	<50.0	
RW1	06/03/04	---	<0.50	<0.50	<0.50	338	<0.50	1.30	<50.0	
RW1	08/12/04	---	1.30c	<0.50c	<0.50c	437c	<0.50c	1.20c	<50.0c	
RW1	11/04/04	---	<0.50	<0.50	<0.50	541	<0.50	<0.50	<50.0	
RW1	02/01/05	---	<0.50	<0.50	<0.50	261	<0.50	1.80	<50.0	
RW1	05/03/05	---	<0.50	<0.50	<0.50	200	<0.50	<0.50	<50.0	
RW1	08/04/05	---	<0.500	<0.500	<0.500	169	<0.500	<0.500	<50.0	
RW1	10/27/05	---	<0.500	<0.500	<0.500	152	<0.500	0.660	<100	
RW1	01/26/06	---	<2.5	<2.5	<2.5	280	<2.5	<2.5	<500	
RW1	04/28/06	---	<0.50	<0.50	<0.50	86	<0.50	<0.50	<100	
RW1	07/05/06	---	1.02	<0.500	<0.500	80.5	<0.500	<0.500	<50.0	
RW1	10/27/06	---	<0.500	<0.500	<0.500	104	<0.500	<0.500	<100	
RW1	01/19/07	---	<0.500	<0.500	<0.500	64.6	<0.500	<0.500	<50.0	
RW1	04/24/07	---	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0	
RW1	07/24/07	---	<0.50	<0.50	<0.50	17	<0.50	<0.50	<100	
RW1	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100	
RW1	03/06/08	---	<0.50	<0.50	<0.50	37	<0.50	<0.50	<100	
RW1	06/26/08	---	<0.50	<0.50	<0.50	18	<0.50	<0.50	<100	
RW1	08/12/08	---	0.710	<0.500	<0.500	23.3	<0.500	<0.500	<50.0	
RW1	10/30/08	---	<0.50	<0.50	<0.50	43	<0.50	<0.50	<50	
RW1	03/25/09	---	<0.50	<0.50	<0.50	46	<0.50	<0.50	<50	
RW1	06/17/09	---	<0.50	<0.50	<0.50	80	<0.50	0.79	<50	
RW1	06/17/09	---	<0.50	<0.50	<0.50	80	<0.50	0.79	<50	
RW1	09/04/09	---	<0.50	<0.50	<0.50	60	<0.50	0.55	<50	
RW1	03/09/10	---	<0.50	<0.50	<0.50	70	<0.50	0.61	<50	
RW1	09/17/10	---	---	---	<1.0	56	<1.0	<1.0	---	
RW1	02/15/11	---	<1.0	<1.0	<1.0	35	<1.0	<1.0	---	
RW1	08/23/11	---	<0.50	<0.50	<0.50	25	<0.50	<0.50	---	
RW1	02/09/12	---	<0.50	<0.50	<0.50	23	<0.50	<0.50	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
RW1	07/24/12	---	<0.50	<0.50	<0.50	30	<0.50	<0.50	<50	
RW1	03/11/13	---	<0.50	<0.50	<0.50	22	<0.50	<0.50	<50	
RW1	09/04/13	---	<0.50	<0.50	<0.50	21	<0.50	0.69	<50	
RW1	12/11/13 b	---	---	---	---	---	---	---	---	
RW1	01/30/14	---	<0.50	<0.50	<0.50	27	<0.50	<0.50	<50	
RW1	08/28/14	---	<0.50	<0.50	<0.50	26	<0.50	<0.50	<50	
RW1	03/03/15	---	<0.50	<0.50	<0.50	28	<0.50	0.60	<50	
RW1	09/15/15	---	<0.50	<0.50	<0.50	16	<0.50	1.1	<50	
RW1	03/17/16	---	<0.50	<0.50	<0.50	24	<0.50	0.61	<50	
RW2	10/16/90 - 10/02/02	---	Not analyzed for these analytes.							
RW2	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
RW2	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
RW2	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
RW2	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
RW2	01/14/04	---	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0	
RW2	06/03/04	---	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0	
RW2	08/12/04	---	1.30c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
RW2	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
RW2	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
RW2	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
RW2	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
RW2	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
RW2	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
RW2	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
RW2	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
RW2	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
RW2	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
RW2	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
RW2	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
RW2	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
RW2	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
RW2	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
RW2	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---	
RW2	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
RW2	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	12/11/13 b	---	---	---	---	---	---	---	---	
RW2	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
RW2	08/28/14	---	<0.50	<0.50	<0.50	8.3	<0.50	<0.50	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW2	03/03/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	09/15/15	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	03/16/16	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW3	10/16/90 - 10/16/91	---	Not analyzed for these analytes.						
RW3	11/05/91	---	Well destroyed.						
RW3A	08/24/92	---	Well installed in place of RW3.						
RW3A	08/24/98 - 10/02/02	---	Not analyzed for these analytes.						
RW3A	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
RW3A	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<100
RW3A	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100
RW3A	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100
RW3A	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	2.20	<50.0
RW3A	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<50.0
RW3A	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	1.10c	<50.0c
RW3A	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW3A	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	2.10	<50.0
RW3A	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	0.60	<50.0
RW3A	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW3A	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	0.980	<100
RW3A	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	3.2	<100
RW3A	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	1.5	<100
RW3A	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.20	<50.0
RW3A	10/27/06	---	<0.500	<0.500	<0.500	17.3	<0.500	3.90	<100
RW3A	01/19/07	---	<0.500	1.30	<0.500	<10.0	<0.500	1.55	<50.0
RW3A	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.61	<50.0
RW3A	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	3.1	<100
RW3A	12/03/07	---	<0.50	<0.50	<0.50	30	<0.50	7.5	<100
RW3A	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.88	<100
RW3A	06/26/08	---	<0.50	<0.50	<0.50	13	<0.50	3.0	<100
RW3A	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.40	<50.0
RW3A	10/30/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	1.4	<50
RW3A	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.72	<50
RW3A	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.85	<50
RW3A	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.85	<50
RW3A	09/04/09	---	<0.50	<0.50	<0.50	6.5	<0.50	1.3	<50
RW3A	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.63	<50
RW3A	09/17/10	---	---	---	<0.50	9.8	<0.50	2.1	<50
RW3A	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.73	<50
RW3A	08/23/11	---	<0.50	<0.50	<0.50	8.9	<0.50	1.6	<50
RW3A	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	1.4	<50
RW3A	07/24/12	---	<0.50	<0.50	<0.50	17	<0.50	3.0	<50
RW3A	03/11/13	---	<0.50	<0.50	<0.50	13	<0.50	2.4	<50
RW3A	09/04/13	---	<0.50	<0.50	<0.50	22	<0.50	4.5	<50
RW3A	12/11/13 b	---	---	---	---	---	---	---	---
RW3A	01/30/14	---	<0.50	<0.50	<0.50	19	<0.50	1.8	<50
RW3A	08/28/14	---	<0.50	<0.50	<0.50	46	<0.50	4.7	<50
RW3A	03/03/15	---	<0.50	<0.50	<0.50	20	<0.50	2.3	<50
RW3A	09/14/15	---	<0.50	<0.50	<0.50	13	<0.50	2.2	<50

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW3A	03/16/16	---	<0.50	<0.50	<0.50	12	<0.50	2.6	<50
Grab Groundwater Samples									
W-Comp	10/26/00	---	---	---	---	---	---	---	---
W-15-CPT1	10/24/08	15	<10	<10	<10	270	<10	<10	<1,000
W-38-CPT1	10/24/08	38	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
W-15 -CPT2	10/27/08	15	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-29 -CPT2	10/27/08	29	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-39 -CPT2	10/27/08	39	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-14 -CPT3	10/23/08	14	<10	<10	<10	260	<10	<10	<1,000
W-13-GP1	03/29/00	13	---	---	---	---	---	---	---
W-23-GP1	03/29/00	23	---	---	---	---	---	---	---
W-12-GP2	03/29/00	12	---	---	---	---	---	---	---
W-23-GP2	03/29/00	23	---	---	---	---	---	---	---
W-15-B7	03/05/07	15	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
W-22-B7	03/05/07	22	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
W-14-B8	03/02/07	14	<0.50	<0.50	<0.50	<12	<0.50	<0.50	<100
W-14-16-B9	03/06/07	14-16	<50	<50	<50	<500	<50	<50	<10,000
W-22.5-24-B9	03/06/07	22.5-24	<1.0	<1.0	<1.0	<10	<1.0	3.4	<200
UOW r	11/27/91	---	---	---	---	---	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in matrix spike and matrix spike duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

- Notes:
- t = Well inaccessible.
 - u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
 - v = Insufficient water to sample.
 - w = Reporting limits raised due to high level of non-target analytes.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	Arsenic (µg/L)	Lead (µg/L)	Cadmium (µg/L)	Chromium	Copper (µg/L)	Iron (µg/L)	Nickel (µg/L)	Silver (µg/L)	Zinc (µg/L)
Monitoring Well Samples											
Not analyzed for these analytes.											
Grab Groundwater Samples											
W-Comp	10/26/00	---	11.5	<5	<5	<10	<10	825	27.5	<10	28.5
W-15-CPT1	10/24/08	15	---	---	---	---	---	---	---	---	---
W-38-CPT1	10/24/08	38	---	---	---	---	---	---	---	---	---
W-15 -CPT2	10/27/08	15	---	---	---	---	---	---	---	---	---
W-29 -CPT2	10/27/08	29	---	---	---	---	---	---	---	---	---
W-39 -CPT2	10/27/08	39	---	---	---	---	---	---	---	---	---
W-14 -CPT3	10/23/08	14	---	---	---	---	---	---	---	---	---
W-41-CPT3	10/23/08	41	---	---	---	---	---	---	---	---	---
W-13-GP1	03/29/00	13	---	---	---	---	---	---	---	---	---
W-23-GP1	03/29/00	23	---	---	---	---	---	---	---	---	---
W-12-GP2	03/29/00	12	---	---	---	---	---	---	---	---	---
W-23-GP2	03/29/00	23	---	---	---	---	---	---	---	---	---
W-15-B7	03/05/07	15	---	---	---	---	---	---	---	---	---
W-22-B7	03/05/07	22	---	---	---	---	---	---	---	---	---
W-14-B8	03/02/07	14	---	---	---	---	---	---	---	---	---
W-14-16-B9	03/06/07	14-16	---	---	---	---	---	---	---	---	---
W-22.5-24-B9	03/06/07	22.5-24	---	---	---	---	---	---	---	---	---
UOW r	11/27/91	---	---	<100	<5	<10	---	---	30	---	10

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in matrix spike and matrix spike duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.
- w = Reporting limits raised due to high level of non-target analytes.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW6A	Well destroyed in 1992.										
MW6B	June 1988	21.09	8	21.5	20	2	PVC	9-19	0.020	7-20	#3 Sand
MW6C	Well converted to groundwater recovery well RW3 in 1990.										
MW6D	Well converted to groundwater recovery well RW2 in 1990.										
MW6E	10/04/88	21.24	10.5	21.5	21.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	10/05/88	22.17	10.5	22	22	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6G	11/16/88	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	11/16/88	20.20	8	21	21	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	11/17/88	19.87	8	21	21	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
MW6Ka	06/13/13	21.04	10	13	13	4	PVC	11-13	0.020	9-13	#3 Sand
MW6Kb	06/13/13	20.81	8	20	19	2	PVC	16-19	0.020	15-19	#3 Sand
MW6La	06/12/13	21.18	10	13	13	4	PVC	11-13	0.020	9-13	#3 Sand
MW6Lb	06/12/13	21.19	8	20	18	2	PVC	16-18	0.020	15-18	#3 Sand
RW1	05/10/90	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
RW2	07/06/88	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
RW3	Well destroyed in 1991 and replaced with well RW3A in 1992.										
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.

TABLE 3
GROUNDWATER MONITORING PLAN
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 1)

Well ID	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency
MW6B	SA	SA
MW6E	SA	A
MW6F	A	---
MW6G	A	A
MW6H	SA	SA
MW6I	A	---
MW6J	A	A
MW6Ka	SA	SA
MW6Kb	SA	SA
MW6La	SA	SA
MW6Lb	SA	SA
RW1	SA	SA
RW2	SA	A
RW3A	SA	SA

Analytical Suite

TPHg, MTBE, BTEX, ETBE, TAME, DIPE, TBA, EDB, 1,2-DCA, and ethanol

Notes:

- A = Annual (first quarter of each year).
- SA = Semi-annual (first and third quarter of each year).
- = Not sampled.
- TPHg = Total petroleum hydrocarbons analyzed using EPA Method 8015B.
- MTBE = Methyl tertiary butyl ether analyzed using EPA Method 8260B.
- BTEX = Benzene, toluene, ethylbenzene, total xylenes analyzed using EPA Method 8260B.
- ETBE = Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
- TAME = Tertiary amyl methyl ether analyzed using EPA Method 8260B.
- DIPE = Di-isopropyl ether analyzed using EPA Method 8260B.
- TBA = Tertiary butyl alcohol analyzed using EPA Method 8260B.
- EDB = 1,2-dibromoethene analyzed using EPA Method 8260B.
- 1,2-DCA = 1,2-dichloroethane analyzed using EPA Method 8260B.
- Ethanol = Ethanol analyzed using EPA Method 8260B.

APPENDIX A
PROTOCOLS

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B
FIELD DATA SHEETS



Daily Field Report

Project ID #: Former Exxon Mobil # 70235 ERI Job # 2229
Subject: Monitoring and Sampling Date: 3/16/16
Equipment Used: DTW Tape, Gw Pump, Hand tools Sheet: 1 of 1
Name(s): Sean R. Johnson
Time Arrived On Site: 1130 Time Departed Site: 1845 Total Travel: 1.75

On Site	1130
Health and Safety meeting	1130 - 1145
Open all wells.	1145 - 1230
DTW on all wells	1230 - 1345

• Scott Perkins arrived on site for a site visit. We toured the site and brainstormed for future HIT events.

Purged and sampled wells MW6E, MW6E, RW2, MW6B, RW3A. 1430-1835

Inspected site and double checked that all wells were closed. Cleaned track and closed all permits.

Off site at 1845

Total water 3/16/16
Decon water: 12 gallons
Purged water: 80

92 gallons total



Daily Field Report

Project ID #: Former Exxon Mobil # 70235 ERI Job # 2229
Subject: Monitoring and Sampling Date: 3/17/16
Equipment Used: DTW Tape, Gw Pump, Hand Tools Sheet: 1 of 1
Name(s): Sean R. Johnson
Time Arrived On Site: 0645 Time Departed Site: 1215 Total Travel: 1.75

On site 0645
Health and safety meeting 0645-0700

Purged and sampled wells RW1, MW6Kb, MW6Lb,
MW6Kf, MW6La, MW6Ka. 0700-1140

- wells MW6La and MW6Ka were purged dry and
the recharge was slow, waited for recharge with
no success, sampled both before leaving site.

Cleaned all equipment and inspected site, closed
permits. 1140-1215

Off site at 1215

Total water 3/17/16
Decon water: 12 gallons
Purged water: 55 gallons

67 gallons total

Total water for the event
Decon water: 24 gallons
Purged water: 135 gallons

Total water - 159 gallons

GROUNDWATER SAMPLING FIELD LOG

Client Name: Exxon Mobil

Cardno ERI Job #: 2229

Date: 3/16/16 Page 1 of 2

Location: 70235

Field Cleaning Performed: N/A

Case Volume = (TD - DTW) x F where F =

Field Crew: SJ

Analysis: N/A

0.163 for 2" inside-diameter well casing
0.652 for 4" inside-diameter well casing
1.457 for 6" inside-diameter well casing

Well ID	Time	Case Volume	Purge Volume	Temp	Cond	pH	Post-Purge DTW	80% Recharge	BB	40mil	Amber	DO	ORP	Comments Well Box Condition
---------	------	-------------	--------------	------	------	----	----------------	--------------	----	-------	-------	----	-----	-----------------------------

MW6E	1438	5.88	6				DRY	Yes						
	1441		6	17.0	247	8.55	Sample Date: 3/16/16							*DRY at 14 gal
	1445		12	16.7	220	8.24	Sample Name: MW6E							*DTW Recharge 11.95
	—		18	—	—	—	Sample Time: 1510							
MW6G	1529	6.78	7				10.70	Yes						
	1533		7	19.6	258	8.0	Sample Date: 3/16/16							
	1537		14	19.2	250	7.53	Sample Name: MW6G							
	1541		21	21.4	249	7.34	Sample Time: 1555							
RW2	1623	8.69	9				10.53	Yes						
	1627		9	18.5	249	7.98	Sample Date: 3/16/16							
	1632		18	18.5	242	7.34	Sample Name: RW2							
	1637		27	18.4	243	7.35	Sample Time: 1700							
MW6B	1716	1.25	2				12.00	Yes						
	1717		2	18.3	309	7.91	Sample Date: 3/16/16							
	1719		4	18.5	316	7.52	Sample Name: MW6B							
	1721		6	18.5	310	7.51	Sample Time: 1740							
RW3A	1756	3.98	4				11.21	Yes						
	1758		4	18.6	256	8.20	Sample Date: 3/16/16							
	1801		8	19.0	235	7.63	Sample Name: RW3A							
	1803		12	19.0	232	7.53	Sample Time: 1830							
RW1	0703	8.68	9				DRY	Yes						*DRY at 21 gal.
	0708		9	19.3	236	7.38	Sample Date: 3/17/16							*DRW Recharge 12.89
	0713		18	19.8	238	7.02	Sample Name: RW1							
	—		27	—	—	—	Sample Time: 0740							
MW6Kb	0758	1.44	2				10.93	Yes						
	0800		2	18.6	242	7.71	Sample Date: 3/17/16							
	0802		4	19.4	264	7.37	Sample Name: MW6Kb							
	0804		6	19.7	270	7.30	Sample Time: 0830							

GROUNDWATER SAMPLING FIELD LOG

Client Name: Exxon Mobil

Cardno ERI Job #: 2229

Date: 3/17 Page 2 of 2

Location: 70235

Field Cleaning Performed: N/A

Case Volume = (TD - DTW) x F where F =

Field Crew: SS

Analysis: N/A

0.163 for 2" inside-diameter well casing
0.652 for 4" inside-diameter well casing
1.457 for 6" inside-diameter well casing

Well ID	Time	Case Volume	Purge Volume	Temp	Cond	pH	Post-Purge DTW	80% Recharge	BB	40mil	Amber	DO	ORP	Comments Well Box Condition
---------	------	-------------	--------------	------	------	----	----------------	--------------	----	-------	-------	----	-----	--------------------------------


MW6L6	0842	1.18	2				DRY	yes						DRY at 4gal
	0843		2	19.0	158	8.02	Sample Date: 3/17/16							Recharge DTW 1618
	0845		4	19.4	181	7.60	Sample Name: MW6L6							
	—		6	—	—	—	Sample Time: 0910							
MW6H	0924	5.92	6				11.98	yes						
	0928		6	19.4	256	7.66	Sample Date: 3/17/16							
	0932		12	19.7	248	7.08	Sample Name: MW6H							
	0936		18	19.7	244	7.00	Sample Time: 0950							
MW6La	1014	0.83	1				11.59	NO						
	1015		1	18.5	260	7.40	Sample Date: 3/17/16							DRY at 2 gal
	1016		2	18.5	277	7.23	Sample Name: MW6La							
	—		3	—	—	—	Sample Time: 1120							
MW6Ko	1029	1.58	2				10.68	NO						
	1030		2	19.7	316	7.71	Sample Date: 3/17/16							DRY at 4 gal
	1032		4	19.6	347	7.33	Sample Name: MW6Ko							
	—		6	—	—	—	Sample Time: 1140							
							Sample Date:							
							Sample Name:							
							Sample Time:							
							Sample Date:							
							Sample Name:							
							Sample Time:							
							Sample Date:							
							Sample Name:							
							Sample Time:							

APPENDIX C

LABORATORY ANALYTICAL REPORT



Calscience



WORK ORDER NUMBER: 16-03-1499

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: Cardno

Client Project Name: ExxonMobil 70235/022229C

Attention: Scott Perkins
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Cecile de Guia

Approved for release on 04/01/2016 by:
Cecile deGuia
Project Manager

ResultLink ▶

Email your PM ▶



Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.



Contents

Client Project Name: ExxonMobil 70235/022229C
Work Order Number: 16-03-1499

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Client Sample Data.	5
	3.1 EPA 8015B (M) TPH Motor Oil (Aqueous).	5
	3.2 EPA 8015B (M) TPH Diesel (Aqueous).	8
	3.3 EPA 8015B (M) TPH Gasoline (Aqueous).	11
	3.4 EPA 8021B BTEX (Aqueous).	14
	3.5 EPA 8260B Volatile Organics (Aqueous).	19
	3.6 EPA 8260B Volatile Organics (Aqueous).	24
4	Quality Control Sample Data.	27
	4.1 MS/MSD.	27
	4.2 LCS/LCSD.	35
5	Sample Analysis Summary.	47
6	Glossary of Terms and Qualifiers.	48
7	Chain-of-Custody/Sample Receipt Form.	49

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 03/19/16. They were assigned to Work Order 16-03-1499.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

EPA 8260B:

LCS Batch Number 160325L041: All target analytes were within acceptance criteria with the exception of Tert-Amyl-Methyl Ether (TAME). The LCS recovery for this analyte was below the lower control limit of 80%, but was above the NELAC-defined lower marginal exceedance (ME) limit of 73%. (ME = ± 4 standard deviations.) Based upon the number of analytes spiked into the LCS, and per NELAC, the laboratory is allowed to report associated data when there is, in this case, one marginal exceedance in an LCS.



Calscience

Sample Summary

Client: Cardno	Work Order:	16-03-1499
601 North McDowell Blvd.	Project Name:	ExxonMobil 70235/022229C
Petaluma, CA 94954-2312	PO Number:	022229C
	Date/Time Received:	03/19/16 10:00
	Number of Containers:	145

Attn: Scott Perkins

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
QCBB	16-03-1499-1	03/16/16 00:00	2	Aqueous
MW6B	16-03-1499-2	03/16/16 17:40	13	Aqueous
MW6E	16-03-1499-3	03/16/16 15:10	13	Aqueous
MW6G	16-03-1499-4	03/16/16 15:55	13	Aqueous
MW6H	16-03-1499-5	03/17/16 09:50	13	Aqueous
RW1	16-03-1499-6	03/17/16 07:40	13	Aqueous
RW2	16-03-1499-7	03/16/16 17:00	13	Aqueous
RW3A	16-03-1499-8	03/16/16 18:30	13	Aqueous
MW6Ka	16-03-1499-9	03/17/16 11:40	13	Aqueous
MW6La	16-03-1499-10	03/17/16 11:20	13	Aqueous
MW6Kb	16-03-1499-11	03/17/16 08:30	13	Aqueous
MW6Lb	16-03-1499-12	03/17/16 09:10	13	Aqueous


 Return to Contents



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	16-03-1499-2-M	03/16/16 17:40	Aqueous	GC 49	03/22/16	03/31/16 06:45	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		135		68-140			
MW6E	16-03-1499-3-M	03/16/16 15:10	Aqueous	GC 49	03/22/16	03/31/16 07:03	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		127		68-140			
MW6G	16-03-1499-4-M	03/16/16 15:55	Aqueous	GC 49	03/22/16	03/31/16 07:20	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		125		68-140			
MW6H	16-03-1499-5-M	03/17/16 09:50	Aqueous	GC 49	03/22/16	03/31/16 15:00	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		122		68-140			
RW1	16-03-1499-6-M	03/17/16 07:40	Aqueous	GC 49	03/22/16	03/31/16 07:56	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		121		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	16-03-1499-7-M	03/16/16 17:00	Aqueous	GC 49	03/22/16	03/31/16 08:13	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		136		68-140			
RW3A	16-03-1499-8-M	03/16/16 18:30	Aqueous	GC 49	03/22/16	03/31/16 08:31	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		131		68-140			
MW6Ka	16-03-1499-9-M	03/17/16 11:40	Aqueous	GC 49	03/22/16	03/31/16 15:18	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		490		230		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		106		68-140			
MW6La	16-03-1499-10-M	03/17/16 11:20	Aqueous	GC 49	03/22/16	03/31/16 09:06	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		240		240		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		118		68-140			
MW6Kb	16-03-1499-11-M	03/17/16 08:30	Aqueous	GC 49	03/22/16	03/31/16 10:04	160322B16
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		230		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		131		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Lb	16-03-1499-12-M	03/17/16 09:10	Aqueous	GC 49	03/22/16	03/31/16 10:40	160322B16

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil	ND	230	1.00	SG

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
n-Octacosane	125	68-140	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-15-278-1171	N/A	Aqueous	GC 49	03/22/16	03/31/16 05:15	160322B16

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil	ND	250	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
n-Octacosane	98	68-140	

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	16-03-1499-2-M	03/16/16 17:40	Aqueous	GC 49	03/22/16	03/31/16 06:45	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		1600		45		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		135		68-140			
MW6E	16-03-1499-3-M	03/16/16 15:10	Aqueous	GC 49	03/22/16	03/31/16 07:03	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		47		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		127		68-140			
MW6G	16-03-1499-4-M	03/16/16 15:55	Aqueous	GC 49	03/22/16	03/31/16 07:20	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		47		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		125		68-140			
MW6H	16-03-1499-5-M	03/17/16 09:50	Aqueous	GC 49	03/22/16	03/31/16 07:38	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		2300		230		5.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		134		68-140			
RW1	16-03-1499-6-M	03/17/16 07:40	Aqueous	GC 49	03/22/16	03/31/16 07:56	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		340		45		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		121		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	16-03-1499-7-M	03/16/16 17:00	Aqueous	GC 49	03/22/16	03/31/16 08:13	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		340		45		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		136		68-140			
RW3A	16-03-1499-8-M	03/16/16 18:30	Aqueous	GC 49	03/22/16	03/31/16 08:31	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		45		1.00	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		131		68-140			
MW6Ka	16-03-1499-9-M	03/17/16 11:40	Aqueous	GC 49	03/22/16	03/31/16 08:48	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		7900		230		5.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		112		68-140			
MW6La	16-03-1499-10-M	03/17/16 11:20	Aqueous	GC 49	03/22/16	03/31/16 09:06	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		5600		47		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		118		68-140			
MW6Kb	16-03-1499-11-M	03/17/16 08:30	Aqueous	GC 49	03/22/16	03/31/16 10:04	160322B15
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		510		45		1.00	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		131		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Lb	16-03-1499-12-M	03/17/16 09:10	Aqueous	GC 49	03/22/16	03/31/16 10:40	160322B15

Parameter	Result	RL	DF	Qualifiers
TPH as Diesel	320	45	1.00	SG,HD

Surrogate	Rec. (%)	Control Limits	Qualifiers
n-Octacosane	125	68-140	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-15-304-1363	N/A	Aqueous	GC 49	03/22/16	03/31/16 05:15	160322B15

Parameter	Result	RL	DF	Qualifiers
TPH as Diesel	ND	50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
n-Octacosane	98	68-140	

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	16-03-1499-2-K	03/16/16 17:40	Aqueous	GC 25	03/22/16	03/23/16 04:19	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		6100		500		10.0	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		81		38-134			
MW6E	16-03-1499-3-K	03/16/16 15:10	Aqueous	GC 25	03/22/16	03/22/16 23:38	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1.00	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		70		38-134			
MW6G	16-03-1499-4-K	03/16/16 15:55	Aqueous	GC 25	03/22/16	03/23/16 01:24	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1.00	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		66		38-134			
MW6H	16-03-1499-5-K	03/17/16 09:50	Aqueous	GC 25	03/22/16	03/23/16 04:55	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		10000		500		10.0	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		73		38-134			
RW1	16-03-1499-6-I	03/17/16 07:40	Aqueous	GC 25	03/23/16	03/24/16 11:55	160323L053
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		1400		50		1.00	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		94		38-134			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	16-03-1499-7-K	03/16/16 17:00	Aqueous	GC 25	03/22/16	03/23/16 02:34	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		1600		50		1.00	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		100		38-134			
RW3A	16-03-1499-8-K	03/16/16 18:30	Aqueous	GC 25	03/22/16	03/23/16 01:59	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		90		50		1.00	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		69		38-134			
MW6Ka	16-03-1499-9-K	03/17/16 11:40	Aqueous	GC 25	03/22/16	03/23/16 06:05	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		55000		1000		20.0	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		81		38-134			
MW6La	16-03-1499-10-G	03/17/16 11:20	Aqueous	GC 25	03/22/16	03/23/16 06:40	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		25000		500		10.0	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		75		38-134			
MW6Kb	16-03-1499-11-G	03/17/16 08:30	Aqueous	GC 25	03/22/16	03/23/16 03:09	160322L052
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		1200		50		1.00	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		129		38-134			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Lb	16-03-1499-12-G	03/17/16 09:10	Aqueous	GC 25	03/22/16	03/23/16 03:44	160322L052

Parameter	Result	RL	DF	Qualifiers
TPH as Gasoline	1200	50	1.00	HD

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	86	38-134	

Method Blank	099-12-436-10721	N/A	Aqueous	GC 25	03/22/16	03/22/16 14:52	160322L052
--------------	------------------	-----	---------	-------	----------	-------------------	------------

Parameter	Result	RL	DF	Qualifiers
TPH as Gasoline	ND	50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	64	38-134	

Method Blank	099-12-436-10723	N/A	Aqueous	GC 25	03/23/16	03/24/16 06:05	160323L053
--------------	------------------	-----	---------	-------	----------	-------------------	------------

Parameter	Result	RL	DF	Qualifiers
TPH as Gasoline	ND	50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	71	38-134	

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	16-03-1499-2-J	03/16/16 17:40	Aqueous	GC 21	03/24/16	03/24/16 14:22	160324L066

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	2400	5.0	10.0	
Toluene	62	5.0	10.0	
Ethylbenzene	83	5.0	10.0	
p/m-Xylene	79	10	10.0	
o-Xylene	7.9	5.0	10.0	
Xylenes (total)	87	5.0	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	110	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	16-03-1499-3-J	03/16/16 15:10	Aqueous	GC 21	03/24/16	03/24/16 12:07	160324L066

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	104	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	16-03-1499-4-J	03/16/16 15:55	Aqueous	GC 21	03/24/16	03/24/16 12:41	160324L066

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	106	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	16-03-1499-5-J	03/17/16 09:50	Aqueous	GC 21	03/24/16	03/24/16 15:29	160324L066

Parameter	Result	RL	DF	Qualifiers
Benzene	1400	5.0	10.0	
Toluene	710	5.0	10.0	
Ethylbenzene	750	5.0	10.0	
p/m-Xylene	1700	10	10.0	
o-Xylene	450	5.0	10.0	
Xylenes (total)	2200	5.0	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	109	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	16-03-1499-6-G	03/17/16 07:40	Aqueous	GC 21	03/25/16	03/25/16 18:33	160325L048

Parameter	Result	RL	DF	Qualifiers
Benzene	38	0.50	1.00	
Toluene	2.7	0.50	1.00	
Ethylbenzene	1.5	0.50	1.00	
p/m-Xylene	2.1	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	2.1	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	113	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	16-03-1499-7-J	03/16/16 17:00	Aqueous	GC 21	03/24/16	03/24/16 13:15	160324L066

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	121	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	16-03-1499-8-J	03/16/16 18:30	Aqueous	GC 21	03/24/16	03/24/16 13:48	160324L066

Parameter	Result	RL	DF	Qualifiers
Benzene	3.7	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	104	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Ka	16-03-1499-9-G	03/17/16 11:40	Aqueous	GC 21	03/28/16	03/28/16 16:51	160328L036

Parameter	Result	RL	DF	Qualifiers
Benzene	12000	25	50.0	
Toluene	480	25	50.0	
Ethylbenzene	4000	25	50.0	
p/m-Xylene	15000	50	50.0	
o-Xylene	1000	25	50.0	
Xylenes (total)	16000	25	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	108	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6La	16-03-1499-10-I	03/17/16 11:20	Aqueous	GC 21	03/25/16	03/25/16 15:12	160325L048

Parameter	Result	RL	DF	Qualifiers
Benzene	9500	10	20.0	
Toluene	7300	10	20.0	
Ethylbenzene	2800	10	20.0	
p/m-Xylene	9100	20	20.0	
o-Xylene	2800	10	20.0	
Xylenes (total)	12000	10	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Kb	16-03-1499-11-J	03/17/16 08:30	Aqueous	GC 21	03/24/16	03/24/16 22:11	160324L066

Parameter	Result	RL	DF	Qualifiers
Benzene	230	5.0	10.0	
Toluene	28	5.0	10.0	
Ethylbenzene	18	5.0	10.0	
p/m-Xylene	40	10	10.0	
o-Xylene	6.8	5.0	10.0	
Xylenes (total)	47	5.0	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	103	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Lb	16-03-1499-12-I	03/17/16 09:10	Aqueous	GC 21	03/25/16	03/25/16 14:39	160325L048

Parameter	Result	RL	DF	Qualifiers
Benzene	33	0.50	1.00	
Toluene	4.6	0.50	1.00	
Ethylbenzene	1.5	0.50	1.00	
p/m-Xylene	4.9	1.0	1.00	
o-Xylene	0.79	0.50	1.00	
Xylenes (total)	5.7	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-2478	N/A	Aqueous	GC 21	03/24/16	03/24/16 10:44	160324L066

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	105	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 5 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-2477	N/A	Aqueous	GC 21	03/25/16	03/25/16 11:01	160325L048

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	101	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-2479	N/A	Aqueous	GC 21	03/28/16	03/28/16 16:18	160328L036

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Benzene	ND	0.50	1.00	
Toluene	ND	0.50	1.00	
Ethylbenzene	ND	0.50	1.00	
p/m-Xylene	ND	1.0	1.00	
o-Xylene	ND	0.50	1.00	
Xylenes (total)	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	102	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	16-03-1499-2-B	03/16/16 17:40	Aqueous	GC/MS L	03/25/16	03/25/16 21:11	160325L015

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	48	10	20.0	
Tert-Butyl Alcohol (TBA)	ND	100	20.0	
Diisopropyl Ether (DIPE)	14	10	20.0	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20.0	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20.0	
1,2-Dibromoethane	ND	10	20.0	
1,2-Dichloroethane	ND	10	20.0	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	97	68-120	
Dibromofluoromethane	105	80-127	
1,2-Dichloroethane-d4	117	80-128	
Toluene-d8	99	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	16-03-1499-3-A	03/16/16 15:10	Aqueous	GC/MS L	03/25/16	03/25/16 15:07	160325L015

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	93	68-120	
Dibromofluoromethane	102	80-127	
1,2-Dichloroethane-d4	110	80-128	
Toluene-d8	111	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	16-03-1499-7-A	03/16/16 17:00	Aqueous	GC/MS L	03/25/16	03/25/16 23:49	160325L041

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	4.1	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	101	68-120	
Dibromofluoromethane	104	80-127	
1,2-Dichloroethane-d4	115	80-128	
Toluene-d8	118	80-120	

MW6Ka	16-03-1499-9-B	03/17/16 11:40	Aqueous	GC/MS L	03/26/16	03/26/16 17:20	160326L012
-------	----------------	-------------------	---------	---------	----------	-------------------	------------

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	250	500	
Tert-Butyl Alcohol (TBA)	ND	2500	500	
Diisopropyl Ether (DIPE)	ND	250	500	
Ethyl-t-Butyl Ether (ETBE)	ND	250	500	
Tert-Amyl-Methyl Ether (TAME)	ND	250	500	
1,2-Dibromoethane	ND	250	500	
1,2-Dichloroethane	ND	250	500	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	91	68-120	
Dibromofluoromethane	97	80-127	
1,2-Dichloroethane-d4	107	80-128	
Toluene-d8	94	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6La	16-03-1499-10-B	03/17/16 11:20	Aqueous	GC/MS L	03/26/16	03/26/16 17:50	160326L012

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	250	500	
Tert-Butyl Alcohol (TBA)	ND	2500	500	
Diisopropyl Ether (DIPE)	ND	250	500	
Ethyl-t-Butyl Ether (ETBE)	ND	250	500	
Tert-Amyl-Methyl Ether (TAME)	ND	250	500	
1,2-Dibromoethane	ND	250	500	
1,2-Dichloroethane	ND	250	500	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	94	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	106	80-128	
Toluene-d8	98	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Kb	16-03-1499-11-B	03/17/16 08:30	Aqueous	GC/MS L	03/26/16	03/26/16 16:50	160326L012

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	38	5.0	10.0	
Tert-Butyl Alcohol (TBA)	ND	50	10.0	
Diisopropyl Ether (DIPE)	12	5.0	10.0	
Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10.0	
Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10.0	
1,2-Dibromoethane	ND	5.0	10.0	
1,2-Dichloroethane	ND	5.0	10.0	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	97	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	105	80-128	
Toluene-d8	108	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6Lb	16-03-1499-12-B	03/17/16 09:10	Aqueous	GC/MS L	03/26/16	03/26/16 14:49	160326L012

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	2.5	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	0.97	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	98	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	104	80-128	
Toluene-d8	97	80-120	

Method Blank	099-12-880-1451	N/A	Aqueous	GC/MS L	03/25/16	03/25/16 12:26	160325L015
--------------	-----------------	-----	---------	---------	----------	-------------------	------------

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	89	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	101	80-128	
Toluene-d8	109	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 5 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-1452	N/A	Aqueous	GC/MS L	03/25/16	03/25/16 23:19	160325L041

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	88	68-120	
Dibromofluoromethane	99	80-127	
1,2-Dichloroethane-d4	112	80-128	
Toluene-d8	99	80-120	

Method Blank	099-12-880-1453	N/A	Aqueous	GC/MS L	03/26/16	03/26/16 12:10	160326L012
--------------	-----------------	-----	---------	---------	----------	-------------------	------------

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	87	68-120	
Dibromofluoromethane	95	80-127	
1,2-Dichloroethane-d4	98	80-128	
Toluene-d8	96	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	16-03-1499-4-A	03/16/16 15:55	Aqueous	GC/MS L	03/25/16	03/25/16 15:38	160325L026

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	2.0	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
Ethanol	ND	50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	90	68-120	
Dibromofluoromethane	103	80-127	
1,2-Dichloroethane-d4	115	80-128	
Toluene-d8	112	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	16-03-1499-5-B	03/17/16 09:50	Aqueous	GC/MS L	03/26/16	03/26/16 16:20	160326L013

Comment(s): - BH Reporting limits raised due to high level of non-target analytes.

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	50	100	
Tert-Butyl Alcohol (TBA)	ND	500	100	
Diisopropyl Ether (DIPE)	ND	50	100	
Ethyl-t-Butyl Ether (ETBE)	ND	50	100	
Tert-Amyl-Methyl Ether (TAME)	ND	50	100	
Ethanol	ND	5000	100	
1,2-Dibromoethane	ND	50	100	
1,2-Dichloroethane	ND	50	100	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	97	68-120	
Dibromofluoromethane	96	80-127	
1,2-Dichloroethane-d4	103	80-128	
Toluene-d8	96	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	16-03-1499-6-B	03/17/16 07:40	Aqueous	GC/MS L	03/26/16	03/26/16 15:49	160326L013

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	3.5	0.50	1.00	
Tert-Butyl Alcohol (TBA)	24	5.0	1.00	
Diisopropyl Ether (DIPE)	0.61	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
Ethanol	ND	50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	101	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	103	80-128	
Toluene-d8	104	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	16-03-1499-8-B	03/16/16 18:30	Aqueous	GC/MS L	03/26/16	03/26/16 15:19	160326L013

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1.00	
Tert-Butyl Alcohol (TBA)	12	5.0	1.00	
Diisopropyl Ether (DIPE)	2.6	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
Ethanol	ND	50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	90	68-120	
Dibromofluoromethane	97	80-127	
1,2-Dichloroethane-d4	103	80-128	
Toluene-d8	106	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Analytical Report

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-1314	N/A	Aqueous	GC/MS L	03/25/16	03/25/16 12:26	160325L026

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
Ethanol	ND	50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	89	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	101	80-128	
Toluene-d8	109	80-120	

Method Blank	099-12-884-1316	N/A	Aqueous	GC/MS L	03/26/16	03/26/16 12:10	160326L013
--------------	-----------------	-----	---------	---------	----------	-------------------	------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1.00	
Tert-Butyl Alcohol (TBA)	ND	5.0	1.00	
Diisopropyl Ether (DIPE)	ND	0.50	1.00	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1.00	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1.00	
Ethanol	ND	50	1.00	
1,2-Dibromoethane	ND	0.50	1.00	
1,2-Dichloroethane	ND	0.50	1.00	

<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>
1,4-Bromofluorobenzene	87	68-120	
Dibromofluoromethane	95	80-127	
1,2-Dichloroethane-d4	98	80-128	
Toluene-d8	96	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C

Page 1 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
16-03-1501-1	Sample	Aqueous	GC 25	03/22/16	03/22/16 15:27	160322S017
16-03-1501-1	Matrix Spike	Aqueous	GC 25	03/22/16	03/22/16 16:02	160322S017
16-03-1501-1	Matrix Spike Duplicate	Aqueous	GC 25	03/22/16	03/22/16 16:37	160322S017

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	220.6	2000	2255	102	2261	102	68-122	0	0-18	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno	Date Received:	03/19/16
601 North McDowell Blvd.	Work Order:	16-03-1499
Petaluma, CA 94954-2312	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 70235/022229C		Page 2 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
16-03-1589-3	Sample	Aqueous	GC 25	03/23/16	03/24/16 08:25	160323S027
16-03-1589-3	Matrix Spike	Aqueous	GC 25	03/23/16	03/24/16 09:00	160323S027
16-03-1589-3	Matrix Spike Duplicate	Aqueous	GC 25	03/23/16	03/24/16 09:35	160323S027

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	2000	1985	99	2016	101	68-122	2	0-18	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 3 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
MW6E	Sample	Aqueous	GC 21	03/24/16	03/24/16 12:07	160324S040				
MW6E	Matrix Spike	Aqueous	GC 21	03/24/16	03/24/16 18:16	160324S040				
MW6E	Matrix Spike Duplicate	Aqueous	GC 21	03/24/16	03/24/16 18:50	160324S040				
<u>Parameter</u>	<u>Sample Conc.</u>	<u>Spike Added</u>	<u>MS Conc.</u>	<u>MS %Rec.</u>	<u>MSD Conc.</u>	<u>MSD %Rec.</u>	<u>%Rec. CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	ND	100.0	107.8	108	102.5	103	57-129	5	0-23	
Toluene	ND	100.0	98.82	99	95.09	95	50-134	4	0-26	
Ethylbenzene	ND	100.0	99.72	100	95.68	96	58-130	4	0-26	
p/m-Xylene	ND	200.0	198.6	99	190.0	95	58-130	4	0-28	
o-Xylene	ND	100.0	97.25	97	94.05	94	57-123	3	0-26	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 4 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
MW6Lb	Sample	Aqueous	GC 21	03/25/16	03/25/16 14:39	160325S023				
MW6Lb	Matrix Spike	Aqueous	GC 21	03/25/16	03/25/16 16:53	160325S023				
MW6Lb	Matrix Spike Duplicate	Aqueous	GC 21	03/25/16	03/25/16 17:26	160325S023				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene	33.35	100.0	140.0	107	134.4	101	57-129	4	0-23	
Toluene	4.650	100.0	104.6	100	104.5	100	50-134	0	0-26	
Ethylbenzene	1.487	100.0	104.9	103	100.6	99	58-130	4	0-26	
p/m-Xylene	4.900	200.0	209.4	102	200.7	98	58-130	4	0-28	
o-Xylene	0.7880	100.0	102.1	101	98.34	98	57-123	4	0-26	


 Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 5 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW6Ka	Sample	Aqueous	GC 21	03/28/16	03/28/16 16:51	160328S018
MW6Ka	Matrix Spike	Aqueous	GC 21	03/28/16	03/28/16 17:24	160328S018
MW6Ka	Matrix Spike Duplicate	Aqueous	GC 21	03/28/16	03/28/16 17:58	160328S018

<u>Parameter</u>	<u>Sample Conc.</u>	<u>Spike Added</u>	<u>MS Conc.</u>	<u>MS %Rec.</u>	<u>MSD Conc.</u>	<u>MSD %Rec.</u>	<u>%Rec. CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	11840	5000	17030	104	16650	96	57-129	2	0-23	
Toluene	480.0	5000	5585	102	5492	100	50-134	2	0-26	
Ethylbenzene	3989	5000	9194	104	9037	101	58-130	2	0-26	
p/m-Xylene	14860	10000	24990	101	24400	95	58-130	2	0-28	
o-Xylene	1024	5000	6010	100	5918	98	57-123	2	0-26	


 Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 6 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW6E	Sample	Aqueous	GC/MS L	03/25/16	03/25/16 15:07	160325S011
MW6E	Matrix Spike	Aqueous	GC/MS L	03/25/16	03/25/16 16:08	160325S011
MW6E	Matrix Spike Duplicate	Aqueous	GC/MS L	03/25/16	03/25/16 16:38	160325S011

<u>Parameter</u>	<u>Sample Conc.</u>	<u>Spike Added</u>	<u>MS Conc.</u>	<u>MS %Rec.</u>	<u>MSD Conc.</u>	<u>MSD %Rec.</u>	<u>%Rec. CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)	ND	10.00	9.634	96	11.01	110	71-131	13	0-20	
Tert-Butyl Alcohol (TBA)	ND	50.00	54.22	108	54.19	108	20-180	0	0-40	
Diisopropyl Ether (DIPE)	ND	10.00	11.45	115	12.01	120	64-136	5	0-20	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	9.634	96	9.928	99	73-133	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	8.591	86	8.828	88	75-125	3	0-20	
Ethanol	ND	100.0	133.6	134	120.2	120	73-139	11	0-27	
1,2-Dibromoethane	ND	10.00	11.00	110	11.22	112	75-126	2	0-20	
1,2-Dichloroethane	ND	10.00	10.99	110	11.03	110	75-127	0	0-20	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 7 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
RW2	Sample	Aqueous	GC/MS L	03/25/16	03/25/16 23:49	160325S018				
RW2	Matrix Spike	Aqueous	GC/MS L	03/25/16	03/26/16 01:20	160325S018				
RW2	Matrix Spike Duplicate	Aqueous	GC/MS L	03/25/16	03/26/16 01:50	160325S018				
<u>Parameter</u>	<u>Sample Conc.</u>	<u>Spike Added</u>	<u>MS Conc.</u>	<u>MS %Rec.</u>	<u>MSD Conc.</u>	<u>MSD %Rec.</u>	<u>%Rec. CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)	4.108	10.00	15.64	115	15.10	110	71-131	4	0-20	
Tert-Butyl Alcohol (TBA)	ND	50.00	54.73	109	50.01	100	20-180	9	0-40	
Diisopropyl Ether (DIPE)	ND	10.00	11.66	117	11.33	113	64-136	3	0-20	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	9.605	96	9.462	95	73-133	1	0-20	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	8.850	89	8.842	88	75-125	0	0-20	
1,2-Dibromoethane	ND	10.00	11.36	114	11.44	114	75-126	1	0-20	
1,2-Dichloroethane	ND	10.00	11.30	113	11.20	112	75-127	1	0-20	


 Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 8 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
16-03-1690-6	Sample	Aqueous	GC/MS L	03/26/16	03/26/16 13:14	160326S004
16-03-1690-6	Matrix Spike	Aqueous	GC/MS L	03/26/16	03/26/16 13:48	160326S004
16-03-1690-6	Matrix Spike Duplicate	Aqueous	GC/MS L	03/26/16	03/26/16 14:19	160326S004

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	40.00	41.36	103	42.69	107	71-131	3	0-20	
Tert-Butyl Alcohol (TBA)	ND	200.0	200.3	100	214.4	107	20-180	7	0-40	
Diisopropyl Ether (DIPE)	ND	40.00	46.14	115	45.56	114	64-136	1	0-20	
Ethyl-t-Butyl Ether (ETBE)	ND	40.00	37.97	95	38.57	96	73-133	2	0-20	
Tert-Amyl-Methyl Ether (TAME)	ND	40.00	36.29	91	36.23	91	75-125	0	0-20	
Ethanol	ND	400.0	425.7	106	457.2	114	73-139	7	0-27	
1,2-Dibromoethane	ND	40.00	43.59	109	45.79	114	75-126	5	0-20	
1,2-Dichloroethane	ND	40.00	46.64	117	43.57	109	75-127	7	0-20	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS/LCSD

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C

Page 1 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-15-278-1171	LCS	Aqueous	GC 49	03/22/16	03/31/16 06:09	160322B16			
099-15-278-1171	LCSD	Aqueous	GC 49	03/22/16	03/31/16 06:27	160322B16			
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Motor Oil	2000	1945	97	1935	97	75-117	1	0-13	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS/LCSD

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C

Page 2 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-15-304-1363	LCS	Aqueous	GC 49	03/22/16	03/31/16 05:33	160322B15			
099-15-304-1363	LCSD	Aqueous	GC 49	03/22/16	03/31/16 05:51	160322B15			
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Diesel	2000	2217	111	2173	109	75-117	2	0-13	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno	Date Received:	03/19/16
601 North McDowell Blvd.	Work Order:	16-03-1499
Petaluma, CA 94954-2312	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 70235/022229C		Page 3 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-436-10721	LCS	Aqueous	GC 25	03/22/16	03/22/16 14:16	160322L052
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
TPH as Gasoline		2000	2007	100	78-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno	Date Received:	03/19/16
601 North McDowell Blvd.	Work Order:	16-03-1499
Petaluma, CA 94954-2312	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 70235/022229C		Page 4 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-436-10723	LCS	Aqueous	GC 25	03/23/16	03/24/16 05:30	160323L053
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
TPH as Gasoline		2000	1917	96	78-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 5 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-667-2478	LCS	Aqueous	GC 21	03/24/16	03/24/16 09:37	160324L066
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Benzene		100.0	106.7	107	70-118	
Toluene		100.0	99.53	100	66-114	
Ethylbenzene		100.0	99.87	100	72-114	
p/m-Xylene		200.0	198.9	99	74-116	
o-Xylene		100.0	97.97	98	72-114	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 6 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-667-2477	LCS	Aqueous	GC 21	03/25/16	03/25/16 09:54	160325L048

<u>Parameter</u>	<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Benzene	100.0	101.3	101	70-118	
Toluene	100.0	93.60	94	66-114	
Ethylbenzene	100.0	93.89	94	72-114	
p/m-Xylene	200.0	188.2	94	74-116	
o-Xylene	100.0	92.97	93	72-114	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C

Page 7 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-667-2479	LCS	Aqueous	GC 21	03/28/16	03/28/16 15:10	160328L036

<u>Parameter</u>	<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Benzene	100.0	100.4	100	70-118	
Toluene	100.0	92.84	93	66-114	
Ethylbenzene	100.0	93.61	94	72-114	
p/m-Xylene	200.0	186.4	93	74-116	
o-Xylene	100.0	92.27	92	72-114	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 8 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-880-1451	LCS	Aqueous	GC/MS L	03/25/16	03/25/16 11:43	160325L015
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)		10.00	9.890	99	75-123	
Tert-Butyl Alcohol (TBA)		50.00	55.00	110	80-120	
Diisopropyl Ether (DIPE)		10.00	11.13	111	73-121	
Ethyl-t-Butyl Ether (ETBE)		10.00	9.451	95	76-124	
Tert-Amyl-Methyl Ether (TAME)		10.00	8.681	87	80-120	
1,2-Dibromoethane		10.00	10.07	101	80-120	
1,2-Dichloroethane		10.00	10.17	102	80-122	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 9 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-880-1452	LCS	Aqueous	GC/MS L	03/25/16	03/25/16 22:14	160325L041
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)		10.00	8.756	88	75-123	
Tert-Butyl Alcohol (TBA)		50.00	57.43	115	80-120	
Diisopropyl Ether (DIPE)		10.00	8.574	86	73-121	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.453	85	76-124	
Tert-Amyl-Methyl Ether (TAME)		10.00	7.384	74	80-120	LR
1,2-Dibromoethane		10.00	10.48	105	80-120	
1,2-Dichloroethane		10.00	9.400	94	80-122	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 10 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-880-1453	LCS	Aqueous	GC/MS L	03/26/16	03/26/16 11:36	160326L012
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)		10.00	9.194	92	75-123	
Tert-Butyl Alcohol (TBA)		50.00	51.06	102	80-120	
Diisopropyl Ether (DIPE)		10.00	9.986	100	73-121	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.647	86	76-124	
Tert-Amyl-Methyl Ether (TAME)		10.00	8.232	82	80-120	
1,2-Dibromoethane		10.00	9.615	96	80-120	
1,2-Dichloroethane		10.00	9.364	94	80-122	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 11 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-884-1314	LCS	Aqueous	GC/MS L	03/25/16	03/25/16 11:43	160325L026
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)		10.00	9.890	99	75-123	
Tert-Butyl Alcohol (TBA)		50.00	55.00	110	80-120	
Diisopropyl Ether (DIPE)		10.00	11.13	111	73-121	
Ethyl-t-Butyl Ether (ETBE)		10.00	9.451	95	76-124	
Tert-Amyl-Methyl Ether (TAME)		10.00	8.681	87	80-120	
Ethanol		100.0	103.4	103	73-133	
1,2-Dibromoethane		10.00	10.07	101	80-120	
1,2-Dichloroethane		10.00	10.17	102	80-122	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - LCS

Cardno
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 03/19/16
Work Order: 16-03-1499
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 12 of 12

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-884-1316	LCS	Aqueous	GC/MS L	03/26/16	03/26/16 11:36	160326L013
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Methyl-t-Butyl Ether (MTBE)		10.00	9.194	92	75-123	
Tert-Butyl Alcohol (TBA)		50.00	51.06	102	80-120	
Diisopropyl Ether (DIPE)		10.00	9.986	100	73-121	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.647	86	76-124	
Tert-Amyl-Methyl Ether (TAME)		10.00	8.232	82	80-120	
Ethanol		100.0	75.51	76	73-133	
1,2-Dibromoethane		10.00	9.615	96	80-120	
1,2-Dichloroethane		10.00	9.364	94	80-122	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Sample Analysis Summary Report

Work Order: 16-03-1499

Page 1 of 1

<u>Method</u>	<u>Extraction</u>	<u>Chemist ID</u>	<u>Instrument</u>	<u>Analytical Location</u>
EPA 8015B (M)	EPA 3510C	682	GC 49	1
EPA 8015B (M)	EPA 5030C	1063	GC 25	2
EPA 8021B	EPA 5030C	715	GC 21	2
EPA 8260B	EPA 5030C	316	GC/MS L	2
EPA 8260B	EPA 5030C	996	GC/MS L	2


Return to Contents

Location 1: 7440 Lincoln Way, Garden Grove, CA 92841

Location 2: 7445 Lampson Avenue, Garden Grove, CA 92841

Glossary of Terms and Qualifiers

Work Order: 16-03-1499

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
AZ	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
BA	The MS/MSD RPD was out of control due to suspected matrix interference.
BB	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
CI	See case narrative.
DF	Reporting limits elevated due to matrix interferences.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
GE	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
HD	Chromat. profile inconsistent with pattern(s) of ref. fuel stdns.
HO	High concentration matrix spike recovery out of limits
HT	Analytical value calculated using results from associated tests.
HX	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS was in control.
IL	Relative percent difference out of control.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
LD	Analyte presence was not confirmed by second column or GC/MS analysis.
LP	The LCS and/or LCSD recoveries for this analyte were above the upper control limit. The associated sample was non-detected. Therefore, the sample data was reported without further clarification.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
ND	Parameter not detected at the indicated reporting limit.
QO	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
RU	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
SG	A silica gel cleanup procedure was performed.
SN	See applicable analysis comment.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

1499



800-322-5555 www.gso.com

Ship From
CAL SCIENCE- CONCORD
ALAN KEMP
5063 COMMERCIAL CIRCLE
#H
CONCORD, CA 94520

Tracking #: 531291249

SDS



Ship To
CEL
SAMPLE RECEIVING
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

ORC
GARDEN GROVE

A

COD: \$0.00
Weight: 0 lb(s)
Reference:
CARDNO ERI
Delivery Instructions:

D92845A



Signature Type: REQUIRED

49599416

Print Date: 3/18/2016 3:50 PM

Package 1 of 2

LABEL INSTRUCTIONS:

<https://app.gso.com/Shipping/ShippingLabel>

Return to Contents



800-322-5555 www.gso.com

Ship From
CAL SCIENCE- CONCORD
ALAN KEMP
5063 COMMERCIAL CIRCLE
#H
CONCORD, CA 94520

Tracking #: 531291250

SDS



Ship To
CEL
SAMPLE RECEIVING
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

ORC
GARDEN GROVE

A

COD: \$0.00
Weight: 0 lb(s)
Reference:
CARDNO ERI
Delivery Instructions:

D92845A



Signature Type: REQUIRED

49599417

Print Date: 3/18/2016 3:50 PM

Package 2 of 2

SAMPLE RECEIPT CHECKLIST

COOLER 1 OF 2

CLIENT: Cardno ERI

DATE: 03 / 19 / 2016

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC4B (CF: +0.3°C); Temperature (w/o CF): 4.7 °C (w/ CF): 5.0 °C; Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: Air Filter

Checked by: 802

CUSTODY SEAL:

Cooler Present and Intact Present but Not Intact Not Present N/A

Checked by: 802

Sample(s) Present and Intact Present but Not Intact Not Present N/A

Checked by: 1050

SAMPLE CONDITION:

	Yes	No	N/A
Chain-of-Custody (COC) document(s) received with samples	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Sampling date <input checked="" type="checkbox"/> Sampling time <input type="checkbox"/> Matrix <input type="checkbox"/> Number of containers			
<input type="checkbox"/> No analysis requested <input type="checkbox"/> Not relinquished <input type="checkbox"/> No relinquished date <input type="checkbox"/> No relinquished time			
Sampler's name indicated on COC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and in good condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers for analyses requested	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sufficient volume/mass for analyses requested	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Samples received within holding time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aqueous samples for certain analyses received within 15-minute holding time			
<input type="checkbox"/> pH <input type="checkbox"/> Residual Chlorine <input type="checkbox"/> Dissolved Sulfide <input type="checkbox"/> Dissolved Oxygen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation chemical(s) noted on COC and/or sample container	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Unpreserved aqueous sample(s) received for certain analyses			
<input type="checkbox"/> Volatile Organics <input type="checkbox"/> Total Metals <input type="checkbox"/> Dissolved Metals			
Container(s) for certain analysis free of headspace	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Volatile Organics <input type="checkbox"/> Dissolved Gases (RSK-175) <input type="checkbox"/> Dissolved Oxygen (SM 4500)			
<input type="checkbox"/> Carbon Dioxide (SM 4500) <input type="checkbox"/> Ferrous Iron (SM 3500) <input type="checkbox"/> Hydrogen Sulfide (Hach)			
Tedlar™ bag(s) free of condensation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

(Trip Blank Lot Number: _____)

Aqueous: VOA VOAh VOAna₂ 100PJ 100PJna₂ 125AGB 125AGBh 125AGBp 125PB

125PBz_{na} 250AGB 250CGB 250CGBs 250PB 250PBn 500AGB 500AGJ 500AGJs

500PB 1AGB 1AGBna₂ 1AGBs 1PB 1PBna _____ _____ _____

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (_____) EnCores® (_____) TerraCores® (_____) _____

Air: Tedlar™ Canister Sorbent Tube PUF _____ Other Matrix (____): _____ _____

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO₃, na = NaOH, na₂ = Na₂S₂O₃, p = H₃PO₄,

Labeled/Checked by: 1050

s = H₂SO₄, u = ultra-pure, z_{na} = Zn(CH₃CO₂)₂ + NaOH

Reviewed by: 1017

-1 3/16/16 @ 12:00

SAMPLE RECEIPT CHECKLIST

COOLER 2 OF 2

CLIENT: Caraho EPI

DATE: 03 / 19 / 2016

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC4B (CF: +0.3°C); Temperature (w/o CF): 4.5 °C (w/ CF): 4.8 °C; [x] Blank [] Sample

[] Sample(s) outside temperature criteria (PM/APM contacted by: _____)

[] Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

[] Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: [] Air [] Filter

Checked by: 802

CUSTODY SEAL:

Cooler [x] Present and Intact [] Present but Not Intact [] Not Present [] N/A

Checked by: 802

Sample(s) [] Present and Intact [] Present but Not Intact [x] Not Present [] N/A

Checked by: 1050

SAMPLE CONDITION:

Table with columns: Yes, No, N/A. Rows include Chain-of-Custody (COC) document(s) received with samples, COC document(s) received complete, Sampler's name indicated on COC, Sample container label(s) consistent with COC, Proper containers for analyses requested, Sufficient volume/mass for analyses requested, Samples received within holding time, Aqueous samples for certain analyses received within 15-minute holding time, Proper preservation chemical(s) noted on COC and/or sample container, Container(s) for certain analysis free of headspace, Tedlar™ bag(s) free of condensation.

CONTAINER TYPE:

(Trip Blank Lot Number: NA)

Aqueous: [] VOA [x] VOAh [] VOAna2 [] 100PJ [] 100PJna2 [] 125AGB [] 125AGBh [] 125AGBp [] 125PB [] 125PBzanna [] 250AGB [] 250CGB [] 250CGBs [] 250PB [] 250PBn [] 500AGB [x] 500AGJ [] 500AGJs [] 500PB [] 1AGB [] 1AGBna2 [] 1AGBs [] 1PB [] 1PBna [] [] [] [] []

Solid: [] 4ozCGJ [] 8ozCGJ [] 16ozCGJ [] Sleeve () [] EnCores® () [] TerraCores® () []

Air: [] Tedlar™ [] Canister [] Sorbent Tube [] PUF [] Other Matrix (): [] []

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO3, na = NaOH, na2 = Na2S2O3, p = H3PO4, Labeled/Checked by: 1050

s = H2SO4, u = ultra-pure, zanna = Zn(CH3CO2)2 + NaOH Reviewed by: 1017

APPENDIX D

WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No. <i>ERI 22292016 03</i>	2. Page 1 of 1
3. Generator's Name and Mailing address ExxonMobil Environmental Services/ c/o Cardno 601 N. McDowell Blvd, CA 94954		1225 Telegraph Ave. Oakland, CA EM (70235)		
4. Generator's Phone : (707) 766 2000				
5. Transporter 1 Company Name <i>CARDNO</i>	6. US EPA ID Number	A. State Transporter's ID <i>707-766-2000</i>		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter 1 Phone		
9. Designated Facility Name and Site Address INSTRAT INC. 1105 C. AIRPORT ROAD RIO VISTA, CA 94571	10. US EPA ID Number	C. State Transporter's ID		
		D. Transporter 2 Phone		
		E. State Facility's ID		
		F. Facility's Phone <i>530-753-1829</i>		
11. WASTE DESCRIPTION		12. Containers	13. Total Quantity	14. Unit Wt./Vol.
a. <i>NON-HAZARDOUS PURGE WATER</i>		No. <i>01</i> Type <i>Trailer</i>	<i>159</i>	<i>GAL</i>
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name <i>Exxon Mobil</i>		Signature <i>R. Hayden</i>	Date Month <i>3</i> Day <i>18</i> Year <i>16</i>	
17. Transporter 1 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name <i>Brian Vilicich</i>	Signature <i>Brian Vilicich</i>	Month <i>3</i> Day <i>18</i> Year <i>16</i>		
18. Transporter 2 Acknowledgement of Receipt of Materials		Date		
Printed/Typed Name	Signature	Month Day Year		
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.				
Printed/Typed Name <i>MICHAEL WHITEHEAD</i>		Signature <i>Michael Whitehead</i>	Date Month <i>3</i> Day <i>18</i> Year <i>16</i>	

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY