

Jennifer C. Sedlachek
Project Manager

4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

RECEIVED

By loprojectop at 8:54 am, Apr 12, 2006

ExxonMobil
Refining & Supply

March 31, 2006

Mr. Amir Gholami
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #7-0235/2225 Telegraph Avenue, Oakland California.


Dear Mr. Gholami:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring Report, First Quarter 2006* dated March 31, 2006, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



~~FDR~~
Jennifer C. Sedlachek
Project Manager


Attachment: ERI's Groundwater Monitoring Report, First Quarter 2005, dated March 31, 2006.

cc: w/ attachment
Mr. Chuck Headlee, California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Joseph A. Aldridge, Valero Energy Corporation

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.

RECEIVED

By lopprojectop at 8:54 am, Apr 12, 2006



ENVIRONMENTAL RESOLUTIONS, INC.

March 31, 2006
ERI 222913.Q061

Ms. Jennifer C. Sedlachek
ExxonMobil Refining & Supply – Global Remediation
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Groundwater Monitoring Report, First Quarter 2006
Former Exxon Service Station 7-0235
2225 Telegraph Avenue, Oakland, California

INTRODUCTION

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed first quarter 2006 groundwater monitoring and sampling activities at the subject site. Relevant tables, plates, and attachments are included at the end of this report. Currently, the site is an active Valero Service Station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date: 01/26/06

Wells gauged and sampled: MW6B, MW6E through MW6J, RW1, RW2, RW3A

Presence of NAPL: Not observed

Laboratory: Sequoia Analytical, Morgan Hill, California

Analyses performed:

EPA Method 8015B	TPHd, TPHg, TPHmo
EPA Method 8021B	BTEX
EPA Method 8260B	MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE, Ethanol

Waste disposal: 110 gallons purge and decon water delivered to Romic Environmental Technologies Corporation on 01/20/06

REMEDIATION SYSTEM SUMMARY

Prior to 1990, a groundwater extraction and treatment (GET) system operated at the site, under the ownership of Texaco. The GET system was shut down in 1990, and replaced with a soil vapor extraction (SVE) system, which operated from approximately 1991 until 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Mobil in 1996, and has been non-operational since that time. Additional information on the remediation systems is not available in Exxon Mobil or ERI's files.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Mr. Amir Gholami
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577


Mr. Chuck Headlee
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Mr. Joseph A. Aldridge
Valero Energy Corporation
685 West Third Street
Hanford, California 93230

LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This report has been prepared for Exxon Mobil, and any reliance on this report by third parties shall be at such party's sole risk.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Karen Navarro
Karen L. Navarro
Technical Writer

Heidi Dieffenbach-Care
Heidi Dieffenbach-Care
P.G. 6793

- Attachments: Table 1A: Cumulative Groundwater Monitoring and Sampling Data
- Table 1B: Additional Cumulative Groundwater Monitoring and Sampling Data
- Table 2: Well Construction Details

- Plate 1: Site Vicinity Map
- Plate 2: Select Analytical Results
- Plate 3: Groundwater Elevation Map

- Attachment A: Groundwater Sampling Protocol
- Attachment B: Laboratory Analytical Report and Chain-of-Custody Record
- Attachment C: Waste Disposal Documentation

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6B	11/26/96	17.48	12.26	5.22	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6B	02/27/97	17.48	11.73	5.75	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	0.80
MW6B	05/21/97	17.48	12.70	4.78	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6B	08/18/97	17.48	12.89	4.59	NLPH	---	380	---	---	<30	4.3	<0.5	1.2	1.5
MW6B	03/13/98	17.48	11.15	6.33	NLPH	---	360	---	---	<6.2	93	4.9	4.1	12
MW6B	04/20/98	17.48	11.49	5.99	NLPH	---	110	---	---	5.5	19	1.3	1.5	3.9
MW6B	07/21/98	21.37	12.18	9.19	NLPH	---	<50	---	---	8.7	0.84	0.59	<0.5	<0.5
MW6B	10/06/98	21.37	12.70	8.67	NLPH	---	190	---	---	6.0	2.4	0.56	0.51	1.2
MW6B	01/11/99	21.37	12.48	8.89	NLPH	---	50	---	---	3.9	1.2	<0.5	<0.5	0.95
MW6B	04/08/99	21.37	11.52	9.85	NLPH	---	85	---	---	14.0	4.4	<0.5	<0.5	<0.5
MW6B	07/19/99	21.37	11.39	9.98	NLPH	---	<50	---	---	<2.50	<0.5	<0.5	<0.5	<0.5
MW6B	07/27/99	21.37	12.71	8.66	NLPH	---	---	---	---	---	---	---	---	---
MW6B	10/25/99	21.37	12.49	8.88	NLPH	---	260	---	---	<2	2.3	<0.5	<0.5	<0.5
MW6B	01/27/00	21.37	11.80	9.57	NLPH	---	770	---	---	13	210	4.8	4.9	13
MW6B	04/03/00	21.37	11.61	9.76	NLPH	---	670	---	---	3.4	110	6.6	3.8	9.45
MW6B	07/05/00	21.37	12.27	9.10	NLPH	---	<50	---	---	2.1	0.89	<0.5	<0.5	<0.5
MW6B	10/04/00	21.37	12.67	8.70	NLPH	---	<50	---	---	54	<0.5	<0.5	<0.5	2
MW6B	10/05/00	21.37	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6B	01/04/01	21.37	12.47	8.90	NLPH	---	<50	---	---	35	<0.5	<0.5	<0.5	<0.5
MW6B	04/03/01	21.37	11.81	9.56	NLPH	---	<50	---	---	7.8	<0.5	<0.5	<0.5	<0.5
MW6B	07/05/01	21.37	12.44	8.93	NLPH	---	<50	---	---	3	<0.5	<0.5	<0.5	<0.5
MW6B	10/03/01	21.37	12.52	8.85	NLPH	---	310	---	---	10	2.1	<0.5	6.5	11.6
MW6B	Nov-01	21.09	Well surveyed in compliance with AB 2886 requirements.											
MW6B	01/02/02	21.09	11.25	9.84	NLPH	---	710	---	---	21.8	99.5	4.40	3.30	7.40
MW6B	04/02/02	21.09	11.72	9.37	NLPH	---	<50.0	<100	---	12.2	0.60	<0.50	<0.50	<0.50
MW6B	07/01/02	21.09	12.34	8.75	NLPH	---	<50	<100a	---	10.7	<0.5	<0.5	<0.5	<0.5
MW6B	10/02/02	21.09	12.71	8.38	NLPH	---	<50.0	<100	---	10.9	<0.5	<0.5	<0.5	<0.5
MW6B	01/07/03	21.09	11.65	9.44	NLPH	---	82.5	<50	---	20.8	3.7	0.5	<0.5	0.8
MW6B	06/17/03	21.09	12.09	9.00	NLPH	---	<50.0	<100	6.10 a	7.3	0.50	<0.5	<0.5	<0.5
MW6B	07/16/03	21.09	12.29	8.80	NLPH	---	<50.0	<100	8.5	11.0	<0.50	<0.5	<0.5	<0.5
MW6B	10/07/03	21.09	12.63	8.46	NLPH	<50	<50.0	<100	3.10	4.1	<0.50	<0.5	<0.5	<0.5
MW6B	01/14/04	21.09	11.50	9.59	NLPH	54	62.0	<100	11.0	9.0	2.10	<0.5	<0.5	<0.5
MW6B	06/03/04	21.09	12.12	8.97	NLPH	---	56.0	<100	5.90	6.2	0.60	<0.5	<0.5	<0.5
MW6B	08/12/04	21.09	c	c	c	<50c	94.0c	<100c	3.40c	---	0.70c	<0.5c	<0.5c	0.9c
MW6B	11/04/04	21.09	12.27	8.82	NLPH	<50	<50.0	143	2.60	---	<0.50	<0.5	<0.5	0.7
MW6B	02/01/05	21.09	11.48	9.61	NLPH	<100	55.9	<100	7.50	---	1.30	<0.5	<0.5	<0.5
MW6B	05/03/05	21.09	11.48	9.61	NLPH	<50	<50.0	<100	4.90	---	0.50	<0.5	<0.5	0.8
MW6B	08/04/05	21.09	12.23	8.86	NLPH	<50.0	<50.0	<100	5.99	---	<0.500	<0.500	<0.500	0.692
MW6B	10/27/05	21.09	12.60	8.49	NLPH	<50.0	<50.0	<50.0	1.65	---	<0.50	0.94f	<0.50	1.29
MW6B	01/26/06	21.09	11.39	9.70	NLPH	83d	510	<500	12	---	130	12	14	39
MW6E	11/26/96	17.63	12.94	4.69	NLPH	---	<50	---	---	<30	1.1	<0.5	<0.5	<0.5
MW6E	02/27/97	17.63	12.28	5.35	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6E	05/21/97	17.63	13.60	4.03	NLPH	---	160	---	---	<5	10	1.4	5.5	4.8
MW6E	08/18/97	17.63	13.75	3.88	NLPH	---	66	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6E	03/13/98	17.63	11.36	6.27	NLPH	---	<50	---	---	<2.5	<0.5	<0.5	<0.5	<0.5
MW6E	04/20/98	17.63	11.88	5.75	NLPH	---	<50	---	---	<2.5	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 3 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6F	10/25/99	22.51	12.63	9.88	NLPH	---	---	---	---	---	---	---	---	---
MW6F	01/27/00	22.51	12.23	10.28	NLPH	---	---	---	---	---	---	---	---	---
MW6F	04/03/00	22.51	12.11	10.40	NLPH	---	---	---	---	---	---	---	---	---
MW6F	07/05/00	22.51	13.38	9.13	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6F	10/04/00	22.51	14.02	8.49	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	0.7
MW6F	10/05/00	22.51	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6F	01/04/01	22.51	13.69	8.82	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6F	04/03/01	22.51	12.55	9.96	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6F	07/05/01	22.51	13.74	8.77	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6F	10/03/01	22.51	13.82	8.69	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6F	Nov-01	22.17	Well surveyed in compliance with AB 2886 requirements.											
MW6F	01/02/02	22.17	9.16	13.01	NLPH	---	<100	---	---	<0.5	<0.50	<0.50	<0.50	<0.50
MW6F	04/02/02	22.17	12.14	10.03	NLPH	---	<50.0	<100	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	07/01/02	22.17	13.46	8.71	NLPH	---	<50	<100a	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6F	10/02/02	22.17	14.19	7.98	NLPH	---	<50.0	<100	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6F	01/07/03	22.17	11.73	10.44	NLPH	---	<50.0	<50	<0.50	<0.5	<0.5	<0.5	<0.5	<0.5
MW6F	06/17/03	22.17	13.13	9.04	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6F	07/16/03	22.17	13.51	8.66	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6F	10/07/03	22.17	14.05	8.12	NLPH	<50	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6F	01/14/04	22.17	11.90	10.27	NLPH	<50	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6F	06/03/04	22.17	13.45	8.72	NLPH	<50	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5
MW6F	08/12/04	22.17	c	c	c	52c	<50.0c	<100c	<0.50c	---	<0.50c	<0.5c	<0.5c	<0.5c
MW6F	11/04/04	22.17	13.03	9.14	NLPH	<50	<50.0	109	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6F	02/01/05	22.17	11.56	10.61	NLPH	<100	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6F	05/03/05	22.17	11.92	10.25	NLPH	<50	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6F	08/04/05	22.17	13.42	8.75	NLPH	<50.0	<50.0	<100	<0.500	---	<0.500	<0.500	<0.500	<0.500
MW6F	10/27/05	22.17	13.88	8.29	NLPH	<50.0	<50.0	<50.0	<0.500	---	<0.50	<0.50f	<0.50	<0.50
MW6F	01/26/06	22.17	11.83	10.34	NLPH	<50	<50	<500	<0.50	---	<0.50	<0.50	<0.50	<0.50
MW6G	11/26/96	16.82	11.12	5.70	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6G	02/27/97	16.82	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/21/97	16.82	11.76	5.06	NLPH	---	---	---	---	---	---	---	---	---
MW6G	08/18/97	16.82	12.23	4.59	NLPH	---	---	---	---	---	---	---	---	---
MW6G	03/13/98	16.82	9.13	7.69	NLPH	---	<50	---	---	4.4	<0.5	<0.5	<0.5	<0.5
MW6G	04/20/98	16.82	9.73	7.09	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/21/98	20.72	11.15	9.57	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/06/98	20.72	11.91	8.81	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/11/99	20.72	12.00	8.72	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/08/99	20.72	10.04	10.68	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	20.72	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	20.72	11.75	8.97	NLPH	---	---	---	---	---	---	---	---	---
MW6G	10/25/99	20.72	11.76	8.96	NLPH	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	20.72	11.46	9.26	NLPH	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	20.72	10.00	10.72	NLPH	---	---	---	---	---	---	---	---	---
MW6G	07/05/00	20.72	11.24	9.48	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	10/04/00	20.72	11.88	8.84	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	10/05/00	20.72	---	---	---	---	---	<1,000	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6G	01/04/01	20.72	11.56	9.16	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	04/03/01	20.72	10.45	10.27	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	07/05/01	20.72	11.51	9.21	NLPH	---	<50	---	---	<2	0.75	<0.5	<0.5	<0.5
MW6G	10/03/01	20.72	11.63	9.09	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6G	Nov-01	20.46	Well surveyed in compliance with AB 2886 requirements.											
MW6G	01/02/02	20.46	9.15	11.31	NLPH	---	<100	---	---	1.8	<0.50	<0.50	<0.50	<0.50
MW6G	04/02/02	20.46	10.19	10.27	NLPH	---	<50.0	<100	---	1.10	<0.50	<0.50	<0.50	<0.50
MW6G	07/01/02	20.46	11.35	9.11	NLPH	---	<50	<100a	---	1.3	<0.5	<0.5	<0.5	<0.5
MW6G	10/02/02	20.46	11.99	8.47	NLPH	---	<50.0	<100	---	0.7	<0.5	<0.5	<0.5	<0.5
MW6G	01/07/03	20.46	9.97	10.49	NLPH	---	<50.0	<50	2.0	1.3	<0.5	<0.5	<0.5	<0.5
MW6G	06/17/03	20.46	10.98	9.48	NLPH	---	<50.0	<100	1.6	1.5	<0.50	<0.5	<0.5	<0.5
MW6G	07/16/03	20.46	11.37	9.09	NLPH	---	<50.0	<100	0.9	1.2	<0.50	<0.5	<0.5	<0.5
MW6G	10/07/03	20.46	11.90	8.56	NLPH	<50	<50.0	<100	0.80	0.8	<0.50	<0.5	<0.5	<0.5
MW6G	01/14/04	20.46	10.10	10.36	NLPH	<50	<50.0	<100	1.40	1.0	<0.50	<0.5	<0.5	<0.5
MW6G	06/03/04	20.46	11.10	9.36	NLPH	<50	<50.0	<100	1.4	1.40	<0.50	<0.5	<0.5	<0.5
MW6G	08/12/04	20.46	c	c	c	99c	<50.0c	101c	1.10c	---	<0.50c	<0.5c	<0.5c	<0.5c
MW6G	11/04/04	20.46	11.18	9.28	NLPH	<50	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5
MW6G	02/01/05	20.46	9.79	10.67	NLPH	<100	<50.0	<100	3.40	---	<0.50	<0.5	<0.5	<0.5
MW6G	05/03/05	20.46	9.95	10.51	NLPH	<50	<50.0	<100	1.40	---	<0.50	<0.5	<0.5	<0.5
MW6G	08/04/05	20.46	11.22	9.24	NLPH	<50.0	<50.0	<100	1.42	---	<0.500	<0.500	<0.500	<0.500
MW6G	10/27/05	20.46	11.76	8.70	NLPH	<50.0	<50.0	61.3	0.810	---	<0.50	0.93f	<0.50	<0.50
MW6G	01/26/06	20.46	11.07	9.39	NLPH	<50	<50	<500	1.8	---	<0.50	<0.50	<0.50	<0.50
MW6H	11/26/96	16.58	11.87	4.71	NLPH	---	1,200	---	---	<30	320	110	22	85
MW6H	02/27/97	16.58	11.58	5.00	NLPH	---	1,800	---	---	<200	760	31	8.4	44
MW6H	05/21/97	16.58	12.23	4.35	NLPH	---	1,100	---	---	81	640	18	5.4	45
MW6H	08/18/97	16.58	12.29	4.29	NLPH	---	870	---	---	26	200	3.6	2.4	7.4
MW6H	03/13/98	20.47	11.44	9.03	NLPH	---	5,300	---	---	<125	1,900	720	100	470
MW6H	04/20/98	20.47	11.58	8.89	NLPH	---	6,000	---	---	2,700	1,500	600	91	440
MW6H	07/21/98	20.47	11.97	8.50	NLPH	---	2,200	---	---	1,600	740	44	15	63
MW6H	10/06/98	20.47	12.23	8.24	NLPH	---	5,400	---	---	3,000	1,900	<25	<25	76
MW6H	01/11/99	20.47	12.17	8.30	NLPH	---	2,600	---	---	4,300	1,200	<12	<12	20
MW6H	04/08/99	20.47	11.56	8.91	NLPH	---	13,000	---	---	13,000	3,400	1,300	260	1,200
MW6H	07/19/99	20.47	11.71	8.76	NLPH	---	<2,000	---	8,520	6,920	732	<20	<20	<20
MW6H	07/27/99	20.47	12.39	8.08	NLPH	---	---	---	---	---	---	---	---	---
MW6H	10/25/99	20.47	12.16	8.31	NLPH	---	700	---	---	4,000	360	1.1	0.68	2
MW6H	01/27/00	20.47	11.60	8.87	NLPH	---	9,100	---	---	7,600	2,400	840	150	670
MW6H	04/03/00	20.47	11.62	8.85	NLPH	---	12,000	---	---	8,800	2,800	1,100	230	1,020
MW6H	07/05/00	20.47	11.93	8.54	NLPH	---	12,000	---	---	8,000	1,200	56	13	92
MW6H	10/04/00	20.47	12.16	8.31	NLPH	---	4,400	---	---	8,400	1,500	23	12	80.6
MW6H	10/05/00	20.47	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6H	01/04/01	20.47	12.03	8.44	NLPH	---	2,300	---	---	3,800	880	15	6.4	33.9
MW6H	04/03/01	20.47	11.73	8.74	NLPH	---	7,800	---	---	5,100	2,000	730	140	590
MW6H	07/05/01	20.47	11.98	8.49	NLPH	---	2,300	---	---	3,200	630	25	10	40.8
MW6H	10/03/01	20.47	12.1	8.37	NLPH	---	1,400	---	---	550	270	5.6	4.2	11.6
MW6H	Nov-01	20.20	Well surveyed in compliance with AB 2886 requirements.											

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 5 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6H	01/02/02	20.20	11.14	9.06	NLPH	---	47,100	---	---	4,260	7,880	5,220	1,060	4,460
MW6H	04/02/02	20.20	11.68	8.52	NLPH	---	17,500	<500	---	1,590	2,280	1,290	282	1,090
MW6H	07/01/02	20.20	11.97	8.23	NLPH	---	5,370	<100a	---	1,910	1,170	200	44.0	158
MW6H	10/02/02	20.20	12.20	8.00	NLPH	---	2,570	<100	---	899	655	13.0	8.0	25.0
MW6H	01/07/03	20.20	11.58	8.62	NLPH	---	12,500	<50	2,500	1,700	2,480	1,340	250	1,120
MW6H	06/17/03	20.20	11.82	8.38	NLPH	---	6,330	<100	1,660	1,490	604	104	44.0	152
MW6H	07/16/03	20.20	12.89	7.31	NLPH	---	3,170	<100	1,170	1,270	614	20.0	9.5	31.8
MW6H	10/07/03	20.20	12.10	8.10	NLPH	---	2,090	<100	640	612	433	11.6	6.7	22.5
MW6H	01/14/04	20.20	11.55	8.65	NLPH	390	6,320	<100	1,250	59.0	1,340	517	117	515
MW6H	06/03/04	20.20	11.92	8.28	NLPH	---	3,330	<100	632	604	546	128	38.4	140
MW6H	08/12/04	20.20	c	c	c	174c	1,920c	<100c	426c	---	330c	17.9c	9.3c	35.3c
MW6H	11/04/04	20.20	11.86	8.34	NLPH	578	8,090	552	442	---	1,280	620	185	822
MW6H	02/01/05	20.20	11.55	8.65	NLPH	616	9,500	193	335	---	1,360	764	214	844
MW6H	05/03/05	20.20	11.54	8.66	NLPH	560d	9,120	168	323	---	1,320	886	245	928
MW6H	08/04/05	20.20	11.89	8.31	NLPH	269d	1,810	143	268	---	349	57.0	20.1	70.0
MW6H	10/27/05	20.20	12.10	8.10	NLPH	228	942	98.5	164	---	154	23.1f	6.09	23.2
MW6H	01/26/06	20.20	11.54	8.66	NLPH	910d	20,000	<500	270	---	3,200	3,400	660	3,100
MW6I	11/26/96	16.26	12.45	3.81	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6I	02/27/97	16.26	12.24	4.02	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6I	05/21/97	16.26	12.82	3.44	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6I	08/18/97	16.26	12.81	3.45	NLPH	---	<50	---	---	<30	<0.5	<0.5	<0.5	<0.5
MW6I	03/13/98	16.26	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/20/98	16.26	12.14	4.12	NLPH	---	<50	---	---	<2.5	<0.5	<0.5	<0.5	<0.5
MW6I	07/21/98	20.24	12.59	7.65	NLPH	---	<50	---	---	<2.5	<0.5	<0.5	<0.5	<0.5
MW6I	10/06/98	20.24	12.81	7.43	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/11/99	20.24	12.74	7.50	NLPH	---	<50	---	---	<2.5	<0.5	<0.5	<0.5	<0.5
MW6I	04/08/99	20.24	11.93	8.31	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/19/99	20.24	11.75	8.49	NLPH	---	281	---	---	17.6	35.4	9.1	7.4	30.7
MW6I	07/27/99	20.24	12.95	7.29	NLPH	---	---	---	---	---	---	---	---	---
MW6I	10/25/99	20.24	12.79	7.45	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/27/00	20.24	12.06	8.18	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/00	20.24	12.24	8.00	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/05/00	20.24	12.48	7.76	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/05/00	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6I	01/04/01	20.24	12.54	7.70	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/01	20.24	12.32	7.92	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	07/05/01	20.24	12.55	7.69	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	10/03/01	20.24	12.67	7.57	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5
MW6I	Nov-01	19.87	Well surveyed in compliance with AB 2886 requirements.											
MW6I	01/02/02	19.87	10.98	8.89	NLPH	---	<100	---	---	<0.5	<0.50	<0.50	<0.50	<0.50
MW6I	04/02/02 b	19.87	12.24	7.63	NLPH	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	19.87	12.51	7.36	NLPH	---	<50	<100a	---	<0.5	<0.5	<0.5	<0.5	<0.5
MW6I	10/02/02 b	19.87	12.72	7.15	NLPH	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	19.87	12.09	7.78	NLPH	---	<50.0	<50	1.10	<0.5	<0.5	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 6 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW6I	06/17/03 b	19.87	---	---	---	---	---	---	---	---	---	---	---	---	
MW6I	07/16/03	19.87	12.49	7.38	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5	
MW6I	10/07/03 b	19.87	12.64	7.23	NLPH	---	---	---	---	---	---	---	---	---	
MW6I	01/14/04	19.87	12.13	7.74	NLPH	---	<50.0	<100	<0.50	<0.5	<0.50	<0.5	<0.5	<0.5	
MW6I	06/03/04 b	19.87	12.56	7.31	NLPH	---	---	---	---	---	---	---	---	---	
MW6I	08/12/04	19.87	c	c	c	99c	<50.0c	155c	<0.50c	---	<0.50c	<0.5c	<0.5c	0.8c	
MW6I	11/04/04 b	19.87	12.33	7.54	NLPH	---	---	---	---	---	---	---	---	---	
MW6I	02/01/05	19.87	12.09	7.78	NLPH	<100	<50.0	<100	<0.50	---	<0.50	<0.5	<0.5	<0.5	
MW6I	05/03/05 b	19.87	12.16	7.71	NLPH	---	---	---	---	---	---	---	---	---	
MW6I	08/04/05	19.87	12.46	7.41	NLPH	54.2d	<50.0	<100	<0.500	---	<0.500	<0.500	<0.500	<0.500	
MW6I	10/27/05 b	19.87	12.58	7.29	NLPH	---	---	---	---	---	---	---	---	---	
MW6I	01/26/06	19.87	12.04	7.83	NLPH	<50	<50	<500	<0.50	---	<0.50	<0.50	<0.50	<0.50	
MW6J	07/05/01	20.72	13.47	7.25	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5	
MW6J	10/03/01	20.72	13.57	7.15	NLPH	---	<50	---	---	<2	<0.5	<0.5	<0.5	<0.5	
MW6J	Nov-01	20.75	Well surveyed in compliance with AB 2886 requirements.												
MW6J	01/02/02	20.75	13.19	7.56	NLPH	---	<100	---	---	<0.5	<0.50	<0.50	<0.50	<0.50	
MW6J	04/02/02	20.75	13.74	7.01	NLPH	---	<50.0	<100	---	1.00	0.80	<0.50	<0.50	0.80	
MW6J	07/01/02	20.75	13.58	7.17	NLPH	---	<50	<100a	---	<0.5	<0.5	<0.5	<0.5	<0.5	
MW6J	10/02/02	20.75	13.79	6.96	NLPH	---	<50.0	<100	---	<0.5	<0.5	<0.5	<0.5	<0.5	
MW6J	01/07/03	20.75	13.49	7.26	NLPH	---	<50.0	<50	1.30	0.60	<0.5	<0.5	<0.5	<0.5	
MW6J	06/17/03	20.75	13.76	6.99	NLPH	---	<50.0	<100	0.70	3.00	<0.50	<0.5	<0.5	<0.5	
MW6J	07/16/03	20.75	13.57	7.18	NLPH	---	<50.0	<100	0.60	0.70	<0.50	<0.5	<0.5	<0.5	
MW6J	10/07/03	20.75	13.74	7.01	NLPH	---	<50.0	<100	1.20	1.1	<0.50	<0.5	<0.5	<0.5	
MW6J	01/14/04	20.75	13.46	7.29	NLPH	<50	<50.0	<100	1.80	1.8	<0.50	<0.5	<0.5	<0.5	
MW6J	06/03/04	20.75	13.72	7.03	NLPH	<50	<50.0	<100	10.3	5.1	0.50	<0.5	<0.5	<0.5	
MW6J	08/12/04	20.75	c	c	c	<50c	<50.0c	<100c	3.30c	---	1.40c	2.1c	1.3c	4.6c	
MW6J	11/04/04	20.75	13.68	7.07	NLPH	<50	<50.0	116	3.50	---	0.50	0.5	<0.5	<0.5	
MW6J	02/01/05	20.75	13.47	7.28	NLPH	<100	<50.0	<100	5.50	---	<0.50	<0.5	<0.5	0.6	
MW6J	05/03/05	20.75	13.66	7.09	NLPH	<50	<50.0	<100	3.00	---	0.70	0.9	0.6	0.8	
MW6J	08/04/05	20.75	13.75	7.00	NLPH	55.8d	<50.0	130	<0.500	---	<0.500	<0.500	<0.500	<0.500	
MW6J	10/27/05	20.75	13.71	7.04	NLPH	<50.0	<50.0	<50.0	2.48	---	<0.50	0.94f	<0.50	<0.50	
MW6J	01/26/06	20.75	13.49	7.26	NLPH	<50	<50	<500	6.2	---	<0.50	<0.50	<0.50	<0.50	
RW1	Not Monitored 6/16/92 through 10/6/98.														
RW1	01/11/99	20.24	12.37	7.87	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/08/99	20.24	10.41	9.83	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/19/99	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	07/27/99	20.24	12.76	7.48	NLPH	---	---	---	---	---	---	---	---	---	
RW1	10/25/99	20.24	12.50	7.74	NLPH	---	---	---	---	---	---	---	---	---	
RW1	01/27/00	20.24	12.11	8.13	NLPH	---	---	---	---	---	---	---	---	---	
RW1	04/03/00	20.24	12.07	8.17	NLPH	---	---	---	---	---	---	---	---	---	
RW1	07/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	10/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---	
RW1	01/04/01	20.24	13.90	6.34	NLPH	---	8,000	---	---	2,500	1,200	65	250	258	
RW1	04/03/01	20.24	11.92	8.32	NLPH	---	4,100	---	---	610	62	<2.5	18	61	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 7 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
RW1	07/05/01	20.24	Well Inaccessible												
RW1	10/03/01	20.24	12.32	8.32	NLPH	---	11,000	---	---	4,100	1,900	780	150	700	
RW1	Nov-01	20.43	Well surveyed in compliance with AB 2886 requirements.												
RW1	01/02/02	20.43	10.85	9.58	NLPH	---	32,000	---	---	7,760	358	2,270	894	4,820	
RW1	04/02/02	20.43	11.72	8.71	NLPH	---	4,220	<500	---	922	172	22.5	106	340	
RW1	07/01/02	20.43	12.17	8.26	NLPH	---	2,500	<100a	---	986	176	8.0	71.0	75.0	
RW1	10/02/02	20.43	12.44	7.99	NLPH	---	2,970	1,720	---	1,310	197	11.0	70.0	69.0	
RW1	01/07/03	20.43	11.64	8.79	NLPH	---	2,210	1,340	1,010	747	134	12.0	33.0	53.0	
RW1	06/17/03	20.43	11.98	8.45	NLPH	---	3,850	316	847	645	48.9	38.7	46.1	197	
RW1	07/16/03	20.43	12.11	8.32	NLPH	---	2,640	2,080	615	730	78.5	20.0	47.5	166	
RW1	10/07/03	20.43	12.35	8.08	NLPH	1,340	2,310	1,040	578	744	118	7.6	25.1	52.1	
RW1	01/14/04	20.43	11.61	8.82	NLPH	4,240	4,230	5,640	328	7.8	52.7	65.8	42.7	543	
RW1	06/03/04	20.43	12.12	8.31	NLPH	---	2,910	1,840	250	234	79.9	6.0	28.6	67.2	
RW1	08/12/04	20.43	c	c	c	---	1,980c	164c	107c	---	146c	5.7c	18.1c	10.9c	
RW1	11/04/04	20.43	12.06	8.37	NLPH	2,570	127,000	1,790	386	---	130	5,150	4,020	24,300	
RW1	02/01/05	20.43	11.55	8.88	NLPH	3,530	2,880	4,680	78.7	---	25.3	13.3	49.3	258	
RW1	05/03/05	20.43	11.58	8.85	NLPH	6,830d,e	2,490	14,600	91.3	---	33.8	18.4	17.3	97.7	
RW1	08/04/05	20.43	12.10	8.33	NLPH	2,430d	3,080	3,410	49.6	---	193	20.4	48.2	117	
RW1	10/27/05	20.43	12.32	8.11	NLPH	1,970	348	2,960	36.3	---	9.40	1.99f	2.22	5.36	
RW1	01/26/06	20.43	11.55	8.88	NLPH	5,000d	640	<10,000	72	---	13	7.5	1.8	5.2	
RW2	Not Monitored 6/16/92 through 4/20/98.														
RW2	07/21/98	20.44	12.65	7.79	NLPH	---	3,500	---	---	170	240	100	41	96	
RW2	10/06/98	20.44	13.06	7.38	NLPH	---	3,200	---	---	200	120	48	56	120	
RW2	01/11/99	20.44	12.88	7.56	NLPH	---	3,300	---	---	350	150	17	35	40	
RW2	04/08/99	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---	
RW2	07/19/99	20.44	11.61	8.83	NLPH	---	1,980	---	499	160	44	4.16	22.3	11.6	
RW2	07/27/99	20.44	13.26	7.18	NLPH	---	---	---	---	---	---	---	---	---	
RW2	10/25/99	20.44	12.96	7.48	NLPH	---	1,800	---	---	440	51	<0.5	4.7	9.5	
RW2	01/27/00	20.44	12.70	7.74	NLPH	---	1,900	---	---	750	38	<2.5	4.8	10.4	
RW2	04/03/00	20.44	11.97	8.47	NLPH	---	2,100	---	---	300	28	2.4	1.4	0.73	
RW2	07/05/00	20.44	12.50	7.94	NLPH	---	2,300	---	---	230	20	<2.5	5.3	8	
RW2	10/04/00	20.44	12.97	7.47	NLPH	---	1,300	---	---	570	42	<2.5	15	17.7	
RW2	10/05/00	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---	
RW2	01/04/01	20.44	13.71	6.73	NLPH	---	1,000	---	---	380	33	<2.5	13	17.7	
RW2	04/03/01	20.44	12.10	8.34	NLPH	---	1,300	---	---	99	18	2.1	16	19.4	
RW2	07/05/01	20.44	---	---	Not sampler	---	---	---	---	---	---	---	---	---	
RW2	10/03/01	20.44	12.8	7.64	NLPH	---	1,900	---	---	240	35	4.4	34	105	
RW2	Nov-01	20.64	Well surveyed in compliance with AB 2886 requirements.												
RW2	01/02/02	20.64	10.22	10.42	NLPH	---	2,440	---	---	76.0	24.4	6.20	26.2	83.0	
RW2	04/02/02	20.64	12.02	8.62	NLPH	---	1,460	260	---	47.5	8.60	3.30	5.30	29.1	
RW2	07/01/02	20.64	12.51	8.13	NLPH	---	1,380	<100a	---	39.9	11.0	1.8	17.9	45.0	
RW2	10/02/02	20.64	12.91	7.73	NLPH	---	720	<100	---	46.9	5.5	1.7	3.7	11.9	
RW2	01/07/03	20.64	11.61	9.03	NLPH	---	1,180	197	56.0	48.0	12.3	3.6	12.2	25.6	
RW2	06/17/03	20.64	12.32	8.32	NLPH	---	1,070	<100	26.4	29.7	13.9	4.4	11.8	16.9	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 8 of 9)

Well ID	Sampling Date	TOC (fmsl)	DTW (fbgs)	GW Elev. (fmsl)	SUBJ	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8260B (µg/L)	MTBE 8021B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW2	07/16/03	20.64	12.51	8.13	NLPH	---	1,200	295	19.3	32.9	6.60	4.1	10.9	12.3
RW2	10/07/03	20.64	12.81	7.83	NLPH	332	1,170	<100	50.2	55.0	8.70	1.1	9.3	12.2
RW2	01/14/04	20.64	11.70	8.94	NLPH	167	1,250	<100	128	8.4	18.0	4.4	8.6	10.7
RW2	06/03/04	20.64	12.93	7.71	NLPH	---	1,100	1,310	10.9	17.0	6.70	1.3	4.0	11.5
RW2	08/12/04	20.64	c	c	c	438c	1,110c	521c	32.8c	---	7.00c	1.5c	3.1c	10.2c
RW2	11/04/04	20.64	12.30	8.34	NLPH	503	506	419	r	---	4.30	5.9	6.2	16.0
RW2	02/01/05	20.64	11.61	9.03	NLPH	725	640	1,400	13.7	---	5.30	1.5	4.0	3.8
RW2	05/03/05	20.64	11.72	8.92	NLPH	493d,e	1,130	801	8.20	---	10.3	1.1	5.8	6.3
RW2	08/04/05	20.64	12.46	8.18	NLPH	3,020d	1,060	3,810	9.02	---	6.36	0.848	1.90	2.47
RW2	10/27/05	20.64	12.71	7.93	NLPH	716	163	703	8.74	---	<0.50	<0.50	<0.50	0.95
RW2	01/26/06	20.64	11.65	8.99	NLPH	410d	620a	<500	5.1	---	6.1a	1.2a	4.3a	2.1a
RW3A	Not monitored 6/16/92 through 4/20/98.													
RW3A	07/21/98	21.75	13.08	8.67	NLPH	---	280	---	---	16	97	<1.2	<1.2	<1.2
RW3A	10/06/98	21.89	13.72	8.17	NLPH	---	78	---	---	26	26	0.89	<0.5	<0.5
RW3A	01/11/99	21.75	12.00	9.75	NLPH	---	1,000	---	---	230	490	5.0	<5.0	7.4
RW3A	04/08/99	21.75	11.90	9.85	NLPH	---	130	---	---	11	70	<1.0	<1.0	<1.0
RW3A	07/19/99	21.75	11.75	10.00	NLPH	---	989	---	---	16.4	393	6.40	5.70	15.0
RW3A	07/27/99	21.75	13.68	8.07	NLPH	---	---	---	---	---	---	---	---	---
RW3A	10/25/99	21.75	13.61	8.14	NLPH	---	150	---	---	19	53	<0.5	<0.5	<0.5
RW3A	01/27/00	21.75	12.22	9.53	NLPH	---	500	---	---	12	210	0.59	1.40	2.29
RW3A	04/03/00	21.75	12.00	9.75	NLPH	---	1,100	---	---	16	420	1.6	1.8	1.4
RW3A	07/05/00	21.75	13.01	8.74	NLPH	---	1,200	---	---	16	440	1.4	2.5	1.9
RW3A	10/04/00	21.75	13.60	8.15	NLPH	---	390	---	---	8.3	160	1.1	1.5	2.6
RW3A	10/05/00	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW3A	01/04/01	21.75	13.65	8.10	NLPH	---	500	---	---	12	230	0.97	1.1	1.4
RW3A	04/03/01	21.75	12.30	9.45	NLPH	---	710	---	---	7.5	290	<0.5	<0.5	<0.5
RW3A	07/05/01	21.75	13.28	8.47	NLPH	---	640	---	---	9	280	1.4	1.6	2.7
RW3A	10/03/01	21.75	13.58	8.17	NLPH	---	<50	---	---	12	21	<0.5	<0.5	<0.5
RW3A	Nov-01	21.89	Well surveyed in compliance with AB 2886 requirements.											
RW3A	01/02/02	21.89	10.80	11.09	NLPH	---	<100	---	---	11.2	<0.50	<0.50	<0.50	<0.50
RW3A	04/02/02	21.89	12.03	9.86	NLPH	---	55.7	<100	---	11.0	1.30	<0.50	<0.50	<0.50
RW3A	07/01/02	21.89	13.13	8.76	NLPH	---	275	<100a	---	21.7	60.4	<0.5	2.4	4.2
RW3A	10/02/02	21.89	13.70	8.19	NLPH	---	138	114	---	11.1	53.4	<0.5	<0.5	0.7
RW3A	01/07/03	21.89	11.77	10.12	NLPH	---	<50.0	<50	30.9	22.4	1.5	<0.5	<0.5	<0.5
RW3A	06/17/03	21.89	12.82	9.07	NLPH	---	54.5	<100	16.0	12.8	7.40	<0.5	<0.5	<0.5
RW3A	07/16/03	21.89	13.40	8.49	NLPH	---	112	<100	13.6	18.0	26.0	<0.5	<0.5	<0.5
RW3A	10/07/03	21.89	13.93	7.96	NLPH	124	62.6	<100	11.3	10.4	7.30	<0.5	<0.5	<0.5
RW3A	01/14/04	21.89	11.55	10.34	NLPH	401	<50.0	<100	16.2	11.7	3.10	<0.5	<0.5	<0.5
RW3A	06/03/04	21.89	13.43	8.46	NLPH	---	79.0	<100	22.4	19.4	6.30	<0.5	<0.5	<0.5
RW3A	08/12/04	21.89	c	c	c	1,190c	<50.0c	296c	16.2c	---	<0.50c	<0.5c	<0.5c	<0.5c
RW3A	11/04/04	21.89	12.91	8.98	NLPH	178	<50.0	122	5.40	---	<0.50	1.7	0.7	3.6
RW3A	02/01/05	21.89	11.63	10.26	NLPH	<100	<50.0	<100	11.8	---	<0.50	<0.5	<0.5	<0.5
RW3A	05/03/05	21.89	11.79	10.10	NLPH	158d	<50.0	<100	8.50	---	<0.50	<0.5	<0.5	<0.5
RW3A	08/04/05	21.89	12.99	8.90	NLPH	687d	89.9	107	16.7	---	26.0	0.645	<0.500	0.835
RW3A	10/27/05	21.89	13.49	8.40	NLPH	140	<50.0	79.1	4.00	---	9.63	<0.50	<0.50	0.65
RW3A	01/26/06	21.89	11.76	10.13	NLPH	210d	100a	<500	17	---	5.6a	<0.50a	<0.50a	<0.50a

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 9 of 9)

Notes:

TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
fbgs	=	Feet below ground surface.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
—	=	Not measured/Not sampled.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	TPH-diesel result was not consistent with diesel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 4)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6B	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6B	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6B	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6B	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6B	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6B	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6B	01/26/06	<0.50	0.56	<20	<0.50	<0.50	<0.50	<100
MW6E	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6E	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6E	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6E	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6E	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6E	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6E	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6F	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6F	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6F	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6F	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6F	05/03/05	<0.50	0.90	<10.0	<0.50	1.70	<0.50	<50.0
MW6F	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6F	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6F	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6G	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
MW6G	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 2 of 4)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6G	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
MW6G	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6G	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6G	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6G	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6G	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6H	01/07/03	<0.50	<0.50	952	<0.50	<0.50	7.50	--
MW6H	06/17/03	<0.50	<0.50	678	<0.50	<0.50	7.10	<100
MW6H	07/16/03	<0.50	0.70	307	<0.50	14.6	6.20	<100
MW6H	10/07/03	<0.50	<0.50	294	<0.50	<0.50	7.40	<100
MW6H	01/14/04	<0.50	<0.50	883	<0.50	<0.50	6.80	<50.0
MW6H	06/03/04	<0.50	<0.50	541	<0.50	<0.50	5.80	<50.0
MW6H	08/12/04	<0.50c	<0.50c	754c	<0.50c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6H	02/01/05	<0.50	<0.50	625	<0.50	<0.50	4.20	<50.0
MW6H	05/03/05	<0.50	<0.50	436	<0.50	<0.50	3.10	<50.0
MW6H	08/04/05	<0.500	<0.500	530	<0.500	<0.500	3.73	<50.0
MW6H	10/27/05	<0.500	<0.500	422	<0.500	<0.500	4.62	<100
MW6H	01/26/06	<25	<25	<1,000	<25	<25	<25	<5,000
MW6I	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW6I	06/17/03 b	--	--	--	--	--	--	--
MW6I	07/16/03	<0.50	<0.50	16.4	<0.50	<0.50	<0.50	<100
MW6I	10/07/03 b	--	--	--	--	--	--	--
MW6I	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6I	06/03/04 b	--	--	--	--	--	--	--
MW6I	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<0.50c	<50.0c
MW6I	11/04/04 b	--	--	--	--	--	--	--
MW6I	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6I	05/03/04 b	--	--	--	--	--	--	--
MW6I	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6I	10/27/05 b	--	--	--	--	--	--	--
MW6I	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
MW6J	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
MW6J	06/17/03	<0.50	<0.50	<10.0	<0.50	0.90	<0.50	<100
MW6J	07/16/03	<0.50	<0.50	<10.0	<0.50	1.00	<0.50	<100
MW6J	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.5	<0.50	<100

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 3 of 4)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6J	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	06/03/04	<0.50	<0.50	<10.0	<0.50	2.00	<0.50	<50.0
MW6J	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	1.20c	<0.50c	<50.0c
MW6J	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
MW6J	02/01/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	05/03/05	<0.50	<0.50	<10.0	<0.50	1.20	<0.50	<50.0
MW6J	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
MW6J	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
MW6J	01/26/06	<0.50	<0.50	<20	<0.50	1.1	<0.50	<100
RW1	01/07/03	<10.0	<10.0	<200	<10.0	<10.0	<10.0	--
RW1	06/17/03	<0.50	<0.50	324	<0.50	<0.50	<0.50	<100
RW1	07/16/03	<0.50	<0.50	110	<10.0	1.70	1.10	<100
RW1	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW1	01/14/04	<0.50	<0.50	234	<0.50	<0.50	0.90	<50.0
RW1	06/03/04	<0.50	<0.50	338	<0.50	<0.50	1.30	<50.0
RW1	08/12/04	<0.50c	<0.50c	437c	1.30c	<0.50c	1.20c	<50.0c
RW1	11/04/04	<0.50	<0.50	541	<0.50	<0.50	<0.50	<50.0
RW1	02/01/05	<0.50	<0.50	261	<0.50	<0.50	1.80	<50.0
RW1	05/03/05	<0.50	<0.50	200	<0.50	<0.50	<0.50	<50.0
RW1	08/04/05	<0.500	<0.500	169	<0.500	<0.500	<0.500	<50.0
RW1	10/27/05	<0.500	<0.500	152	<0.500	<0.500	0.660	<100
RW1	01/26/06	<2.5	<2.5	280	<2.5	<2.5	<2.5	<500
RW2	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
RW2	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100
RW2	01/14/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0
RW2	06/03/04	<0.50	<0.50	370	<0.50	<0.50	<0.50	<50.0
RW2	08/12/04	<0.50c	<0.50c	<10.0c	1.30c	<0.50c	<0.50c	<50.0c
RW2	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW2	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW2	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	<0.500	<100
RW2	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
RW3A	01/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	--
RW3A	06/17/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<100
RW3A	07/16/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	10/07/03	<0.50	<0.50	<10.0	<0.50	<0.50	1.40	<100
RW3A	01/14/04	<0.50	<0.50	<10.0	<0.50	<0.50	2.20	<50.0
RW3A	06/03/04	<0.50	<0.50	<10.0	<0.50	<0.50	1.20	<50.0

TABLE 1B
ADDITIONAL CUMMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 4 of 4)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW3A	08/12/04	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	1.10c	<50.0c
RW3A	11/04/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
RW3A	02/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	2.10	<50.0
RW3A	05/03/05	<0.50	<0.50	<10.0	<0.50	<0.50	0.60	<50.0
RW3A	08/04/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0
RW3A	10/27/05	<0.500	<0.500	<20.0	<0.500	<0.500	0.980	<100
RW3A	01/26/06	<0.50	<0.50	<20	<0.50	<0.50	3.2	<100


Notes:		
TOC	=	Top of casing elevation; datum is mean sea level.
SUBJ	=	Results of subjective evaluation.
NLPH	=	No liquid-phase hydrocarbons present in well.
sheen	=	Liquid-phase hydrocarbon present as sheen.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
fbgs	=	Feet below ground surface.
µg/L	=	Micrograms per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
—	=	Not measured/Not sampled.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	TPH-diesel result was not consistent with diesel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 7-0235
2225 Telegraph Avenue
Oakland, California
(Page 1 of 1)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (fbgs)	Well Depth (fbgs)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (fbgs)	Slot Size (inches)	Filter Pack Interval (fbgs)	Filter Pack Material
MW6A	July 1988	NS	8	20	19.5	2	PVC	9.5-19.5	0.020	7.5-20	#3 Sand
MW6B	July 1988	21.09	8	20	19	2	PVC	9-19	0.020	7-20	#3 Sand
MW6C	July 1988	NS	8	20	19.5	2	PVC	9.5-19.5	0.020	7.5-20	#3 Sand
MW6D	July 1988	NS	8	20	19.5	2	PVC	9.5-19.5	0.020	7.5-20	#3 Sand
MW6E	Dec. 1988	21.24	10.5	21.5	20.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	Dec. 1988	22.17	10.5	22	20	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6G	Dec. 1988	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	Dec. 1988	20.20	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	Dec. 1988	19.87	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
RW1	06/05/92	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
RW2	06/05/92	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:


TOC = Top of well casing elevation; datum is mean sea level.
fbgs = Feet below ground surface.
NS = Not specified.




3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Date: 11/87/84 550 ft Scale 1:19,200 Detail: 13-4 Datum: WGS84

FN 2229Topo

EXPLANATION



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP

FORMER EXXON SERVICE STATION 7-0235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.

2229

PLATE



1

Analyte Concentrations in ug/L
 Sampled January 26, 2006

20,000 Total Petroleum Hydrocarbons
 as gasoline
 3,200 Benzene
 270 Methyl Tertiary Butyl Ether
 (EPA Method 8260B)



< Less Than the Stated Laboratory
 Reporting Limit

ug/L Micrograms per Liter



FN 2229004a_QM

	<p>SELECT ANALYTICAL RESULTS January 26, 2006 FORMER EXXON SERVICE STATION 7-0235 2225 Telegraph Avenue Oakland, California</p>	<p>EXPLANATION</p> <p>MW6J Groundwater Monitoring Well</p> <p>RW3A Recovery Groundwater Monitoring Well</p>	<p>PROJECT NO. 2229</p>
			<p>PLATE 2</p>



FN 2229004a_QM

10.0---- Line of Equal Groundwater Elevation;
datum is mean sea level

GROUNDWATER ELEVATION MAP
January 26, 2006
 FORMER
 EXXON SERVICE STATION 7-0235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

	MW6J	Groundwater Monitoring Well
7.26		Groundwater elevation in feet; datum is mean sea level
	RW3A	Recovery Groundwater Monitoring Well

PROJECT NO.	2229
PLATE	3



ATTACHMENT A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h(7.48)$ where:

r	=	radius of the well casing in feet.
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody form.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.


ATTACHMENT B

**LABORATORY ANALYTICAL REPORT
AND CHAIN-OF-CUSTODY RECORD**



14 February, 2006

Paula Sime
Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma, CA 94954



RE: Exxon 7-0235
Work Order: MPA1461

Enclosed are the results of analyses for samples received by the laboratory on 01/27/06 17:00. The samples arrived at a temperature of 4° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Leticia Reyes
Project Manager

CA ELAP Certificate #1210

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
QCBB	MPA1461-01	Water	01/26/06 15:40	01/27/06 17:00
MW6B	MPA1461-02	Water	01/26/06 15:51	01/27/06 17:00
MW6E	MPA1461-03	Water	01/26/06 15:15	01/27/06 17:00
MW6F	MPA1461-04	Water	01/26/06 14:58	01/27/06 17:00
MW6G	MPA1461-05	Water	01/26/06 15:30	01/27/06 17:00
MW6H	MPA1461-06	Water	01/26/06 17:04	01/27/06 17:00
MW6I	MPA1461-07	Water	01/26/06 14:36	01/27/06 17:00
MW6J	MPA1461-08	Water	01/26/06 10:05	01/27/06 17:00
RW1	MPA1461-09	Water	01/26/06 16:48	01/27/06 17:00
RW2	MPA1461-10	Water	01/26/06 16:32	01/27/06 17:00
RW3A	MPA1461-11	Water	01/26/06 16:12	01/27/06 17:00

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6B (MPA1461-02) Water Sampled: 01/26/06 15:51 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	510	250	ug/l	5	6B09007	02/09/06	02/09/06	EPA 8015B/8021B	
Benzene	130	2.5	"	"	"	"	"	"	
Toluene	12	2.5	"	"	"	"	"	"	
Ethylbenzene	14	2.5	"	"	"	"	"	"	
Xylenes (total)	39	2.5	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		98 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		106 %	80-120		"	"	"	"	
MW6E (MPA1461-03) Water Sampled: 01/26/06 15:15 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6B07009	02/07/06	02/07/06	EPA 8015B/8021B	
Benzene	7.2	0.50	"	"	"	"	"	"	
Toluene	0.67	0.50	"	"	"	"	"	"	
Ethylbenzene	0.71	0.50	"	"	"	"	"	"	
Xylenes (total)	2.0	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		110 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	80-120		"	"	"	"	
MW6F (MPA1461-04) Water Sampled: 01/26/06 14:58 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6B07009	02/07/06	02/07/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		111 %	80-120		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		107 %	80-120		"	"	"	"	

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6G (MPA1461-05) Water Sampled: 01/26/06 15:30 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6B07009	02/07/06	02/07/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		112 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %	80-120		"	"	"	"	
MW6H (MPA1461-06) Water Sampled: 01/26/06 17:04 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	2000	5000	ug/l	100	6B09007	02/09/06	02/09/06	EPA 8015B/8021B	
Benzene	3200	50	"	"	"	"	"	"	
Toluene	3400	50	"	"	"	"	"	"	
Ethylbenzene	660	50	"	"	"	"	"	"	
Xylenes (total)	3100	50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		93 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %	80-120		"	"	"	"	
MW6I (MPA1461-07) Water Sampled: 01/26/06 14:36 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6B07009	02/07/06	02/07/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		111 %	80-120		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		104 %	80-120		"	"	"	"	

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW6J (MPA1461-08) Water Sampled: 01/26/06 10:05 Received: 01/27/06 17:00

Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6B07009	02/07/06	02/07/06	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	

Surrogate: a,a,a-Trifluorotoluene

112 % 80-120

Surrogate: 4-Bromofluorobenzene

107 % 80-120

RW1 (MPA1461-09) Water Sampled: 01/26/06 16:48 Received: 01/27/06 17:00

Gasoline Range Organics (C4-C12)	640	50	ug/l	1	6B09007	02/09/06	02/09/06	EPA 8015B/8021B	
Benzene	13	0.50	"	"	"	"	"	"	CF1
Toluene	7.5	0.50	"	"	"	"	"	"	CF1
Ethylbenzene	1.8	0.50	"	"	"	"	"	"	CF1
Xylenes (total)	5.2	0.50	"	"	"	"	"	"	CF1

Surrogate: a,a,a-Trifluorotoluene

115 % 80-120

Surrogate: 4-Bromofluorobenzene

120 % 80-120

RW2 (MPA1461-10) Water Sampled: 01/26/06 16:32 Received: 01/27/06 17:00
HT-04

Gasoline Range Organics (C4-C12)	620	50	ug/l	1	6B11008	02/11/06	02/11/06	EPA 8015B/8021B	
Benzene	6.1	0.50	"	"	"	"	"	"	
Toluene	1.2	0.50	"	"	"	"	"	"	CF1
Ethylbenzene	4.3	0.50	"	"	"	"	"	"	CF1
Xylenes (total)	2.1	0.50	"	"	"	"	"	"	

Surrogate: a,a,a-Trifluorotoluene

94 % 80-120

Surrogate: 4-Bromofluorobenzene

109 % 80-120

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0235 Project Number: 7-0235 Project Manager: Paula Sime	MPA1461 Reported: 02/14/06 16:28
---	--	--

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
RW3A (MPA1461-11) Water									HT-04
Sampled: 01/26/06 16:12 Received: 01/27/06 17:00									
Gasoline Range Organics (C4-C12)	100	50	ug/l	1	6B11008	02/11/06	02/11/06	EPA 8015B/8021B	
Benzene	5.6	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		98 %		80-120	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		96 %		80-120	"	"	"	"	

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6B (MPA1461-02) Water Sampled: 01/26/06 15:51 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/07/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	83	50	"	"	"	"	"	"	HC-12
Surrogate: n-Octacosane		82 %	34-123		"	"	"	"	
MW6E (MPA1461-03) Water Sampled: 01/26/06 15:15 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/03/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	"	"	
Surrogate: n-Octacosane		68 %	34-123		"	"	"	"	
MW6F (MPA1461-04) Water Sampled: 01/26/06 14:58 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/03/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	"	"	
Surrogate: n-Octacosane		68 %	34-123		"	"	"	"	
MW6G (MPA1461-05) Water Sampled: 01/26/06 15:30 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	"	"	
Surrogate: n-Octacosane		64 %	34-123		"	"	"	"	
MW6H (MPA1461-06) Water Sampled: 01/26/06 17:04 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	910	50	"	"	"	"	"	"	HC-12
Surrogate: n-Octacosane		73 %	34-123		"	"	"	"	
MW6I (MPA1461-07) Water Sampled: 01/26/06 14:36 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	"	"	
Surrogate: n-Octacosane		66 %	34-123		"	"	"	"	

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6J (MPA1461-08) Water Sampled: 01/26/06 10:05 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	"	"	
Surrogate: n-Octacosane		68 %	34-123		"	"	"	"	
RW1 (MPA1461-09) Water Sampled: 01/26/06 16:48 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	10000	ug/l	20	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	5000	1000	"	"	"	"	"	"	HC-12
Surrogate: n-Octacosane		650 %	34-123		"	"	"	"	S04
RW2 (MPA1461-10) Water Sampled: 01/26/06 16:32 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	410	50	"	"	"	"	"	"	HC-12
Surrogate: n-Octacosane		90 %	34-123		"	"	"	"	
RW3A (MPA1461-11) Water Sampled: 01/26/06 16:12 Received: 01/27/06 17:00									
Motor Oil (C16-C36)	ND	500	ug/l	1	6B02015	02/02/06	02/04/06	EPA 8015B-SVOA	
Diesel Range Organics (C10-C28)	210	50	"	"	"	"	"	"	HC-12
Surrogate: n-Octacosane		79 %	34-123		"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6B (MPA1461-02) Water Sampled: 01/26/06 15:51 Received: 01/27/06 17:00									
tert-Amyl methyl ether	0.56	0.50	ug/l	1	6B07006	02/07/06	02/07/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	12	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		91 %	60-135	"	"	"	"	"	
MW6E (MPA1461-03) Water Sampled: 01/26/06 15:15 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	0.50	ug/l	1	6B07006	02/07/06	02/07/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		74 %	60-135	"	"	"	"	"	
MW6F (MPA1461-04) Water Sampled: 01/26/06 14:58 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	0.50	ug/l	1	6B07006	02/07/06	02/07/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		78 %	60-135	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW6G (MPA1461-05) Water Sampled: 01/26/06 15:30 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	0.50	ug/l	1	6B07006	02/07/06	02/07/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	1.8	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		79 %	60-135	"	"	"	"	"	
MW6H (MPA1461-06) Water Sampled: 01/26/06 17:04 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	25	ug/l	50	6B08002	02/08/06	02/08/06	EPA 8260B	
tert-Butyl alcohol	ND	1000	"	"	"	"	"	"	
Di-isopropyl ether	ND	25	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	25	"	"	"	"	"	"	
1,2-Dichloroethane	ND	25	"	"	"	"	"	"	
Ethanol	ND	5000	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	25	"	"	"	"	"	"	
Methyl tert-butyl ether	270	25	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		118 %	60-135	"	"	"	"	"	
MW6I (MPA1461-07) Water Sampled: 01/26/06 14:36 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	0.50	ug/l	1	6B07008	02/07/06	02/07/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		88 %	60-135	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
MW6J (MPA1461-08) Water Sampled: 01/26/06 10:05 Received: 01/27/06 17:00										
tert-Amyl methyl ether	ND	0.50		ug/l	1	6B08002	02/08/06	02/08/06	EPA 8260B	
tert-Butyl alcohol	ND	20		"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50		"	"	"	"	"	"	
1,2-Dichloroethane	1.1	0.50		"	"	"	"	"	"	
Ethanol	ND	100		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50		"	"	"	"	"	"	
Methyl tert-butyl ether	6.2	0.50		"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		92 %		60-135		"	"	"	"	
RW1 (MPA1461-09) Water Sampled: 01/26/06 16:48 Received: 01/27/06 17:00										
tert-Amyl methyl ether	ND	2.5		ug/l	5	6B07008	02/07/06	02/08/06	EPA 8260B	
tert-Butyl alcohol	280	100		"	"	"	"	"	"	
Di-isopropyl ether	ND	2.5		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	2.5		"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.5		"	"	"	"	"	"	
Ethanol	ND	500		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.5		"	"	"	"	"	"	
Methyl tert-butyl ether	72	2.5		"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		99 %		60-135		"	"	"	"	
RW2 (MPA1461-10) Water Sampled: 01/26/06 16:32 Received: 01/27/06 17:00										
tert-Amyl methyl ether	ND	0.50		ug/l	1	6B07008	02/07/06	02/08/06	EPA 8260B	
tert-Butyl alcohol	ND	20		"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50		"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50		"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50		"	"	"	"	"	"	
Ethanol	ND	100		"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50		"	"	"	"	"	"	
Methyl tert-butyl ether	5.1	0.50		"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		109 %		60-135		"	"	"	"	



Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0235 Project Number: 7-0235 Project Manager: Paula Sime	MPA1461 Reported: 02/14/06 16:28
---	--	---

**Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
RW3A (MPA1461-11) Water Sampled: 01/26/06 16:12 Received: 01/27/06 17:00									
tert-Amyl methyl ether	ND	0.50	ug/l	1	6B07008	02/07/06	02/08/06	EPA 8260B	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Di-isopropyl ether	3.2	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	17	0.50	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		86 %		60-135	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B07009 - EPA 5030B [P/T]

Blank (6B07009-BLK1)

Prepared & Analyzed: 02/07/06

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.25	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	89.1		"	80.0		111	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	84.1		"	80.0		105	80-120			

LCS (6B07009-BS1)

Prepared & Analyzed: 02/07/06

Gasoline Range Organics (C4-C12)	222	50	ug/l	275		81	55-130			
Benzene	4.47	0.50	"	4.10		109	75-150			
Toluene	21.4	0.50	"	20.7		103	80-115			
Ethylbenzene	4.17	0.50	"	4.85		86	75-115			
Xylenes (total)	24.2	0.50	"	23.8		102	75-115			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	84.4		"	80.0		106	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	86.7		"	80.0		108	80-120			

Matrix Spike (6B07009-MS1)

Source: MPA1461-04

Prepared & Analyzed: 02/07/06

Gasoline Range Organics (C4-C12)	199	50	ug/l	275	ND	72	55-130			
Benzene	4.42	0.50	"	4.10	ND	108	75-150			
Toluene	19.9	0.50	"	20.7	ND	96	80-115			
Ethylbenzene	3.92	0.50	"	4.85	ND	81	75-115			
Xylenes (total)	22.4	0.50	"	23.8	ND	94	75-115			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	84.7		"	80.0		106	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	85.8		"	80.0		107	80-120			

Matrix Spike Dup (6B07009-MSD1)

Source: MPA1461-04

Prepared & Analyzed: 02/07/06

Gasoline Range Organics (C4-C12)	190	50	ug/l	275	ND	69	55-130	5	35	
Benzene	4.06	0.50	"	4.10	ND	99	75-150	8	25	
Toluene	19.4	0.50	"	20.7	ND	94	80-115	3	25	
Ethylbenzene	3.79	0.50	"	4.85	ND	78	75-115	3	25	
Xylenes (total)	21.8	0.50	"	23.8	ND	92	75-115	3	25	

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B07009 - EPA 5030B [P/T]
Matrix Spike Dup (6B07009-MSD1)

Source: MPA1461-04

Prepared & Analyzed: 02/07/06

Surrogate: <i>a,a,a</i> -Trifluorotoluene	87.3		ug/l	80.0		109	80-120			
Surrogate: 4-Bromofluorobenzene	85.8		"	80.0		107	80-120			

Batch 6B09007 - EPA 5030B [P/T]
Blank (6B09007-BLK1)

Prepared & Analyzed: 02/09/06

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.25	"							
Surrogate: <i>a,a,a</i> -Trifluorotoluene	38.8		"	40.0		97	80-120			
Surrogate: 4-Bromofluorobenzene	43.4		"	40.0		108	80-120			

LCS (6B09007-BS1)

Prepared & Analyzed: 02/09/06

Gasoline Range Organics (C4-C12)	244	50	ug/l	275	61	82	55-130			
Benzene	5.01	0.50	"	4.10	ND	120	75-150			
Toluene	21.0	0.50	"	20.7	ND	99	80-115			
Ethylbenzene	3.95	0.50	"	4.85	ND	81	75-115			
Xylenes (total)	24.0	0.50	"	23.8	ND	101	75-115			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	36.9		"	40.0		92	80-120			
Surrogate: 4-Bromofluorobenzene	44.6		"	40.0		112	80-120			

Matrix Spike (6B09007-MS1)

Source: MPB0197-01

Prepared & Analyzed: 02/09/06

Gasoline Range Organics (C4-C12)	286	50	ug/l	275	61	82	55-130			
Benzene	4.92	0.50	"	4.10	ND	120	75-150			
Toluene	20.5	0.50	"	20.7	ND	99	80-115			
Ethylbenzene	3.92	0.50	"	4.85	ND	81	75-115			
Xylenes (total)	23.7	0.50	"	23.8	ND	100	75-115			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	35.7		"	40.0		89	80-120			
Surrogate: 4-Bromofluorobenzene	44.3		"	40.0		111	80-120			

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B09007 - EPA 5030B [P/T]

Matrix Spike Dup (6B09007-MSD1)

Source: MPB0197-01

Prepared & Analyzed: 02/09/06

Gasoline Range Organics (C4-C12)	275	50	ug/l	275	61	78	55-130	4	35	
Benzene	4.52	0.50	"	4.10	ND	110	75-150	8	25	
Toluene	20.5	0.50	"	20.7	ND	99	80-115	0	25	
Ethylbenzene	3.90	0.50	"	4.85	ND	80	75-115	0.5	25	
Xylenes (total)	23.8	0.50	"	23.8	ND	100	75-115	0.4	25	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	35.7		"	40.0		89	80-120			
Surrogate: 4-Bromofluorobenzene	43.1		"	40.0		108	80-120			

Batch 6B11008 - EPA 5030B [P/T]

Blank (6B11008-BLK1)

Prepared & Analyzed: 02/11/06

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.25	"							
Surrogate: <i>a,a,a</i> -Trifluorotoluene	80.2		"	80.0		100	80-120			
Surrogate: 4-Bromofluorobenzene	76.5		"	80.0		96	80-120			

LCS (6B11008-BS1)

Prepared & Analyzed: 02/11/06

Gasoline Range Organics (C4-C12)	221	50	ug/l	275		80	55-130			
Surrogate: 4-Bromofluorobenzene	77.9		"	80.0		97	80-120			

LCS (6B11008-BS2)

Prepared & Analyzed: 02/11/06

Benzene	9.17	0.50	ug/l	10.0		92	75-150			
Toluene	9.07	0.50	"	10.0		91	80-115			
Ethylbenzene	8.98	0.50	"	10.0		90	75-115			
Xylenes (total)	27.0	0.50	"	30.0		90	75-115			
Surrogate: <i>a,a,a</i> -Trifluorotoluene	79.7		"	80.0		100	80-120			

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

**Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	-----	--------------	-------

Batch 6B11008 - EPA 5030B [P/T]

Matrix Spike (6B11008-MS1)		Source: MPB0009-01			Prepared & Analyzed: 02/11/06					
Gasoline Range Organics (C4-C12)	2390	50	ug/l	275	2400	-4	55-130			QM04
Benzene	160	0.50	"	4.10	150	244	75-150			QM04
Toluene	191	0.50	"	20.7	160	150	80-115			QM04
Ethylbenzene	187	0.50	"	4.85	170	351	75-115			QM04
Xylenes (total)	393	0.50	"	23.8	350	181	75-115			QM04
<i>Surrogate: a,a,a-Trifluorotoluene</i>	70.1		"	80.0		88	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	83.5		"	80.0		104	80-120			
Matrix Spike Dup (6B11008-MSD1)		Source: MPB0009-01			Prepared & Analyzed: 02/11/06					
Gasoline Range Organics (C4-C12)	2340	50	ug/l	275	2400	-22	55-130	2	35	QM04
Benzene	156	0.50	"	4.10	150	146	75-150	3	25	
Toluene	186	0.50	"	20.7	160	126	80-115	3	25	QM04
Ethylbenzene	182	0.50	"	4.85	170	247	75-115	3	25	QM04
Xylenes (total)	383	0.50	"	23.8	350	139	75-115	3	25	QM04
<i>Surrogate: a,a,a-Trifluorotoluene</i>	70.3		"	80.0		88	80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	82.5		"	80.0		103	80-120			



Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-0235 Project Number: 7-0235 Project Manager: Paula Sime	MPA1461 Reported: 02/14/06 16:28
---	--	--

**Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	----------------	-----	--------------	-------

Batch 6B02015 - EPA 3510C

Blank (6B02015-BLK1)									
					Prepared: 02/02/06 Analyzed: 02/03/06				
Motor Oil (C16-C36)	ND	250	ug/l						
Diesel Range Organics (C10-C28)	ND	25	"						
<i>Surrogate: n-Octacosane</i>	28.0		"	50.0		56	34-123		
LCS (6B02015-BS1)									
					Prepared: 02/02/06 Analyzed: 02/03/06				
Diesel Range Organics (C10-C28)	268	50	ug/l	500		54	51-128		
<i>Surrogate: n-Octacosane</i>	31.6		"	50.0		63	34-123		
LCS Dup (6B02015-BSD1)									
					Prepared: 02/02/06 Analyzed: 02/03/06				
Diesel Range Organics (C10-C28)	431	50	ug/l	500		86	51-128	47	27 QC21
<i>Surrogate: n-Octacosane</i>	37.9		"	50.0		76	34-123		

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	------------	--------------	-------

Batch 6B07006 - EPA 5030B P/T
Blank (6B07006-BLK1)

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.25	"							
Methyl tert-butyl ether	ND	0.25	"							

Surrogate: 1,2-Dichloroethane-d4

4.78

"

5.00

96

60-135

LCS (6B07006-BS1)

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	16.7	0.50	ug/l	16.3		102	80-115			
tert-Butyl alcohol	154	20	"	169		91	75-150			
Di-isopropyl ether	15.2	0.50	"	16.2		94	75-125			
1,2-Dibromoethane (EDB)	16.2	0.50	"	16.6		98	85-120			
1,2-Dichloroethane	14.3	0.50	"	15.5		92	85-130			
Ethanol	172	100	"	165		104	70-135			
Ethyl tert-butyl ether	15.0	0.50	"	16.4		91	75-130			
Methyl tert-butyl ether	7.29	0.50	"	7.84		93	65-125			

Surrogate: 1,2-Dichloroethane-d4

4.69

"

5.00

94

60-135

Matrix Spike (6B07006-MS1)

Source: MPA1273-07

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	827	25	ug/l	816	ND	101	80-115			
tert-Butyl alcohol	7680	1000	"	8440	ND	91	75-120			
Di-isopropyl ether	740	25	"	812	ND	91	75-125			
1,2-Dibromoethane (EDB)	778	25	"	832	ND	94	85-120			
1,2-Dichloroethane	749	25	"	776	68	88	85-130			
Ethanol	8710	5000	"	8240	ND	106	70-135			
Ethyl tert-butyl ether	753	25	"	820	ND	92	75-130			
Methyl tert-butyl ether	391	25	"	392	61	84	65-125			

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B07006 - EPA 5030B P/T
Matrix Spike (6B07006-MS1)

Source: MPA1273-07

Prepared & Analyzed: 02/07/06

Surrogate: 1,2-Dichloroethane-d4	4.77		ug/l	5.00		95	60-135			
----------------------------------	------	--	------	------	--	----	--------	--	--	--

Matrix Spike Dup (6B07006-MSD1)

Source: MPA1273-07

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	848	25	ug/l	816	ND	104	80-115	3	15	
tert-Butyl alcohol	7560	1000	"	8440	ND	90	75-120	2	25	
Di-isopropyl ether	772	25	"	812	ND	95	75-125	4	15	
1,2-Dibromoethane (EDB)	808	25	"	832	ND	97	85-120	4	15	
1,2-Dichloroethane	727	25	"	776	68	85	85-130	3	20	
Ethanol	7650	5000	"	8240	ND	93	70-135	13	35	
Ethyl tert-butyl ether	772	25	"	820	ND	94	75-130	2	25	
Methyl tert-butyl ether	436	25	"	392	61	96	65-125	11	20	
Surrogate: 1,2-Dichloroethane-d4	4.79		"	5.00		96	60-135			

Batch 6B07008 - EPA 5030B P/T
Blank (6B07008-BLK1)

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.25	"							
Methyl tert-butyl ether	ND	0.25	"							
Surrogate: 1,2-Dichloroethane-d4	4.30		"	5.00		86	60-135			

LCS (6B07008-BS1)

Prepared & Analyzed: 02/07/06

tert-Amyl methyl ether	15.5	0.50	ug/l	16.3		95	80-115			
tert-Butyl alcohol	148	20	"	169		88	75-150			
Di-isopropyl ether	14.1	0.50	"	16.2		87	75-125			
1,2-Dibromoethane (EDB)	14.9	0.50	"	16.6		90	85-120			
1,2-Dichloroethane	12.9	0.50	"	15.5		83	85-130			

QC01

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B07008 - EPA 5030B P/T
LCS (6B07008-BSI)

Prepared & Analyzed: 02/07/06

Ethanol	178	100	ug/l	165		108	70-135			
Ethyl tert-butyl ether	14.2	0.50	"	16.4		87	75-130			
Methyl tert-butyl ether	6.34	0.50	"	7.84		81	65-125			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	4.28		"	5.00		86	60-135			

Matrix Spike (6B07008-MS1)

Source: MPA1461-09

Prepared: 02/07/06 Analyzed: 02/08/06

tert-Amyl methyl ether	81.9	2.5	ug/l	81.6	ND	100	80-115			
tert-Butyl alcohol	1070	100	"	844	280	94	75-120			
Di-isopropyl ether	77.2	2.5	"	81.2	ND	95	75-125			
1,2-Dibromoethane (EDB)	80.8	2.5	"	83.2	ND	97	85-120			
1,2-Dichloroethane	73.2	2.5	"	77.6	ND	94	85-130			
Ethanol	909	500	"	824	ND	110	70-135			
Ethyl tert-butyl ether	76.9	2.5	"	82.0	ND	94	75-130			
Methyl tert-butyl ether	104	2.5	"	39.2	72	82	65-125			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	4.71		"	5.00		94	60-135			

Matrix Spike Dup (6B07008-MSD1)

Source: MPA1461-09

Prepared: 02/07/06 Analyzed: 02/08/06

tert-Amyl methyl ether	79.8	2.5	ug/l	81.6	ND	98	80-115	3	15	
tert-Butyl alcohol	1050	100	"	844	280	91	75-120	2	25	
Di-isopropyl ether	75.2	2.5	"	81.2	ND	93	75-125	3	15	
1,2-Dibromoethane (EDB)	77.4	2.5	"	83.2	ND	93	85-120	4	15	
1,2-Dichloroethane	67.2	2.5	"	77.6	ND	87	85-130	9	20	
Ethanol	883	500	"	824	ND	107	70-135	3	35	
Ethyl tert-butyl ether	75.0	2.5	"	82.0	ND	91	75-130	3	25	
Methyl tert-butyl ether	103	2.5	"	39.2	72	79	65-125	1	20	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	4.49		"	5.00		90	60-135			

Environmental Resolutions (Exxon)
 601 North McDowell Blvd.
 Petaluma CA, 94954

 Project: Exxon 7-0235
 Project Number: 7-0235
 Project Manager: Paula Sime

 MPA1461
 Reported:
 02/14/06 16:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	--------------	----------------	-----	--------------	-------

Batch 6B08002 - EPA 5030B P/T
Blank (6B08002-BLK1)

Prepared & Analyzed: 02/08/06

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Butyl alcohol	ND	10	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.25	"							
Methyl tert-butyl ether	ND	0.25	"							

Surrogate: 1,2-Dichloroethane-d4

4.77

"

5.00

95

60-135

LCS (6B08002-BS1)

Prepared & Analyzed: 02/08/06

tert-Amyl methyl ether	15.4	0.50	ug/l	16.3		94	80-115			
tert-Butyl alcohol	150	20	"	169		89	75-150			
Di-isopropyl ether	14.0	0.50	"	16.2		86	75-125			
1,2-Dibromoethane (EDB)	15.4	0.50	"	16.6		93	85-120			
1,2-Dichloroethane	13.4	0.50	"	15.5		86	85-130			
Ethanol	165	100	"	165		100	70-135			
Ethyl tert-butyl ether	13.9	0.50	"	16.4		85	75-130			
Methyl tert-butyl ether	6.46	0.50	"	7.84		82	65-125			

Surrogate: 1,2-Dichloroethane-d4

4.59

"

5.00

92

60-135

Matrix Spike (6B08002-MS1)

Source: MPA1461-06

Prepared & Analyzed: 02/08/06

tert-Amyl methyl ether	874	25	ug/l	816	12	106	80-115			
tert-Butyl alcohol	7960	1000	"	8440	ND	94	75-120			
Di-isopropyl ether	769	25	"	812	ND	95	75-125			
1,2-Dibromoethane (EDB)	814	25	"	832	ND	98	85-120			
1,2-Dichloroethane	796	25	"	776	ND	103	85-130			
Ethanol	6840	5000	"	8240	ND	83	70-135			
Ethyl tert-butyl ether	814	25	"	820	ND	99	75-130			
Methyl tert-butyl ether	640	25	"	392	270	94	65-125			

Sequoia Analytical - Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6B08002 - EPA 5030B P/T

Matrix Spike (6B08002-MS1)

Source: MPA1461-06

Prepared & Analyzed: 02/08/06

<i>Surrogate: 1,2-Dichloroethane-d4</i>	5.40		ug/l	5.00		108	60-135			
Matrix Spike Dup (6B08002-MSD1)										
		Source: MPA1461-06				Prepared & Analyzed: 02/08/06				
tert-Amyl methyl ether	862	25	ug/l	816	12	104	80-115	1	15	
tert-Butyl alcohol	8010	1000	"	8440	ND	95	75-120	0.6	25	
Di-isopropyl ether	771	25	"	812	ND	95	75-125	0.3	15	
1,2-Dibromoethane (EDB)	781	25	"	832	ND	94	85-120	4	15	
1,2-Dichloroethane	722	25	"	776	ND	93	85-130	10	20	QM02
Ethanol	6440	5000	"	8240	ND	78	70-135	6	35	
Ethyl tert-butyl ether	806	25	"	820	ND	98	75-130	1	25	
Methyl tert-butyl ether	644	25	"	392	270	95	65-125	0.6	20	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	5.07		"	5.00		101	60-135			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-0235
Project Number: 7-0235
Project Manager: Paula Sime

MPA1461
Reported:
02/14/06 16:28

Notes and Definitions

- S04 The surrogate recovery for this sample is above control limits due to interference from the sample matrix.
- QM04 The spike recovery was above control limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- QM02 The spike recovery was below control limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- QC21 The RPD result exceeded the control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
- QC01 The percent recovery was above the control limits.
- HT-04 This sample was analyzed beyond the EPA recommended holding time.
- HC-12 Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- CF1 Primary and confirmation results varied by greater than 40% RPD.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

CHAIN OF CUSTODY RECORD

TestAmerica <small>INCORPORATED</small> (615) 726-0177 Nashville Division Morgan Hill 2960 Foster Creighton 885 Jarvis Dr. Nashville, TN 37204 Morgan Hill, CA ExxonMobil 95037	Consultant Name: <u>Environmental Resolutions, Inc.</u> Address: <u>801 North McDowell Blvd.</u> City/State/Zip: <u>Petaluma, California 94954</u> Project Manager: <u>Paula Sime</u> Telephone Number: <u>(707) 768-2000</u> ERI Job Number: <u>222913X</u> Sampler Name: (Print) <u>Shawn Baker</u> Sampler Signature: <u>[Signature]</u>	ExxonMobil Engineer <u>Jennifer Sedlachek</u> Telephone Number <u>(510) 547-8196</u> Account #: <u>3876</u> PO #: <u>4505891257</u> Facility ID # <u>70235</u> Global ID# <u>T0600101354</u> Site Address <u>2225 Telegraph Avenue</u> City, State Zip <u>Oakland, California</u>
Shipping Method: <input type="checkbox"/> Lab Courier <input type="checkbox"/> Hand Deliver <input checked="" type="checkbox"/> Commercial Express <input type="checkbox"/> Other: _____		

TAT	PROVIDE:	Special Instructions:	Matrix										Analyze For:								
			Water	Soil	Vapor	TPHd 8015B	TPHg 8015B	TPH motor oil 8015B	BTEX 8021B	7 CA Olys 8260B	Ethanol 8260B										
<input type="checkbox"/> 24 hour <input type="checkbox"/> 72 hour <input type="checkbox"/> 48 hour <input type="checkbox"/> 96 hour <input checked="" type="checkbox"/> 8 day	EDF Report	7 CA Olys includes: MTBE, ETBE, DIPE, TBA, TAME, EDB, 1,2-DCA <div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 50px; margin: 10px auto; text-align: center; line-height: 50px;">MP#1461</div>																			
Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV (VOA/liter)	NUMBER	Water	Soil	Vapor	TPHd 8015B	TPHg 8015B	TPH motor oil 8015B	BTEX 8021B	7 CA Olys 8260B	Ethanol 8260B						
QCBB b1	1-26-06	1540			HCL/none	(2)VOAs	X				H	O	L	D							
MW6B v2		1551			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6E v3		1515			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6F v4		1458			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6G v5		1530			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6H v6		1704			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6I v7		1436			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
MW6J v8		1005			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
RW1 v9		1648			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
RW2 v10		1632			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						
RW3A v11		1612			HCL/none	(8)VOAs/ (2)AMBs	X			X	X	X	X	X	X						

Relinquished by: <u>[Signature]</u> Date <u>1-26-06</u> Time <u>1940</u>	Received by: <u>Sample Refrigerator</u> Date <u>1/27/06</u> Time <u>1055</u> <u>[Signature]</u>	Laboratory Comments: Temperature Upon Receipt: <u>4.6 °C</u> Sample Containers Intact? <u>Yes</u> VOAs Free of Headspace? <u>Yes</u>
Relinquished by: <u>[Signature]</u> Date <u>1/27/06</u> Time <u>1200</u>	Received by TestAmerica: <u>[Signature]</u> Date <u>1/27/06</u> Time <u>1330</u>	

[Signature] 1/27/06 1330 [Signature] 1/27/06 1700
[Signature] 1/27/06 1200 [Signature] 1/27/06 1700

SEQUOIA ANALYTICAL SAMPLE RECEIPT LOG

CLIENT NAME: ERI
 REC. BY (PRINT): E. Fallin
 WORKORDER: MPA 1461

DATE REC'D AT LAB: 1/27/06
 TIME REC'D AT LAB: 1700
 DATE LOGGED IN: 1-31-06

For Regulatory Purposes?
 DRINKING WATER YES / NO
 WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	DASH #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <input checked="" type="checkbox"/> Absent Intact / Broken*									EBF 1/27/06 SEE COC
2. Chain-of-Custody Present / <input checked="" type="checkbox"/> Absent*									
3. Traffic Reports or Packing List: Present / <input checked="" type="checkbox"/> Absent									
4. Airbill: Airbill / Sticker Present / <input checked="" type="checkbox"/> Absent									
5. Airbill #:									
6. Sample Labels: Present / <input checked="" type="checkbox"/> Absent									
7. Sample IDs: Listed / Not Listed on Chain-of-Custody									
8. Sample Condition: Intact / Broken* / Leaking*									
9. Does information on chain-of-custody, traffic reports and sample labels agree? Yes / <input checked="" type="checkbox"/> No*									
10. Sample received within hold time? Yes / <input checked="" type="checkbox"/> No*									
11. Adequate sample volume received? Yes / <input checked="" type="checkbox"/> No*									
12. Proper preservatives used? Yes / <input checked="" type="checkbox"/> No*									
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / <input checked="" type="checkbox"/> No*									
14. Read Temp: <u>4.1°C</u> Corrected Temp: <u>4.1°C</u> Is corrected temp 4 +/-2°C? <input checked="" type="checkbox"/> Yes / No**									

(Acceptance range for samples requiring thermal pres.)
 *Exception (if any): METALS / DFF ON ICE
 or Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

ATTACHMENT C
WASTE DISPOSAL DOCUMENTATION

2229 13X

SHIPPER NO. B 016170

STRAIGHT BILL OF LADING—SHORT FORM—Original—Not Negotiable

CARRIER NO.

DATE: 1-20-06

NAME OF CARRIER (REGULATIONS) (SCAC)

CONSIGNEE ROMIC ENVIRONMENTAL TECHNOLOGIES			FROM SHIPPER		
ADDRESS 2285 SARD ROAD EAST PALM BEACH, FL 33411			STREET		
DESTINATION	STATE	ZIP	ORIGIN	STATE	ZIP

DATE:	U.S. DOT Hazmat Reg. No.	VEHICLE NUMBER
-------	--------------------------	----------------

NO. SHIPPING UNIT	OHM	Description of articles, special marks, and exceptions	*WEIGHT (Subject to correction)	Class or Rate	CHARGES (For carrier use only)	Check column
		GROUNDWATER MONITORING WELL PROFILES 301560 HANDLING CODE: 01 RECEIVED BY: <i>Andy Kay 1/20/06</i> PLACARDS TENSE REL: YES PO# EWR# STORE NAME: 7-0235 STORE ADDRESS: 2225 Telegraph Ave Oakland, CA	<div style="border: 1px solid black; border-radius: 50%; width: 100px; height: 100px; margin: 0 auto; display: flex; align-items: center; justify-content: center;"> 110 gal </div>			

EMIT C.O.D. TO:	ADDRESS:	CITY:	STATE:	ZIP:	COD AMT: \$	C.O.D. Fee:
						PREPAID <input type="checkbox"/>
						COLLECT <input type="checkbox"/> \$

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight".

Note - where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____

Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

TOTAL CHARGES: \$
FREIGHT CHARGES
Freight Prepaid except when box at right is checked <input type="checkbox"/>
Check box if charges to be collect <input type="checkbox"/>

RECEIVED, subject to the classifications and tariffs in effect on the date of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown, marked, consigned, and destined as indicated above, which said company (the word company being understood throughout this contract as meaning any person or corporation in possession of the property under this contract) agrees to carry to its usual place of delivery at said destination, if on its own road or its own water line, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier for any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the conditions not prohibited by law, whether printed or written, herein contained (as specified in Appendix B to Part 1035) which are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation PER:

SHIPPER: EXXON MOBIL REFINING COMPANY	CARRIER:
PER: Request of Exxon Mobil <i>Cam A. MGA</i>	PER: <i>Cam A. MGA</i>
	DATE: 1/20/06

EMERGENCY RESPONSE TELEPHONE NUMBER: ()

MONITORED AT ALL TIMES THE HAZARDOUS MATERIAL IS IN TRANSPORTATION INCLUDING STORAGE INCIDENT TO TRANSPORTATION. (172.604)

Mark with "X" to designate Hazardous Material as defined in The Department of Transportation Regulations Governing Transportation of Hazardous Materials. The use of this column is an optional method of designating hazardous materials on Bills of Lading per Section 172.201 and 172.202(b) of the regulations governing the transportation of such materials.