ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

ExxonMobil

November 21, 2008

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70235/2225 Telegraph Avenue, Oakland California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled ***Groundwater Monitoring Report, Fourth Quarter 2008*** dated November 21, 2008, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details proposed groundwater monitoring and sampling activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,

Jennifer C. Sedlachek
Project Manager

Attachment: ERI's ***Groundwater Monitoring Report, Fourth Quarter 2008*** dated November 21, 2008

cc: w/ attachment
Mr. Robert C. Elhers, M.S., P.E., The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.

VALUE, QUALITY, RESPONSE

Southern California
Northern California
Pacific Northwest
Southwest
Texas
Montana

November 21, 2008
ERI 222913.Q084

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT **Groundwater Monitoring Report, Fourth Quarter 2008**
Former Exxon Service Station 70235
2225 Telegraph Avenue, Oakland, California

Alameda County RO #358

INTRODUCTION

At the request of ExxonMobil Environmental Services Company, on behalf of ExxonMobil Oil Corporation (ExxonMobil), Environmental Resolutions, Inc. (ERI) performed fourth quarter 2008 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site is an active Valero Service Station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging date:		10/23/08
Sampling dates:		10/23/08 and 10/30/08
Wells gauged and sampled:		MW6B, MW6E through MW6H, MW6J, RW1, RW2, RW3A
Well gauged only:		MW6I
Presence of NAPL:		Not observed
Laboratory:		Calscience Environmental Laboratories, Inc., Garden Grove, California
Analyses performed:	EPA Method 8015B	TPHd, TPHg, TPHmo
	EPA Method 8021B	BTEX
	EPA Method 8260B	MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE, ethanol
Waste disposal:		83 gallons purge and decon water delivered to Instrat, Inc., of Rio Vista, California, on 10/24/08

REMEDIATION SYSTEM SUMMARY

Prior to 1990, a GWPTS system operated at the site under the ownership of Texaco. The GWPTS system was shut down in 1990 and replaced with a SVE system, which operated from approximately 1991 until 1996. The SVE system was shut down when ownership of the site transferred from Texaco to ExxonMobil in 1996 and has been non-operational since that time.

CONCLUSIONS

Groundwater elevations, groundwater flow direction, and dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Mr. Robert C. Ehlers, M.S., P.E.
The Valero Companies
Environmental Liability Management
685 West Third Street
Hanford, California 93230

LIMITATIONS

For any reports cited that were not generated by ERI, the data taken from those reports is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these reports.

This report was prepared in accordance with generally accepted standards of environmental, geological and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.

Sincerely,
Environmental Resolutions, Inc.

SCANNED IMAGE

Jennifer L. Lacy
Senior Staff Scientist

SCANNED IMAGE

Heidi L. Dieffenbach-Carle
P.G. 6793

Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Appendix A	Groundwater Sampling Protocol
Appendix B	Laboratory Analytical Report and Chain-of-Custody Record
Appendix C	Field Data Sheets
Appendix D	Waste Disposal Documentation

ACRONYM LIST

µg/L	Micrograms per liter
µs	Microsiemens
1,2-DCA	1,2-dichloroethane
acfm	Actual cubic feet per minute
AS	Air sparge
bgs	Below ground surface
BTEX	Benzene, toluene, ethylbenzene, and total xylenes
CEQA	California Environmental Quality Act
cfm	Cubic feet per minute
COC	Chain of Custody
CPT	Cone Penetration (Penetrometer) Test
DIPE	Di-isopropyl ether
DO	Dissolved oxygen
DOT	Department of Transportation
DPE	Dual-phase extraction
DTW	Depth to water
EDB	1,2-dibromoethane
EPA	Environmental Protection Agency
ESL	Environmental screening level
ETBE	Ethyl tertiary butyl ether
FID	Flame-ionization detector
fpm	Feet per minute
GAC	Granular activated carbon
gpd	Gallons per day
gpm	Gallons per minute
GWPTS	Groundwater pump and treat system
HVOC	Halogenated volatile organic compound
J	Estimated value between MDL and PQL
LEL	Lower explosive limit
LPC	Liquid-phase carbon
LRP	Liquid-ring pump
LUFT	Leaking underground fuel tank
LUST	Leaking underground storage tank
MCL	Maximum contaminant level
MDL	Method detection limit
mg/kg	Milligrams per kilogram
mg/L	Milligrams per liter
mg/m^3	Milligrams per cubic meter
MPE	Multi-phase extraction
MRL	Method reporting limit
msl	Mean sea level
MTBE	Methyl tertiary butyl ether
MTCA	Model Toxics Control Act
NAI	Natural attenuation indicators
NAPL	Non-aqueous phase liquid
NEPA	National Environmental Policy Act
NGVD	National Geodetic Vertical Datum
NPDES	National Pollutant Discharge Elimination System
O&M	Operations and Maintenance
ORP	Oxidation-reduction potential
OSHA	Occupational Safety and Health Administration
OVA	Organic vapor analyzer
P&ID	Process & Instrumentation Diagram
PAH	Polynuclear aromatic hydrocarbon
PCB	Polychlorinated biphenyl
PCE	Tetrachloroethene or perchloroethylene
PID	Photo-ionization detector
PLC	Programmable logic control
POTW	Publicly owned treatment works
ppmv	Parts per million by volume
PQL	Practical quantitation limit
psi	Pounds per square inch
PVC	Polyvinyl chloride
QA/QC	Quality assurance/quality control
RBSL	Risk-based screening levels
RCRA	Resource Conservation and Recovery Act
RL	Reporting limit
scfm	Standard cubic feet per minute
SSTL	Site-specific target level
STLC	Soluble threshold limit concentration
SVE	Soil vapor extraction
SVOC	Semivolatile organic compound
TAME	Tertiary amyl methyl ether
TBA	Tertiary butyl alcohol
TCE	Trichloroethene
TOC	Top of well casing elevation; datum is msl
TOG	Total oil and grease
TPHd	Total petroleum hydrocarbons as diesel
TPHg	Total petroleum hydrocarbons as gasoline
TPHmo	Total petroleum hydrocarbons as motor oil
TPHs	Total petroleum hydrocarbons as stoddard solvent
TRPH	Total recoverable petroleum hydrocarbons
UCL	Upper confidence level
USCS	Unified Soil Classification System
USGS	United States Geologic Survey
UST	Underground storage tank
VCP	Voluntary Cleanup Program
VOC	Volatile organic compound
VPC	Vapor-phase carbon



FN 2229Topo

F:\EXXONMOBIL\ExxonMobil Projects\022229 (70235) Oakland\2229 AutoCad\2229 Topo.Dwg, mkjones

EXPLANATION

1/2-mile radius circle

APPROXIMATE SCALE

N

0 0.5 1 mile

SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads

ERI
VALUE, QUALITY, RESPONSE

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

PROJECT NO. 2229

PLATE 1

Analyte Concentrations in ug/L
Sampled October 23 and 30, 2008

2,500 Total Petroleum Hydrocarbons as gasoline
21 Benzene
18 Methyl Tertiary Butyl Ether (EPA Method 8260B)
< Less Than the Stated Laboratory Reporting Limit
ug/L Micrograms per Liter
b Well sampled semi-annually.

APPROXIMATE SCALE
0 40 80 Feet

F:\EXXONMOBIL\ExxonMobil Projects\022229 (70235) Oakland\2229 AutoCad\QM\2008\08 4QTR QM.dwg, mkjones

FN 2229 08 4QTR_QM

ERI
VALUE, QUALITY, RESPONSE

SELECT ANALYTICAL RESULTS
October 23 and 30, 2008
FORMER
EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

EXPLANATION
MW6J Groundwater Monitoring Well
RW3A Recovery Groundwater Monitoring Well

PROJECT NO. 2229

PLATE 2



GROUNDWATER FLOW DIRECTION ROSE DIAGRAM

Second Quarter 2003–Fourth Quarter 2008.

N

APPROXIMATE SCALE

0 40 80 Feet

F:\EXXONMOBIL\ExxonMobil Projects\022229 (70235) Oakland\2229 AutoCad\QM\2008\08 4QTR QM.dwg, mkjones

FN 2229 08 4QTR_QM

8.1 ---- Line of Equal Groundwater Elevation; datum is mean sea level

ERI
VALUE, QUALITY, RESPONSE

GROUNDWATER ELEVATION MAP
October 23, 2008
FORMER
EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

EXPLANATION

MW6J — Groundwater Monitoring Well

7.35 — Groundwater elevation in feet; datum is mean sea level

RW3A — Recovery Groundwater Monitoring Well

NM Not Measured

PROJECT NO. 2229

PLATE 3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6A	June 1988	Well installed.												
MW6A	06/24/88	98.99i	---	---	---	---	---	---	---	---	<0.5	<1	<2	<1
MW6A	07/11/88	98.99i	13.25	85.74	---	---	---	---	---	---	---	---	---	---
MW6A	10/20/88	98.99i	---	---	---	---	---	---	---	---	0.6	<1	<2	<1
MW6A	12/15/88	98.99i	13.40	85.59i	---	---	---	---	---	---	---	---	---	---
MW6A	09/07/89	98.99i	---	---	---	---	ND	---	---	---	2.0	ND	ND	ND
MW6A	05/11/90	98.99i	12.87	86.12i	---	---	<500	---	---	---	150	6.2	<0.25	13
MW6A	10/16/90	98.99i	13.27	85.72i	---	---	---	---	---	---	---	---	---	---
MW6A	12/06/90	98.99i	13.28	85.71i	---	---	---	---	---	---	---	---	---	---
MW6A	02/08/91	98.99i	12.49	86.50i	---	---	---	---	---	---	---	---	---	---
MW6A	05/07/91	98.99i	11.94	87.05i	---	---	2,700	---	---	---	700	64	67	74
MW6A	06/26/91	98.99i	12.87	86.12i	---	---	---	---	---	---	---	---	---	---
MW6A	08/05/91	98.99i	13.44	85.55i	---	---	---	---	---	---	---	---	---	---
MW6A	08/14/91	98.99i	13.47	85.52i	---	---	ND	---	---	---	3.6	<0.5	<0.5	<0.5
MW6A	09/11/91	98.99i	13.48	85.51i	---	---	---	---	---	---	---	---	---	---
MW6A	10/16/91	98.99i	13.64	85.35i	---	---	---	---	---	---	---	---	---	---
MW6A	12/30/91	Well damaged.												
MW6A	05/02/92	Well destroyed.												
MW6B	June 1988	Well installed.												
MW6B	06/24/88	98.81i	---	---	---	---	---	---	---	---	<0.5	<1	<2	5.0
MW6B	07/11/88	98.81i	12.86	85.95i	---	---	---	---	---	---	---	---	---	---
MW6B	10/20/88	98.81i	---	---	---	---	---	---	---	---	4.1	<1	<2	<1
MW6B	12/15/88	98.81i	12.94	85.87i	---	---	---	---	---	---	---	---	---	---
MW6B	09/07/89	98.81i	---	---	---	---	2,700	---	---	---	70	3.0	ND	160
MW6B	04/30/90	98.81i	12.53	86.28i	---	---	168	---	---	---	45	8.0	60	22
MW6B	10/16/90	98.81i	12.73	86.08i	---	---	---	---	---	---	---	---	---	---
MW6B	12/06/90	98.81i	12.74	86.07i	---	---	---	---	---	---	---	---	---	---
MW6B	01/14/91	98.81i	12.57	86.24i	---	---	---	---	---	---	---	---	---	---
MW6B	02/08/91	98.81i	12.16	86.65i	---	---	---	---	---	---	---	---	---	---
MW6B	04/02/91	98.81i	11.50	87.31i	---	---	---	---	---	---	---	---	---	---
MW6B	05/07/91	98.81i	12.02	86.79i	---	---	3,300	---	---	---	240	6.0	20	660
MW6B	05/31/91	98.81i	12.40	86.41i	---	---	---	---	---	---	---	---	---	---
MW6B	06/26/91	98.81i	12.69	86.12i	---	---	---	---	---	---	---	---	---	---
MW6B	08/05/91	98.81i	12.95	85.86i	---	---	---	---	---	---	---	---	---	---
MW6B	08/14/91	98.81i	12.93	85.88i	---	---	980	---	---	---	9.1	42	310	150

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6B	09/11/91	98.81i	13.01	85.80i	---	---	---	---	---	---	---	---	---	---
MW6B	10/16/91	98.81i	13.09	85.72i	---	---	---	---	---	---	---	---	---	---
MW6B	12/30/91	98.81i	12.62	86.19i	---	---	---	---	---	---	---	---	---	---
MW6B	12/31/91	98.81i	---	---	---	---	1,200	---	---	---	46	<5.0	85	220
MW6B	02/25/92	98.81i	11.81	87.00i	---	---	---	---	---	---	---	---	---	---
MW6B	03/25/92	98.81i	11.58	87.23i	---	---	190	---	---	---	31	8.6	84	8.6
MW6B	06/16/92	15.34	12.54	2.80	---	---	1,700	---	---	---	44	1.7	7.2	230
MW6B	09/08/92	15.34	12.87	2.47	No	---	2,900	---	---	---	35	8.3	110	330
MW6B	11/05/92	15.34	12.70	2.64	No	---	1,400	---	---	---	29	<0.5	75	190
MW6B	12/14/92	15.34	12.19	3.15	No	---	---	---	---	---	---	---	---	---
MW6B	01/28/93	15.34	11.39	3.95	No	---	---	---	---	---	---	---	---	---
MW6B	02/11/93	15.34	11.70	3.64	No	---	210	---	---	---	1.2	<0.5	2.8	4.3
MW6B	03/09/93	15.34	11.70	3.64	No	---	---	---	---	---	---	---	---	---
MW6B	04/14/93	15.34	11.87	3.47	No	---	---	---	---	---	---	---	---	---
MW6B	05/11/93	15.34	12.22	3.12	No	---	570	---	---	---	54	2.4	37	36
MW6B	06/17/93	15.34	12.46	2.88	No	---	---	---	---	---	---	---	---	---
MW6B	07/26/93	15.34	12.72	2.58	No	---	---	---	---	---	---	---	---	---
MW6B	08/10/93	15.34	12.82	2.52	No	---	1,300	---	---	---	48	2.4	28	44
MW6B	09/21/93	15.34	13.08	2.26	No	---	---	---	---	---	---	---	---	---
MW6B	10/27/93	15.34	13.18	2.16	No	---	1,300	---	---	---	23	1.7	25	250
MW6B	11/23/93	15.34	13.07	2.27	No	---	---	---	---	---	---	---	---	---
MW6B	12/17/93	15.34	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/16/94	15.34	12.07	3.27	---	---	300	---	---	---	16	<0.5	3.5	2.4
MW6B	05/31/94	15.34	12.42	2.92	No	---	690	---	---	---	21	3.9	11	36
MW6B	08/30/94	17.48j	13.02	4.46	No	---	260	---	---	---	4	0.62	0.82	4
MW6B	11/11/94	17.48j	11.72	5.76	No	---	300	---	---	---	60	2	1.2	2.4
MW6B	02/27/95	17.48j	11.84	5.64	No	---	180	---	---	---	28	2.6	0.65	1.6
MW6B	05/30/95	17.48j	12.09	5.39	No	---	200	---	---	---	23	3.6	0.88	2.3
MW6B	08/30/95	17.48j	12.76	4.72	No	---	120	---	42	---	3.8	3.6	0.61	0.69
MW6B	11/26/96	17.48j	12.26	5.22	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6B	02/27/97	17.48j	11.73	5.75	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	0.80
MW6B	05/21/97	17.48j	12.70	4.78	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6B	08/18/97	17.48j	12.89	4.59	No	---	380	---	<30	---	4.3	<0.5	1.2	1.5
MW6B	03/13/98	17.48j	11.15	6.33	No	---	360	---	<6.2	---	93	4.9	4.1	12
MW6B	04/20/98	17.48j	11.49	5.99	No	---	110	---	5.5	---	19	1.3	1.5	3.9
MW6B	07/21/98	21.37	12.18	9.19	No	---	<50	---	8.7	---	0.84	0.59	<0.5	<0.5
MW6B	10/06/98	21.37	12.70	8.67	No	---	190	---	6.0	---	2.4	0.56	0.51	1.2
MW6B	01/11/99	21.37	12.48	8.89	No	---	50	---	3.9	---	1.2	<0.5	<0.5	0.95
MW6B	04/08/99	21.37	11.52	9.85	No	---	85	---	14.0	---	4.4	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6B	07/19/99	21.37	11.39	9.98	No	---	<50	---	<2.50	---	<0.5	<0.5	<0.5	<0.5
MW6B	07/27/99	21.37	12.71	8.66	No	---	---	---	---	---	---	---	---	---
MW6B	10/25/99	21.37	12.49	8.88	No	---	260	---	<2	---	2.3	<0.5	<0.5	<0.5
MW6B	01/27/00	21.37	11.80	9.57	No	---	770	---	13	---	210	4.8	4.9	13
MW6B	04/03/00	21.37	11.61	9.76	No	---	670	---	3.4	---	110	6.6	3.8	9.45
MW6B	07/05/00	21.37	12.27	9.10	No	---	<50	---	2.1	---	0.89	<0.5	<0.5	<0.5
MW6B	10/04/00	21.37	12.67	8.70	No	---	<50	---	54	---	<0.5	<0.5	<0.5	2
MW6B	10/05/00	21.37	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6B	01/04/01	21.37	12.47	8.90	No	---	<50	---	35	---	<0.5	<0.5	<0.5	<0.5
MW6B	04/03/01	21.37	11.81	9.56	No	---	<50	---	7.8	---	<0.5	<0.5	<0.5	<0.5
MW6B	07/05/01	21.37	12.44	8.93	No	---	<50	---	3	---	<0.5	<0.5	<0.5	<0.5
MW6B	10/03/01	21.37	12.52	8.85	No	---	310	---	10	---	2.1	<0.5	6.5	11.6
MW6B	Oct-01	21.09	Well surveyed in compliance with AB 2886 requirements.											
MW6B	01/02/02	21.09	11.25	9.84	No	---	710	---	21.8	---	99.5	4.40	3.30	7.40
MW6B	04/02/02	21.09	11.72	9.37	No	---	<50.0	<100	12.2	---	0.60	<0.50	<0.50	<0.50
MW6B	07/01/02	21.09	12.34	8.75	No	---	<50	<100a	10.7	---	<0.5	<0.5	<0.5	<0.5
MW6B	10/02/02	21.09	12.71	8.38	No	---	<50.0	<100	10.9	---	<0.5	<0.5	<0.5	<0.5
MW6B	01/07/03	21.09	11.65	9.44	No	---	82.5	<50	20.8	27.8	3.7	0.5	<0.5	0.8
MW6B	06/17/03	21.09	12.09	9.00	No	---	<50.0	<100	7.3	6.10a	0.50	<0.5	<0.5	<0.5
MW6B	07/16/03	21.09	12.29	8.80	No	---	<50.0	<100	11.0	8.5	<0.50	<0.5	<0.5	<0.5
MW6B	10/07/03	21.09	12.63	8.46	No	<50	<50.0	<100	4.1	3.10	<0.50	<0.5	<0.5	<0.5
MW6B	01/14/04	21.09	11.50	9.59	No	54	62.0	<100	9.0	11.0	2.10	<0.5	<0.5	<0.5
MW6B	06/03/04	21.09	12.12	8.97	No	---	56.0	<100	6.2	5.90	0.60	<0.5	<0.5	<0.5
MW6B	08/12/04	21.09	c	c	c	<50c	94.0c	<100c	---	3.40c	0.70c	<0.5c	<0.5c	0.9c
MW6B	11/04/04	21.09	12.27	8.82	No	<50	<50.0	143	---	2.60	<0.50	<0.5	<0.5	0.7
MW6B	02/01/05	21.09	11.48	9.61	No	<100	55.9	<100	---	7.50	1.30	<0.5	<0.5	<0.5
MW6B	05/03/05	21.09	11.48	9.61	No	<50	<50.0	<100	---	4.90	0.50	<0.5	<0.5	0.8
MW6B	08/04/05	21.09	12.23	8.86	No	<50.0	<50.0	<100	---	5.99	<0.500	<0.500	<0.500	0.692
MW6B	10/27/05	21.09	12.60	8.49	No	<50.0	<50.0	<50.0	---	1.65	<0.50	0.94f	<0.50	1.29
MW6B	01/26/06	21.09	11.39	9.70	No	83d	510	<500	---	12	130	12	14	39
MW6B	04/28/06	21.09	10.99	10.10	No	240d	3,100	<470	---	43	920h	110	130	290
MW6B	07/05/06	21.09	12.05	9.04	No	<47.6	79.4	<95.2	---	11.4	2.95	<1.00	<1.00	<3.00
MW6B	10/27/06	21.09	12.53	8.56	No	<47	<50.0	<470	---	2.25	0.63	<0.50	<0.50	<0.50
MW6B	01/19/07	21.09	12.05	9.04	No	<47	<50.0	<470	---	3.75	<0.50	<0.50	<0.50	<0.50
MW6B	04/24/07	21.09	11.71	9.38	No	60.9d	<50.0	<46.9	---	4.19	0.51	<0.50	<0.50	<0.50
MW6B	07/24/07	21.09	12.24	8.85	No	<47	<50	<470	---	3.2	0.80	<0.50	<0.50	<0.50
MW6B	12/03/07	21.09	12.71	8.38	No	<47	64	<470	---	2.8	2.5	<0.50	<0.50	<0.50
MW6B	03/06/08	21.09	11.50	9.59	No	52d	330	<470	---	6.2	60	2.5	4.1	5.4
MW6B	06/26/08	21.09	12.76	8.33	No	<47	<50	<470	---	6.4	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6B	08/12/08	21.09	12.89	8.20	No	72.0d,m,n	<50.0	89.3m	---	3.59	1.52	<0.50	<0.50	1.18
MW6B	**10/23/08**	**21.09**	**13.18**	**7.91**	**No**	**<50**	**<50**	**<250**	**---**	**6.1**	**<0.50**	**<0.50**	**<0.50**	**<1.0**
MW6E	10/04/88	98.99i	Well installed.											
MW6E	10/20/88	98.99i	---	---	---	---	---	---	---	---	1.1	<2	<1	3.4
MW6E	12/15/88	98.99i	13.70	85.29i	---	---	---	---	---	---	---	---	---	---
MW6E	09/07/89	98.99i	---	---	---	---	220	---	---	---	3.0	ND	ND	ND
MW6E	04/30/90	98.99i	13.43	85.56i	---	---	250	---	---	---	57	<5.0	<5.0	53
MW6E	10/16/90	98.99i	13.77	85.22i	---	---	---	---	---	---	---	---	---	---
MW6E	12/06/90	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---
MW6E	01/14/91	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---
MW6E	02/08/91	98.99i	13.20	85.79i	---	---	---	---	---	---	---	---	---	---
MW6E	04/02/91	98.99i	12.28	86.71i	---	---	---	---	---	---	---	---	---	---
MW6E	05/07/91	98.99i	13.48	85.51i	---	---	160	---	---	---	32	1.0	2.2	1.4
MW6E	05/31/91	98.99i	14.09	84.90i	---	---	---	---	---	---	---	---	---	---
MW6E	06/26/91	98.99i	12.54	86.45i	---	---	---	---	---	---	---	---	---	---
MW6E	08/05/91	98.99i	14.39	84.60i	---	---	---	---	---	---	---	---	---	---
MW6E	08/14/91	98.99i	14.18	84.81i	---	---	ND	---	---	---	0.9	<0.5	<0.5	<0.5
MW6E	09/11/91	98.99i	14.73	84.26i	---	---	---	---	---	---	---	---	---	---
MW6E	10/16/91	98.99i	14.40	84.59i	---	---	---	---	---	---	---	---	---	---
MW6E	12/30/91	98.99i	13.39	85.60i	---	---	---	---	---	---	---	---	---	---
MW6E	12/31/91	98.99i	---	---	---	---	90	---	---	---	3.1	<0.5	<0.5	<0.5
MW6E	02/25/92	98.99i	13.16	85.83i	---	---	---	---	---	---	---	---	---	---
MW6E	03/25/92	98.99i	12.15	86.84i	---	---	830	---	---	---	41	1.0	3.8	16
MW6E	06/16/92	15.23	13.54	1.69	---	---	3,400	---	---	---	300	23	68	510
MW6E	09/08/92	15.23	14.78	0.45	No	---	480	---	---	---	27	<0.5	3.6	21
MW6E	11/05/92	15.23	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/14/92	15.23	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/28/93	15.23	11.62	3.61	No	---	---	---	---	---	---	---	---	---
MW6E	02/11/93	15.23	12.85	2.38	No	---	270	---	---	---	15	<0.5	<0.5	8.7
MW6E	03/09/93	15.23	12.83	2.40	No	---	---	---	---	---	---	---	---	---
MW6E	04/14/93	15.23	---	---	No	---	---	---	---	---	---	---	---	---
MW6E	05/11/93	15.23	13.59	1.64	No	---	<50	---	---	---	2.3	<0.5	1.4	3.2
MW6E	06/17/93	15.23	13.74	1.49	No	---	---	---	---	---	---	---	---	---
MW6E	07/26/93	15.23	14.01	1.22	No	---	---	---	---	---	---	---	---	---
MW6E	08/10/93	15.23	14.13	1.10	No	---	1,700	---	---	---	130	2.7	23	140
MW6E	09/21/93	15.23	14.20	1.03	No	---	---	---	---	---	---	---	---	---
MW6E	10/27/93	15.23	14.34	0.89	No	---	100	---	---	---	6.0	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6E	11/23/93	15.23	13.97	1.26	No	---	---	---	---	---	---	---	---	---
MW6E	12/17/93	15.23	13.08	2.15	No	---	---	---	---	---	---	---	---	---
MW6E	02/16/94	15.23	13.34	1.89	No	---	640	---	---	---	45	<0.5	12	15
MW6E	05/31/94	15.23	13.82	1.41	No	---	52	---	---	---	1.5	0.97	<0.5	<0.5
MW6E	08/30/94	17.63j	14.32	3.31	No	---	920	---	---	---	22	0.98	5.2	33
MW6E	11/11/94	17.63j	13.92	3.71	No	---	910	---	---	---	13	2.4	13	2.5
MW6E	02/27/95	17.63j	12.96	4.67	No	---	<50	---	---	---	1.9	1.3	<0.5	0.83
MW6E	05/30/95	17.63j	13.20	4.43	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6E	08/30/95	17.63j	13.85	3.78	No	---	1,500	---	11	---	91	2.3	56	59
MW6E	11/26/96	17.63j	12.94	4.69	No	---	<50	---	<30	---	1.1	<0.5	<0.5	<0.5
MW6E	02/27/97	17.63j	12.28	5.35	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6E	05/21/97	17.63j	13.60	4.03	No	---	160	---	<5	---	10	1.4	5.5	4.8
MW6E	08/18/97	17.63j	13.75	3.88	No	---	66	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6E	03/13/98	17.63j	11.36	6.27	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/20/98	17.63j	11.88	5.75	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	07/21/98	21.58	13.10	8.48	No	---	1,200	---	<10	---	81	3.1	28	77
MW6E	10/06/98	21.58	13.55	8.03	No	---	<50	---	6.6	---	1.4	0.51	<0.5	0.97
MW6E	01/11/99	21.58	13.40	8.18	No	---	<50	---	5.1	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/08/99	21.58	12.04	9.54	No	---	<50	---	4.7	---	<0.5	<0.5	<0.5	<0.5
MW6E	07/19/99	21.58	11.59	9.99	No	---	---	---	---	---	---	---	---	---
MW6E	07/27/99	21.58	13.65	7.93	No	---	---	---	---	---	---	---	---	---
MW6E	10/25/99	21.58	13.52	8.06	No	---	<50	---	2.5	---	<0.5	<0.5	<0.5	<0.5
MW6E	01/27/00	21.58	11.71	9.87	No	---	<50	---	2.3	---	<0.5	<0.5	<0.5	<0.5
MW6E	04/03/00	21.58	12.11	9.47	No	---	<50	---	<2	---	0.51	<0.5	<0.5	<0.5
MW6E	07/05/00	21.58	12.91	8.67	No	---	<50	---	<2	---	3.7	<0.5	<0.5	<0.5
MW6E	10/04/00	21.58	13.35	8.23	No	---	<50	---	<2	---	4.1	<0.5	<0.5	<0.5
MW6E	10/05/00	21.58	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6E	01/04/01	21.58	13.09	8.49	No	---	61	---	<2	---	11	<0.5	<0.5	<0.5
MW6E	04/03/01	21.58	12.39	9.19	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6E	07/05/01	21.58	13.21	8.37	No	---	210	---	<2	---	80	<0.5	0.94	2.3
MW6E	10/03/01	21.58	13.30	8.28	No	---	<50	---	<2	---	2.8	<0.5	<0.5	<0.5
MW6E	Oct-01	21.24	Well surveyed in compliance with AB 2886 requirements.											
MW6E	01/02/02	21.24	10.11	11.13	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6E	04/02/02	21.24	12.11	9.13	No	---	<50.0	<100	0.70	---	<0.50	<0.50	<0.50	<0.50
MW6E	07/01/02	21.24	12.46	8.78	No	---	56.0	<100a	<0.5	---	19.9	<0.5	<0.5	<0.5
MW6E	10/02/02	21.24	13.48	7.76	No	---	<50.0	<100	0.8	---	0.5	<0.5	<0.5	<0.5
MW6E	01/07/03	21.24	11.81	9.43	No	---	<50.0	<50	<0.5	<0.50	0.5	<0.5	<0.5	<0.5
MW6E	06/17/03	21.24	12.72	8.52	No	---	<50.0	153	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6E	07/16/03	21.24	12.92	8.32	No	---	<50.0	<100	<0.5	<0.50	4.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6E	10/07/03	21.24	13.34	7.90	No	<50	<50.0	<100	0.9	0.60	2.50	<0.5	<0.5	<0.5
MW6E	01/14/04	21.24	11.92	9.32	No	<50	<50.0	<100	<0.5	<0.50	0.50	<0.5	<0.5	<0.5
MW6E	06/03/04	21.24	12.97	8.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6E	08/12/04	21.24	c	c	c	<50c	<50.0c	<100c	---	<0.50c	4.30c	<0.5c	<0.5c	0.8c
MW6E	11/04/04	21.24	12.68	8.56	No	<50	<50.0	124	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6E	02/01/05	21.24	11.75	9.49	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6E	05/03/05	21.24	11.93	9.31	No	64d	<50.0	116	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6E	08/04/05	21.24	12.92	8.32	No	96.2d	87.9	122	---	<0.500	14.1	<0.500	<0.500	0.792
MW6E	10/27/05	21.24	13.24	8.00	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.91f	<0.50	1.22
MW6E	01/26/06	21.24	11.78	9.46	No	<50	<50	<500	---	<0.50	7.2	0.67	0.71	2.0
MW6E	04/28/06	21.24	11.27	9.97	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6E	07/05/06	21.24	12.67	8.57	No	149	<50.0	316	---	<0.500	<1.00	<1.00	<1.00	<3.00
MW6E	10/27/06	21.24	13.34	7.90	No	<47	<50.0	<470	---	<0.500	<0.50	0.81	<0.50	1.26
MW6E	01/19/07	21.24	12.66	8.58	No	<47	<50.0	<470	---	<0.500	2.33	<0.50	<0.50	<0.50
MW6E	04/24/07	21.24	12.00	9.24	No	82.2d	<50.0	76.7	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW6E	07/24/07	21.24	13.02	8.22	No	70d	55	<470	---	<0.50	18	<0.50	<0.50	<0.50
MW6E	12/03/07	21.24	13.24	8.00	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6E	03/06/08	21.24	11.79	9.45	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6E	06/26/08	21.24	13.15	8.09	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6E	08/12/08	21.24	13.32	7.92	No	72.7d,m,n	<50.0	112m	---	<0.500	6.74	<0.50	<0.50	3.51
MW6E	**10/23/08**	**21.24**	**13.52**	**7.72**	**No**	**<50**	**<50**	**<250**	**---**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<1.0**
MW6F	10/05/88	99.91i	Well installed.											
MW6F	10/25/88	99.91i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	2.4
MW6F	12/15/88	99.91i	14.48	85.43i	---	---	---	---	---	---	---	---	---	---
MW6F	09/07/89	99.91i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND
MW6F	04/30/90	99.91i	14.14	85.77i	---	---	ND	---	---	---	ND	ND	ND	ND
MW6F	10/16/90	99.91i	14.77	85.14i	---	---	---	---	---	---	---	---	---	---
MW6F	12/06/90	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---
MW6F	01/14/91	99.91i	14.73	85.18i	---	---	---	---	---	---	---	---	---	---
MW6F	02/08/91	99.91i	13.73	86.18ii	---	---	---	---	---	---	---	---	---	---
MW6F	04/02/91	99.91i	12.38	87.53i	---	---	---	---	---	---	---	---	---	---
MW6F	05/07/91	99.91i	13.67	86.24i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	05/31/91	99.91i	14.43	85.48i	---	---	---	---	---	---	---	---	---	---
MW6F	06/26/91	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---
MW6F	08/05/91	99.91i	14.96	84.95i	---	---	---	---	---	---	---	---	---	---
MW6F	08/14/91	99.91i	14.87	85.04i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	09/11/91	99.91i	15.11	84.80i	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6F	10/16/91	99.91i	15.16	84.75i	---	---	---	---	---	---	---	---	---	---
MW6F	12/30/91	99.91i	13.78	86.13i	---	---	---	---	---	---	---	---	---	---
MW6F	12/31/91	99.91i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	02/25/92	99.91i	12.68	87.23i	---	---	---	---	---	---	---	---	---	---
MW6F	03/25/92	99.91i	11.93	87.98i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	06/16/92	16.46	14.34	2.12	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6F	09/08/92	16.46	14.75	1.71	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/05/92	16.46	14.35	2.11	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	12/14/92	16.46	12.90	3.56	No	---	---	---	---	---	---	---	---	---
MW6F	01/28/93	16.46	11.60	4.86	No	---	---	---	---	---	---	---	---	---
MW6F	02/11/93	16.46	12.25	4.21	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	03/09/93	16.46	12.50	3.96	No	---	---	---	---	---	---	---	---	---
MW6F	04/14/93	16.46	12.71	3.75	No	---	---	---	---	---	---	---	---	---
MW6F	05/11/93	16.46	13.63	2.83	No	---	<50	---	---	---	---	---	---	---
MW6F	06/17/93	16.46	14.02	2.44	No	---	---	---	---	---	---	---	---	---
MW6F	07/26/93	16.46	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/10/93	16.46	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/21/93	16.46	14.80	1.66	No	---	---	---	---	---	---	---	---	---
MW6F	10/27/93	16.46	14.85	1.61	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/23/93	16.46	Well inaccessible.											
MW6F	12/17/93	16.46	13.86	2.60	No	---	---	---	---	---	---	---	---	---
MW6F	02/16/94	16.46	13.08	3.38	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	05/31/94	16.46	14.06	2.40	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	08/30/94	18.58j	14.84	3.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/11/94	18.58j	12.60	5.98	No	---	<50	---	---	---	<0.5	0.54	<0.5	<0.5
MW6F	02/27/95	18.58j	12.75	5.83	No	---	<50	---	---	---	6.2	3.0	0.82	3.5
MW6F	05/30/95	18.58j	13.16	5.42	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6F	08/30/95	18.58j	14.31	4.27	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6F	11/26/96	18.58j	13.29	5.29	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6F	02/27/97	18.58j	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/21/97	18.58j	14.18	4.40	No	---	---	---	---	---	---	---	---	---
MW6F	08/18/97	18.58j	14.69	3.89	No	---	---	---	---	---	---	---	---	---
MW6F	03/13/98	18.58j	10.93	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6F	04/20/98	18.58j	11.77	6.81	No	---	---	---	---	---	---	---	---	---
MW6F	07/21/98	22.51	13.62	8.89	No	---	---	---	---	---	---	---	---	---
MW6F	10/06/98	22.51	13.52	8.99	No	---	---	---	---	---	---	---	---	---
MW6F	01/11/99	22.51	14.06	8.45	No	---	---	---	---	---	---	---	---	---
MW6F	04/08/99	22.51	11.86	10.65	No	---	---	---	---	---	---	---	---	---
MW6F	07/19/99	22.51	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6F	07/27/99	22.51	Well inaccessible.			---	---	---	---	---	---	---	---	---
MW6F	10/25/99	22.51	12.63	9.88	No	---	---	---	---	---	---	---	---	---
MW6F	01/27/00	22.51	12.23	10.28	No	---	---	---	---	---	---	---	---	---
MW6F	04/03/00	22.51	12.11	10.40	No	---	---	---	---	---	---	---	---	---
MW6F	07/05/00	22.51	13.38	9.13	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	10/04/00	22.51	14.02	8.49	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	0.7
MW6F	10/05/00	22.51	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6F	01/04/01	22.51	13.69	8.82	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	04/03/01	22.51	12.55	9.96	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	07/05/01	22.51	13.74	8.77	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	10/03/01	22.51	13.82	8.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6F	Oct-01	22.17	Well surveyed in compliance with AB 2886 requirements.											
MW6F	01/02/02	22.17	9.16	13.01	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6F	04/02/02	22.17	12.14	10.03	No	---	<50.0	<100	<0.50	---	<0.50	<0.50	<0.50	<0.50
MW6F	07/01/02	22.17	13.46	8.71	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6F	10/02/02	22.17	14.19	7.98	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6F	01/07/03	22.17	11.73	10.44	No	---	<50.0	<50	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5
MW6F	06/17/03	22.17	13.13	9.04	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	07/16/03	22.17	13.51	8.66	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	10/07/03	22.17	14.05	8.12	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	01/14/04	22.17	11.90	10.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	06/03/04	22.17	13.45	8.72	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	08/12/04	22.17	c	c	c	52c	<50.0c	<100c	---	<0.50c	<0.50c	<0.5c	<0.5c	<0.5c
MW6F	11/04/04	22.17	13.03	9.14	No	<50	<50.0	109	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	02/01/05	22.17	11.56	10.61	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	05/03/05	22.17	11.92	10.25	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6F	08/04/05	22.17	13.42	8.75	No	<50.0	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500
MW6F	10/27/05	22.17	13.88	8.29	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.93f	<0.50	<0.50
MW6F	01/26/06	22.17	11.83	10.34	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	04/28/06	22.17	10.96	11.21	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	07/05/06	22.17	13.05	9.12	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00
MW6F	10/27/06	22.17	14.06	8.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW6F	01/19/07	22.17	13.06	9.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW6F	04/24/07	22.17	12.01	10.16	No	103d	<50.0	93.5	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW6F	07/24/07	22.17	13.61	8.56	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	12/03/07	22.17	13.80	8.37	No	---	---	---	---	---	---	---	---	---
MW6F	03/06/08	22.17	11.77	10.40	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	06/26/08	22.17	13.74	8.43	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6F	08/12/08	22.17	14.00	8.17	No	<47.6m,n	<50.0	75.5m	---	<0.500	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6F	**10/23/08**	**22.17**	**14.28**	**7.89**	**No**	**<50**	**<50**	**<250**	**---**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<1.0**
MW6G	11/16/88	99.16i	Well installed.											
MW6G	12/07/88	99.16i	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/15/88	99.16i	12.22	86.94i	---	---	ND	---	---	---	<0.5	<1	<2	<1
MW6G	09/07/89	99.16i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND
MW6G	04/30/90	99.16i	11.73	87.43i	---	---	ND	---	---	---	ND	ND	ND	ND
MW6G	10/16/90	99.16i	12.28	86.88i	---	---	---	---	---	---	---	---	---	---
MW6G	12/06/90	99.16i	12.27	86.89i	---	---	---	---	---	---	---	---	---	---
MW6G	01/14/91	99.16i	12.14	87.02i	---	---	---	---	---	---	---	---	---	---
MW6G	02/08/91	99.16i	11.44	87.72i	---	---	---	---	---	---	---	---	---	---
MW6G	04/02/91	99.16i	10.03	89.13i	---	---	---	---	---	---	---	---	---	---
MW6G	05/07/91	99.16i	11.00	88.16i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	05/31/91	99.16i	11.75	87.41i	---	---	---	---	---	---	---	---	---	---
MW6G	06/26/91	99.16i	12.91	86.25i	---	---	---	---	---	---	---	---	---	---
MW6G	08/05/91	99.16i	12.43	86.73i	---	---	---	---	---	---	---	---	---	---
MW6G	08/14/91	99.16i	12.43	86.73i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	09/11/91	99.16i	12.48	86.68i	---	---	---	---	---	---	---	---	---	---
MW6G	10/16/91	99.16i	12.64	86.52i	---	---	---	---	---	---	---	---	---	---
MW6G	12/30/91	99.16i	11.80	87.36i	---	---	---	---	---	---	---	---	---	---
MW6G	12/31/91	99.16i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	02/25/92	99.91i	10.32	88.84i	---	---	---	---	---	---	---	---	---	---
MW6G	03/25/92	99.91i	9.93	89.23i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	06/16/92	14.71	11.88	2.83	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6G	09/08/92	14.71	12.20	2.51	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/05/92	14.71	12.02	2.69	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	12/14/92	14.71	10.95	3.76	No	---	---	---	---	---	---	---	---	---
MW6G	01/28/93	14.71	9.56	5.15	No	---	---	---	---	---	---	---	---	---
MW6G	02/11/93	14.71	10.04	4.67	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	03/09/93	14.71	10.10	4.61	No	---	---	---	---	---	---	---	---	---
MW6G	04/14/93	14.71	10.43	4.28	No	---	---	---	---	---	---	---	---	---
MW6G	05/11/93	14.71	11.05	3.66	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	06/17/93	14.71	11.49	3.22	No	---	---	---	---	---	---	---	---	---
MW6G	07/26/93	14.71	11.98	2.73	No	---	---	---	---	---	---	---	---	---
MW6G	08/10/93	14.71	12.17	2.54	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	09/21/93	14.71	12.42	2.29	No	---	---	---	---	---	---	---	---	---
MW6G	10/27/93	14.71	13.47	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/23/93	14.71	12.48	2.23	No	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6G	12/17/93	14.71	11.19	3.52	No	---	---	---	---	---	---	---	---	---
MW6G	02/16/94	14.71	10.62	4.09	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	05/31/94	14.71	11.40	3.31	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	08/30/94	16.82j	12.32	4.50	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/11/94	16.82j	11.06	5.76	No	---	58	---	---	---	0.58	1.6	<0.5	1.6
MW6G	02/27/95	16.82j	10.32	6.50	No	---	<50	---	---	---	0.86	0.99	<0.5	0.51
MW6G	05/30/95	16.82j	10.77	6.05	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6G	08/30/95	16.82j	11.92	4.90	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6G	11/26/96	16.82j	11.12	5.70	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6G	02/27/97	16.82j	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/21/97	16.82j	11.76	5.06	No	---	---	---	---	---	---	---	---	---
MW6G	08/18/97	16.82j	12.23	4.59	No	---	---	---	---	---	---	---	---	---
MW6G	03/13/98	16.82j	9.13	7.69	No	---	<50	---	4.4	---	<0.5	<0.5	<0.5	<0.5
MW6G	04/20/98	16.82j	9.73	7.09	No	---	---	---	---	---	---	---	---	---
MW6G	07/21/98	20.72	11.15	9.57	No	---	---	---	---	---	---	---	---	---
MW6G	10/06/98	20.72	11.91	8.81	No	---	---	---	---	---	---	---	---	---
MW6G	01/11/99	20.72	12.00	8.72	No	---	---	---	---	---	---	---	---	---
MW6G	04/08/99	20.72	10.04	10.68	No	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	20.72	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	20.72	11.75	8.97	No	---	---	---	---	---	---	---	---	---
MW6G	10/25/99	20.72	11.76	8.96	No	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	20.72	11.46	9.26	No	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	20.72	10.00	10.72	No	---	--	---	---	---	---	---	---	---
MW6G	07/05/00	20.72	11.24	9.48	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	10/04/00	20.72	11.88	8.84	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	10/05/00	20.72	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6G	01/04/01	20.72	11.56	9.16	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	04/03/01	20.72	10.45	10.27	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	07/05/01	20.72	11.51	9.21	No	---	<50	---	<2	---	0.75	<0.5	<0.5	<0.5
MW6G	10/03/01	20.72	11.63	9.09	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6G	Oct-01	20.46	Well surveyed in compliance with AB 2886 requirements.											
MW6G	01/02/02	20.46	9.15	11.31	No	---	<100	---	1.8	---	<0.50	<0.50	<0.50	<0.50
MW6G	04/02/02	20.46	10.19	10.27	No	---	<50.0	<100	1.10	---	<0.50	<0.50	<0.50	<0.50
MW6G	07/01/02	20.46	11.35	9.11	No	---	<50	<100a	1.3	---	<0.5	<0.5	<0.5	<0.5
MW6G	10/02/02	20.46	11.99	8.47	No	---	<50.0	<100	0.7	---	<0.5	<0.5	<0.5	<0.5
MW6G	01/07/03	20.46	9.97	10.49	No	---	<50.0	<50	1.3	2.0	<0.5	<0.5	<0.5	<0.5
MW6G	06/17/03	20.46	10.98	9.48	No	---	<50.0	<100	1.5	1.6	<0.50	<0.5	<0.5	<0.5
MW6G	07/16/03	20.46	11.37	9.09	No	---	<50.0	<100	1.2	0.9	<0.50	<0.5	<0.5	<0.5
MW6G	10/07/03	20.46	11.90	8.56	No	<50	<50.0	<100	0.8	0.80	<0.50	<0.5	<0.5	<0.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6G	01/14/04	20.46	10.10	10.36	No	<50	<50.0	<100	1.0	1.40	<0.50	<0.5	<0.5	<0.5
MW6G	06/03/04	20.46	11.10	9.36	No	<50	<50.0	<100	1.40	1.4	<0.50	<0.5	<0.5	<0.5
MW6G	08/12/04	20.46	c	c	c	99c	<50.0c	101c	---	1.10c	<0.50c	<0.5c	<0.5c	<0.5c
MW6G	11/04/04	20.46	11.18	9.28	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6G	02/01/05	20.46	9.79	10.67	No	<100	<50.0	<100	---	3.40	<0.50	<0.5	<0.5	<0.5
MW6G	05/03/05	20.46	9.95	10.51	No	<50	<50.0	<100	---	1.40	<0.50	<0.5	<0.5	<0.5
MW6G	08/04/05	20.46	11.22	9.24	No	<50.0	<50.0	<100	---	1.42	<0.500	<0.500	<0.500	<0.500
MW6G	10/27/05	20.46	11.76	8.70	No	<50.0	<50.0	61.3	---	0.810	<0.50	0.93f	<0.50	<0.50
MW6G	01/26/06	20.46	11.07	9.39	No	<50	<50	<500	---	1.8	<0.50	<0.50	<0.50	<0.50
MW6G	04/28/06	20.46	9.11	11.35	No	<47	<50	<470	---	2.8	<0.50	<0.50	<0.50	<0.50
MW6G	07/05/06	20.46	10.70	9.76	No	88.6	<50.0	277	---	2.49	<1.00	<1.00	<1.00	<3.00
MW6G	10/27/06	20.46	11.75	8.71	No	<47	61.9	<470	---	1.40	<0.50	<0.50	<0.50	<0.50
MW6G	01/19/07	20.46	10.94	9.52	No	<47	<50.0	<470	---	1.34	<0.50	<0.50	<0.50	<0.50
MW6G	04/24/07	20.46	10.40	10.06	No	<47.6	<50.0	<47.6	---	2.17	<0.50	<0.50	<0.50	<0.50
MW6G	07/24/07	20.46	11.49	8.97	No	<47	<50	<470	---	1.3	<0.50	<0.50	<0.50	<0.50
MW6G	12/03/07	20.46	11.60	8.86	No	<47	<50	<470	---	0.88	<0.50	<0.50	<0.50	<0.50
MW6G	03/06/08	20.46	9.79	10.67	No	<47	<50	<470	---	2.0	<0.50	<0.50	<0.50	<0.50
MW6G	06/26/08	20.46	11.43	9.03	No	<47	<50	<470	---	1.6	<0.50	<0.50	<0.50	<0.50
MW6G	08/12/08	20.46	11.94	8.52	No	99.1d,m,n	<50.0	135m	---	1.35	<0.50	<0.50	<0.50	<0.50
MW6G	**10/23/08**	**20.46**	**12.34**	**8.12**	**No**	**<50**	**<50**	**<250**	**---**	**1.4**	**<0.50**	**<0.50**	**<0.50**	**<1.0**
MW6H	11/16/88	Well installed.												
MW6H	12/07/88	97.93i	---	---	---	---	---	---	---	---	1,200	320	110	220
MW6H	12/15/88	97.93i	12.36	85.57i	---	---	---	---	---	---	---	---	---	---
MW6H	09/07/89	97.93i	---	---	---	---	660	---	---	---	480	<10	16	<15
MW6H	04/30/90	97.93i	12.10	85.83i	---	---	630	---	---	---	700	39	31	50
MW6H	10/16/90	97.93i	12.18	85.75i	---	---	---	---	---	---	---	---	---	---
MW6H	12/06/90	97.93i	12.29	85.64i	---	---	---	---	---	---	---	---	---	---
MW6H	01/14/91	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---
MW6H	02/08/91	97.93i	11.93	86.00i	---	---	---	---	---	---	---	---	---	---
MW6H	04/02/91	97.93i	11.59	86.34i	---	---	---	---	---	---	---	---	---	---
MW6H	05/07/91	97.93i	12.24	85.69i	---	---	570	---	---	---	95	14	15	21
MW6H	05/31/91	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---
MW6H	06/26/91	97.93i	14.34	83.59i	---	---	---	---	---	---	---	---	---	---
MW6H	08/05/91	97.93i	12.62	85.31i	---	---	---	---	---	---	---	---	---	---
MW6H	08/14/91	97.93i	12.43	85.50i	---	---	540	---	---	---	52	9.9	11	18
MW6H	09/11/91	97.93i	12.83	85.10i	---	---	---	---	---	---	---	---	---	---
MW6H	10/16/91	97.93i	12.71	85.22i	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6H	12/30/91	97.93i	12.16	85.77i	---	---	---	---	---	---	---	---	---	---
MW6H	12/31/91	97.93i	---	---	---	---	790	---	---	---	52	28	22	42
MW6H	02/25/92	97.93i	12.17	85.76i	---	---	---	---	---	---	---	---	---	---
MW6H	03/25/92	97.93i	11.65	86.28i	---	---	920	---	---	---	170	52	25	54
MW6H	06/16/92	14.47	12.12	2.35	---	---	460	---	---	---	31	11	6.8	16
MW6H	09/08/92	14.47	12.30	2.17	No	---	780	---	---	---	69	23	17	18
MW6H	11/05/92	14.47	12.05	2.42	No	---	3,400	---	---	---	500	260	85	160
MW6H	12/14/92	14.47	11.65	2.82	No	---	---	---	---	---	---	---	---	---
MW6H	01/28/93	14.47	11.57	2.90	No	---	---	---	---	---	---	---	---	---
MW6H	02/11/93	14.47	12.22	2.25	No	---	2,500	---	---	---	410	170	28	130
MW6H	03/09/93	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---
MW6H	04/14/93	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---
MW6H	05/11/93	14.47	12.35	2.12	No	---	4,200	---	---	---	490	270	80	210
MW6H	06/17/93	14.47	12.22	2.25	No	---	---	---	---	---	---	---	---	---
MW6H	07/26/93	14.47	12.32	2.15	No	---	---	---	---	---	---	---	---	---
MW6H	08/10/93	14.47	12.30	2.17	No	---	650	---	---	---	83	22	14	29
MW6H	09/21/93	14.47	12.79	1.68	No	---	---	---	---	---	---	---	---	---
MW6H	10/27/93	14.47	13.93	0.54	No	---	1,600	---	---	---	130	90	29	130
MW6H	11/23/93	14.47	12.46	2.01	No	---	---	---	---	---	---	---	---	---
MW6H	12/17/93	14.47	12.08	2.39	No	---	---	---	---	---	---	---	---	---
MW6H	02/16/94	14.47	12.31	2.16	No	---	<50	---	---	---	<0.5	<0.5	<0.5	2.9
MW6H	05/31/94	14.47	12.46	2.01	No	---	1,800	---	---	---	370	220	65	210
MW6H	08/30/94	16.58j	12.72	3.86	No	---	1,900	---	---	---	130	90	19	86
MW6H	11/11/94	16.58j	11.98	4.60	No	---	13,000	---	---	---	1,700	1,400	260	1,800
MW6H	02/27/95	16.58j	11.89	4.69	No	---	320	---	---	---	450	120	28	79
MW6H	05/30/95	16.58j	12.05	4.53	No	---	2,300	---	---	---	960	260	64	200
MW6H	08/30/95	16.58j	12.34	4.24	No	---	2,100	---	50	---	590	35	24	74
MW6H	11/26/96	16.58j	11.87	4.71	No	---	1,200	---	<30	---	320	110	22	85
MW6H	02/27/97	16.58j	11.58	5.00	No	---	1,800	---	<200	---	760	31	8.4	44
MW6H	05/21/97	16.58j	12.23	4.35	No	---	1,100	---	81	---	640	18	5.4	45
MW6H	08/18/97	16.58j	12.29	4.29	No	---	870	---	26	---	200	3.6	2.4	7.4
MW6H	03/13/98	20.47	11.44	9.03	No	---	5,300	---	<125	---	1,900	720	100	470
MW6H	04/20/98	20.47	11.58	8.89	No	---	6,000	---	2,700	---	1,500	600	91	440
MW6H	07/21/98	20.47	11.97	8.50	No	---	2,200	---	1,600	---	740	44	15	63
MW6H	10/06/98	20.47	12.23	8.24	No	---	5,400	---	3,000	---	1,900	<25	<25	76
MW6H	01/11/99	20.47	12.17	8.30	No	---	2,600	---	4,300	---	1,200	<12	<12	20
MW6H	04/08/99	20.47	11.56	8.91	No	---	13,000	---	13,000	---	3,400	1,300	260	1,200
MW6H	07/19/99	20.47	11.71	8.76	No	---	<2,000	---	6,920	8,520	732	<20	<20	<20
MW6H	07/27/99	20.47	12.39	8.08	No	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6H	10/25/99	20.47	12.16	8.31	No	---	700	---	4,000	---	360	1.1	0.68	2
MW6H	01/27/00	20.47	11.60	8.87	No	---	9,100	---	7,600	---	2,400	840	150	670
MW6H	04/03/00	20.47	11.62	8.85	No	---	12,000	---	8,800	---	2,800	1,100	230	1,020
MW6H	07/05/00	20.47	11.93	8.54	No	---	12,000	---	8,000	---	1,200	56	13	92
MW6H	10/04/00	20.47	12.16	8.31	No	---	4,400	---	8,400	---	1,500	23	12	80.6
MW6H	10/05/00	20.47	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6H	01/04/01	20.47	12.03	8.44	No	---	2,300	---	3,800	---	880	15	6.4	33.9
MW6H	04/03/01	20.47	11.73	8.74	No	---	7,800	---	5,100	---	2,000	730	140	590
MW6H	07/05/01	20.47	11.98	8.49	No	---	2,300	---	3,200	---	630	25	10	40.8
MW6H	10/03/01	20.47	12.1	8.37	No	---	1,400	---	550	---	270	5.6	4.2	11.6
MW6H	Oct-01	20.20	Well surveyed in compliance with AB 2886 requirements.											
MW6H	01/02/02	20.20	11.14	9.06	No	---	47,100	---	4,260	---	7,880	5,220	1,060	4,460
MW6H	04/02/02	20.20	11.68	8.52	No	---	17,500	<500	1,590	---	2,280	1,290	282	1,090
MW6H	07/01/02	20.20	11.97	8.23	No	---	5,370	<100a	1,910	---	1,170	200	44.0	158
MW6H	10/02/02	20.20	12.20	8.00	No	---	2,570	<100	899	---	655	13.0	8.0	25.0
MW6H	01/07/03	20.20	11.58	8.62	No	---	12,500	<50	1,700	2,500	2,480	1,340	250	1,120
MW6H	06/17/03	20.20	11.82	8.38	No	---	6,330	<100	1,490	1,660	604	104	44.0	152
MW6H	07/16/03	20.20	12.89	7.31	No	---	3,170	<100	1,270	1,170	614	20.0	9.5	31.8
MW6H	10/07/03	20.20	12.10	8.10	No	---	2,090	<100	612	640	433	11.6	6.7	22.5
MW6H	01/14/04	20.20	11.55	8.65	No	390	6,320	<100	59.0	1,250	1,340	517	117	515
MW6H	06/03/04	20.20	11.92	8.28	No	---	3,330	<100	604	632	546	128	38.4	140
MW6H	08/12/04	20.20	c	c	c	174c	1,920c	<100c	---	426c	330c	17.9c	9.3c	35.3c
MW6H	11/04/04	20.20	11.86	8.34	No	578	8,090	552	---	442	1,280	620	185	822
MW6H	02/01/05	20.20	11.55	8.65	No	616	9,500	193	---	335	1,360	764	214	844
MW6H	05/03/05	20.20	11.54	8.66	No	560d	9,120	168	---	323	1,320	886	245	928
MW6H	08/04/05	20.20	11.89	8.31	No	269d	1,810	143	---	268	349	57.0	20.1	70.0
MW6H	10/27/05	20.20	12.10	8.10	No	228	942	98.5	---	164	154	23.1f	6.09	23.2
MW6H	01/26/06	20.20	11.54	8.66	No	910d	20,000	<500	---	270	3,200	3,400	660	3,100
MW6H	04/28/06	20.20	11.29	8.91	No	550d	11,000	<470	---	160	2,000	1,500	380	1,600
MW6H	07/05/06	20.20	11.90	8.30	No	273	2,360	114	---	82.9	389	111	39.5	125
MW6H	10/27/06	20.20	12.08	8.12	No	120d	1,460	<470	---	69.4	215	27.9	16.2	43.4
MW6H	01/19/07	20.20	11.81	8.39	No	290d	4,950	<470	---	77.5	831	638	129	451
MW6H	04/24/07	20.20	11.52	8.68	No	997d	13,800	140	---	90.5	1,330	1,420	357	1,360
MW6H	07/24/07	20.20	11.90	8.30	No	150d	1,600	<470	---	56	300	110	29	100
MW6H	12/03/07	20.20	12.03	8.17	No	140d,l	1,800	<470	---	51	420	14	8.3	33
MW6H	03/06/08	20.20	11.81	8.39	No	280d	4,400	<470	---	48	630	540	130	460
MW6H	06/26/08	20.20	12.41	7.79	No	320d	3,700	<470	---	40	930	100	130	550
MW6H	08/12/08	20.20	12.40	7.80	No	740d,m,n	5,010	294m	---	29.8	684	354	114	466
MW6H	**10/23/08**	**20.20**	**12.47**	**7.73**	**No**	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6H	**10/30/08**	**20.20**	**---**	**---**	**---**	**<50**	**2,100**	**<250**	**---**	**23**	**270**	**64**	**35**	**120**
MW6I	11/17/88	Well installed.												
MW6I	12/07/88	97.60i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	<1
MW6I	12/15/88	97.60i	12.83	84.77i	---	---	---	---	---	---	---	---	---	---
MW6I	09/07/89	97.60i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND
MW6I	04/30/90	97.60i	12.66	84.94i	---	---	ND	---	---	---	ND	ND	ND	ND
MW6I	10/16/90	97.60i	12.71	84.89i	---	---	---	---	---	---	---	---	---	---
MW6I	12/06/90	97.60i	12.75	84.85i	---	---	---	---	---	---	---	---	---	---
MW6I	01/14/91	97.60i	12.55	85.05i	---	---	---	---	---	---	---	---	---	---
MW6I	02/08/91	97.60i	12.32	85.28i	---	---	---	---	---	---	---	---	---	---
MW6I	04/02/91	97.60i	12.22	85.38i	---	---	---	---	---	---	---	---	---	---
MW6I	05/07/91	97.60i	12.61	84.99i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6I	05/31/91	97.60i	12.82	84.78i	---	---	---	---	---	---	---	---	---	---
MW6I	06/26/91	97.60i	12.93	84.67i	---	---	---	---	---	---	---	---	---	---
MW6I	08/05/91	97.60i	13.01	84.59i	---	---	---	---	---	---	---	---	---	---
MW6I	08/14/91	97.60i	12.98	84.62i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6I	09/11/91	97.60i	13.11	84.49i	---	---	---	---	---	---	---	---	---	---
MW6I	10/16/91	97.60i	13.04	84.56i	---	---	---	---	---	---	---	---	---	---
MW6I	12/30/91	97.60i	12.72	84.88i	---	---	---	---	---	---	---	---	---	---
MW6I	12/31/91	97.60i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6I	02/25/92	97.60i	12.45	85.15i	---	---	---	---	---	---	---	---	---	---
MW6I	03/25/92	97.60i	12.12	85.48i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6I	06/16/92	14.14	12.75	1.39	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5
MW6I	09/08/92	14.14	12.84	1.30	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	11/05/92	14.14	12.75	1.39	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	12/14/92	14.14	12.40	1.74	No	---	---	---	---	---	---	---	---	---
MW6I	01/28/93	14.14	12.20	1.94	No	---	---	---	---	---	---	---	---	---
MW6I	02/11/93	14.14	12.40	1.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	03/09/93	14.14	12.45	1.69	No	---	---	---	---	---	---	---	---	---
MW6I	04/14/93	14.14	12.43	1.71	No	---	---	---	---	---	---	---	---	---
MW6I	05/11/93	14.14	12.73	1.41	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	06/17/93	14.14	12.78	1.36	No	---	---	---	---	---	---	---	---	---
MW6I	07/26/93	14.14	12.92	1.22	No	---	---	---	---	---	---	---	---	---
MW6I	08/10/93	14.14	12.97	1.17	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	09/21/93	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---
MW6I	10/27/93	14.14	13.10	1.04	No	---	<50	---	---	---	<0.5	<0.5	<0.5	1.1
MW6I	11/23/93	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6I	12/17/93	14.14	12.65	1.49	No	---	---	---	---	---	---	---	---	---
MW6I	02/16/94	14.14	12.66	1.48	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	05/31/94	14.14	12.90	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	08/30/94	16.26j	13.06	3.20	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	11/11/94	16.26j	15.20	1.06	No	---	53	---	---	---	0.62	1.8	<0.5	2.0
MW6I	02/27/95	16.26j	12.51	3.75	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5
MW6I	05/30/95	16.26j	12.57	3.69	No	---	69	---	---	---	2.8	0.96	1.1	4.3
MW6I	08/30/95	16.26j	12.86	3.4	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5
MW6I	11/26/96	16.26j	12.45	3.81	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6I	02/27/97	16.26j	12.24	4.02	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6I	05/21/97	16.26j	12.82	3.44	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6I	08/18/97	16.26j	12.81	3.45	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5
MW6I	03/13/98	16.26j	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/20/98	16.26j	12.14	4.12	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6I	07/21/98	20.24	12.59	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/06/98	20.24	12.81	7.43	No	---	---	---	---	---	---	---	---	---
MW6I	01/11/99	20.24	12.74	7.50	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW6I	04/08/99	20.24	11.93	8.31	No	---	---	---	---	---	---	---	---	---
MW6I	07/19/99	20.24	11.75	8.49	No	---	281	---	17.6	---	35.4	9.1	7.4	30.7
MW6I	07/27/99	20.24	12.95	7.29	No	---	---	---	---	---	---	---	---	---
MW6I	10/25/99	20.24	12.79	7.45	No	---	---	---	---	---	---	---	---	---
MW6I	01/27/00	20.24	12.06	8.18	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/00	20.24	12.24	8.00	No	---	---	---	---	---	---	---	---	---
MW6I	07/05/00	20.24	12.48	7.76	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/05/00	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---
MW6I	01/04/01	20.24	12.54	7.70	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	04/03/01	20.24	12.32	7.92	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	07/05/01	20.24	12.55	7.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/01/01	19.87	Well surveyed in compliance with AB 2886 requirements.											
MW6I	10/03/01	20.24	12.67	7.57	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6I	01/02/02	19.87	10.98	8.89	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6I	04/02/02 b	19.87	12.24	7.63	No	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	19.87	12.51	7.36	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6I	10/02/02 b	19.87	12.72	7.15	No	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	19.87	12.09	7.78	No	---	<50.0	<50	<0.5	1.10	<0.5	<0.5	<0.5	<0.5
MW6I	06/17/03 b	19.87	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	07/16/03	19.87	12.49	7.38	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	10/07/03 b	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6I	01/14/04	19.87	12.13	7.74	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	06/03/04 b	19.87	12.56	7.31	No	---	---	---	---	---	---	---	---	---
MW6I	08/12/04	19.87	c	c	c	99c	<50.0c	155c	---	<0.50c	<0.50c	<0.5c	<0.5c	0.8c
MW6I	11/04/04 b	19.87	12.33	7.54	No	---	---	---	---	---	---	---	---	---
MW6I	02/01/05	19.87	12.09	7.78	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5
MW6I	05/03/05 b	19.87	12.16	7.71	No	---	---	---	---	---	---	---	---	---
MW6I	08/04/05	19.87	12.46	7.41	No	54.2d	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500
MW6I	10/27/05 b	19.87	12.58	7.29	No	---	---	---	---	---	---	---	---	---
MW6I	01/26/06	19.87	12.04	7.83	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	04/28/06 b	19.87	11.94	7.93	No	---	---	---	---	---	---	---	---	---
MW6I	07/05/06	19.87	13.06	6.81	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00
MW6I	10/27/06 b	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---
MW6I	01/19/07	19.87	12.41	7.46	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	0.62
MW6I	04/24/07 b	19.87	12.11	7.76	No	---	---	---	---	---	---	---	---	---
MW6I	07/24/07	19.87	12.51	7.36	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	12/03/07	19.87	12.64	7.23	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	03/06/08	19.87	11.97	7.90	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50
MW6I	06/26/08 b	19.87	12.54	7.33	No	---	---	---	---	---	---	---	---	---
MW6I	08/12/08	19.87	12.53	7.34	No	81.3d,m,n	<50.0	137m	---	<0.500	<0.50	<0.50	<0.50	<0.50
MW6I	**10/23/08 b**	**19.87**	**12.56**	**7.31**	**No**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**
MW6J	04/06/01	Well installed.												
MW6J	07/05/01	20.72	13.47	7.25	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6J	10/03/01	20.72	13.57	7.15	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5
MW6J	Oct-01	20.75	Well surveyed in compliance with AB 2886 requirements.											
MW6J	01/02/02	20.75	13.19	7.56	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50
MW6J	04/02/02	20.75	13.74	7.01	No	---	<50.0	<100	1.00	---	0.80	<0.50	<0.50	0.80
MW6J	07/01/02	20.75	13.58	7.17	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6J	10/02/02	20.75	13.79	6.96	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5
MW6J	01/07/03	20.75	13.49	7.26	No	---	<50.0	<50	0.60	1.30	<0.5	<0.5	<0.5	<0.5
MW6J	06/17/03	20.75	13.76	6.99	No	---	<50.0	<100	3.00	0.70	<0.50	<0.5	<0.5	<0.5
MW6J	07/16/03	20.75	13.57	7.18	No	---	<50.0	<100	0.70	0.60	<0.50	<0.5	<0.5	<0.5
MW6J	10/07/03	20.75	13.74	7.01	No	---	<50.0	<100	1.1	1.20	<0.50	<0.5	<0.5	<0.5
MW6J	01/14/04	20.75	13.46	7.29	No	<50	<50.0	<100	1.8	1.80	<0.50	<0.5	<0.5	<0.5
MW6J	06/03/04	20.75	13.72	7.03	No	<50	<50.0	<100	5.1	10.3	0.50	<0.5	<0.5	<0.5
MW6J	08/12/04	20.75	c	c	c	<50c	<50.0c	<100c	---	3.30c	1.40c	2.1c	1.3c	4.6c
MW6J	11/04/04	20.75	13.68	7.07	No	<50	<50.0	116	---	3.50	0.50	0.5	<0.5	<0.5
MW6J	02/01/05	20.75	13.47	7.28	No	<100	<50.0	<100	---	5.50	<0.50	<0.5	<0.5	0.6

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6J	05/03/05	20.75	13.66	7.09	No	<50	<50.0	<100	---	3.00	0.70	0.9	0.6	0.8
MW6J	08/04/05	20.75	13.75	7.00	No	55.8d	<50.0	130	---	<0.500	<0.500	<0.500	<0.500	<0.500
MW6J	10/27/05	20.75	13.71	7.04	No	<50.0	<50.0	<50.0	---	2.48	<0.50	0.94f	<0.50	<0.50
MW6J	01/26/06	20.75	13.49	7.26	No	<50	<50	<500	---	6.2	<0.50	<0.50	<0.50	<0.50
MW6J	04/28/06	20.75	13.56	7.19	No	<47	<50	<470	---	7.2	<0.50	<0.50	<0.50	<0.50
MW6J	07/05/06	20.75	13.75	7.00	No	<47.6	<50.0	<95.2	---	7.73	<1.00	<1.00	<1.00	<3.00
MW6J	10/27/06	20.75	13.66	7.09	No	<47	67.7	<470	---	9.15	<0.50	<0.50	<0.50	<0.50
MW6J	01/19/07	20.75	13.51	7.24	No	<47	<50.0	<470	---	12.1	<0.50	<0.50	<0.50	<0.50
MW6J	04/24/07	20.75	13.76	6.99	No	<47.6	<50.0	<47.6	---	12.8	<0.50	<0.50	<0.50	<0.50
MW6J	07/24/07	20.75	14.01	6.74	No	<47	<50	<470	---	16	<0.50	<0.50	<0.50	<0.50
MW6J	12/03/07	20.75	13.71	7.04	No	<47	<50	<470	---	29	<0.50	<0.50	<0.50	<0.50
MW6J	03/06/08	20.75	Well inaccessible due to encroachment permit restrictions.											
MW6J	06/26/08	20.75	Well inaccessible due to encroachment permit restrictions.											
MW6J	08/12/08	20.75	Well inaccessible due to encroachment permit restrictions.											
MW6J	**10/23/08**	**20.75**	**13.40**	**7.35**	**No**	**<50**	**<50**	**<250**	**---**	**10**	**<0.50**	**<0.50**	**<0.50**	**<1.0**
RW1	05/10/90	97.89i	Well installed.											
RW1	10/16/90	97.89i	12.24	85.65i	---	---	---	---	---	---	---	---	---	---
RW1	01/14/91	97.89i	12.80	85.09i	---	---	---	---	---	---	---	---	---	---
RW1	02/08/91	97.89i	12.53	85.36i	---	---	---	---	---	---	---	---	---	---
RW1	05/31/91	97.89i	12.86	85.03i	---	---	---	---	---	---	---	---	---	---
RW1	08/05/91	97.89i	13.19	84.70i	---	---	---	---	---	---	---	---	---	---
RW1	08/13/91	97.89i	14.05	83.84i	---	---	---	---	---	---	---	---	---	---
RW1	09/11/91	97.89i	15.96	81.93i	---	---	---	---	---	---	---	---	---	---
RW1	10/16/91	97.89i	16.00	81.89i	---	---	---	---	---	---	---	---	---	---
RW1	12/30/91	97.89i	12.65	85.24i	---	---	---	---	---	---	---	---	---	---
RW1	02/25/92	97.89i	14.40	83.49i	---	---	---	---	---	---	---	---	---	---
RW1	03/25/92	97.89i	---	---	---	---	---	---	---	---	---	---	---	---
RW1	06/16/92	14.42	12.37	2.05	---	---	6,200	---	---	---	620	1,400	240	1,400
RW1	09/08/92 - 05/31/94		Not monitored or sampled.											
RW1	08/30/94	16.79j	Well resurveyed.											
RW1	08/30/94 - 10/16/98		Not monitored or sampled.											
RW1	01/11/99	20.24	12.37	7.87	No	---	---	---	---	---	---	---	---	---
RW1	04/08/99	20.24	10.41	9.83	No	---	---	---	---	---	---	---	---	---
RW1	07/19/99	20.24	---	---	---	---	---	---	---	---	---	---	---	---
RW1	07/27/99	20.24	12.76	7.48	No	---	---	---	---	---	---	---	---	---
RW1	10/25/99	20.24	12.50	7.74	No	---	---	---	---	---	---	---	---	---
RW1	01/27/00	20.24	12.11	8.13	No	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW1	04/03/00	20.24	12.07	8.17	No	---	---	---	---	---	---	---	---	---
RW1	07/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/04/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/05/00	20.24	---	---	---	---	---	---	---	---	---	---	---	---
RW1	01/04/01	20.24	13.90	6.34	No	---	8,000	---	2,500	---	1,200	65	250	258
RW1	04/03/01	20.24	11.92	8.32	No	---	4,100	---	610	---	62	<2.5	18	61
RW1	07/05/01	20.24	Well inaccessible.											
RW1	10/03/01	20.24	12.32	8.32	No	---	11,000	---	4,100	---	1,900	780	150	700
RW1	Oct-01	20.43	Well surveyed in compliance with AB 2886 requirements.											
RW1	01/02/02	20.43	10.85	9.58	No	---	32,000	---	7,760	---	358	2,270	894	4,820
RW1	04/02/02	20.43	11.72	8.71	No	---	4,220	<500	922	---	172	22.5	106	340
RW1	07/01/02	20.43	12.17	8.26	No	---	2,500	<100a	986	---	176	8.0	71.0	75.0
RW1	10/02/02	20.43	12.44	7.99	No	---	2,970	1,720	1,310	---	197	11.0	70.0	69.0
RW1	01/07/03	20.43	11.64	8.79	No	---	2,210	1,340	747	1,010	134	12.0	33.0	53.0
RW1	06/17/03	20.43	11.98	8.45	No	---	3,850	316	645	847	48.9	38.7	46.1	197
RW1	07/16/03	20.43	12.11	8.32	No	---	2,640	2,080	730	615	78.5	20.0	47.5	166
RW1	10/07/03	20.43	12.35	8.08	No	1,340	2,310	1,040	744	578	118	7.6	25.1	52.1
RW1	01/14/04	20.43	11.61	8.82	No	4,240	4,230	5,640	7.8	328	52.7	65.8	42.7	543
RW1	06/03/04	20.43	12.12	8.31	No	---	2,910	1,840	234	250	79.9	6.0	28.6	67.2
RW1	08/12/04	20.43	c	c	c	---	1,980c	164c	---	107c	146c	5.7c	18.1c	10.9c
RW1	11/04/04	20.43	12.06	8.37	No	2,570	127,000	1,790	---	386	130	5,150	4,020	24,300
RW1	02/01/05	20.43	11.55	8.88	No	3,530	2,880	4,680	---	78.7	25.3	13.3	49.3	258
RW1	05/03/05	20.43	11.58	8.85	No	6,830d,e	2,490	14,600	---	91.3	33.8	18.4	17.3	97.7
RW1	08/04/05	20.43	12.10	8.33	No	2,430d	3,080	3,410	---	49.6	193	20.4	48.2	117
RW1	10/27/05	20.43	12.32	8.11	No	1,970	348	2,960	---	36.3	9.40	1.99f	2.22	5.36
RW1	01/26/06	20.43	11.55	8.88	No	5,000d	640	<10,000	---	72	13	7.5	1.8	5.2
RW1	04/28/06	20.43	11.23	9.20	No	950d	810	1,500	---	30	18	12	4.9	19
RW1	07/05/06	20.43	11.96	8.47	No	687	1,020	886	---	40.0	25.0	4.77	4.67	11.4
RW1	10/27/06	20.43	12.31	8.12	No	550d	937	600	---	45.4	21.1	4.82	5.37	8.14
RW1	01/19/07	20.43	11.96	8.47	No	2,500d	1,070	2,500	---	33.4	21.9	2.22	3.40	6.99
RW1	04/24/07	20.43	11.61	8.82	No	k	806	k	---	28.0	20.9	2.77	2.81	5.46
RW1	07/24/07	20.43	12.20	8.23	No	2,100d	510	3,500d	---	17	18	1.8	0.92	2.0
RW1	12/03/07	20.43	12.30	8.13	No	1,100d,l	400	1,700d	---	12	18	1.4	1.6	1.8
RW1	03/06/08	20.43	11.62	8.81	No	380d	490	480	---	22	18	1.6	<1.0	1.7
RW1	06/26/08	20.43	12.52	7.91	No	1,100d	560	1,800d	---	20	51	3.1	2.0	4.2
RW1	08/12/08	20.43	12.51	7.92	No	16,500d,e,m,n	1,720	20,400m	---	16.8	391	29.7	29.7	52.5
RW1	**10/23/08**	**20.43**	**12.68**	**7.75**	**No**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**
RW1	**10/30/08**	**20.43**	**---**	**---**	**---**	**930**	**2,500**	**1,200**	**---**	**18**	**21**	**7.9**	**11**	**15**

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6D	07/06/88	98.78i	Well installed.											
MW6D	07/11/88	98.78i	13.48	85.24i	0.025 in.	---	---	---	---	---	220	27	<20	<10
MW6D	10/20/88	98.78i	---	---	---	---	---	---	---	---	710	74	22	110
MW6D	12/15/88	98.78i	13.44	85.34i	---	---	---	---	---	---	---	---	---	---
MW6D	09/07/89	98.78i	---	---	---	---	2,200	---	---	---	600	26	58	31
MW6D	04/30/90	98.78i	13.19	85.59i	---	---	3,600	---	---	---	800	150	310	280
MW6D	05/10/90	98.78i	Well over-drilled into recovery well RW2											
RW2	10/16/90	98.11i	12.77	85.34i	---	---	---	---	---	---	---	---	---	---
RW2	02/08/91	98.11i	13.11	85.00i	---	---	---	---	---	---	---	---	---	---
RW2	04/02/91	98.11i	11.70	86.41i	---	---	---	---	---	---	---	---	---	---
RW2	05/07/91	98.11i	14.09	84.02i	---	---	11,000	---	---	---	3,200	480	150	780
RW2	05/31/91	98.11i	16.01	82.10i	---	---	---	---	---	---	---	---	---	---
RW2	06/26/91	98.11i	14.60	83.51i	---	---	---	---	---	---	---	---	---	---
RW2	08/05/91	98.11i	14.00	84.11i	---	---	---	---	---	---	---	---	---	---
RW2	08/13/91	98.11i	21.30	76.81i	---	---	---	---	---	---	---	---	---	---
RW2	09/11/91	98.11i	19.97	78.14i	---	---	---	---	---	---	---	---	---	---
RW2	10/16/91	98.11i	15.19	82.92i	---	---	---	---	---	---	---	---	---	---
RW2	12/30/91	98.11i	13.19	84.92i	---	---	---	---	---	---	---	---	---	---
RW2	02/25/92	98.11i	16.27	81.84i	---	---	---	---	---	---	---	---	---	---
RW2	03/25/92	98.11i	---	---	---	---	---	---	---	---	---	---	---	---
RW2	06/16/92	14.61	12.86	1.75	---	---	28,000	---	---	---	2,900	1,000	120	2,700
RW2	09/08/92- 05/31/94		Not monitored or sampled.											
RW2	08/30/94- 04/20/98		Not monitored or sampled.											
RW2	08/30/94	17.02j	Well resurveyed.											
RW2	07/21/98	20.44	12.65	7.79	No	---	3,500	---	170	---	240	100	41	96
RW2	10/06/98	20.44	13.06	7.38	No	---	3,200	---	200	---	120	48	56	120
RW2	01/11/99	20.44	12.88	7.56	No	---	3,300	---	350	---	150	17	35	40
RW2	04/08/99	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---
RW2	07/19/99	20.44	11.61	8.83	No	---	1,980	---	160	499	44	4.16	22.3	11.6
RW2	07/27/99	20.44	13.26	7.18	No	---	---	---	---	---	---	---	---	---
RW2	10/25/99	20.44	12.96	7.48	No	---	1,800	---	440	---	51	<0.5	4.7	9.5
RW2	01/27/00	20.44	12.70	7.74	No	---	1,900	---	750	---	38	<2.5	4.8	10.4
RW2	04/03/00	20.44	11.97	8.47	No	---	2,100	---	300	---	28	2.4	1.4	0.73
RW2	07/05/00	20.44	12.50	7.94	No	---	2,300	---	230	---	20	<2.5	5.3	8
RW2	10/04/00	20.44	12.97	7.47	No	---	1,300	---	570	---	42	<2.5	15	17.7
RW2	10/05/00	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW2	01/04/01	20.44	13.71	6.73	No	---	1,000	---	380	---	33	<2.5	13	17.7

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW2	04/03/01	20.44	12.10	8.34	No	---	1,300	---	99	---	18	2.1	16	19.4
RW2	07/05/01	20.44	Well inaccessible.			---	---	---	---	---	---	---	---	---
RW2	10/03/01	20.44	12.8	7.64	No	---	1,900	---	240	---	35	4.4	34	105
RW2	Oct-01	20.64	Well surveyed in compliance with AB 2886 requirements.											
RW2	01/02/02	20.64	10.22	10.42	No	---	2,440	---	76.0	---	24.4	6.20	26.2	83.0
RW2	04/02/02	20.64	12.02	8.62	No	---	1,460	260	47.5	---	8.60	3.30	5.30	29.1
RW2	07/01/02	20.64	12.51	8.13	No	---	1,380	<100a	39.9	---	11.0	1.8	17.9	45.0
RW2	10/02/02	20.64	12.91	7.73	No	---	720	<100	46.9	---	5.5	1.7	3.7	11.9
RW2	01/07/03	20.64	11.61	9.03	No	---	1,180	197	48.0	56.0	12.3	3.6	12.2	25.6
RW2	06/17/03	20.64	12.32	8.32	No	---	1,070	<100	29.7	26.4	13.9	4.4	11.8	16.9
RW2	07/16/03	20.64	12.51	8.13	No	---	1,200	295	32.9	19.3	6.60	4.1	10.9	12.3
RW2	10/07/03	20.64	12.81	7.83	No	332	1,170	<100	55.0	50.2	8.70	1.1	9.3	12.2
RW2	01/14/04	20.64	11.70	8.94	No	167	1,250	<100	8.4	128	18.0	4.4	8.6	10.7
RW2	06/03/04	20.64	12.93	7.71	No	---	1,100	1,310	17.0	10.9	6.70	1.3	4.0	11.5
RW2	08/12/04	20.64	c	c	c	438c	1,110c	521c	---	32.8c	7.00c	1.5c	3.1c	10.2c
RW2	11/04/04	20.64	12.30	8.34	No	503	506	419	---	r	4.30	5.9	6.2	16.0
RW2	02/01/05	20.64	11.61	9.03	No	725	640	1,400	---	13.7	5.30	1.5	4.0	3.8
RW2	05/03/05	20.64	11.72	8.92	No	493d,e	1,130	801	---	8.20	10.3	1.1	5.8	6.3
RW2	08/04/05	20.64	12.46	8.18	No	3,020d	1,060	3,810	---	9.02	6.36	0.848	1.90	2.47
RW2	10/27/05	20.64	12.71	7.93	No	716	163	703	---	8.74	<0.50	<0.50	<0.50	0.95
RW2	01/26/06	20.64	11.65	8.99	No	410d	620a	<500	---	5.1	6.1 a	1.2 a	4.3 a	2.1 a
RW2	04/28/06	20.64	11.24	9.40	No	300d	680	<470	---	2.6	9.7	1.2	5.3	2.9
RW2	07/05/06	20.64	12.33	8.31	No	284	946	221	---	<0.500	8.87	1.05	1.81	3.10
RW2	10/27/06	20.64	12.78	7.86	No	240d	920	<470	---	4.59	<0.50	<0.50	3.65	3.09
RW2	01/19/07	20.64	12.29	8.35	No	230d	794	<470	---	3.72	6.32	2.27	<0.50	3.09
RW2	04/24/07	20.64	11.81	8.83	No	652d	1,170	332	---	3.01	7.21	<0.50	6.74	6.15
RW2	07/24/07	20.64	12.51	8.13	No	250d	970	<470	---	2.5	9.1	<0.50	2.8	1.9
RW2	12/03/07	20.64	12.71	7.93	No	660d,l	460	660d	---	6.8	7.5	<2.5	<2.5	<2.5
RW2	03/06/08	20.64	11.61	9.03	No	610d	750	620d	---	2.2	8.5	<2.5	2.7	<2.5
RW2	06/26/08	20.64	12.71	7.93	No	500d	400	580d	---	1.6	5.6	<1.0	<1.0	1.1
RW2	08/12/08	20.64	12.81	7.83	No	372d,m,n	317	222m	---	1.36	37.3	<0.50	4.13	3.99
RW2	**10/23/08**	**20.64**	**12.97**	**7.67**	**No**	**190**	**370**	**<250**	**---**	**<0.50**	**3.2**	**<0.50**	**5.5**	**8.1**
MW6C	06/15/88	99.89i	Well installed.											
MW6C	06/24/88	99.89i	---	---	---	---	---	---	---	---	7,400	7.1	170	2,300
MW6C	07/11/88	99.89i	14.21	85.68i	---	---	---	---	---	---	---	---	---	---
MW6C	10/20/88	99.89i	---	---	---	---	---	---	---	---	9,500	65	170	850
MW6C	12/15/88	99.89i	14.10	85.79i	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6C	09/07/89	99.89i	---	---	---	---	18,000	---	---	---	7,900	430	350	1,100
MW6C	04/30/90	99.89i	13.81	86.68i	---	---	30,000	---	---	---	6,100	1,500	1,000	2,700
MW6C	05/10/90	---	Well over-drilled into recovery well RW3											
RW3	10/16/90	98.97i	13.29	85.68i	---	---	---	---	---	---	---	---	---	---
RW3	01/14/91	98.97i	14.50	84.47i	---	---	---	---	---	---	---	---	---	---
RW3	02/08/91	98.97i	12.54	86.43i	---	---	---	---	---	---	---	---	---	---
RW3	04/02/91	98.97i	11.39	87.58i	---	---	---	---	---	---	---	---	---	---
RW3	05/07/91	98.97i	12.47	86.50i	---	---	5,800	---	---	---	4,200	640	220	670
RW3	05/31/91	98.97i	16.31	82.66i	---	---	---	---	---	---	---	---	---	---
RW3	06/26/91	98.97i	15.50	83.47i	---	---	---	---	---	---	---	---	---	---
RW3	08/05/91	98.97i	13.69	85.28i	---	---	---	---	---	---	---	---	---	---
RW3	08/13/91	98.97i	13.67	85.30i	---	---	---	---	---	---	---	---	---	---
RW3	08/14/91	98.97i	---	---	---	---	3,800	---	---	---	2,300	300	49	360
RW3	09/11/91	98.97i	13.77	85.20i	---	---	---	---	---	---	---	---	---	---
RW3	10/16/91	98.97i	16.66	82.31i	---	---	---	---	---	---	---	---	---	---
RW3	11/05/91	Well destroyed.												
RW3A	08/24/92- 04/20/98		Not monitored or sampled.											
RW3A	08/24/92	---	Well installed in place of RW3.											
RW3A	07/21/98	21.75	13.08	8.67	No	---	280	---	16	---	97	<1.2	<1.2	<1.2
RW3A	10/06/98	21.89	13.72	8.17	No	---	78	---	26	---	26	0.89	<0.5	<0.5
RW3A	01/11/99	21.75	12.00	9.75	No	---	1,000	---	230	---	490	5.0	<5.0	7.4
RW3A	04/08/99	21.75	11.90	9.85	No	---	130	---	11	---	70	<1.0	<1.0	<1.0
RW3A	07/19/99	21.75	11.75	10.00	No	---	989	---	16.4	---	393	6.40	5.70	15.0
RW3A	07/27/99	21.75	13.68	8.07	No	---	---	---	---	---	---	---	---	---
RW3A	10/25/99	21.75	13.61	8.14	No	---	150	---	19	---	53	<0.5	<0.5	<0.5
RW3A	01/27/00	21.75	12.22	9.53	No	---	500	---	12	---	210	0.59	1.40	2.29
RW3A	04/03/00	21.75	12.00	9.75	No	---	1,100	---	16	---	420	1.6	1.8	1.4
RW3A	07/05/00	21.75	13.01	8.74	No	---	1,200	---	16	---	440	1.4	2.5	1.9
RW3A	10/04/00	21.75	13.60	8.15	No	---	390	---	8.3	---	160	1.1	1.5	2.6
RW3A	10/05/00	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---
RW3A	01/04/01	21.75	13.65	8.10	No	---	500	---	12	---	230	0.97	1.1	1.4
RW3A	04/03/01	21.75	12.30	9.45	No	---	710	---	7.5	---	290	<0.5	<0.5	<0.5
RW3A	07/05/01	21.75	13.28	8.47	No	---	640	---	9	---	280	1.4	1.6	2.7
RW3A	10/03/01	21.75	13.58	8.17	No	---	<50	---	12	---	21	<0.5	<0.5	<0.5
RW3A	Oct-01	21.89	Well surveyed in compliance with AB 2886 requirements.											
RW3A	01/02/02	21.89	10.80	11.09	No	---	<100	---	11.2	---	<0.50	<0.50	<0.50	<0.50
RW3A	04/02/02	21.89	12.03	9.86	No	---	55.7	<100	11.0	---	1.30	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	TOC Elev. (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
RW3A	07/01/02	21.89	13.13	8.76	No	---	275	<100 a	21.7	---	60.4	<0.5	2.4	4.2
RW3A	10/02/02	21.89	13.70	8.19	No	---	138	114	11.1	---	53.4	<0.5	<0.5	0.7
RW3A	01/07/03	21.89	11.77	10.12	No	---	<50.0	<50	22.4	30.9	1.5	<0.5	<0.5	<0.5
RW3A	06/17/03	21.89	12.82	9.07	No	---	54.5	<100	12.8	16.0	7.40	<0.5	<0.5	<0.5
RW3A	07/16/03	21.89	13.40	8.49	No	---	112	<100	18.0	13.6	26.0	<0.5	<0.5	<0.5
RW3A	10/07/03	21.89	13.93	7.96	No	124	62.6	<100	10.4	11.3	7.30	<0.5	<0.5	<0.5
RW3A	01/14/04	21.89	11.55	10.34	No	401	<50.0	<100	11.7	16.2	3.10	<0.5	<0.5	<0.5
RW3A	06/03/04	21.89	13.43	8.46	No	---	79.0	<100	19.4	22.4	6.30	<0.5	<0.5	<0.5
RW3A	08/12/04	21.89	c	c	c	1,190c	<50.0c	296c	---	16.2c	<0.50c	<0.5c	<0.5c	<0.5c
RW3A	11/04/04	21.89	12.91	8.98	No	178	<50.0	122	---	5.40	<0.50	1.7	0.7	3.6
RW3A	02/01/05	21.89	11.63	10.26	No	<100	<50.0	<100	---	11.8	<0.50	<0.5	<0.5	<0.5
RW3A	05/03/05	21.89	11.79	10.10	No	158d	<50.0	<100	---	8.50	<0.50	<0.5	<0.5	<0.5
RW3A	08/04/05	21.89	12.99	8.90	No	687d	89.9	107	---	16.7	26.0	0.645	<0.500	0.835
RW3A	10/27/05	21.89	13.49	8.40	No	140	<50.0	79.1	---	4.00	9.63	<0.50	<0.50	0.65
RW3A	01/26/06	21.89	11.76	10.13	No	210d	100a	<500	---	17	5.6a	<0.50a		<0.50a
RW3A	04/28/06	21.89	10.96	10.93	No	140g	82	<470	---	19	2.6	<0.50	<0.50	<0.50
RW3A	07/05/06	21.89	13.12	8.77	No	340	50.0	<95.2	---	8.11	1.37	<1.00	<1.00	<3.00
RW3A	10/27/06	21.89	13.48	8.41	No	63d	789	<470	---	10.6	287	1.29	<0.50	2.03
RW3A	01/19/07	21.89	12.69	9.20	No	49d	<50.0	<470	---	6.25	2.08	<0.50	<0.50	<0.50
RW3A	04/24/07	21.89	12.12	9.77	No	<47.6	107	<47.6	---	4.95	17.9	<0.50	<0.50	0.57
RW3A	07/24/07	21.89	13.11	8.78	No	<47	<500	<470	---	8.5	240	<5.0	<5.0	<5.0
RW3A	12/03/07	21.89	13.35	8.54	No	61d,l	1,200g	<470	---	12	700	<10	<10	13
RW3A	03/06/08	21.89	11.69	10.20	No	<47	52	<470	---	4.4	1.5	<0.50	<0.50	<0.50
RW3A	06/26/08	21.89	13.46	8.43	No	<47	120	<470	---	10	29	<0.50	<0.50	<0.50
RW3A	08/12/08	21.89	13.67	8.22	No	100d,m,n	59.3	146m	---	9.63	19.5	<0.50	<0.50	<0.50
RW3A	**10/23/08**	**21.89**	**13.97**	**7.92**	**No**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**	**---**
RW3A	**10/30/08**	**21.89**	**---**	**---**	**---**	**<50**	**<50**	**<250**	**---**	**6.5**	**0.99**	**<0.50**	**<0.50**	**<1.0**

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:		
TOC Elev.	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
sheen	=	Liquid-phase hydrocarbon present as sheen.
in.	=	Inches of floating product.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the stated laboratory reporting limit.
---	=	Not analyzed/Not measured/Not sampled.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	=	Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	=	Benchmark is City of Oakland #37J.
k	=	Sample container broken in shipment. Analyses not performed.
l	=	Analyte detected in associated method blank.
m	=	Sample received above recommended temperature.
n	=	Analyte detected in bailer bank.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6A	June 1988	Well installed.						
MW6A	06/24/88 - 12/31/91	Not analyzed for these analytes.						
MW6A	05/02/92	Well destroyed.						
MW6B	June 1988	Well installed.						
MW6B	06/24/88 - 10/02/02	Not analyzed for these analytes.						
MW6B	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6B	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6B	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6B	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6B	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6B	06/03/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6B	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6B	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6B	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6B	05/03/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6B	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6B	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6B	01/26/06	<0.50	<0.50	0.56	<20	<0.50	<0.50	<100
MW6B	04/28/06	<0.50	15	<0.50	27	<0.50	3.6	---
MW6B	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6B	10/27/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6B	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6B	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6B	07/24/07	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW6B	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6B	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6B	06/26/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6B	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6B	**10/23/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**
MW6E	10/04/88	Well installed.						
MW6E	10/20/88 - 10/02/02	Not analyzed for these analytes.						
MW6E	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6E	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6E	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	06/03/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6E	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6E	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	05/03/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6E	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6E	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6E	04/28/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW6E	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	10/27/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6E	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6E	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6E	06/26/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6E	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6E	**10/23/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**
MW6F	10/05/88	Well installed.						
MW6F	10/20/88 - 10/02/02	Not analyzed for these analytes.						
MW6F	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6F	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6F	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6F	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6F	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6F	06/03/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6F	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6F	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6F	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6F	05/03/05	<0.50	1.70	0.90	<10.0	<0.50	<0.50	<50.0
MW6F	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6F	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6F	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6F	04/28/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
MW6F	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6F	10/27/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6F	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6F	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6F	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6F	12/03/07	---	---	---	---	---	---	---
MW6F	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6F	06/26/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
MW6F	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6F	**10/23/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6G	11/16/88	Well installed.						
MW6G	12/07/88 - 10/02/02	Not analyzed for these analytes.						
MW6G	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6G	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6G	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6G	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
MW6G	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	06/03/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6G	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	05/03/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6G	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6G	04/28/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6G	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	10/27/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<100
MW6G	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW6G	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6G	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW6G	06/26/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6G	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	**10/23/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**
MW6H	Dec-88	Well installed.						
MW6H	12/07/88 - 10/02/02	Not analyzed for these analytes.						
MW6H	01/07/03	<0.50	<0.50	<0.50	952	<0.50	7.50	---
MW6H	06/17/03	<0.50	<0.50	<0.50	678	<0.50	7.10	<100
MW6H	07/16/03	<0.50	14.6	0.70	307	<0.50	6.20	<100
MW6H	10/07/03	<0.50	<0.50	<0.50	294	<0.50	7.40	<100
MW6H	01/14/04	<0.50	<0.50	<0.50	883	<0.50	6.80	<50.0
MW6H	06/03/04	<0.50	<0.50	<0.50	541	<0.50	5.80	<50.0
MW6H	08/12/04	<0.50c	<0.50c	<0.50c	754c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6H	02/01/05	<0.50	<0.50	<0.50	625	<0.50	4.20	<50.0
MW6H	05/03/05	<0.50	<0.50	<0.50	436	<0.50	3.10	<50.0
MW6H	08/04/05	<0.500	<0.500	<0.500	530	<0.500	3.73	<50.0
MW6H	10/27/05	<0.500	<0.500	<0.500	422	<0.500	4.62	<100
MW6H	01/26/06	<25	<25	<25	<1,000	<25	<25	<5,000

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6H	04/28/06	<25	<25	<25	<1,000	<25	<25	<5,000
MW6H	07/05/06	<0.500	<0.500	<0.500	137	<0.500	2.41	<50.0
MW6H	10/27/06	<0.500	<0.500	<0.500	131	<0.500	3.61	<100
MW6H	01/19/07	<0.500	25.7	28.1	161	<0.500	2.96	<50.0
MW6H	04/24/07	<0.500	<0.500	<0.500	173	<0.500	1.97	<50.0
MW6H	07/24/07	<0.50	<0.50	<0.50	140	<0.50	3.8	<100
MW6H	12/03/07	<0.50	<0.50	<0.50	150	<0.50	7.0	<100
MW6H	03/06/08	<0.50	<0.50	<0.50	92	<0.50	1.8	<100
MW6H	06/26/08	<0.50	<0.50	<0.50	80	<0.50	1.6	<100
MW6H	08/12/08	<0.500	<0.500	<0.500	66.6	<0.500	1.79	<50.0
MW6H	**10/30/08**	**<0.50**	**<0.50**	**<0.50**	**76**	**<0.50**	**2.4**	**<50**
MW6I	Dec-88	Well installed.						
MW6I	12/07/88 - 10/02/02	Not analyzed for these analytes.						
MW6I	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6I	06/17/03 b	---	---	---	---	---	---	---
MW6I	07/16/03	<0.50	<0.50	<0.50	16.4	<0.50	<0.50	<100
MW6I	10/07/03 b	---	---	---	---	---	---	---
MW6I	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	05/03/04 b	---	---	---	---	---	---	---
MW6I	06/03/04 b	---	---	---	---	---	---	---
MW6I	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6I	11/04/04 b	---	---	---	---	---	---	---
MW6I	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/05 b	---	---	---	---	---	---	---
MW6I	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6I	04/28/06 b	---	---	---	---	---	---	---
MW6I	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/06 b	---	---	---	---	---	---	---
MW6I	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	04/24/07 b	---	---	---	---	---	---	---
MW6I	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6I	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	06/26/08 b	---	---	---	---	---	---	---
MW6I	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6I	**10/23/08 b**	**---**	**---**	**---**	**---**	**---**	**---**	**---**
MW6J	04/06/01	Well installed.						
MW6J	07/05/01 - 10/02/02	Not analyzed for these analytes.						
MW6J	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6J	06/17/03	<0.50	0.90	<0.50	<10.0	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6J	07/16/03	<0.50	1.00	<0.50	<10.0	<0.50	<0.50	<100
MW6J	10/07/03	<0.50	<0.5	<0.50	<10.0	<0.50	<0.50	<100
MW6J	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	06/03/04	<0.50	2.00	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/12/04	<0.50c	1.20c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6J	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	02/01/05	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	05/03/05	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6J	01/26/06	<0.50	1.1	<0.50	<20	<0.50	<0.50	<100
MW6J	04/28/06	<0.50	1.3	<0.50	<20	<0.50	<0.50	---
MW6J	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	10/27/06	<0.500	1.04	<0.500	<10.0	<0.500	<0.500	---
MW6J	01/19/07	<0.500	1.15	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6J	07/24/07	<0.50	1.1	<0.50	<20	<0.50	<0.50	---
MW6J	12/03/07	<0.50	1.8	<0.50	<10	<0.50	<0.50	---
MW6J	03/06/08	Well inaccessible due to encroachment permit restrictions.						
MW6J	06/26/08	Well inaccessible due to encroachment permit restrictions.						
MW6J	08/12/08	Well inaccessible due to encroachment permit restrictions.						
MW6J	**10/23/08**	**<0.50**	**0.59**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**
RW1	05/10/90	Well installed.						
RW1	10/16/90 - 10/02/02	Not analyzed for these analytes.						
RW1	01/07/03	<10.0	<10.0	<10.0	<200	<10.0	<10.0	---
RW1	06/17/03	<0.50	<0.50	<0.50	324	<0.50	<0.50	<100
RW1	07/16/03	<10.0	1.70	<0.50	110	<0.50	1.10	<100
RW1	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW1	01/14/04	<0.50	<0.50	<0.50	234	<0.50	0.90	<50.0
RW1	06/03/04	<0.50	<0.50	<0.50	338	<0.50	1.30	<50.0
RW1	08/12/04	1.30c	<0.50c	<0.50c	437c	<0.50c	1.20c	<50.0c
RW1	11/04/04	<0.50	<0.50	<0.50	541	<0.50	<0.50	<50.0
RW1	02/01/05	<0.50	<0.50	<0.50	261	<0.50	1.80	<50.0
RW1	05/03/05	<0.50	<0.50	<0.50	200	<0.50	<0.50	<50.0
RW1	08/04/05	<0.500	<0.500	<0.500	169	<0.500	<0.500	<50.0
RW1	10/27/05	<0.500	<0.500	<0.500	152	<0.500	0.660	<100
RW1	01/26/06	<2.5	<2.5	<2.5	280	<2.5	<2.5	<500
RW1	04/28/06	<0.50	<0.50	<0.50	86	<0.50	<0.50	<100
RW1	07/05/06	1.02	<0.500	<0.500	80.5	<0.500	<0.500	<50.0
RW1	10/27/06	<0.500	<0.500	<0.500	104	<0.500	<0.500	<100
RW1	01/19/07	<0.500	<0.500	<0.500	64.6	<0.500	<0.500	<50.0
RW1	04/24/07	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
RW1	07/24/07	<0.50	<0.50	<0.50	17	<0.50	<0.50	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW1	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
RW1	03/06/08	<0.50	<0.50	<0.50	37	<0.50	<0.50	<100
RW1	06/26/08	<0.50	<0.50	<0.50	18	<0.50	<0.50	<100
RW1	08/12/08	0.710	<0.500	<0.500	23.3	<0.500	<0.500	<50.0
RW1	**10/30/08**	**<0.50**	**<0.50**	**<0.50**	**43**	**<0.50**	**<0.50**	**<50**
MW6D	07/06/88	Well installed.						
MW6D	07/11/88 - 04/30/90	Not analyzed for these analytes.						
MW6D	05/10/90	Well over-drilled into recovery well RW2.						
RW2	10/16/90 - 10/02/02	Not analyzed for these analytes.						
RW2	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
RW2	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	01/14/04	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0
RW2	06/03/04	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0
RW2	08/12/04	1.30c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
RW2	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	05/03/05	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
RW2	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
RW2	04/28/06	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
RW2	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	10/27/06	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	01/19/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	12/03/07	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
RW2	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	06/26/08	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
RW2	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	**10/23/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**<0.50**	**<50**
MW6C	06/15/88	Well installed.						
MW6C	06/24/88 - 04/30/90	Not analyzed for these analytes.						
MW6C	05/10/90	Well over-drilled into recovery well RW3.						
RW3	10/16/90 - 10/16/91	Not analyzed for these analytes.						
RW3	11/05/91	Well destroyed.						
RW3A	08/24/92	Well installed in place of RW3.						

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW3A	08/24/98 - 10/02/02	Not analyzed for these analytes.						
RW3A	01/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
RW3A	06/17/03	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<100
RW3A	07/16/03	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100
RW3A	10/07/03	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100
RW3A	01/14/04	<0.50	<0.50	<0.50	<10.0	<0.50	2.20	<50.0
RW3A	06/03/04	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<50.0
RW3A	08/12/04	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	1.10c	<50.0c
RW3A	11/04/04	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW3A	02/01/05	<0.50	<0.50	<0.50	<10.0	<0.50	2.10	<50.0
RW3A	05/03/05	<0.50	<0.50	<0.50	<10.0	<0.50	0.60	<50.0
RW3A	08/04/05	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW3A	10/27/05	<0.500	<0.500	<0.500	<20.0	<0.500	0.980	<100
RW3A	01/26/06	<0.50	<0.50	<0.50	<20	<0.50	3.2	<100
RW3A	04/28/06	<0.50	<0.50	<0.50	<20	<0.50	1.5	<100
RW3A	07/05/06	<0.500	<0.500	<0.500	<10.0	<0.500	1.20	<50.0
RW3A	10/27/06	<0.500	<0.500	<0.500	17.3	<0.500	3.90	<100
RW3A	01/19/07	<0.500	1.30	<0.500	<10.0	<0.500	1.55	<50.0
RW3A	04/24/07	<0.500	<0.500	<0.500	<10.0	<0.500	1.61	<50.0
RW3A	07/24/07	<0.50	<0.50	<0.50	<5.0	<0.50	3.1	<100
RW3A	12/03/07	<0.50	<0.50	<0.50	30	<0.50	7.5	<100
RW3A	03/06/08	<0.50	<0.50	<0.50	<5.0	<0.50	0.88	<100
RW3A	06/26/08	<0.50	<0.50	<0.50	13	<0.50	3.0	<100
RW3A	08/12/08	<0.500	<0.500	<0.500	<10.0	<0.500	1.40	<50.0
RW3A	**10/30/08**	**<0.50**	**<0.50**	**<0.50**	**<5.0**	**<0.50**	**1.4**	**<50**

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:		
TOC Elev.	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
sheen	=	Liquid-phase hydrocarbon present as sheen.
in.	=	Inches of floating product.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
<	=	Less than the stated laboratory reporting limit.
---	=	Not analyzed/Not measured/Not sampled.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	Hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	=	Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	=	Benchmark is City of Oakland #37J.
k	=	Sample container broken in shipment. Analyses not performed.
l	=	Analyte detected in associated method blank.
m	=	Sample received above recommended temperature.
n	=	Analyte detected in bailer bank.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW6A	Well destroyed in 1992.										
MW6B	June 1988	21.09	8	20	19	2	PVC	9-19	0.020	7-20	#3 Sand
MW6E	10/04/88	21.24	10.5	21.5	20.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	10/05/88	22.17	10.5	22	20	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6	11/16/88	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	11/16/88	20.20	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	11/17/88	19.87	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
RW1	05/10/90	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
MW6D	Well converted to groundwater recovery well RW2 in 1990.										
RW2	07/06/88	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
MW6C	Well converted to groundwater recovery well RW3 in 1990.										
RW3	Well destroyed in 1991 and replaced with well RW3A in 1992.										
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:
TOC = Top of well casing elevation; datum is mean sea level.
PVC = Polyvinyl chloride.
feet bgs = feet below ground surface.
NS = Not specified.

APPENDIX A

GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h(7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B

LABORATORY ANALYTICAL REPORT AND CHAIN-OF-CUSTODY RECORD

Calscience
Environmental
Laboratories, Inc.

November 06, 2008

RECEIVED
NOV 10 2008
BY:_____

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-10-2279**
Client Reference: ExxonMobil 70235

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/25/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	**08-10-2279-2-G**	**10/23/08 16:00**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 17:24**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	85	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	**08-10-2279-3-G**	**10/23/08 13:55**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 17:44**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	104	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6F	**08-10-2279-4-G**	**10/23/08 13:35**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:03**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	119	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	**08-10-2279-5-G**	**10/23/08 15:05**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:23**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	87	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6J	**08-10-2279-6-G**	**10/23/08 11:45**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:43**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	117	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	**08-10-2279-7-G**	**10/23/08 14:15**	**Aqueous**	**GC 43**	**10/29/08**	**11/03/08 14:24**	**081029B18**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	103	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-234-333**	**N/A**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 15:23**	**081029B18**

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	97	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	**08-10-2279-2-G**	**10/23/08 16:00**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 17:24**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	85	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	**08-10-2279-3-G**	**10/23/08 13:55**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 17:44**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	104	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6F	**08-10-2279-4-G**	**10/23/08 13:35**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:03**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	119	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	**08-10-2279-5-G**	**10/23/08 15:05**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:23**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	87	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received: 10/25/08
601 North McDowell Blvd.	Work Order No: 08-10-2279
Petaluma, CA 94954-2312	Preparation: EPA 3510C
	Method: EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6J	**08-10-2279-6-G**	**10/23/08 11:45**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 18:43**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	117	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	**08-10-2279-7-G**	**10/23/08 14:15**	**Aqueous**	**GC 43**	**10/29/08**	**11/03/08 14:24**	**081029B17**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	190	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	103	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-330-800**	**N/A**	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08 15:23**	**081029B17**

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	97	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	**08-10-2279-2-D**	**10/23/08 16:00**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 00:33**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	116	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	**08-10-2279-3-D**	**10/23/08 13:55**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 01:06**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	113	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6F	**08-10-2279-4-D**	**10/23/08 13:35**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 01:40**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	114	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	**08-10-2279-5-D**	**10/23/08 15:05**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 02:13**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	112	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6J	**08-10-2279-6-D**	**10/23/08 11:45**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 02:47**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	113	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	**08-10-2279-7-D**	**10/23/08 14:15**	**Aqueous**	**GC 18**	**10/28/08**	**10/29/08 03:20**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	370	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	129	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-436-2,428**	**N/A**	**Aqueous**	**GC 18**	**10/28/08**	**10/28/08 12:44**	**081028B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	114	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8021B
		Units:	ug/L
Project: ExxonMobil 70235			Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	**08-10-2279-2-D**	**10/23/08 16:00**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 16:14**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	112	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6E	**08-10-2279-3-D**	**10/23/08 13:55**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 16:49**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	111	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6F	**08-10-2279-4-D**	**10/23/08 13:35**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 17:23**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	110	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	**08-10-2279-5-D**	**10/23/08 15:05**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 17:57**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	109	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6J	**08-10-2279-6-D**	**10/23/08 11:45**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 19:38**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	106	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8021B
		Units:	ug/L

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW2	**08-10-2279-7-D**	**10/23/08 14:15**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 20:12**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	3.2	0.50	1		Ethylbenzene	5.5	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	8.1	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	123	70-130							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-667-250**	**N/A**	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08 09:58**	**081027B01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	122	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received:	10/25/08
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6B	**08-10-2279-2-A**	**10/23/08 16:00**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 16:24**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	6.1	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	112	73-157			Dibromofluoromethane	112	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	97	75-105		

MW6E	**08-10-2279-3-A**	**10/23/08 13:55**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 16:51**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	119	73-157			Dibromofluoromethane	108	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	98	75-105		

MW6F	**08-10-2279-4-A**	**10/23/08 13:35**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 17:18**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	121	73-157			Dibromofluoromethane	111	82-142		
Toluene-d8	89	82-112			1,4-Bromofluorobenzene	99	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received:	10/25/08
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6G	**08-10-2279-5-A**	**10/23/08 15:05**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 17:46**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	111	73-157			Dibromofluoromethane	109	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	98	75-105		

MW6J	**08-10-2279-6-A**	**10/23/08 11:45**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 18:13**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	0.59	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	10	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	123	73-157			Dibromofluoromethane	115	82-142		
Toluene-d8	95	82-112			1,4-Bromofluorobenzene	100	75-105		

RW2	**08-10-2279-7-A**	**10/23/08 14:15**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 18:40**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	112	73-157			Dibromofluoromethane	112	82-142		
Toluene-d8	107	82-112			1,4-Bromofluorobenzene	104	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received:	10/25/08
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L
Project: ExxonMobil 70235		Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-650-237**	**N/A**	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08 12:19**	**081104L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	81	73-157			Dibromofluoromethane	91	82-142		
Toluene-d8	98	82-112			1,4-Bromofluorobenzene	94	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received: 10/25/08
601 North McDowell Blvd.	Work Order No: 08-10-2279
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8015B (M)

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-2160-19	**Aqueous**	**GC 18**	**10/28/08**	**10/28/08**	**081028S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	75	74	68-122	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received:	10/25/08
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8021B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-1932-5	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08**	**081027S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	110	106	57-129	4	0-23	
Toluene	103	100	50-134	3	0-26	
Ethylbenzene	112	110	58-130	1	0-26	
p/m-Xylene	113	113	58-130	0	0-28	
o-Xylene	108	108	57-123	0	0-26	
Methyl-t-Butyl Ether (MTBE)	18	101	44-134	139	0-27	3,4

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.		Date Received:	10/25/08
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-2160-18	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08**	**081104S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	103	86-122	1	0-8	
Carbon Tetrachloride	105	102	78-138	4	0-9	
Chlorobenzene	102	99	90-120	3	0-9	
1,2-Dibromoethane	108	102	70-130	5	0-30	
1,2-Dichlorobenzene	107	99	89-119	8	0-10	
1,1-Dichloroethene	111	108	52-142	2	0-23	
Ethylbenzene	100	99	70-130	2	0-30	
Toluene	93	90	85-127	4	0-12	
Trichloroethene	95	94	78-126	1	0-10	
Vinyl Chloride	104	103	56-140	1	0-21	
Methyl-t-Butyl Ether (MTBE)	44	83	64-136	10	0-28	3
Tert-Butyl Alcohol (TBA)	114	106	27-183	7	0-60	
Diisopropyl Ether (DIPE)	103	102	78-126	0	0-16	
Ethyl-t-Butyl Ether (ETBE)	104	102	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	108	103	63-141	4	0-21	
Ethanol	102	88	11-167	15	0-64	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2279
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-234-333	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08**	**081029B18**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Motor Oil	103	102	75-117	1	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.	Date Received:	N/A
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 3510C
	Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-330-800	**Aqueous**	**GC 43**	**10/29/08**	**10/31/08**	**081029B17**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	91	83	75-117	10	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.	Date Received: N/A
601 North McDowell Blvd.	Work Order No: 08-10-2279
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-2,428	Aqueous	GC 18	10/28/08	10/28/08	081028B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	84	83	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.	Date Received:	N/A
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8021B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-250	**Aqueous**	**GC 8**	**10/27/08**	**10/27/08**	**081027B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	110	70-118	5	0-9	
Toluene	103	105	66-114	1	0-9	
Ethylbenzene	110	110	72-114	0	0-9	
p/m-Xylene	113	113	74-116	0	0-9	
o-Xylene	108	108	72-114	1	0-9	
Methyl-t-Butyl Ether (MTBE)	100	109	41-137	9	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.	Date Received:	N/A
601 North McDowell Blvd.	Work Order No:	08-10-2279
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8260B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-650-237	**Aqueous**	**GC/MS L**	**11/04/08**	**11/04/08**	**081104L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Benzene	106	103	87-117	82-122	3	0-7	
Carbon Tetrachloride	105	100	78-132	69-141	5	0-8	
Chlorobenzene	101	101	88-118	83-123	0	0-8	
1,2-Dibromoethane	110	105	80-120	73-127	5	0-20	
1,2-Dichlorobenzene	104	105	88-118	83-123	1	0-8	
1,1-Dichloroethene	98	105	71-131	61-141	7	0-14	
Ethylbenzene	102	100	80-120	73-127	1	0-20	
Toluene	102	103	85-127	78-134	1	0-7	
Trichloroethene	96	95	85-121	79-127	1	0-11	
Vinyl Chloride	101	106	64-136	52-148	5	0-10	
Methyl-t-Butyl Ether (MTBE)	108	111	67-133	56-144	2	0-16	
Tert-Butyl Alcohol (TBA)	116	100	34-154	14-174	14	0-19	
Diisopropyl Ether (DIPE)	102	99	80-122	73-129	2	0-8	
Ethyl-t-Butyl Ether (ETBE)	104	106	73-127	64-136	2	0-11	
Tert-Amyl-Methyl Ether (TAME)	109	100	69-135	58-146	9	0-12	
Ethanol	103	100	34-124	19-139	3	0-44	

Total number of LCS compounds : 16
Total number of ME compounds : 0
Total number of ME compounds allowed : 1
LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 08-10-2279

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

2279

CHAIN OF CUSTODY RECORD

Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell Boulevard
City/State/Zip: Petaluma, California 94954
Project Manager: Paula Sime
Telephone Number: (707) 766-2000
ERI Job Number: 222913X
Sampler Name: (Print) Anthony Ricioli
Sampler Signature: [signature]

ExxonMobil Engineer: Jennifer C. Sedlachek
Telephone Number: (510) 547-8196
Account #:
PO #: 4510174131
Facility ID #: 70235
Global ID#: T0600101354
Site Address: 2225 Telegraph Avenue
City, State Zip: Oakland, California

Shipping Method: ☑ Lab Courier ☐ Hand Deliver ☐ Commercial Express ☐ Other:

TAT: ☐ 24 hour ☐ 72 hour ☐ 48 hour ☐ 96 hour ☑ 8 day

PROVIDE: EDF Report

Special Instructions:
7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE.
Lead Scavengers: 1,2-DCA, EDB
Set TBA detection limit at or below 5 ug/L.

#	Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Water	Soil	Vapor	TPHd 8015B	TPHg 8015B	TPH motor oil 8015B	BTEX 8021B	7 CA Oxys 8260B	Ethanol 8260B
1	QCBB	10-23-08	1900			HCL	2 VOAs	X				H	O	L	D	
2	MW6B	↓	1600			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
3	MW6E		1355			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
4	MW6F		1335			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
5	MW6G		1505			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	X
	~~MW6H~~					~~HCL~~	~~6 VOAs/ 2 AMBs~~	~~X~~			X	X	X	X	X	X
6	MW6J		1145			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
	~~RW1~~					HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	X
7	RW2		1415			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
	~~RW3A~~					~~HCL~~	~~6 VOAs/ 2 AMBs~~	X			X	X	X	X	X	X

Relinquished by: [signature] Date 10-23-08 Time 1900 Received by: Tom Onnally CEL 10/24/08 Time 1334

Relinquished by: Tom Onnally TO GSO Date 10/24/08 Time 1730 Received by: ~~Danny Cel~~ ~~10/25/08~~ Time ~~9:30~~

5106151147 GSO 10/25/08 9:30 Danny Le CEL 10/25/08 9:30

Laboratory Comments:
Temperature Upon Receipt:
Sample Containers Intact?
VOAs Free of Headspace?

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 08-10-9279

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERI

DATE: 10/25/08

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.0 °C + 1.8 °C (CF) = 3.8 °C ☐Blank ☑Sample

☐ Sample(s) outside temperature criteria (PM/APM contacted by:_____).

☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

☐ **Received at ambient temperature, placed on ice for transport by Courier.**

Ambient Temperature: ☐Air ☐Filter Initial: D.L

CUSTODY SEALS INTACT:

☐ Cooler	☐_____	☐ No (Not Intact)	☑ Not Present	Initial: D.L
☐ Sample	☐_____	☐ No (Not Intact)	☑ Not Present	Initial: D.L

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	☑	☐	☐
Sampler's name indicated on COC	☑	☐	☐
Sample container label(s) consistent with COC	☑	☐	☐
Sample container(s) intact and good condition	☑	☐	☐
Correct containers and volume for analyses requested	☑	☐	☐
Proper preservation noted on sample label(s)	☑	☐	☐
Volatile analysis container(s) free of headspace	☑	☐	☐
Tedlar bag(s) free of condensation	☐	☐	☑

CONTAINER TYPE:

Solid: ☐4ozCGJ ☐8ozCGJ ☐16ozCGJ ☐Sleeve ☐EnCores® ☐TerraCores® ☐_____

Water: ☐VOA ☑VOAh ☐VOAna_2 ☐125AGB ☐125AGBh ☐125AGBpo_4 ☐1AGB ☐1AGBna_2 ☐1AGBs ☑500AGB ☐500AGBs ☐250CGB ☐250CGBs ☐1PB ☐500PB ☐500PBna ☐250PB ☐250PBn ☐125PB ☐125PBznna ☐100PBsterile ☐100PBna_2 ☐_____ ☐_____ ☐_____

Air: ☐Tedlar® ☐Summa® ☐_____

Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Preservative: h:HCL n:HNO_3 na_2:$Na_2S_2O_3$ na:NaOH po_4:H_3PO_4 s:H_2SO_4 znna:$ZnAc_2$+NaOH

Checked/Labeled by: WB

Reviewed by: D.L

Scanned by: WB

Calscience
Environmental
Laboratories, Inc.

November 13, 2008

RECEIVED
NOV 13 2008
BY:----------

Paula Sime
Environmental Resolutions, Inc.
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Subject: **Calscience Work Order No.: 08-10-2731**
Client Reference: ExxonMobil 70235

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/31/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Cecile L deGuia

Calscience Environmental
Laboratories, Inc.
Cecile deGuia
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/31/08
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	**08-10-2731-1-G**	**10/30/08 10:50**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 04:28**	**081105B14**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	92	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	**08-10-2731-2-G**	**10/30/08 10:35**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 04:49**	**081105B14**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	1200	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	93	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	**08-10-2731-3-G**	**10/30/08 09:30**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 05:09**	**081105B14**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	86	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-234-335**	**N/A**	**Aqueous**	**GC 43**	**11/05/08**	**11/07/08 10:47**	**081105B14**

Parameter	Result	RL	DF	Qual	Units
TPH as Motor Oil	ND	250	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	86	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/31/08
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235 — Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	**08-10-2731-1-G**	**10/30/08 10:50**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 04:28**	**081105B13**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	92	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	**08-10-2731-2-G**	**10/30/08 10:35**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 04:49**	**081105B13**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	930	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	93	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	**08-10-2731-3-G**	**10/30/08 09:30**	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08 05:09**	**081105B13**

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	86	68-140			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-330-813**	**N/A**	**Aqueous**	**GC 43**	**11/05/08**	**11/07/08 10:47**	**081105B13**

Parameter	Result	RL	DF	Qual	Units
TPH as Diesel	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
Decachlorobiphenyl	86	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/31/08
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235 — Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	**08-10-2731-1-E**	**10/30/08 10:50**	**Aqueous**	**GC 25**	**10/31/08**	**10/31/08 23:02**	**081031B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2100	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	102	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	**08-10-2731-2-E**	**10/30/08 10:35**	**Aqueous**	**GC 25**	**10/31/08**	**10/31/08 23:36**	**081031B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2500	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	128	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	**08-10-2731-3-E**	**10/30/08 09:30**	**Aqueous**	**GC 25**	**10/31/08**	**11/01/08 00:10**	**081031B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	88	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-436-2,447**	**N/A**	**Aqueous**	**GC 25**	**10/31/08**	**10/31/08 09:50**	**081031B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
Surrogates:	**REC (%)**	**Control Limits**		**Qual**	
1,4-Bromofluorobenzene	96	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received:	10/31/08
601 North McDowell Blvd.	Work Order No:	08-10-2731
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8021B
	Units:	ug/L

Project: ExxonMobil 70235 — Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	**08-10-2731-1-D**	**10/30/08 10:50**	**Aqueous**	**GC 21**	**10/31/08**	**11/01/08 05:00**	**081031B02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	270	0.50	1		Ethylbenzene	35	0.50	1	
Toluene	64	0.50	1		Xylenes (total)	120	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	105	70-130							

RW1	**08-10-2731-2-D**	**10/30/08 10:35**	**Aqueous**	**GC 21**	**10/31/08**	**11/01/08 06:07**	**081031B02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	21	2.5	5		Ethylbenzene	11	2.5	5	
Toluene	7.9	2.5	5		Xylenes (total)	15	5.0	5	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	100	70-130							

RW3A	**08-10-2731-3-D**	**10/30/08 09:30**	**Aqueous**	**GC 21**	**10/31/08**	**11/01/08 05:33**	**081031B02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	0.99	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	86	70-130							

Method Blank	**099-12-667-256**	**N/A**	**Aqueous**	**GC 21**	**10/31/08**	**10/31/08 21:17**	**081031B02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Ethylbenzene	ND	0.50	1	
Toluene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Surrogates:	REC (%)	Control Limits		Qual					
1,4-Bromofluorobenzene	86	70-130							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.		Date Received:	10/31/08
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: ExxonMobil 70235			Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW6H	**08-10-2731-1-B**	**10/30/08 10:50**	**Aqueous**	**GC/MS L**	**11/09/08**	**11/09/08 20:13**	**081109L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	2.4	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	23	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	76	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	101	73-157			Dibromofluoromethane	102	82-142		
Toluene-d8	105	82-112			1,4-Bromofluorobenzene	104	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW1	**08-10-2731-2-B**	**10/30/08 10:35**	**Aqueous**	**GC/MS L**	**11/10/08**	**11/11/08 07:25**	**081110L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	18	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	43	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	86	73-157			Dibromofluoromethane	98	82-142		
Toluene-d8	111	82-112			1,4-Bromofluorobenzene	101	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW3A	**08-10-2731-3-B**	**10/30/08 09:30**	**Aqueous**	**GC/MS L**	**11/09/08**	**11/09/08 21:08**	**081109L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	1.4	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	6.5	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	102	73-157			Dibromofluoromethane	106	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	97	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Environmental Resolutions, Inc.	Date Received:	10/31/08
601 North McDowell Blvd.	Work Order No:	08-10-2731
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L

Project: ExxonMobil 70235

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-650-241**	**N/A**	**Aqueous**	**GC/MS L**	**11/09/08**	**11/09/08 11:30**	**081109L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	95	73-157			Dibromofluoromethane	100	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	99	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-650-244**	**N/A**	**Aqueous**	**GC/MS L**	**11/10/08**	**11/10/08 12:52**	**081110L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	97	73-157			Dibromofluoromethane	100	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	98	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-12-650-245**	**N/A**	**Aqueous**	**GC/MS L**	**11/10/08**	**11/11/08 01:33**	**081110L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1		Ethanol	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	98	73-157			Dibromofluoromethane	101	82-142		
Toluene-d8	95	82-112			1,4-Bromofluorobenzene	97	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received: 10/31/08
601 North McDowell Blvd.	Work Order No: 08-10-2731
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8015B (M)

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-2585-4	**Aqueous**	**GC 25**	**10/31/08**	**10/31/08**	**081031S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	110	113	68-122	3	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received:	10/31/08
601 North McDowell Blvd.	Work Order No:	08-10-2731
Petaluma, CA 94954-2312	Preparation:	EPA 5030B
	Method:	EPA 8021B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-2759-1	**Aqueous**	**GC 21**	**10/31/08**	**11/01/08**	**081031S02**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	112	112	57-129	0	0-23	
Toluene	102	103	50-134	1	0-26	
Ethylbenzene	101	102	58-130	1	0-26	
p/m-Xylene	100	100	58-130	0	0-28	
o-Xylene	99	100	57-123	1	0-26	
Methyl-t-Butyl Ether (MTBE)	116	72	44-134	47	0-27	4

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received: 10/31/08
601 North McDowell Blvd.	Work Order No: 08-10-2731
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8260B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-10-2726-5	**Aqueous**	**GC/MS L**	**11/09/08**	**11/09/08**	**081109S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	104	86-122	1	0-8	
Carbon Tetrachloride	114	111	78-138	2	0-9	
Chlorobenzene	107	105	90-120	1	0-9	
1,2-Dibromoethane	87	103	70-130	17	0-30	
1,2-Dichlorobenzene	103	104	89-119	1	0-10	
1,1-Dichloroethene	112	107	52-142	4	0-23	
Ethylbenzene	113	106	70-130	6	0-30	
Toluene	104	102	85-127	3	0-12	
Trichloroethene	108	106	78-126	2	0-10	
Vinyl Chloride	118	115	56-140	3	0-21	
Methyl-t-Butyl Ether (MTBE)	74	97	64-136	27	0-28	
Tert-Butyl Alcohol (TBA)	62	96	27-183	43	0-60	
Diisopropyl Ether (DIPE)	79	91	78-126	15	0-16	
Ethyl-t-Butyl Ether (ETBE)	75	92	67-133	21	0-21	
Tert-Amyl-Methyl Ether (TAME)	73	92	63-141	23	0-21	4
Ethanol	55	90	11-167	49	0-64	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received: 10/31/08
601 North McDowell Blvd.	Work Order No: 08-10-2731
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8260B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-11-0740-3	**Aqueous**	**GC/MS L**	**11/10/08**	**11/10/08**	**081110S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	108	86-122	2	0-8	
Carbon Tetrachloride	115	113	78-138	2	0-9	
Chlorobenzene	110	112	90-120	2	0-9	
1,2-Dibromoethane	99	114	70-130	14	0-30	
1,2-Dichlorobenzene	111	110	89-119	1	0-10	
1,1-Dichloroethene	114	109	52-142	4	0-23	
Ethylbenzene	114	109	70-130	5	0-30	
Toluene	105	112	85-127	6	0-12	
Trichloroethene	109	108	78-126	1	0-10	
Vinyl Chloride	122	116	56-140	5	0-21	
Methyl-t-Butyl Ether (MTBE)	81	105	64-136	26	0-28	
Tert-Butyl Alcohol (TBA)	76	115	27-183	41	0-60	
Diisopropyl Ether (DIPE)	81	98	78-126	19	0-16	4
Ethyl-t-Butyl Ether (ETBE)	80	101	67-133	23	0-21	4
Tert-Amyl-Methyl Ether (TAME)	79	101	63-141	24	0-21	4
Ethanol	63	74	11-167	16	0-64	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Environmental Resolutions, Inc.	Date Received: 10/31/08
601 North McDowell Blvd.	Work Order No: 08-10-2731
Petaluma, CA 94954-2312	Preparation: EPA 5030B
	Method: EPA 8260B

Project ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-11-0489-3	**Aqueous**	**GC/MS L**	**11/10/08**	**11/11/08**	**081110S02**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	110	111	86-122	1	0-8	
Carbon Tetrachloride	118	115	78-138	3	0-9	
Chlorobenzene	113	112	90-120	0	0-9	
1,2-Dibromoethane	109	111	70-130	3	0-30	
1,2-Dichlorobenzene	112	113	89-119	1	0-10	
1,1-Dichloroethene	115	109	52-142	5	0-23	
Ethylbenzene	113	113	70-130	0	0-30	
Toluene	115	109	85-127	6	0-12	
Trichloroethene	113	109	78-126	3	0-10	
Vinyl Chloride	114	116	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	105	103	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	112	103	27-183	8	0-60	
Diisopropyl Ether (DIPE)	103	100	78-126	3	0-16	
Ethyl-t-Butyl Ether (ETBE)	105	103	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	102	103	63-141	1	0-21	
Ethanol	75	76	11-167	1	0-64	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 3510C
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-234-335	**Aqueous**	**GC 43**	**11/05/08**	**11/08/08**	**081105B14**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Motor Oil	92	90	75-117	2	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.	Date Received:	N/A
601 North McDowell Blvd.	Work Order No:	08-10-2731
Petaluma, CA 94954-2312	Preparation:	EPA 3510C
	Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-330-813	**Aqueous**	**GC 43**	**11/05/08**	**11/07/08**	**081105B13**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Diesel	78	83	75-117	7	0-13	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8015B (M)

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-2,447	**Aqueous**	**GC 25**	**10/31/08**	**10/31/08**	**081031B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	117	116	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8021B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-667-256	Aqueous	GC 21	10/31/08	10/31/08	081031B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	105	70-118	1	0-9	
Toluene	99	97	66-114	2	0-9	
Ethylbenzene	99	97	72-114	2	0-9	
p/m-Xylene	103	100	74-116	2	0-9	
o-Xylene	99	97	72-114	2	0-9	
Methyl-t-Butyl Ether (MTBE)	75	123	41-137	48	0-13	X

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-650-241	**Aqueous**	**GC/MS L**	**11/09/08**	**11/09/08**	**081109L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Benzene	101	102	87-117	82-122	1	0-7	
Carbon Tetrachloride	111	108	78-132	69-141	3	0-8	
Chlorobenzene	106	106	88-118	83-123	1	0-8	
1,2-Dibromoethane	109	111	80-120	73-127	1	0-20	
1,2-Dichlorobenzene	105	108	88-118	83-123	3	0-8	
1,1-Dichloroethene	107	106	71-131	61-141	1	0-14	
Ethylbenzene	106	105	80-120	73-127	1	0-20	
Toluene	106	103	85-127	78-134	3	0-7	
Trichloroethene	105	103	85-121	79-127	2	0-11	
Vinyl Chloride	119	113	64-136	52-148	5	0-10	
Methyl-t-Butyl Ether (MTBE)	112	109	67-133	56-144	3	0-16	
Tert-Butyl Alcohol (TBA)	107	115	34-154	14-174	8	0-19	
Diisopropyl Ether (DIPE)	104	100	80-122	73-129	3	0-8	
Ethyl-t-Butyl Ether (ETBE)	104	107	73-127	64-136	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	103	106	69-135	58-146	3	0-12	
Ethanol	112	97	34-124	19-139	14	0-44	

Total number of LCS compounds : 16
Total number of ME compounds : 0
Total number of ME compounds allowed : 1
LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-650-244	**Aqueous**	**GC/MS L**	**11/10/08**	**11/10/08**	**081110L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	107	111	87-117	82-122	4	0-7	
Carbon Tetrachloride	110	111	78-132	69-141	1	0-8	
Chlorobenzene	110	109	88-118	83-123	0	0-8	
1,2-Dibromoethane	115	113	80-120	73-127	3	0-20	
1,2-Dichlorobenzene	110	109	88-118	83-123	1	0-8	
1,1-Dichloroethene	107	106	71-131	61-141	1	0-14	
Ethylbenzene	106	107	80-120	73-127	1	0-20	
Toluene	110	109	85-127	78-134	1	0-7	
Trichloroethene	108	108	85-121	79-127	0	0-11	
Vinyl Chloride	113	114	64-136	52-148	1	0-10	
Methyl-t-Butyl Ether (MTBE)	116	106	67-133	56-144	9	0-16	
Tert-Butyl Alcohol (TBA)	123	104	34-154	14-174	17	0-19	
Diisopropyl Ether (DIPE)	103	98	80-122	73-129	4	0-8	
Ethyl-t-Butyl Ether (ETBE)	107	102	73-127	64-136	5	0-11	
Tert-Amyl-Methyl Ether (TAME)	108	106	69-135	58-146	2	0-12	
Ethanol	91	80	34-124	19-139	13	0-44	

Total number of LCS compounds : 16
Total number of ME compounds : 0
Total number of ME compounds allowed : 1
LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Environmental Resolutions, Inc.		Date Received:	N/A
601 North McDowell Blvd.		Work Order No:	08-10-2731
Petaluma, CA 94954-2312		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: ExxonMobil 70235

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-650-245	**Aqueous**	**GC/MS L**	**11/10/08**	**11/10/08**	**081110L02**

Parameter	LCS %REC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Benzene	111	107	87-117	82-122	3	0-7	
Carbon Tetrachloride	114	114	78-132	69-141	0	0-8	
Chlorobenzene	114	107	88-118	83-123	6	0-8	
1,2-Dibromoethane	106	106	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	112	107	88-118	83-123	4	0-8	
1,1-Dichloroethene	111	110	71-131	61-141	1	0-14	
Ethylbenzene	112	104	80-120	73-127	8	0-20	
Toluene	107	107	85-127	78-134	0	0-7	
Trichloroethene	109	106	85-121	79-127	3	0-11	
Vinyl Chloride	116	122	64-136	52-148	5	0-10	
Methyl-t-Butyl Ether (MTBE)	98	101	67-133	56-144	3	0-16	
Tert-Butyl Alcohol (TBA)	94	94	34-154	14-174	1	0-19	
Diisopropyl Ether (DIPE)	98	99	80-122	73-129	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	96	100	73-127	64-136	4	0-11	
Tert-Amyl-Methyl Ether (TAME)	95	95	69-135	58-146	0	0-12	
Ethanol	78	80	34-124	19-139	3	0-44	

Total number of LCS compounds : 16
Total number of ME compounds : 0
Total number of ME compounds allowed : 1
LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 08-10-2731

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
I	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

CHAIN OF CUSTODY RECORD

2731

Calscience Environmental Laboratories, Inc.
7440 Lincoln Way
Garden Grove, CA 92841
TEL: (714) 895-5494
FAX: (714) 894-7501

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 North McDowell Boulevard
City/State/Zip: Petaluma, California 94954
Project Manager Paula Sime
Telephone Number: (707) 766-2000
ERI Job Number: 222913X
Sampler Name: (Print) Anthony Nicola
Sampler Signature:

ExxonMobil Engineer Jennifer C. Sedlachek
Telephone Number (510) 547-8196
Account #:
PO #: 4510174131
Facility ID # 70235
Global ID# T0600101354
Site Address 2225 Telegraph Avenue
City, State Zip Oakland, California

Shipping Method: ☑ Lab Courier ☐ Hand Deliver ☐ Commercial Express ☐ Other:

TAT
☐ 24 hour ☐ 72 hour
☐ 48 hour ☐ 96 hour
☑ 8 day

PROVIDE: EDF Report

Special Instructions:
7 CA Oxys= MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE.
Lead Scavengers: 1,2-DCA, EDB
Set TBA detection limit at or below 5 ug/L.

Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Matrix: Water	Soil	Vapor	Analyze For: TPHd 8015B	TPHg 8015B	TPH motor oil 8015B	BTEX 8021B	7 CA Oxys 8260B	Ethanol 8260B
QCBB					HCL	~~2 VOAs~~	X				H	O	L	D	
MW6B					HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
MW6E					HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
MW6F					HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
MW6G					HCL	~~6 VOAs/~~ 2 AMBs	X			X	X	X	X	X	X
4 MW6H	10-30	1050			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	X
MW6J					HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	
2 RW1	10.30	1035			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	X
RW2					HCL	~~6 VOAs/~~ 2 AMBs	X			X	X	X	X	X	
3 RW3A	10.30	935			HCL	6 VOAs/ 2 AMBs	X			X	X	X	X	X	X

Relinquished by: [signature] Date 10-30 Time 1245 Received by: Tom Malby CEL Time 1421 10/30/08

Relinquished by: [signature] GSO Date 10-30-08 Time 1730 Received by: Time

(GSO) SW0652588 CEL 10/31/08 1030

Laboratory Comments:
Temperature Upon Receipt:
Sample Containers Intact?
VOAs Free of Headspace?

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 08-10-2731

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: ERI

DATE: 10/31/08

TEMPERATURE: (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 1.1 °C + 1.8 °C (CF) = 2.9 °C ☐Blank ☑Sample

☐ Sample(s) outside temperature criteria (PM/APM contacted by:_____).

☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

☐ **Received at ambient temperature, placed on ice for transport by Courier.**

Ambient Temperature: ☐Air ☐Filter **Initial:** NC

CUSTODY SEALS INTACT:

☐ Cooler	☐_____	☐ No (Not Intact)	☑ Not Present	Initial: NC
☐ Sample	☐_____	☐ No (Not Intact)	☑ Not Present	Initial: RS

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	☑	☐	☐
Sampler's name indicated on COC	☑	☐	☐
Sample container label(s) consistent with COC	☑	☐	☐
Sample container(s) intact and good condition	☑	☐	☐
Correct containers and volume for analyses requested	☑	☐	☐
Proper preservation noted on sample label(s)	☑	☐	☐
Volatile analysis container(s) free of headspace	☑	☐	☐
Tedlar bag(s) free of condensation	☐	☐	☑

CONTAINER TYPE:

Solid: ☐4ozCGJ ☐8ozCGJ ☐16ozCGJ ☐Sleeve ☐EnCores® ☐TerraCores® ☐_____

Water: ☐VOA ☑6 VOAh ☐$VOANa_2$ ☐125AGB ☐125AGBh ☐$125AGBpo_4$ ☐1AGB ☐$1AGBna_2$ ☐1AGBs ☑2 500AGB ☐500AGBs ☐250CGB ☐250CGBs ☐1PB ☐500PB ☐500PBna ☐250PB ☐250PBn ☐125PB ☐125PBznna ☐100PBsterile ☐$100PBna_2$ ☐_____ ☐_____ ☐_____

Air: ☐Tedlar® ☐Summa® ☐_____

Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Preservative: h:HCL n:HNO_3 na_2:$Na_2S_2O_3$ na:NaOH po_4:H_3PO_4 s:H_2SO_4 znna:$ZnAc_2$+NaOH

Checked/Labeled by: RS

Reviewed by: [illegible]

Scanned by: RS

APPENDIX C

FIELD DATA SHEETS

DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 7-0235 JOB # + ACTIVITY: 2229-13x

SUBJECT: DATE: 10/23/04

EQUIPMENT USED: SHEET: 1 OF 1

NAME: Anthony PROJECT MNGR:

On site: 7:00

- safety
- meet w/ Highway Technologies
- open wells
- DTW wells
  - safety meeting / Robbery
- open / ~~purge / sample~~ MW6I
- purge / sample 6F, 6I, 6D, RW2, 6J, MW6B

68 purge
13 decon
81 gallons

- Off site: 16:45

Trvl: 4.25

WATER SAMPLING SITE STATUS

Date: 10/23/08

Inspected by: M

ERI Job Number 2224 Station No. 70235 Site Address: 2225 Telegraph Ave

Well ID	Well Head Screws	Rubber Gasket	Well Cap Locking	Lock on Well Cap	Concrete Well Seal	Well Head PVC	Water in Well Vault	Tabs	Well Cover	Fence/Gate Condition	# Drums	Drum Contents	Building Condition	Site Appearance	Comments / Well Covers
	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	Y / N	N/R/ok	N/R/ok	N/R/ok		s/w/e	g/v/o	N/R/ok	
mw-6I	ok	ok	ok	ok	ok	ok	n	ok	ok						
mw-8d	2/2	NV	ok	ok	ok	ok	n	ok	ok						
mw-Rw2	ok	ok	ok	ok	ok	ok	n	ok	ok						
mw-6E	ok	ok	ok	ok	ok	ok	n	ok	ok						
mw-6F	ok	ok	ok	ok	ok	ok	n	ok	ok						
~~mw-3A~~															
mw-6G	ok	ok	ok	ok	ok	ok	n	ok	ok						screws loose
mw-6H	NO	NO	ok	ok	ok	ok	n	NO	ok						
mw-6H	ok	ok	ok	ok	ok	ok	n	ok	ok						
ew-3A	OR	NO	ok	ok	ok	ok	n	ok	ok						[illegible]
mw-6J	ok	ok	ok	ok	ok	ok	n	ok	ok						loose screws

N = Not repairable in time available-see comments.
R = Repaired-see comments
ok = No action needed.

Y = Yes.
N = No.

s = Soil.
w = Water.
e = Empty.

g = Graffitti on walls.
v = Vagrants (or evidence of).
o = Open (not secured).

Depth to Water Data			4th	2008			Calc Case Vol
ERI #	2229 13X						2" WELL x 0
Site #	7-0235	Address:	2225 Telegraph Ave., Oakland				4" WELL x 0
PM:	Paula Sime						6" WELL x 1
Date:	10/23/08						r (squared) x
Tech:	ar						
DTW Time		Recharge formula:					
Start:		Step 1►	Calc 80% in feet►		**TD - PreDTW x .80 (ft)**	=	
Finish:		Step 2►	Calc PostDTW (ft)►		**TD - PostDTW (ft)**	=	

WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	Rechrg 80%	Sample Time
MW 6B	18.30	13.18	2	0.83	13.47	y	16:00
MW 6E	19.20	13.52	4	3.70	13.7	y	13:55
MW 6F	19.45	14.28	4	3.37	14.27	y	13:35
MW 6G	19.06	12.34	4	4.38	14.08	y	15:05
MW 6H	19.50	12.47	4	4.58			
MW 6I	19.31	12.56	4	4.40			
MW 6J	22.60	13.40	2	1.50	15.91	y	11:45
RW 1	23.56	12.68	4	7.09			
RW 2	23.45	12.97	4	6.83	13.17	y	14:15
RW 3A	16.30	13.97	4	1.52			

R MONITORING - FIELD LOG					
ERI #	2229 13X		QRT	4th	2008
CLIENT NAME: Exxon Mobil			DATE:	10/23/08	
RAS # 7-0235			TECH	ar	
ADDRESS:			PM:	Paula Sime	
2225 Telegraph Ave., Oakland CA			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw6j	11:32	2			
	11:34	2	20.60	451.00	7.08
	11:36	4	20.50	461.00	7.14
	11:37	6	20.30	523.00	7.25
	11:11	8	20.30	547.00	7.26
COMMENTS:	8				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw6f	10:41	4			
	10:46	4	17.80	357.00	6.97
	10:52	8	17.50	359.00	7.00
		12			
COMMENTS:	dry@11				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw6e	12:15	4			
	12:19	4	17.80	515.00	6.66
	12:23	8	17.60	527.00	6.68
		12			
COMMENTS:	dry@10 gal				
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw6g	14:42	5			
	14:45	5	21.30	886.00	6.95
	14:49	10	20.80	927.00	6.95
	14:52	15	21.10	947.00	7.00
COMMENTS:	15				

ER MONITORING - FIELD LOG					
ERI #	2229 13X		QRT	4th	2008
CLIENT NAME: Exxon Mobil			DATE:	10/23/08	
RAS # 7-0235			TECH	ar	
ADDRESS:			PM:	Paula Sime	
2225 Telegraph Ave., Oakland CA			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
rw2	12:35	7			
	12:40	7	18.70	620.00	6.88
	12:46	14	18.30	634.00	6.94
	12:52	21	17.90	683.00	7.03
COMMENTS:	strong odo	21			
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
mw6b	15:32	1			
	15:37	1	22.50	981.00	7.47
	15:45	2	21.70	969.00	7.19
	15:50	3	21.50	974.00	7.18
COMMENTS:	3				

Environmental Resolutions, Inc.

DAILY FIELD REPORT

PROJECT: ______ JOB # + ACTIVITY: ______

SUBJECT: ______ DATE: 10-30-08

EQUIPMENT USED: ______ SHEET: ___ OF ___

NAME: Anthony Riccdi PROJECT MNGR: ______

Onsite: 8:10
- Safety
- check-in
  - Station not yet open, got water @ chevron
- meet Rebeckah
  - Perform ...
  - Purge / Sample
    RW1, RW1A, MW6/7
- Empty 40 gallons from onsite drum

35 Purge
15 decon
50 gallons

40 from drum

Offsite 11:30

90

FIELDRP.DWG REV. 9/9/96

601 N. McDowell Boulevard, Petaluma, California 94954 707 - 766 - 2000 (Fax 707 - 789 - 0414)

White - Project Manager Yellow - O&M Binder Pink - Onsite O&M Binder

GROUNDWATER SAMPLING FIELD LOG

Client Name: XOM
ERI Job #: 2229
Date: 10-30-05 **Page** 1 **of** 1

Location: 70235
Field Cleaning Performed:
Case Volume = (TD - DTW) x F where F =

Field Crew: AR
Analysis:

0.163 for 2" inside-diameter well casing
0.652 for 4" inside-diamter well casing
1.457 for 6" inside-diamter well casing

Well ID	Time	Case Volume	Purge Volume	Temp	Cond	pH	Post-Purge DTW	80% Recharge	BB	40mil	Amber	DO	ORP	Comments Well Box Condition
RW3A	916	2						14.90		930				
	918		2	14.5	777	7.01								
	920		4	14.7	743	6.45								
	922		6	14.6	747	6.43								
RW1	956	8					15.35	4		1035				
	1003		8	20.5	775	6.82	Dry @ 14 gallons							Strong odor
			16											
			24											
MW6R	1015	5					~~15.35~~	4		~~1035~~				
	1018		5	20.3	815	7.00	12.85			1050				
	1022		10	20.5	855	6.90								
	1026		15	20.4	863	6.93								

APPENDIX D

WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No. FM7-0246

2. Page 1 of 1

3. Generator's Name and Mailing Address
Exxon-Mobil
Exxon Mobil #70246
2225 Telegraph Ave.
OAKLAND CA.

FRI # 2229

4. Generator's Phone ( )

5. Transporter 1 Company Name: FRI

6. US EPA ID Number

A. State Transporter's ID

B. Transporter 1 Phone (707) 766-2024

7. Transporter 2 Company Name

8. US EPA ID Number

C. State Transporter's ID

D. Transporter 2 Phone

9. Designated Facility Name and Site Address
Instrat Inc
1105C Airport RD
Rio Vista CA.

10. US EPA ID Number: 1CAT000150599

E. State Facility's ID

F. Facility's Phone (707) 374-3834

11. WASTE DESCRIPTION	12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.
a. Non Hazardous Monitoring well water	1	Poly	83	gal
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above
Color – clear
Odor – Ø
Solids – Ø

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

16. **GENERATOR'S CERTIFICATION:** I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name | Signature | Date Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Anthony R[illegible] | Signature: [signature] | Date Month Day Year: 10 24 15

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Date Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.
IDI
Printed/Typed Name: P. N[illegible] | Signature: [signature] | Date Month Day Year: 10 24 15

GENERATOR — TRANSPORTER — FACILITY — NON-HAZARDOUS WASTE

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No. EM-70235

2. Page 1 of 1

3. Generator's Name and Mailing Address: Exxon Mobile #70235, 2225 Telegraph Ave, Oakland, CA

ERI # 2229

4. Generator's Phone ( )

5. Transporter 1 Company Name: ERI

6. US EPA ID Number

A. State Transporter's ID

B. Transporter 1 Phone (707) 766-2024

7. Transporter 2 Company Name

8. US EPA ID Number

C. State Transporter's ID

D. Transporter 2 Phone

9. Designated Facility Name and Site Address: ISI, 1105 AIRPORT RD, RIO VISTA, CA

10. US EPA ID Number

E. State Facility's ID

F. Facility's Phone 707-374-3831

11. WASTE DESCRIPTION	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt./Vol.
a. NON-HAZ PURGE WATER	1	poly	50	GAL
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above

COLOR -
ODORS -
SOLIDS -

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

GENERATOR

16. **GENERATOR'S CERTIFICATION:** I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Printed/Typed Name | Signature | Date (Month Day Year)

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Anthony Ricelli | Signature | Date (Month Day Year): 10 31 08

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Date (Month Day Year)

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.

ISI

Printed/Typed Name: P Mahoney | Signature | Date (Month Day Year): 10 31 08

NON-HAZARDOUS WASTE

Rev. 3/95