

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510 547 8196 Telephone
510 547 8706 Facsimile

Jennifer C. Sedlachek
Project Manager

RECEIVED

By Alameda County Environmental Health at 3:15 pm, Mar 13, 2014

ExxonMobil

March 12, 2014

Mr. Keith Nowell
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #70235/2225 Telegraph Avenue, Oakland California.

Dear Mr. Nowell:

Attached for your review and comment is a copy of the letter report entitled *Semi-Annual Groundwater Monitoring Report, First Quarter 2014*, dated March 12, 2014, for the above-referenced site. The report was prepared by Cardno ERI of Petaluma, California, and details activities at the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: Cardno ERI's *Semi-Annual Groundwater Monitoring Report, First Quarter 2014*, dated March 12, 2014

cc: w/ attachment
Mr. Shay Wideman, The Valero Companies, Environmental Liability Management

w/o attachment
Ms. Rebekah A. Westrup, Cardno ERI

March 12, 2014
Cardno ERI 2229C.Q141

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

Cardno ERI
License A/C10/C36-611383

601 North McDowell Blvd.
Petaluma, CA 94954

Phone +1 707 766 2000
Fax +1 707 789 0414
www.cardno.com

www.cardnoeri.com

SUBJECT **Semi-Annual Groundwater Monitoring Report, First Quarter 2014**
Former Exxon Service Station 70235
2225 Telegraph Avenue, Oakland, California

Alameda County RO #358

INTRODUCTION

At the request of ExxonMobil Environmental Services (EMES), on behalf of Exxon Mobil Corporation, Cardno ERI is submitting this report detailing first quarter 2014 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site is an active Valero Service Station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	01/30/14
Wells gauged and sampled:	MW6B, MW6E through MW6J, MW6Kb, MW6Lb, RW1, RW2, RW3A
Wells gauged only:	MW6Ka, MW6La
Presence of NAPL:	Not observed
Laboratory:	CalScience Environmental Laboratories, Inc. Garden Grove, California
Analyses performed:	EPA Method 8015B TPHd, TPHg, TPHmo EPA Method 8021B BTEX EPA Method 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE, Ethanol (select wells)
Waste disposal:	135 gallons of purge and decon water delivered to InStrat, Inc., of Rio Vista, California, on 01/31/14

March 12, 2014
Cardno ERI 2229C.Q141 Former Exxon Service Station 70235, Oakland, California

REMEDIAL ACTIVITIES SUMMARY

Prior to 1990, a GWPTS operated at the site under the ownership of Texaco. The GWPTS was shut down in 1990 and replaced with an SVE system, which operated from approximately 1991 until 1996. The SVE system was shut down when ownership of the site transferred from Texaco to Exxon Company, U.S.A. in 1996. The GWPTS and SVE system are no longer at the site.

In January 2014, Cardno ERI conducted AS/DPE feasibility testing to evaluate the feasibility of AS/DPE as a remedial technology to reduce petroleum hydrocarbons in soil and groundwater in the vicinity of the USTs and dispenser islands (Cardno ERI, 2014).

RESULTS AND RECOMMENDATIONS

Groundwater flow was towards the south-southeast and was consistent with historical site data. Wells MW6Ka and MW6La were dry.

Petroleum hydrocarbon concentrations were consistent with recent results, with the following exceptions:

- TPHmo was reported for the first time since 2008 in well MW6H at a concentration (1,500 µg/L) an order of magnitude larger than previous concentrations reported in the well; however, the chromatographic pattern did not match that of TPHmo.
- TPHd was reported for the first time since 2007 in well MW6F (50 µg/L) and for the first time since 2008 in wells MW6G (83 µg/L) and MW6J (48 µg/L); however, the chromatographic patterns did not match that of TPHd.
- TPHg and benzene concentrations decreased an order of magnitude in wells MW6Kb and MW6Lb.
- Benzene decreased two orders of magnitude to below reporting limits in well MW6B.

Based on the results of the feasibility tests and the groundwater monitoring and sampling event, Cardno ERI recommends continued semi-annual groundwater monitoring and sampling and performing an additional AS/DPE event at the site.

Additionally, first quarter 2014 represents the fourth quarterly groundwater monitoring and sampling event for wells MW6Ka, MW6Kb, MW6La, and MW6Lb since their installation in June 2013. Cardno ERI will now incorporate the wells into the semi-annual monitoring and sampling schedule for the site during the first and third quarters of the year.

PROPOSED WORK

Site data indicates that remaining residual and dissolved-phase petroleum hydrocarbons are located in the northeast corner of the site in the vicinity of the USTs and dispenser islands. The results of the feasibility testing performed in January 2014 (Cardno ERI, 2014) and the current groundwater monitoring and sampling results indicate that AS/DPE may be an effective remedial technology to remove petroleum hydrocarbons from the northeastern portion of the site. Cardno ERI proposes to conduct a week-long (approximately 96-hour) high-intensity targeted (HIT) AS/DPE event to further assess the effectiveness of AS/DPE at reducing petroleum hydrocarbon concentrations in the subsurface. The January 2014 feasibility test removed approximately 25.7 pounds of TPHg during a 24-hour period while extracting from wells MW6B, MW6H, MW6Ka, and MW6Kb, and sparging into wells MW6Kb and MW6Lb. To assess concentrations and mass removal over time, Cardno ERI proposes to extract from wells MW6B, MW6H, MW6Ka, and MW6Kb and sparge into wells MW6Kb and MW6Lb for a five-day period (Monday to Friday).

Feasibility Testing

The fieldwork will be conducted under the advisement of a professional geologist and in accordance with applicable regulatory guidelines.

March 12, 2014
Cardno ERI 2229C.Q141 Former Exxon Service Station 70235, Oakland, California

Equipment Setup

As part of equipment setup activities, Cardno ERI will mobilize a trailer-mounted remediation system containing an LRP vacuum blower for high-vacuum extraction and an oil-less air compressor to inject ambient air for AS. Extracted vapors will be treated in accordance with applicable regulations and discharged to the atmosphere. Groundwater extracted during the test will be stored in a holding tank and transported to an EMES-approved facility for recycling. Instrumentation will be used to monitor the performance of the system. Instrumentation will include Magnehelic® gauges to measure changes in wellhead pressures, an anemometer and/or rotometer to measure vapor flow, a water level indicator to measure DTW, and a PID to measure VOC concentrations in vapor streams.

Air Sparge/Dual-Phase Extraction Tests

The combined AS/DPE test will be performed to evaluate hydrocarbon concentrations extracted and air flow rates during operation of the AS wells. The test will be performed using wells MW6Kb and MW6Lb as the AS wells and wells MW6B, MW6H, MW6Ka, and MW6La as the extraction wells. The extraction wells will be operated prior to sparging for a minimum of two hours prior to testing to establish concentrations trends.

Vapor samples will be collected during the vapor extraction portion of the test prior to initiating sparge, following the initiation of sparge, and approximately every 12 hours for the duration of the test.

Grab groundwater samples will be collected from each extraction well prior to and following the testing (if the wells are not dry).

Laboratory Analyses

Groundwater and vapor samples will be submitted for analysis to an EMES-approved, state-certified analytical laboratory. The samples will be analyzed for TPHg by EPA Method 8015B or TO-3 and BTEX, fuel oxygenates (MTBE, DIPE, ETBE, TAME, TBA), and lead scavengers (1,2-DCA and EDB) by EPA Method 8260B or TO-15.

Waste Management

The water generated during feasibility activities will be temporarily stored on site and transported to an EMES-approved facility for disposal. Waste documentation will be included in the report.

LIMITATIONS

For documents cited that were not generated by Cardno ERI, the data taken from those documents is used "as is" and is assumed to be accurate. Cardno ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these documents.

This document and the work performed have been undertaken in good faith, with due diligence and with the expertise, experience, capability, and specialized knowledge necessary to perform the work in a good and workmanlike manner and within all accepted standards pertaining to providers of environmental services in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.


March 12, 2014
Cardno ERI 2229C.Q141 Former Exxon Service Station 70235, Oakland, California

Please contact Ms. Rebekah A. Westrup, Cardno ERI's project manager for this site, at rebekah.westrup@cardno.com or at (707) 766-2000 with any questions regarding this report.

Sincerely,

SCANNED
Christine M. Capwell

SCANNED
David R. Daniels



Christine M. Capwell
Senior Technical Editor
for Cardno ERI
707 766 2000
Email: christine.capwell@cardno.com

David R. Daniels
P.G. 8737
for Cardno ERI
707 766 2000
Email: david.daniels@cardno.com

Enclosures:

References
Acronym List

Plate 1 Site Vicinity Map
Plate 2 Select Analytical Results
Plate 3 Groundwater Elevation Map

Table 1A Cumulative Groundwater Monitoring and Sampling Data
Table 1B Additional Cumulative Groundwater Monitoring and Sampling Data
Table 1C Additional Cumulative Groundwater Monitoring and Sampling Data - Metals
Table 2 Well Construction Details

Appendix A Groundwater Sampling Protocol
Appendix B Field Data Sheets
Appendix C Laboratory Analytical Report
Appendix D Waste Disposal Documentation

cc: Mr. Keith Nowell, Alameda County Health Care Services Agency, Department of Environmental Health,
1131 Harbor Bay Parkway, Suite 250, Alameda, California, 94502-6577

Mr. Shay Wideman, The Valero Companies, Environmental Liability Management, P.O. Box 696000,
San Antonio, Texas, 78269

March 12, 2014

Cardno ERI 2229C.Q141 Former Exxon Service Station 70235, Oakland, California

REFERENCES


Cardno ERI. February 26, 2014. *AS/DPE Feasibility Test Report, Former Exxon Service Station 70235, 2225 Telegraph Avenue, Oakland, California.*

March 12, 2014

Cardno ERI 2229C.Q141 Former Exxon Service Station 70235, Oakland, California

ACRONYM LIST


µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polycyclic aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL (RL)	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1:19,200 Detail: 1:50 Datum: WGS84

FN 2229Topo

EXPLANATION



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP
FORMER EXXON SERVICE STATION 70235
2225 Telegraph Avenue
Oakland, California

PROJECT NO.
2229
PLATE
1

Analyte concentrations in µg/L
 Sampled January 30, 2014


Total Petroleum Hydrocarbons
 as gasoline
 Benzene
 Methyl Tertiary Butyl Ether

< Less Than the Stated Laboratory
 Reporting Limit

ug/L Micrograms per Liter

d The chromatographic pattern does
 not match that of the specified
 standard.

v Insufficient water to sample.



APPROXIMATE SCALE



FN 2229 14 1QTR_QM



SELECT ANALYTICAL RESULTS
January 30, 2014
 FORMER EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION

MW6Lb
 Groundwater Monitoring Well


RW3A
 Recovery Groundwater Monitoring Well

PROJECT NO.



2229

PLATE

2



GROUNDWATER FLOW DIRECTION ROSE DIAGRAM
 Second Quarter 2003-First Quarter 2014



FN 2229 14 1QTR_QM



GROUNDWATER ELEVATION MAP
January 30, 2014
 FORMER EXXON SERVICE STATION 70235
 2225 Telegraph Avenue
 Oakland, California

EXPLANATION	
	MW6Lb Groundwater Monitoring Well
8.18	Groundwater elevation in feet; datum is mean sea level
	RW3A Recovery Groundwater Monitoring Well

8.4 - - - - Line of Equal Groundwater Elevation;
 datum is mean sea level

PROJECT NO.	2229
PLATE	3

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
Monitoring Well Samples																
MW6A	June 1988	---	Well installed.													
MW6A	06/24/88	---	98.99i	---	---	---	---	---	---	---	---	<0.5	<1	<2	<1	---
MW6A	07/11/88	---	98.99i	13.25	85.74	---	---	---	---	---	---	---	---	---	---	---
MW6A	10/20/88	---	98.99i	---	---	---	---	---	---	---	---	0.6	<1	<2	<1	---
MW6A	12/15/88	---	98.99i	13.40	85.59i	---	---	---	---	---	---	---	---	---	---	---
MW6A	09/07/89	---	98.99i	---	---	---	---	ND	---	---	---	2.0	ND	ND	ND	---
MW6A	05/11/90	---	98.99i	12.87	86.12i	---	---	<500	---	---	---	150	6.2	<0.25	13	---
MW6A	10/16/90	---	98.99i	13.27	85.72i	---	---	---	---	---	---	---	---	---	---	---
MW6A	12/06/90	---	98.99i	13.28	85.71i	---	---	---	---	---	---	---	---	---	---	---
MW6A	02/08/91	---	98.99i	12.49	86.50i	---	---	---	---	---	---	---	---	---	---	---
MW6A	05/07/91	---	98.99i	11.94	87.05i	---	---	2,700	---	---	---	700	64	67	74	---
MW6A	06/26/91	---	98.99i	12.87	86.12i	---	---	---	---	---	---	---	---	---	---	---
MW6A	08/05/91	---	98.99i	13.44	85.55i	---	---	---	---	---	---	---	---	---	---	---
MW6A	08/14/91	---	98.99i	13.47	85.52i	---	---	ND	---	---	---	3.6	<0.5	<0.5	<0.5	---
MW6A	09/11/91	---	98.99i	13.48	85.51i	---	---	---	---	---	---	---	---	---	---	---
MW6A	10/16/91	---	98.99i	13.64	85.35i	---	---	---	---	---	---	---	---	---	---	---
MW6A	12/30/91	---	Well damaged.													
MW6A	05/02/92	---	Well destroyed.													
MW6B	June 1988	---	Well installed.													
MW6B	06/24/88	---	98.81i	---	---	---	---	---	---	---	---	<0.5	<1	<2	5.0	---
MW6B	07/11/88	---	98.81i	12.86	85.95i	---	---	---	---	---	---	---	---	---	---	---
MW6B	10/20/88	---	98.81i	---	---	---	---	---	---	---	---	4.1	<1	<2	<1	---
MW6B	12/15/88	---	98.81i	12.94	85.87i	---	---	---	---	---	---	---	---	---	---	---
MW6B	09/07/89	---	98.81i	---	---	---	---	2,700	---	---	---	70	3.0	ND	160	---
MW6B	04/30/90	---	98.81i	12.53	86.28i	---	---	168	---	---	---	45	8.0	60	22	---
MW6B	10/16/90	---	98.81i	12.73	86.08i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/06/90	---	98.81i	12.74	86.07i	---	---	---	---	---	---	---	---	---	---	---
MW6B	01/14/91	---	98.81i	12.57	86.24i	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/08/91	---	98.81i	12.16	86.65i	---	---	---	---	---	---	---	---	---	---	---
MW6B	04/02/91	---	98.81i	11.50	87.31i	---	---	---	---	---	---	---	---	---	---	---
MW6B	05/07/91	---	98.81i	12.02	86.79i	---	---	3,300	---	---	---	240	6.0	20	660	---
MW6B	05/31/91	---	98.81i	12.40	86.41i	---	---	---	---	---	---	---	---	---	---	---
MW6B	06/26/91	---	98.81i	12.69	86.12i	---	---	---	---	---	---	---	---	---	---	---
MW6B	08/05/91	---	98.81i	12.95	85.86i	---	---	---	---	---	---	---	---	---	---	---
MW6B	08/14/91	---	98.81i	12.93	85.88i	---	---	980	---	---	---	9.1	42	310	150	---
MW6B	09/11/91	---	98.81i	13.01	85.80i	---	---	---	---	---	---	---	---	---	---	---
MW6B	10/16/91	---	98.81i	13.09	85.72i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/30/91	---	98.81i	12.62	86.19i	---	---	---	---	---	---	---	---	---	---	---
MW6B	12/31/91	---	98.81i	---	---	---	---	1,200	---	---	---	46	<5.0	85	220	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6B	02/25/92	---	98.81i	11.81	87.00i	---	---	---	---	---	---	---	---	---	---	---
MW6B	03/25/92	---	98.81i	11.58	87.23i	---	---	190	---	---	---	31	8.6	84	8.6	---
MW6B	06/16/92	---	15.34	12.54	2.80	---	---	1,700	---	---	---	44	1.7	7.2	230	---
MW6B	09/08/92	---	15.34	12.87	2.47	No	---	2,900	---	---	---	35	8.3	110	330	---
MW6B	11/05/92	---	15.34	12.70	2.64	No	---	1,400	---	---	---	29	<0.5	75	190	---
MW6B	12/14/92	---	15.34	12.19	3.15	No	---	---	---	---	---	---	---	---	---	---
MW6B	01/28/93	---	15.34	11.39	3.95	No	---	---	---	---	---	---	---	---	---	---
MW6B	02/11/93	---	15.34	11.70	3.64	No	---	210	---	---	---	1.2	<0.5	2.8	4.3	---
MW6B	03/09/93	---	15.34	11.70	3.64	No	---	---	---	---	---	---	---	---	---	---
MW6B	04/14/93	---	15.34	11.87	3.47	No	---	---	---	---	---	---	---	---	---	---
MW6B	05/11/93	---	15.34	12.22	3.12	No	---	570	---	---	---	54	2.4	37	36	---
MW6B	06/17/93	---	15.34	12.46	2.88	No	---	---	---	---	---	---	---	---	---	---
MW6B	07/26/93	---	15.34	12.72	2.58	No	---	---	---	---	---	---	---	---	---	---
MW6B	08/10/93	---	15.34	12.82	2.52	No	---	1,300	---	---	---	48	2.4	28	44	---
MW6B	09/21/93	---	15.34	13.08	2.26	No	---	---	---	---	---	---	---	---	---	---
MW6B	10/27/93	---	15.34	13.18	2.16	No	---	1,300	---	---	---	23	1.7	25	250	---
MW6B	11/23/93	---	15.34	13.07	2.27	No	---	---	---	---	---	---	---	---	---	---
MW6B	12/17/93	---	15.34	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	02/16/94	---	15.34	12.07	3.27	---	---	300	---	---	---	16	<0.5	3.5	2.4	---
MW6B	05/31/94	---	15.34	12.42	2.92	No	---	690	---	---	---	21	3.9	11	36	---
MW6B	08/30/94	---	17.48j	13.02	4.46	No	---	260	---	---	---	4	0.62	0.82	4	---
MW6B	11/11/94	---	17.48j	11.72	5.76	No	---	300	---	---	---	60	2	1.2	2.4	---
MW6B	02/27/95	---	17.48j	11.84	5.64	No	---	180	---	---	---	28	2.6	0.65	1.6	---
MW6B	05/30/95	---	17.48j	12.09	5.39	No	---	200	---	---	---	23	3.6	0.88	2.3	---
MW6B	08/30/95	---	17.48j	12.76	4.72	No	---	120	---	42	---	3.8	3.6	0.61	0.69	---
MW6B	11/26/96	---	17.48j	12.26	5.22	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	02/27/97	---	17.48j	11.73	5.75	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	0.80	---
MW6B	05/21/97	---	17.48j	12.70	4.78	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	08/18/97	---	17.48j	12.89	4.59	No	---	380	---	<30	---	4.3	<0.5	1.2	1.5	---
MW6B	03/13/98	---	17.48j	11.15	6.33	No	---	360	---	<6.2	---	93	4.9	4.1	12	---
MW6B	04/20/98	---	17.48j	11.49	5.99	No	---	110	---	5.5	---	19	1.3	1.5	3.9	---
MW6B	07/21/98	---	21.37	12.18	9.19	No	---	<50	---	8.7	---	0.84	0.59	<0.5	<0.5	---
MW6B	10/06/98	---	21.37	12.70	8.67	No	---	190	---	6.0	---	2.4	0.56	0.51	1.2	---
MW6B	01/11/99	---	21.37	12.48	8.89	No	---	50	---	3.9	---	1.2	<0.5	<0.5	0.95	---
MW6B	04/08/99	---	21.37	11.52	9.85	No	---	85	---	14.0	---	4.4	<0.5	<0.5	<0.5	---
MW6B	07/19/99	---	21.37	11.39	9.98	No	---	<50	---	<2.50	---	<0.5	<0.5	<0.5	<0.5	---
MW6B	07/27/99	---	21.37	12.71	8.66	No	---	---	---	---	---	---	---	---	---	---
MW6B	10/25/99	---	21.37	12.49	8.88	No	---	260	---	<2	---	2.3	<0.5	<0.5	<0.5	---
MW6B	01/27/00	---	21.37	11.80	9.57	No	---	770	---	13	---	210	4.8	4.9	13	---
MW6B	04/03/00	---	21.37	11.61	9.76	No	---	670	---	3.4	---	110	6.6	3.8	9.45	---
MW6B	07/05/00	---	21.37	12.27	9.10	No	---	<50	---	2.1	---	0.89	<0.5	<0.5	<0.5	---
MW6B	10/04/00	---	21.37	12.67	8.70	No	---	<50	---	54	---	<0.5	<0.5	<0.5	2	---
MW6B	10/05/00	---	21.37	---	---	---	---	---	<1,000	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)	
MW6B	01/04/01	---	21.37	12.47	8.90	No	---	<50	---	35	---	<0.5	<0.5	<0.5	<0.5	---	
MW6B	04/03/01	---	21.37	11.81	9.56	No	---	<50	---	7.8	---	<0.5	<0.5	<0.5	<0.5	---	
MW6B	07/05/01	---	21.37	12.44	8.93	No	---	<50	---	3	---	<0.5	<0.5	<0.5	<0.5	---	
MW6B	10/03/01	---	21.37	12.52	8.85	No	---	310	---	10	---	2.1	<0.5	6.5	11.6	---	
MW6B	Oct-01	---	21.09	Well surveyed in compliance with AB 2886 requirements.													
MW6B	01/02/02	---	21.09	11.25	9.84	No	---	710	---	21.8	---	99.5	4.40	3.30	7.40	---	
MW6B	04/02/02	---	21.09	11.72	9.37	No	---	<50.0	<100	12.2	---	0.60	<0.50	<0.50	<0.50	---	
MW6B	07/01/02	---	21.09	12.34	8.75	No	---	<50	<100a	10.7	---	<0.5	<0.5	<0.5	<0.5	---	
MW6B	10/02/02	---	21.09	12.71	8.38	No	---	<50.0	<100	10.9	---	<0.5	<0.5	<0.5	<0.5	---	
MW6B	01/07/03	---	21.09	11.65	9.44	No	---	82.5	<50	20.8	27.8	3.7	0.5	<0.5	0.8	---	
MW6B	06/17/03	---	21.09	12.09	9.00	No	---	<50.0	<100	7.3	6.10a	0.50	<0.5	<0.5	<0.5	---	
MW6B	07/16/03	---	21.09	12.29	8.80	No	---	<50.0	<100	11.0	8.5	<0.50	<0.5	<0.5	<0.5	---	
MW6B	10/07/03	---	21.09	12.63	8.46	No	<50	<50.0	<100	4.1	3.10	<0.50	<0.5	<0.5	<0.5	---	
MW6B	01/14/04	---	21.09	11.50	9.59	No	54	62.0	<100	9.0	11.0	2.10	<0.5	<0.5	<0.5	---	
MW6B	06/03/04	---	21.09	12.12	8.97	No	---	56.0	<100	6.2	5.90	0.60	<0.5	<0.5	<0.5	---	
MW6B	08/12/04	---	21.09	c	c	c	<50c	94.0c	<100c	---	3.40c	0.70c	<0.5c	<0.5c	0.9c	---	
MW6B	11/04/04	---	21.09	12.27	8.82	No	<50	<50.0	143	---	2.60	<0.50	<0.5	<0.5	0.7	---	
MW6B	02/01/05	---	21.09	11.48	9.61	No	<100	55.9	<100	---	7.50	1.30	<0.5	<0.5	<0.5	---	
MW6B	05/03/05	---	21.09	11.48	9.61	No	<50	<50.0	<100	---	4.90	0.50	<0.5	<0.5	0.8	---	
MW6B	08/04/05	---	21.09	12.23	8.86	No	<50.0	<50.0	<100	---	5.99	<0.500	<0.500	<0.500	0.692	---	
MW6B	10/27/05	---	21.09	12.60	8.49	No	<50.0	<50.0	<50.0	---	1.65	<0.50	0.94f	<0.50	1.29	---	
MW6B	01/26/06	---	21.09	11.39	9.70	No	83d	510	<500	---	12	130	12	14	39	---	
MW6B	04/28/06	---	21.09	10.99	10.10	No	240d	3,100	<470	---	43	920h	110	130	290	---	
MW6B	07/05/06	---	21.09	12.05	9.04	No	<47.6	79.4	<95.2	---	11.4	2.95	<1.00	<1.00	<3.00	---	
MW6B	10/27/06	---	21.09	12.53	8.56	No	<47	<50.0	<470	---	2.25	0.63	<0.50	<0.50	<0.50	---	
MW6B	01/19/07	---	21.09	12.05	9.04	No	<47	<50.0	<470	---	3.75	<0.50	<0.50	<0.50	<0.50	---	
MW6B	04/24/07	---	21.09	11.71	9.38	No	60.9d	<50.0	<46.9	---	4.19	0.51	<0.50	<0.50	<0.50	---	
MW6B	07/24/07	---	21.09	12.24	8.85	No	<47	<50	<470	---	3.2	0.80	<0.50	<0.50	<0.50	---	
MW6B	12/03/07	---	21.09	12.71	8.38	No	<47	64	<470	---	2.8	2.5	<0.50	<0.50	<0.50	---	
MW6B	03/06/08	---	21.09	11.50	9.59	No	52d	330	<470	---	6.2	60	2.5	4.1	5.4	---	
MW6B	06/26/08	---	21.09	12.76	8.33	No	<47	<50	<470	---	6.4	<0.50	<0.50	<0.50	<0.50	---	
MW6B	08/12/08	---	21.09	12.89	8.20	No	72.0d,m,n	<50.0	89.3m	---	3.59	1.52	<0.50	<0.50	<0.50	1.18	---
MW6B	10/23/08	---	21.09	13.18	7.91	No	<50	<50	<250	---	6.1	<0.50	<0.50	<0.50	<1.0	---	
MW6B	03/25/09	---	21.09	11.76	9.33	No	730	5,400	<250	---	39	1,700	220	250	500	---	
MW6B	06/17/09	---	21.09	12.36	8.73	No	420	2,500	<250	---	51	1,000	99	84	150	---	
MW6B	06/17/09	---	21.09	---	---	---	420	2,500	<250	---	51	1000	99	84	150	---	
MW6B	09/04/09	---	21.09	12.85	8.24	No	90d	710	<250	---	33	69	2.7	<0.50	4.1	---	
MW6B	03/09/10	---	21.09	10.88	10.21	No	1,500d	6,500	<250	---	57	2,200	140	200	430	---	
MW6B	09/17/10	---	21.09	12.92	8.17	No	<50	590d	<250	---	45	77	<10	<10	<20	---	
MW6B	02/15/11	---	21.09	11.68	9.41	No	830d	6,600d	<250	---	63	2,700	120	140	260	---	
MW6B	08/23/11	---	21.09	12.07	9.02	No	450d	4,500d	<250	---	57	1,100	27	5.9	43	---	
MW6B	02/09/12	---	21.09	11.98	9.11	No	230d	1,700d	<250	---	61s	280	8.0	5.6	19	---	
MW6B	07/24/12	---	21.09	12.41	8.68	No	820d	6,200	<250	---	82	2,100	130	57	200	675	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6B	03/08/13	---	21.09	11.85	9.24	No	---	---	---	---	---	---	---	---	---	---
MW6B	03/11/13	---	21.09	---	---	---	620d	5,700	<250	---	78	1,500	44	14	58	---
MW6B	09/04/13	---	21.09	12.60	8.49	No	59d	320	<250	---	39	10	<0.50	<0.50	<0.50	---
MW6B	12/11/13 b	---	21.09	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6B	01/30/14	---	21.09	12.84	8.25	No	<48	83d	<240	---	10	<0.50	<0.50	<0.50	<0.50	---
MW6C	06/15/88	---	99.89i	Well installed.												
MW6C	06/24/88	---	99.89i	---	---	---	---	---	---	---	---	7,400	7.1	170	2,300	---
MW6C	07/11/88	---	99.89i	14.21	85.68i	---	---	---	---	---	---	---	---	---	---	---
MW6C	10/20/88	---	99.89i	---	---	---	---	---	---	---	---	9,500	65	170	850	---
MW6C	12/15/88	---	99.89i	14.10	85.79i	---	---	---	---	---	---	---	---	---	---	---
MW6C	09/07/89	---	99.89i	---	---	---	---	18,000	---	---	---	7,900	430	350	1,100	---
MW6C	04/30/90	---	99.89i	13.81	86.68i	---	---	30,000	---	---	---	6,100	1,500	1,000	2,700	---
MW6C	05/10/90	---	99.89i	Well over-drilled into recovery well RW3.												
MW6D	07/06/88	---	98.78i	Well installed.												
MW6D	07/11/88	---	98.78i	13.48	85.24i	0.002083	---	---	---	---	---	220	27	<20	<10	---
MW6D	10/20/88	---	98.78i	---	---	---	---	---	---	---	---	710	74	22	110	---
MW6D	12/15/88	---	98.78i	13.44	85.34i	---	---	---	---	---	---	---	---	---	---	---
MW6D	09/07/89	---	98.78i	---	---	---	---	2,200	---	---	---	600	26	58	31	---
MW6D	04/30/90	---	98.78i	13.19	85.59i	---	---	3,600	---	---	---	800	150	310	280	---
MW6D	05/10/90	---	98.78i	Well over-drilled into recovery well RW2.												
MW6E	10/04/88	---	98.99i	Well installed.												
MW6E	10/20/88	---	98.99i	---	---	---	---	---	---	---	---	1.1	<2	<1	3.4	---
MW6E	12/15/88	---	98.99i	13.70	85.29i	---	---	---	---	---	---	---	---	---	---	---
MW6E	09/07/89	---	98.99i	---	---	---	---	220	---	---	---	3.0	ND	ND	ND	---
MW6E	04/30/90	---	98.99i	13.43	85.56i	---	---	250	---	---	---	57	<5.0	<5.0	53	---
MW6E	10/16/90	---	98.99i	13.77	85.22i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/06/90	---	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/14/91	---	98.99i	13.95	85.04i	---	---	---	---	---	---	---	---	---	---	---
MW6E	02/08/91	---	98.99i	13.20	85.79i	---	---	---	---	---	---	---	---	---	---	---
MW6E	04/02/91	---	98.99i	12.28	86.71i	---	---	---	---	---	---	---	---	---	---	---
MW6E	05/07/91	---	98.99i	13.48	85.51i	---	---	160	---	---	---	32	1.0	2.2	1.4	---
MW6E	05/31/91	---	98.99i	14.09	84.90i	---	---	---	---	---	---	---	---	---	---	---
MW6E	06/26/91	---	98.99i	12.54	86.45i	---	---	---	---	---	---	---	---	---	---	---
MW6E	08/05/91	---	98.99i	14.39	84.60i	---	---	---	---	---	---	---	---	---	---	---
MW6E	08/14/91	---	98.99i	14.18	84.81i	---	---	ND	---	---	---	0.9	<0.5	<0.5	<0.5	---
MW6E	09/11/91	---	98.99i	14.73	84.26i	---	---	---	---	---	---	---	---	---	---	---
MW6E	10/16/91	---	98.99i	14.40	84.59i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/30/91	---	98.99i	13.39	85.60i	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/31/91	---	98.99i	---	---	---	---	90	---	---	---	3.1	<0.5	<0.5	<0.5	---
MW6E	02/25/92	---	98.99i	13.16	85.83i	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6E	03/25/92	---	98.99i	12.15	86.84i	---	---	830	---	---	---	41	1.0	3.8	16	---
MW6E	06/16/92	---	15.23	13.54	1.69	---	---	3,400	---	---	---	300	23	68	510	---
MW6E	09/08/92	---	15.23	14.78	0.45	No	---	480	---	---	---	27	<0.5	3.6	21	---
MW6E	11/05/92	---	15.23	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	12/14/92	---	15.23	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/28/93	---	15.23	11.62	3.61	No	---	---	---	---	---	---	---	---	---	---
MW6E	02/11/93	---	15.23	12.85	2.38	No	---	270	---	---	---	15	<0.5	<0.5	8.7	---
MW6E	03/09/93	---	15.23	12.83	2.40	No	---	---	---	---	---	---	---	---	---	---
MW6E	04/14/93	---	15.23	---	---	No	---	---	---	---	---	---	---	---	---	---
MW6E	05/11/93	---	15.23	13.59	1.64	No	---	<50	---	---	---	2.3	<0.5	1.4	3.2	---
MW6E	06/17/93	---	15.23	13.74	1.49	No	---	---	---	---	---	---	---	---	---	---
MW6E	07/26/93	---	15.23	14.01	1.22	No	---	---	---	---	---	---	---	---	---	---
MW6E	08/10/93	---	15.23	14.13	1.10	No	---	1,700	---	---	---	130	2.7	23	140	---
MW6E	09/21/93	---	15.23	14.20	1.03	No	---	---	---	---	---	---	---	---	---	---
MW6E	10/27/93	---	15.23	14.34	0.89	No	---	100	---	---	---	6.0	<0.5	<0.5	<0.5	---
MW6E	11/23/93	---	15.23	13.97	1.26	No	---	---	---	---	---	---	---	---	---	---
MW6E	12/17/93	---	15.23	13.08	2.15	No	---	---	---	---	---	---	---	---	---	---
MW6E	02/16/94	---	15.23	13.34	1.89	No	---	640	---	---	---	45	<0.5	12	15	---
MW6E	05/31/94	---	15.23	13.82	1.41	No	---	52	---	---	---	1.5	0.97	<0.5	<0.5	---
MW6E	08/30/94	---	17.63j	14.32	3.31	No	---	920	---	---	---	22	0.98	5.2	33	---
MW6E	11/11/94	---	17.63j	13.92	3.71	No	---	910	---	---	---	13	2.4	13	2.5	---
MW6E	02/27/95	---	17.63j	12.96	4.67	No	---	<50	---	---	---	1.9	1.3	<0.5	0.83	---
MW6E	05/30/95	---	17.63j	13.20	4.43	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	08/30/95	---	17.63j	13.85	3.78	No	---	1,500	---	11	---	91	2.3	56	59	---
MW6E	11/26/96	---	17.63j	12.94	4.69	No	---	<50	---	<30	---	1.1	<0.5	<0.5	<0.5	---
MW6E	02/27/97	---	17.63j	12.28	5.35	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	05/21/97	---	17.63j	13.60	4.03	No	---	160	---	<5	---	10	1.4	5.5	4.8	---
MW6E	08/18/97	---	17.63j	13.75	3.88	No	---	66	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	03/13/98	---	17.63j	11.36	6.27	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/20/98	---	17.63j	11.88	5.75	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	07/21/98	---	21.58	13.10	8.48	No	---	1,200	---	<10	---	81	3.1	28	77	---
MW6E	10/06/98	---	21.58	13.55	8.03	No	---	<50	---	6.6	---	1.4	0.51	<0.5	0.97	---
MW6E	01/11/99	---	21.58	13.40	8.18	No	---	<50	---	5.1	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/08/99	---	21.58	12.04	9.54	No	---	<50	---	4.7	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	07/19/99	---	21.58	11.59	9.99	No	---	---	---	---	---	---	---	---	---	---
MW6E	07/27/99	---	21.58	13.65	7.93	No	---	---	---	---	---	---	---	---	---	---
MW6E	10/25/99	---	21.58	13.52	8.06	No	---	<50	---	2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	01/27/00	---	21.58	11.71	9.87	No	---	<50	---	2.3	---	<0.5	<0.5	<0.5	<0.5	---
MW6E	04/03/00	---	21.58	12.11	9.47	No	---	<50	---	<2	---	0.51	<0.5	<0.5	<0.5	---
MW6E	07/05/00	---	21.58	12.91	8.67	No	---	<50	---	<2	---	3.7	<0.5	<0.5	<0.5	---
MW6E	10/04/00	---	21.58	13.35	8.23	No	---	<50	---	<2	---	4.1	<0.5	<0.5	<0.5	---
MW6E	10/05/00	---	21.58	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6E	01/04/01	---	21.58	13.09	8.49	No	---	61	---	<2	---	11	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)	
MW6E	04/03/01	---	21.58	12.39	9.19	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---	
MW6E	07/05/01	---	21.58	13.21	8.37	No	---	210	---	<2	---	80	<0.5	0.94	2.3	---	
MW6E	10/03/01	---	21.58	13.30	8.28	No	---	<50	---	<2	---	2.8	<0.5	<0.5	<0.5	---	
MW6E	Oct-01	---	21.24	Well surveyed in compliance with AB 2886 requirements.													
MW6E	01/02/02	---	21.24	10.11	11.13	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---	
MW6E	04/02/02	---	21.24	12.11	9.13	No	---	<50.0	<100	0.70	---	<0.50	<0.50	<0.50	<0.50	---	
MW6E	07/01/02	---	21.24	12.46	8.78	No	---	56.0	<100a	<0.5	---	19.9	<0.5	<0.5	<0.5	---	
MW6E	10/02/02	---	21.24	13.48	7.76	No	---	<50.0	<100	0.8	---	0.5	<0.5	<0.5	<0.5	---	
MW6E	01/07/03	---	21.24	11.81	9.43	No	---	<50.0	<50	<0.5	<0.50	0.5	<0.5	<0.5	<0.5	---	
MW6E	06/17/03	---	21.24	12.72	8.52	No	---	<50.0	153	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---	
MW6E	07/16/03	---	21.24	12.92	8.32	No	---	<50.0	<100	<0.5	<0.50	4.50	<0.5	<0.5	<0.5	---	
MW6E	10/07/03	---	21.24	13.34	7.90	No	<50	<50.0	<100	0.9	0.60	2.50	<0.5	<0.5	<0.5	---	
MW6E	01/14/04	---	21.24	11.92	9.32	No	<50	<50.0	<100	<0.5	<0.50	0.50	<0.5	<0.5	<0.5	---	
MW6E	06/03/04	---	21.24	12.97	8.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---	
MW6E	08/12/04	---	21.24	c	c	c	<50c	<50.0c	<100c	---	<0.50c	4.30c	<0.5c	<0.5c	0.8c	---	
MW6E	11/04/04	---	21.24	12.68	8.56	No	<50	<50.0	124	---	<0.50	<0.50	<0.5	<0.5	<0.5	---	
MW6E	02/01/05	---	21.24	11.75	9.49	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---	
MW6E	05/03/05	---	21.24	11.93	9.31	No	64d	<50.0	116	---	<0.50	<0.50	<0.5	<0.5	<0.5	---	
MW6E	08/04/05	---	21.24	12.92	8.32	No	96.2d	87.9	122	---	<0.500	14.1	<0.500	<0.500	0.792	---	
MW6E	10/27/05	---	21.24	13.24	8.00	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.91f	<0.50	1.22	---	
MW6E	01/26/06	---	21.24	11.78	9.46	No	<50	<50	<500	---	<0.50	7.2	0.67	0.71	2.0	---	
MW6E	04/28/06	---	21.24	11.27	9.97	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---	
MW6E	07/05/06	---	21.24	12.67	8.57	No	149	<50.0	316	---	<0.500	<1.00	<1.00	<1.00	<3.00	---	
MW6E	10/27/06	---	21.24	13.34	7.90	No	<47	<50.0	<470	---	<0.500	<0.50	0.81	<0.50	1.26	---	
MW6E	01/19/07	---	21.24	12.66	8.58	No	<47	<50.0	<470	---	<0.500	2.33	<0.50	<0.50	<0.50	---	
MW6E	04/24/07	---	21.24	12.00	9.24	No	82.2d	<50.0	76.7	---	<0.500	<0.50	<0.50	<0.50	<0.50	---	
MW6E	07/24/07	---	21.24	13.02	8.22	No	70d	55	<470	---	<0.50	18	<0.50	<0.50	<0.50	---	
MW6E	12/03/07	---	21.24	13.24	8.00	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---	
MW6E	03/06/08	---	21.24	11.79	9.45	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---	
MW6E	06/26/08	---	21.24	13.15	8.09	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---	
MW6E	08/12/08	---	21.24	13.32	7.92	No	72.7d,m,n	<50.0	112m	---	<0.500	6.74	<0.50	<0.50	<0.50	3.51	---
MW6E	10/23/08	---	21.24	13.52	7.72	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---	
MW6E	03/25/09	---	21.24	11.66	9.58	No	<50	<50	<250	---	<0.50	0.82	<0.50	<0.50	<1.0	---	
MW6E	06/17/09	---	21.24	12.68	8.56	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---	
MW6E	06/17/09	---	21.24	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---	
MW6E	09/04/09	---	21.24	13.20	8.04	No	58d	79	<250	---	<0.50	8.1	<0.50	<0.50	<1.0	---	
MW6E	03/09/10	---	21.24	10.86	10.38	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---	
MW6E	09/17/10	---	21.24	13.13	8.11	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---	
MW6E	02/15/11	---	21.24	11.84	9.40	No	<50	<50	<250	---	<0.50	1.3	<0.50	<0.50	<1.0	---	
MW6E	08/23/11	---	21.24	12.73	8.51	No	<50	<50	<250	---	<0.50	8.9	<0.50	<0.50	<1.0	---	
MW6E	02/09/12	---	21.24	12.38	8.86	No	<50	57d	<250	---	<0.50	9.2	<0.50	<0.50	<1.0	---	
MW6E	07/24/12	---	21.24	13.84	7.40	No	<50	<50	<250	---	<0.50	3.1	<0.50	<0.50	<1.0	335	
MW6E	03/08/13	---	21.24	12.19	9.05	No	---	---	---	---	---	---	---	---	---	---	

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6E	03/11/13	---	21.24	---	---	---	52d	120d	<250	---	<0.50	23	<0.50	<0.50	<0.50	---
MW6E	09/04/13	---	21.24	13.07	8.17	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6E	12/11/13 b	---	21.24	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6E	01/30/14	---	21.24	13.35	7.89	No	58d	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	10/05/88	---	99.91i	Well installed.												
MW6F	10/25/88	---	99.91i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	2.4	---
MW6F	12/15/88	---	99.91i	14.48	85.43i	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/07/89	---	99.91i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6F	04/30/90	---	99.91i	14.14	85.77i	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6F	10/16/90	---	99.91i	14.77	85.14i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/06/90	---	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6F	01/14/91	---	99.91i	14.73	85.18i	---	---	---	---	---	---	---	---	---	---	---
MW6F	02/08/91	---	99.91i	13.73	86.18ii	---	---	---	---	---	---	---	---	---	---	---
MW6F	04/02/91	---	99.91i	12.38	87.53i	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/07/91	---	99.91i	13.67	86.24i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	05/31/91	---	99.91i	14.43	85.48i	---	---	---	---	---	---	---	---	---	---	---
MW6F	06/26/91	---	99.91i	14.81	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/05/91	---	99.91i	14.96	84.95i	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/14/91	---	99.91i	14.87	85.04i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	09/11/91	---	99.91i	15.11	84.80i	---	---	---	---	---	---	---	---	---	---	---
MW6F	10/16/91	---	99.91i	15.16	84.75i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/30/91	---	99.91i	13.78	86.13i	---	---	---	---	---	---	---	---	---	---	---
MW6F	12/31/91	---	99.91i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	02/25/92	---	99.91i	12.68	87.23i	---	---	---	---	---	---	---	---	---	---	---
MW6F	03/25/92	---	99.91i	11.93	87.98i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	06/16/92	---	16.46	14.34	2.12	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6F	09/08/92	---	16.46	14.75	1.71	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/05/92	---	16.46	14.35	2.11	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	12/14/92	---	16.46	12.90	3.56	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/28/93	---	16.46	11.60	4.86	No	---	---	---	---	---	---	---	---	---	---
MW6F	02/11/93	---	16.46	12.25	4.21	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	03/09/93	---	16.46	12.50	3.96	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/14/93	---	16.46	12.71	3.75	No	---	---	---	---	---	---	---	---	---	---
MW6F	05/11/93	---	16.46	13.63	2.83	No	---	<50	---	---	---	---	---	---	---	---
MW6F	06/17/93	---	16.46	14.02	2.44	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/26/93	---	16.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	08/10/93	---	16.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	09/21/93	---	16.46	14.80	1.66	No	---	---	---	---	---	---	---	---	---	---
MW6F	10/27/93	---	16.46	14.85	1.61	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/23/93	---	16.46	Well inaccessible.												
MW6F	12/17/93	---	16.46	13.86	2.60	No	---	---	---	---	---	---	---	---	---	---
MW6F	02/16/94	---	16.46	13.08	3.38	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6F	05/31/94	---	16.46	14.06	2.40	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	08/30/94	---	18.58j	14.84	3.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/11/94	---	18.58j	12.60	5.98	No	---	<50	---	---	---	<0.5	0.54	<0.5	<0.5	---
MW6F	02/27/95	---	18.58j	12.75	5.83	No	---	<50	---	---	---	6.2	3.0	0.82	3.5	---
MW6F	05/30/95	---	18.58j	13.16	5.42	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	08/30/95	---	18.58j	14.31	4.27	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	11/26/96	---	18.58j	13.29	5.29	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	02/27/97	---	18.58j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	05/21/97	---	18.58j	14.18	4.40	No	---	---	---	---	---	---	---	---	---	---
MW6F	08/18/97	---	18.58j	14.69	3.89	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/13/98	---	18.58j	10.93	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	04/20/98	---	18.58j	11.77	6.81	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/21/98	---	22.51	13.62	8.89	No	---	---	---	---	---	---	---	---	---	---
MW6F	10/06/98	---	22.51	13.52	8.99	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/11/99	---	22.51	14.06	8.45	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/08/99	---	22.51	11.86	10.65	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/19/99	---	22.51	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	07/27/99	---	22.51	Well inaccessible.			---	---	---	---	---	---	---	---	---	---
MW6F	10/25/99	---	22.51	12.63	9.88	No	---	---	---	---	---	---	---	---	---	---
MW6F	01/27/00	---	22.51	12.23	10.28	No	---	---	---	---	---	---	---	---	---	---
MW6F	04/03/00	---	22.51	12.11	10.40	No	---	---	---	---	---	---	---	---	---	---
MW6F	07/05/00	---	22.51	13.38	9.13	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	10/04/00	---	22.51	14.02	8.49	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	0.7	---
MW6F	10/05/00	---	22.51	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6F	01/04/01	---	22.51	13.69	8.82	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	04/03/01	---	22.51	12.55	9.96	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	07/05/01	---	22.51	13.74	8.77	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	10/03/01	---	22.51	13.82	8.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	Oct-01	---	22.17	Well surveyed in compliance with AB 2886 requirements.			---	---	---	---	---	---	---	---	---	---
MW6F	01/02/02	---	22.17	9.16	13.01	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/02/02	---	22.17	12.14	10.03	No	---	<50.0	<100	<0.50	---	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/01/02	---	22.17	13.46	8.71	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	10/02/02	---	22.17	14.19	7.98	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6F	01/07/03	---	22.17	11.73	10.44	No	---	<50.0	<50	<0.5	<0.50	<0.5	<0.5	<0.5	<0.5	---
MW6F	06/17/03	---	22.17	13.13	9.04	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	07/16/03	---	22.17	13.51	8.66	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	10/07/03	---	22.17	14.05	8.12	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	01/14/04	---	22.17	11.90	10.27	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	06/03/04	---	22.17	13.45	8.72	No	<50	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	08/12/04	---	22.17	c	c	c	52c	<50.0c	<100c	---	<0.50c	<0.50c	<0.5c	<0.5c	<0.5c	---
MW6F	11/04/04	---	22.17	13.03	9.14	No	<50	<50.0	109	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	02/01/05	---	22.17	11.56	10.61	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6F	05/03/05	---	22.17	11.92	10.25	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6F	08/04/05	---	22.17	13.42	8.75	No	<50.0	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6F	10/27/05	---	22.17	13.88	8.29	No	<50.0	<50.0	<50.0	---	<0.500	<0.50	0.93f	<0.50	<0.50	---
MW6F	01/26/06	---	22.17	11.83	10.34	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/28/06	---	22.17	10.96	11.21	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/05/06	---	22.17	13.05	9.12	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00	---
MW6F	10/27/06	---	22.17	14.06	8.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	01/19/07	---	22.17	13.06	9.11	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	04/24/07	---	22.17	12.01	10.16	No	103d	<50.0	93.5	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	07/24/07	---	22.17	13.61	8.56	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	12/03/07	---	22.17	13.80	8.37	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/06/08	---	22.17	11.77	10.40	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	06/26/08	---	22.17	13.74	8.43	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	08/12/08	---	22.17	14.00	8.17	No	<47.6m,n	<50.0	75.5m	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6F	10/23/08	---	22.17	14.28	7.89	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	03/25/09	---	22.17	11.64	10.53	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	06/17/09	---	22.17	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	06/17/09	---	22.17	13.13	9.04	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	09/04/09	---	22.17	13.85	8.32	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	03/09/10	---	22.17	10.64	11.53	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	09/17/10	---	22.17	13.81	8.36	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	02/15/11	---	22.17	12.17	10.00	No	<50	<50	<250	---	<0.50	0.59	<0.50	<0.50	<1.0	---
MW6F	08/23/11	---	22.17	13.17	9.00	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	02/09/12	---	22.17	12.82	9.35	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6F	07/24/12	---	22.17	13.49	8.68	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	225
MW6F	03/08/13	---	22.17	12.54	9.63	No	---	---	---	---	---	---	---	---	---	---
MW6F	03/11/13	---	22.17	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	09/04/13	---	22.17	13.88	8.29	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6F	12/11/13 b	---	22.17	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6F	01/30/14	---	22.17	14.07	8.10	No	50d	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6G	11/16/88	---	99.16i	Well installed.												
MW6G	12/07/88	---	99.16i	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/15/88	---	99.16i	12.22	86.94i	---	---	ND	---	---	---	<0.5	<1	<2	<1	---
MW6G	09/07/89	---	99.16i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6G	04/30/90	---	99.16i	11.73	87.43i	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6G	10/16/90	---	99.16i	12.28	86.88i	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/06/90	---	99.16i	12.27	86.89i	---	---	---	---	---	---	---	---	---	---	---
MW6G	01/14/91	---	99.16i	12.14	87.02i	---	---	---	---	---	---	---	---	---	---	---
MW6G	02/08/91	---	99.16i	11.44	87.72i	---	---	---	---	---	---	---	---	---	---	---
MW6G	04/02/91	---	99.16i	10.03	89.13i	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/07/91	---	99.16i	11.00	88.16i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6G	05/31/91	---	99.16i	11.75	87.41i	---	---	---	---	---	---	---	---	---	---	---
MW6G	06/26/91	---	99.16i	12.91	86.25i	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6G	08/05/91	---	99.16i	12.43	86.73i	---	---	---	---	---	---	---	---	---	---	---
MW6G	08/14/91	---	99.16i	12.43	86.73i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6G	09/11/91	---	99.16i	12.48	86.68i	---	---	---	---	---	---	---	---	---	---	---
MW6G	10/16/91	---	99.16i	12.64	86.52i	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/30/91	---	99.16i	11.80	87.36i	---	---	---	---	---	---	---	---	---	---	---
MW6G	12/31/91	---	99.16i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6G	02/25/92	---	99.91i	10.32	88.84i	---	---	---	---	---	---	---	---	---	---	---
MW6G	03/25/92	---	99.91i	9.93	89.23i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6G	06/16/92	---	14.71	11.88	2.83	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6G	09/08/92	---	14.71	12.20	2.51	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	11/05/92	---	14.71	12.02	2.69	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	12/14/92	---	14.71	10.95	3.76	No	---	---	---	---	---	---	---	---	---	---
MW6G	01/28/93	---	14.71	9.56	5.15	No	---	---	---	---	---	---	---	---	---	---
MW6G	02/11/93	---	14.71	10.04	4.67	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	03/09/93	---	14.71	10.10	4.61	No	---	---	---	---	---	---	---	---	---	---
MW6G	04/14/93	---	14.71	10.43	4.28	No	---	---	---	---	---	---	---	---	---	---
MW6G	05/11/93	---	14.71	11.05	3.66	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	06/17/93	---	14.71	11.49	3.22	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/26/93	---	14.71	11.98	2.73	No	---	---	---	---	---	---	---	---	---	---
MW6G	08/10/93	---	14.71	12.17	2.54	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	09/21/93	---	14.71	12.42	2.29	No	---	---	---	---	---	---	---	---	---	---
MW6G	10/27/93	---	14.71	13.47	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	11/23/93	---	14.71	12.48	2.23	No	---	---	---	---	---	---	---	---	---	---
MW6G	12/17/93	---	14.71	11.19	3.52	No	---	---	---	---	---	---	---	---	---	---
MW6G	02/16/94	---	14.71	10.62	4.09	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	05/31/94	---	14.71	11.40	3.31	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	08/30/94	---	16.82j	12.32	4.50	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	11/11/94	---	16.82j	11.06	5.76	No	---	58	---	---	---	0.58	1.6	<0.5	1.6	---
MW6G	02/27/95	---	16.82j	10.32	6.50	No	---	<50	---	---	---	0.86	0.99	<0.5	0.51	---
MW6G	05/30/95	---	16.82j	10.77	6.05	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	08/30/95	---	16.82j	11.92	4.90	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	11/26/96	---	16.82j	11.12	5.70	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	02/27/97	---	16.82j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	05/21/97	---	16.82j	11.76	5.06	No	---	---	---	---	---	---	---	---	---	---
MW6G	08/18/97	---	16.82j	12.23	4.59	No	---	---	---	---	---	---	---	---	---	---
MW6G	03/13/98	---	16.82j	9.13	7.69	No	---	<50	---	4.4	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	04/20/98	---	16.82j	9.73	7.09	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/21/98	---	20.72	11.15	9.57	No	---	---	---	---	---	---	---	---	---	---
MW6G	10/06/98	---	20.72	11.91	8.81	No	---	---	---	---	---	---	---	---	---	---
MW6G	01/11/99	---	20.72	12.00	8.72	No	---	---	---	---	---	---	---	---	---	---
MW6G	04/08/99	---	20.72	10.04	10.68	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/19/99	---	20.72	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	07/27/99	---	20.72	11.75	8.97	No	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6G	10/25/99	---	20.72	11.76	8.96	No	---	---	---	---	---	---	---	---	---	---
MW6G	01/27/00	---	20.72	11.46	9.26	No	---	---	---	---	---	---	---	---	---	---
MW6G	04/03/00	---	20.72	10.00	10.72	No	---	---	---	---	---	---	---	---	---	---
MW6G	07/05/00	---	20.72	11.24	9.48	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/04/00	---	20.72	11.88	8.84	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/05/00	---	20.72	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6G	01/04/01	---	20.72	11.56	9.16	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	04/03/01	---	20.72	10.45	10.27	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	07/05/01	---	20.72	11.51	9.21	No	---	<50	---	<2	---	0.75	<0.5	<0.5	<0.5	---
MW6G	10/03/01	---	20.72	11.63	9.09	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	Oct-01	---	20.46	Well surveyed in compliance with AB 2886 requirements.												
MW6G	01/02/02	---	20.46	9.15	11.31	No	---	<100	---	1.8	---	<0.50	<0.50	<0.50	<0.50	---
MW6G	04/02/02	---	20.46	10.19	10.27	No	---	<50.0	<100	1.10	---	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/01/02	---	20.46	11.35	9.11	No	---	<50	<100a	1.3	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	10/02/02	---	20.46	11.99	8.47	No	---	<50.0	<100	0.7	---	<0.5	<0.5	<0.5	<0.5	---
MW6G	01/07/03	---	20.46	9.97	10.49	No	---	<50.0	<50	1.3	2.0	<0.5	<0.5	<0.5	<0.5	---
MW6G	06/17/03	---	20.46	10.98	9.48	No	---	<50.0	<100	1.5	1.6	<0.50	<0.5	<0.5	<0.5	---
MW6G	07/16/03	---	20.46	11.37	9.09	No	---	<50.0	<100	1.2	0.9	<0.50	<0.5	<0.5	<0.5	---
MW6G	10/07/03	---	20.46	11.90	8.56	No	<50	<50.0	<100	0.8	0.80	<0.50	<0.5	<0.5	<0.5	---
MW6G	01/14/04	---	20.46	10.10	10.36	No	<50	<50.0	<100	1.0	1.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	06/03/04	---	20.46	11.10	9.36	No	<50	<50.0	<100	1.40	1.4	<0.50	<0.5	<0.5	<0.5	---
MW6G	08/12/04	---	20.46	c	c	c	99c	<50.0c	101c	---	1.10c	<0.50c	<0.5c	<0.5c	<0.5c	---
MW6G	11/04/04	---	20.46	11.18	9.28	No	<50	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6G	02/01/05	---	20.46	9.79	10.67	No	<100	<50.0	<100	---	3.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	05/03/05	---	20.46	9.95	10.51	No	<50	<50.0	<100	---	1.40	<0.50	<0.5	<0.5	<0.5	---
MW6G	08/04/05	---	20.46	11.22	9.24	No	<50.0	<50.0	<100	---	1.42	<0.500	<0.500	<0.500	<0.500	---
MW6G	10/27/05	---	20.46	11.76	8.70	No	<50.0	<50.0	61.3	---	0.810	<0.50	0.93f	<0.50	<0.50	---
MW6G	01/26/06	---	20.46	11.07	9.39	No	<50	<50	<500	---	1.8	<0.50	<0.50	<0.50	<0.50	---
MW6G	04/28/06	---	20.46	9.11	11.35	No	<47	<50	<470	---	2.8	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/05/06	---	20.46	10.70	9.76	No	88.6	<50.0	277	---	2.49	<1.00	<1.00	<1.00	<3.00	---
MW6G	10/27/06	---	20.46	11.75	8.71	No	<47	61.9	<470	---	1.40	<0.50	<0.50	<0.50	<0.50	---
MW6G	01/19/07	---	20.46	10.94	9.52	No	<47	<50.0	<470	---	1.34	<0.50	<0.50	<0.50	<0.50	---
MW6G	04/24/07	---	20.46	10.40	10.06	No	<47.6	<50.0	<47.6	---	2.17	<0.50	<0.50	<0.50	<0.50	---
MW6G	07/24/07	---	20.46	11.49	8.97	No	<47	<50	<470	---	1.3	<0.50	<0.50	<0.50	<0.50	---
MW6G	12/03/07	---	20.46	11.60	8.86	No	<47	<50	<470	---	0.88	<0.50	<0.50	<0.50	<0.50	---
MW6G	03/06/08	---	20.46	9.79	10.67	No	<47	<50	<470	---	2.0	<0.50	<0.50	<0.50	<0.50	---
MW6G	06/26/08	---	20.46	11.43	9.03	No	<47	<50	<470	---	1.6	<0.50	<0.50	<0.50	<0.50	---
MW6G	08/12/08	---	20.46	11.94	8.52	No	99.1d,m,n	<50.0	135m	---	1.35	<0.50	<0.50	<0.50	<0.50	---
MW6G	10/23/08	---	20.46	12.34	8.12	No	<50	<50	<250	---	1.4	<0.50	<0.50	<0.50	<1.0	---
MW6G	03/25/09	---	20.46	9.93	10.53	No	<50	<50	<250	---	1.3	<0.50	<0.50	<0.50	<1.0	---
MW6G	06/17/09	---	20.46	11.11	9.35	No	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	06/17/09	---	20.46	---	---	---	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	09/04/09	---	20.46	11.85	8.61	No	<50	<50	<250	---	1.5	<0.50	<0.50	<0.50	<1.0	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6G	03/09/10	---	20.46	8.94	11.52	No	<50	<50	<250	---	2.0	<0.50	<0.50	<0.50	<1.0	---
MW6G	09/17/10	---	20.46	11.64	8.82	No	<50	<50	<250	---	1.1	<0.50	<0.50	<0.50	<1.0	---
MW6G	02/15/11	---	20.46	10.51	9.95	No	<50	<50	<250	---	1.2	<0.50	<0.50	<0.50	<1.0	---
MW6G	08/23/11	---	20.46	10.98	9.48	No	<50	<50	<250	---	1.9	<0.50	<0.50	<0.50	<1.0	---
MW6G	02/09/12	---	20.46	10.91	9.55	No	<50	<50	<250	---	1.6	<0.50	<0.50	<0.50	<1.0	---
MW6G	07/24/12	---	20.46	11.39	9.07	No	<50	<50	<250	---	1.5	<0.50	<0.50	<0.50	<1.0	510
MW6G	03/08/13	---	20.46	10.62	9.84	No	---	---	---	---	---	---	---	---	---	---
MW6G	03/11/13	---	20.46	---	---	---	<50	<50	<250	---	0.91	<0.50	<0.50	<0.50	<0.50	---
MW6G	09/04/13	---	20.46	11.77	8.69	No	<50	<50	<250	---	0.78	<0.50	<0.50	<0.50	<0.50	---
MW6G	12/11/13 b	---	20.46	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6G	01/30/14	---	20.46	11.97	8.49	No	83d	<50	<240	---	0.61	<0.50	<0.50	<0.50	<0.50	---
MW6H	11/16/88	---	Well installed.													
MW6H	12/07/88	---	97.93i	---	---	---	---	---	---	---	---	1,200	320	110	220	---
MW6H	12/15/88	---	97.93i	12.36	85.57i	---	---	---	---	---	---	---	---	---	---	---
MW6H	09/07/89	---	97.93i	---	---	---	---	660	---	---	---	480	<10	16	<15	---
MW6H	04/30/90	---	97.93i	12.10	85.83i	---	---	630	---	---	---	700	39	31	50	---
MW6H	10/16/90	---	97.93i	12.18	85.75i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/06/90	---	97.93i	12.29	85.64i	---	---	---	---	---	---	---	---	---	---	---
MW6H	01/14/91	---	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---	---
MW6H	02/08/91	---	97.93i	11.93	86.00i	---	---	---	---	---	---	---	---	---	---	---
MW6H	04/02/91	---	97.93i	11.59	86.34i	---	---	---	---	---	---	---	---	---	---	---
MW6H	05/07/91	---	97.93i	12.24	85.69i	---	---	570	---	---	---	95	14	15	21	---
MW6H	05/31/91	---	97.93i	12.22	85.71i	---	---	---	---	---	---	---	---	---	---	---
MW6H	06/26/91	---	97.93i	14.34	83.59i	---	---	---	---	---	---	---	---	---	---	---
MW6H	08/05/91	---	97.93i	12.62	85.31i	---	---	---	---	---	---	---	---	---	---	---
MW6H	08/14/91	---	97.93i	12.43	85.50i	---	---	540	---	---	---	52	9.9	11	18	---
MW6H	09/11/91	---	97.93i	12.83	85.10i	---	---	---	---	---	---	---	---	---	---	---
MW6H	10/16/91	---	97.93i	12.71	85.22i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/30/91	---	97.93i	12.16	85.77i	---	---	---	---	---	---	---	---	---	---	---
MW6H	12/31/91	---	97.93i	---	---	---	---	790	---	---	---	52	28	22	42	---
MW6H	02/25/92	---	97.93i	12.17	85.76i	---	---	---	---	---	---	---	---	---	---	---
MW6H	03/25/92	---	97.93i	11.65	86.28i	---	---	920	---	---	---	170	52	25	54	---
MW6H	06/16/92	---	14.47	12.12	2.35	---	---	460	---	---	---	31	11	6.8	16	---
MW6H	09/08/92	---	14.47	12.30	2.17	No	---	780	---	---	---	69	23	17	18	---
MW6H	11/05/92	---	14.47	12.05	2.42	No	---	3,400	---	---	---	500	260	85	160	---
MW6H	12/14/92	---	14.47	11.65	2.82	No	---	---	---	---	---	---	---	---	---	---
MW6H	01/28/93	---	14.47	11.57	2.90	No	---	---	---	---	---	---	---	---	---	---
MW6H	02/11/93	---	14.47	12.22	2.25	No	---	2,500	---	---	---	410	170	28	130	---
MW6H	03/09/93	---	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---	---
MW6H	04/14/93	---	14.47	12.02	2.45	No	---	---	---	---	---	---	---	---	---	---
MW6H	05/11/93	---	14.47	12.35	2.12	No	---	4,200	---	---	---	490	270	80	210	---
MW6H	06/17/93	---	14.47	12.22	2.25	No	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6H	07/26/93	---	14.47	12.32	2.15	No	---	---	---	---	---	---	---	---	---	---
MW6H	08/10/93	---	14.47	12.30	2.17	No	---	650	---	---	---	83	22	14	29	---
MW6H	09/21/93	---	14.47	12.79	1.68	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/27/93	---	14.47	13.93	0.54	No	---	1,600	---	---	---	130	90	29	130	---
MW6H	11/23/93	---	14.47	12.46	2.01	No	---	---	---	---	---	---	---	---	---	---
MW6H	12/17/93	---	14.47	12.08	2.39	No	---	---	---	---	---	---	---	---	---	---
MW6H	02/16/94	---	14.47	12.31	2.16	No	---	<50	---	---	---	<0.5	<0.5	<0.5	2.9	---
MW6H	05/31/94	---	14.47	12.46	2.01	No	---	1,800	---	---	---	370	220	65	210	---
MW6H	08/30/94	---	16.58j	12.72	3.86	No	---	1,900	---	---	---	130	90	19	86	---
MW6H	11/11/94	---	16.58j	11.98	4.60	No	---	13,000	---	---	---	1,700	1,400	260	1,800	---
MW6H	02/27/95	---	16.58j	11.89	4.69	No	---	320	---	---	---	450	120	28	79	---
MW6H	05/30/95	---	16.58j	12.05	4.53	No	---	2,300	---	---	---	960	260	64	200	---
MW6H	08/30/95	---	16.58j	12.34	4.24	No	---	2,100	---	50	---	590	35	24	74	---
MW6H	11/26/96	---	16.58j	11.87	4.71	No	---	1,200	---	<30	---	320	110	22	85	---
MW6H	02/27/97	---	16.58j	11.58	5.00	No	---	1,800	---	<200	---	760	31	8.4	44	---
MW6H	05/21/97	---	16.58j	12.23	4.35	No	---	1,100	---	81	---	640	18	5.4	45	---
MW6H	08/18/97	---	16.58j	12.29	4.29	No	---	870	---	26	---	200	3.6	2.4	7.4	---
MW6H	03/13/98	---	20.47	11.44	9.03	No	---	5,300	---	<125	---	1,900	720	100	470	---
MW6H	04/20/98	---	20.47	11.58	8.89	No	---	6,000	---	2,700	---	1,500	600	91	440	---
MW6H	07/21/98	---	20.47	11.97	8.50	No	---	2,200	---	1,600	---	740	44	15	63	---
MW6H	10/06/98	---	20.47	12.23	8.24	No	---	5,400	---	3,000	---	1,900	<25	<25	76	---
MW6H	01/11/99	---	20.47	12.17	8.30	No	---	2,600	---	4,300	---	1,200	<12	<12	20	---
MW6H	04/08/99	---	20.47	11.56	8.91	No	---	13,000	---	13,000	---	3,400	1,300	260	1,200	---
MW6H	07/19/99	---	20.47	11.71	8.76	No	---	<2,000	---	6,920	8,520	732	<20	<20	<20	---
MW6H	07/27/99	---	20.47	12.39	8.08	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/25/99	---	20.47	12.16	8.31	No	---	700	---	4,000	---	360	1.1	0.68	2	---
MW6H	01/27/00	---	20.47	11.60	8.87	No	---	9,100	---	7,600	---	2,400	840	150	670	---
MW6H	04/03/00	---	20.47	11.62	8.85	No	---	12,000	---	8,800	---	2,800	1,100	230	1,020	---
MW6H	07/05/00	---	20.47	11.93	8.54	No	---	12,000	---	8,000	---	1,200	56	13	92	---
MW6H	10/04/00	---	20.47	12.16	8.31	No	---	4,400	---	8,400	---	1,500	23	12	80.6	---
MW6H	10/05/00	---	20.47	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6H	01/04/01	---	20.47	12.03	8.44	No	---	2,300	---	3,800	---	880	15	6.4	33.9	---
MW6H	04/03/01	---	20.47	11.73	8.74	No	---	7,800	---	5,100	---	2,000	730	140	590	---
MW6H	07/05/01	---	20.47	11.98	8.49	No	---	2,300	---	3,200	---	630	25	10	40.8	---
MW6H	10/03/01	---	20.47	12.1	8.37	No	---	1,400	---	550	---	270	5.6	4.2	11.6	---
MW6H	Oct-01	---	20.20	Well surveyed in compliance with AB 2886 requirements.												
MW6H	01/02/02	---	20.20	11.14	9.06	No	---	47,100	---	4,260	---	7,880	5,220	1,060	4,460	---
MW6H	04/02/02	---	20.20	11.68	8.52	No	---	17,500	<500	1,590	---	2,280	1,290	282	1,090	---
MW6H	07/01/02	---	20.20	11.97	8.23	No	---	5,370	<100a	1,910	---	1,170	200	44.0	158	---
MW6H	10/02/02	---	20.20	12.20	8.00	No	---	2,570	<100	899	---	655	13.0	8.0	25.0	---
MW6H	01/07/03	---	20.20	11.58	8.62	No	---	12,500	<50	1,700	2,500	2,480	1,340	250	1,120	---
MW6H	06/17/03	---	20.20	11.82	8.38	No	---	6,330	<100	1,490	1,660	604	104	44.0	152	---
MW6H	07/16/03	---	20.20	12.89	7.31	No	---	3,170	<100	1,270	1,170	614	20.0	9.5	31.8	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6H	10/07/03	---	20.20	12.10	8.10	No	---	2,090	<100	612	640	433	11.6	6.7	22.5	---
MW6H	01/14/04	---	20.20	11.55	8.65	No	390	6,320	<100	59.0	1,250	1,340	517	117	515	---
MW6H	06/03/04	---	20.20	11.92	8.28	No	---	3,330	<100	604	632	546	128	38.4	140	---
MW6H	08/12/04	---	20.20	c	c	c	174c	1,920c	<100c	---	426c	330c	17.9c	9.3c	35.3c	---
MW6H	11/04/04	---	20.20	11.86	8.34	No	578	8,090	552	---	442	1,280	620	185	822	---
MW6H	02/01/05	---	20.20	11.55	8.65	No	616	9,500	193	---	335	1,360	764	214	844	---
MW6H	05/03/05	---	20.20	11.54	8.66	No	560d	9,120	168	---	323	1,320	886	245	928	---
MW6H	08/04/05	---	20.20	11.89	8.31	No	269d	1,810	143	---	268	349	57.0	20.1	70.0	---
MW6H	10/27/05	---	20.20	12.10	8.10	No	228	942	98.5	---	164	154	23.1f	6.09	23.2	---
MW6H	01/26/06	---	20.20	11.54	8.66	No	910d	20,000	<500	---	270	3,200	3,400	660	3,100	---
MW6H	04/28/06	---	20.20	11.29	8.91	No	550d	11,000	<470	---	160	2,000	1,500	380	1,600	---
MW6H	07/05/06	---	20.20	11.90	8.30	No	273	2,360	114	---	82.9	389	111	39.5	125	---
MW6H	10/27/06	---	20.20	12.08	8.12	No	120d	1,460	<470	---	69.4	215	27.9	16.2	43.4	---
MW6H	01/19/07	---	20.20	11.81	8.39	No	290d	4,950	<470	---	77.5	831	638	129	451	---
MW6H	04/24/07	---	20.20	11.52	8.68	No	997d	13,800	140	---	90.5	1,330	1,420	357	1,360	---
MW6H	07/24/07	---	20.20	11.90	8.30	No	150d	1,600	<470	---	56	300	110	29	100	---
MW6H	12/03/07	---	20.20	12.03	8.17	No	140d,l	1,800	<470	---	51	420	14	8.3	33	---
MW6H	03/06/08	---	20.20	11.81	8.39	No	280d	4,400	<470	---	48	630	540	130	460	---
MW6H	06/26/08	---	20.20	12.41	7.79	No	320d	3,700	<470	---	40	930	100	130	550	---
MW6H	08/12/08	---	20.20	12.40	7.80	No	740d,m,n	5,010	294m	---	29.8	684	354	114	466	---
MW6H	10/23/08	---	20.20	12.47	7.73	No	---	---	---	---	---	---	---	---	---	---
MW6H	10/30/08	---	20.20	---	---	---	<50	2,100	<250	---	23	270	64	35	120	---
MW6H	03/25/09	---	20.20	11.41	8.79	No	770	14,000	<250	---	<50	2,000	1,700	620	2,300	---
MW6H	06/17/09	---	20.20	---	---	---	720	6000	<250	---	<50	2000	420	280	930	---
MW6H	06/17/09	---	20.20	11.82	8.38	No	720	6,000	<250	---	<50	2,000	420	280	930	---
MW6H	09/04/09	---	20.20	12.18	8.02	No	390d	3,700	<250	---	23	660	53	59	180	---
MW6H	03/09/10	---	20.20	10.72	9.48	No	4,400d	16,000	<250	---	26	2,600	1,400	830	2,800	---
MW6H	09/17/10	---	20.20	12.09	8.11	No	280d	2,200	<250	---	18	660	86	60	170	---
MW6H	02/15/11	---	20.20	11.28	8.92	No	740d	5,800d	<250	---	10	1,600	630	250	980	---
MW6H	08/23/11	---	20.20	11.56	8.64	No	780d	6,500	<250	---	16	1,600	200	150	380	---
MW6H	02/09/12	---	20.20	11.58	8.62	No	750d	7,300	<250	---	19s	1,200	520	280	770	---
MW6H	07/24/12	---	20.20	11.93	8.27	No	700d	6,400	<250	---	<20	1,600	500	320	960	485
MW6H	03/08/13	---	20.20	11.36	8.84	No	---	---	---	---	---	---	---	---	---	---
MW6H	03/11/13	---	20.20	---	---	---	420d	3,900	<250	---	<20	610	140	82	290	---
MW6H	09/04/13	---	20.20	11.96	8.24	No	380d	2,700	<250	---	<10	350	39	26	80	---
MW6H	12/11/13 b	---	20.20	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6H	01/30/14	---	20.20	12.22	7.98	No	800d	3,800	1,500d	---	15	640	69	100	280	---
MW6I	11/17/88	---	Well installed.													
MW6I	12/07/88	---	97.60i	---	---	---	---	ND	---	---	---	<0.5	<1	<2	<1	---
MW6I	12/15/88	---	97.60i	12.83	84.77i	---	---	---	---	---	---	---	---	---	---	---
MW6I	09/07/89	---	97.60i	---	---	---	---	ND	---	---	---	ND	ND	ND	ND	---
MW6I	04/30/90	---	97.60i	12.66	84.94i	---	---	ND	---	---	---	ND	ND	ND	ND	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	10/16/90	---	97.60i	12.71	84.89i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/06/90	---	97.60i	12.75	84.85i	---	---	---	---	---	---	---	---	---	---	---
MW6I	01/14/91	---	97.60i	12.55	85.05i	---	---	---	---	---	---	---	---	---	---	---
MW6I	02/08/91	---	97.60i	12.32	85.28i	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/02/91	---	97.60i	12.22	85.38i	---	---	---	---	---	---	---	---	---	---	---
MW6I	05/07/91	---	97.60i	12.61	84.99i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	05/31/91	---	97.60i	12.82	84.78i	---	---	---	---	---	---	---	---	---	---	---
MW6I	06/26/91	---	97.60i	12.93	84.67i	---	---	---	---	---	---	---	---	---	---	---
MW6I	08/05/91	---	97.60i	13.01	84.59i	---	---	---	---	---	---	---	---	---	---	---
MW6I	08/14/91	---	97.60i	12.98	84.62i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	09/11/91	---	97.60i	13.11	84.49i	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/16/91	---	97.60i	13.04	84.56i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/30/91	---	97.60i	12.72	84.88i	---	---	---	---	---	---	---	---	---	---	---
MW6I	12/31/91	---	97.60i	---	---	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	02/25/92	---	97.60i	12.45	85.15i	---	---	---	---	---	---	---	---	---	---	---
MW6I	03/25/92	---	97.60i	12.12	85.48i	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	06/16/92	---	14.14	12.75	1.39	---	---	ND	---	---	---	ND	<0.5	<0.5	<0.5	---
MW6I	09/08/92	---	14.14	12.84	1.30	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/05/92	---	14.14	12.75	1.39	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	12/14/92	---	14.14	12.40	1.74	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/28/93	---	14.14	12.20	1.94	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/11/93	---	14.14	12.40	1.74	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	03/09/93	---	14.14	12.45	1.69	No	---	---	---	---	---	---	---	---	---	---
MW6I	04/14/93	---	14.14	12.43	1.71	No	---	---	---	---	---	---	---	---	---	---
MW6I	05/11/93	---	14.14	12.73	1.41	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	06/17/93	---	14.14	12.78	1.36	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/26/93	---	14.14	12.92	1.22	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/10/93	---	14.14	12.97	1.17	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	09/21/93	---	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---	---
MW6I	10/27/93	---	14.14	13.10	1.04	No	---	<50	---	---	---	<0.5	<0.5	<0.5	1.1	---
MW6I	11/23/93	---	14.14	13.02	1.12	No	---	---	---	---	---	---	---	---	---	---
MW6I	12/17/93	---	14.14	12.65	1.49	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/16/94	---	14.14	12.66	1.48	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/31/94	---	14.14	12.90	1.24	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	08/30/94	---	16.26j	13.06	3.20	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/11/94	---	16.26j	15.20	1.06	No	---	53	---	---	---	0.62	1.8	<0.5	2.0	---
MW6I	02/27/95	---	16.26j	12.51	3.75	No	---	<50	---	---	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/30/95	---	16.26j	12.57	3.69	No	---	69	---	---	---	2.8	0.96	1.1	4.3	---
MW6I	08/30/95	---	16.26j	12.86	3.4	No	---	<50	---	<10	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	11/26/96	---	16.26j	12.45	3.81	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	02/27/97	---	16.26j	12.24	4.02	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	05/21/97	---	16.26j	12.82	3.44	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	08/18/97	---	16.26j	12.81	3.45	No	---	<50	---	<30	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	03/13/98	---	16.26j	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	04/20/98	---	16.26j	12.14	4.12	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	07/21/98	---	20.24	12.59	7.65	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/06/98	---	20.24	12.81	7.43	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/11/99	---	20.24	12.74	7.50	No	---	<50	---	<2.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/08/99	---	20.24	11.93	8.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/19/99	---	20.24	11.75	8.49	No	---	281	---	17.6	---	35.4	9.1	7.4	30.7	---
MW6I	07/27/99	---	20.24	12.95	7.29	No	---	---	---	---	---	---	---	---	---	---
MW6I	10/25/99	---	20.24	12.79	7.45	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/27/00	---	20.24	12.06	8.18	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/03/00	---	20.24	12.24	8.00	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/05/00	---	20.24	12.48	7.76	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/04/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	10/05/00	---	20.24	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
MW6I	01/04/01	---	20.24	12.54	7.70	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	04/03/01	---	20.24	12.32	7.92	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	07/05/01	---	20.24	12.55	7.69	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/01/01	---	19.87	Well surveyed in compliance with AB 2886 requirements.												
MW6I	10/03/01	---	20.24	12.67	7.57	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	01/02/02	---	19.87	10.98	8.89	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6I	04/02/02 b	---	19.87	12.24	7.63	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/01/02	---	19.87	12.51	7.36	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6I	10/02/02 b	---	19.87	12.72	7.15	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/07/03	---	19.87	12.09	7.78	No	---	<50.0	<50	<0.5	1.10	<0.5	<0.5	<0.5	<0.5	---
MW6I	06/17/03 b	---	19.87	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	07/16/03	---	19.87	12.49	7.38	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	10/07/03 b	---	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/14/04	---	19.87	12.13	7.74	No	---	<50.0	<100	<0.5	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	06/03/04 b	---	19.87	12.56	7.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/12/04	---	19.87	c	c	c	99c	<50.0c	155c	---	<0.50c	<0.50c	<0.5c	<0.5c	0.8c	---
MW6I	11/04/04 b	---	19.87	12.33	7.54	No	---	---	---	---	---	---	---	---	---	---
MW6I	02/01/05	---	19.87	12.09	7.78	No	<100	<50.0	<100	---	<0.50	<0.50	<0.5	<0.5	<0.5	---
MW6I	05/03/05 b	---	19.87	12.16	7.71	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/04/05	---	19.87	12.46	7.41	No	54.2d	<50.0	<100	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6I	10/27/05 b	---	19.87	12.58	7.29	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/26/06	---	19.87	12.04	7.83	No	<50	<50	<500	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	04/28/06 b	---	19.87	11.94	7.93	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/05/06	---	19.87	13.06	6.81	No	<47.6	<50.0	<95.2	---	<0.500	<1.00	<1.00	<1.00	<3.00	---
MW6I	10/27/06 b	---	19.87	12.64	7.23	No	---	---	---	---	---	---	---	---	---	---
MW6I	01/19/07	---	19.87	12.41	7.46	No	<47	<50.0	<470	---	<0.500	<0.50	<0.50	<0.50	0.62	---
MW6I	04/24/07 b	---	19.87	12.11	7.76	No	---	---	---	---	---	---	---	---	---	---
MW6I	07/24/07	---	19.87	12.51	7.36	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	12/03/07	---	19.87	12.64	7.23	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6I	03/06/08	---	19.87	11.97	7.90	No	<47	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	06/26/08 b	---	19.87	12.54	7.33	No	---	---	---	---	---	---	---	---	---	---
MW6I	08/12/08	---	19.87	12.53	7.34	No	81.3d,m,n	<50.0	137m	---	<0.500	<0.50	<0.50	<0.50	<0.50	---
MW6I	10/23/08 b	---	19.87	12.56	7.31	No	---	---	---	---	---	---	---	---	---	---
MW6I	03/25/09	---	19.87	12.14	7.73	No	<50	<50	<250	---	<0.50	1.1	1.1	0.53	2.3	---
MW6I	06/17/09 b	---	19.87	12.43	7.44	No	---	---	---	---	---	---	---	---	---	---
MW6I	09/04/09	---	19.87	12.55	7.32	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	03/09/10	---	19.87	11.82	8.05	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	09/17/10	---	19.87	12.63	7.24	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	02/15/11	---	19.87	12.04	7.83	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
MW6I	08/23/11	---	19.87	12.41	7.46	No	<50	<50	<250	---	<0.50	0.73	<0.50	<0.50	<1.0	---
MW6I	02/09/12	---	19.87	12.33	7.54	No	<50	<50	<250	---	<0.50	<0.50	1.2	0.87o	2.6	---
MW6I	07/24/12	---	19.87	12.51	7.36	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	230
MW6I	03/08/13	---	19.87	12.18	7.69	No	---	---	---	---	---	---	---	---	---	---
MW6I	03/11/13	---	19.87	---	---	---	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	09/04/13	---	19.87	12.10	7.77	No	<50	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6I	12/11/13 b	---	19.87	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6I	01/30/14	---	19.87	12.66	7.21	No	<48	<50	<240	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/06/01	---	Well installed.				---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	07/05/01	---	20.72	13.47	7.25	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	10/03/01	---	20.72	13.57	7.15	No	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	Oct-01	---	20.75	Well surveyed in compliance with AB 2886 requirements.				---	---	---	---	---	---	---	---	---
MW6J	01/02/02	---	20.75	13.19	7.56	No	---	<100	---	<0.5	---	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/02/02	---	20.75	13.74	7.01	No	---	<50.0	<100	1.00	---	0.80	<0.50	<0.50	0.80	---
MW6J	07/01/02	---	20.75	13.58	7.17	No	---	<50	<100a	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	10/02/02	---	20.75	13.79	6.96	No	---	<50.0	<100	<0.5	---	<0.5	<0.5	<0.5	<0.5	---
MW6J	01/07/03	---	20.75	13.49	7.26	No	---	<50.0	<50	0.60	1.30	<0.5	<0.5	<0.5	<0.5	---
MW6J	06/17/03	---	20.75	13.76	6.99	No	---	<50.0	<100	3.00	0.70	<0.50	<0.5	<0.5	<0.5	---
MW6J	07/16/03	---	20.75	13.57	7.18	No	---	<50.0	<100	0.70	0.60	<0.50	<0.5	<0.5	<0.5	---
MW6J	10/07/03	---	20.75	13.74	7.01	No	---	<50.0	<100	1.1	1.20	<0.50	<0.5	<0.5	<0.5	---
MW6J	01/14/04	---	20.75	13.46	7.29	No	<50	<50.0	<100	1.8	1.80	<0.50	<0.5	<0.5	<0.5	---
MW6J	06/03/04	---	20.75	13.72	7.03	No	<50	<50.0	<100	5.1	10.3	0.50	<0.5	<0.5	<0.5	---
MW6J	08/12/04	---	20.75	c	c	c	<50c	<50.0c	<100c	---	3.30c	1.40c	2.1c	1.3c	4.6c	---
MW6J	11/04/04	---	20.75	13.68	7.07	No	<50	<50.0	116	---	3.50	0.50	0.5	<0.5	<0.5	---
MW6J	02/01/05	---	20.75	13.47	7.28	No	<100	<50.0	<100	---	5.50	<0.50	<0.5	<0.5	0.6	---
MW6J	05/03/05	---	20.75	13.66	7.09	No	<50	<50.0	<100	---	3.00	0.70	0.9	0.6	0.8	---
MW6J	08/04/05	---	20.75	13.75	7.00	No	55.8d	<50.0	130	---	<0.500	<0.500	<0.500	<0.500	<0.500	---
MW6J	10/27/05	---	20.75	13.71	7.04	No	<50.0	<50.0	<50.0	---	2.48	<0.50	0.94f	<0.50	<0.50	---
MW6J	01/26/06	---	20.75	13.49	7.26	No	<50	<50	<500	---	6.2	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/28/06	---	20.75	13.56	7.19	No	<47	<50	<470	---	7.2	<0.50	<0.50	<0.50	<0.50	---
MW6J	07/05/06	---	20.75	13.75	7.00	No	<47.6	<50.0	<95.2	---	7.73	<1.00	<1.00	<1.00	<3.00	---
MW6J	10/27/06	---	20.75	13.66	7.09	No	<47	67.7	<470	---	9.15	<0.50	<0.50	<0.50	<0.50	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6J	01/19/07	---	20.75	13.51	7.24	No	<47	<50.0	<470	---	12.1	<0.50	<0.50	<0.50	<0.50	---
MW6J	04/24/07	---	20.75	13.76	6.99	No	<47.6	<50.0	<47.6	---	12.8	<0.50	<0.50	<0.50	<0.50	---
MW6J	07/24/07	---	20.75	14.01	6.74	No	<47	<50	<470	---	16	<0.50	<0.50	<0.50	<0.50	---
MW6J	12/03/07	---	20.75	13.71	7.04	No	<47	<50	<470	---	29	<0.50	<0.50	<0.50	<0.50	---
MW6J	03/06/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	06/26/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	08/12/08	---	20.75	Well inaccessible due to encroachment permit restrictions.												
MW6J	10/23/08	---	20.75	13.40	7.35	No	<50	<50	<250	---	10	<0.50	<0.50	<0.50	<1.0	---
MW6J	03/25/09	---	20.75	13.19	7.56	No	<50	<50	<250	---	8.7	<0.50	<0.50	<0.50	1.4	---
MW6J	06/17/09	---	20.75	---	---	---	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	06/17/09	---	20.75	13.69	7.06	No	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	09/04/09	---	20.75	13.31	7.44	No	<50	<50	<250	---	16	<0.50	<0.50	<0.50	<1.0	---
MW6J	03/09/10	---	20.75	12.84	7.91	No	<50	<50	<250	---	12	<0.50	<0.50	<0.50	<1.0	---
MW6J	09/17/10	---	20.75	13.27	7.48	No	<50	<50	<250	---	15	<0.50	<0.50	<0.50	<1.0	---
MW6J	02/15/11	---	20.75	12.80	7.95	No	<50	<50	<250	---	6.7	0.73	<0.50	<0.50	<1.0	---
MW6J	08/23/11	---	20.75	13.18	7.57	No	<50	<50	<250	---	5.1	<0.50	<0.50	<0.50	<1.0	---
MW6J	02/09/12	---	20.75	13.17	7.58	No	<50	<50	<250	---	5.3	0.71	3.0	2.1	6.1	---
MW6J	07/24/12	---	20.75	13.61	7.14	No	<54	<50	<270	---	14	<0.50	<0.50	<0.50	<1.0	405
MW6J	03/08/13 t	---	20.75	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6J	09/04/13	---	20.75	13.26	7.49	No	<50	<50	<250	---	19	<0.50	<0.50	<0.50	<0.50	---
MW6J	12/11/13 b	---	20.75	---	---	---	---	---	---	---	---	---	---	---	---	---
MW6J	01/30/14	---	20.75	13.39	7.36	No	48d	<50	<240	---	8.4	<0.50	<0.50	<0.50	<0.50	---
MW6Ka	06/13/13	---	Well installed.													
MW6Ka	06/17/13	---	---	12.08	---	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	06/21/13	---	Well surveyed.													
MW6Ka	06/21/13 v	---	21.04	12.11u	---	No	---	---	---	---	---	---	---	---	---	---
MW6Ka	09/04/13 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	12/11/13 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Ka	01/30/14 v	---	21.04	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Kb	06/13/13	---	Well installed.													
MW6Kb	06/17/13	---	---	11.85	---	No	---	---	---	---	---	---	---	---	---	---
MW6Kb	06/21/13	---	Well surveyed.													
MW6Kb	06/21/13	---	20.81	11.88	8.93	No	1,900d	9,700	<250	---	36	630	430	480	1,500	---
MW6Kb	09/04/13	---	20.81	12.20	8.61	No	720d	2,800d	<250	---	17	140	14	98	30	---
MW6Kb	12/11/13	---	20.81	12.28	8.53	No	<48	1,500	<240	---	19	220	14	42	20	---
MW6Kb	01/30/14	---	20.81	12.51	8.30	No	270d	450	<240	---	1.3	11	7.4	11	66	---
MW6La	06/12/13	---	Well installed.													
MW6La	06/17/13	---	---	12.17	---	No	---	---	---	---	---	---	---	---	---	---
MW6La	06/21/13	---	Well surveyed.													
MW6La	06/21/13 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
MW6La	09/04/13 v	---	21.18	12.27u	u	No	---	---	---	---	---	---	---	---	---	---
MW6La	12/11/13 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6La	01/30/14 v	---	21.18	Dry	---	---	---	---	---	---	---	---	---	---	---	---
MW6Lb	06/12/13	---	Well installed.													
MW6Lb	06/17/13	---	---	12.37	---	No	---	---	---	---	---	---	---	---	---	---
MW6Lb	06/21/13	---	Well surveyed.													
MW6Lb	06/21/13	---	21.19	12.40	8.79	No	1,200d	5,400	<250	---	6.0	290	190	140	610	---
MW6Lb	09/04/13	---	21.19	12.76	8.43	No	490d	2,600	<250	---	6.6	310	19	36	46	---
MW6Lb	12/11/13	---	21.19	12.77	8.42	No	<48	2,000	<2,400	---	7.1	550	17	17	20	---
MW6Lb	01/30/14	---	21.19	13.01	8.18	No	420d	620	<240	---	2.9	49	27	53	110	---
RW1	05/10/90	---	97.89i	Well installed.												
RW1	10/16/90	---	97.89i	12.24	85.65i	---	---	---	---	---	---	---	---	---	---	---
RW1	01/14/91	---	97.89i	12.80	85.09i	---	---	---	---	---	---	---	---	---	---	---
RW1	02/08/91	---	97.89i	12.53	85.36i	---	---	---	---	---	---	---	---	---	---	---
RW1	05/31/91	---	97.89i	12.86	85.03i	---	---	---	---	---	---	---	---	---	---	---
RW1	08/05/91	---	97.89i	13.19	84.70i	---	---	---	---	---	---	---	---	---	---	---
RW1	08/13/91	---	97.89i	14.05	83.84i	---	---	---	---	---	---	---	---	---	---	---
RW1	09/11/91	---	97.89i	15.96	81.93i	---	---	---	---	---	---	---	---	---	---	---
RW1	10/16/91	---	97.89i	16.00	81.89i	---	---	---	---	---	---	---	---	---	---	---
RW1	12/30/91	---	97.89i	12.65	85.24i	---	---	---	---	---	---	---	---	---	---	---
RW1	02/25/92	---	97.89i	14.40	83.49i	---	---	---	---	---	---	---	---	---	---	---
RW1	03/25/92	---	97.89i	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	06/16/92	---	14.42	12.37	2.05	---	---	6,200	---	---	---	620	1,400	240	1,400	---
RW1	09/08/92	---	Not monitored or sampled.													
RW1	08/30/94	---	16.79j	Well resurveyed.												
RW1	08/31/94 - 10/16/98	---	Not monitored or sampled.													
RW1	01/11/99	---	20.24	12.37	7.87	No	---	---	---	---	---	---	---	---	---	---
RW1	04/08/99	---	20.24	10.41	9.83	No	---	---	---	---	---	---	---	---	---	---
RW1	07/19/99	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	07/27/99	---	20.24	12.76	7.48	No	---	---	---	---	---	---	---	---	---	---
RW1	10/25/99	---	20.24	12.50	7.74	No	---	---	---	---	---	---	---	---	---	---
RW1	01/27/00	---	20.24	12.11	8.13	No	---	---	---	---	---	---	---	---	---	---
RW1	04/03/00	---	20.24	12.07	8.17	No	---	---	---	---	---	---	---	---	---	---
RW1	07/05/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/04/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	10/05/00	---	20.24	---	---	---	---	---	---	---	---	---	---	---	---	---
RW1	01/04/01	---	20.24	13.90	6.34	No	---	8,000	---	2,500	---	1,200	65	250	258	---
RW1	04/03/01	---	20.24	11.92	8.32	No	---	4,100	---	610	---	62	<2.5	18	61	---
RW1	07/05/01	---	20.24	Well inaccessible.												
RW1	10/03/01	---	20.24	12.32	8.32	No	---	11,000	---	4,100	---	1,900	780	150	700	---
RW1	Oct-01	---	20.43	Well surveyed in compliance with AB 2886 requirements.												

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW1	01/02/02	---	20.43	10.85	9.58	No	---	32,000	---	7,760	---	358	2,270	894	4,820	---
RW1	04/02/02	---	20.43	11.72	8.71	No	---	4,220	<500	922	---	172	22.5	106	340	---
RW1	07/01/02	---	20.43	12.17	8.26	No	---	2,500	<100a	986	---	176	8.0	71.0	75.0	---
RW1	10/02/02	---	20.43	12.44	7.99	No	---	2,970	1,720	1,310	---	197	11.0	70.0	69.0	---
RW1	01/07/03	---	20.43	11.64	8.79	No	---	2,210	1,340	747	1,010	134	12.0	33.0	53.0	---
RW1	06/17/03	---	20.43	11.98	8.45	No	---	3,850	316	645	847	48.9	38.7	46.1	197	---
RW1	07/16/03	---	20.43	12.11	8.32	No	---	2,640	2,080	730	615	78.5	20.0	47.5	166	---
RW1	10/07/03	---	20.43	12.35	8.08	No	1,340	2,310	1,040	744	578	118	7.6	25.1	52.1	---
RW1	01/14/04	---	20.43	11.61	8.82	No	4,240	4,230	5,640	7.8	328	52.7	65.8	42.7	543	---
RW1	06/03/04	---	20.43	12.12	8.31	No	---	2,910	1,840	234	250	79.9	6.0	28.6	67.2	---
RW1	08/12/04	---	20.43	c	c	c	---	1,980c	164c	---	107c	146c	5.7c	18.1c	10.9c	---
RW1	11/04/04	---	20.43	12.06	8.37	No	2,570	127,000	1,790	---	386	130	5,150	4,020	24,300	---
RW1	02/01/05	---	20.43	11.55	8.88	No	3,530	2,880	4,680	---	78.7	25.3	13.3	49.3	258	---
RW1	05/03/05	---	20.43	11.58	8.85	No	6,830d,e	2,490	14,600	---	91.3	33.8	18.4	17.3	97.7	---
RW1	08/04/05	---	20.43	12.10	8.33	No	2,430d	3,080	3,410	---	49.6	193	20.4	48.2	117	---
RW1	10/27/05	---	20.43	12.32	8.11	No	1,970	348	2,960	---	36.3	9.40	1.99f	2.22	5.36	---
RW1	01/26/06	---	20.43	11.55	8.88	No	5,000d	640	<10,000	---	72	13	7.5	1.8	5.2	---
RW1	04/28/06	---	20.43	11.23	9.20	No	950d	810	1,500	---	30	18	12	4.9	19	---
RW1	07/05/06	---	20.43	11.96	8.47	No	687	1,020	886	---	40.0	25.0	4.77	4.67	11.4	---
RW1	10/27/06	---	20.43	12.31	8.12	No	550d	937	600	---	45.4	21.1	4.82	5.37	8.14	---
RW1	01/19/07	---	20.43	11.96	8.47	No	2,500d	1,070	2,500	---	33.4	21.9	2.22	3.40	6.99	---
RW1	04/24/07	---	20.43	11.61	8.82	No	k	806	k	---	28.0	20.9	2.77	2.81	5.46	---
RW1	07/24/07	---	20.43	12.20	8.23	No	2,100d	510	3,500d	---	17	18	1.8	0.92	2.0	---
RW1	12/03/07	---	20.43	12.30	8.13	No	1,100d,l	400	1,700d	---	12	18	1.4	1.6	1.8	---
RW1	03/06/08	---	20.43	11.62	8.81	No	380d	490	480	---	22	18	1.6	<1.0	1.7	---
RW1	06/26/08	---	20.43	12.52	7.91	No	1,100d	560	1,800d	---	20	51	3.1	2.0	4.2	---
RW1	08/12/08	---	20.43	12.51	7.92	No	6,500d,e,m,l	1,720	20,400m	---	16.8	391	29.7	29.7	52.5	---
RW1	10/23/08	---	20.43	12.68	7.75	No	---	---	---	---	---	---	---	---	---	---
RW1	10/30/08	---	20.43	---	---	---	930	2,500	1,200	---	18	21	7.9	11	15	---
RW1	03/25/09	---	20.43	11.45	8.98	No	2,400	1,100	1,800	---	21	45	2.9	<2.5	<5.0	---
RW1	06/17/09	---	20.43	11.97	8.46	No	390	2,000	<250	---	30	62	<0.50	3.4	5.6	---
RW1	06/17/09	---	20.43	---	---	---	390	2000	<250	---	30	62	<0.50	3.4	5.6	---
RW1	09/04/09	---	20.43	12.37	8.06	No	710d	1,300	750	---	22	16	3.1	0.75	<1.0	---
RW1	03/09/10	---	20.43	10.69	9.74	No	630d	1,800	340	---	23	85	4.4	5.9	8.8	---
RW1	09/17/10	---	20.43	12.29	8.14	No	400d	670d	<250	---	17	48	2.9	2.6	4.0	---
RW1	02/15/11	---	20.43	11.29	9.14	No	350d	1,300d	<250	---	12	47	4.5	3.2	8.7	---
RW1	08/23/11	---	20.43	11.86	8.57	No	460d	1,100d	300	---	9.0	13	1.8	2.4	4.3	---
RW1	02/09/12	---	20.43	11.68	8.75	No	1,200d	1,400d	1,300	---	7.2s	34	6.7	3.4	10	---
RW1	07/24/12	---	20.43	12.04	8.39	No	1,700d	1,800	2,100d	---	6.4	13	<0.50	<0.50	<1.0	510
RW1	03/08/13	---	20.43	11.57	8.86	No	---	---	---	---	---	---	---	---	---	---
RW1	03/11/13	---	20.43	---	---	---	300d	1,500	<250	---	5.5	46	6.0	5.7	13	---
RW1	09/04/13	---	20.43	12.18	8.25	No	550d	1,500d	350d	---	4.7	54	4.1	1.7	5.4	---
RW1	12/11/13 b	---	20.43	---	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW1	01/30/14	---	20.43	12.43	8.00	No	860d	960	620d	---	3.6	34	1.5	<0.50	1.2	---
RW2	10/16/90	---	98.11i	12.77	85.34i	---	---	---	---	---	---	---	---	---	---	---
RW2	02/08/91	---	98.11i	13.11	85.00i	---	---	---	---	---	---	---	---	---	---	---
RW2	04/02/91	---	98.11i	11.70	86.41i	---	---	---	---	---	---	---	---	---	---	---
RW2	05/07/91	---	98.11i	14.09	84.02i	---	---	11,000	---	---	---	3,200	480	150	780	---
RW2	05/31/91	---	98.11i	16.01	82.10i	---	---	---	---	---	---	---	---	---	---	---
RW2	06/26/91	---	98.11i	14.60	83.51i	---	---	---	---	---	---	---	---	---	---	---
RW2	08/05/91	---	98.11i	14.00	84.11i	---	---	---	---	---	---	---	---	---	---	---
RW2	08/13/91	---	98.11i	21.30	76.81i	---	---	---	---	---	---	---	---	---	---	---
RW2	09/11/91	---	98.11i	19.97	78.14i	---	---	---	---	---	---	---	---	---	---	---
RW2	10/16/91	---	98.11i	15.19	82.92i	---	---	---	---	---	---	---	---	---	---	---
RW2	12/30/91	---	98.11i	13.19	84.92i	---	---	---	---	---	---	---	---	---	---	---
RW2	02/25/92	---	98.11i	16.27	81.84i	---	---	---	---	---	---	---	---	---	---	---
RW2	03/25/92	---	98.11i	---	---	---	---	---	---	---	---	---	---	---	---	---
RW2	06/16/92	---	14.61	12.86	1.75	---	---	28,000	---	---	---	2,900	1,000	120	2,700	---
RW2	09/08/92 - 05/31/94	---	Not monitored or sampled.													
RW2	08/30/94	---	17.02j	Well resurveyed.												
RW2	08/31/94 - 04/20/98	---	Not monitored or sampled.													
RW2	07/21/98	---	20.44	12.65	7.79	No	---	3,500	---	170	---	240	100	41	96	---
RW2	10/06/98	---	20.44	13.06	7.38	No	---	3,200	---	200	---	120	48	56	120	---
RW2	01/11/99	---	20.44	12.88	7.56	No	---	3,300	---	350	---	150	17	35	40	---
RW2	04/08/99	---	20.44	11.76	8.68	sheen	---	---	---	---	---	---	---	---	---	---
RW2	07/19/99	---	20.44	11.61	8.83	No	---	1,980	---	160	499	44	4.16	22.3	11.6	---
RW2	07/27/99	---	20.44	13.26	7.18	No	---	---	---	---	---	---	---	---	---	---
RW2	10/25/99	---	20.44	12.96	7.48	No	---	1,800	---	440	---	51	<0.5	4.7	9.5	---
RW2	01/27/00	---	20.44	12.70	7.74	No	---	1,900	---	750	---	38	<2.5	4.8	10.4	---
RW2	04/03/00	---	20.44	11.97	8.47	No	---	2,100	---	300	---	28	2.4	1.4	0.73	---
RW2	07/05/00	---	20.44	12.50	7.94	No	---	2,300	---	230	---	20	<2.5	5.3	8	---
RW2	10/04/00	---	20.44	12.97	7.47	No	---	1,300	---	570	---	42	<2.5	15	17.7	---
RW2	10/05/00	---	20.44	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
RW2	01/04/01	---	20.44	13.71	6.73	No	---	1,000	---	380	---	33	<2.5	13	17.7	---
RW2	04/03/01	---	20.44	12.10	8.34	No	---	1,300	---	99	---	18	2.1	16	19.4	---
RW2	07/05/01	---	20.44	Well inaccessible.												
RW2	10/03/01	---	20.44	12.8	7.64	No	---	1,900	---	240	---	35	4.4	34	105	---
RW2	Oct-01	---	20.64	Well surveyed in compliance with AB 2886 requirements.												
RW2	01/02/02	---	20.64	10.22	10.42	No	---	2,440	---	76.0	---	24.4	6.20	26.2	83.0	---
RW2	04/02/02	---	20.64	12.02	8.62	No	---	1,460	260	47.5	---	8.60	3.30	5.30	29.1	---
RW2	07/01/02	---	20.64	12.51	8.13	No	---	1,380	<100a	39.9	---	11.0	1.8	17.9	45.0	---
RW2	10/02/02	---	20.64	12.91	7.73	No	---	720	<100	46.9	---	5.5	1.7	3.7	11.9	---
RW2	01/07/03	---	20.64	11.61	9.03	No	---	1,180	197	48.0	56.0	12.3	3.6	12.2	25.6	---
RW2	06/17/03	---	20.64	12.32	8.32	No	---	1,070	<100	29.7	26.4	13.9	4.4	11.8	16.9	---
RW2	07/16/03	---	20.64	12.51	8.13	No	---	1,200	295	32.9	19.3	6.60	4.1	10.9	12.3	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW2	10/07/03	---	20.64	12.81	7.83	No	332	1,170	<100	55.0	50.2	8.70	1.1	9.3	12.2	---
RW2	01/14/04	---	20.64	11.70	8.94	No	167	1,250	<100	8.4	128	18.0	4.4	8.6	10.7	---
RW2	06/03/04	---	20.64	12.93	7.71	No	---	1,100	1,310	17.0	10.9	6.70	1.3	4.0	11.5	---
RW2	08/12/04	---	20.64	c	c	c	438c	1,110c	521c	---	32.8c	7.00c	1.5c	3.1c	10.2c	---
RW2	11/04/04	---	20.64	12.30	8.34	No	503	506	419	---	r	4.30	5.9	6.2	16.0	---
RW2	02/01/05	---	20.64	11.61	9.03	No	725	640	1,400	---	13.7	5.30	1.5	4.0	3.8	---
RW2	05/03/05	---	20.64	11.72	8.92	No	493d,e	1,130	801	---	8.20	10.3	1.1	5.8	6.3	---
RW2	08/04/05	---	20.64	12.46	8.18	No	3,020d	1,060	3,810	---	9.02	6.36	0.848	1.90	2.47	---
RW2	10/27/05	---	20.64	12.71	7.93	No	716	163	703	---	8.74	<0.50	<0.50	<0.50	0.95	---
RW2	01/26/06	---	20.64	11.65	8.99	No	410d	620a	<500	---	5.1	6.1 a	1.2 a	4.3 a	2.1 a	---
RW2	04/28/06	---	20.64	11.24	9.40	No	300d	680	<470	---	2.6	9.7	1.2	5.3	2.9	---
RW2	07/05/06	---	20.64	12.33	8.31	No	284	946	221	---	<0.500	8.87	1.05	1.81	3.10	---
RW2	10/27/06	---	20.64	12.78	7.86	No	240d	920	<470	---	4.59	<0.50	<0.50	3.65	3.09	---
RW2	01/19/07	---	20.64	12.29	8.35	No	230d	794	<470	---	3.72	6.32	2.27	<0.50	3.09	---
RW2	04/24/07	---	20.64	11.81	8.83	No	652d	1,170	332	---	3.01	7.21	<0.50	6.74	6.15	---
RW2	07/24/07	---	20.64	12.51	8.13	No	250d	970	<470	---	2.5	9.1	<0.50	2.8	1.9	---
RW2	12/03/07	---	20.64	12.71	7.93	No	660d,l	460	660d	---	6.8	7.5	<2.5	<2.5	<2.5	---
RW2	03/06/08	---	20.64	11.61	9.03	No	610d	750	620d	---	2.2	8.5	<2.5	2.7	<2.5	---
RW2	06/26/08	---	20.64	12.71	7.93	No	500d	400	580d	---	1.6	5.6	<1.0	<1.0	1.1	---
RW2	08/12/08	---	20.64	12.81	7.83	No	372d,m,n	317	222m	---	1.36	37.3	<0.50	4.13	3.99	---
RW2	10/23/08	---	20.64	12.97	7.67	No	190	370	<250	---	<0.50	3.2	<0.50	5.5	8.1	---
RW2	03/25/09	---	20.64	11.47	9.17	No	270	400	<250	---	0.89	<0.50	0.86	3.7	3.5	---
RW2	06/17/09	---	20.64	---	---	---	310	1100	<250	---	0.76	6.8	<0.50	5.7	4.4	---
RW2	06/17/09	---	20.64	12.25	8.39	No	310	1,100	<250	---	0.76	6.8	<0.50	5.7	4.4	---
RW2	09/04/09	---	20.64	12.68	7.96	No	170d	840	<250	---	<0.50	<0.50	<0.50	0.76o	<1.0	---
RW2	03/09/10	---	20.64	10.73	9.91	No	340d	1,400	<250	---	<0.50	6.1	1.7	7.2	3.7	---
RW2	09/17/10	---	20.64	12.61	8.03	No	120d	550d	<250	---	0.95	<0.50	0.67	3.1	1.5	---
RW2	02/15/11	---	20.64	11.50	9.14	No	110d	600d	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
RW2	08/23/11	---	20.64	12.19	8.45	No	140d	970d	<250	---	0.64	2.0	2.7	4.6	7.8	---
RW2	02/09/12	---	20.64	11.81	8.83	No	200d	810d	<250	---	<0.50	<0.50	<0.50	3.8	5.0	---
RW2	07/24/12	---	20.64	12.37	8.27	No	790d	720d	600d	---	0.53	3.0	<0.50	<0.50	<1.0	395
RW2	03/08/13	---	20.64	11.79	8.85	No	---	---	---	---	---	---	---	---	---	---
RW2	03/11/13	---	20.64	---	---	---	130d	700	<250	---	<0.50	7.7	<0.50	<0.50	<0.50	---
RW2	09/04/13	---	20.64	12.51	8.13	No	160d	780d	<250	---	0.89	<0.50	<0.50	<0.50	<0.50	---
RW2	12/11/13 b	---	20.64	---	---	---	---	---	---	---	---	---	---	---	---	---
RW2	01/30/14	---	20.64	12.80	7.84	No	170d	500d	<240	---	1.4	<0.50	<0.50	<0.50	<0.50	---
RW3	10/16/90	---	98.97i	13.29	85.68i	---	---	---	---	---	---	---	---	---	---	---
RW3	01/14/91	---	98.97i	14.50	84.47i	---	---	---	---	---	---	---	---	---	---	---
RW3	02/08/91	---	98.97i	12.54	86.43i	---	---	---	---	---	---	---	---	---	---	---
RW3	04/02/91	---	98.97i	11.39	87.58i	---	---	---	---	---	---	---	---	---	---	---
RW3	05/07/91	---	98.97i	12.47	86.50i	---	---	5,800	---	---	---	4,200	640	220	670	---
RW3	05/31/91	---	98.97i	16.31	82.66i	---	---	---	---	---	---	---	---	---	---	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW3	06/26/91	---	98.97i	15.50	83.47i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/05/91	---	98.97i	13.69	85.28i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/13/91	---	98.97i	13.67	85.30i	---	---	---	---	---	---	---	---	---	---	---
RW3	08/14/91	---	98.97i	---	---	---	---	3,800	---	---	---	2,300	300	49	360	---
RW3	09/11/91	---	98.97i	13.77	85.20i	---	---	---	---	---	---	---	---	---	---	---
RW3	10/16/91	---	98.97i	16.66	82.31i	---	---	---	---	---	---	---	---	---	---	---
RW3	11/05/91	---	Well destroyed.													
RW3A	08/24/92 - 04/20/98	---	Not monitored or sampled.													
RW3A	08/24/92	---	---	Well installed in place of RW3.												
RW3A	07/21/98	---	21.75	13.08	8.67	No	---	280	---	16	---	97	<1.2	<1.2	<1.2	---
RW3A	10/06/98	---	21.89	13.72	8.17	No	---	78	---	26	---	26	0.89	<0.5	<0.5	---
RW3A	01/11/99	---	21.75	12.00	9.75	No	---	1,000	---	230	---	490	5.0	<5.0	7.4	---
RW3A	04/08/99	---	21.75	11.90	9.85	No	---	130	---	11	---	70	<1.0	<1.0	<1.0	---
RW3A	07/19/99	---	21.75	11.75	10.00	No	---	989	---	16.4	---	393	6.40	5.70	15.0	---
RW3A	07/27/99	---	21.75	13.68	8.07	No	---	---	---	---	---	---	---	---	---	---
RW3A	10/25/99	---	21.75	13.61	8.14	No	---	150	---	19	---	53	<0.5	<0.5	<0.5	---
RW3A	01/27/00	---	21.75	12.22	9.53	No	---	500	---	12	---	210	0.59	1.40	2.29	---
RW3A	04/03/00	---	21.75	12.00	9.75	No	---	1,100	---	16	---	420	1.6	1.8	1.4	---
RW3A	07/05/00	---	21.75	13.01	8.74	No	---	1,200	---	16	---	440	1.4	2.5	1.9	---
RW3A	10/04/00	---	21.75	13.60	8.15	No	---	390	---	8.3	---	160	1.1	1.5	2.6	---
RW3A	10/05/00	---	21.75	---	---	---	---	---	<1,000	---	---	---	---	---	---	---
RW3A	01/04/01	---	21.75	13.65	8.10	No	---	500	---	12	---	230	0.97	1.1	1.4	---
RW3A	04/03/01	---	21.75	12.30	9.45	No	---	710	---	7.5	---	290	<0.5	<0.5	<0.5	---
RW3A	07/05/01	---	21.75	13.28	8.47	No	---	640	---	9	---	280	1.4	1.6	2.7	---
RW3A	10/03/01	---	21.75	13.58	8.17	No	---	<50	---	12	---	21	<0.5	<0.5	<0.5	---
RW3A	Oct-01	---	21.89	Well surveyed in compliance with AB 2886 requirements.												
RW3A	01/02/02	---	21.89	10.80	11.09	No	---	<100	---	11.2	---	<0.50	<0.50	<0.50	<0.50	---
RW3A	04/02/02	---	21.89	12.03	9.86	No	---	55.7	<100	11.0	---	1.30	<0.50	<0.50	<0.50	---
RW3A	07/01/02	---	21.89	13.13	8.76	No	---	275	<100a	21.7	---	60.4	<0.5	2.4	4.2	---
RW3A	10/02/02	---	21.89	13.70	8.19	No	---	138	114	11.1	---	53.4	<0.5	<0.5	0.7	---
RW3A	01/07/03	---	21.89	11.77	10.12	No	---	<50.0	<50	22.4	30.9	1.5	<0.5	<0.5	<0.5	---
RW3A	06/17/03	---	21.89	12.82	9.07	No	---	54.5	<100	12.8	16.0	7.40	<0.5	<0.5	<0.5	---
RW3A	07/16/03	---	21.89	13.40	8.49	No	---	112	<100	18.0	13.6	26.0	<0.5	<0.5	<0.5	---
RW3A	10/07/03	---	21.89	13.93	7.96	No	124	62.6	<100	10.4	11.3	7.30	<0.5	<0.5	<0.5	---
RW3A	01/14/04	---	21.89	11.55	10.34	No	401	<50.0	<100	11.7	16.2	3.10	<0.5	<0.5	<0.5	---
RW3A	06/03/04	---	21.89	13.43	8.46	No	---	79.0	<100	19.4	22.4	6.30	<0.5	<0.5	<0.5	---
RW3A	08/12/04	---	21.89	c	c	c	1,190c	<50.0c	296c	---	16.2c	<0.50c	<0.5c	<0.5c	<0.5c	---
RW3A	11/04/04	---	21.89	12.91	8.98	No	178	<50.0	122	---	5.40	<0.50	1.7	0.7	3.6	---
RW3A	02/01/05	---	21.89	11.63	10.26	No	<100	<50.0	<100	---	11.8	<0.50	<0.5	<0.5	<0.5	---
RW3A	05/03/05	---	21.89	11.79	10.10	No	158d	<50.0	<100	---	8.50	<0.50	<0.5	<0.5	<0.5	---
RW3A	08/04/05	---	21.89	12.99	8.90	No	687d	89.9	107	---	16.7	26.0	0.645	<0.500	0.835	---
RW3A	10/27/05	---	21.89	13.49	8.40	No	140	<50.0	79.1	---	4.00	9.63	<0.50	<0.50	0.65	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
RW3A	01/26/06	---	21.89	11.76	10.13	No	210d	100a	<500	---	17	5.6a	<0.50a		<0.50a	---
RW3A	04/28/06	---	21.89	10.96	10.93	No	140g	82	<470	---	19	2.6	<0.50	<0.50	<0.50	---
RW3A	07/05/06	---	21.89	13.12	8.77	No	340	50.0	<95.2	---	8.11	1.37	<1.00	<1.00	<3.00	---
RW3A	10/27/06	---	21.89	13.48	8.41	No	63d	789	<470	---	10.6	287	1.29	<0.50	2.03	---
RW3A	01/19/07	---	21.89	12.69	9.20	No	49d	<50.0	<470	---	6.25	2.08	<0.50	<0.50	<0.50	---
RW3A	04/24/07	---	21.89	12.12	9.77	No	<47.6	107	<47.6	---	4.95	17.9	<0.50	<0.50	0.57	---
RW3A	07/24/07	---	21.89	13.11	8.78	No	<47	<500	<470	---	8.5	240	<5.0	<5.0	<5.0	---
RW3A	12/03/07	---	21.89	13.35	8.54	No	61d,l	1,200g	<470	---	12	700	<10	<10	13	---
RW3A	03/06/08	---	21.89	11.69	10.20	No	<47	52	<470	---	4.4	1.5	<0.50	<0.50	<0.50	---
RW3A	06/26/08	---	21.89	13.46	8.43	No	<47	120	<470	---	10	29	<0.50	<0.50	<0.50	---
RW3A	08/12/08	---	21.89	13.67	8.22	No	100d,m,n	59.3	146m	---	9.63	19.5	<0.50	<0.50	<0.50	---
RW3A	10/23/08	---	21.89	13.97	7.92	No	---	---	---	---	---	---	---	---	---	---
RW3A	10/30/08	---	21.89	---	---	---	<50	<50	<250	---	6.5	0.99	<0.50	<0.50	<1.0	---
RW3A	03/25/09	---	21.89	11.62	10.27	No	<50	<50	<250	---	6.4	<0.50	<0.50	<0.50	<1.0	---
RW3A	06/17/09	---	21.89	---	---	---	<50	<50	<250	---	3.3	0.70	<0.50	<0.50	<1.0	---
RW3A	06/17/09	---	21.89	12.87	9.02	No	<50	<50	<250	---	3.3	0.70o	<0.50	<0.50	<1.0	---
RW3A	09/04/09	---	21.89	13.54	8.35	No	<50	<50	<250	---	5.6	<0.50	<0.50	<0.50	<1.0	---
RW3A	03/09/10	---	21.89	10.71	11.18	No	<50	<50	<250	---	4.3	1.8	<0.50	<0.50	<1.0	---
RW3A	09/17/10	---	21.89	13.46	8.43	No	<50	<50	<250	---	5.2	9.7	<0.50	<0.50	<1.0	---
RW3A	02/15/11	---	21.89	11.99	9.90	No	<50	<50	<250	---	1.9	2.2	<0.50	<0.50	<1.0	---
RW3A	08/23/11	---	21.89	12.77	9.12	No	<50	<50	<250	---	2.8	2.5	<0.50	<0.50	<1.0	---
RW3A	02/09/12	---	21.89	12.52	9.37	No	<50	<50	<250	---	1.7	3.8	<0.50	<0.50	<1.0	---
RW3A	07/24/12	---	21.89	13.08	8.81	No	<50	59d	<250	---	2.0	1.1	<0.50	<0.50	<1.0	425
RW3A	03/08/13	---	21.89	12.37	9.52	No	---	---	---	---	---	---	---	---	---	---
RW3A	03/11/13	---	21.89	---	---	---	<50	<50	<250	---	1.9	0.77	<0.50	<0.50	<0.50	---
RW3A	09/04/13	---	21.89	13.41	8.48	No	<50	210d	<250	---	2.1	71	0.78	<0.50	<0.50	---
RW3A	12/11/13 b	---	21.89	---	---	---	---	---	---	---	---	---	---	---	---	---
RW3A	01/30/14	---	21.89	13.68	8.21	No	<48	50	<240	---	1.1	6.0	<0.50	<0.50	<0.50	---

Grab Groundwater Samples

W-Comp	10/26/00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W-15-CPT1	10/24/08	15	---	---	---	---	26,000	2,400	720	---	<10	500	1,400	750	3,700	---
W-38-CPT1	10/24/08	38	---	---	---	---	380	670	340	---	<2.5	65	110	21	79	---
W-15 -CPT2	10/27/08	15	---	---	---	---	260	990	<250	---	2.0	<0.50	<0.50	<0.50	<1.0	---
W-29 -CPT2	10/27/08	29	---	---	---	---	q	60	q	---	0.66	<0.50	<0.50	<0.50	<1.0	---
W-39 -CPT2	10/27/08	39	---	---	---	---	160	<50	<250	---	<0.50	<0.50	<0.50	<0.50	<1.0	---
W-14 -CPT3	10/23/08	14	---	---	---	---	q	20,000	q	---	59	4,200	2,400	860	4,100	---
W-13-GP1	03/29/00	13	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	TOC Elev.	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	TPHmo (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	TDS (mg/L)
W-23-GP1	03/29/00	23	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-12-GP2	03/29/00	12	---	---	---	---	---	100	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-23-GP2	03/29/00	23	---	---	---	---	---	<50	---	<2	---	<0.5	<0.5	<0.5	<0.5	---
W-15-B7	03/05/07	15	---	---	---	---	66d	<50	<470	---	0.54	<0.50	<0.50	<0.50	<0.50	---
W-22-B7	03/05/07	22	---	---	---	---	220d	<50	<470	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
W-14-B8	03/02/07	14	---	---	---	---	1,900d	<50	2,800d	---	<0.50	<0.50	<0.50	<0.50	<0.50	---
W-14-16-B9	03/06/07	14-16	---	---	---	---	1,000d	38,000	<480	---	120	15,000	890	700	1,700	---
W-22.5-24-B9	03/06/07	22.5-24	---	---	---	---	81d	490	<480	---	17	160	21	12	40	---
UOW r	11/27/91	---	---	---	---	---	18,000	550	---	---	---	12/15p	4.9/7p	19/20p	72/<5p	---

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 70235
 2225 Telegraph Avenue
 Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCS - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
Monitoring Well Samples										
MW6A	June 1988	---	Well installed.							
MW6A	06/24/88 - 12/31/91	---	Not analyzed for these analytes.							
MW6A	05/02/92	---	Well destroyed.							
MW6B	June 1988	---	Well installed.							
MW6B	06/24/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6B	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6B	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6B	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6B	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6B	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6B	01/26/06	---	<0.50	<0.50	0.56	<20	<0.50	<0.50	<100	
MW6B	04/28/06	---	<0.50	15	<0.50	27	<0.50	3.6	---	
MW6B	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6B	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	07/24/07	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
MW6B	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6B	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6B	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6B	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6B	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6B	03/25/09	---	<12	<12	<12	<120	<12	<12	---	
MW6B	06/17/09	---	<20	<20	<20	<200	<20	<20	---	
MW6B	06/17/09	---	<20	<20	<20	<200	<20	<20	---	
MW6B	09/04/09	---	<2.0	<2.0	<2.0	<20	<2.0	<2.0	---	
MW6B	03/09/10	---	<2.0	<2.0	<2.0	28	<2.0	7.8	---	
MW6B	09/17/10	---	---	---	<1.0	16	<1.0	2.7	---	
MW6B	02/15/11	---	<10	<10	<10	<100	<10	10	---	
MW6B	08/23/11	---	<12	<12	<12	<120	<12	<12	---	
MW6B	02/09/12	---	<0.50	<0.50	<0.50	53	<0.50	7.4	---	
MW6B	07/24/12	---	<5.0	<5.0	<5.0	73	<5.0	17	---	
MW6B	03/11/13	---	<10	<10	<10	<100	<10	17	<1,000	
MW6B	09/04/13	---	<0.50	<0.50	<0.50	15	<0.50	4.0	---	
MW6B	12/11/13 b	---	---	---	---	---	---	---	---	
MW6B	01/30/14	---	<0.50	<0.50	<0.50	5.9	<0.50	0.68	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW6C	06/15/88	---	Well installed.							
MW6C	06/24/88 - 04/30/90	---	Not analyzed for these analytes.							
MW6C	05/10/90	---	Well over-drilled into recovery well RW3.							
MW6D	07/06/88	---	Well installed.							
MW6D	07/11/88 - 04/30/90	---	Not analyzed for these analytes.							
MW6D	05/10/90	---	Well over-drilled into recovery well RW2.							
MW6E	10/04/88	---	Well installed.							
MW6E	10/20/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6E	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6E	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6E	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6E	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6E	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6E	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6E	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6E	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6E	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6E	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6E	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6E	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6E	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
MW6E	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
MW6E	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6E	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6E	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6E	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6E	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6E	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6E	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6E	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6E	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---	
MW6E	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.51	<50	
MW6E	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6E	12/11/13 b	---	---	---	---	---	---	---	---	
MW6E	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	
MW6F	10/05/88	---	Well installed.							
MW6F	10/20/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6F	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6F	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6F	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c	
MW6F	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	
MW6F	05/03/05	---	<0.50	1.70	0.90	<10.0	<0.50	<0.50	<50.0	
MW6F	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100	
MW6F	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100	
MW6F	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---	
MW6F	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	
MW6F	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	12/03/07	---	---	---	---	---	---	---	---	
MW6F	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---	
MW6F	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---	
MW6F	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6F	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---	
MW6F	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50	
MW6F	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6F	12/11/13 b	---	---	---	---	---	---	---	---	
MW6F	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---	
MW6G	11/16/88	---	Well installed.							
MW6G	12/07/88 - 10/02/02	---	Not analyzed for these analytes.							
MW6G	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---	
MW6G	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100	
MW6G	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0	

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6G	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6G	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6G	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6G	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6G	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6G	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<100
MW6G	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW6G	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6G	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<100
MW6G	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6G	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6G	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	<50
MW6G	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6G	12/11/13 b	---	---	---	---	---	---	---	---
MW6G	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6H	Dec-88	---	Well installed.						
MW6H	12/07/88 - 10/02/02	---	Not analyzed for these analytes.						
MW6H	01/07/03	---	<0.50	<0.50	<0.50	952	<0.50	7.50	---
MW6H	06/17/03	---	<0.50	<0.50	<0.50	678	<0.50	7.10	<100
MW6H	07/16/03	---	<0.50	14.6	0.70	307	<0.50	6.20	<100
MW6H	10/07/03	---	<0.50	<0.50	<0.50	294	<0.50	7.40	<100
MW6H	01/14/04	---	<0.50	<0.50	<0.50	883	<0.50	6.80	<50.0
MW6H	06/03/04	---	<0.50	<0.50	<0.50	541	<0.50	5.80	<50.0
MW6H	08/12/04	---	<0.50c	<0.50c	<0.50c	754c	<0.50c	5.40c	<50.0c
MW6H	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6H	02/01/05	---	<0.50	<0.50	<0.50	625	<0.50	4.20	<50.0
MW6H	05/03/05	---	<0.50	<0.50	<0.50	436	<0.50	3.10	<50.0
MW6H	08/04/05	---	<0.500	<0.500	<0.500	530	<0.500	3.73	<50.0
MW6H	10/27/05	---	<0.500	<0.500	<0.500	422	<0.500	4.62	<100
MW6H	01/26/06	---	<25	<25	<25	<1,000	<25	<25	<5,000

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6H	04/28/06	---	<25	<25	<25	<1,000	<25	<25	<5,000
MW6H	07/05/06	---	<0.500	<0.500	<0.500	137	<0.500	2.41	<50.0
MW6H	10/27/06	---	<0.500	<0.500	<0.500	131	<0.500	3.61	<100
MW6H	01/19/07	---	<0.500	25.7	28.1	161	<0.500	2.96	<50.0
MW6H	04/24/07	---	<0.500	<0.500	<0.500	173	<0.500	1.97	<50.0
MW6H	07/24/07	---	<0.50	<0.50	<0.50	140	<0.50	3.8	<100
MW6H	12/03/07	---	<0.50	<0.50	<0.50	150	<0.50	7.0	<100
MW6H	03/06/08	---	<0.50	<0.50	<0.50	92	<0.50	1.8	<100
MW6H	06/26/08	---	<0.50	<0.50	<0.50	80	<0.50	1.6	<100
MW6H	08/12/08	---	<0.500	<0.500	<0.500	66.6	<0.500	1.79	<50.0
MW6H	10/30/08	---	<0.50	<0.50	<0.50	76	<0.50	2.4	<50
MW6H	03/25/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	06/17/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	06/17/09	---	<50	<50	<50	<500	<50	<50	<5,000
MW6H	09/04/09	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	03/09/10	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	09/17/10	---	---	---	<12	<120	<12	<12	<1,200
MW6H	02/15/11	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	08/23/11	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	02/09/12	---	<0.50	<0.50	<0.50	9.5s	<0.50	1.2	<50
MW6H	07/24/12	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	03/11/13	---	<20	<20	<20	<200	<20	<20	<2,000
MW6H	09/04/13	---	<10	<10	<10	<100	<10	<10	<1,000
MW6H	12/11/13 b	---	---	---	---	---	---	---	---
MW6H	01/30/14	---	<10	<10	<10	<100	<10	<10	<1,000
MW6I	Dec-88	---	Well installed.						
MW6I	12/07/88 - 10/02/02	---	Not analyzed for these analytes.						
MW6I	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6I	06/17/03 b	---	---	---	---	---	---	---	---
MW6I	07/16/03	---	<0.50	<0.50	<0.50	16.4	<0.50	<0.50	<100
MW6I	10/07/03 b	---	---	---	---	---	---	---	---
MW6I	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	05/03/04 b	---	---	---	---	---	---	---	---
MW6I	06/03/04 b	---	---	---	---	---	---	---	---
MW6I	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6I	11/04/04 b	---	---	---	---	---	---	---	---
MW6I	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6I	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/05 b	---	---	---	---	---	---	---	---
MW6I	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
MW6I	04/28/06 b	---	---	---	---	---	---	---	---
MW6I	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	10/27/06 b	---	---	---	---	---	---	---	---
MW6I	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6I	04/24/07 b	---	---	---	---	---	---	---	---
MW6I	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
MW6I	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6I	06/26/08 b	---	---	---	---	---	---	---	---
MW6I	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6I	10/23/08 b	---	---	---	---	---	---	---	---
MW6I	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	06/17/09 b	---	---	---	---	---	---	---	---
MW6I	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---
MW6I	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
MW6I	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6I	12/11/13 b	---	---	---	---	---	---	---	---
MW6I	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	04/06/01	---	Well installed.						
MW6J	07/05/01 - 10/02/02	---	Not analyzed for these analytes.						
MW6J	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
MW6J	06/17/03	---	<0.50	0.90	<0.50	<10.0	<0.50	<0.50	<100
MW6J	07/16/03	---	<0.50	1.00	<0.50	<10.0	<0.50	<0.50	<100
MW6J	10/07/03	---	<0.50	<0.5	<0.50	<10.0	<0.50	<0.50	<100
MW6J	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	06/03/04	---	<0.50	2.00	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/12/04	---	<0.50c	1.20c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
MW6J	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	02/01/05	---	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	05/03/05	---	<0.50	1.20	<0.50	<10.0	<0.50	<0.50	<50.0
MW6J	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
MW6J	01/26/06	---	<0.50	1.1	<0.50	<20	<0.50	<0.50	<100
MW6J	04/28/06	---	<0.50	1.3	<0.50	<20	<0.50	<0.50	---
MW6J	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	10/27/06	---	<0.500	1.04	<0.500	<10.0	<0.500	<0.500	---
MW6J	01/19/07	---	<0.500	1.15	<0.500	<10.0	<0.500	<0.500	<50.0
MW6J	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
MW6J	07/24/07	---	<0.50	1.1	<0.50	<20	<0.50	<0.50	---
MW6J	12/03/07	---	<0.50	1.8	<0.50	<10	<0.50	<0.50	---
MW6J	03/06/08	---	Well inaccessible due to encroachment permit restrictions.						
MW6J	06/26/08	---	Well inaccessible due to encroachment permit restrictions.						
MW6J	08/12/08	---	Well inaccessible due to encroachment permit restrictions.						
MW6J	10/23/08	---	<0.50	0.59	<0.50	<5.0	<0.50	<0.50	<50
MW6J	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	09/04/09	---	<0.50	0.74	<0.50	<5.0	<0.50	<0.50	---
MW6J	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
MW6J	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6J	08/23/11	---	<0.50	0.58	<0.50	<5.0	<0.50	<0.50	---
MW6J	02/09/12	---	<0.50	<0.50	<0.50	8.5s	<0.50	<0.50	---
MW6J	07/24/12	---	<0.50	0.72	<0.50	<5.0	<0.50	<0.50	---
MW6J	03/08/13 t	---	---	---	---	---	---	---	---
MW6J	09/04/13	---	<0.50	0.57	<0.50	<5.0	<0.50	<0.50	---
MW6J	12/11/13 b	---	---	---	---	---	---	---	---
MW6J	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
MW6Ka	06/21/13 v	---	---	---	---	---	---	---	---
MW6Ka	09/04/13 v	---	---	---	---	---	---	---	---
MW6Ka	12/11/13 v	---	---	---	---	---	---	---	---
MW6Ka	01/30/14 v	---	---	---	---	---	---	---	---
MW6Kb	06/21/13	---	<10	<10	<10	<100	<10	<10	<1,000
MW6Kb	09/04/13	---	<2.5	<2.5	<2.5	<25	<2.5	3.1	---
MW6Kb	12/11/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW6Kb	01/30/14	---	<1.0	<1.0	<1.0	<10	<1.0	<1.0	---
MW6La	06/21/13 v	---	---	---	---	---	---	---	---
MW6La	09/04/13 v	---	---	---	---	---	---	---	---
MW6La	12/11/13 v	---	---	---	---	---	---	---	---
MW6La	01/30/14 v	---	---	---	---	---	---	---	---
MW6Lb	06/21/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW6Lb	09/04/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW6Lb	12/11/13	---	<5.0	<5.0	<5.0	<50	<5.0	<5.0	<500
MW6Lb	01/30/14	---	<1.0	<1.0	<1.0	<10	<1.0	1.5	---
RW1	05/10/90	---	Well installed.						
RW1	10/16/90 - 10/02/02	---	Not analyzed for these analytes.						
RW1	01/07/03	---	<10.0	<10.0	<10.0	<200	<10.0	<10.0	---
RW1	06/17/03	---	<0.50	<0.50	<0.50	324	<0.50	<0.50	<100
RW1	07/16/03	---	<10.0	1.70	<0.50	110	<0.50	1.10	<100
RW1	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW1	01/14/04	---	<0.50	<0.50	<0.50	234	<0.50	0.90	<50.0
RW1	06/03/04	---	<0.50	<0.50	<0.50	338	<0.50	1.30	<50.0
RW1	08/12/04	---	1.30c	<0.50c	<0.50c	437c	<0.50c	1.20c	<50.0c
RW1	11/04/04	---	<0.50	<0.50	<0.50	541	<0.50	<0.50	<50.0
RW1	02/01/05	---	<0.50	<0.50	<0.50	261	<0.50	1.80	<50.0
RW1	05/03/05	---	<0.50	<0.50	<0.50	200	<0.50	<0.50	<50.0
RW1	08/04/05	---	<0.500	<0.500	<0.500	169	<0.500	<0.500	<50.0
RW1	10/27/05	---	<0.500	<0.500	<0.500	152	<0.500	0.660	<100
RW1	01/26/06	---	<2.5	<2.5	<2.5	280	<2.5	<2.5	<500
RW1	04/28/06	---	<0.50	<0.50	<0.50	86	<0.50	<0.50	<100
RW1	07/05/06	---	1.02	<0.500	<0.500	80.5	<0.500	<0.500	<50.0
RW1	10/27/06	---	<0.500	<0.500	<0.500	104	<0.500	<0.500	<100

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW1	01/19/07	---	<0.500	<0.500	<0.500	64.6	<0.500	<0.500	<50.0
RW1	04/24/07	---	<0.500	<0.500	<0.500	70.8	<0.500	<0.500	<50.0
RW1	07/24/07	---	<0.50	<0.50	<0.50	17	<0.50	<0.50	<100
RW1	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
RW1	03/06/08	---	<0.50	<0.50	<0.50	37	<0.50	<0.50	<100
RW1	06/26/08	---	<0.50	<0.50	<0.50	18	<0.50	<0.50	<100
RW1	08/12/08	---	0.710	<0.500	<0.500	23.3	<0.500	<0.500	<50.0
RW1	10/30/08	---	<0.50	<0.50	<0.50	43	<0.50	<0.50	<50
RW1	03/25/09	---	<0.50	<0.50	<0.50	46	<0.50	<0.50	<50
RW1	06/17/09	---	<0.50	<0.50	<0.50	80	<0.50	0.79	<50
RW1	06/17/09	---	<0.50	<0.50	<0.50	80	<0.50	0.79	<50
RW1	09/04/09	---	<0.50	<0.50	<0.50	60	<0.50	0.55	<50
RW1	03/09/10	---	<0.50	<0.50	<0.50	70	<0.50	0.61	<50
RW1	09/17/10	---	---	---	<1.0	56	<1.0	<1.0	---
RW1	02/15/11	---	<1.0	<1.0	<1.0	35	<1.0	<1.0	---
RW1	08/23/11	---	<0.50	<0.50	<0.50	25	<0.50	<0.50	---
RW1	02/09/12	---	<0.50	<0.50	<0.50	23	<0.50	<0.50	---
RW1	07/24/12	---	<0.50	<0.50	<0.50	30	<0.50	<0.50	<50
RW1	03/11/13	---	<0.50	<0.50	<0.50	22	<0.50	<0.50	<50
RW1	09/04/13	---	<0.50	<0.50	<0.50	21	<0.50	0.69	<50
RW1	12/11/13 b	---	---	---	---	---	---	---	---
RW1	01/30/14	---	<0.50	<0.50	<0.50	27	<0.50	<0.50	<50
RW2	10/16/90 - 10/02/02	---	Not analyzed for these analytes.						
RW2	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---
RW2	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<100
RW2	01/14/04	---	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0
RW2	06/03/04	---	<0.50	<0.50	<0.50	370	<0.50	<0.50	<50.0
RW2	08/12/04	---	1.30c	<0.50c	<0.50c	<10.0c	<0.50c	<0.50c	<50.0c
RW2	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0
RW2	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	<0.500	<100
RW2	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<100
RW2	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	<0.50	---
RW2	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	10/27/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	01/19/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0
RW2	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	12/03/07	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
RW2	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---
RW2	06/26/08	---	<0.50	<0.50	<0.50	<10	<0.50	<0.50	---
RW2	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	---
RW2	10/23/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
RW2	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)		
RW2	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	09/04/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	09/17/10	---	---	---	<0.50	<5.0	<0.50	<0.50	---		
RW2	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	08/23/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	07/24/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	03/11/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50		
RW2	09/04/13	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW2	12/11/13 b	---	---	---	---	---	---	---	---		
RW2	01/30/14	---	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	---		
RW3	10/16/90 - 10/16/91	---	Not analyzed for these analytes.								
RW3	11/05/91	---	Well destroyed.								
RW3A	08/24/92	---	Well installed in place of RW3.								
RW3A	08/24/98 - 10/02/02	---	Not analyzed for these analytes.								
RW3A	01/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	---		
RW3A	06/17/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<100		
RW3A	07/16/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100		
RW3A	10/07/03	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.40	<100		
RW3A	01/14/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	2.20	<50.0		
RW3A	06/03/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	1.20	<50.0		
RW3A	08/12/04	---	<0.50c	<0.50c	<0.50c	<10.0c	<0.50c	1.10c	<50.0c		
RW3A	11/04/04	---	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<50.0		
RW3A	02/01/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	2.10	<50.0		
RW3A	05/03/05	---	<0.50	<0.50	<0.50	<10.0	<0.50	0.60	<50.0		
RW3A	08/04/05	---	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0		
RW3A	10/27/05	---	<0.500	<0.500	<0.500	<20.0	<0.500	0.980	<100		
RW3A	01/26/06	---	<0.50	<0.50	<0.50	<20	<0.50	3.2	<100		
RW3A	04/28/06	---	<0.50	<0.50	<0.50	<20	<0.50	1.5	<100		
RW3A	07/05/06	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.20	<50.0		
RW3A	10/27/06	---	<0.500	<0.500	<0.500	17.3	<0.500	3.90	<100		
RW3A	01/19/07	---	<0.500	1.30	<0.500	<10.0	<0.500	1.55	<50.0		
RW3A	04/24/07	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.61	<50.0		
RW3A	07/24/07	---	<0.50	<0.50	<0.50	<5.0	<0.50	3.1	<100		
RW3A	12/03/07	---	<0.50	<0.50	<0.50	30	<0.50	7.5	<100		
RW3A	03/06/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.88	<100		
RW3A	06/26/08	---	<0.50	<0.50	<0.50	13	<0.50	3.0	<100		
RW3A	08/12/08	---	<0.500	<0.500	<0.500	<10.0	<0.500	1.40	<50.0		
RW3A	10/30/08	---	<0.50	<0.50	<0.50	<5.0	<0.50	1.4	<50		
RW3A	03/25/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.72	<50		
RW3A	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.85	<50		
RW3A	06/17/09	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.85	<50		
RW3A	09/04/09	---	<0.50	<0.50	<0.50	6.5	<0.50	1.3	<50		
RW3A	03/09/10	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.63	<50		
RW3A	09/17/10	---	---	---	<0.50	9.8	<0.50	2.1	<50		

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	EDB (µg/L)	1,2-DCA (µg/L)	TAME (µg/L)	TBA (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
RW3A	02/15/11	---	<0.50	<0.50	<0.50	<5.0	<0.50	0.73	<50
RW3A	08/23/11	---	<0.50	<0.50	<0.50	8.9	<0.50	1.6	<50
RW3A	02/09/12	---	<0.50	<0.50	<0.50	<5.0	<0.50	1.4	<50
RW3A	07/24/12	---	<0.50	<0.50	<0.50	17	<0.50	3.0	<50
RW3A	03/11/13	---	<0.50	<0.50	<0.50	13	<0.50	2.4	<50
RW3A	09/04/13	---	<0.50	<0.50	<0.50	22	<0.50	4.5	<50
RW3A	12/11/13 b	---	---	---	---	---	---	---	---
RW3A	01/30/14	---	<0.50	<0.50	<0.50	19	<0.50	1.8	<50
Grab Groundwater Samples									
W-Comp	10/26/00	---	---	---	---	---	---	---	---
W-15-CPT1	10/24/08	15	<10	<10	<10	270	<10	<10	<1,000
W-38-CPT1	10/24/08	38	<2.5	<2.5	<2.5	<25	<2.5	<2.5	<250
W-15 -CPT2	10/27/08	15	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-29 -CPT2	10/27/08	29	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-39 -CPT2	10/27/08	39	<0.50	<0.50	<0.50	<5.0	<0.50	<0.50	<50
W-14 -CPT3	10/23/08	14	<10	<10	<10	260	<10	<10	<1,000
W-13-GP1	03/29/00	13	---	---	---	---	---	---	---
W-23-GP1	03/29/00	23	---	---	---	---	---	---	---
W-12-GP2	03/29/00	12	---	---	---	---	---	---	---
W-23-GP2	03/29/00	23	---	---	---	---	---	---	---
W-15-B7	03/05/07	15	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
W-22-B7	03/05/07	22	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<100
W-14-B8	03/02/07	14	<0.50	<0.50	<0.50	<12	<0.50	<0.50	<100
W-14-16-B9	03/06/07	14-16	<50	<50	<50	<500	<50	<50	<10,000
W-22.5-24-B9	03/06/07	22.5-24	<1.0	<1.0	<1.0	<10	<1.0	3.4	<200
UOW r	11/27/91	---	---	---	---	---	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

TOC Elev.	=	Top of casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level.
NAPL	=	Non-aqueous phase liquid.
Sheen	=	Liquid-phase hydrocarbon present as sheen.
in.	=	Inches of floating product.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	=	Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	=	Total dissolved solids analyzed using Standard Method 2540C.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
Metals	=	Metals analyzed using EPA Method 200.7.
µg/L	=	Micrograms per liter.
mg/L	=	Milligrams per liter.
<	=	Less than the indicated reporting limit shown by the laboratory.
---	=	Not measured/Not sampled/Not analyzed.
a	=	Analyses performed past EPA recommended holding time.
b	=	Well sampled semi-annually.
c	=	Groundwater elevation data invalidated; analytical results suspect.
d	=	The chromatographic pattern does not match that of the specified standard.
e	=	TRPH-diesel surrogate was diluted out due to sample matrix
f	=	Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	=	Elevated result due to single analyte peak in quantitation range.
h	=	Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	=	Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	=	Benchmark is City of Oakland #37J.
k	=	Sample container broken in shipment. Analyses not performed.
l	=	Analyte detected in associated method blank.
m	=	Sample received above recommended temperature.
n	=	Analyte detected in bailer bank.
o	=	Analyte presence was not confirmed by second column or GC/MS analysis.
p	=	Analyzed using EPA Method 624.
q	=	Insufficient sample volume.
r	=	Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	=	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	Arsenic (µg/L)	Lead (µg/L)	Cadmium (µg/L)	Chromium	Copper (µg/L)	Iron (µg/L)	Nickel (µg/L)	Silver (µg/L)	Zinc (µg/L)
Monitoring Well Samples											
Not analyzed for these analytes.											
Grab Groundwater Samples											
W-Comp	10/26/00	---	11.5	<5	<5	<10	<10	825	27.5	<10	28.5
W-15-CPT1	10/24/08	15	---	---	---	---	---	---	---	---	---
W-38-CPT1	10/24/08	38	---	---	---	---	---	---	---	---	---
W-15 -CPT2	10/27/08	15	---	---	---	---	---	---	---	---	---
W-29 -CPT2	10/27/08	29	---	---	---	---	---	---	---	---	---
W-39 -CPT2	10/27/08	39	---	---	---	---	---	---	---	---	---
W-14 -CPT3	10/23/08	14	---	---	---	---	---	---	---	---	---
W-41-CPT3	10/23/08	41	---	---	---	---	---	---	---	---	---
W-13-GP1	03/29/00	13	---	---	---	---	---	---	---	---	---
W-23-GP1	03/29/00	23	---	---	---	---	---	---	---	---	---
W-12-GP2	03/29/00	12	---	---	---	---	---	---	---	---	---
W-23-GP2	03/29/00	23	---	---	---	---	---	---	---	---	---
W-15-B7	03/05/07	15	---	---	---	---	---	---	---	---	---
W-22-B7	03/05/07	22	---	---	---	---	---	---	---	---	---
W-14-B8	03/02/07	14	---	---	---	---	---	---	---	---	---
W-14-16-B9	03/06/07	14-16	---	---	---	---	---	---	---	---	---
W-22.5-24-B9	03/06/07	22.5-24	---	---	---	---	---	---	---	---	---
UOW r	11/27/91	---	---	<100	<5	<10	---	---	30	---	10

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Sampling Date	Depth (feet)	Arsenic (µg/L)	Lead (µg/L)	Cadmium (µg/L)	Chromium (µg/L)	Copper (µg/L)	Iron (µg/L)	Nickel (µg/L)	Silver (µg/L)	Zinc (µg/L)
Monitoring Well Samples											
Not analyzed for these analytes.											
Grab Groundwater Samples											
W-Comp	10/26/00	---	11.5	<5	<5	<10	<10	825	27.5	<10	28.5
W-15-CPT1	10/24/08	15	---	---	---	---	---	---	---	---	---
W-38-CPT1	10/24/08	38	---	---	---	---	---	---	---	---	---
W-15 -CPT2	10/27/08	15	---	---	---	---	---	---	---	---	---
W-29 -CPT2	10/27/08	29	---	---	---	---	---	---	---	---	---
W-39 -CPT2	10/27/08	39	---	---	---	---	---	---	---	---	---
W-14 -CPT3	10/23/08	14	---	---	---	---	---	---	---	---	---
W-41-CPT3	10/23/08	41	---	---	---	---	---	---	---	---	---
W-13-GP1	03/29/00	13	---	---	---	---	---	---	---	---	---
W-23-GP1	03/29/00	23	---	---	---	---	---	---	---	---	---
W-12-GP2	03/29/00	12	---	---	---	---	---	---	---	---	---
W-23-GP2	03/29/00	23	---	---	---	---	---	---	---	---	---
W-15-B7	03/05/07	15	---	---	---	---	---	---	---	---	---
W-22-B7	03/05/07	22	---	---	---	---	---	---	---	---	---
W-14-B8	03/02/07	14	---	---	---	---	---	---	---	---	---
W-14-16-B9	03/06/07	14-16	---	---	---	---	---	---	---	---	---
W-22.5-24-B9	03/06/07	22.5-24	---	---	---	---	---	---	---	---	---
UOW r	11/27/91	---	---	<100	<5	<10	---	---	30	---	10

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:	
TOC Elev.	= Top of casing elevation; datum is mean sea level.
DTW	= Depth to water.
GW Elev.	= Groundwater elevation; datum is mean sea level.
NAPL	= Non-aqueous phase liquid.
Sheen	= Liquid-phase hydrocarbon present as sheen.
in.	= Inches of floating product.
TPHd	= Total petroleum hydrocarbons as diesel analyzed using EPA Method 5030/8015B (modified).
TPHg	= Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015B (modified).
TPHmo	= Total petroleum hydrocarbons as motor oil using EPA Method 8015B.
MTBE 8260B	= Methyl tertiary butyl ether analyzed using EPA Method 8260B.
MTBE 8021B	= Methyl tertiary butyl ether analyzed using EPA Method 8021B.
BTEX	= Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 602 or 8021B.
TDS	= Total dissolved solids analyzed using Standard Method 2540C.
EDB	= 1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	= 1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	= Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	= Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	= Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	= Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	= Ethanol analyzed using EPA Method 8260B.
Metals	= Metals analyzed using EPA Method 200.7.
µg/L	= Micrograms per liter.
mg/L	= Milligrams per liter.
<	= Less than the indicated reporting limit shown by the laboratory.
---	= Not measured/Not sampled/Not analyzed.
a	= Analyses performed past EPA recommended holding time.
b	= Well sampled semi-annually.
c	= Groundwater elevation data invalidated; analytical results suspect.
d	= The chromatographic pattern does not match that of the specified standard.
e	= TRPH-diesel surrogate was diluted out due to sample matrix
f	= Analyte detected in Matrix Spike and Matrix Spike Duplicate.
g	= Elevated result due to single analyte peak in quantitation range.
h	= Initial analysis within EPA recommended hold time. Re-analysis for dilution performed past hold time.
i	= Based on assigned benchmark with elevation arbitrarily set at 100 feet.
j	= Benchmark is City of Oakland #37J.
k	= Sample container broken in shipment. Analyses not performed.
l	= Analyte detected in associated method blank.
m	= Sample received above recommended temperature.
n	= Analyte detected in bailer bank.
o	= Analyte presence was not confirmed by second column or GC/MS analysis.
p	= Analyzed using EPA Method 624.
q	= Insufficient sample volume.
r	= Additional analyses: TOG - 580 µg/L; HVOCs - ND except for 70 µg/L of bromoform.
s	= Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.

TABLE 1C
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA - METALS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Notes:

- t = Well inaccessible.
- u = DTW measured in the field indicates less than 6 inches of water in the well, which is not representative of the actual groundwater table. Groundwater elevation not calculated, data not used to compile groundwater elevation map.
- v = Insufficient water to sample.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 70235
2225 Telegraph Avenue
Oakland, California

Well ID	Well Installation Date	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW6A	Well destroyed in 1992.										
MW6B	June 1988	21.09	8	21.5	19	2	PVC	9-19	0.020	7-20	#3 Sand
MW6C	Well converted to groundwater recovery well RW3 in 1990.										
MW6D	Well converted to groundwater recovery well RW2 in 1990.										
MW6E	10/04/88	21.24	10.5	21.5	20.5	4	PVC	10-19.5	0.020	8-21.5	#3 Sand
MW6F	10/05/88	22.17	10.5	22	20	4	PVC	10-19.5	0.020	8-22	#3 Sand
MW6G	11/16/88	20.46	8	20	20	4	PVC	10-19.5	0.020	8-20	#3 Sand
MW6H	11/16/88	20.20	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6I	11/17/88	19.87	8	21	20	4	PVC	10-19.5	0.020	8-21	#3 Sand
MW6J	04/06/01	20.75	8	23	23	2	PVC	6-23	0.020	6-23	#2/12 Sand
MW6Ka	06/13/13	21.04	10	13	13	4	PVC	11-13	0.020	9-13	#3 Sand
MW6Kb	06/13/13	20.81	8	20	19	2	PVC	16-19	0.020	15-19	#3 Sand
MW6La	06/12/13	21.18	10	13	13	4	PVC	11-13	0.020	9-13	#3 Sand
MW6Lb	06/12/13	21.19	8	20	18	2	PVC	16-18	0.020	15-18	#3 Sand
RW1	05/10/90	20.43	12	25	25	4	PVC	9.5-24.5	0.020	8.5-25	#3 Sand
RW2	07/06/88	20.64	12	25	25	4	PVC	9.5-24.5	0.020	9.5-25	#3 Sand
RW3	Well destroyed in 1991 and replaced with well RW3A in 1992.										
RW3A	08/24/92	21.89	12	21.5	21.5	4	PVC	9-21	0.020	8-21.5	#3 Sand
VW1	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW2	06/05/92	NS	NS	11	11	4	PVC	6-11	0.020	NS	NS
VW3	08/24/92	NS	12	13.5	13.5	4	PVC	4-13.5	0.050	4-13.5	Aquarium Sand

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- PVC = Polyvinyl chloride.
- feet bgs = feet below ground surface.
- NS = Not specified.

APPENDIX A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h(7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain-of-Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain-of-Custody record, to a California state-certified laboratory.

APPENDIX B
FIELD DATA SHEETS

Daily Field Report



Project ID #:	70235	ERI Job #	2590
Subject:	Monitoring and Sampling	Date:	01/29-30/2014
Equipment Used:	Sub. Pump, disp. Bailer, DTW meter	Sheet:	1 of 1
Name(s):	Azat R. Magdanov/Darin Einhell		
Time Arrived On Site:	15:00	Time Departed Site:	18:00
	6:30		17:00
			1/29/2014
			1/30/2013

01/29/2014

15:00 On site.
 15:00-15:30 H&S meeting, Permit.
 15:30-16:00 Opened wells.
 16:30-17:30 DTW wells.

18:00 Off site

01/30/2014

06:30 On site.
 06:30-06:45 H&S meeting.
 07:15-14:45 Purged: MW6E, MW6I, MW6G, MW6F, MW6J, RW2, RW1, RW3A, MW6B, MW6Kb, MW6H, MW6Lb.
 07:45-16:30 Sampled: MW6E, MW6I, MW6G, MW6F, MW6J, RW2, RW1, RW3A, MW6B, MW6Kb, MW6H, MW6Lb.

17:00 Off site.

Purge water - 101 gal.
 Decon water - 34 gal.
 Total water - 135 gal.

WATER SAMPLING SITE STATUS

Date: 01/29/2014

Inspected by: Alex P. Hagdonov

Cardno ERI Job No.: 2229 Station No.: 70235

Site Address: 2225 Telegraph Ave., Oakland CA.

Well ID	Well Head Screws	Rubber Gasket	Well Cap Locking	Lock on Well Cap	Concrete Well Seal	Well Head PVC	Water in Well Vault	Well Cover	Fence/Gate Condition	# Drums	Drum Contents	Building Condition	Site Appearance	Comments / Well Covers	
	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	Y / N	N/R/ok	N/R/ok	N/R/ok		s/w/e	g/v/o	N/R/ok	
MW6E	OK	OK	OK	OK	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
MW6I	N	OK	R	R	OK	OK	N	N	OK	NA	NA	NA	NA	OK	Scr + Tabs are stripped.
MW6G	N	OK	OK	OK	OK	OK	N	N	OK	NA	NA	NA	NA	OK	————— " —————
MW6F	N	OK	OK	OK	OK	OK	N	N	OK	OK	NA	NA	NA	OK	— " ————— " —————
MW6J	N	OK	OK	OK	OK	OK	N	N	OK	NA	NA	NA	NA	OK	1/2 Scr. only. Tabs are stripped.
RW2	OK	OK	N	N	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
RW1	OK	OK	OK	OK	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
RW3A	OK	OK	OK	OK	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
MW6H	N	OK	OK	OK	OK	OK	N	N	OK	NA	NA	NA	NA	OK	1/2 tabs is stripped.
MW6B	N	OK	OK	OK	OK	OK	N	N	OK	NA	NA	NA	NA	OK	Boles are broken in tabs.
MW6K6	OK	OK	N	N	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
MW6L6	OK	OK	N	N	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
MW6Ka	OK	OK	OK	OK	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	
MW6La	OK	OK	OK	OK	OK	OK	N	OK	OK	NA	NA	NA	NA	OK	

N = Not repairable in time available-see comments.
 R = Repaired-see comments
 ok = No action needed.

Y = Yes.
 N = No.

s = Soil.
 w = Water.
 e = Empty.

g = Graffiti on walls.
 v = Vagrants (or evidence of).
 o = Open (not secured).


GROUNDWATER SAMPLING FIELD LOG

Client Name: EXXON MOBIL Cardno ERI Job #: 2229 Date: 01/29/14 Page 1 of 2
 Location: 70235 Field Cleaning Performed: _____ Case Volume = (TD - DTW) x F where F =
 Field Crew: Art R. Magdanan Analysis: _____
 0.163 for 2" inside-diameter well casing
 0.652 for 4" inside-diameter well casing
 1.457 for 6" inside-diameter well casing

Well ID	Time	Case Volume	Purge Volume	Temp	Cond	pH	Post-Purge DTW	80% Recharge	BB	40mil	Amber	DO	ORP	Comments Well Box Condition
---------	------	-------------	--------------	------	------	----	----------------	--------------	----	-------	-------	----	-----	-----------------------------

MW6E	0717	3.81	4				14.39	Y						Dry @ 5 gal.
	0719		4	18.0	139.7	7.33								
			8											
			12											W-14 - MW6E @ 0745
MW6I	0758	4.33	5				13.69	Y						Dry @ 9 gal.
	0801		5	19.9	131.8	7.08								
			10											W-14 - MW6I @ 0830
			15											
MW6G	0837	4.62	5				12.41	Y						
	0840		5	20.4	276	7.03								
	0842		10	20.9	289	6.96								W-12 - MW6G @ 0910
	0846		15	21.0	298	6.95								
MW6F	0925	3.51	4				15.09	Y						Dry @ 9 gal.
	0928		4	18.0	190	7.18								Out of sampling order due to bus. hours.
	0931		8	18.2	186	7.14								W-15 - MW6F @ 1000
			12											
MW6J	1014	1.50	2				15.20	Y						
	1015		2	20.9	248	7.12								
	1017		4	21.5	229	7.03								W-15 - MW6J @ 1035
	1018		6	21.6	214	6.95								
RW2	1148	6.94	7				14.83	Y						Dry @ 16 gal.
	1054		7	19.4	256	6.95								
	1159		14	19.8	251	6.83								W-15 - RW2 @ 1130
			21											
RW1	1138	7.26	8				14.19	Y						Out of sampling order due to fuel rig working
	1144		8	21.4	270	6.93								Dry @ 14 gal.
			16											
			24											W-14 - RW1 @ 1215

APPENDIX C
LABORATORY ANALYTICAL REPORT



CALSCIENCE

WORK ORDER NUMBER: 14-02-0003

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

RECEIVED
FEB 13 2014

BY:

Analytical Report For

Client: Cardno ERI

Client Project Name: ExxonMobil 70235/022229C

Attention: Rebekah Westrup
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Cecile L. de Guia


Approved for release on 02/12/2014 by:
Cecile deGuia
Project Manager

ResultLink ▶

Email your PM ▶




CalScience Environmental Laboratories, Inc. (CalScience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, CalScience is not responsible, legally or otherwise. The client or recipient agrees to indemnify CalScience for any defense to any litigation which may arise.



Contents

Client Project Name: ExxonMobil 70235/022229C
 Work Order Number: 14-02-0003

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Client Sample Data.	5
	3.1 EPA 8015B (M) TPH Motor Oil (Aqueous).	5
	3.2 EPA 8015B (M) TPH Diesel (Aqueous).	8
	3.3 EPA 8015B (M) TPH Gasoline (Aqueous).	11
	3.4 EPA 8021B BTEX (Aqueous).	14
	3.5 EPA 8260B Volatile Organics (Aqueous).	19
	3.6 EPA 8260B Volatile Organics (Aqueous).	24
4	Quality Control Sample Data.	27
	4.1 MS/MSD.	27
	4.2 LCS/LCSD.	31
5	Glossary of Terms and Qualifiers.	39
6	Chain of Custody/Sample Receipt Form.	40



Work Order Narrative

Work Order: 14-02-0003

Page 1 of 1

Condition Upon Receipt:

Samples were received under Chain of Custody (COC) on 02/01/14. They were assigned to Work Order 14-02-0003.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.


New York NELAP air certification does not certify for all reported methods and analytes, reference the accredited items here: http://www.calscience.com/PDF/New_York.pdf

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.






Sample Summary

Client: Cardno ERI	Work Order:	14-02-0003
601 North McDowell Blvd.	Project Name:	ExxonMobil 70235/022229C
Petaluma, CA 94954-2312	PO Number:	022229C
	Date/Time Received:	02/01/14 08:50
	Number of Containers:	98

Attn: Rebekah Westrup

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
QCBB	14-02-0003-1	01/29/14 17:45	2	Aqueous
W-13-MW6B	14-02-0003-2	01/30/14 15:25	8	Aqueous
W-14-MW6E	14-02-0003-3	01/30/14 07:45	8	Aqueous
W-15-MW6F	14-02-0003-4	01/30/14 10:00	8	Aqueous
W-12-MW6G	14-02-0003-5	01/30/14 09:10	8	Aqueous
W-13-MW6H	14-02-0003-6	01/30/14 14:20	8	Aqueous
W-14-MW6I	14-02-0003-7	01/30/14 08:30	8	Aqueous
W-15-MW6J	14-02-0003-8	01/30/14 10:35	8	Aqueous
W-14-RW1	14-02-0003-9	01/30/14 12:15	8	Aqueous
W-15-RW2	14-02-0003-10	01/30/14 11:30	8	Aqueous
W-14-RW3A	14-02-0003-11	01/30/14 13:00	8	Aqueous
W-13-MW6Kb	14-02-0003-12	01/30/14 15:50	8	Aqueous
W-13-MW6Lb	14-02-0003-13	01/30/14 16:30	8	Aqueous

Return to Contents



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6B	14-02-0003-2-H	01/30/14 15:25	Aqueous	GC 47	02/03/14	02/04/14 15:01	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		138		68-140			
W-14-MW6E	14-02-0003-3-H	01/30/14 07:45	Aqueous	GC 47	02/03/14	02/04/14 15:18	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-15-MW6F	14-02-0003-4-H	01/30/14 10:00	Aqueous	GC 47	02/03/14	02/04/14 15:36	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-12-MW6G	14-02-0003-5-H	01/30/14 09:10	Aqueous	GC 47	02/03/14	02/04/14 15:53	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-13-MW6H	14-02-0003-6-H	01/30/14 14:20	Aqueous	GC 47	02/03/14	02/04/14 16:10	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		1500		240		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		126		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI	Date Received: 02/01/14
601 North McDowell Blvd.	Work Order: 14-02-0003
Petaluma, CA 94954-2312	Preparation: EPA 3510C
	Method: EPA 8015B (M)
	Units: ug/L


Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6I	14-02-0003-7-H	01/30/14 08:30	Aqueous	GC 47	02/03/14	02/04/14 16:27	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-15-MW6J	14-02-0003-8-H	01/30/14 10:35	Aqueous	GC 47	02/03/14	02/04/14 16:45	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-14-RW1	14-02-0003-9-H	01/30/14 12:15	Aqueous	GC 47	02/03/14	02/04/14 17:02	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		620		240		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-15-RW2	14-02-0003-10-H	01/30/14 11:30	Aqueous	GC 47	02/03/14	02/04/14 17:19	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		137		68-140			
W-14-RW3A	14-02-0003-11-H	01/30/14 13:00	Aqueous	GC 47	02/03/14	02/04/14 17:36	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		137		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Kb	14-02-0003-12-H	01/30/14 15:50	Aqueous	GC 47	02/03/14	02/04/14 18:25	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-13-MW6Lb	14-02-0003-13-H	01/30/14 16:30	Aqueous	GC 47	02/03/14	02/04/14 18:43	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		240		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		138		68-140			
Method Blank	099-15-278-523	N/A	Aqueous	GC 47	02/03/14	02/04/14 13:34	140203B14
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Motor Oil		ND		250		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		134		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6B	14-02-0003-2-A	01/30/14 15:25	Aqueous	GC 47	02/03/14	02/04/14 15:01	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		48		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		138		68-140			
W-14-MW6E	14-02-0003-3-H	01/30/14 07:45	Aqueous	GC 47	02/03/14	02/04/14 15:18	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		58		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-15-MW6F	14-02-0003-4-H	01/30/14 10:00	Aqueous	GC 47	02/03/14	02/04/14 15:36	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		50		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-12-MW6G	14-02-0003-5-H	01/30/14 09:10	Aqueous	GC 47	02/03/14	02/04/14 15:53	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		83		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-13-MW6H	14-02-0003-6-H	01/30/14 14:20	Aqueous	GC 47	02/03/14	02/04/14 16:10	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		800		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		126		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6I	14-02-0003-7-H	01/30/14 08:30	Aqueous	GC 47	02/03/14	02/04/14 16:27	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		48		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		139		68-140			
W-15-MW6J	14-02-0003-8-H	01/30/14 10:35	Aqueous	GC 47	02/03/14	02/04/14 16:45	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		48		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-14-RW1	14-02-0003-9-H	01/30/14 12:15	Aqueous	GC 47	02/03/14	02/04/14 17:02	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		860		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		140		68-140			
W-15-RW2	14-02-0003-10-H	01/30/14 11:30	Aqueous	GC 47	02/03/14	02/04/14 17:19	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		170		48		1	SG,HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		137		68-140			
W-14-RW3A	14-02-0003-11-H	01/30/14 13:00	Aqueous	GC 47	02/03/14	02/04/14 17:36	140203B13
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Diesel		ND		48		1	SG
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
n-Octacosane		137		68-140			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Kb	14-02-0003-12-H	01/30/14 15:50	Aqueous	GC 47	02/03/14	02/04/14 18:25	140203B13
<u>Parameter</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>		
TPH as Diesel		270	48	1	SG,HD		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>			
n-Octacosane		140	68-140				
W-13-MW6Lb	14-02-0003-13-H	01/30/14 16:30	Aqueous	GC 47	02/03/14	02/04/14 18:43	140203B13
<u>Parameter</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>		
TPH as Diesel		420	48	1	SG,HD		
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>			
n-Octacosane		138	68-140				
Method Blank	099-15-304-593	N/A	Aqueous	GC 47	02/04/14	02/04/14 13:34	140203B13
<u>Parameter</u>		<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>		
TPH as Diesel		ND	50	1			
<u>Surrogate</u>		<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>			
n-Octacosane		134	68-140				

Return to Contents ↑

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6B	14-02-0003-2-E	01/30/14 15:25	Aqueous	GC 25	02/05/14	02/05/14 13:12	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		83		50		1	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		80		38-134			
W-14-MW6E	14-02-0003-3-E	01/30/14 07:45	Aqueous	GC 25	02/05/14	02/05/14 16:00	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		75		38-134			
W-15-MW6F	14-02-0003-4-E	01/30/14 10:00	Aqueous	GC 25	02/05/14	02/05/14 16:34	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		79		38-134			
W-12-MW6G	14-02-0003-5-E	01/30/14 09:10	Aqueous	GC 25	02/05/14	02/05/14 17:08	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		80		38-134			
W-13-MW6H	14-02-0003-6-E	01/30/14 14:20	Aqueous	GC 25	02/05/14	02/05/14 17:41	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		3800		100		2	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		100		38-134			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6I	14-02-0003-7-E	01/30/14 08:30	Aqueous	GC 25	02/05/14	02/05/14 18:15	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		78		38-134			
W-15-MW6J	14-02-0003-8-E	01/30/14 10:35	Aqueous	GC 25	02/05/14	02/05/14 18:49	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		78		38-134			
W-14-RW1	14-02-0003-9-E	01/30/14 12:15	Aqueous	GC 25	02/05/14	02/05/14 19:22	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		960		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		107		38-134			
W-15-RW2	14-02-0003-10-E	01/30/14 11:30	Aqueous	GC 25	02/05/14	02/05/14 20:30	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		500		50		1	HD
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		96		38-134			
W-14-RW3A	14-02-0003-11-E	01/30/14 13:00	Aqueous	GC 25	02/05/14	02/05/14 21:03	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		50		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		78		38-134			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8015B (M)
Units: ug/L


Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Kb	14-02-0003-12-E	01/30/14 15:50	Aqueous	GC 25	02/05/14	02/05/14 21:37	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		450		100		2	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		80		38-134			
W-13-MW6Lb	14-02-0003-13-E	01/30/14 16:30	Aqueous	GC 25	02/05/14	02/05/14 22:11	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		620		100		2	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		86		38-134			
Method Blank	099-12-436-9139	N/A	Aqueous	GC 25	02/05/14	02/05/14 12:05	140205B01
<u>Parameter</u>		<u>Result</u>		<u>RL</u>		<u>DF</u>	<u>Qualifiers</u>
TPH as Gasoline		ND		50		1	
<u>Surrogate</u>		<u>Rec. (%)</u>		<u>Control Limits</u>		<u>Qualifiers</u>	
1,4-Bromofluorobenzene		76		38-134			

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6B	14-02-0003-2-F	01/30/14 15:25	Aqueous	GC 21	02/03/14	02/03/14 20:16	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	109	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6E	14-02-0003-3-F	01/30/14 07:45	Aqueous	GC 21	02/03/14	02/03/14 17:00	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	109	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-MW6F	14-02-0003-4-F	01/30/14 10:00	Aqueous	GC 21	02/03/14	02/03/14 17:33	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	110	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-12-MW6G	14-02-0003-5-F	01/30/14 09:10	Aqueous	GC 21	02/03/14	02/03/14 18:05	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6H	14-02-0003-6-F	01/30/14 14:20	Aqueous	GC 21	02/03/14	02/04/14 02:16	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	640	1.0	2	
Toluene	69	1.0	2	
Ethylbenzene	100	1.0	2	
p/m-Xylene	230	2.0	2	
o-Xylene	48	1.0	2	
Xylenes (total)	280	1.0	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	119	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6I	14-02-0003-7-F	01/30/14 08:30	Aqueous	GC 21	02/03/14	02/03/14 18:38	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	110	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-MW6J	14-02-0003-8-F	01/30/14 10:35	Aqueous	GC 21	02/03/14	02/03/14 19:11	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	110	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-RW1	14-02-0003-9-F	01/30/14 12:15	Aqueous	GC 21	02/03/14	02/03/14 20:49	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	34	0.50	1	
Toluene	1.5	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	1.2	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	1.2	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	118	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-RW2	14-02-0003-10-F	01/30/14 11:30	Aqueous	GC 21	02/03/14	02/03/14 19:43	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	112	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-RW3A	14-02-0003-11-F	01/30/14 13:00	Aqueous	GC 21	02/03/14	02/03/14 21:22	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	6.0	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	105	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Kb	14-02-0003-12-F	01/30/14 15:50	Aqueous	GC 21	02/03/14	02/03/14 21:54	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	11	0.50	1	
Toluene	7.4	0.50	1	
Ethylbenzene	11	0.50	1	
p/m-Xylene	45	1.0	1	
o-Xylene	21	0.50	1	
Xylenes (total)	66	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	113	70-130	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Lb	14-02-0003-13-F	01/30/14 16:30	Aqueous	GC 21	02/03/14	02/04/14 01:43	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	49	1.0	2	
Toluene	27	1.0	2	
Ethylbenzene	53	1.0	2	
p/m-Xylene	97	2.0	2	
o-Xylene	12	1.0	2	
Xylenes (total)	110	1.0	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	111	70-130	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI	Date Received:	02/01/14
601 North McDowell Blvd.	Work Order:	14-02-0003
Petaluma, CA 94954-2312	Preparation:	EPA 5030C
	Method:	EPA 8021B
	Units:	ug/L


Project: ExxonMobil 70235/022229C Page 5 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-667-1967	N/A	Aqueous	GC 21	02/03/14	02/03/14 16:27	140203B01

Parameter	Result	RL	DF	Qualifiers
Benzene	ND	0.50	1	
Toluene	ND	0.50	1	
Ethylbenzene	ND	0.50	1	
p/m-Xylene	ND	1.0	1	
o-Xylene	ND	0.50	1	
Xylenes (total)	ND	0.50	1	
<u>Surrogate</u>	<u>Rec. (%)</u>	<u>Control Limits</u>	<u>Qualifiers</u>	
1,4-Bromofluorobenzene	101	70-130		

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6B	14-02-0003-2-A	01/30/14 15:25	Aqueous	GC/MS L	02/03/14	02/03/14 17:29	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	10	0.50	1	
Tert-Butyl Alcohol (TBA)	5.9	5.0	1	
Diisopropyl Ether (DIPE)	0.68	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	97	68-120	
Dibromofluoromethane	94	80-127	
1,2-Dichloroethane-d4	98	80-128	
Toluene-d8	100	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6E	14-02-0003-3-A	01/30/14 07:45	Aqueous	GC/MS L	02/03/14	02/03/14 18:24	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	98	80-127	
1,2-Dichloroethane-d4	105	80-128	
Toluene-d8	100	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-MW6F	14-02-0003-4-A	01/30/14 10:00	Aqueous	GC/MS L	02/03/14	02/03/14 18:52	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	94	68-120	
Dibromofluoromethane	101	80-127	
1,2-Dichloroethane-d4	102	80-128	
Toluene-d8	99	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-MW6I	14-02-0003-7-A	01/30/14 08:30	Aqueous	GC/MS L	02/03/14	02/03/14 20:14	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	96	80-127	
1,2-Dichloroethane-d4	101	80-128	
Toluene-d8	101	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-MW6J	14-02-0003-8-A	01/30/14 10:35	Aqueous	GC/MS L	02/03/14	02/03/14 20:41	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	8.4	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	96	80-127	
1,2-Dichloroethane-d4	102	80-128	
Toluene-d8	99	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-15-RW2	14-02-0003-10-B	01/30/14 11:30	Aqueous	GC/MS L	02/04/14	02/04/14 14:57	140204L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	99	68-120	
Dibromofluoromethane	87	80-127	
1,2-Dichloroethane-d4	82	80-128	
Toluene-d8	100	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Kb	14-02-0003-12-B	01/30/14 15:50	Aqueous	GC/MS L	02/04/14	02/04/14 16:46	140204L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	1.3	1.0	2	
Tert-Butyl Alcohol (TBA)	ND	10	2	
Diisopropyl Ether (DIPE)	ND	1.0	2	
Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	
Tert-Amyl-Methyl Ether (TAME)	ND	1.0	2	
1,2-Dibromoethane	ND	1.0	2	
1,2-Dichloroethane	ND	1.0	2	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	93	68-120	
Dibromofluoromethane	92	80-127	
1,2-Dichloroethane-d4	80	80-128	
Toluene-d8	100	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6Lb	14-02-0003-13-B	01/30/14 16:30	Aqueous	GC/MS L	02/04/14	02/04/14 16:18	140204L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	2.9	1.0	2	
Tert-Butyl Alcohol (TBA)	ND	10	2	
Diisopropyl Ether (DIPE)	1.5	1.0	2	
Ethyl-t-Butyl Ether (ETBE)	ND	1.0	2	
Tert-Amyl-Methyl Ether (TAME)	ND	1.0	2	
1,2-Dibromoethane	ND	1.0	2	
1,2-Dichloroethane	ND	1.0	2	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	95	68-120	
Dibromofluoromethane	88	80-127	
1,2-Dichloroethane-d4	81	80-128	
Toluene-d8	100	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 5 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-1193	N/A	Aqueous	GC/MS L	02/03/14	02/03/14 12:56	140203L02

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	94	68-120	
Dibromofluoromethane	91	80-127	
1,2-Dichloroethane-d4	91	80-128	
Toluene-d8	98	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-880-1194	N/A	Aqueous	GC/MS L	02/04/14	02/04/14 11:40	140204L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	93	68-120	
Dibromofluoromethane	95	80-127	
1,2-Dichloroethane-d4	98	80-128	
Toluene-d8	99	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-12-MW6G	14-02-0003-5-A	01/30/14 09:10	Aqueous	GC/MS L	02/03/14	02/03/14 19:19	140203L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	0.61	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Ethanol	ND	50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	96	68-120	
Dibromofluoromethane	96	80-127	
1,2-Dichloroethane-d4	101	80-128	
Toluene-d8	100	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-13-MW6H	14-02-0003-6-A	01/30/14 14:20	Aqueous	GC/MS L	02/03/14	02/03/14 19:46	140203L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	15	10	20	
Tert-Butyl Alcohol (TBA)	ND	100	20	
Diisopropyl Ether (DIPE)	ND	10	20	
Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Ethanol	ND	1000	20	
1,2-Dibromoethane	ND	10	20	
1,2-Dichloroethane	ND	10	20	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	100	68-120	
Dibromofluoromethane	95	80-127	
1,2-Dichloroethane-d4	100	80-128	
Toluene-d8	100	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-RW1	14-02-0003-9-A	01/30/14 12:15	Aqueous	GC/MS L	02/03/14	02/03/14 21:08	140203L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	3.6	0.50	1	
Tert-Butyl Alcohol (TBA)	27	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Ethanol	ND	50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	105	68-120	
Dibromofluoromethane	94	80-127	
1,2-Dichloroethane-d4	95	80-128	
Toluene-d8	103	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
W-14-RW3A	14-02-0003-11-B	01/30/14 13:00	Aqueous	GC/MS L	02/04/14	02/04/14 17:13	140204L04

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	1.1	0.50	1	
Tert-Butyl Alcohol (TBA)	19	5.0	1	
Diisopropyl Ether (DIPE)	1.8	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Ethanol	ND	50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	92	68-120	
Dibromofluoromethane	87	80-127	
1,2-Dichloroethane-d4	81	80-128	
Toluene-d8	99	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Analytical Report

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B
Units: ug/L

Project: ExxonMobil 70235/022229C

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-1130	N/A	Aqueous	GC/MS L	02/03/14	02/03/14 12:56	140203L03

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Ethanol	ND	50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	


Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	94	68-120	
Dibromofluoromethane	91	80-127	
1,2-Dichloroethane-d4	91	80-128	
Toluene-d8	98	80-120	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-884-1131	N/A	Aqueous	GC/MS L	02/04/14	02/04/14 11:40	140204L04

Parameter	Result	RL	DF	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
Tert-Butyl Alcohol (TBA)	ND	5.0	1	
Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Ethanol	ND	50	1	
1,2-Dibromoethane	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1	

Surrogate	Rec. (%)	Control Limits	Qualifiers
1,4-Bromofluorobenzene	93	68-120	
Dibromofluoromethane	95	80-127	
1,2-Dichloroethane-d4	98	80-128	
Toluene-d8	99	80-120	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Quality Control - Spike/Spike Duplicate

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C


Page 1 of 4

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
W-13-MW6B	Sample	Aqueous	GC 25	02/05/14	02/05/14 13:12	140205S01
W-13-MW6B	Matrix Spike	Aqueous	GC 25	02/05/14	02/05/14 13:46	140205S01
W-13-MW6B	Matrix Spike Duplicate	Aqueous	GC 25	02/05/14	02/05/14 14:19	140205S01

Parameter	<u>Sample Conc.</u>	<u>Spike Added</u>	<u>MS Conc.</u>	<u>MS %Rec.</u>	<u>MSD Conc.</u>	<u>MSD %Rec.</u>	<u>%Rec. CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	82.70	2000	1868	89	1868	89	68-122	0	0-18	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B


Project: ExxonMobil 70235/022229C

Page 2 of 4

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
W-12-MW6G	Sample	Aqueous	GC 21	02/03/14	02/03/14 18:05	140203S01				
W-12-MW6G	Matrix Spike	Aqueous	GC 21	02/03/14	02/03/14 22:27	140203S01				
W-12-MW6G	Matrix Spike Duplicate	Aqueous	GC 21	02/03/14	02/03/14 23:00	140203S01				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Benzene	ND	100.0	110.5	111	108.9	109	57-129	1	0-23	
Toluene	ND	100.0	107.2	107	106.8	107	50-134	0	0-26	
Ethylbenzene	ND	100.0	105.8	106	105.2	105	58-130	1	0-26	
p/m-Xylene	ND	200.0	211.2	106	210.2	105	58-130	0	0-28	
o-Xylene	ND	100.0	105.3	105	104.6	105	57-123	1	0-26	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 3 of 4

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
14-01-1909-2	Sample	Aqueous	GC/MS L	02/03/14	02/03/14 13:50	140203S01
14-01-1909-2	Matrix Spike	Aqueous	GC/MS L	02/03/14	02/03/14 15:39	140203S01
14-01-1909-2	Matrix Spike Duplicate	Aqueous	GC/MS L	02/03/14	02/03/14 16:07	140203S01

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	1000	882.4	88	853.4	85	67-121	3	0-49	
Tert-Butyl Alcohol (TBA)	ND	5000	5187	104	5000	100	36-162	4	0-30	
Diisopropyl Ether (DIPE)	ND	1000	849.9	85	818.8	82	60-138	4	0-45	
Ethyl-t-Butyl Ether (ETBE)	ND	1000	924.7	92	906.9	91	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	ND	1000	953.2	95	950.7	95	65-120	0	0-20	
Ethanol	ND	10000	9554	96	9958	100	30-180	4	0-72	
1,2-Dibromoethane	ND	1000	966.0	97	941.8	94	80-120	3	0-20	
1,2-Dichloroethane	9779	1000	10890	112	10620	84	80-120	3	0-20	

↑
Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - Spike/Spike Duplicate

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C


Page 4 of 4

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
14-02-0055-1	Sample	Aqueous	GC/MS L	02/04/14	02/04/14 13:07	140204S01
14-02-0055-1	Matrix Spike	Aqueous	GC/MS L	02/04/14	02/04/14 13:35	140204S01
14-02-0055-1	Matrix Spike Duplicate	Aqueous	GC/MS L	02/04/14	02/04/14 14:02	140204S01

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)	ND	10.00	7.722	77	7.812	78	67-121	1	0-49	
Tert-Butyl Alcohol (TBA)	ND	50.00	55.10	110	51.77	104	36-162	6	0-30	
Diisopropyl Ether (DIPE)	ND	10.00	10.52	105	10.42	104	60-138	1	0-45	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	8.691	87	8.803	88	69-123	1	0-30	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	8.497	85	8.450	84	65-120	1	0-20	
Ethanol	ND	100.0	103.8	104	101.6	102	30-180	2	0-72	
1,2-Dibromoethane	ND	10.00	8.356	84	8.465	85	80-120	1	0-20	
1,2-Dichloroethane	ND	10.00	8.537	85	8.325	83	80-120	3	0-20	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS/LCSD


Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: ExxonMobil 70235/022229C

Page 1 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-15-278-523	LCS	Aqueous	GC 47	02/03/14	02/04/14 13:52	140203B14			
099-15-278-523	LCSD	Aqueous	GC 47	02/03/14	02/04/14 14:09	140203B14			
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Motor Oil	2000	2228	111	2251	113	75-117	1	0-13	



Quality Control - LCS/LCSD

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 3510C
Method: EPA 8015B (M)


Project: ExxonMobil 70235/022229C

Page 2 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-15-304-593	LCS	Aqueous	GC 47	02/04/14	02/04/14 13:52	140203B13			
099-15-304-593	LCSD	Aqueous	GC 47	02/04/14	02/04/14 14:09	140203B13			
Parameter	Spike Added	LCS Conc.	LCS %Rec.	LCSD Conc.	LCSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
TPH as Diesel	2000	2176	109	2209	110	75-117	2	0-13	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits




Quality Control - LCS

Cardno ERI	Date Received:	02/01/14
601 North McDowell Blvd.	Work Order:	14-02-0003
Petaluma, CA 94954-2312	Preparation:	EPA 5030C
	Method:	EPA 8015B (M)
Project: ExxonMobil 70235/022229C		Page 3 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-436-9139	LCS	Aqueous	GC 25	02/05/14	02/05/14 12:39	140205B01
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
TPH as Gasoline		2000	1850	92	78-120	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8021B

Project: ExxonMobil 70235/022229C


Page 4 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-667-1967	LCS	Aqueous	GC 21	02/03/14	02/03/14 14:49	140203B01
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
Benzene		100.0	109.3	109	70-118	
Toluene		100.0	108.6	109	66-114	
Ethylbenzene		100.0	107.6	108	72-114	
p/m-Xylene		200.0	215.5	108	74-116	
o-Xylene		100.0	106.7	107	72-114	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C


Page 5 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-880-1193	LCS	Aqueous	GC/MS L	02/03/14	02/03/14 11:56	140203L02
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)		10.00	9.539	95	69-123	
Tert-Butyl Alcohol (TBA)		50.00	50.55	101	63-123	
Diisopropyl Ether (DIPE)		10.00	9.543	95	59-137	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.699	87	69-123	
Tert-Amyl-Methyl Ether (TAME)		10.00	9.631	96	70-120	
1,2-Dibromoethane		10.00	10.03	100	79-121	
1,2-Dichloroethane		10.00	9.284	93	80-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C


Page 6 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-880-1194	LCS	Aqueous	GC/MS L	02/04/14	02/04/14 10:37	140204L03
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)		10.00	9.194	92	69-123	
Tert-Butyl Alcohol (TBA)		50.00	51.73	103	63-123	
Diisopropyl Ether (DIPE)		10.00	8.808	88	59-137	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.935	89	69-123	
Tert-Amyl-Methyl Ether (TAME)		10.00	9.466	95	70-120	
1,2-Dibromoethane		10.00	9.703	97	79-121	
1,2-Dichloroethane		10.00	8.960	90	80-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C


Page 7 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-884-1130	LCS	Aqueous	GC/MS L	02/03/14	02/03/14 11:56	140203L03
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)		10.00	9.539	95	69-123	
Tert-Butyl Alcohol (TBA)		50.00	50.55	101	63-123	
Diisopropyl Ether (DIPE)		10.00	9.543	95	59-137	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.699	87	69-123	
Tert-Amyl-Methyl Ether (TAME)		10.00	9.631	96	70-120	
Ethanol		100.0	103.1	103	28-160	
1,2-Dibromoethane		10.00	10.03	100	79-121	
1,2-Dichloroethane		10.00	9.284	93	80-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Quality Control - LCS

Cardno ERI
601 North McDowell Blvd.
Petaluma, CA 94954-2312

Date Received: 02/01/14
Work Order: 14-02-0003
Preparation: EPA 5030C
Method: EPA 8260B

Project: ExxonMobil 70235/022229C

Page 8 of 8

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-12-884-1131	LCS	Aqueous	GC/MS L	02/04/14	02/04/14 10:37	140204L04
Parameter		Spike Added	Conc. Recovered	LCS %Rec.	%Rec. CL	Qualifiers
Methyl-t-Butyl Ether (MTBE)		10.00	9.194	92	69-123	
Tert-Butyl Alcohol (TBA)		50.00	51.73	103	63-123	
Diisopropyl Ether (DIPE)		10.00	8.808	88	59-137	
Ethyl-t-Butyl Ether (ETBE)		10.00	8.935	89	69-123	
Tert-Amyl-Methyl Ether (TAME)		10.00	9.466	95	70-120	
Ethanol		100.0	104.8	105	28-160	
1,2-Dibromoethane		10.00	9.703	97	79-121	
1,2-Dichloroethane		10.00	8.960	90	80-120	



Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Glossary of Terms and Qualifiers

Work Order: 14-02-0003

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
AZ	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
BA	The MS/MSD RPD was out of control due to suspected matrix interference.
BB	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
DF	Reporting limits elevated due to matrix interferences.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
GE	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
HD	Chromat. profile inconsistent with pattern(s) of ref. fuel stnds.
HO	High concentration matrix spike recovery out of limits
HT	Analytical value calculated using results from associated tests.
HX	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS was in control.
IL	Relative percent difference out of control.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
LD	Analyte presence was not confirmed by second column or GC/MS analysis.
LP	The LCS and/or LCSD recoveries for this analyte were above the upper control limit. The associated sample was non-detected. Therefore, the sample data was reported without further clarification.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
ND	Parameter not detected at the indicated reporting limit.
QO	Compound did not meet method-described identification guidelines. Identification was based on additional GC/MS characteristics.
RU	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
SG	A silica gel cleanup procedure was performed.
SN	See applicable analysis comment.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

0003

	< WebShip > > > > 800-322-5555 www.gso.com	
	Ship From: ALAN KEMP CAL SCIENCE- CONCORD 5063 COMMERCIAL CIRCLE #H CONCORD, CA 94520	Tracking #: 523815343 
Ship To: SAMPLE RECEIVING CEL 7440 LINCOLN WAY GARDEN GROVE, CA 92841	ORC GARDEN GROVE	
COD: \$0.00	D92843A  20775219	
Reference: CARDNO ERI		
Delivery Instructions:		
Signature Type: SIGNATURE REQUIRED	Print Date : 01/31/14 14:48 PM	

Package 1 of 2

Print All

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.

STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for loss, damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.

Return to Contents ↑

0003

	< WebShip > > > > 800-322-5555 www.gso.com	
	Ship From: ALAN KEMP CAL SCIENCE- CONCORD 5063 COMMERCIAL CIRCLE #H CONCORD, CA 94520	Tracking #: 523815344 
Ship To: SAMPLE RECEIVING CEL 7440 LINCOLN WAY GARDEN GROVE, CA 92841	ORC A GARDEN GROVE	
COD: \$0.00	D92843A  20775220	
Reference: CARDNO ERI		
Delivery Instructions:		
Signature Type: SIGNATURE REQUIRED	Print Date : 01/31/14 14:48 PM	

Package 2 of 2

Send Label To Printer	<input checked="" type="checkbox"/> Print All	Edit Shipment	Finish
-----------------------	---	---------------	--------

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

STEP 1 - Use the "Send Label to Printer" button on this page to print the shipping label on a laser or inkjet printer.

STEP 2 - Fold this page in half.

STEP 3 - Securely attach this label to your package, do not cover the barcode.

STEP 4 - Request an on-call pickup for your package, if you do not have scheduled daily pickup service or Drop-off your package at the nearest GSO drop box. Locate nearest GSO dropbox locations using this link.

ADDITIONAL OPTIONS:

Send Label Via Email	Create Return Label
----------------------	---------------------

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all the service terms and conditions described in this section. Our liability for loss or damage to any package is limited to your actual damages or \$100 whichever is less, unless you pay for and declare a higher authorized value. If you declare a higher value and pay the additional charge, our liability will be the lesser of your declared value or the actual value of your loss or damage. In any event, we will not be liable for any damage, whether direct, incidental, special or consequential, in excess of the declared value of a shipment whether or not we had knowledge that such damage might be incurred including but not limited to loss of income or profit. We will not be liable for your acts or omissions, including but not limited to improper or insufficient packaging, securing, marking or addressing. Also, we will not be liable if you or the recipient violates any of the terms of our agreement. We will not be liable for any damage or delay caused by events we cannot control, including but not limited to acts of God, perils of the air, weather conditions, act of public enemies, war, strikes, or civil commotion. The highest declared value for our GSO Priority Letter or GSO Priority Package is \$500. For other shipments the highest declared value is \$10,000 unless your package contains items of "extraordinary value", in which case the highest declared value we allow is \$500. Items of "extraordinary value" include, but are not limited to, artwork, jewelry, furs, precious metals, tickets, negotiable instruments and other items with intrinsic value.

Return to Contents ↑

WORK ORDER #: **14-02-0003**

SAMPLE RECEIPT FORM

Cooler 1 of 2

CLIENT: Cardno ERI

DATE: 02/01/14

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen except sediment/tissue)

Temperature 3.6 °C - 0.3 °C (CF) = 3.3 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter

Checked by: 802

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Checked by: 802

Sample _____ No (Not Intact) Not Present Checked by: 778

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aqueous samples received within 15-minute holding time			
<input type="checkbox"/> pH <input type="checkbox"/> Residual Chlorine <input type="checkbox"/> Dissolved Sulfides <input type="checkbox"/> Dissolved Oxygen.....			
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (____) EnCores® TerraCores® _____

Aqueous: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBp 1AGB 1AGBna₂ 1AGBs

500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 1PBna 500PB


250PB 250PBn 125PB 125PBzanna 100PJ 100PJna₂ _____ _____ _____

Air: Tedlar® Canister **Other:** _____ **Trip Blank Lot#:** _____ **Labeled/Checked by:** 778

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope **Reviewed by:** 739

Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ u: Ultra-pure zanna: ZnAc₂+NaOH f: Filtered **Scanned by:** 739

Return to Contents



WORK ORDER #: 14-02-0003

SAMPLE RECEIPT FORM

Cooler 2 of 2

CLIENT: Cardno ERI

DATE: 02/01/14

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C – 6.0 °C, not frozen except sediment/tissue)

Temperature 3.4 °C - 0.3 °C (CF) = 3.1 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____)

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter

Checked by: 802

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Checked by: 802
 Sample _____ No (Not Intact) Not Present Checked by: 778

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aqueous samples received within 15-minute holding time			
<input type="checkbox"/> pH <input type="checkbox"/> Residual Chlorine <input type="checkbox"/> Dissolved Sulfides <input type="checkbox"/> Dissolved Oxygen.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (____) EnCores® TerraCores® _____

Aqueous: VOA VOA_h VOA_{na2} 125AGB 125AGB_h 125AGB_p 1AGB 1AGB_{na2} 1AGB_s

500AGB 500AGJ 500AGJ_s 250AGB 250CGB 250CGB_s 1PB 1PB_{na} 500PB

250PB 250PB_n 125PB 125PB_{znna} 100PJ 100PJ_{na2} _____ _____ _____

Air: Tedlar® Canister Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: 778

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: 739

Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ u: Ultra-pure znna: ZnAc₂+NaOH f: Filtered Scanned by: 739

Return to Contents

APPENDIX D
WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. ER12229	2. Page 1 of 1
3. Generator's Name and Mailing Address EM# 70235 2225 TELEGRAPH AVE OAKLAND, CA		CARDNO ERI			
4. Generator's Phone ()	5. Transporter 1 Company Name CARDNO ERI		6. US EPA ID Number	A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone	
9. Designated Facility Name and Site Address INSTRAT, INC. 1105 C AIRPORT RD. RIO VISTA, CA 94571		10. US EPA ID Number		C. State Transporter's ID	
				D. Transporter 2 Phone	
				E. State Facility's ID	
				F. Facility's Phone (925) 374-8204	
11. WASTE DESCRIPTION			12. Containers	13. Total Quantity	14. Unit Wt./Vol.
			No.	Type	
a. NON-HAZ PURGE WATER			1	POLY	135 GAL
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above BROWN, FINES, No ODOOR			H. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name			Signature		Date Month Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials			Signature		Date
Darin Einhell			<i>[Signature]</i>		1 31 14
18. Transporter 2 Acknowledgement of Receipt of Materials			Signature		Date
Printed/Typed Name			Signature		Month Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name MICHAEL WHITEHEAD			Signature <i>[Signature]</i>		Date 1 31 14

NON-HAZARDOUS WASTE

GENERATOR

TRANSPORTER

FACILITY