

C A M B R I A

AUG 03 2002

July 25, 2002

Scott Seery  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Second Quarter 2002 Monitoring Report**  
Shell-branded Service Station  
4226 First Street  
Pleasanton, California  
Incident #98995840  
Cambria Project #244-0523-002



Dear Mr. Seery:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

## **SECOND QUARTER 2002 ACTIVITIES**

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged and sampled the site wells, calculated the groundwater elevation, and compiled the analytical data. Cambria prepared a site vicinity map (Figure 1) and a groundwater elevation contour map (Figure 2). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.

## **ANTICIPATED THIRD QUARTER 2002 ACTIVITIES**

**Groundwater Monitoring:** Blaine will gauge and sample all site wells and tabulate the data. Cambria will prepare a monitoring report.

Oakland, CA  
San Ramon, CA  
Sonoma, CA

**Cambria  
Environmental  
Technology, Inc.**

1144 65th Street  
Suite B  
Oakland, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

**CLOSING**


We appreciate the opportunity to work with you on this project. Please call Matt Derby at (510) 420-3332 if you have any questions or comments.

Sincerely,  
**Cambria Environmental Technology, Inc**



Anni Kreml  
Senior Staff Scientist

Matthew W. Derby, P.E.  
Senior Project Engineer




Figures: 1 - Vicinity Map  
2 - Groundwater Elevation Contour Map

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869  
Douglas E & Mary M Safreno, 1627 Vineyard Avenue, Pleasanton, CA 94566-6389

\\OAKDC\SHELL\Pleasanton 4226 First\Qm\2q02\2q02.doc



G:\PLEASANTON\4226\FIR\STV\FIGURE\VICINITY.MAP.A1

0 1/8 1/4 1/2 1  
SCALE 1:1/4 MILES


FIGURE  
**1**

**Shell-branded Service Station**  
4226 First Street  
Pleasanton, California  
Incident #98995840



C A M B R I A

**Vicinity Map**



G:\PLEASANTON\22\FIRST\FIGURES\COM02-MP.DWG

**EXPLANATION**

- MW-1 ◆ Monitoring well location
- S-1 ✕ Destroyed well
- ▲ Observation well location
- SB-1 ● Soil boring location
- Former tank pit
- Groundwater flow direction
- XX.XX Groundwater elevation contour, in feet above mean sea level (msl), approximately located; dashed where inferred

Well	Well designation
ELEV	Groundwater elevation, in feet above msl
Benzene MTBE	Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8260.

0 20 40  
 Scale (ft)

FIGURE  
**2**

**Shell-branded Service Station**  
 4226 First Street  
 Pleasanton, California  
 Incident #98995840



C A M B R I A

**Groundwater Elevation Contour Map**

June 17, 2002

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

**BLAINE**  
TECH SERVICES INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

July 12, 2002

Karen Petryna  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

Second Quarter 2002 Groundwater Monitoring at  
Shell-branded Service Station  
4226 First Street  
Pleasanton, CA

Monitoring performed on June 17, 2002

---

Groundwater Monitoring Report **020617-JK-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Cambria Environmental Technology, Inc.  
1144 65<sup>th</sup> Street, Suite C  
Oakland, CA 94608-2411

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**4226 First Street**  
**Pleasanton, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	06/16/1999	NA	NA	NA	NA	NA	NA	NA	371.20	37.81	333.39
MW-1	06/30/1999	89.0	5.89	<0.500	<0.500	0.652	<5.00	NA	371.20	33.65	337.55
MW-1	09/24/1999	1,560	473	<10.0	<10.0	22.8	<2.50	NA	371.20	37.04	334.16
MW-1	12/08/1999	1,020	375	<5.00	<5.00	15.2	<50.0	NA	371.20	36.79	334.41
MW-1	02/10/2000	523	106	<5.00	<5.00	31.8	2.90	NA	371.20	34.90	336.30
MW-1	05/17/2000	<50.0	<0.500	<0.500	<0.500	<0.500	37.0	29.5	371.20	32.55	338.65
MW-1	08/03/2000	808	290	<2.50	<2.50	8.90	<12.5	NA	371.20	39.13	332.07
MW-1	10/31/2000	507	250	0.962	<0.500	23.5	3.76	NA	371.20	37.91	333.29
MW-1	03/01/2001	<50.0	<0.500	<0.500	<0.500	<0.500	74.6	NA	371.20	39.60	331.60
MW-1	05/30/2001	780	280	<2.0	<2.0	11	NA	<2.0	371.20	39.53	331.67
MW-1	08/02/2001	1,900	580	<2.5	<2.5	12	NA	<25	371.20	39.61	331.59
MW-1	12/06/2001	840	190	<0.50	<0.50	13	NA	<5.0	371.20	39.63	331.57
MW-1	02/05/2002	2,700	650	<2.5	<2.5	7.2	NA	<25	371.20	35.53	335.67
MW-1	06/17/2002	2,500	550	<2.0	<2.0	5.9	NA	<20	371.20	39.29	331.91
MW-2	02/03/2000	NA	NA	NA	NA	NA	NA	NA	372.40	32.65	339.75
MW-2	02/07/2000	NA	NA	NA	NA	NA	NA	NA	372.40	35.51	336.89
MW-2	02/10/2000	<50.0	<0.500	<0.500	<0.500	<0.500	2.61	NA	372.40	36.62	335.78
MW-2	05/17/2000	120	4.09	<0.500	<0.500	<0.500	29.0	NA	372.40	32.14	340.26
MW-2	08/03/2000	<50.0	0.692	<0.500	<0.500	<0.500	40.5	36.6b	372.40	32.42	339.98
MW-2	10/31/2000	<50.0	<0.500	<0.500	<0.500	<0.500	57.4	44.8c	372.40	33.02	339.38
MW-2	03/01/2001	173	1.64	1.65	2.86	3.97	127	167	372.40	32.54	339.86
MW-2	05/30/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	170	372.40	32.42	339.98
MW-2	08/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	160	372.40	32.55	339.85
MW-2	12/06/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	170	372.40	33.15	339.25
MW-2	02/05/2002	<50	0.72	<0.50	<0.50	1.7	NA	170	372.40	32.29	340.11
MW-2	06/17/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	260	372.40	32.63	339.77
MW-3	02/03/2000	NA	NA	NA	NA	NA	NA	NA	375.05	32.06	342.99
MW-3	02/07/2000	NA	NA	NA	NA	NA	NA	NA	375.05	32.57	342.48



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**4226 First Street**  
**Pleasanton, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-3	02/10/2000	180	5.12	<0.500	<0.500	0.714	26.8	21.5a	375.05	32.77	342.28
MW-3	05/17/2000	1,360	414	<5.00	<5.00	17.6	<25.0	NA	375.05	31.00	344.05
MW-3	08/03/2000	<50.0	0.536	<0.500	<0.500	<0.500	22.0	NA	375.05	31.03	344.02
MW-3	10/31/2000	<50.0	<0.500	<0.500	<0.500	<0.500	31.1	NA	375.05	31.28	343.77
MW-3	03/01/2001	384	172	0.815	<0.500	8.00	5.16	NA	375.05	31.21	343.84
MW-3	05/30/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	110	375.05	31.02	344.03
MW-3	08/02/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	93	375.05	30.94	344.11
MW-3	12/06/2001	110	<0.50	<0.50	<0.50	2.3	NA	180	375.05	31.28	343.77
MW-3	02/05/2002	<50	0.89	0.60	<0.50	2.1	NA	130	375.05	31.12	343.93
MW-3	06/17/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	72	375.05	31.21	343.84

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 30, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 30, 2001, analyzed by EPA Method 8020.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit

NA = Not applicable

Notes:

Well MW-1 surveyed on May 4, 1999, by Virgil Chavez Land Surveying of Vallejo, California.

Site surveyed on March 19, 2000, by Virgil Chavez Land Surveying of Vallejo, California.

a = Sample was analyzed outside of the EPA recommended holding time.

b = Concentration is an estimate value above the linear quantitation range.

c = The result reported was generated out of time. The sample was originally run within hold time, but needed to be re-analyzed.



Report Number : 26989

Date : 7/1/02

Leon Gearhart  
Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject : 3 Water Samples  
Project Name : 4226 First Street, Pleasanton  
Project Number : 020617-JK2  
P.O. Number : 98995840

Dear Mr. Gearhart,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large, looping initial "J".

Joel Kiff



Report Number : 26989

Date : 7/1/02

Subject : 3 Water Samples  
Project Name : 4226 First Street, Pleasanton  
Project Number : 020617-JK2  
P.O. Number : 98995840

## Case Narrative

Matrix Spike/Matrix Spike Duplicate Results associated with samples MW-2, MW-3, MW-1 for the analyte Methyl-t-butyl ether were affected by the analyte concentrations already present in the un-spiked sample.

Approved By:  \_\_\_\_\_  
Joel Kiff

720 Olive Drive, Suite D Davis, CA 95616 916-297-4800



Report Number : 26989

Date : 7/1/02

Project Name : 4226 First Street, Pleasanton

Project Number : 020617-JK2

Sample : MW-1

Matrix : Water

Lab Number : 26989-01

Sample Date :6/17/02

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	550	2.0	ug/L	EPA 8260B	6/28/02
Toluene	< 2.0	2.0	ug/L	EPA 8260B	6/28/02
Ethylbenzene	< 2.0	2.0	ug/L	EPA 8260B	6/28/02
Total Xylenes	5.9	2.0	ug/L	EPA 8260B	6/28/02
Methyl-t-butyl ether (MTBE)	< 20	20	ug/L	EPA 8260B	6/28/02
TPH as Gasoline	2500	200	ug/L	EPA 8260B	6/28/02
Toluene - d8 (Surr)	98.5		% Recovery	EPA 8260B	6/28/02
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	6/28/02

Sample : MW-2

Matrix : Water

Lab Number : 26989-02

Sample Date :6/17/02

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	6/27/02
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/27/02
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	6/27/02
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	6/27/02
Methyl-t-butyl ether (MTBE)	260	5.0	ug/L	EPA 8260B	6/27/02
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	6/27/02
Toluene - d8 (Surr)	99.5		% Recovery	EPA 8260B	6/27/02
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	6/27/02

Approved By:  Joel Kiff



Report Number : 26989

Date : 7/1/02

Project Name : 4226 First Street, Pleasanton

Project Number : 020617-JK2

Sample : MW-3

Matrix : Water

Lab Number : 26989-03

Sample Date :6/17/02

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Methyl-t-butyl ether (MTBE)	72	5.0	ug/L	EPA 8260B	6/28/02
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	6/28/02
Toluene - d8 (Surr)	97.7		% Recovery	EPA 8260B	6/28/02
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	6/28/02

Approved By:  Joel Kiff

Report Number : 26989

Date : 7/1/02

**QC Report : Method Blank Data**

Project Name : **4226 First Street, Pleasanton**

Project Number : **020617-JK2**

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
Benzene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Toluene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	6/28/02
Methyl-t-butyl ether (MTBE)	< 5.0	5.0	ug/L	EPA 8260B	6/28/02
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	6/28/02
Toluene - d8 (Surr)	99.5		%	EPA 8260B	6/28/02
4-Bromofluorobenzene (Surr)	105		%	EPA 8260B	6/28/02

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
------------------	-----------------------	-------------------------------	--------------	------------------------	----------------------

KIFF ANALYTICAL, LLC

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Approved By: Joel Kiff



Report Number : 26989

Date : 7/1/02

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : 4226 First Street,

Project Number : 020617-JK2

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	26989-03	<0.50	20.0	20.0	18.4	18.3	ug/L	EPA 8260B	6/28/02	92.2	91.6	0.707	70-130	25
Toluene	26989-03	<0.50	20.0	20.0	18.4	18.2	ug/L	EPA 8260B	6/28/02	92.0	91.2	0.900	70-130	25
Tert-Butanol	26989-03	<5.0	99.9	99.9	101	102	ug/L	EPA 8260B	6/28/02	101	102	1.43	70-130	25
Methyl-t-Butyl Ether	26989-03	72	20.0	20.0	89.3	84.4	ug/L	EPA 8260B	6/28/02	87.0	62.7	32.4	70-130	25

KIFF ANALYTICAL, LLC

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

QC Report : Laboratory Control Sample (LCS)

Report Number : 26989

Date : 7/1/02

Project Name : 4226 First Street,

Project Number : 020617-JK2

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	20.0	ug/L	EPA 8260B	6/28/02	96.8	70-130
Toluene	20.0	ug/L	EPA 8260B	6/28/02	95.4	70-130
Tert-Butanol	100	ug/L	EPA 8260B	6/28/02	98.7	70-130
Methyl-t-Butyl Ether	20.0	ug/L	EPA 8260B	6/28/02	96.2	70-130

KIFF ANALYTICAL, LLC

720 Olive Drive, Suite D Davis, CA 95616 530-297-4800

Approved By:  \_\_\_\_\_  
Joel Kiff



LAB: Kiff

# SHELL Chain Of Custody Record

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT HOUSTON

Karen Petryna

26989

INCIDENT NUMBER (SAE ONLY)

9 8 9 9 5 8 4 0

SAP or CRMT NUMBER (TS/CRMT)

DATE: 6-17-02

PAGE: 1 of 1

SAMPLING COMPANY: <b>Blaine Tech Services</b>		LOG CODE: <b>BTSS</b>	SITE ADDRESS (Street and City): <b>4226 First Street, Pleasanton</b>		GLOBAL ID NO.: <b>T0600101259</b>
ADDRESS: <b>1680 Rogers Avenue, San Jose, CA 95112</b>			EDF DELIVERABLE TO (Responsible Party or Designee): <b>Anni Kreml</b>	PHONE NO.: <b>510-420-3335</b>	E-MAIL: <b>ShellOaklandEDF@cambria-env.com</b>
PROJECT CONTACT (Hardcopy or PDF Report to): <b>Leon Gearhart</b>			CONSULTANT PROJECT NO.: <b>020617-JK 2</b>		BTS #
TELEPHONE: <b>408-573-0555</b>	FAX: <b>408-573-7771</b>	E-MAIL: <b>lgearhart@blainetech.com</b>	SAMPLER NAME(S) (Print): <b>Josh Kerns</b>		

TURNAROUND TIME (BUSINESS DAYS):  
 10 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

LA - RWQCB REPORT FORMAT  UST AGENCY: \_\_\_\_\_

GC/MS MTBE CONFIRMATION: HIGHEST \_\_\_\_\_ HIGHEST per BORING \_\_\_\_\_ ALL \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

### REQUESTED ANALYSIS

TPH - Gas, Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTBE (8260B - 0.5ppb RL)	Oxygenates (5) by (8260B)	Ethanol (8260B)	Methanol	1,2-DCA (8260B)	EDB (8260B)	TPH - Diesel, Extractable (8015m)

**FIELD NOTES:**  
 Container/Preservative  
 or PID Readings  
 or Laboratory Notes

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (8021B - 5ppb RL)	MTBE (8260B - 0.5ppb RL)	Oxygenates (5) by (8260B)	Ethanol (8260B)	Methanol	1,2-DCA (8260B)	EDB (8260B)	TPH - Diesel, Extractable (8015m)	TEMPERATURE ON RECEIPT C°
		DATE	TIME													
	MW-1	6/17	1540	W	3	X	X	X								-01
	MW-2	1	1505	1	1	X	X	X								-02
	MW-3	1	1440	1	1	X	X	X								-03

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date:	Time:
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date:	Time:
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>John Cuthbert/Kiff Analytical</i>	Date: <b>061802</b>	Time: <b>1214</b>

DISTRIBUTION: White with final report, Green to File, Yellow and Pink to Client.

10/15/00 Revision

O&G Graphic (714) 898-9702

## WELL GAUGING DATA

Project # 020617-JK2 Date 6-17-02 Client Shell

Site 4226 First St. Pleasanton CA.

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-1	2					39.29	56.75	TOC	3
MW-2	4					32.67	45.61	↓	2
MW-3	4					31.21	34.29		1

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>020617-JK7</u>	Site: <u>4226 First St Pleasanton</u>
Sampler: <u>JK</u>	Date: <u>6-17-02</u>
Well I.D.: <u>Mw-1</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>39.29 → 56.75</u>	Depth to Water: <u>56.75 - 39.29</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Purge Method:  Bailer  Waterra  Sampling Method:  Bailer ✓  
 Disposable Bailer  Peristaltic  Disposable Bailer  
 Middleburg  Extraction Pump  Extraction Port  
 Electric Submersible  Other \_\_\_\_\_  Dedicated Tubing

Other: \_\_\_\_\_

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

2.8 (Gals.) X 3 = 8.4 Gals.  
 1 Case Volume          Specified Volumes          Calculated Volume

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1522</u>					<u>3</u>	
<u>1530</u>					<u>6</u>	
<u>1535</u>					<u>9</u>	

Did well dewater? Yes  No  Gallons actually evacuated: 9

Sampling Time: 1540          Sampling Date: 6-17-02

Sample I.D.: Mw-1          Laboratory: (KTH) SPL Other \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time          Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>020617-JK3</u>	Site: <u>4226 First St Pleasanton</u>
Sampler: <u>JK</u>	Date: <u>6-17-02</u>
Well I.D.: <u>MW-2</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: <u>45.61</u>	Depth to Water: <u>32.63</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Purge Method: Bailer Disposable Bailer Middleburg <input checked="" type="checkbox"/> Electric Submersible	Waterra Peristaltic Extraction Pump Other: _____	Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	---	---

$$\underline{8.4} \text{ (Gals.)} \times \underline{3} = \underline{25.2} \text{ Gals.}$$
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1457</u>	<u>73.8</u>	<u>7.0</u>	<u>1426</u>	<u>&gt;200</u>	<u>9</u>	
<u>1500</u>	<u>72.0</u>	<u>6.9</u>	<u>1415</u>	<u>101</u>	<u>18</u>	
<u>1502</u>	<u>72.6</u>	<u>6.8</u>	<u>1436</u>	<u>107</u>	<u>26</u>	

Did well dewater? Yes  No      Gallons actually evacuated: 26

Sampling Time: 1505      Sampling Date: 6-17-02

Sample I.D.: MW-2      Laboratory: Kim SPL Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>020617-JK2</u>	Site: <u>4226 First St. Pleasanton</u>
Sampler: <u>JK</u>	Date: <u>6-17-02</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth: <u>34.29</u>	Depth to Water: <u>31.21</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Purge Method:  Bailer  Waterra  Sampling Method:  Bailer  ~~WT~~

Disposable Bailer  Peristaltic  Disposable Bailer

Middleburg  Extraction Pump  Extraction Port

Electric Submersible  Other \_\_\_\_\_  Dedicated Tubing

Other: \_\_\_\_\_

<u>2</u> (Gals.) X	<u>3</u>	= <u>6</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <del>µS</del> )	Turbidity (NTUs)	Gals. Removed	Observations
1430	72.9	7.7	1129	56	2	
1435	70.4	6.8	1063	95	4	
1438	70.6	6.7	1092	90	6	

Did well dewater? Yes  No  Gallons actually evacuated: 6

Sampling Time: 1440 Sampling Date: 6-17-02

Sample I.D.: MW-3 Laboratory: (KIT) SPL Other \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV