



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
www.CRAworld.com

## TRANSMITTAL

DATE: January 22, 2014 REFERENCE NO.: 240523

PROJECT NAME: 4212 First Street, Pleasanton

TO: Jerry Wickham

Alameda County Environmental Health

1131 Harbor Bay Parkway, Suite 250

Alameda, California 94502-6577

**RECEIVED**

*By Alameda County Environmental Health at 4:53 pm, Jan 28, 2014*

Please find enclosed:  Draft  Final  
 Originals  Other  
 Prints

Sent via:  Mail  Same Day Courier  
 Overnight Courier  Other GeoTracker and Alameda County FTP

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - Fourth Quarter 2013

As Requested  For Review and Comment  
 For Your Use

**COMMENTS:**

If you have any questions regarding the content of this document, please call the CRA project manager Peter Schaefer at (510) 420-3319 or the Shell program manager Perry Pineda at (425) 413-1164.

Copy to: Perry Pineda, Shell Oil Products US (electronic copy)  
Douglas E. & Mary M. Safreno (property owners), 1627 Vineyard Avenue, Pleasanton, CA 94566-6389 (electronic and hard copy)  
Danielle Stefani, Livermore-Pleasanton Fire Department, 3560 Nevada Street, Pleasanton, CA 94566-6267  
Clint Mercer (lessee), SC Fuels, 1800 West Katella Avenue, Orange, CA 92867  
Colleen Winey, Zone 7 Water Agency (electronic copy)  
Aaron O'Brien, Tamalpais Environmental Consultants (electronic copy)

Completed by: Peter Schaefer Signed: 

Filing: **Correspondence File**



Mr. Jerry Wickham  
Alameda County Environmental Health  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

**Shell Oil Products US**  
Soil and Groundwater Focus Delivery Group  
20945 S. Wilmington Avenue  
Carson, CA 90810  
Tel (425) 413 1164  
Fax (425) 413 0988  
Email [perry.pineda@shell.com](mailto:perry.pineda@shell.com)  
Internet <http://www.shell.com>

Re: 4212 First Street  
Pleasanton, California  
SAP Code 135782  
Incident No. 98995840  
ACEH Case No. RO0000360

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (425) 413-1164 with any questions or concerns.

Sincerely,  
Shell Oil Products US

A handwritten signature in black ink, appearing to read "Perry Pineda", is located below the typed name.

Perry Pineda  
Senior Environmental Program Manager



## **GROUNDWATER MONITORING REPORT – FOURTH QUARTER 2013**

**SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET  
PLEASANTON, CALIFORNIA**

**SAP CODE           135782  
INCIDENT NO.     98995840  
AGENCY NO.       RO0000360**

**JANUARY 22, 2014  
REF. NO. 240523 (24)**

This report is printed on recycled paper.

**Prepared by:  
Conestoga-Rovers  
& Associates**

5900 Hollis Street, Suite A  
Emeryville, California  
U.S.A. 94608

Office: (510) 420-0700  
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1
1.1 SITE INFORMATION .....	1
2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION.....	1
2.1 CURRENT QUARTER'S ACTIVITIES.....	1
2.2 CURRENT QUARTER'S FINDINGS .....	2
2.3 PROPOSED ACTIVITIES.....	2

LIST OF FIGURES  
(Following Text)

- FIGURE 1 VICINITY MAP
- FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF TABLES  
(Following Text)

- TABLE 1 GROUNDWATER DATA

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - FIELD NOTES
- APPENDIX B TESTAMERICA LABORATORIES, INC. - ANALYTICAL REPORT

## 1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

### 1.1 SITE INFORMATION

Site Address	4212 First Street, Pleasanton
Site Use	Shell-branded Service Station
Shell Project Manager	Perry Pineda
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACEH, Jerry Wickham
Agency Case No.	RO0000360
Shell SAP Code	135782
Shell Incident No.	98995840

Date of most recent agency correspondence was April 11, 2013 (electronic).

## 2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

### 2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the modified monitoring program for this site. CRA prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

On December 23, 2013, CRA submitted a *Petroleum Hydrocarbon Mass Removal Event Report*.

**2.2        CURRENT QUARTER'S FINDINGS**

Groundwater Flow Direction	Northerly to northeasterly
Hydraulic Gradient	0.07
Depth to Water	34.20 to 102.83 feet below top of well casing



**2.3        PROPOSED ACTIVITIES**

Blaine will gauge and sample wells MW-1 through MW-4 and MW-1B quarterly through first quarter 2014 to monitor the effectiveness of the mass removal event completed between March 26, 2013 and April 25, 2013, and CRA will issue groundwater monitoring reports quarterly following the sampling events.

All of Which is Respectfully Submitted,  
CONESTOGA-ROVERS & ASSOCIATES



Peter Schaefer, CHG, CEG



Aubrey K. Cool, PG



## FIGURES




FIGURE  
**1**

I:\Shell\6-charts\2405--\240523-Pleasanton\_4212\_First\240523-FIGURES\240523 VICINITY (F1).AI

**Shell-branded Service Station**  
4212 First Street  
Pleasanton, California



**CONESTOGA-ROVERS  
& ASSOCIATES**

**Vicinity Map**



TABLE

TABLE 1

GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-1	06/16/1999	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	371.20	37.81	333.39	---	---
MW-1	06/30/1999	89.0	5.89	<0.500	<0.500	0.652	<5.00	---	---	---	---	---	---	---	---	---	371.20	33.65	337.55	---	---
MW-1	09/24/1999	1,560	473	<10.0	<10.0	22.8	<2.50	---	---	---	---	---	---	---	---	---	371.20	37.04	334.16	---	---
MW-1	12/08/1999	1,020	375	<5.00	<5.00	15.2	<50.0	---	---	---	---	---	---	---	---	---	371.20	36.79	334.41	---	---
MW-1	02/10/2000	523	106	<5.00	<5.00	31.8	2.9	---	---	---	---	---	---	---	---	---	371.20	34.90	336.30	---	---
MW-1	05/17/2000	<50.0	<0.500	<0.500	<0.500	<0.500	37	29.5	---	---	---	---	---	---	---	---	371.20	32.55	338.65	---	---
MW-1	08/03/2000	808	290	<2.50	<2.50	8.9	<12.5	---	---	---	---	---	---	---	---	---	371.20	39.13	332.07	---	---
MW-1	10/31/2000	507	250	0.962	<0.500	23.5	3.76	---	---	---	---	---	---	---	---	---	371.20	37.91	333.29	---	---
MW-1	03/01/2001	<50.0	<0.500	<0.500	<0.500	<0.500	74.6	---	---	---	---	---	---	---	---	---	371.20	39.60	331.60	---	---
MW-1	05/30/2001	780	280	<2.0	<2.0	11	---	<2.0	---	---	---	---	---	---	---	---	371.20	39.53	331.67	---	---
MW-1	08/02/2001	1,900	580	<2.5	<2.5	12	---	<25	---	---	---	---	---	---	---	---	371.20	39.61	331.59	---	---
MW-1	12/06/2001	840	190	<0.50	<0.50	13	---	<5.0	---	---	---	---	---	---	---	---	371.20	39.63	331.57	---	---
MW-1	02/05/2002	2,700	650	<2.5	<2.5	7.2	---	<25	---	---	---	---	---	---	---	---	371.20	35.53	335.67	---	---
MW-1	06/17/2002	2,500	550	<2.0	<2.0	5.9	---	<20	---	---	---	---	---	---	---	---	371.20	39.29	331.91	---	---
MW-1	07/25/2002	690	130	<0.50	<0.50	4.4	---	18	---	---	---	---	---	---	---	---	371.20	39.39	331.81	---	---
MW-1	11/14/2002	400	31	<0.50	<0.50	2.7	---	27	---	---	---	---	---	---	---	---	371.20	40.00	331.20	---	---
MW-1	02/12/2003	840	0.85	<0.50	<0.50	<0.50	---	40	---	---	---	---	---	---	---	---	371.20	32.92	338.28	---	---
MW-1	05/14/2003	680	190	<2.5	<2.5	<5.0	---	95	---	---	---	---	---	---	---	---	371.20	32.57	338.63	---	---
MW-1	07/29/2003	870	190	<2.5	<2.5	<5.0	---	150	---	---	---	---	---	---	---	---	371.20	33.82	337.38	---	---
MW-1	11/19/2003	<200	14	<2.0	<2.0	<4.0	---	230	---	---	---	---	---	---	---	---	371.20	38.28	332.92	---	---
MW-1	02/19/2004	58 c	11	<0.50	<0.50	<1.0	---	85	---	---	---	---	---	---	---	---	371.20	36.93	334.27	---	---
MW-1	05/03/2004	670	310	<2.5	<2.5	<5.0	---	420	---	---	---	---	---	---	---	---	371.20	32.70	338.50	---	---
MW-1	08/24/2004	430 c	34	<2.5	<2.5	<5.0	---	690	---	---	---	---	---	---	---	---	371.20	34.66	336.54	---	---
MW-1	11/15/2004	<250	29	<2.5	<2.5	<5.0	---	470	---	---	---	---	---	---	---	---	371.20	38.27	332.93	---	---
MW-1	02/02/2005	540 e	87	<2.5	<2.5	<5.0	---	700	---	---	---	---	---	---	---	---	371.20	32.02	339.18	---	---
MW-1	05/05/2005	460 e	88	<2.5	<2.5	<5.0	---	300	---	---	---	---	---	---	---	---	371.20	36.82	334.38	---	---
MW-1	08/05/2005	910	230	<2.5	<2.5	<5.0	---	480	---	---	---	---	---	---	---	---	371.20	33.35	337.85	---	---
MW-1	11/22/2005	1,760	27	<0.500	<0.500	1.18	---	1,160	---	---	---	---	---	---	---	---	371.20	33.42	337.78	---	---
MW-1	02/07/2006	4,620	225	<0.500	<0.500	<0.500	---	1,480	---	---	---	---	---	---	---	---	371.20	31.63	339.57	---	---
MW-1	05/16/2006	1,100	130	<0.50	2.0	2.1	---	1,600	---	---	---	---	---	---	---	---	371.20	31.16	340.04	---	---
MW-1	08/21/2006	2,700	86	<0.500	0.79	0.81	---	1,960	---	---	---	---	---	---	---	---	371.20	33.07	338.13	---	---
MW-1	11/14/2006	1,400 c	30	<25	<25	<25	---	2,100	<1,000	<25	<25	<25	---	---	---	---	371.20	33.73	337.47	---	---
MW-1	02/01/2007	800	21	<0.50	<0.50	<1.0	---	2,300	---	---	---	---	---	---	---	---	371.20	33.02	338.18	---	---
MW-1	06/01/2007	1,400 d,e	68	<20	<20	4.4 f	---	2,200	---	---	---	---	---	---	---	---	371.20	32.87	338.33	---	---
MW-1	08/22/2007	250 d	20	<20	<20	<20	---	3,100	1,500	---	---	---	---	---	---	---	371.20	34.64	336.56	---	---
MW-1	11/26/2007	1,800 d	33	<20	<20	<20	---	3,100	930	<40	<40	<40	---	---	---	---	371.20	35.59	335.61	---	---
MW-1	02/19/2008	1,800 d	33	<20	<20	<20	---	3,700	1,700	---	---	---	---	---	---	---	371.20	31.05	340.15	---	---
MW-1	05/23/2008	3,700	100	<25	<25	<25	---	3,100	1,300	---	---	---	---	---	---	---	371.20	31.80	339.40	---	---

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-1	08/07/2008	4,200	33	<25	<25	<25	---	3,500	<250	---	---	---	---	---	---	---	371.20	33.03	338.17	---	---
MW-1	12/03/2008	3,400	34	<25	<25	<25	---	3,200	980	---	---	---	---	---	---	---	371.20	35.19	336.01	---	---
MW-1	02/05/2009	2,100	26	<25	<25	<25	---	1,700	340	---	---	---	---	---	---	---	371.20	35.07	336.13	---	---
MW-1	05/07/2009	4,400	230	<25	<25	<25	---	3,700	980	---	---	---	---	---	---	---	371.20	32.45	338.75	---	---
MW-1	08/20/2009	3,100	86	<25	<25	<25	---	2,500	730	---	---	---	---	---	---	---	371.20	34.48	336.72	---	---
MW-1	11/09/2009	3,200	230	<20	<20	33	---	2,100	530	<40	<40	<40	---	---	---	---	371.20	35.84	335.36	---	---
MW-1	02/11/2010	4,400	30	<20	<20	<20	---	3,000	730	---	---	---	---	---	---	---	371.20	34.06	337.14	---	---
MW-1	05/13/2010	3,300	38	<20	<20	<20	---	3,300	1,100	---	---	---	---	---	---	---	371.20	31.99	339.21	---	---
MW-1	08/05/2010	4,200	12	<20	<20	<20	---	3,800	1,300	---	---	---	---	---	---	---	371.20	33.70	337.50	---	---
MW-1	10/30/2010	2,700	<10	<20	<20	<20	---	3,400	770	<40	<40	<40	---	---	---	---	371.20	33.12	338.08	---	---
MW-1	02/09/2011	2,600	32	<12	<12	<25	---	3,400	1,100	---	---	---	---	---	---	---	371.20	33.03	338.17	---	---
MW-1	05/31/2011	<2,500	26	<25	<25	<50	---	3,000	1,000	---	---	---	---	---	---	---	371.20	32.21	338.99	---	---
MW-1	07/27/2011	3,900 c	28	<10	<10	<20	---	4,100	1,400	---	---	---	---	---	---	---	371.20	33.60	337.60	---	---
MW-1	11/04/2011	4,200	<25	<25	<25	<50	---	4,800	790	<50	<50	<50	---	---	---	---	371.20	31.20	340.00	---	---
MW-1	05/23/2012	3,300	12	<10	<10	<20	---	3,400	710	---	---	---	5,000 g	19,000	630,000	<100	371.20	32.61	338.59	2.28	63
MW-1	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	371.20	34.72	336.48	---	---
MW-1	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	371.20	31.31	339.89	---	---
MW-1	09/07/2012	<5,000	<50	<50	<50	<100	---	2,700	<1,000	---	---	---	4,500 a	20,000	640,000	---	371.20	35.82	335.38	1.21	96
MW-1	11/13/2012	2,600	52	<25	<25	<50	---	2,700	<500	<25	<25	<25	4,700	21,000	630,000	---	371.20	37.19	334.01	1.93	54
MW-1	05/14/2013	6,500	410	<5.0	<5.0	<10	---	1,600	940	---	---	---	1,900	17,000	670,000	---	371.20	36.01	335.19	1.25	112
MW-1	07/31/2013	4,700	550	<5.0	<5.0	59	---	870	470	---	---	---	350	42,000	530,000	---	371.20	37.02	334.18	1.75	-10
<b>MW-1</b>	<b>11/12/2013</b>	<b>2,100</b>	<b>71</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;10</b>	---	<b>1,300</b>	<b>810</b>	---	---	---	<b>970</b>	<b>19,000</b>	<b>710,000</b>	---	<b>371.20</b>	<b>39.50</b>	<b>331.70</b>	<b>1.68</b>	<b>88</b>
MW-1B	09/21/2006	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	371.67	76.94	294.73	---	---
MW-1B	09/28/2006	<50	<0.50	<0.50	<0.50	<0.50	---	21	<20	---	---	---	---	---	---	---	371.67	77.15	294.52	---	---
MW-1B	11/14/2006	320 c	<5.0	<5.0	<5.0	<5.0	---	310	<200	<5.0	<5.0	<5.0	---	---	---	---	371.67	69.38	302.29	---	---
MW-1B	02/01/2007	77	0.53	<0.50	<0.50	<1.0	---	150	---	---	---	---	---	---	---	---	371.67	60.92	310.75	---	---
MW-1B	06/01/2007	<50 d,e	0.25 f	<1.0	<1.0	<1.0	---	74	---	---	---	---	---	---	---	---	371.67	61.07	310.60	---	---
MW-1B	08/22/2007	<50 d	0.25 f	<1.0	<1.0	<1.0	---	35	7.1 f	---	---	---	---	---	---	---	371.67	77.54	294.13	---	---
MW-1B	11/26/2007	<50 d	<0.50	<1.0	<1.0	<1.0	---	1.7	<10	<2.0	<2.0	<2.0	---	---	---	---	371.67	68.50	303.17	---	---
MW-1B	02/19/2008	65 d	2.6	4.2	<1.0	1.1	---	58	<10	---	---	---	---	---	---	---	371.67	57.21	314.46	---	---
MW-1B	05/23/2008	<50	<0.50	<1.0	<1.0	<1.0	---	3.6	<10	---	---	---	---	---	---	---	371.67	57.53	314.14	---	---
MW-1B	08/07/2008	<50	<0.50	<1.0	<1.0	<1.0	---	1.1	<10	---	---	---	---	---	---	---	371.67	72.51	299.16	---	---
MW-1B	12/03/2008	<50	<0.50	<1.0	<1.0	<1.0	---	3.4	<10	---	---	---	---	---	---	---	371.67	80.84	290.83	---	---
MW-1B	02/05/2009	<50	<0.50	<1.0	<1.0	<1.0	---	4.4	<10	---	---	---	---	---	---	---	371.67	76.11	295.56	---	---
MW-1B	05/07/2009	<50	<0.50	<1.0	<1.0	<1.0	---	2.5	13	---	---	---	---	---	---	---	371.67	66.97	304.70	---	---
MW-1B	08/20/2009	<50	<0.50	<1.0	<1.0	<1.0	---	1.7	<10	---	---	---	---	---	---	---	371.67	97.32	274.35	---	---
MW-1B	11/09/2009	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	---	---	---	---	371.67	98.90	272.77	---	---

TABLE 1

GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-1B	02/11/2010	<50	<0.50	<1.0	<1.0	<1.0	---	1.1	<10	---	---	---	---	---	---	---	371.67	90.72	280.95	---	---
MW-1B	05/13/2010	<50	<0.50	<1.0	<1.0	<1.0	---	2.0	<10	---	---	---	---	---	---	---	371.67	80.56	291.11	---	---
MW-1B	08/05/2010	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	---	---	---	---	---	---	---	371.67	90.10	281.57	---	---
MW-1B	10/30/2010	<50	<0.50	<1.0	<1.0	<1.0	---	<1.0	<10	<2.0	<2.0	<2.0	---	---	---	---	371.67	102.21	269.46	---	---
MW-1B	02/09/2011	<50	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	---	---	---	---	---	---	---	371.67	90.24	281.43	---	---
MW-1B	05/31/2011	<50	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	---	---	---	---	---	---	---	371.67	73.83	297.84	---	---
MW-1B	07/27/2011	<50	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	---	---	---	---	---	---	---	371.67	82.90	288.77	---	---
MW-1B	11/04/2011	<50	<0.50	<0.50	<0.50	<1.0	---	<1.0	<10	<1.0	<1.0	<1.0	---	---	---	---	371.67	89.19	282.48	---	---
MW-1B	05/23/2012	<50	<0.50	<0.50	<0.50	<1.0	---	1.2	<10	---	---	---	18,000	51,000	270,000	<100	371.67	82.10	289.57	2.67	207
MW-1B	09/07/2012	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	---	---	---	19,000 a	49,000	260,000	---	371.66	102.45	269.21	1.54	204
MW-1B	11/13/2012	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	<0.50	<0.50	<0.50	21,000	70,000	270,000	---	371.66	102.33	269.33	2.25	121
MW-1B	05/14/2013	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	---	---	---	25,000	53,000	280,000	---	371.66	99.32	272.35	1.41	96
MW-1B	07/31/2013	<50	<0.50	<0.50	<0.50	<1.0	---	<0.50	<10	---	---	---	20,000	50,000	270,000	---	371.66	102.77	268.90	1.98	20
<b>MW-1B</b>	<b>11/12/2013</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>---</b>	<b>&lt;0.50</b>	<b>&lt;10</b>	<b>---</b>	<b>---</b>	<b>---</b>	<b>19,000</b>	<b>49,000</b>	<b>300,000</b>	<b>---</b>	<b>371.66</b>	<b>102.83</b>	<b>268.83</b>	<b>1.96</b>	<b>92</b>
MW-2	02/03/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.40	32.65	339.75	---	---
MW-2	02/07/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.40	35.51	336.89	---	---
MW-2	02/10/2000	<50.0	<0.500	<0.500	<0.500	<0.500	2.61	---	---	---	---	---	---	---	---	---	372.40	36.62	335.78	---	---
MW-2	05/17/2000	120	4.09	<0.500	<0.500	<0.500	29	---	---	---	---	---	---	---	---	---	372.40	32.14	340.26	---	---
MW-2	08/03/2000	<50.0	0.692	<0.500	<0.500	<0.500	40.5	36.6 b	---	---	---	---	---	---	---	---	372.40	32.42	339.98	---	---
MW-2	10/31/2000	<50.0	<0.500	<0.500	<0.500	<0.500	57.4	44.8 a	---	---	---	---	---	---	---	---	372.40	33.02	339.38	---	---
MW-2	03/01/2001	173	1.64	1.65	2.86	3.97	127	167	---	---	---	---	---	---	---	---	372.40	32.54	339.86	---	---
MW-2	05/30/2001	<50	<0.50	<0.50	<0.50	<0.50	---	170	---	---	---	---	---	---	---	---	372.40	32.42	339.98	---	---
MW-2	08/02/2001	<50	<0.50	<0.50	<0.50	<0.50	---	160	---	---	---	---	---	---	---	---	372.40	32.55	339.85	---	---
MW-2	12/06/2001	<50	<0.50	<0.50	<0.50	<0.50	---	170	---	---	---	---	---	---	---	---	372.40	33.15	339.25	---	---
MW-2	02/05/2002	<50	0.72	<0.50	<0.50	1.7	---	170	---	---	---	---	---	---	---	---	372.40	32.29	340.11	---	---
MW-2	06/17/2002	<50	<0.50	<0.50	<0.50	<0.50	---	260	---	---	---	---	---	---	---	---	372.40	32.63	339.77	---	---
MW-2	07/25/2002	<50	<0.50	<0.50	<0.50	<0.50	---	280	---	---	---	---	---	---	---	---	372.40	32.80	339.60	---	---
MW-2	11/14/2002	120	13	9.0	3.8	14	---	430	---	---	---	---	---	---	---	---	372.40	33.31	339.09	---	---
MW-2	02/12/2003	<100	<1.0	<1.0	<1.0	<1.0	---	430	---	---	---	---	---	---	---	---	372.40	32.15	340.25	---	---
MW-2	05/14/2003	<250	<2.5	<2.5	<2.5	<5.0	---	470	---	---	---	---	---	---	---	---	372.40	32.01	340.39	---	---
MW-2	07/29/2003	<250	<2.5	<2.5	<2.5	<5.0	---	670	---	---	---	---	---	---	---	---	372.40	32.51	339.89	---	---
MW-2	11/19/2003	<50	<0.50	<0.50	<0.50	<1.0	---	54	---	---	---	---	---	---	---	---	372.40	33.83	338.57	---	---
MW-2	02/19/2004	65	<0.50	3.4	1.4	6.5	---	8.2	---	---	---	---	---	---	---	---	372.40	32.68	339.72	---	---
MW-2	05/03/2004	<50	<0.50	<0.50	<0.50	<1.0	---	5.2	---	---	---	---	---	---	---	---	372.40	32.07	340.33	---	---
MW-2	08/24/2004	<50	<0.50	<0.50	<0.50	<1.0	---	2.7	---	---	---	---	---	---	---	---	372.40	32.44	339.96	---	---
MW-2	11/15/2004	<50	<0.50	<0.50	<0.50	<1.0	---	1.3	---	---	---	---	---	---	---	---	372.40	32.95	339.45	---	---
MW-2	02/02/2005	<50	<0.50	<0.50	<0.50	<1.0	---	24	---	---	---	---	---	---	---	---	372.40	31.94	340.46	---	---

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-2	05/05/2005	72 c	<0.50	<0.50	<0.50	<1.0	---	4.9	---	---	---	---	---	---	---	---	372.40	31.91	340.49	---	---
MW-2	08/05/2005	<50	<0.50	<0.50	<0.50	<1.0	---	16	---	---	---	---	---	---	---	---	372.40	32.15	340.25	---	---
MW-2	11/22/2005	840	0.80	<0.500	<0.500	0.87	---	556	---	---	---	---	---	---	---	---	372.40	32.31	340.09	---	---
MW-2	02/07/2006	3,550	<0.500	<0.500	<0.500	<0.500	---	2,500	---	---	---	---	---	---	---	---	372.40	31.70	340.70	---	---
MW-2	05/16/2006	1,400	<5.0	<5.0	<5.0	<10	---	1,700	---	---	---	---	---	---	---	---	372.40	31.38	341.02	---	---
MW-2	08/21/2006	1,910	<0.500	<0.500	<0.500	<0.500	---	2,590	---	---	---	---	---	---	---	---	372.40	33.29	339.11	---	---
MW-2	11/14/2006	2,300 c	<25	<25	<25	<25	---	2,500	<1,000	<25	<25	<25	---	---	---	---	372.40	32.67	339.73	---	---
MW-2	02/01/2007	670	<0.50	<0.50	<0.50	<1.0	---	2,000	---	---	---	---	---	---	---	---	372.40	32.13	340.27	---	---
MW-2	06/01/2007	500 d,e	<10	<20	<20	<20	---	2,000	---	---	---	---	---	---	---	---	372.40	32.14	340.26	---	---
MW-2	08/22/2007	100 d,e	<10	<20	<20	<20	---	2,400	120 f	---	---	---	---	---	---	---	372.40	32.93	339.47	---	---
MW-2	11/26/2007	1,600 d,e	<10	<20	<20	<20	---	2,900	<200	<40	<40	<40	---	---	---	---	372.40	33.44	338.96	---	---
MW-2	02/19/2008	1,300 d,e	<10	<20	<20	<20	---	3,300	<200	---	---	---	---	---	---	---	372.40	31.18	341.22	---	---
MW-2	05/23/2008	1,900	<12	<25	<25	<25	---	1,700	<250	---	---	---	---	---	---	---	372.40	31.44	340.96	---	---
MW-2	08/07/2008	1,700	<10	<20	<20	<20	---	1,300	<200	---	---	---	---	---	---	---	372.40	31.94	340.46	---	---
MW-2	12/03/2008	3,000	<10	<20	<20	<20	---	2,900	<200	---	---	---	---	---	---	---	372.40	32.53	339.87	---	---
MW-2	02/05/2009	1,200	<10	<20	<20	<20	---	1,000	<200	---	---	---	---	---	---	---	372.40	32.29	340.11	---	---
MW-2	05/07/2009	2,400	<10	<20	<20	<20	---	2,400	<200	---	---	---	---	---	---	---	372.40	31.98	340.42	---	---
MW-2	08/20/2009	2,800	<10	<20	<20	<20	---	2,400	<200	---	---	---	---	---	---	---	372.40	32.51	339.89	---	---
MW-2	11/09/2009	4,100	<12	<25	<25	<25	---	3,800	<250	<50	<50	<50	---	---	---	---	372.40	32.43	339.97	---	---
MW-2	02/11/2010	4,300	<12	<25	<25	<25	---	3,200	<250	---	---	---	---	---	---	---	372.40	32.07	340.33	---	---
MW-2	05/13/2010	2,400	<10	<20	<20	<20	---	2,500	<200	---	---	---	---	---	---	---	372.40	31.63	340.77	---	---
MW-2	08/05/2010	1,500	<5.0	<10	<10	<10	---	1,400	210	---	---	---	---	---	---	---	372.40	33.82	338.58	---	---
MW-2	10/30/2010	1,700	<5.0	<10	<10	<10	---	2,200	130	<20	<20	<20	---	---	---	---	372.40	32.82	339.58	---	---
MW-2	02/09/2011	1,400	<12	<12	<12	<25	---	1,900	<250	---	---	---	---	---	---	---	372.40	32.11	340.29	---	---
MW-2	05/31/2011	<1,000	<10	<10	<10	<20	---	1,200	<200	---	---	---	---	---	---	---	372.40	31.97	340.43	---	---
MW-2	07/27/2011	1,600 c	<10	<10	<10	<20	---	2,000	<200	---	---	---	---	---	---	---	372.40	32.30	340.10	---	---
MW-2	11/04/2011	2,100	<10	<10	<10	<20	---	2,500	<200	<20	<20	<20	---	---	---	---	372.40	33.20	339.20	---	---
MW-2	05/23/2012	2,700	<10	<10	<10	<20	---	3,000	<200	---	---	---	7,500	70,000	300,000	300	372.40	31.92	340.48	1.51	42
MW-2	09/07/2012	2,500 c	<25	<25	<25	<50	---	2,100	<500	---	---	---	5,800 a	80,000	300,000	---	372.40	33.32	339.08	1.75	68
MW-2	11/13/2012	2,100	<20	<20	<20	<40	---	2,500	<400	<20	<20	<20	8,400	77,000	310,000	---	372.40	34.91	337.49	1.27	22
MW-2	05/14/2013	840 i	<5.0	<5.0	<5.0	<10	---	730	<100	---	---	---	5,800	55,000	420,000	---	372.40	33.61	338.79	0.53	78
MW-2	07/31/2013	1,500	<10	<10	<10	<20	---	1,100	<200	---	---	---	9,500	79,000	300,000	---	372.40	35.00	337.40	1.07	1
<b>MW-2</b>	<b>11/12/2013</b>	<b>1,800</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;20</b>	---	<b>1,600</b>	<b>&lt;200</b>	---	---	---	<b>7,300</b>	<b>77,000</b>	<b>340,000</b>	---	<b>372.40</b>	<b>37.25</b>	<b>335.15</b>	<b>1.03</b>	<b>28</b>
MW-3	02/03/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	375.05	32.06	342.99	---	---
MW-3	02/07/2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	375.05	32.57	342.48	---	---
MW-3	02/10/2000	180	5.12	<0.500	<0.500	0.714	26.8	21.5a	---	---	---	---	---	---	---	---	375.05	32.77	342.28	---	---
MW-3	05/17/2000	1,360	414	<5.00	<5.00	17.6	<25.0	---	---	---	---	---	---	---	---	---	375.05	31.00	344.05	---	---



TABLE 1

GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE		TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate		Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW		
							8020 (µg/L)	8260 (µg/L)					as N (µg/L)	Sulfate (µg/L)					Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-3	08/03/2000	<50.0	0.536	<0.500	<0.500	<0.500	22	--	--	--	--	--	--	--	--	375.05	31.03	344.02	--	--	
MW-3	10/31/2000	<50.0	<0.500	<0.500	<0.500	<0.500	31.1	--	--	--	--	--	--	--	--	375.05	31.28	343.77	--	--	
MW-3	03/01/2001	384	172	0.815	<0.500	8.0	5.16	--	--	--	--	--	--	--	--	375.05	31.21	343.84	--	--	
MW-3	05/30/2001	<50	<0.50	<0.50	<0.50	<0.50	--	110	--	--	--	--	--	--	--	375.05	31.02	344.03	--	--	
MW-3	08/02/2001	<50	<0.50	<0.50	<0.50	<0.50	--	93	--	--	--	--	--	--	--	375.05	30.94	344.11	--	--	
MW-3	12/06/2001	110	<0.50	<0.50	<0.50	2.3	--	180	--	--	--	--	--	--	--	375.05	31.28	343.77	--	--	
MW-3	02/05/2002	<50	0.89	0.60	<0.50	2.1	--	130	--	--	--	--	--	--	--	375.05	31.12	343.93	--	--	
MW-3	06/17/2002	<50	<0.50	<0.50	<0.50	<0.50	--	72	--	--	--	--	--	--	--	375.05	31.21	343.84	--	--	
MW-3	07/25/2002	<50	<0.50	<0.50	<0.50	<0.50	--	81	--	--	--	--	--	--	--	375.05	30.96	344.09	--	--	
MW-3	11/14/2002	<50	<0.50	<0.50	<0.50	<0.50	--	60	--	--	--	--	--	--	--	375.05	31.44	343.61	--	--	
MW-3	02/12/2003	<50	<0.50	<0.50	<0.50	<0.50	--	43	--	--	--	--	--	--	--	375.05	31.28	343.77	--	--	
MW-3	05/14/2003	<50	<0.50	<0.50	<0.50	<1.0	--	24	--	--	--	--	--	--	--	375.05	31.20	343.85	--	--	
MW-3	07/29/2003	<50	<0.50	<0.50	<0.50	<1.0	--	21	--	--	--	--	--	--	--	375.05	31.29	343.76	--	--	
MW-3	11/19/2003	<50	<0.50	<0.50	<0.50	<1.0	--	8.2	--	--	--	--	--	--	--	375.05	31.86	343.19	--	--	
MW-3	02/19/2004	81	0.67	4.4	1.8	8.6	--	13	--	--	--	--	--	--	--	375.05	31.66	343.39	--	--	
MW-3	05/03/2004	<50	<0.50	<0.50	<0.50	<1.0	--	13	--	--	--	--	--	--	--	375.05	31.72	343.33	--	--	
MW-3	08/24/2004	<50	<0.50	<0.50	<0.50	<1.0	--	10	--	--	--	--	--	--	--	375.05	32.09	342.96	--	--	
MW-3	11/15/2004	<50	<0.50	<0.50	<0.50	<1.0	--	6.6	--	--	--	--	--	--	--	375.05	31.50	343.55	--	--	
MW-3	02/02/2005	<50	<0.50	<0.50	<0.50	<1.0	--	3.1	--	--	--	--	--	--	--	375.05	31.28	343.77	--	--	
MW-3	05/05/2005	<50	<0.50	<0.50	<0.50	<1.0	--	2.3	--	--	--	--	--	--	--	375.05	31.42	343.63	--	--	
MW-3	08/05/2005	<50	<0.50	<0.50	<0.50	<1.0	--	2.4	--	--	--	--	--	--	--	375.05	31.35	343.70	--	--	
MW-3	11/22/2005	<50	<0.500	<0.500	<0.500	<0.500	--	3.84	--	--	--	--	--	--	--	375.05	31.98	343.07	--	--	
MW-3	02/07/2006	<50.0	<0.500	<0.500	<0.500	<0.500	--	<0.500	--	--	--	--	--	--	--	375.05	31.24	343.81	--	--	
MW-3	05/16/2006	<50	<0.50	<0.50	<0.50	<1.0	--	4.5	--	--	--	--	--	--	--	375.05	31.37	343.68	--	--	
MW-3	08/21/2006	<50.0	<0.500	<0.500	<0.500	<0.500	--	4.04	--	--	--	--	--	--	--	375.05	31.95	343.10	--	--	
MW-3	11/14/2006	<50	<0.50	<0.50	<0.50	<0.50	--	3.8	<20	<0.50	<0.50	<0.50	--	--	--	375.05	32.24	342.81	--	--	
MW-3	02/01/2007	<50	<0.50	<0.50	<0.50	<1.0	--	2.8	--	--	--	--	--	--	--	375.05	32.17	342.88	--	--	
MW-3	06/01/2007	<50 d	<0.50	<1.0	<1.0	<1.0	--	3.1	--	--	--	--	--	--	--	375.05	31.86	343.19	--	--	
MW-3	08/22/2007	<50 d	<0.50	<1.0	<1.0	<1.0	--	4.6	<10	--	--	--	--	--	--	375.05	32.18	342.87	--	--	
MW-3	11/26/2007	<50 d	<0.50	<1.0	<1.0	<1.0	--	3.5	<10	<2.0	<2.0	<2.0	--	--	--	375.05	32.69	342.36	--	--	
MW-3	02/19/2008	<50 d	<0.50	1.2	<1.0	<1.0	--	2.6	<10	--	--	--	--	--	--	375.05	30.94	344.11	--	--	
MW-3	05/23/2008	<50	<0.50	<1.0	<1.0	<1.0	--	3.6	<10	--	--	--	--	--	--	375.05	31.45	343.60	--	--	
MW-3	08/07/2008	<50	<0.50	<1.0	<1.0	<1.0	--	3.0	<10	--	--	--	--	--	--	375.05	31.40	343.65	--	--	
MW-3	12/03/2008	<50	<0.50	<1.0	<1.0	<1.0	--	2.1	<10	--	--	--	--	--	--	375.05	32.12	342.93	--	--	
MW-3	02/05/2009	<50	<0.50	<1.0	<1.0	<1.0	--	1.1	<10	--	--	--	--	--	--	375.05	32.74	342.31	--	--	
MW-3	05/07/2009	<50	<0.50	<1.0	<1.0	<1.0	--	<1.0	<10	--	--	--	--	--	--	375.05	31.69	343.36	--	--	
MW-3	08/20/2009	<50	<0.50	<1.0	<1.0	<1.0	--	2.0	<10	--	--	--	--	--	--	375.05	32.42	342.63	--	--	
MW-3	11/09/2009	<50	<0.50	<1.0	<1.0	<1.0	--	1.7	<10	<2.0	<2.0	<2.0	--	--	--	375.05	32.54	342.51	--	--	

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-3	02/11/2010	<50	<0.50	<1.0	<1.0	<1.0	--	2.1	<10	--	--	--	--	--	--	--	375.05	31.81	343.24	--	--
MW-3	05/13/2010	<50	<0.50	<1.0	<1.0	<1.0	--	1.7	<10	--	--	--	--	--	--	--	375.05	31.25	343.80	--	--
MW-3	08/05/2010	<50	<0.50	<1.0	<1.0	<1.0	--	1.2	<10	--	--	--	--	--	--	--	375.05	32.00	343.05	--	--
MW-3	10/30/2010	<50	<0.50	<1.0	<1.0	<1.0	--	1.4	<10	<2.0	<2.0	<2.0	--	--	--	--	375.05	32.18	342.87	--	--
MW-3	02/09/2011	<50	<0.50	<0.50	<0.50	<1.0	--	1.7	<10	--	--	--	--	--	--	--	375.05	31.80	343.25	--	--
MW-3	05/31/2011	<50	<0.50	<0.50	<0.50	<1.0	--	1.9	<10	--	--	--	--	--	--	--	375.05	31.60	343.45	--	--
MW-3	07/27/2011	<50	<0.50	<0.50	<0.50	<1.0	--	1.8	<10	--	--	--	--	--	--	--	375.05	32.00	343.05	--	--
MW-3	11/04/2011	<50	<0.50	<0.50	<0.50	<1.0	--	2.1	<10	<1.0	<1.0	<1.0	--	--	--	--	375.05	32.55	342.50	--	--
MW-3	05/23/2012	<50	0.67	<0.50	<0.50	1.9	--	0.91	<10	--	--	--	1,400	36,000	250,000	5,000	375.05	31.52	343.53	1.81	-5
MW-3	09/07/2012	<50	<0.50	<0.50	<0.50	<1.0	--	1.6	<10	--	--	--	<110 a	28,000	270,000	--	375.05	32.66	342.39	1.06	-10
MW-3	11/13/2012	<50	<0.50	<0.50	<0.50	<1.0	--	1.8	<10	<0.50	<0.50	<0.50	<110	7,300	330,000	--	375.05	33.35	341.70	1.44	-26
MW-3	05/14/2013	<50	<0.50	<0.50	<0.50	<1.0	--	1.2	<10	--	--	--	<110	17,000	280,000	--	375.05	32.92	342.13	1.10	78
MW-3	07/31/2013	<50	<0.50	<0.50	<0.50	<1.0	--	2.5	<10	--	--	--	<110	2,400	370,000	--	375.05	33.56	341.49	1.56	-82
<b>MW-3</b>	<b>11/12/2013</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>--</b>	<b>1.2</b>	<b>&lt;10</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>375.05</b>	<b>34.20</b>	<b>340.85</b>	<b>1.26</b>	<b>-8</b>
MW-4	09/21/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	372.78	31.58	341.20	--	--
MW-4	09/28/2006	11,000	<250	<250	<250	<250	--	13,000	<10,000	--	--	--	--	--	--	--	372.78	31.57	341.21	--	--
MW-4	11/14/2006	30,000	<250	<250	<250	<250 a	--	14,000	<10,000	<250	<250	<250	--	--	--	--	372.78	32.11	340.67	--	--
MW-4	02/01/2007	6,300	50	<5.0	19	120	--	14,000	--	--	--	--	--	--	--	--	372.78	33.23	339.55	--	--
MW-4	06/01/2007	8,200 d	52	<25	26	150	--	11,000	--	--	--	--	--	--	--	--	372.78	31.57	341.21	--	--
MW-4	08/22/2007	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	372.78	33.40	339.38	--	--
MW-4	11/26/2007	12,000 d	71	<100	<100	<100	--	20,000	<1,000	<200	<200	<200	--	--	--	--	372.78	34.74	338.04	--	--
MW-4	02/19/2008	13,000 d	<100	<200	<200	<200	--	18,000	2,900	--	--	--	--	--	--	--	372.78	29.70	343.08	--	--
MW-4	05/23/2008	21,000	<100	<200	<200	<200	--	16,000	<2,000	--	--	--	--	--	--	--	372.78	31.67	341.11	--	--
MW-4	08/07/2008	27,000	<100	<200	<200	<200	--	21,000	<2,000	--	--	--	--	--	--	--	372.78	31.90	340.88	--	--
MW-4	12/03/2008	20,000	19	<25	<25	29	--	21,000	2,500	--	--	--	--	--	--	--	372.78	34.32	338.46	--	--
MW-4	02/05/2009	15,000	200	<200	<200	<200	--	13,000	<2,000	--	--	--	--	--	--	--	372.78	34.58	338.20	--	--
MW-4	05/07/2009	18,000	<100	<200	<200	<200	--	17,000	<2,000	--	--	--	--	--	--	--	372.78	31.34	341.44	--	--
MW-4	08/20/2009	15,000	<50	<100	<100	<100	--	13,000	1,900	--	--	--	--	--	--	--	372.78	33.56	339.22	--	--
MW-4	11/09/2009	13,000	<50	<100	<100	<100	--	11,000	<1000	<200	<200	<200	--	--	--	--	372.78	33.57	339.21	--	--
MW-4	02/11/2010	11,000	95	<100	<100	110	--	7,500	3,200	--	--	--	--	--	--	--	372.78	31.21	341.57	--	--
MW-4	05/13/2010	8,800	48	<50	57	96	--	7,800	2,900	--	--	--	--	--	--	--	372.78	30.19	342.59	--	--
MW-4	08/05/2010	4,000	<12	<25	<25	<25	--	3,600	600	--	--	--	--	--	--	--	372.78	32.22	340.56	--	--
MW-4	10/30/2010	6,800	<12	<25	<25	<25	--	8,200	1,400	<50	<50	<50	--	--	--	--	372.78	33.95	338.83	--	--
MW-4	02/09/2011	<5,000	<50	<50	<50	<100	--	5,800	2,700	--	--	--	--	--	--	--	372.78	31.56	341.22	--	--
MW-4	05/31/2011	<5,000	<50	<50	<50	<100	--	5,600	1,200	--	--	--	--	--	--	--	372.78	30.78	342.00	--	--
MW-4	07/27/2011	4,500 c	<10	<10	18	21	--	5,200	2,100	--	--	--	--	--	--	--	372.78	31.64	341.14	--	--
MW-4	11/04/2011	3,400 c	<25	<25	<25	<50	--	4,400	1,800	<50	<50	<50	--	--	--	--	372.78	33.53	339.25	--	--

TABLE 1

GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
MW-4	05/23/2012	3,500	<10	<10	13	<20	---	4,900	1,400	---	---	---	5,300	69,000	300,000	1,000	372.78	31.12	341.66	1.44	-6
MW-4	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.79	33.77	339.02	---	---
MW-4	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.79	34.18	338.61	---	---
MW-4	09/07/2012	5,900 c	<50	<50	<50	<100	---	5,000	<1,000	---	---	---	4,300 a	71,000	320,000	---	372.79	34.55	338.24	1.21	66
MW-4	11/13/2012	1,200	<10	<10	<10	<20	---	1,400	970	<10	<10	<10	2,100	53,000	300,000	---	372.79	36.25	336.54	1.38	85
MW-4	04/01/2013	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.79	28.95	343.83	---	---
MW-4	05/14/2013	910	<0.50	<0.50	1.4	7.5	---	46	290	---	---	---	1,700	130,000	80,000	---	372.79	35.48	337.30	1.34	70
MW-4	07/31/2013	1,200	<0.50	<0.50	2.0	2.8	---	200	630	---	---	---	1,900	81,000	100,000	---	372.79	36.00	336.78	1.43	31
MW-4	11/12/2013	1,200	1.3	<0.50	2.3	2.2	---	96	1,100	---	---	---	470	55,000	170,000	---	372.79	38.15	334.64	1.70	38
TB-1	02/12/2003	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-1	02/28/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	12.54	---	---	---
TB-1	05/14/2003	<50	<0.50	<0.50	<0.50	<1.0	---	<5.0	---	---	---	---	---	---	---	---	---	12.31	---	---	---
TB-2	02/12/2003	Well inaccessible		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-2	02/28/2003	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	12.56	---	---	---
TB-2	05/14/2003	Insufficient water		---	---	---	---	---	---	---	---	---	---	---	---	---	---	12.54	---	---	---
TB-3	02/12/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-3	02/28/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-3	05/14/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-4	02/12/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-4	02/28/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TB-4	05/14/2003	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AS-1	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	373.39	34.55	338.84	---	---
AS-1	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	373.39	35.08	338.31	---	---
AS-1	09/07/2012	8,500	<50	<50	<50	<100	---	10,000	---	---	---	---	---	---	---	---	373.39	34.55	338.84	1.17	187
EW-1	08/31/2012	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	372.14	---	---	---	---
EW-1	09/07/2012	Well dry		---	---	---	---	---	---	---	---	---	---	---	---	---	372.14	---	---	---	---
EW-1	09/14/2012	<50	<0.50	<0.50	<0.50	<1.0	---	3.9	<10	---	---	---	---	---	---	---	372.14	19.03	353.11	---	---
EW-1	09/14/2012	1,600 h	3.8 h	0.84 h	20 h	76 h	---	36 h	1,200 h	---	---	---	---	---	---	---	372.14	---	---	---	---
EW-2	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.74	33.61	339.13	---	---
EW-2	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.74	34.16	338.58	---	---
EW-2	09/07/2012	3,600	<25	<25	<25	<50	---	4,100	---	---	---	---	---	---	---	---	372.74	35.02	337.72	1.83	166

TABLE 1

**GROUNDWATER DATA  
SHELL-BRANDED SERVICE STATION  
4212 FIRST STREET, PLEASANTON, CALIFORNIA**

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
EW-2	09/14/2012	3,800	<25	<25	<25	<50	---	3,400	670	---	---	---	---	---	---	---	372.74	---	---	---	---
OBS-1	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.28	33.50	338.78	---	---
OBS-1	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.28	35.18	337.10	---	---
P-1	08/31/2012	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.51	---	---	---	---
P-1	09/07/2012	Well dry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.51	---	---	---	---
P-2	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.39	33.42	338.97	---	---
P-2	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.39	34.00	338.39	---	---
P-2	09/07/2012	7,700	580	<10	30	<20	---	1,800	---	---	---	---	---	---	---	---	372.39	34.61	337.78	1.62	193
SVE-5	08/31/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.93	33.83	339.10	---	---
SVE-5	09/04/2012	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	372.93	35.30	337.63	---	---
SVE-5	09/07/2012	4,200	<25	<25	<25	<50	---	4,900	---	---	---	---	---	---	---	---	372.93	36.20	336.73	1.49	180

**Notes:**

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to 5/30/2001, analyzed by EPA Method 8015 unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to 5/30/2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary-butyl ether analyzed as noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

Nitrate as N and sulfate analyzed by EPA Method 300.0

Alkalinity as CaCO<sub>3</sub> analyzed by SM 2320 B

Ferrous iron analyzed by SM 3500 Fe B

TOC = Top of casing elevation, in feet relative to mean sea level

GW = Groundwater

DO = Dissolved oxygen

ORP = Oxidation reduction potential

µg/L = Micrograms per liter

ft = Feet

MSL = Mean sea level

mg/L = Milligrams per liter

mV = Millivolts

<x = Not detected at reporting limit x

--- = Not analyzed or available

TABLE 1

GROUNDWATER DATA  
 SHELL-BRANDED SERVICE STATION  
 4212 FIRST STREET, PLEASANTON, CALIFORNIA

Well ID	Date	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Nitrate as N (µg/L)	Sulfate (µg/L)	Alkalinity as CaCO <sub>3</sub> (µg/L)	Ferrous Iron (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)	ORP (mV)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	---------------	----------------	----------------	----------------	---------------------------	-------------------	--	---------------------------	-----------------	-------------------------------	-----------------------------	--------------	-------------

- a = Sample was analyzed outside the EPA recommended holding time.
- b = Concentration is an estimate value above the linear quantitation range.
- c = Hydrocarbon result partly due to individual peak(s) in quantitation range.
- d = Analyzed by EPA Method 8015B (M).
- e = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
- f = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
- g = Result exceeded calibration range
- h = Post pilot test samples
- i = The Gasoline Range Organics concentration reported is due to the presence of discrete peaks of MTBE.

Well MW-1 surveyed on May 4, 1999 by Virgil Chavez Land Surveying  
 Site wells surveyed on March 19, 2000 by Virgil Chavez Land Surveying  
 Site wells surveyed on January 15, 2002 by Virgil Chavez Land Surveying  
 Site wells surveyed on September 5, 2012 by Virgil Chavez Land Surveying  
 September 21, 2006 survey data for wells MW-1B and MW-4 provided by Delta Environmental Consultants, Inc.

APPENDIX A

BLAINE TECH SERVICES, INC. -  
FIELD NOTES

### WELL GAUGING DATA

Project # 131112-DWI Date 11/12/13 Client Shell

Site 4212 First St, Pleasanton CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0827	2					39.50	57.15	↓	
MW-1B	0820	4				102.83	108.00			
MW-2	0824	4				37.25	45.80			
MW-3	0814	4				34.20	34.60			
MW-4	0830	4				38.15	46.75			

## SHELL WELL MONITORING DATA SHEET

BTS #: 131112-DW1	Site: 98995840
Sampler: DW	Date: 11/12/13
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 57.15	Depth to Water (DTW): 39.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVE</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 43.03	

Purge Method: Bailer      Waterra      Sampling Method: Bailer

Disposable Bailer       Peristaltic  
 Positive Air Displacement       Extraction Pump  
 Electric Submersible      Other \_\_\_\_\_

Other: \_\_\_\_\_

$2.8 \text{ (Gals.)} \times 3 = 8.4 \text{ Gals.}$ <p>1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0915	68.2	6.51	2048	71000	2.8	
0917 well dewatered @ 4.5 gals						
1505	67.9	6.63	1981	<del>93</del> 93	—	Fe <sup>2+</sup> = 0.0 mg/L
Did well dewater?		Yes	No	Gallons actually evacuated: 4.5		
Sampling Date: 11/12/13		Sampling Time: 1505		Depth to Water: 39.76		
Sample I.D.: MW-1		Laboratory: <u>Test America</u> Other _____				
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: <u>SEE COC</u>						
EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):						
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:						
D.O. (if req'd): Pre-purge:				mg/L		Post-purge: 1.68 mg/L
O.R.P. (if req'd): Pre-purge:				mV		Post-purge: 88 mV



## SHELL WELL MONITORING DATA SHEET

BTS #: 13112-DW1	Site: 98995840
Sampler: DW	Date: 11/12/13
Well I.D.: MW-1B	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 108.00	Depth to Water (DTW): 102.83
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 103.86	

Purge Method: <u>Bailer</u>	Watterra	Sampling Method: <u>Bailer</u>
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
<u>Electric Submersible</u>	Other _____	Dedicated Tubing
		Other: _____

3.4 (Gals.) X	3	= 10.2 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0844	64.6	7.03	1251	71000	3.4	
0847	well dewatered @ 4.5 gals					
1445	64.2	7.19	1210	271	—	Fe <sup>2+</sup> = 0, 0mg/L

Did well dewater? Yes No      Gallons actually evacuated: 4.5

Sampling Date: 11/12/13    Sampling Time: 1445    Depth to Water: 103.15

Sample I.D.: MW-1B      Laboratory: Test America Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE CCC

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.96 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	92 mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 13112-DW1	Site: 98995840
Sampler: DW	Date: 11/12/13
Well I.D.: MW-2	Well Diameter: 2 3 <b>4</b> 6 8
Total Well Depth (TD): 45.80	Depth to Water (DTW): 37.25
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <b>PVC</b> Grade	D.O. Meter (if req'd): <b>YSI</b> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 38.96	

Purge Method:  Bailer       Waterra      Sampling Method:  **Bailer**  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 **Electric Submersible**       Other \_\_\_\_\_       Dedicated Tubing  
 Other: \_\_\_\_\_

5.5 (Gals.) X 3 = 16.5 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <b>µS</b> )	Turbidity (NTUs)	Gals. Removed	Observations
0901	69.0	6.77	860	32		
0902			well dewatered @		9.0 gals	
1455	68.5	6.84	895	11		Fe <sup>2+</sup> 20.6 mg/L

Did well dewater?  **Yes**      No      Gallons actually evacuated: 9.0

Sampling Date: 11/12/13      Sampling Time: 1455      Depth to Water: 38.25

Sample I.D.: MW-2      Laboratory: **Test America**      Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: **SFE COC**

EB I.D. (if applicable): @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L      Post-purge: 1.63 mg/L

ORP (if req'd): Pre-purge: \_\_\_\_\_ mV      Post-purge: 28 mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>131112-DW1</u>	Site: <u>98995840</u>
Sampler: <u>DW</u>	Date: <u>11/12/13</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>34.60</u>	Depth to Water (DTW): <u>34.20</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>34.28</u>	

Purge Method: <u>Bailer</u>	Watera	Sampling Method: <u>Bailer</u>
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
Electric Submersible	Other _____	Dedicated Tubing
		Other: _____

$0.3 \text{ (Gals.)} \times \underline{3} = \underline{0.9} \text{ Gals.}$ <p style="font-size: small; margin: 0;">1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
0836	64.3	6.85	956	215		
						well dewatered @ 0.9 gals
						* Insufficient water to collect
						Full Bottle set *
1425	63.5	6.96	985	73		Fe <sup>2+</sup> = 1.8 mg/L

Did well dewater? (Yes) No      Gallons actually evacuated: 0.5

Sampling Date: 11/12/13    Sampling Time: 1425    Depth to Water: 34.39 (2hr)

Sample I.D.: MW-3      Laboratory: Test America    Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)    Other: SEE COC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5)    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.26 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	78 mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>13112-0-1</u>	Site: <u>98995840</u>
Sampler: <u>DW</u>	Date: <u>11/12/13</u>
Well I.D.: <u>MW-4</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): <u>46.75</u>	Depth to Water (DTW): <u>38.15</u>
Depth to Free Product: <u>40W</u>	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>39.87</u>	

Purge Method: <u>Bailer</u> Disposable Bailer Positive Air Displacement <u>Electric Submersible</u>	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	--

$5.6 \text{ (Gals.)} \times 3 = 16.8 \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														
I Case Volume      Specified Volumes      Calculated Volume																	

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0927	68.7	7.25	673	71000	5.6	
0928						well dewatered @ 8.0 gals
1515	68.5	7.13	784	105	—	Fe <sup>2+</sup> > 0.0 mg/L

Did well dewater? (Yes) No      Gallons actually evacuated: 8.0

Sampling Date: 11/12/13      Sampling Time: 1515      Depth to Water: 38.21

Sample I.D.: MW-4      Laboratory: (Test America) Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: SEE COC

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.70 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	38 mV

INCIDENT # 98995840  
 DATE: 11/12/13

ADDRESS 4212 First St  
 CITY & STATE Pleasanton CA

Well ID	Observations Upon Arrival													Detailed Explanation of Maintenance Recommended and Performed	Photos of Well Condition		Repair Date and PM Initials	
	Manway Cover, Type, Condition & Size					Well Labeled / Painted Properly*		Well Cap (Gripper) Condition		Well Lock Condition			Well Pad / Surface Condition					
MW-1	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
MW-1B	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
MW-2	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
MW-3	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
MW-4	Standpipe	Flush	G	P	Size (inch) 12	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	

TOTAL # CAPS REPLACED = 0      TOTAL # OF LOCKS REPLACED = 0

Condition of Soil Boring Patches or Abandoned Monitoring Wells: G P N/A      If POOR, Borings/Well IDs or Location Description:       Photos of Well Condition: Y N

Remediation Compound Type (Check boxes that apply)	Condition of Enclosure			Condition of Area Inside Enclosure			Compound Security			Emergency Contact Info Visible			Cleaning / Repairs Recommended and Conducted			Photos of Condition	Repair Date and PM Initials
NA																	
Building																	
Building w/ Fence Comp.																	
Fenced Compound																	
Trailer																	

Number of Drums On-site	Does the Label Reveal the Source of the Contents		Labeled Correctly and Writing Legible			Drum Condition			Confirm Drums Related to Environmental	Drums Located to Min Business Interference			Detailed Explanation of Any Issues Resolved			Photos of Drum Condition	Date Drums Removed from Site and PM Initials
<u>0</u>	Y	N	<u>N/A</u>	Y	N	<u>N/A</u>	G	P	<u>N/A</u>		Y	N	<u>N/A</u>				

G = Good (Acceptable)    R = Replaced  
 P = Poor (needs attention)    NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

\* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.  
 Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

Daniel Allen BTS

Print of type Name of Field Personnel & Consultant Company

# SHELL WELLHEAD REPAIR FORM

## (FOR REPAIR TECHNICIAN)

Site Address 4212 First St.: Pleasanton Date 11/11/13  
 Job Number 131111-BW4 Technician BW Page 1 of 2

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency										All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair	
					Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Secure by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency				Not Secure by Design (greater than 12" diameter)
EW-1						X										X		
	Notes: <u>Repair Annular Seal, Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used: <u>1 bag</u>								
EW-2																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
AS-1																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
AS-10																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
P-1																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
P-2																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
OBS-1																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								

# SHELL WELLHEAD REPAIR FORM

## (FOR REPAIR TECHNICIAN)

Site Address 4212 First St; Pleasanton Date 11/11/13  
 Job Number 131111-BW4 Technician BW Page 2 of 2

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency										All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair	
					Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency				Not Securable by Design (greater than 12" diameter)
SVE-1																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Morrison</u>									Materials used:								
SVE-2																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Morrison</u>									Materials used:								
SVE-3																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Morrison</u>									Materials used:								
SVE-4																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
SVE-5																X		
	Notes: <u>Install ID Tag</u>																	
	Well box type / size: <u>12" Emco</u>									Materials used:								
	Notes:																	
	Well box type / size:									Materials used:								
	Notes:																	
	Well box type / size:									Materials used:								

APPENDIX B

TESTAMERICA LABORATORIES, INC. -  
ANALYTICAL REPORT



# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Irvine  
17461 Derian Ave  
Suite 100  
Irvine, CA 92614-5817  
Tel: (949)261-1022

TestAmerica Job ID: 440-62330-1  
Client Project/Site: 4212 First St., Pleasanton, CA

For:  
Conestoga-Rovers & Associates, Inc.  
5900 Hollis Street  
Suite A  
Emeryville, California 94608

Attn: Peter Schaefer



Authorized for release by:  
11/22/2013 4:23:13 PM

Philip Sanelle, Project Manager I  
(949)261-1022  
philip.sanelle@testamericainc.com

### LINKS

Review your project  
results through

**Total Access**

Have a Question?

**Ask  
The  
Expert**

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Sample Summary . . . . .	3
Case Narrative . . . . .	4
Client Sample Results . . . . .	5
Method Summary . . . . .	9
Chronicle . . . . .	10
QC Sample Results . . . . .	12
QC Association . . . . .	16
Definitions . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20
Receipt Checklists . . . . .	21

## Sample Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-62330-1	MW-1	Ground Water	11/12/13 15:05	11/13/13 10:45
440-62330-2	MW-1B	Ground Water	11/12/13 14:45	11/13/13 10:45
440-62330-3	MW-2	Ground Water	11/12/13 14:55	11/13/13 10:45
440-62330-4	MW-3	Ground Water	11/12/13 14:25	11/13/13 10:45
440-62330-5	MW-4	Ground Water	11/12/13 15:15	11/13/13 10:45

## Case Narrative

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

---

**Job ID: 440-62330-1**

---

**Laboratory: TestAmerica Irvine**

**Narrative**

---

**Job Narrative**

**440-62330-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 11/13/2013 10:45 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.4° C.

**GC/MS VOA**

No analytical or quality issues were noted.

**HPLC**

No analytical or quality issues were noted.

**General Chemistry**

No analytical or quality issues were noted.

**VOA Prep**

No analytical or quality issues were noted.

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-1**

**Lab Sample ID: 440-62330-1**

Date Collected: 11/12/13 15:05

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	2100		500		ug/L			11/20/13 13:23	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	102		76 - 132		11/20/13 13:23	10
4-Bromofluorobenzene (Surr)	109		80 - 120		11/20/13 13:23	10
Toluene-d8 (Surr)	110		80 - 128		11/20/13 13:23	10

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	71		5.0		ug/L			11/20/13 13:23	10
Ethylbenzene	ND		5.0		ug/L			11/20/13 13:23	10
Methyl-t-Butyl Ether (MTBE)	1300		5.0		ug/L			11/20/13 13:23	10
tert-Butyl alcohol (TBA)	810		100		ug/L			11/20/13 13:23	10
Toluene	ND		5.0		ug/L			11/20/13 13:23	10
Xylenes, Total	ND		10		ug/L			11/20/13 13:23	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		80 - 120		11/20/13 13:23	10
Dibromofluoromethane (Surr)	102		76 - 132		11/20/13 13:23	10
Toluene-d8 (Surr)	110		80 - 128		11/20/13 13:23	10

**Method: 300.0 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	970		220		ug/L			11/13/13 20:22	2
Sulfate	19000		1000		ug/L			11/13/13 20:22	2

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity as CaCO3	710000		4000		ug/L			11/14/13 07:03	1

**Client Sample ID: MW-1B**

**Lab Sample ID: 440-62330-2**

Date Collected: 11/12/13 14:45

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			11/20/13 11:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	102		76 - 132		11/20/13 11:10	1
4-Bromofluorobenzene (Surr)	108		80 - 120		11/20/13 11:10	1
Toluene-d8 (Surr)	112		80 - 128		11/20/13 11:10	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			11/20/13 11:10	1
Ethylbenzene	ND		0.50		ug/L			11/20/13 11:10	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			11/20/13 11:10	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			11/20/13 11:10	1
Toluene	ND		0.50		ug/L			11/20/13 11:10	1

TestAmerica Irvine

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-1B**

**Lab Sample ID: 440-62330-2**

Date Collected: 11/12/13 14:45

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		1.0		ug/L			11/20/13 11:10	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	108		80 - 120					11/20/13 11:10	1
Dibromofluoromethane (Surr)	102		76 - 132					11/20/13 11:10	1
Toluene-d8 (Surr)	112		80 - 128					11/20/13 11:10	1

**Method: 300.0 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	19000		2200		ug/L			11/13/13 21:05	20
Sulfate	49000		10000		ug/L			11/13/13 21:05	20

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity as CaCO3	300000		4000		ug/L			11/14/13 07:23	1

**Client Sample ID: MW-2**

**Lab Sample ID: 440-62330-3**

Date Collected: 11/12/13 14:55

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	1800		1000		ug/L			11/20/13 13:49	20
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Dibromofluoromethane (Surr)	105		76 - 132					11/20/13 13:49	20
4-Bromofluorobenzene (Surr)	108		80 - 120					11/20/13 13:49	20
Toluene-d8 (Surr)	110		80 - 128					11/20/13 13:49	20

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		10		ug/L			11/20/13 13:49	20
Ethylbenzene	ND		10		ug/L			11/20/13 13:49	20
Methyl-t-Butyl Ether (MTBE)	1600		10		ug/L			11/20/13 13:49	20
tert-Butyl alcohol (TBA)	ND		200		ug/L			11/20/13 13:49	20
Toluene	ND		10		ug/L			11/20/13 13:49	20
Xylenes, Total	ND		20		ug/L			11/20/13 13:49	20
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	108		80 - 120					11/20/13 13:49	20
Dibromofluoromethane (Surr)	105		76 - 132					11/20/13 13:49	20
Toluene-d8 (Surr)	110		80 - 128					11/20/13 13:49	20

**Method: 300.0 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	7300		2200		ug/L			11/13/13 21:34	20
Sulfate	77000		10000		ug/L			11/13/13 21:34	20

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity as CaCO3	340000		4000		ug/L			11/14/13 07:31	1

TestAmerica Irvine

## Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-3**

**Lab Sample ID: 440-62330-4**

Date Collected: 11/12/13 14:25

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			11/20/13 12:30	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Dibromofluoromethane (Surr)	106		76 - 132					11/20/13 12:30	1
4-Bromofluorobenzene (Surr)	107		80 - 120					11/20/13 12:30	1
Toluene-d8 (Surr)	107		80 - 128					11/20/13 12:30	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			11/20/13 12:30	1
Ethylbenzene	ND		0.50		ug/L			11/20/13 12:30	1
Methyl-t-Butyl Ether (MTBE)	1.2		0.50		ug/L			11/20/13 12:30	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			11/20/13 12:30	1
Toluene	ND		0.50		ug/L			11/20/13 12:30	1
Xylenes, Total	ND		1.0		ug/L			11/20/13 12:30	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	107		80 - 120					11/20/13 12:30	1
Dibromofluoromethane (Surr)	106		76 - 132					11/20/13 12:30	1
Toluene-d8 (Surr)	107		80 - 128					11/20/13 12:30	1

**Client Sample ID: MW-4**

**Lab Sample ID: 440-62330-5**

Date Collected: 11/12/13 15:15

Matrix: Ground Water

Date Received: 11/13/13 10:45

**Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	1200		50		ug/L			11/20/13 12:56	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
Dibromofluoromethane (Surr)	101		76 - 132					11/20/13 12:56	1
4-Bromofluorobenzene (Surr)	116		80 - 120					11/20/13 12:56	1
Toluene-d8 (Surr)	111		80 - 128					11/20/13 12:56	1

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.3		0.50		ug/L			11/20/13 12:56	1
Ethylbenzene	2.3		0.50		ug/L			11/20/13 12:56	1
Methyl-t-Butyl Ether (MTBE)	96		0.50		ug/L			11/20/13 12:56	1
tert-Butyl alcohol (TBA)	1100		10		ug/L			11/20/13 12:56	1
Toluene	ND		0.50		ug/L			11/20/13 12:56	1
Xylenes, Total	2.2		1.0		ug/L			11/20/13 12:56	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	116		80 - 120					11/20/13 12:56	1
Dibromofluoromethane (Surr)	101		76 - 132					11/20/13 12:56	1
Toluene-d8 (Surr)	111		80 - 128					11/20/13 12:56	1

**Method: 300.0 - Anions, Ion Chromatography**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	470		110		ug/L			11/13/13 21:48	1

TestAmerica Irvine

# Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-4**

**Lab Sample ID: 440-62330-5**

Date Collected: 11/12/13 15:15

Matrix: Ground Water

Date Received: 11/13/13 10:45

## Method: 300.0 - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	55000		5000		ug/L			11/13/13 22:02	10

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity as CaCO3	170000		4000		ug/L			11/14/13 07:37	1



## Method Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

---

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8260B/CA_LUFTM	Volatile Organic Compounds by GC/MS	SW846	TAL IRV
S			
300.0	Anions, Ion Chromatography	MCAWW	TAL IRV
SM 2320B	Alkalinity	SM	TAL IRV

**Protocol References:**

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

## Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-1**

**Lab Sample ID: 440-62330-1**

Date Collected: 11/12/13 15:05

Matrix: Ground Water

Date Received: 11/13/13 10:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	145580	11/20/13 13:23	MP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		10	10 mL	10 mL	145581	11/20/13 13:23	SS	TAL IRV
Total/NA	Analysis	300.0		2	5 mL	1.0 mL	144040	11/13/13 20:22	NN	TAL IRV
Total/NA	Analysis	300.0		2	5 mL	1.0 mL	144041	11/13/13 20:22	NN	TAL IRV
Total/NA	Analysis	SM 2320B		1			144302	11/14/13 07:03	YZ	TAL IRV

**Client Sample ID: MW-1B**

**Lab Sample ID: 440-62330-2**

Date Collected: 11/12/13 14:45

Matrix: Ground Water

Date Received: 11/13/13 10:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	145580	11/20/13 11:10	MP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	145581	11/20/13 11:10	SS	TAL IRV
Total/NA	Analysis	300.0		20	5 mL	1.0 mL	144040	11/13/13 21:05	NN	TAL IRV
Total/NA	Analysis	300.0		20	5 mL	1.0 mL	144041	11/13/13 21:05	NN	TAL IRV
Total/NA	Analysis	SM 2320B		1			144302	11/14/13 07:23	YZ	TAL IRV

**Client Sample ID: MW-2**

**Lab Sample ID: 440-62330-3**

Date Collected: 11/12/13 14:55

Matrix: Ground Water

Date Received: 11/13/13 10:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	10 mL	10 mL	145580	11/20/13 13:49	MP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		20	10 mL	10 mL	145581	11/20/13 13:49	SS	TAL IRV
Total/NA	Analysis	300.0		20	5 mL	1.0 mL	144040	11/13/13 21:34	NN	TAL IRV
Total/NA	Analysis	300.0		20	5 mL	1.0 mL	144041	11/13/13 21:34	NN	TAL IRV
Total/NA	Analysis	SM 2320B		1			144302	11/14/13 07:31	YZ	TAL IRV

**Client Sample ID: MW-3**

**Lab Sample ID: 440-62330-4**

Date Collected: 11/12/13 14:25

Matrix: Ground Water

Date Received: 11/13/13 10:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	145580	11/20/13 12:30	MP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	145581	11/20/13 12:30	SS	TAL IRV

# Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

**Client Sample ID: MW-4**

**Lab Sample ID: 440-62330-5**

Date Collected: 11/12/13 15:15

Matrix: Ground Water

Date Received: 11/13/13 10:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	145580	11/20/13 12:56	MP	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTMS		1	10 mL	10 mL	145581	11/20/13 12:56	SS	TAL IRV
Total/NA	Analysis	300.0		1	5 mL	1.0 mL	144040	11/13/13 21:48	NN	TAL IRV
Total/NA	Analysis	300.0		10	5 mL	1.0 mL	144041	11/13/13 22:02	NN	TAL IRV
Total/NA	Analysis	SM 2320B		1			144302	11/14/13 07:37	YZ	TAL IRV

**Laboratory References:**

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Method: 8260B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 440-145580/4**

**Matrix: Water**

**Analysis Batch: 145580**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.50		ug/L			11/20/13 08:54	1
Ethylbenzene	ND		0.50		ug/L			11/20/13 08:54	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			11/20/13 08:54	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			11/20/13 08:54	1
Toluene	ND		0.50		ug/L			11/20/13 08:54	1
Xylenes, Total	ND		0.50		ug/L			11/20/13 08:54	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	107		80 - 120		11/20/13 08:54	1
Dibromofluoromethane (Surr)	105		76 - 132		11/20/13 08:54	1
Toluene-d8 (Surr)	107		80 - 128		11/20/13 08:54	1

**Lab Sample ID: LCS 440-145580/5**

**Matrix: Water**

**Analysis Batch: 145580**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	25.0	23.4		ug/L		94	68 - 130
Ethylbenzene	25.0	27.3		ug/L		109	70 - 130
m,p-Xylene	50.0	55.0		ug/L		110	70 - 130
Methyl-t-Butyl Ether (MTBE)	25.0	24.4		ug/L		97	63 - 131
o-Xylene	25.0	27.4		ug/L		110	70 - 130
tert-Butyl alcohol (TBA)	125	134		ug/L		107	70 - 130
Toluene	25.0	26.0		ug/L		104	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	113		80 - 120
Dibromofluoromethane (Surr)	104		76 - 132
Toluene-d8 (Surr)	108		80 - 128

**Lab Sample ID: 440-62330-2 MS**

**Matrix: Ground Water**

**Analysis Batch: 145580**

**Client Sample ID: MW-1B**

**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
Benzene	ND		25.0	23.9		ug/L		96	66 - 130
Ethylbenzene	ND		25.0	26.7		ug/L		107	70 - 130
m,p-Xylene	ND		50.0	54.3		ug/L		109	70 - 133
Methyl-t-Butyl Ether (MTBE)	ND		25.0	23.9		ug/L		95	70 - 130
o-Xylene	ND		25.0	26.8		ug/L		107	70 - 133
tert-Butyl alcohol (TBA)	ND		125	124		ug/L		99	70 - 130
Toluene	ND		25.0	26.0		ug/L		104	70 - 130

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	107		80 - 120
Dibromofluoromethane (Surr)	103		76 - 132
Toluene-d8 (Surr)	110		80 - 128

TestAmerica Irvine

## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-62330-2 MSD

Matrix: Ground Water

Analysis Batch: 145580

Client Sample ID: MW-1B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		25.0	23.5		ug/L		94	66 - 130	2	20
Ethylbenzene	ND		25.0	25.7		ug/L		103	70 - 130	4	20
m,p-Xylene	ND		50.0	51.8		ug/L		104	70 - 133	5	25
Methyl-t-Butyl Ether (MTBE)	ND		25.0	23.7		ug/L		95	70 - 130	1	25
o-Xylene	ND		25.0	26.1		ug/L		104	70 - 133	3	20
tert-Butyl alcohol (TBA)	ND		125	129		ug/L		103	70 - 130	4	25
Toluene	ND		25.0	24.9		ug/L		100	70 - 130	4	20

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
4-Bromofluorobenzene (Surr)	109		80 - 120
Dibromofluoromethane (Surr)	101		76 - 132
Toluene-d8 (Surr)	107		80 - 128

### Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-145581/4

Matrix: Water

Analysis Batch: 145581

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			11/20/13 08:54	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	105		76 - 132		11/20/13 08:54	1
4-Bromofluorobenzene (Surr)	107		80 - 120		11/20/13 08:54	1
Toluene-d8 (Surr)	107		80 - 128		11/20/13 08:54	1

Lab Sample ID: LCS 440-145581/6

Matrix: Water

Analysis Batch: 145581

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	500	465		ug/L		93	55 - 130

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
Dibromofluoromethane (Surr)	104		76 - 132
4-Bromofluorobenzene (Surr)	113		80 - 120
Toluene-d8 (Surr)	111		80 - 128

Lab Sample ID: 440-62330-2 MS

Matrix: Ground Water

Analysis Batch: 145581

Client Sample ID: MW-1B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1880		ug/L		106	50 - 145

TestAmerica Irvine

## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Method: 8260B/CA\_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-62330-2 MS  
 Matrix: Ground Water  
 Analysis Batch: 145581

Client Sample ID: MW-1B  
 Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
Dibromofluoromethane (Surr)	103		76 - 132
4-Bromofluorobenzene (Surr)	107		80 - 120
Toluene-d8 (Surr)	110		80 - 128

Lab Sample ID: 440-62330-2 MSD  
 Matrix: Ground Water  
 Analysis Batch: 145581

Client Sample ID: MW-1B  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Volatile Fuel Hydrocarbons (C4-C12)	ND		1730	1830		ug/L		104	50 - 145	2	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Dibromofluoromethane (Surr)	101		76 - 132
4-Bromofluorobenzene (Surr)	109		80 - 120
Toluene-d8 (Surr)	107		80 - 128

### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 440-144040/4  
 Matrix: Water  
 Analysis Batch: 144040

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	ND		110		ug/L			11/13/13 12:14	1

Lab Sample ID: LCS 440-144040/6  
 Matrix: Water  
 Analysis Batch: 144040

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	1130	1030		ug/L		91	90 - 110

Lab Sample ID: 440-61912-A-11 MS  
 Matrix: Water  
 Analysis Batch: 144040

Client Sample ID: Matrix Spike  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	ND		1130	1050		ug/L		93	80 - 120

Lab Sample ID: 440-61912-A-11 MSD  
 Matrix: Water  
 Analysis Batch: 144040

Client Sample ID: Matrix Spike Duplicate  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate as N	ND		1130	1060		ug/L		94	80 - 120	1	20

TestAmerica Irvine

## QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: MB 440-144041/4  
 Matrix: Water  
 Analysis Batch: 144041

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Sulfate	ND		500		ug/L			11/13/13 12:14	1

Lab Sample ID: LCS 440-144041/6  
 Matrix: Water  
 Analysis Batch: 144041

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 440-61912-A-11 MS  
 Matrix: Water  
 Analysis Batch: 144041

Client Sample ID: Matrix Spike  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 440-61912-A-11 MSD  
 Matrix: Water  
 Analysis Batch: 144041

Client Sample ID: Matrix Spike Duplicate  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit

### Method: SM 2320B - Alkalinity

Lab Sample ID: MB 440-144302/3  
 Matrix: Water  
 Analysis Batch: 144302

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Alkalinity as CaCO3	ND		4000		ug/L			11/14/13 06:02	1

Lab Sample ID: LCS 440-144302/2  
 Matrix: Water  
 Analysis Batch: 144302

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 440-62330-1 DU  
 Matrix: Ground Water  
 Analysis Batch: 144302

Client Sample ID: MW-1  
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit

## QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.  
 Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### GC/MS VOA

#### Analysis Batch: 145580

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-62330-1	MW-1	Total/NA	Ground Water	8260B	
440-62330-2	MW-1B	Total/NA	Ground Water	8260B	
440-62330-2 MS	MW-1B	Total/NA	Ground Water	8260B	
440-62330-2 MSD	MW-1B	Total/NA	Ground Water	8260B	
440-62330-3	MW-2	Total/NA	Ground Water	8260B	
440-62330-4	MW-3	Total/NA	Ground Water	8260B	
440-62330-5	MW-4	Total/NA	Ground Water	8260B	
LCS 440-145580/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-145580/4	Method Blank	Total/NA	Water	8260B	

#### Analysis Batch: 145581

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-62330-1	MW-1	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-2	MW-1B	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-2 MS	MW-1B	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-2 MSD	MW-1B	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-3	MW-2	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-4	MW-3	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-62330-5	MW-4	Total/NA	Ground Water	8260B/CA_LUFT MS	
LCS 440-145581/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-145581/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

### HPLC/IC

#### Analysis Batch: 144040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-61912-A-11 MS	Matrix Spike	Total/NA	Water	300.0	
440-61912-A-11 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
440-62330-1	MW-1	Total/NA	Ground Water	300.0	
440-62330-2	MW-1B	Total/NA	Ground Water	300.0	
440-62330-3	MW-2	Total/NA	Ground Water	300.0	
440-62330-5	MW-4	Total/NA	Ground Water	300.0	
LCS 440-144040/6	Lab Control Sample	Total/NA	Water	300.0	
MB 440-144040/4	Method Blank	Total/NA	Water	300.0	

#### Analysis Batch: 144041

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-61912-A-11 MS	Matrix Spike	Total/NA	Water	300.0	
440-61912-A-11 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	
440-62330-1	MW-1	Total/NA	Ground Water	300.0	
440-62330-2	MW-1B	Total/NA	Ground Water	300.0	
440-62330-3	MW-2	Total/NA	Ground Water	300.0	
440-62330-5	MW-4	Total/NA	Ground Water	300.0	
LCS 440-144041/6	Lab Control Sample	Total/NA	Water	300.0	

TestAmerica Irvine



# QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

## HPLC/IC (Continued)

### Analysis Batch: 144041 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 440-144041/4	Method Blank	Total/NA	Water	300.0	

## General Chemistry

### Analysis Batch: 144302

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-62330-1	MW-1	Total/NA	Ground Water	SM 2320B	
440-62330-1 DU	MW-1	Total/NA	Ground Water	SM 2320B	
440-62330-2	MW-1B	Total/NA	Ground Water	SM 2320B	
440-62330-3	MW-2	Total/NA	Ground Water	SM 2320B	
440-62330-5	MW-4	Total/NA	Ground Water	SM 2320B	
LCS 440-144302/2	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 440-144302/3	Method Blank	Total/NA	Water	SM 2320B	

## Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## Certification Summary

Client: Conestoga-Rovers & Associates, Inc.  
Project/Site: 4212 First St., Pleasanton, CA

TestAmerica Job ID: 440-62330-1

### Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-14
Arizona	State Program	9	AZ0671	10-13-14
California	LA Cty Sanitation Districts	9	10256	01-31-14
California	NELAP	9	1108CA	01-31-14
California	State Program	9	2706	06-30-14
Guam	State Program	9	Cert. No. 12.002r	01-28-14 *
Hawaii	State Program	9	N/A	01-31-14
Nevada	State Program	9	CA015312007A	07-31-14
New Mexico	State Program	6	N/A	01-31-14
Northern Mariana Islands	State Program	9	MP0002	01-31-14
Oregon	NELAP	10	4005	09-12-14
USDA	Federal		P330-09-00080	06-06-14
USEPA UCMR	Federal	1	CA01531	01-31-15

\* Expired certification is currently pending renewal and is considered valid.

TestAmerica Irvine

11/12/13

440-62330

LAB (LOCATION)

- CALSCIENCE ( )
- SPL Houston ( )
- XENCO ( )
- TEST AMERICA (IRVINE)
- OTHER ( )



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input type="checkbox"/> ENV SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input checked="" type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER	

Print Bill To Contact Name: 240523 Peter Schaefer

INCIDENT.# (ENV SERVICES): 9 8 9 9 5 8 4 0

DATE: 11/12/13

PAGE: 1 of 1

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

ADDRESS: 1680 Rogers Avenue, San Jose, CA

PROJECT CONTACT (Hardcopy or PDF Report to): Lorin King

TELEPHONE: (310) 885-4455 x 108 FAX: (310) 637-5802 E-MAIL: lking@blainetech.com

SITE ADDRESS: Street and City: 4212 First Street, Pleasanton CA

GLOBAL ID NO.: T0600101259

SDP DELIVERABLE TO Name, Company Office Location: Brenda Carter, CRA, Emeryville, CA

PHONE NO.: 510-420-3343

E-MAIL: ShellEDF@CRAworld.com

SAMPLER NAME(S) (Print): Daniel Allen

LAB USE ONLY: Service center TA Pleasanton

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY)  5 DAYS  3 DAYS  2 DAYS  24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT  LIST AGENCY

REQUESTED ANALYSIS

SPECIAL INSTRUCTIONS OR NOTES:

1) Please upload the "CRA EQUIS 4-file EDD" to the CRA Website (<http://craibedupload.craworld.com/equis/default.aspx>) and/or send it to the Shell-US-LabDataManagement@CRAworld.com email folder. 2) Please indicate that you have uploaded the EDD by including "EDD Uploaded to CRA website" in the body of the email used to deliver the final PDF report to the Shell-US-LabDataManagement@CRAworld.com email folder.

TEMPERATURE ON RECEIPT: 68/5.4 IR63

Copy final report to Shell.Lab.Billing@craworld.com, ShellEDF@craworld.com, Shell-US-LabDataManagement@CRAworld.com, and pschaefer@CRAworld.com

Email invoice to Shell.Lab.Billing@craworld.com

Matrix Codes - WG (groundwater), WS (surface water), WP (drinking water source), W (Trip or Temp Blank)

SAMPLE ID	PROJECT NUMBER	DATE (MMDDYY)	SAMPLER INITIALS	WELL ID	TIME	MATRIX	PRESERVATIVE					NO OF CONT.	TPH-GRO, Purgeable (8260B)	TPH-DRO, Extractable (8016M)	BTEX (8260B)	BTEX + MTBE (8280B)	BTEX + MTBE + TBA (8260B)	BTEX + 5 OXYs (MTBE, TBA, DIPE, TAME, ETBE) (8260B)	VOCs Full list (8260B)	Single Compound: (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8016B)	Nitrate	Sulfate	Alkalinity	Ferrous Iron	Container PID Readings or Laboratory Notes						
							HCL	HNO3	H2SO4	NONE	OTHER																								
WG-15111201	15111201	11/12/13	DW	MW-1	1505	WG	X					X			X																				
				MW-1S	1445		X					X			X																				
				MW-2	1455		X					X			X																				
				MW-3	1445		X					X			X																				
				MW-4	1515		X					X			X																				



440-62330 Chain of Custody

Relinquished by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date: 11/12/13	Time: 15:38
Relinquished by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date: 11/12/13	Time: 1600
Relinquished by (Signature): <i>[Signature]</i>	Received by (Signature): <i>[Signature]</i>	Date: 11/13/13	Time: 1045

MS 11/12/13 17:30

Page 20 of 21 11/22/2013

## Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 440-62330-1

Login Number: 62330

List Source: TestAmerica Irvine

List Number: 1

Creator: Chavez, Elizabeth

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	