

**RECEIVED**

10:26 am, Feb 04, 2009

Alameda County  
Environmental Health



76 Broadway  
Sacramento, California 95818

February 2, 2009

Jerry Wickham  
Alameda County Health Agency  
1131 Harbor Bay parkway, Suite250  
Alameda, California 94502-577

Re: ***Quarterly Summary Reports—Fourth Quarter 2008***  
**76 Service Station # 7376 RO # 0361**  
**4191 First Street**  
**Pleasanton, CA**

Dear Mr. Wickham:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely,

A handwritten signature in black ink, appearing to read "Terry L. Grayson".

Terry L. Grayson  
Site Manager  
Risk Management & Remediation

January 20, 2009

Mr. Jerry Wickham  
Alameda County Health Care Services  
1131 Harbor Bay Parkway  
Alameda, California 94502

**Re: Quarterly Summary Report – Fourth Quarter 2008**  
76 Service Station No. 7376  
4191 First Street  
Pleasanton, California  
RO0000361



Dear Mr. Wickham:

On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report – October through December 2008* dated January 15, 2009 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1260 if you have questions.


Sincerely,

**Delta Consultants**

John Reay, P.G.  
Senior Project Manager

Enclosure

cc: Mr. Terry Grayson – ConocoPhillips (electronic copy only)



a member of:



**QUARTERLY SUMMARY REPORT**  
**Fourth Quarter 2008**

76 Service Station No. 7376  
4191 First Street  
Pleasanton, California

County: Alameda

**INTRODUCTION**

On December 8, 2008, TRC conducted quarterly groundwater monitoring and sampling at 76 Service Station No. 7376 (the site) on behalf of ConocoPhillips. The monitoring and sampling is conducted as part of site assessment and characterization activities.

**SITE DESCRIPTION**

The site is currently an active 76 Service Station located on the northern corner of First Street and Ray Street in Pleasanton, California (Figure 1). Current site facilities consist of a cashier's kiosk, four product dispenser islands and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs). There are currently 12 active groundwater-monitoring wells and one former groundwater monitoring well at and in the site vicinity. The site is bounded northwest by a former Southern Pacific Railroad right-of-way currently owned by Alameda County, north and northeast by a commercial building, southeast by First Street, and southwest by Ray Street. There is an underground KinderMorgan petroleum pipeline presently located adjacent to the northwest edge of the site. Properties in the immediate site vicinity are used for a mix of residential and commercial purposes. A Shell service station is located east of the site. The site is located at an approximate elevation of 366 feet above mean sea level.

**GEOLOGY AND HYDROGEOLOGY**

The subject site is located at the base of the northwest end of the Valle De San Jose. The site is underlain by Holocene age coarse-grained alluvium interpreted to be alluvial fan deposits. These deposits are composed of unconsolidated, well bedded, moderately sorted, permeable sand and silt, with coarse sand and gravel becoming abundant toward fan heads and in narrow canyons. The site is located approximately 1,000 feet west and north of Pliocene and/or Pleistocene non-marine sedimentary Livermore Gravel.

Previous subsurface studies conducted by Applied GeoSystems (AGS), Kaprealian Engineering, Inc. (KEI), and Gettler Ryan, Inc. (GR) show the site is underlain by alluvium to a maximum explored depth of 135.5 feet below ground surface (bgs). The alluvium consists of interbedded layers of silt, sand, clay and gravel in both the vadose and saturated zones.

Groundwater has been historically reported at approximately 54.27 to 87.49 feet below top of casing (TOC) in wells MW-1, MW-2B, MW-3, MW-4, and MW-6. Groundwater in well MW-5 has been historically reported at 49.63 to 70.40 feet below TOC. Groundwater in well MW-5 and nearby wells MW-7, MW-8, and MW-9 have historically appeared "perched" and unconfined. Water table elevations in well MW-5 are generally

15 feet higher than nearby well water table elevations (wells MW-6 and MW-2B). The difference in the groundwater elevations may be a result of lithologic or structural constraints, possibly some offset or displacement in the soils beneath the site in the area between MW-2B and MW-5. The encountered water-bearing zone(s) appear to be unconfined. A review of Alameda County Flood Control and Water Conservation District-Zone 7 (1993) groundwater data shows the regional groundwater flow direction in the vicinity of the site is northwest. The nearest surface water is Arroyo Valle, located approximately 700 feet northwest of the site.

The most recent quarterly monitoring and sampling event was conducted on December 8, 2008. Groundwater was measured between 54.92 (MW-12) and 73.10 (MW-4) feet below TOC, and was reported to flow northwest and south at a gradient of 0.06 feet per foot (ft/ft). This is consistent with a gradient of 0.08 west and south during the previous sampling event of September 5, 2008.

## **SITE BACKGROUND AND ACTIVITY**

The site was developed in 1899 as a warehouse to store grains and hay. According to a Sanborn map, an "in-ground" storage tank for oil was installed onsite in 1907. A service station was first constructed on the site in 1976. Between November 8, 1982 and February 8, 1985, the Pleasanton Fire Department (PFD) responded to five separate fuel releases at the site. The releases occurred prior to acquisition of the property by Unocal Corporation in 1988, and prior to ConocoPhillips assuming operations at the site.

June 1987: Three exploratory soil borings were advanced to depths ranging from 46.5 to 55 feet bgs. Soil samples contained low to moderate maximum concentrations of petroleum hydrocarbons. Groundwater was not encountered.

August 1987: One soil boring was advanced to a depth of 66.5 feet bgs. Low to moderate concentrations of petroleum hydrocarbons were detected in a soil sample collected at 35 feet bgs. Groundwater was not encountered.

December 1987: Three monitoring wells were installed to depths of 96.5 feet bgs. Maximum petroleum hydrocarbon concentrations in soil samples generally declined with increasing depth.

December 1987: Four 12,000-gallon underground storage tanks (USTs) were replaced with two 12,000-gallon double-walled USTs. An unknown volume of hydrocarbon-impacted soil was removed and transported to a Class I facility.

September 1994: A dispenser and product piping upgrade was conducted with confirmation sampling. Over-excavation was conducted in the area of two soil samples with elevated hydrocarbon concentrations.

February 1995: Monitoring well MW-2 was destroyed because asphalt tar had entered the well during repaving. The well was replaced by MW-2B. Soil boring EB-1 was advanced to a total depth of 66 feet bgs. Twenty-nine soil samples were collected during drilling and submitted for analysis.

July 1996: Three monitoring wells were installed to depths of 73.5 to 93 feet bgs. Two wells were installed offsite, in the former Southern Pacific Railroad right-of-way. A total of forty seven soil samples were collected from the well borings and analyzed for total petroleum hydrocarbons as gasoline (TPH-G) and benzene, toluene, ethyl benzene and xylenes (BTEX). Fuel fingerprinting was also conducted. Petroleum hydrocarbon concentrations in the range of total petroleum hydrocarbons as diesel (TPH-D), kerosene, motor oil, and unidentified extractable hydrocarbons were also identified in the samples.

June 1997: Separate phase hydrocarbons (SPH) were identified in well MW-5 during quarterly monitoring activities.

December 1997: Entrix Inc. conducted a forensic geochemical analysis on SPH extracted from well MW-5. The SPH was probably composed of a mixture of over 50% refined gasoline and heavier hydrocarbons. The gasoline constituents appeared to be relatively fresh. The heavier hydrocarbon mixture had a carbon distribution ranging from about C13 to C33. This distribution is similar in nature to a very weathered crude oil or Bunker C fuel, not refined petroleum products such as diesel #2, motor oil, lube oil, etc.

June/August 1998: Five onsite soil borings were advanced and two offsite downgradient monitoring wells were installed. A total of forty soil samples were collected and analyzed for petroleum hydrocarbons. In addition, two soil samples containing visible SPH were collected from boring B-11 (onsite near the former UST excavation) at 10.5 and 61 feet bgs and submitted for hydrocarbon fingerprinting. The results of these analyses showed that the SPH from both samples was composed of approximately 90% highly to severely weathered semi-volatile and high boiling components identified as crude oil and 10% of slightly weathered gasoline.

October-November 2000: GR advanced one offsite soil boring (B-13) and advanced and installed two offsite groundwater monitoring wells (MW-9, MW-10). A total of twenty eight soil samples were collected from the soil and well borings and analyzed for TPH-G, BTEX, and methyl tertiary butyl ether (MTBE). Soil samples collected from well boring MW-9 between 16 and 60.5 feet and boring B-13 between 85.5 and 126 feet bgs were reported as non-detect for all analytes. Some soil samples collected from well boring MW-10 contained TPH-G, benzene, unidentified hydrocarbons with a carbon range of C6 to C12, and MTBE. Nine soil samples collected from boring B-13 between 7.5 and 73.5 feet bgs contained TPH-G, unidentified hydrocarbons with a carbon range of greater than C10, benzene, and MTBE. Grab groundwater samples were collected from each of the borings. Groundwater samples collected at 128.5 and 133 feet bgs from boring B-13 contained 150 and 620 ppb TPH-G, 17 and 53 ppb benzene, and 3.5 and 3.7 ppb MTBE, respectively. Groundwater sample G-1, collected from well boring MW-9 at 55 feet bgs, contained 66 ppb MTBE. The groundwater sample collected at 90 feet bgs from well boring MW-10 contained 34 ppb MTBE. The groundwater sample collected at 95 feet bgs from well boring MW-10 contained 230 ppb TPH-G and 54 ppb MTBE.

September 2001: Two offsite soil borings were drilled by GR and completed as groundwater monitoring wells MW-11 and MW-12. The wells were installed to total depths of approximately 86 and 88 feet bgs, respectively. Soil samples were reported as non-

detect for all analytes. A grab groundwater sample collected from a perched groundwater zone at 40 feet bgs in well boring MW-12 was reported as non-detect for TPH-G, BTEX, and MTBE.

October 2003: Site environmental consulting responsibilities were transferred to TRC.

October 2007: Site environmental consulting responsibilities were transferred to Delta.

## **SENSITIVE RECEPTORS**

In January 1988, a well survey was conducted by reviewing Alameda County Flood Control and Water Conversation District-Zone 7 (Zone 7) files. Five water wells and two cathodic protection wells were identified within one-half mile of the site. Four of the five water wells are domestic wells and the fifth appears to be a monitoring well. The nearest surface water is Arroyo Valle, located approximately 700 feet northwest of the site.

## **THIRD QUARTER 2008 GROUNDWATER MONITORING AND SAMPLING**

Groundwater samples were analyzed for TPH-G by GC/MS; BTEX and MTBE by US Environmental Protection Agency (EPA) Method 8260B.

Dissolved groundwater concentrations are reported as follows.

**TPH-G** Detected in six of the twelve sampled wells with a maximum concentration of 14,000 micrograms per liter ( $\mu\text{g}/\text{L}$ ) in well MW-5. This is a increase from the maximum concentration during the previous sampling event of 13,000 micrograms per liter ( $\mu\text{g}/\text{L}$ ) in MW-5. MW-1, MW-2B, MW-3, MW-7, and MW-8 showed concentrations of 180  $\mu\text{g}/\text{L}$ , 3100  $\mu\text{g}/\text{L}$ , 120  $\mu\text{g}/\text{L}$ , 270, and 330  $\mu\text{g}/\text{L}$  respectively during the current sampling event.

**Benzene** Detected in two of the twelve sampled wells with a maximum concentration of 3,100  $\mu\text{g}/\text{L}$  in well MW-5. This level is a increase from a maximum concentration of 1,800  $\mu\text{g}/\text{L}$  in MW-5 from the previous sampling event. MW-3 showed a concentration of 1.8  $\mu\text{g}/\text{L}$  during the current sampling event.

**Toluene** Detected in one of the twelve wells with a concentration of 70  $\mu\text{g}/\text{L}$  in MW-5 during the current sampling event.

**Ethylbenzene** Detected in one of the twelve wells with a concentration of 560  $\mu\text{g}/\text{L}$  in MW-5 during the current sampling event.

**Total Xylenes** Detected in one of the twelve wells with a concentration of 160  $\mu\text{g}/\text{L}$  in MW-5 during the current sampling event.

**MTBE** Detected in eight of the twelve sampled wells with a maximum concentration of 4,200  $\mu\text{g}/\text{L}$  in well MW-2B, an increase from a maximum concentration of 4,000  $\mu\text{g}/\text{L}$  in MW-2B during the previous sampling event. MW-1, MW-3, MW-5, MW-6, MW-7, MW-8,

and MW-10 showed concentrations of 300 µg/L, 31 µg/L, 3800 µg/L, 9.2 µg/L, 100 µg/L, 640 µg/L, and 20 µg/L respectively during the current sampling event.

**TPH-D** Detected in nine of the twelve sampled wells with a maximum concentration of 7,500 µg/L in well MW-5, a decrease from a maximum concentration of 9,000 µg/L in MW-5 during the previous sampling event. Wells MW-2B, MW-3, MW-6, MW-7, MW-8, MW-10, MW-11, and MW-12 showed concentrations of 7,000 µg/L, 250 µg/L, 130 µg/L, 110 µg/L, 62 µg/L, 53 µg/L, 87 µg/L, and 50 µg/L respectively during the current sampling event.

## **REMEDIATION STATUS**

Remediation is not currently being conducted at the site. However, bi-monthly LPH gauging and recovery from well MW-5 were implemented in the Second Quarter 2006. Recently, the SPH gauging and recovery efforts were reduced to a quarterly schedule, concurrent with monitoring and sampling. Since December 7, 2007, approximately 0.09 gallons of SPH have been recovered from MW-5. Updated SPH volumes have not been reported for this quarter.

## **CHARACTERIZATION STATUS**

From the analytical results for both soil and groundwater samples collected to date, the primary contaminant appears to be gasoline (BTEX constituents and MTBE).

The analytical results of the groundwater samples collected from the monitoring wells at and in the vicinity of the site show that concentrations of petroleum hydrocarbons are present in shallow groundwater beneath and downgradient of the site. Free product has been detected in well MW-5 since September 1999, and reportedly is composed of a mixture of crude oil and gasoline.

From previous subsurface investigations conducted at the site the vertical and lateral extent of petroleum hydrocarbon impact to soil is defined. The first encountered groundwater beneath and downgradient of the site has been impacted by petroleum hydrocarbons. Petroleum hydrocarbons in groundwater have been defined laterally in the crossgradient and downgradient direction. Although the plume extends offsite, it appears to be stable in its current configuration, based upon analytical results from the network of groundwater monitoring wells.

Geologic and hydraulic data generated during this and previous investigations suggest the hydrogeologic conditions responsible for the elevated or perched water table identified in wells MW-5 MW-7, MW-8, MW-9, MW-11, and MW-12 are possibly a result of the discontinuous nature of the alluvial fan deposit or some small offset or displacement of the soils beneath the site. Physical evidence of a possible fault has not been identified in surface expression but has been inferred through examination of CPT boring data.

Groundwater data from the grab and quarterly groundwater samples show that petroleum hydrocarbons are present in groundwater at low concentrations downgradient and

crossgradient (north and northeast) of the site such that the extent of impacts from petroleum hydrocarbons is defined in these directions. The vertical extent is most complex, given the imbricated potentiometric surface demonstrated at the site.

A soil and groundwater assessment using CPT technology was completed at the site and in the former railroad right-of-way adjacent to the site in February 2008. A report titled *Soil and Groundwater Investigation* (May 20, 2008) was submitted to Alameda County. The purpose of this assessment was to identify potential shallow or perched water-bearing zones and to characterize the vertical and lateral distribution of petroleum hydrocarbons in soil and groundwater. The area in and around boring CP-1, located onsite between monitoring wells MW-2B and MW-3, contains the highest concentrations of petroleum hydrocarbons in soil and groundwater detected during the CPT investigation. Based on the presence of benzene and MTBE this is likely due to a historical release from an onsite source. The petroleum hydrocarbon concentrations in soil in CP-1 are highest between 25-30 feet bgs, well above the groundwater, and decreases with depth.

The soil analytical results from onsite boring CP-2 and offsite borings CP-3 through CP-7 showed petroleum hydrocarbons below the laboratory detection limits; in the case of MTBE the soil analytical results were at or below 0.022 mg/kg. This indicates that there are no significant impacts to soil from petroleum hydrocarbons in the areas drilled other than at and in the vicinity of CP-1.

Aside from the groundwater samples collected from boring CP-1, the highest concentrations of TPPH, benzene, and MTBE in groundwater were detected in samples collected from borings CP-6 and CP-7, located upgradient/crossgradient from the site in the right-of-way. The petroleum hydrocarbons present in these groundwater samples are most likely from a source other than the service station site. Based on the presence of petroleum hydrocarbons in groundwater samples from boring CP-7, it is recommended that a groundwater monitoring well be installed southeast of monitoring well MW-9 on the opposite side of the right-of-way.

Shallow or perched groundwater zones were not clearly evident in the CPT boreholes, except for groundwater collected from a screened interval of 63-68 feet bgs in CP-4. This may be due to complex primary sedimentary structure or secondary structures, e.g., faults.

## **RECENT CORRESPONDENCE**

A report titled *Soil and Groundwater Investigation* (May 20, 2008) was submitted to Alameda County.

## **THIS QUARTER ACTIVITIES (Fourth Quarter 2008)**

- Delta prepared the *Quarterly Status Report - Fourth Quarter 2008*, dated January 20, 2008.

- Monitoring and sampling of the groundwater monitoring well network was conducted by TRC on December 8, 2008.
- TRC Prepared *Quarterly Monitoring Report October through December 2008* on January 15, 2009.

### **NEXT QUARTER ACTIVITIES (First Quarter 2009)**

- TRC will conduct the first quarter 2009 groundwater monitoring and sampling event and will prepare a quarterly monitoring report.
- Delta will prepare a work plan for further site assessment.

**CONSULTANT: Delta Consultants**



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

[www.TRCsolutions.com](http://www.TRCsolutions.com)

DATE: January 15, 2009

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. TERRY GRAYSON

SITE: 76 STATION 7376  
4191 FIRST STREET  
PLEASANTON, CALIFORNIA

RE: QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2008

Dear Mr. Grayson:

Please find enclosed our Quarterly Monitoring Report for 76 Station 7376, located at 4191 First Street, Pleasanton, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "ADH".

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. John Reay, Delta Consultants (3 copies)

Enclosures  
20-0400/7376R21 QMS


**QUARTERLY MONITORING REPORT  
OCTOBER THROUGH DECEMBER 2008**

76 STATION 7376  
4191 First Street  
Pleasanton, California

Prepared For:

Mr. Terry Grayson  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 1/13/09

LIST OF ATTACHMENTS	
Summary Sheet	Summary of Gauging and Sampling Activities
Tables	<p>Table Key          Contents of Tables          Table 1: Current Fluid Levels and Selected Analytical Results          Table 1a: Additional Current Analytical Results          Table 2: Historic Fluid Levels and Selected Analytical Results          Table 2a: Additional Historic Analytical Results          Table 3: Liquid Phase Hydrocarbon Recovery Data</p>
Figures	<p>Figure 1: Vicinity Map          Figure 2: Groundwater Elevation Contour Map          Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map          Figure 4: Dissolved-Phase Benzene Concentration Map          Figure 5: Dissolved-Phase MTBE Concentration Map</p>
Graphs	<p>Groundwater Elevations vs. Time          Benzene Concentrations vs. Time</p>
Field Activities	<p>General Field Procedures          Field Monitoring Data Sheets – 12/08, 10/17, 11/05, 11/26, and 12/24/08          Groundwater Sampling Field Notes – 12/08/08          Manual Pump/Bail Out Sheet – 12/08/08</p>
Laboratory Reports	<p>Official Laboratory Reports          Quality Control Reports          Chain of Custody Records</p>
Statements	<p>Purge Water Disposal          Limitations</p>

**Summary of Gauging and Sampling Activities**  
**October 2008 through December 2008**

**76 Station 7376  
4191 First Street  
Pleasanton, CA**

---

Project Coordinator: **Terry Grayson**  
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**  
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **12/08/08**

**Sample Points**

Groundwater wells: **4** onsite, **8** offsite      Points gauged: **12**      Points sampled: **12**

Purging method: **Bailer/submersible pump**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0**      Type: --

**Liquid Phase Hydrocarbons (LPH)**

Sample Points with LPH: **1**      Maximum thickness (feet): **0.01 (MW-2B)**

LPH removal frequency: **Bi-monthly**      Method: **Bailer**

Treatment or disposal of water/LPH: **Veolia/Rodeo Unit 100**

**Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **54.92 feet**      Maximum: **73.1 feet**

Average groundwater elevation (relative to available local datum): **298.36 feet**

Average change in groundwater elevation since previous event: **-0.16 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.06 northwest and south**

Previous event: **0.08 ft/ft, west and south (09/05/08)**

**Selected Laboratory Results**

Sample Points with detected **Benzene**: **2**      Sample Points above MCL (1.0 µg/l): **2**

Maximum reported benzene concentration: **3,000 µg/l (MW-5)**

Sample Points with **TPH-G by GC/MS**      **6**      Maximum: **14,000 µg/l (MW-5)**

Sample Points with **MTBE 8260B**      **8**      Maximum: **4,200 µg/l (MW-2B)**

**Notes:**

MW-2B=LPH in well

# TABLES

## TABLE KEY

### STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
ug/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MIBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
IBA	=	tertiary butyl alcohol
ICA	=	trichloroethane
TCE	=	trichloroethylene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
IRPH	=	total recoverable petroleum hydrocarbons
IAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 7376 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc

## Contents of Tables 1 and 2

### Site: 76 Station 7376

#### Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
---------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 1a	Well/ Date	TPH-D											
----------	---------------	-------	--	--	--	--	--	--	--	--	--	--	--

#### Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
---------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------

Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME				
----------	---------------	-------	-----	--------------------	---------------------------------	------------------	------	------	------	--	--	--	--

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**

December 8, 2008

76 Station 7376

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-1</b> (Screen Interval in feet: 65.0-95.0)														
12/08/08	366.98	71.60	0.00	295.38	1.50	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	300	
<b>MW-2B</b> (Screen Interval in feet: 65.0-85.0)														
12/08/08	--	69.99	0.01	--	--	--	3100	ND<25	ND<25	ND<25	ND<50	--	4200	LPH in well
<b>MW-3</b> (Screen Interval in feet: 76.5-96.5)														
12/08/08	367.01	71.65	0.00	295.36	1.45	--	120	1.8	ND<0.50	ND<0.50	ND<1.0	--	31	
<b>MW-4</b> (Screen Interval in feet: 73.0-93.0)														
12/08/08	368.81	73.10	0.00	295.71	-3.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-5</b> (Screen Interval in feet: 52.0-72.0)														
12/08/08	363.21	64.14	0.00	299.07	-1.42	--	14000	3000	70	560	160	--	3800	
<b>MW-6</b> (Screen Interval in feet: 68.0-88.0)														
12/08/08	--	67.95	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.2	
<b>MW-7</b> (Screen Interval in feet: 55.0-75.0)														
12/08/08	355.97	56.98	0.00	298.99	0.81	--	270	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	100	
<b>MW-8</b> (Screen Interval in feet: 66.0-86.0)														
12/08/08	--	62.46	0.00	--	--	--	330	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	640	
<b>MW-9</b> (Screen Interval in feet:--)														
12/08/08	362.62	55.44	0.00	307.18	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-10</b> (Screen Interval in feet:--)														
12/08/08	362.62	67.25	0.00	295.37	1.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	20	
<b>MW-11</b> (Screen Interval in feet:--)														
12/08/08	354.66	55.63	0.00	299.03	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-12</b> (Screen Interval in feet:--)														
12/08/08	354.08	54.92	0.00	299.16	-0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )
<b>MW-1</b> 12/08/08	ND<50
<b>MW-2B</b> 12/08/08	7000
<b>MW-3</b> 12/08/08	250
<b>MW-4</b> 12/08/08	ND<56
<b>MW-5</b> 12/08/08	7500
<b>MW-6</b> 12/08/08	130
<b>MW-7</b> 12/08/08	110
<b>MW-8</b> 12/08/08	62
<b>MW-9</b> 12/08/08	ND<50
<b>MW-10</b> 12/08/08	53
<b>MW-11</b> 12/08/08	87
<b>MW-12</b> 12/08/08	50

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments	
<b>MW-1</b>															
				<b>(Screen Interval in feet: 65.0-95.0)</b>											
12/08/87	--	--	--	--	--	50	--	58	8.0	ND	10	--	--		
12/07/94	366.99	81.04	0.00	285.95	--	ND	--	ND	ND	ND	ND	--	--		
03/01/95	366.99	80.09	0.00	286.90	0.95	ND	--	ND	1.1	ND	1.3	--	--		
06/01/95	366.99	77.53	0.00	289.46	2.56	130	--	1.0	2.9	0.79	4.5	--	--		
09/06/95	366.99	79.00	0.00	287.99	-1.47	ND	--	ND	ND	ND	ND	--	--		
12/12/95	366.99	77.55	0.00	289.44	1.45	ND	--	ND	ND	ND	ND	--	--		
03/01/96	366.99	75.09	0.00	291.90	2.46	ND	--	ND	ND	ND	ND	370	--		
06/15/96	366.99	75.07	0.00	291.92	0.02	ND	--	ND	ND	ND	ND	270	--		
09/18/96	366.99	79.90	0.00	287.09	-4.83	ND	--	ND	ND	ND	ND	590	--		
12/21/96	366.99	78.96	0.00	288.03	0.94	ND	--	ND	ND	ND	ND	150	--		
03/07/97	366.99	71.49	0.00	295.50	7.47	ND	--	ND	ND	ND	ND	220	--		
06/27/97	366.99	80.05	0.00	286.94	-8.56	ND	--	ND	ND	ND	ND	17	--		
09/29/97	366.99	80.04	0.00	286.95	0.01	ND	--	ND	ND	ND	ND	24	--		
12/15/97	366.99	80.07	0.00	286.92	-0.03	ND	--	ND	ND	ND	ND	25	--		
03/16/98	366.99	71.00	0.00	295.99	9.07	ND	--	ND	0.52	ND	0.71	190	--		
06/26/98	366.98	79.29	0.00	287.69	-8.30	59	--	0.90	ND	ND	ND	570	--		
08/18/98	366.98	79.93	0.00	287.05	-0.64	--	--	--	--	--	--	--	--		
09/22/98	366.98	79.99	0.00	286.99	-0.06	ND	--	ND	ND	ND	ND	170	--		
12/15/98	366.98	80.02	0.00	286.96	-0.03	ND	--	ND	ND	ND	ND	63	--		
12/23/98	366.98	80.02	0.00	286.96	0.00	--	--	--	--	--	--	--	--		
03/15/99	366.98	78.95	0.00	288.03	1.07	ND	--	ND	ND	ND	ND	520	--		
03/23/99	366.98	78.69	0.00	288.29	0.26	--	--	--	--	--	--	--	--		

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-1 continued</b>														
06/07/99	366.98	79.82	0.00	287.16	-1.13	ND	--	ND	ND	ND	ND	310	--	
09/03/99	366.98	79.74	0.00	287.24	0.08	ND	--	ND	ND	ND	ND	67	55.2	
12/06/99	366.98	79.74	0.00	287.24	0.00	ND	--	ND	ND	ND	ND	120	--	
03/10/00	366.98	79.66	0.00	287.32	0.08	ND	--	ND	ND	ND	ND	100	--	
06/08/00	366.98	79.57	0.00	287.41	0.09	ND	--	ND	ND	ND	ND	98.9	--	
09/25/00	366.98	79.48	0.00	287.50	0.09	ND	--	ND	ND	ND	ND	145	--	
12/19/00	366.98	79.64	0.00	287.34	-0.16	ND	--	ND	ND	ND	ND	330	--	
03/05/01	366.98	80.03	0.00	286.95	-0.39	ND	--	ND	ND	ND	ND	711	--	
06/14/01	366.98	79.52	0.00	287.46	0.51	ND	--	ND	ND	ND	ND	680	--	
09/17/01	366.98	79.76	0.00	287.22	-0.24	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	11	--	
09/25/01	366.98	79.71	0.00	287.27	0.05	--	--	--	--	--	--	--	--	
12/17/01	366.98	80.73	0.00	286.25	-1.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	210	240	
03/15/02	366.98	79.51	0.00	287.47	1.22	ND<500	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	1200	--	
06/20/02	366.98	79.60	0.00	287.38	-0.09	--	580	ND<5.0	ND<5.0	ND<5.0	ND<10	--	810	
09/27/02	366.98	80.76	0.00	286.22	-1.16	--	67	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	71	
12/30/02	366.98	81.28	0.00	285.70	-0.52	--	ND<200	ND<2.0	ND<2.0	ND<2.0	ND<4.0	--	360	
03/26/03	366.98	79.48	0.00	287.50	1.80	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000	
06/10/03	366.98	80.29	0.00	286.69	-0.81	--	ND<2000	ND<20	ND<20	ND<20	ND<40	--	2800	
09/09/03	366.98	84.54	0.00	282.44	-4.25	--	1000	ND<10	ND<10	ND<10	ND<20	--	1900	
12/10/03	366.98	80.01	0.00	286.97	4.53	--	ND<2000	ND<20	ND<20	ND<20	ND<40	--	2700	
03/09/04	366.98	79.48	0.00	287.50	0.53	--	540	ND<5.0	ND<5.0	ND<5.0	ND<10	--	840	
06/21/04	366.98	79.49	0.00	287.49	-0.01	--	650	ND<5.0	ND<5.0	ND<5.0	ND<10	--	620	
09/08/04	366.98	79.43	0.00	287.55	0.06	--	93	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-1 continued</b>														
12/14/04	366.98	79.45	0.00	287.53	-0.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
03/17/05	366.98	79.36	0.00	287.62	0.09	--	ND<500	ND<0.50	ND<0.50	ND<0.50	ND<10	--	830	
06/15/05	366.98	78.21	0.00	288.77	1.15	--	ND<1300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2800	
09/20/05	366.98	79.18	0.00	287.80	-0.97	--	540	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1400	
12/29/05	366.98	70.69	0.00	296.29	8.49	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1400	
03/15/06	366.98	65.59	0.00	301.39	5.10	--	540	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2500	
06/28/06	366.98	66.15	0.00	300.83	-0.56	--	630	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3900	
09/28/06	366.98	70.13	0.00	296.85	-3.98	--	730	3.1	ND<2.5	ND<2.5	ND<2.5	--	2100	
12/11/06	366.98	63.29	0.00	303.69	6.84	--	180	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1400	
03/19/07	366.98	57.52	0.00	309.46	5.77	--	740	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	990	
06/15/07	366.98	66.79	0.00	300.19	-9.27	--	1400	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1900	
09/24/07	366.98	69.64	0.00	297.34	-2.85	--	1100	ND<10	ND<10	ND<10	ND<10	--	900	
12/27/07	366.98	60.34	0.00	306.64	9.30	--	240	ND<0.50	0.63	ND<0.50	ND<1.0	--	560	
03/25/08	366.98	60.85	0.00	306.13	-0.51	--	620	ND<5.0	ND<5.0	ND<5.0	ND<10	--	910	
06/06/08	366.98	61.10	0.00	305.88	-0.25	--	830	ND<5.0	ND<5.0	ND<5.0	ND<10	--	1000	
09/05/08	366.98	73.10	0.00	293.88	-12.00	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	590	
12/08/08	366.98	71.60	0.00	295.38	1.50	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	300	
<b>MW-2</b>														
(Screen Interval in feet: --)														
12/08/87	--	--	--	--	--	1800	--	910	800	260	1200	--	--	Damaged
12/07/94	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/01/95	--	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed
<b>MW-2B</b>														
(Screen Interval in feet: 65.0-85.0)														
03/01/95	365.05	80.80	0.00	284.25	--	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
		(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-2B continued</b>														
06/01/95	365.05	75.69	0.00	289.36	5.11	350	--	19	5.8	ND	7.7	--	--	
09/06/95	365.05	77.54	0.00	287.51	-1.85	ND	--	90	ND	ND	ND	--	--	
12/12/95	365.05	75.96	0.00	289.09	1.58	1200	--	630	ND	15	57	--	--	
03/01/96	365.05	73.27	0.00	291.78	2.69	1000	--	620	ND	ND	5.3	4300	--	
06/15/96	365.05	73.21	0.00	291.84	0.06	910	--	350	ND	ND	ND	3700	--	
09/18/96	365.05	81.08	0.00	283.97	-7.87	1200	--	95	ND	ND	ND	5200	--	
12/21/96	365.05	77.35	0.00	287.70	3.73	330	--	57	ND	ND	ND	2900	--	
03/07/97	365.05	69.67	0.00	295.38	7.68	190	--	28	0.64	ND	1.5	4300	--	
06/27/97	365.05	82.40	0.00	282.65	-12.73	98	--	3.4	1.0	0.53	ND	3100	--	
09/29/97	365.05	82.72	0.00	282.33	-0.32	ND	--	ND	ND	ND	ND	3000	--	
12/15/97	365.05	82.57	0.00	282.48	0.15	54	--	ND	ND	ND	ND	4100	--	
03/16/98	365.05	69.13	0.00	295.92	13.44	ND	--	17	ND	ND	ND	4400	--	
06/26/98	365.05	77.78	0.00	287.27	-8.65	ND	--	ND	ND	ND	ND	4000	--	
08/18/98	365.05	83.99	0.00	281.06	-6.21	--	--	--	--	--	--	--	--	
09/22/98	365.05	83.89	0.00	281.16	0.10	ND	--	ND	ND	ND	21	4600	--	
12/15/98	365.05	82.84	0.00	282.21	1.05	ND	--	ND	ND	ND	ND	5100	--	
12/23/98	365.05	82.55	0.00	282.50	0.29	--	--	--	--	--	--	--	--	
03/15/99	365.05	77.31	0.00	287.74	5.24	ND	--	ND	ND	ND	ND	4300	4800	
03/23/99	365.05	77.06	0.00	287.99	0.25	--	--	--	--	--	--	--	--	
06/07/99	365.05	82.96	0.00	282.09	-5.90	ND	--	ND	ND	ND	ND	5100	--	
09/03/99	365.05	84.16	0.00	280.89	-1.20	ND	--	ND	ND	ND	ND	6300	4400	
12/06/99	365.05	84.41	0.00	280.64	-0.25	ND	--	ND	ND	ND	ND	4400	--	
03/10/00	365.05	82.42	0.00	282.63	1.99	ND	--	ND	ND	ND	ND	6900	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-2B</b>	<b>continued</b>													
06/08/00	365.05	82.73	0.00	282.32	-0.31	ND	--	ND	ND	ND	ND	7780	--	
09/25/00	365.05	84.24	0.00	280.81	-1.51	52.9	--	8.83	6.58	0.932	5.60	12200	--	
12/19/00	365.05	84.39	0.00	280.66	-0.15	ND	--	ND	ND	ND	ND	6000	--	
03/05/01	365.05	84.61	0.00	280.44	-0.22	ND	--	ND	ND	ND	ND	5890	--	
06/14/01	365.05	83.53	0.00	281.52	1.08	ND	--	ND	ND	ND	ND	6600	--	
09/17/01	365.05	84.55	0.00	280.50	-1.02	ND<200	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	5100	--	
09/25/01	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
12/17/01	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/15/02	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
06/20/02	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
09/27/02	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/30/02	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/26/03	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
06/10/03	365.05	83.17	0.00	281.88	--	--	ND<5000	ND<50	ND<50	ND<50	ND<100	6400	--	
09/09/03	365.05	84.56	0.00	280.49	-1.39	--	--	--	--	--	--	--	--	car parked on well
12/10/03	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/09/04	365.05	84.13	0.00	280.92	--	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	5200	
06/21/04	365.05	83.71	0.00	281.34	0.42	--	3400	ND<25	ND<25	ND<25	ND<50	--	4600	
09/08/04	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/14/04	365.05	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/05	365.05	79.55	0.00	285.50	--	--	ND<5000	ND<0.50	ND<0.50	0.83	ND<1.0	--	7800	
06/15/05	365.05	76.89	0.00	288.16	2.66	--	ND<5000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6400	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-2B continued</b>														
09/20/05	--	83.24	0.00	--	--	--	3200	ND<12	ND<12	ND<12	ND<25	--	6000	Casing elevation modified on 6/22/05
12/29/05	--	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
03/15/06	--	64.03	0.00	--	--	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	5700	
06/28/06	--	61.22	0.00	--	--	--	3000	ND<5.0	ND<5.0	ND<5.0	ND<10	--	11000	
09/28/06	--	66.35	0.00	--	--	--	3100	ND<10	ND<10	ND<10	ND<10	--	9800	
12/11/06	--	61.20	0.00	--	--	--	330	1.3	ND<0.50	1.9	1.6	--	10000	
03/19/07	--	55.75	0.00	--	--	--	8600	ND<25	ND<25	ND<25	ND<25	--	11000	
06/15/07	--	65.21	0.00	--	--	--	4700	ND<10	ND<10	ND<10	ND<10	--	9300	
09/24/07	--	63.41	0.00	--	--	--	--	--	--	--	--	--	--	LPH in casing well
12/27/07	--	58.75	0.00	--	--	--	1500	0.66	1.2	0.64	1.5	--	7900	
03/25/08	--	59.27	0.00	--	--	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	5700	
06/06/08	--	59.50	0.00	--	--	--	6400	ND<50	ND<50	ND<50	ND<100	--	7400	
09/05/08	--	73.50	0.00	--	--	--	2200	ND<10	ND<10	ND<10	ND<20	--	4000	
12/08/08	--	69.99	0.01	--	--	--	3100	ND<25	ND<25	ND<25	ND<50	--	4200	LPH in well
<b>MW-3</b>														
<b>(Screen Interval in feet: 76.5-96.5)</b>														
12/08/87	--	--	--	--	--	24000	--	2600	1300	160	660	--	--	
12/07/94	367.01	85.54	0.00	281.47	--	ND	--	ND	ND	ND	ND	--	--	
03/01/95	367.01	83.20	0.00	283.81	2.34	ND	--	ND	1.1	ND	1.1	--	--	
06/01/95	367.01	77.60	0.00	289.41	5.60	62	--	7.8	0.90	ND	1.6	--	--	
09/06/95	367.01	79.28	0.00	287.73	-1.68	4100	--	380	490	130	710	--	--	
12/12/95	367.01	77.73	0.00	289.28	1.55	19000	--	600	380	2100	5300	--	--	
03/01/96	367.01	75.18	0.00	291.83	2.55	3400	--	950	3.2	1900	290	59	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-3 continued</b>														
06/15/96	367.01	75.13	0.00	291.88	0.05	780	--	190	8.8	3.8	4.0	630	--	
09/18/96	367.01	82.84	0.00	284.17	-7.71	2800	--	340	12	11	110	2500	--	
12/21/96	367.01	79.29	0.00	287.72	3.55	51	--	1.3	ND	ND	0.53	20	--	
03/07/97	367.01	71.58	0.00	295.43	7.71	1400	--	53	14	29	68	220	--	
06/27/97	367.01	83.27	0.00	283.74	-11.69	ND	--	ND	ND	ND	ND	27	--	
09/29/97	367.01	83.33	0.00	283.68	-0.06	ND	--	ND	ND	ND	ND	11	--	
12/15/97	367.01	83.35	0.00	283.66	-0.02	ND	--	ND	ND	ND	ND	19	--	
03/16/98	367.01	71.07	0.00	295.94	12.28	130	--	6.5	1.9	1.5	1.6	210	--	
06/26/98	367.03	79.65	0.00	287.38	-8.56	400	--	15	ND	ND	1.9	490	--	
08/18/98	367.03	83.29	0.00	283.74	-3.64	--	--	--	--	--	--	--	--	
09/22/98	367.03	83.33	0.00	283.70	-0.04	ND	--	ND	ND	ND	ND	24	--	
12/15/98	367.03	83.29	0.00	283.74	0.04	ND	--	ND	ND	ND	ND	18	--	
12/23/98	367.03	83.28	0.00	283.75	0.01	--	--	--	--	--	--	--	--	
03/15/99	367.03	79.19	0.00	287.84	4.09	26000	--	3100	270	2200	3100	1300	--	
03/23/99	367.03	78.92	0.00	288.11	0.27	--	--	--	--	--	--	--	--	
06/07/99	367.03	83.22	0.00	283.81	-4.30	ND	--	ND	ND	0.63	ND	29	--	
09/03/99	367.03	83.31	0.00	283.72	-0.09	23000	--	770	ND	980	6400	280	82.4	
12/06/99	367.03	83.41	0.00	283.62	-0.10	41000	--	3200	3500	1300	8300	ND	--	
03/10/00	367.03	83.23	0.00	283.80	0.18	5100	--	340	ND	97	450	200	--	
06/08/00	367.03	83.22	0.00	283.81	0.01	1200	--	52.0	ND	41.7	356	55.8	--	
09/25/00	367.03	83.37	0.00	283.66	-0.15	3400	--	305	ND	25.4	512	137	--	
12/19/00	367.03	83.27	0.00	283.76	0.10	6800	--	260	ND	120	950	130	--	
03/05/01	367.03	83.34	0.00	283.69	-0.07	16800	--	1100	48.6	637	4260	224	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-3 continued</b>														
06/14/01	367.03	83.39	0.00	283.64	-0.05	1800	--	260	ND	5.5	25	83	--	
09/17/01	367.03	84.10	0.00	282.93	-0.71	ND<50	--	0.50	ND<0.50	ND<0.50	ND<0.50	71	--	
09/25/01	367.03	84.23	0.00	282.80	-0.13	--	--	--	--	--	--	--	--	
12/17/01	367.03	83.32	0.00	283.71	0.91	1800	--	120	ND<5.0	45	270	80	91	
03/15/02	367.03	83.27	0.00	283.76	0.05	15000	--	160	ND<50	140	4400	ND<250	--	
06/20/02	367.03	83.74	0.00	283.29	-0.47	--	3700	98	0.69	4.0	2.3	--	92	
09/27/02	367.03	84.20	0.00	282.83	-0.46	--	210	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	67	
12/30/02	367.03	83.24	0.00	283.79	0.96	--	5900	320	ND<5.0	80	1500	--	160	
03/26/03	367.03	83.27	0.00	283.76	-0.03	--	7200	95	6.3	140	1500	--	130	
06/10/03	367.03	83.59	0.00	283.44	-0.32	--	360	2.1	ND<0.50	1.1	1.0	--	54	
09/09/03	367.01	83.75	0.00	283.26	-0.18	--	220	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	63	
12/10/03	367.01	83.21	0.00	283.80	0.54	--	980	32	ND<1.0	7.0	160	--	90	
03/09/04	367.01	83.23	0.00	283.78	-0.02	--	1300	4.2	0.67	6.4	91	--	83	
06/21/04	367.01	83.31	0.00	283.70	-0.08	--	96	ND<0.50	0.62	ND<0.50	ND<1.0	--	59	
09/08/04	367.01	83.81	0.00	283.20	-0.50	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	82	
12/14/04	367.01	83.20	0.00	283.81	0.61	--	1800	44	0.83	22	310	--	120	
03/17/05	367.01	81.33	0.00	285.68	1.87	--	11000	110	1.3	38	1100	--	57	
06/15/05	367.01	78.31	0.00	288.70	3.02	--	910	0.92	ND<0.50	1.0	ND<1.0	--	59	
09/20/05	367.01	83.28	0.00	283.73	-4.97	--	94	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
12/29/05	367.01	70.73	0.00	296.28	12.55	--	2100	27	ND<0.50	91	260	--	64	
03/15/06	367.01	65.91	0.00	301.10	4.82	--	860	7.5	ND<0.50	3.3	ND<1.0	--	98	
06/28/06	367.01	66.16	0.00	300.85	-0.25	--	2200	430	14	25	17	--	380	
09/28/06	367.01	70.15	0.00	296.86	-3.99	--	410	110	ND<0.50	0.52	ND<0.50	--	79	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-3 continued</b>														
12/11/06	367.01	63.33	0.00	303.68	6.82	--	370	14	ND<0.50	ND<0.50	ND<0.50	--	70	
03/19/07	367.01	57.35	0.00	309.66	5.98	--	820	4.2	ND<0.50	ND<0.50	0.88	--	69	
06/15/07	367.01	66.79	0.00	300.22	-9.44	--	1500	130	1.3	7.8	8.8	--	400	
09/24/07	367.01	69.70	0.00	297.31	-2.91	--	330	1.1	ND<0.50	ND<0.50	ND<0.50	--	51	
12/27/07	367.01	60.35	0.00	306.66	9.35	--	210	0.54	0.98	ND<0.50	1.4	--	52	
03/25/08	367.01	60.87	0.00	306.14	-0.52	--	1500	69	ND<0.50	41	55	--	840	
06/06/08	367.01	61.14	0.00	305.87	-0.27	--	1300	58	ND<5.0	ND<5.0	ND<10	--	840	
09/05/08	367.01	73.10	0.00	293.91	-11.96	--	380	74	1.2	1.3	3.8	--	170	
12/08/08	367.01	71.65	0.00	295.36	1.45	--	120	1.8	ND<0.50	ND<0.50	ND<1.0	--	31	
<b>MW-4</b>														
(Screen Interval in feet: 73.0-93.0)														
09/18/96	369.03	73.67	0.00	295.36	--	160	--	14	ND	ND	1.6	ND	--	
12/21/96	369.03	77.69	0.00	291.34	-4.02	ND	--	ND	ND	ND	ND	ND	--	
03/07/97	369.03	68.04	0.00	300.99	9.65	ND	--	1.9	0.99	ND	1.5	ND	--	
06/27/97	369.03	79.06	0.00	289.97	-11.02	ND	--	ND	ND	ND	ND	ND	--	
09/29/97	369.03	85.83	0.00	283.20	-6.77	ND	--	ND	ND	ND	ND	ND	--	
12/15/97	369.03	87.26	0.00	281.77	-1.43	ND	--	ND	ND	ND	ND	ND	--	
03/16/98	369.03	75.09	0.00	293.94	12.17	ND	--	ND	0.69	ND	0.82	ND	--	
06/26/98	368.81	73.81	0.00	295.00	1.06	100	--	62	ND	ND	ND	ND	--	
08/18/98	368.81	78.75	0.00	290.06	-4.94	--	--	--	--	--	--	--	--	
09/22/98	368.81	83.95	0.00	284.86	-5.20	ND	--	ND	ND	ND	ND	2.8	--	
12/15/98	368.81	85.41	0.00	283.40	-1.46	ND	--	ND	ND	ND	ND	ND	--	
12/23/98	368.81	84.95	0.00	283.86	0.46	--	--	--	--	--	--	--	--	
03/15/99	368.81	78.47	0.00	290.34	6.48	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-4 continued</b>														
03/23/99	368.81	77.37	0.00	291.44	1.10	--	--	--	--	--	--	--	--	
06/07/99	368.81	76.60	0.00	292.21	0.77	ND	--	ND	ND	ND	ND	ND	--	
09/03/99	368.81	87.23	0.00	281.58	-10.63	ND	--	ND	ND	ND	ND	ND	ND	
12/06/99	368.81	92.23	0.00	276.58	-5.00	ND	--	ND	ND	ND	ND	ND	--	
03/10/00	368.81	88.54	0.00	280.27	3.69	ND	--	ND	ND	ND	ND	ND	--	
06/08/00	368.81	86.98	0.00	281.83	1.56	ND	--	ND	ND	ND	ND	ND	--	
09/25/00	368.81	--	--	--	--	--	--	--	--	--	--	--	--	
12/19/00	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/05/01	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
06/14/01	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
09/17/01	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
09/25/01	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
12/17/01	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/15/02	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
06/20/02	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
09/27/02	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
12/30/02	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/26/03	368.81	--	--	--	--	--	--	--	--	--	--	--	Dry well	
06/10/03	368.81	89.76	0.00	279.05	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/09/03	368.81	89.47	0.00	279.34	0.29	--	ND<50	ND<0.50	0.80	ND<0.50	ND<1.0	--	ND<2.0	
12/10/03	368.81	90.44	0.00	278.37	-0.97	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/09/04	368.81	84.89	0.00	283.92	5.55	--	ND<50	4.2	0.59	2.0	1.3	--	ND<2.0	
06/21/04	368.81	81.90	0.00	286.91	2.99	--	ND<50	ND<0.50	0.68	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-4 continued</b>														
09/08/04	368.81	86.45	0.00	282.36	-4.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/14/04	368.81	89.95	0.00	278.86	-3.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/17/05	368.81	78.86	0.00	289.95	11.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/15/05	368.81	73.07	0.00	295.74	5.79	--	ND<50	0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/20/05	368.81	79.83	0.00	288.98	-6.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	368.81	74.08	0.00	294.73	5.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/15/06	368.81	62.45	0.00	306.36	11.63	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/28/06	368.81	61.87	0.00	306.94	0.58	--	ND<50	2.9	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/28/06	368.81	70.81	0.00	298.00	-8.94	--	ND<50	0.53	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/11/06	368.81	64.10	0.00	304.71	6.71	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/19/07	368.81	60.37	0.00	308.44	3.73	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/15/07	368.81	62.13	0.00	306.68	-1.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
09/24/07	368.81	71.59	0.00	297.22	-9.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	368.81	62.18	0.00	306.63	9.41	--	ND<50	ND<0.50	1.1	ND<0.50	1.5	--	ND<0.50	
03/25/08	368.81	55.19	0.00	313.62	6.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/06/08	368.81	58.98	0.00	309.83	-3.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/05/08	368.81	69.95	0.00	298.86	-10.97	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/08/08	368.81	73.10	0.00	295.71	-3.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-5</b>														
(Screen Interval in feet: 52.0-72.0)														
09/18/96	363.23	64.20	0.00	299.03	--	36000	--	6700	410	730	6500	4100	--	
12/21/96	363.23	61.77	--	301.46	2.43	25000	--	3200	300	780	3600	2600	--	
03/07/97	363.23	56.30	--	306.93	5.47	14000	--	1300	120	410	1200	1700	--	
06/27/97	363.23	68.88	0.90	295.02	-11.91	--	--	--	--	--	--	--	--	

Not sampled-LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-5 continued</b>														
09/29/97	363.23	69.47	0.35	294.02	-1.00	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/15/97	363.23	64.92	0.30	298.54	4.51	--	--	--	--	--	--	--	--	Not sampled-LPH in well
03/16/98	363.23	49.63	0.09	313.67	15.13	--	--	--	--	--	--	--	--	Not sampled-LPH in well
06/26/98	363.21	64.13	--	299.08	-14.59	490	--	6.3	2.8	4.2	5.1	10	--	
08/18/98	363.21	70.40	0.01	292.81	-6.27	--	--	--	--	--	--	--	--	
09/22/98	363.21	69.10	0.06	294.15	1.34	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/15/98	363.21	68.84	0.17	294.50	0.34	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/23/98	363.21	68.42	0.50	295.16	0.67	--	--	--	--	--	--	--	--	
03/15/99	363.21	63.81	0.25	299.59	4.42	--	--	--	--	--	--	--	--	
03/23/99	363.21	63.59	0.13	299.72	0.13	--	--	--	--	--	--	--	--	
06/07/99	363.21	68.25	0.82	295.57	-4.14	210000	--	6700	3700	5000	20000	11000	4000	
09/03/99	363.21	69.38	0.70	294.35	-1.22	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/06/99	363.21	70.02	0.82	293.80	-0.55	--	--	--	--	--	--	--	--	Not sampled-LPH in well
03/10/00	363.21	64.56	0.64	299.13	5.33	--	--	--	--	--	--	--	--	Not sampled-LPH in well
06/08/00	363.21	66.47	0.51	297.12	-2.01	--	--	--	--	--	--	--	--	Not sampled-LPH in well
09/25/00	363.21	69.02	0.60	294.64	-2.48	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/19/00	363.21	68.31	0.14	295.01	0.36	--	--	--	--	--	--	--	--	Not sampled-LPH in well
03/05/01	363.21	64.19	0.08	299.08	4.07	--	--	--	--	--	--	--	--	Not sampled-LPH in well
06/14/01	363.21	64.02	0.11	299.27	0.19	--	--	--	--	--	--	--	--	Not sampled-LPH in well
09/17/01	363.21	72.07	0.04	291.17	-8.10	--	--	--	--	--	--	--	--	Not sampled-LPH in well
09/25/01	363.21	72.17	0.03	291.06	-0.11	--	--	--	--	--	--	--	--	Not sampled-LPH in well
12/17/01	363.21	72.11	0.03	291.12	0.06	--	--	--	--	--	--	--	--	Not sampled-LPH in well
03/15/02	363.21	66.93	0.22	296.45	5.32	--	--	--	--	--	--	--	--	Not sampled-LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-5 continued</b>														
06/20/02	363.21	69.71	0.42	293.82	-2.63	--	--	--	--	--	--	--	--	Not sampled-LPH in well
09/27/02	363.21	72.07	0.00	291.14	-2.68	--	--	--	--	--	--	--	--	Not enough water to sample
12/30/02	363.21	71.91	0.00	291.30	0.16	--	--	--	--	--	--	--	--	Not enough water to sample
03/26/03	363.21	67.55	0.15	295.77	4.47	--	--	--	--	--	--	--	--	Not sampled-LPH in well
06/10/03	363.21	69.34	0.12	293.96	-1.81	--	--	--	--	--	--	--	--	Not sampled-LPH in well
09/09/03	363.21	68.97	0.00	294.24	0.28	--	--	--	--	--	--	--	--	LPH in well
12/10/03	363.21	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/09/04	363.21	66.03	0.00	297.18	--	--	19000	7300	370	910	890	--	1400	
06/21/04	363.21	67.50	0.00	295.71	-1.47	--	13000	3700	220	710	660	--	1900	
09/08/04	363.21	70.62	0.02	292.61	-3.10	--	--	--	--	--	--	--	--	LPH in well
12/14/04	363.21	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/05	363.21	65.88	0.02	297.35	--	--	--	--	--	--	--	--	--	LPH in well
06/15/05	363.21	63.20	0.02	300.02	2.68	--	--	--	--	--	--	--	--	LPH in well
09/20/05	363.21	66.74	0.01	296.48	-3.55	--	--	--	--	--	--	--	--	LPH in well
12/29/05	363.21	64.04	0.01	299.18	2.70	--	--	--	--	--	--	--	--	LPH in well
03/15/06	363.21	57.95	0.01	305.27	6.09	--	--	--	--	--	--	--	--	LPH in well
06/28/06	363.21	57.33	0.02	305.90	0.63	--	--	--	--	--	--	--	--	LPH in well
09/28/06	363.21	60.65	0.01	302.57	-3.33	--	--	--	--	--	--	--	--	LPH in well
12/11/06	363.21	56.92	0.02	306.30	3.74	--	--	--	--	--	--	--	--	LPH in well
03/19/07	363.21	52.37	0.00	310.84	4.54	--	16000	620	31	330	320	--	1600	
06/15/07	363.21	55.70	0.00	307.51	-3.33	--	13000	1400	37	430	180	--	4400	
09/24/07	363.21	61.14	0.00	302.07	-5.44	--	17000	1500	34	490	130	--	4000	
12/27/07	363.21	54.95	0.00	308.26	6.19	--	6500	1100	31	300	110	--	1400	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-5 continued</b>														
03/25/08	363.21	52.33	0.00	310.88	2.62	--	14000	950	20	310	76	--	2600	
06/06/08	363.21	54.12	0.00	309.09	-1.79	--	14000	1800	27	380	92	--	4900	
09/05/08	363.21	62.72	0.00	300.49	-8.60	--	13000	1800	40	470	130	--	3700	
12/08/08	363.21	64.14	0.00	299.07	-1.42	--	14000	3000	70	560	160	--	3800	
<b>MW-6</b>														
(Screen Interval in feet: 68.0-88.0)														
09/18/96	363.12	79.07	0.00	284.05	--	160	--	5.4	ND	ND	ND	ND	--	
12/21/96	363.12	75.40	0.00	287.72	3.67	300	--	96	1.3	ND	1.7	21	--	
03/07/97	363.12	67.61	0.00	295.51	7.79	1800	--	920	18	ND	31	290	--	
06/27/97	363.12	80.45	0.00	282.67	-12.84	ND	--	0.73	ND	ND	38	38	--	
09/29/97	363.12	86.02	0.00	277.10	-5.57	62	--	ND	ND	ND	ND	43	--	
12/15/97	363.12	84.03	0.00	279.09	1.99	78	--	ND	ND	ND	ND	39	--	
03/16/98	363.12	67.15	0.00	295.97	16.88	210	--	36	2.5	ND	3.0	64	--	
06/26/98	363.13	75.71	0.00	287.42	-8.55	530	--	300	8.3	2.8	8.7	81	--	
08/18/98	363.13	74.86	0.00	288.27	0.85	--	--	--	--	--	--	--	--	
09/22/98	363.13	--	--	--	--	--	--	--	--	--	--	--	Unable to locate	
12/15/98	363.13	--	--	--	--	--	--	--	--	--	--	--	Unable to locate	
12/23/98	363.13	80.80	0.00	282.33	--	120	--	1.1	ND	ND	0.78	25	--	
01/23/99	363.13	80.68	0.00	282.45	0.12	ND	--	--	--	--	--	--	--	
03/15/99	363.13	75.29	0.00	287.84	5.39	62	--	1.4	ND	ND	ND	23	--	
03/23/99	363.13	75.03	0.00	288.10	0.26	--	--	--	--	--	--	--	--	
06/07/99	363.13	82.27	0.00	280.86	-7.24	ND	--	ND	ND	ND	ND	18	--	
09/03/99	363.13	87.49	0.00	275.64	-5.22	--	--	--	--	--	--	--	Dry well	
12/06/99	363.13	--	--	--	--	--	--	--	--	--	--	--	Dry well	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-6 continued</b>														
03/10/00	363.13	85.61	0.00	277.52	--	ND	--	ND	ND	ND	ND	64	--	
06/08/00	363.13	87.36	0.00	275.77	-1.75	--	--	--	--	--	--	--	--	Dry well
09/25/00	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/19/00	363.13	87.73	--	275.40	--	--	--	--	--	--	--	--	--	Dry well
03/05/01	363.13	87.82	--	275.31	-0.09	--	--	--	--	--	--	--	--	Dry well
06/14/01	363.13	87.69	0.00	275.44	0.13	--	--	--	--	--	--	--	--	Dry well
09/17/01	363.13	87.70	0.00	275.43	-0.01	--	--	--	--	--	--	--	--	Dry well
09/25/01	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/17/01	363.13	87.74	0.00	275.39	--	--	--	--	--	--	--	--	--	Dry well
03/15/02	363.13	87.72	0.00	275.41	0.02	--	--	--	--	--	--	--	--	Dry well
06/20/02	363.13	87.79	0.00	275.34	-0.07	--	--	--	--	--	--	--	--	Dry well
09/27/02	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/30/02	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/26/03	363.13	87.67	0.00	275.46	--	--	--	--	--	--	--	--	--	Dry well
06/10/03	363.13	87.13	0.00	276.00	0.54	--	--	--	--	--	--	--	--	Dry well
09/09/03	363.13	87.29	0.00	275.84	-0.16	--	--	--	--	--	--	--	--	Not enough water to sample
12/10/03	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/09/04	363.13	83.53	0.00	279.60	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	37	
06/21/04	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
09/08/04	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/14/04	363.13	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/05	363.13	77.58	0.00	285.55	--	--	79	0.67	ND<0.50	ND<0.50	ND<1.0	--	23	
06/15/05	363.13	74.44	0.00	288.69	3.14	--	ND<50	0.51	ND<0.50	ND<0.50	ND<1.0	--	18	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-6 continued</b>														
09/20/05	--	81.92	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	13	Casing elevation modified on 6/22/05
12/29/05	--	67.19	0.00	--	--	--	53	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	29	
03/15/06	--	61.88	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
06/28/06	--	62.52	0.00	--	--	--	ND<50	2.0	0.74	0.73	1.4	--	12	
09/28/06	--	66.54	0.00	--	--	--	82	0.58	ND<0.50	ND<0.50	ND<0.50	--	9.7	
12/11/06	--	59.64	0.00	--	--	--	59	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	11	
03/19/07	--	53.75	0.00	--	--	--	ND<50	1.1	ND<0.50	ND<0.50	ND<0.50	--	22	
06/15/07	--	63.00	0.00	--	--	--	82	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	13	
09/24/07	--	66.10	0.00	--	--	--	110	ND<0.50	1.2	ND<0.50	0.85	--	8.8	
12/27/07	--	56.75	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.4	
03/25/08	--	57.16	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
06/06/08	--	57.50	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.3	
09/05/08	--	69.45	0.00	--	--	--	230	0.92	ND<0.50	ND<0.50	1.2	--	13	
12/08/08	--	67.95	0.00	--	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.2	
<b>MW-7</b>														
(Screen Interval in feet: 55.0-75.0)														
06/26/98	355.97	--	--	--	--	--	--	--	--	--	--	--	--	
08/18/98	355.97	68.75	0.00	287.22	--	4000	--	1900	48	160	ND	1700	--	
09/22/98	355.97	66.35	0.00	289.62	2.40	3200	--	1100	ND	22	ND	1500	--	
12/15/98	355.97	65.03	0.00	290.94	1.32	1900	--	180	2.7	2.9	3.8	1400	--	
12/23/98	355.97	64.82	0.00	291.15	0.21	--	--	--	--	--	--	--	--	
03/15/99	355.97	60.44	0.00	295.53	4.38	2700	--	1100	ND	30	16	1400	970	
03/23/99	355.97	60.43	0.00	295.54	0.01	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-7 continued</b>														
06/07/99	355.97	64.48	0.00	291.49	-4.05	2600	--	180	21	ND	13	1200	--	
09/03/99	355.97	69.98	0.00	285.99	-5.50	870	--	69	ND	ND	ND	1100	872	
12/06/99	355.97	70.18	0.00	285.79	-0.20	1900	--	350	ND	ND	ND	1100	--	
03/10/00	355.97	67.36	0.00	288.61	2.82	2900	--	1600	ND	40	54	1100	--	
06/08/00	355.97	69.81	0.00	286.16	-2.45	625	--	30.8	ND	0.761	0.940	1290	--	
09/25/00	355.97	70.15	0.00	285.82	-0.34	2180	--	423	ND	ND	ND	1510	--	
12/19/00	355.97	70.11	0.00	285.86	0.04	5900	--	1000	ND	ND	ND	1300	--	
03/05/01	355.97	68.72	0.00	287.25	1.39	13200	--	5070	195	306	385	1530	--	
06/14/01	355.97	70.00	0.00	285.97	-1.28	6400	--	3300	85	96	170	1000	--	
09/17/01	355.97	70.28	0.00	285.69	-0.28	11000	--	3000	ND<50	ND<50	ND<50	750	--	
09/25/01	355.97	70.49	0.00	285.48	-0.21	--	--	--	--	--	--	--	--	
12/17/01	355.97	71.35	0.00	284.62	-0.86	5800	--	1100	ND<10	ND<10	ND<10	760	670	
03/15/02	355.97	68.56	0.00	287.41	2.79	2800	--	850	22	74	39	360	540	
06/20/02	355.97	70.01	0.00	285.96	-1.45	--	9900	3200	23	41	ND<40	--	390	
09/27/02	355.97	71.50	0.00	284.47	-1.49	--	4200	710	ND<10	ND<10	ND<20	--	610	
12/30/02	355.97	71.25	0.00	284.72	0.25	--	2400	620	ND<2.5	20	53	--	500	
03/26/03	355.97	68.79	0.00	287.18	2.46	--	5300	1800	ND<10	13	ND<20	--	270	
06/10/03	355.97	69.10	0.00	286.87	-0.31	--	1300	380	ND<5.0	ND<5.0	ND<10	--	--	
09/09/03	355.97	70.04	0.00	285.93	-0.94	--	1900	240	ND<2.5	ND<2.5	ND<5.0	--	380	
12/10/03	355.97	69.98	0.00	285.99	0.06	--	4500	500	ND<5.0	ND<5.0	ND<10	--	340	
03/09/04	355.97	66.66	0.00	289.31	3.32	--	5600	1700	11	34	ND<20	--	280	
06/21/04	355.97	67.82	0.00	288.15	-1.16	--	2300	260	ND<2.5	3.0	ND<5.0	--	300	
09/08/04	355.97	70.05	0.00	285.92	-2.23	--	1400	72	ND<2.5	ND<2.5	ND<5.0	--	440	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-7 continued</b>														
12/14/04	355.97	70.87	--	285.10	-0.82	--	2200	180	ND<1.0	1.8	ND<2.0	--	320	
03/17/05	355.97	63.69	0.00	292.28	7.18	--	5700	1800	7.8	24	16	--	190	
06/15/05	355.97	59.29	0.00	296.68	4.40	--	3900	230	ND<2.5	3.7	8.0	--	280	
09/20/05	355.97	64.38	0.00	291.59	-5.09	--	1200	5.8	ND<5.0	ND<5.0	ND<10	--	260	
12/29/05	355.97	57.43	0.00	298.54	6.95	--	450	1.6	ND<0.50	ND<0.50	ND<1.0	--	140	
03/15/06	355.97	51.92	0.00	304.05	5.51	--	300	1.4	0.86	ND<0.50	ND<1.0	--	94	
06/28/06	355.97	49.47	0.00	306.50	2.45	--	770	47	2.4	2.2	1.3	--	510	
09/28/06	355.97	53.93	0.00	302.04	-4.46	--	610	13	1.1	0.82	0.66	--	370	
12/11/06	355.97	49.87	0.00	306.10	4.06	--	180	1.2	ND<0.50	ND<0.50	ND<0.50	--	180	
03/19/07	355.97	45.28	0.00	310.69	4.59	--	200	0.92	ND<0.50	ND<0.50	ND<0.50	--	98	
06/15/07	355.97	49.48	0.00	306.49	-4.20	--	170	1.0	ND<0.50	ND<0.50	0.60	--	72	
09/24/07	355.97	54.05	0.00	301.92	-4.57	--	590	1.4	ND<0.50	ND<0.50	ND<0.50	--	330	
12/27/07	355.97	47.98	0.00	307.99	6.07	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	84	
03/25/08	355.97	46.00	0.00	309.97	1.98	--	92	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	74	
06/06/08	355.97	47.38	0.00	308.59	-1.38	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	68	
09/05/08	355.97	57.79	0.00	298.18	-10.41	--	320	3.4	ND<0.50	ND<0.50	ND<1.0	--	240	
12/08/08	355.97	56.98	0.00	298.99	0.81	--	270	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	100	
<b>MW-8</b>														
<b>(Screen Interval in feet: 66.0-86.0)</b>														
06/26/98	362.37	63.00	0.00	299.37	--	ND	--	6.0	ND	ND	ND	150	--	
08/18/98	362.37	73.38	0.00	288.99	-10.38	--	--	--	--	--	--	--	--	
09/22/98	362.37	70.89	0.00	291.48	2.49	ND	--	ND	ND	ND	ND	9.5	--	
12/15/98	362.37	70.29	0.00	292.08	0.60	ND	--	ND	ND	ND	ND	3.0	--	
12/23/98	362.37	70.03	0.00	292.34	0.26	--	--	--	--	--	--	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-8 continued</b>														
03/15/99	362.37	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
03/23/99	361.83	64.86	0.00	296.97	--	ND	--	ND	0.77	ND	0.96	190	--	
06/07/99	361.83	68.30	0.00	293.53	-3.44	ND	--	ND	ND	ND	ND	ND	--	
09/03/99	361.83	73.92	0.00	287.91	-5.62	ND	--	ND	0.57	ND	ND	170	146	
12/06/99	361.83	74.98	0.00	286.85	-1.06	ND	--	ND	ND	ND	ND	150	--	
03/10/00	361.83	71.54	0.00	290.29	3.44	ND	--	ND	ND	ND	ND	150	--	
06/08/00	361.83	72.60	0.00	289.23	-1.06	ND	--	ND	ND	ND	ND	42.8	--	
09/25/00	361.83	75.31	0.00	286.52	-2.71	ND	--	ND	ND	ND	ND	227	--	
12/19/00	361.83	75.54	0.00	286.29	-0.23	ND	--	ND	ND	ND	ND	160	--	
03/05/01	361.83	75.91	0.00	285.92	-0.37	ND	--	ND	ND	ND	ND	125	--	
06/14/01	361.83	75.51	0.00	286.32	0.40	ND	--	ND	ND	ND	ND	140	--	
09/17/01	361.83	77.19	0.00	284.64	-1.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	110	--	
09/25/01	361.83	77.17	0.00	284.66	0.02	--	--	--	--	--	--	--	--	
12/17/01	361.83	79.94	0.00	281.89	-2.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	140	170	
03/15/02	361.83	76.82	0.00	285.01	3.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	72	--	
06/20/02	361.83	77.73	0.00	284.10	-0.91	--	83	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	80	
09/27/02	361.83	78.94	0.00	282.89	-1.21	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	94	
12/30/02	361.83	78.21	0.00	283.62	0.73	--	75	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	120	
03/26/03	361.83	74.34	0.00	287.49	3.87	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
06/10/03	361.83	75.17	0.00	286.66	-0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	31	
09/09/03	361.83	74.11	0.00	287.72	1.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
12/10/03	361.83	73.59	0.00	288.24	0.52	--	150	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	180	
03/09/04	361.83	70.32	0.00	291.51	3.27	--	130	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	180	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-8 continued</b>														
06/21/04	361.83	70.30	0.00	291.53	0.02	--	150	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	200	
09/08/04	361.83	73.83	0.00	288.00	-3.53	--	300	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	350	
12/14/04	361.83	75.45	0.00	286.38	-1.62	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	210	
03/17/05	361.83	67.85	0.00	293.98	7.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	290	
06/15/05	361.83	62.74	0.00	299.09	5.11	--	ND<200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	290	
09/20/05	--	68.11	0.00	--	--	--	180	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310	Casing elevation modified on 6/22/05
12/29/05	--	62.32	0.00	--	--	--	210	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	390	
03/15/06	--	56.89	0.00	--	--	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	310	
06/28/06	--	54.53	0.00	--	--	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	550	
09/28/06	--	59.02	0.00	--	--	--	210	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	460	
12/11/06	--	55.02	0.00	--	--	--	260	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	580	
03/19/07	--	51.00	0.00	--	--	--	340	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	480	
06/15/07	--	54.60	0.00	--	--	--	350	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	540	
09/24/07	--	58.59	0.00	--	--	--	420	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	590	
12/27/07	--	53.40	0.00	--	--	--	240	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	510	
03/25/08	--	50.96	0.00	--	--	--	65	ND<0.50	0.58	ND<0.50	1.1	--	82	
06/06/08	--	52.66	0.00	--	--	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	550	
09/05/08	--	60.90	0.00	--	--	--	240	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	590	
12/08/08	--	62.46	0.00	--	--	--	330	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	640	
<b>MW-9</b>														
(Screen Interval in feet: --)														
11/29/99	354.85	74.50	0.00	280.35	--	--	--	--	--	--	--	--	--	
12/06/99	354.85	74.35	0.00	280.50	0.15	ND	--	ND	ND	ND	ND	3.0	2.7	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-9 continued</b>														
03/10/00	354.85	65.94	0.00	288.91	8.41	ND	--	ND	ND	ND	ND	2.5	--	
06/08/00	354.85	70.77	0.00	284.08	-4.83	ND	--	ND	ND	ND	ND	ND	--	
09/25/00	354.85	74.75	0.00	280.10	-3.98	ND	--	ND	0.516	ND	ND	10.5	--	
12/19/00	354.85	74.43	0.00	280.42	0.32	ND	--	ND	ND	ND	ND	ND	--	
03/05/01	354.85	74.63	0.00	280.22	-0.20	ND	--	ND	ND	ND	ND	ND	--	
06/14/01	354.85	74.75	0.00	280.10	-0.12	ND	--	ND	ND	ND	ND	ND	--	
09/17/01	354.85	74.78	0.00	280.07	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/25/01	354.85	74.83	0.00	280.02	-0.05	--	--	--	--	--	--	--	--	
12/17/01	354.85	74.80	0.00	280.05	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<1.0	
03/15/02	354.85	74.83	0.00	280.02	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
06/20/02	354.85	74.88	0.00	279.97	-0.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.75	
09/27/02	354.85	75.38	0.00	279.47	-0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
12/30/02	354.85	73.33	0.00	281.52	2.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.2	
03/26/03	354.85	71.21	0.00	283.64	2.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.1	
06/10/03	354.85	71.83	0.00	283.02	-0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/09/03	362.62	71.85	0.00	290.77	7.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/10/03	362.62	69.50	0.00	293.12	2.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/09/04	362.62	65.24	0.00	297.38	4.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/21/04	362.62	66.52	0.00	296.10	-1.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/04	362.62	71.36	0.00	291.26	-4.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/14/04	362.62	71.73	0.00	290.89	-0.37	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/17/05	362.62	60.42	0.00	302.20	11.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/15/05	362.62	57.63	0.00	304.99	2.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-9 continued</b>														
09/20/05	362.62	62.99	0.00	299.63	-5.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.55	
12/29/05	362.62	55.38	0.00	307.24	7.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/15/06	362.62	50.12	0.00	312.50	5.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.68	
06/28/06	362.62	47.93	0.00	314.69	2.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/28/06	362.62	52.33	0.00	310.29	-4.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
12/11/06	362.62	48.26	0.00	314.36	4.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
03/19/07	362.62	43.68	0.00	318.94	4.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/15/07	362.62	48.35	0.00	314.27	-4.67	--	ND<50	ND<0.50	0.50	ND<0.50	0.74	--	0.59	
09/24/07	362.62	52.52	0.00	310.10	-4.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	362.62	46.26	0.00	316.36	6.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.56	
03/25/08	362.62	44.83	0.00	317.79	1.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.99	
06/06/08	362.62	45.88	0.00	316.74	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/05/08	362.62	54.63	0.00	307.99	-8.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/08/08	362.62	55.44	0.00	307.18	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-10</b>														
(Screen Interval in feet: --)														
11/29/99	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
12/06/99	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/10/00	362.62	85.04	0.00	277.58	--	ND	--	ND	ND	ND	ND	130	150	
06/08/00	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
09/25/00	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
12/19/00	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
03/05/01	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	
06/14/01	362.62	--	--	--	--	--	--	--	--	--	--	--	Dry well	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-10 continued</b>														
09/17/01	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
09/25/01	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/17/01	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/15/02	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
06/20/02	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
09/27/02	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/30/02	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/26/03	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
06/10/03	362.62	89.70	0.00	272.92	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
09/09/03	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/10/03	362.62	92.09	0.00	270.53	--	--	--	--	--	--	--	--	--	Insufficient recharge
03/09/04	362.62	83.15	0.00	279.47	8.94	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
06/21/04	362.62	86.86	0.00	275.76	-3.71	--	420	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	490	
09/08/04	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/14/04	362.62	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/17/05	362.62	77.07	0.00	285.55	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	65	
06/15/05	362.62	74.04	0.00	288.58	3.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	77	
09/20/05	362.62	81.08	0.00	281.54	-7.04	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	210	
12/29/05	362.62	66.31	0.00	296.31	14.77	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	84	
03/15/06	362.62	61.26	0.00	301.36	5.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	91	
06/28/06	362.62	61.88	0.00	300.74	-0.62	--	60	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	140	
09/28/06	362.62	65.76	0.00	296.86	-3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.77	--	53	
12/11/06	362.62	58.96	0.00	303.66	6.80	--	85	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	83	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-10 continued</b>														
03/19/07	362.62	53.02	0.00	309.60	5.94	--	78	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	100	
06/15/07	362.62	62.50	0.00	300.12	-9.48	--	68	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	96	
09/24/07	362.62	65.30	0.00	297.32	-2.80	--	86	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	76	
12/27/07	362.62	55.95	0.00	306.67	9.35	--	63	ND<0.50	1.3	ND<0.50	1.6	--	81	
03/25/08	362.62	56.59	0.00	306.03	-0.64	--	61	0.75	ND<0.50	ND<0.50	ND<1.0	--	78	
06/06/08	362.62	56.76	0.00	305.86	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
09/05/08	362.62	68.75	0.00	293.87	-11.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	43	
12/08/08	362.62	67.25	0.00	295.37	1.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	20	
<b>MW-11</b>														
(Screen Interval in feet: --)														
09/25/01	354.66	81.24	0.00	273.42	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	9.0	--	
12/17/01	354.66	80.47	0.00	274.19	0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	10	14	
03/15/02	354.66	79.42	0.00	275.24	1.05	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	7.6	--	
06/20/02	354.66	80.69	0.00	273.97	-1.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.7	
09/27/02	354.66	81.58	0.00	273.08	-0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.6	
12/30/02	354.66	79.12	0.00	275.54	2.46	--	ND<50	ND<0.50	ND<0.50	2.0	6.1	--	6.9	
03/26/03	354.66	73.70	0.00	280.96	5.42	--	ND<50	0.62	1.7	0.5	2.6	--	9.8	
06/10/03	354.66	73.06	0.00	281.60	0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.8	
09/09/03	354.66	74.19	0.00	280.47	-1.13	--	ND<50	ND<0.50	0.66	ND<0.50	ND<1.0	--	4.4	
12/10/03	354.66	70.99	0.00	283.67	3.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.4	
03/09/04	354.66	66.61	0.00	288.05	4.38	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/21/04	354.66	67.63	0.00	287.03	-1.02	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.89	
09/08/04	354.66	72.69	0.00	281.97	-5.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.0	
12/14/04	354.66	72.69	0.00	281.97	0.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	15	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-11 continued</b>														
03/17/05	354.66	61.62	0.00	293.04	11.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.1	
06/15/05	354.66	58.68	0.00	295.98	2.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/20/05	354.66	63.81	0.00	290.85	-5.13	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	354.66	55.96	0.00	298.70	7.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.64	
03/15/06	354.66	50.73	0.00	303.93	5.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/28/06	354.66	48.54	0.00	306.12	2.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/28/06	354.66	52.78	0.00	301.88	-4.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.55	--	ND<0.50	
12/11/06	354.66	48.64	0.00	306.02	4.14	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/19/07	354.66	44.06	0.00	310.60	4.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/15/07	354.66	48.70	0.00	305.96	-4.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.63	--	ND<0.50	
09/24/07	354.66	52.77	0.00	301.89	-4.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	354.66	46.51	0.00	308.15	6.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/25/08	354.66	45.09	0.00	309.57	1.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/06/08	354.66	46.21	0.00	308.45	-1.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/05/08	354.66	54.97	0.00	299.69	-8.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/08/08	354.66	55.63	0.00	299.03	-0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
<b>MW-12</b>														
(Screen Interval in feet: --)														
09/25/01	354.08	80.78	0.00	273.30	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/17/01	354.08	80.02	0.00	274.06	0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	ND<1.0	
03/15/02	354.08	78.88	0.00	275.20	1.14	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
06/20/02	354.08	80.34	0.00	273.74	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.83	
09/27/02	354.08	81.50	0.00	272.58	-1.16	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/30/02	354.08	78.20	0.00	275.88	3.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) ( $\mu\text{g/l}$ )	TPH-G (GC/MS) ( $\mu\text{g/l}$ )	Benzene ( $\mu\text{g/l}$ )	Toluene ( $\mu\text{g/l}$ )	Ethyl-benzene ( $\mu\text{g/l}$ )	Total Xylenes ( $\mu\text{g/l}$ )	MTBE (8021B) ( $\mu\text{g/l}$ )	MTBE (8260B) ( $\mu\text{g/l}$ )	Comments
<b>MW-12 continued</b>														
03/26/03	354.08	72.80	0.00	281.28	5.40	--	ND<50	0.57	1.6	ND<0.50	2.2	--	ND<2.0	
06/10/03	354.08	72.31	0.00	281.77	0.49	ND<50	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/09/03	354.08	73.38	0.00	280.70	-1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/10/03	354.08	70.28	0.00	283.80	3.10	--	ND<50	ND<0.50	0.51	ND<0.50	1.1	--	ND<2.0	
03/09/04	354.08	65.69	0.00	288.39	4.59	--	ND<50	ND<0.50	0.54	ND<0.50	1.4	--	ND<2.0	
06/21/04	354.08	66.90	0.00	287.18	-1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/04	354.08	71.96	0.00	282.12	-5.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/14/04	354.08	71.92	0.00	282.16	0.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/17/05	354.08	60.49	0.00	293.59	11.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/15/05	354.08	57.82	0.00	296.26	2.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.1	--	ND<0.50	
09/20/05	354.08	63.02	0.00	291.06	-5.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	354.08	55.01	0.00	299.07	8.01	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/15/06	354.08	49.92	0.00	304.16	5.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/28/06	354.08	47.91	0.00	306.17	2.01	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.56	
09/28/06	354.08	52.05	0.00	302.03	-4.14	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/11/06	354.08	47.83	0.00	306.25	4.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/19/07	354.08	43.32	0.00	310.76	4.51	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
06/15/07	354.08	48.26	0.00	305.82	-4.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.60	--	ND<0.50	
09/24/07	354.08	52.60	0.00	301.48	-4.34	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/27/07	354.08	45.83	0.00	308.25	6.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/25/08	354.08	44.63	0.00	309.45	1.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/06/08	354.08	45.51	0.00	308.57	-0.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/05/08	354.08	54.27	0.00	299.81	-8.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**December 1987 Through December 2008**  
**76 Station 7376**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-12 continued</b>													
12/08/08	354.08	54.92	0.00	299.16	-0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-1</b>								
12/08/87	2100	--	--	--	--	--	--	--
03/01/95	120	--	--	--	--	--	--	--
06/01/95	54	--	--	--	--	--	--	--
09/06/95	690	--	--	--	--	--	--	--
12/12/95	190	--	--	--	--	--	--	--
03/01/96	56	--	--	--	--	--	--	--
06/15/96	ND	--	--	--	--	--	--	--
09/18/96	130	--	--	--	--	--	--	--
12/21/96	ND	--	--	--	--	--	--	--
03/07/97	ND	--	--	--	--	--	--	--
06/27/97	ND	--	--	--	--	--	--	--
09/29/97	ND	--	--	--	--	--	--	--
12/15/97	ND	--	--	--	--	--	--	--
03/16/98	ND	--	--	--	--	--	--	--
06/26/98	ND	--	--	--	--	--	--	--
09/22/98	240	--	--	--	--	--	--	--
12/15/98	ND	--	--	--	--	--	--	--
03/15/99	67	--	--	--	--	--	--	--
06/07/99	ND	--	--	--	--	--	--	--
09/03/99	76	ND	ND	ND<2.0	--	ND	ND	ND
12/06/99	ND	--	--	--	--	--	--	--
03/10/00	51	--	--	--	--	--	--	--
06/08/00	68.2	--	--	--	--	--	--	--
09/25/00	ND	--	--	--	--	--	--	--
12/19/00	ND	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-1 continued</b>								
03/05/01	505	--	--	--	--	--	--	--
06/14/01	71	--	--	--	--	--	--	--
09/17/01	ND<50	--	--	--	--	--	--	--
12/17/01	ND<53	ND<40	ND<1000	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/15/02	ND<52	--	--	--	--	--	--	--
06/20/02	ND<50	--	--	--	--	--	--	--
09/27/02	ND<100	--	--	--	--	--	--	--
12/30/02	52	ND<400	ND<2000	ND<8.0	ND<8.0	ND<8.0	ND<8.0	ND<8.0
03/26/03	120	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
06/10/03	ND<50	ND<4000	ND<20000	ND<80	ND<80	ND<80	ND<80	ND<80
09/09/03	ND<50	--	--	--	--	--	--	--
12/10/03	ND<50	--	--	--	--	--	--	--
03/09/04	ND<50	--	--	--	--	--	--	--
06/21/04	ND<50	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	ND<50	--	--	--	--	--	--	--
06/15/05	ND<50	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	ND<50	--	--	--	--	--	--	--
03/19/07	170	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-1 continued</b>								
06/15/07	53	--	--	--	--	--	--	--
09/24/07	76	--	--	--	--	--	--	--
12/27/07	53	--	--	--	--	--	--	--
03/25/08	59	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	ND<56	--	--	--	--	--	--	--
12/08/08	ND<50	--	--	--	--	--	--	--
<b>MW-2</b>								
12/08/87	620	--	--	--	--	--	--	--
<b>MW-2B</b>								
03/01/95	320	--	--	--	--	--	--	--
06/01/95	280	--	--	--	--	--	--	--
09/06/95	ND	--	--	--	--	--	--	--
12/12/95	850	--	--	--	--	--	--	--
03/01/96	870	--	--	--	--	--	--	--
06/15/96	420	--	--	--	--	--	--	--
09/18/96	600	--	--	--	--	--	--	--
12/21/96	470	--	--	--	--	--	--	--
03/07/97	870	--	--	--	--	--	--	--
06/27/97	680	--	--	--	--	--	--	--
09/29/97	430	--	--	--	--	--	--	--
12/15/97	490	--	--	--	--	--	--	--
03/16/98	4000	--	--	--	--	--	--	--
06/26/98	790	--	--	--	--	--	--	--
09/22/98	930	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-2B continued</b>								
12/15/98	600	--	--	--	--	--	--	--
03/15/99	390	3800	ND	--	--	13	ND	ND
06/07/99	770	--	--	--	--	--	--	--
09/03/99	870	3480	ND	--	--	ND	ND	ND
12/06/99	850	--	--	--	--	--	--	--
03/10/00	1500	--	--	--	--	--	--	--
09/25/00	2900	--	--	--	--	--	--	--
12/19/00	700	--	--	--	--	--	--	--
06/14/01	570	--	--	--	--	--	--	--
06/10/03	280	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200
06/21/04	260	--	--	--	--	--	--	--
03/17/05	280	--	--	--	--	--	--	--
06/15/05	560	--	--	--	--	--	--	--
09/20/05	340	--	--	--	--	--	--	--
03/15/06	7200	--	--	--	--	--	--	--
06/28/06	32000	--	--	--	--	--	--	--
09/28/06	2300	--	--	--	--	--	--	--
12/11/06	61000	--	--	--	--	--	--	--
03/19/07	30000	--	--	--	--	--	--	--
06/15/07	21000	--	--	--	--	--	--	--
12/27/07	18000	--	--	--	--	--	--	--
03/25/08	1200	--	--	--	--	--	--	--
06/06/08	15000	--	--	--	--	--	--	--
09/05/08	710	--	--	--	--	--	--	--
12/08/08	7000	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide				1,2-DCA			
				(EDB) ( $\mu\text{g/l}$ )	(EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )			
<b>MW-3</b>											
12/08/87	2300	--	--	--	--	--	--	--	--	--	--
03/01/95	140	--	--	--	--	--	--	--	--	--	--
06/01/95	140	--	--	--	--	--	--	--	--	--	--
09/06/95	880	--	--	--	--	--	--	--	--	--	--
12/12/95	3100	--	--	--	--	--	--	--	--	--	--
03/01/96	1500	--	--	--	--	--	--	--	--	--	--
06/15/96	400	--	--	--	--	--	--	--	--	--	--
09/18/96	170	--	--	--	--	--	--	--	--	--	--
12/21/96	64	--	--	--	--	--	--	--	--	--	--
03/07/97	570	--	--	--	--	--	--	--	--	--	--
06/27/97	ND	--	--	--	--	--	--	--	--	--	--
09/29/97	ND	--	--	--	--	--	--	--	--	--	--
12/15/97	ND	--	--	--	--	--	--	--	--	--	--
03/16/98	670	--	--	--	--	--	--	--	--	--	--
06/26/98	63	--	--	--	--	--	--	--	--	--	--
09/22/98	95	--	--	--	--	--	--	--	--	--	--
12/15/98	ND	--	--	--	--	--	--	--	--	--	--
03/15/99	3500	--	--	--	--	--	--	--	--	--	--
06/07/99	ND	--	--	--	--	--	--	--	--	--	--
09/03/99	2900	ND	ND	--	--	ND	ND	ND			
12/06/99	4200	--	--	--	--	--	--	--	--	--	--
03/10/00	2500	--	--	--	--	--	--	--	--	--	--
06/08/00	489	--	--	--	--	--	--	--	--	--	--
09/25/00	4380	--	--	--	--	--	--	--	--	--	--
12/19/00	5600	--	--	--	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-3 continued</b>								
03/05/01	3790	--	--	--	--	--	--	--
06/14/01	1300	--	--	--	--	--	--	--
09/17/01	290	--	--	--	--	--	--	--
12/17/01	700	26	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
03/15/02	3600	--	--	--	--	--	--	--
06/20/02	1300	--	--	--	--	--	--	--
09/27/02	ND<100	--	--	--	--	--	--	--
12/30/02	1800	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20
03/26/03	2600	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20
06/10/03	350	ND<100	ND<500	ND<2.0	5.3	ND<2.0	ND<2.0	ND<2.0
09/09/03	270	--	--	--	--	--	--	--
12/10/03	800	--	--	--	--	--	--	--
03/09/04	1100	--	--	--	--	--	--	--
06/21/04	210	--	--	--	--	--	--	--
09/08/04	130	--	--	--	--	--	--	--
12/14/04	800	--	--	--	--	--	--	--
03/17/05	2400	--	--	--	--	--	--	--
06/15/05	410	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	1400	--	--	--	--	--	--	--
03/15/06	520	--	--	--	--	--	--	--
06/28/06	920	--	--	--	--	--	--	--
09/28/06	190	--	--	--	--	--	--	--
12/11/06	520	--	--	--	--	--	--	--
03/19/07	660	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-3 continued</b>								
06/15/07	1100	--	--	--	--	--	--	--
09/24/07	770	--	--	--	--	--	--	--
12/27/07	340	--	--	--	--	--	--	--
03/25/08	940	--	--	--	--	--	--	--
06/06/08	380	--	--	--	--	--	--	--
09/05/08	240	--	--	--	--	--	--	--
12/08/08	250	--	--	--	--	--	--	--
<b>MW-4</b>								
09/18/96	200	--	--	--	--	--	--	--
12/21/96	ND	--	--	--	--	--	--	--
03/07/97	ND	--	--	--	--	--	--	--
06/27/97	ND	--	--	--	--	--	--	--
09/29/97	ND	--	--	--	--	--	--	--
12/15/97	ND	--	--	--	--	--	--	--
03/16/98	ND	--	--	--	--	--	--	--
06/26/98	630	--	--	--	--	--	--	--
09/22/98	74	--	--	--	--	--	--	--
12/15/98	ND	--	--	--	--	--	--	--
03/15/99	ND	--	--	--	--	--	--	--
06/07/99	ND	--	--	--	--	--	--	--
09/03/99	66	ND	ND	--	ND	ND	ND	ND
12/06/99	95	--	--	--	--	--	--	--
03/10/00	ND	--	--	--	--	--	--	--
06/08/00	72.8	--	--	--	--	--	--	--
06/10/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-4 continued</b>								
09/09/03	ND<50	--	--	--	--	--	--	--
12/10/03	ND<50	--	--	--	--	--	--	--
03/09/04	56	--	--	--	--	--	--	--
06/21/04	59	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	ND<50	--	--	--	--	--	--	--
06/15/05	ND<50	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	ND<50	--	--	--	--	--	--	--
03/19/07	66	--	--	--	--	--	--	--
06/15/07	ND<50	--	--	--	--	--	--	--
09/24/07	ND<50	--	--	--	--	--	--	--
12/27/07	ND<50	--	--	--	--	--	--	--
03/25/08	ND<50	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	ND<56	--	--	--	--	--	--	--
<b>MW-5</b>								
09/18/96	4700	--	--	--	--	--	--	--
12/21/96	4700	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-5 continued</b>								
03/07/97	2100	--	--	--	--	--	--	--
06/26/98	230000	--	--	--	--	--	--	--
06/07/99	4700000	ND	ND	--	--	ND	ND	ND
03/09/04	110000	--	--	--	--	--	--	--
06/21/04	190000	--	--	--	--	--	--	--
03/19/07	84000	--	--	--	--	--	--	--
06/15/07	29000	--	--	--	--	--	--	--
09/24/07	33000	--	--	--	--	--	--	--
12/27/07	23000	--	--	--	--	--	--	--
03/25/08	44000	--	--	--	--	--	--	--
06/06/08	5100	--	--	--	--	--	--	--
09/05/08	9000	--	--	--	--	--	--	--
12/08/08	7500	--	--	--	--	--	--	--
<b>MW-6</b>								
09/18/96	ND	--	--	--	--	--	--	--
12/21/96	ND	--	--	--	--	--	--	--
03/07/97	190	--	--	--	--	--	--	--
06/27/97	73	--	--	--	--	--	--	--
09/29/97	ND	--	--	--	--	--	--	--
12/15/97	ND	--	--	--	--	--	--	--
03/16/98	100	--	--	--	--	--	--	--
06/26/98	180	--	--	--	--	--	--	--
01/23/99	ND	--	--	--	--	--	--	--
03/15/99	71	--	--	--	--	--	--	--
06/07/99	160	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-6 continued</b>								
03/10/00	ND	--	--	--	--	--	--	--
03/09/04	110	--	--	--	--	--	--	--
03/17/05	150	--	--	--	--	--	--	--
06/15/05	120	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	85	--	--	--	--	--	--	--
12/11/06	81	--	--	--	--	--	--	--
03/19/07	90	--	--	--	--	--	--	--
06/15/07	310	--	--	--	--	--	--	--
09/24/07	130	--	--	--	--	--	--	--
12/27/07	73	--	--	--	--	--	--	--
03/25/08	77	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	73	--	--	--	--	--	--	--
12/08/08	130	--	--	--	--	--	--	--
<b>MW-7</b>								
08/18/98	1400	--	--	--	--	--	--	--
09/22/98	780	--	--	--	--	--	--	--
12/15/98	350	--	--	--	--	--	--	--
03/15/99	460	610	ND	--	--	4.3	ND	ND
06/07/99	550	--	--	--	--	--	--	--
09/03/99	550	460	ND	--	--	4.36	ND	ND

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-7 continued</b>								
12/06/99	220	--	--	--	--	--	--	--
03/10/00	930	--	--	--	--	--	--	--
06/08/00	463	--	--	--	--	--	--	--
09/25/00	1810	--	--	--	--	--	--	--
12/19/00	930	--	--	--	--	--	--	--
03/05/01	801	--	--	--	--	--	--	--
06/14/01	710	--	--	--	--	--	--	--
09/17/01	860	--	--	--	--	--	--	--
12/17/01	470	ND<200	ND<5000	ND<10	ND<10	ND<10	ND<10	ND<10
03/15/02	830	--	--	--	--	--	--	--
06/20/02	710	--	--	--	--	--	--	--
09/27/02	300	--	--	--	--	--	--	--
12/30/02	220	ND<500	ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10
03/26/03	560	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
06/10/03	610	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20
09/09/03	430	--	--	--	--	--	--	--
12/10/03	450	--	--	--	--	--	--	--
03/09/04	640	--	--	--	--	--	--	--
06/21/04	630	--	--	--	--	--	--	--
09/08/04	270	--	--	--	--	--	--	--
12/14/04	160	--	--	--	--	--	--	--
03/17/05	380	--	--	--	--	--	--	--
06/15/05	630	--	--	--	--	--	--	--
09/20/05	280	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-7 continued</b>								
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	260	--	--	--	--	--	--	--
09/28/06	140	--	--	--	--	--	--	--
12/11/06	99	--	--	--	--	--	--	--
03/19/07	140	--	--	--	--	--	--	--
06/15/07	78	--	--	--	--	--	--	--
09/24/07	140	--	--	--	--	--	--	--
12/27/07	71	--	--	--	--	--	--	--
03/25/08	630	--	--	--	--	--	--	--
06/06/08	ND<56	--	--	--	--	--	--	--
09/05/08	120	--	--	--	--	--	--	--
12/08/08	110	--	--	--	--	--	--	--
<b>MW-8</b>								
06/26/98	80	--	--	--	--	--	--	--
09/22/98	120	--	--	--	--	--	--	--
12/15/98	ND	--	--	--	--	--	--	--
03/23/99	60	--	--	--	--	--	--	--
06/07/99	ND	--	--	--	--	--	--	--
09/03/99	130	ND	ND	--	--	12.4	ND	ND
12/06/99	160	--	--	--	--	--	--	--
03/10/00	61	--	--	--	--	--	--	--
06/08/00	135	--	--	--	--	--	--	--
09/25/00	518	--	--	--	--	--	--	--
12/19/00	100	--	--	--	--	--	--	--
03/05/01	161	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene-dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-8 continued</b>								
06/14/01	94	--	--	--	--	--	--	--
09/17/01	60	--	--	--	--	--	--	--
12/17/01	ND<52	77	ND<500	ND<1.0	ND<1.0	9.8	ND<1.0	ND<1.0
03/15/02	69	--	--	--	--	--	--	--
06/20/02	ND<50	--	--	--	--	--	--	--
09/27/02	130	--	--	--	--	--	--	--
12/30/02	76	ND<100	ND<500	ND<2.0	ND<2.0	7.1	ND<2.0	ND<2.0
03/26/03	120	ND<100	ND<500	ND<2.0	ND<2.0	7.1	ND<2.0	ND<2.0
06/10/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/09/03	58	--	--	--	--	--	--	--
12/10/03	86	--	--	--	--	--	--	--
03/09/04	92	--	--	--	--	--	--	--
06/21/04	87	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	56	--	--	--	--	--	--	--
06/15/05	53	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	ND<50	--	--	--	--	--	--	--
03/19/07	60	--	--	--	--	--	--	--
06/15/07	58	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-8 continued</b>								
09/24/07	53	--	--	--	--	--	--	--
12/27/07	72	--	--	--	--	--	--	--
03/25/08	50	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	62	--	--	--	--	--	--	--
<b>MW-9</b>								
12/06/99	ND	ND	--	ND	ND	ND	ND	ND
03/10/00	150	--	--	--	--	--	--	--
06/08/00	67.8	--	--	--	--	--	--	--
09/25/00	903	--	--	--	--	--	--	--
12/19/00	ND	--	--	--	--	--	--	--
03/05/01	96.5	--	--	--	--	--	--	--
06/14/01	ND	--	--	--	--	--	--	--
09/17/01	ND<50	--	--	--	--	--	--	--
12/17/01	ND<52	ND<20	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
03/15/02	ND<51	--	--	--	--	--	--	--
06/20/02	ND<50	--	--	--	--	--	--	--
09/27/02	ND<110	--	--	--	--	--	--	--
12/30/02	59	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/26/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/10/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/09/03	ND<50	--	--	--	--	--	--	--
12/10/03	ND<50	--	--	--	--	--	--	--
03/09/04	ND<50	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-9 continued</b>								
06/21/04	ND<50	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	ND<50	--	--	--	--	--	--	--
06/15/05	ND<50	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	ND<50	--	--	--	--	--	--	--
03/19/07	ND<50	--	--	--	--	--	--	--
06/15/07	52	--	--	--	--	--	--	--
09/24/07	ND<50	--	--	--	--	--	--	--
12/27/07	ND<50	--	--	--	--	--	--	--
03/25/08	110	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	ND<50	--	--	--	--	--	--	--
<b>MW-10</b>								
03/10/00	78	ND	--	ND	22	ND	ND	ND
06/10/03	65	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/09/04	140	--	--	--	--	--	--	--
06/21/04	ND<50	--	--	--	--	--	--	--
03/17/05	ND<50	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-10 continued</b>								
06/15/05	71	--	--	--	--	--	--	--
09/20/05	ND<200	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	92	--	--	--	--	--	--	--
03/19/07	190	--	--	--	--	--	--	--
06/15/07	120	--	--	--	--	--	--	--
09/24/07	130	--	--	--	--	--	--	--
12/27/07	59	--	--	--	--	--	--	--
03/25/08	74	--	--	--	--	--	--	--
06/06/08	190	--	--	--	--	--	--	--
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	53	--	--	--	--	--	--	--
<b>MW-11</b>								
09/25/01	ND<50	--	--	--	--	--	--	--
12/17/01	110	ND<20	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
03/15/02	140	--	--	--	--	--	--	--
06/20/02	ND<60	--	--	--	--	--	--	--
09/27/02	ND<110	--	--	--	--	--	--	--
12/30/02	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/26/03	54	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/10/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/09/03	ND<50	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-11 continued</b>								
12/10/03	ND<50	--	--	--	--	--	--	--
03/09/04	ND<50	--	--	--	--	--	--	--
06/21/04	ND<50	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	85	--	--	--	--	--	--	--
06/15/05	170	--	--	--	--	--	--	--
09/20/05	210	--	--	--	--	--	--	--
12/29/05	ND<200	--	--	--	--	--	--	--
03/15/06	ND<200	--	--	--	--	--	--	--
06/28/06	ND<200	--	--	--	--	--	--	--
09/28/06	51	--	--	--	--	--	--	--
12/11/06	74	--	--	--	--	--	--	--
03/19/07	63	--	--	--	--	--	--	--
06/15/07	70	--	--	--	--	--	--	--
09/24/07	78	--	--	--	--	--	--	--
12/27/07	ND<50	--	--	--	--	--	--	--
03/25/08	51	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	87	--	--	--	--	--	--	--
<b>MW-12</b>								
09/25/01	ND<50	--	--	--	--	--	--	--
12/17/01	77	ND<20	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
03/15/02	ND<51	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**

Date Sampled	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	Ethylene- dibromide (EDB) ( $\mu\text{g/l}$ )	1,2-DCA (EDC) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )
<b>MW-12 continued</b>								
06/20/02	ND<58	--	--	--	--	--	--	--
09/27/02	ND<100	--	--	--	--	--	--	--
12/30/02	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/26/03	ND<50	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/10/03	ND<50	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/09/03	ND<50	--	--	--	--	--	--	--
12/10/03	ND<50	--	--	--	--	--	--	--
03/09/04	220	--	--	--	--	--	--	--
06/21/04	180	--	--	--	--	--	--	--
09/08/04	ND<50	--	--	--	--	--	--	--
12/14/04	ND<50	--	--	--	--	--	--	--
03/17/05	350	--	--	--	--	--	--	--
06/15/05	330	--	--	--	--	--	--	--
09/20/05	250	--	--	--	--	--	--	--
12/29/05	320	--	--	--	--	--	--	--
03/15/06	240	--	--	--	--	--	--	--
06/28/06	210	--	--	--	--	--	--	--
09/28/06	ND<50	--	--	--	--	--	--	--
12/11/06	120	--	--	--	--	--	--	--
03/19/07	99	--	--	--	--	--	--	--
06/15/07	66	--	--	--	--	--	--	--
09/24/07	71	--	--	--	--	--	--	--
12/27/07	ND<50	--	--	--	--	--	--	--
03/25/08	58	--	--	--	--	--	--	--
06/06/08	ND<50	--	--	--	--	--	--	--

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 7376**


Date Sampled	Ethylene- dibromide							
	TPH-D ( $\mu\text{g/l}$ )	TBA ( $\mu\text{g/l}$ )	Ethanol (8260B) ( $\mu\text{g/l}$ )	1,2-DCA (EDB) ( $\mu\text{g/l}$ )	DIPE ( $\mu\text{g/l}$ )	ETBE ( $\mu\text{g/l}$ )	TAME ( $\mu\text{g/l}$ )	
<b>MW-12 continued</b>								
09/05/08	ND<50	--	--	--	--	--	--	--
12/08/08	50	--	--	--	--	--	--	--

**TABLE 3**  
**LIQUID PHASE HYDROCARBON RECOVERY DATA**  
**76 STATION 7376**

	<u>DATE</u>	<u>LPH Recovered(Gallons)</u>
MW-5	6/28/06	0.02
MW-5	7/12/06	0.00
MW-5	8/7/06	0.00
MW-5	9/15/06	0.00
MW-5	9/28/06	0.01
MW-5	10/10/06	0.00
MW-5	10/30/06	0.00
MW-5	11/10/06	0.00
MW-5	11/22/06	0.00
MW-5	12/11/06	0.02
MW-5	12/21/06	0.00
MW-5	1/5/07	0.01
MW-5	1/15/07	0.00
MW-5	2/5/07	0.00
MW-5	2/20/07	0.00
MW-5	3/8/07	0.00
MW-5	4/12/07	0.00
MW-5	4/30/07	0.03
MW-5	5/7/07	0.00
MW-5	5/23/07	0.00
MW-5	6/28/07	0.00
MW-5	7/19/07	0.00
MW-5	8/1/07	0.00
MW-5	8/13/07	0.00
MW-5	8/27/07	0.00
MW-5	9/14/07	0.00
MW-5	10/16/07	0.00
MW-5	10/29/07	0.00
MW-5	11/16/07	0.00
MW-5	12/7/07	0.00
MW-5	1/7/08	0.00
MW-5	1/28/08	0.00
MW-5	2/15/08	0.00
MW-5	2/29/08	0.00
MW-5	3/25/08	0.00
MW-5	4/11/08	0.00
MW-5	4/22/08	0.00
MW-5	5/5/08	0.00
MW-5	5/20/08	0.00
MW-5	6/6/08	0.00
MW-5	6/23/08	0.00
MW-5	7/1/08	0.00
MW-5	7/18/08	0.00
MW-5	8/7/08	0.00
MW-5	8/26/08	0.04
MW-5	9/16/08	0.00
MW-5	10/3/08	0.00
MW-5	10/17/08	0.00
MW-5	11/5/08	0.00
MW-5	11/26/08	0.00
MW-5	12/8/08	0.01
MW-5	12/24/08	0.00

Total LPH Recovered (gallons): **0.14**

# FIGURES



0      1/4      1/2      3/4      1 MILE

SCALE 1:24,000



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Livermore Quadrangle



PROJECT: 154771

FACILITY:

76 STATION 7376  
4191 FIRST STREET  
PLEASANTON, CALIFORNIA

VICINITY MAP



FIGURE 1



**LEGEND**

MW-12 Monitoring Well with Groundwater Elevation (feet)

MW-2 Abandoned well

**304.00** — Groundwater Elevation Contour

General Direction of Groundwater Flow



PROJECT:	154771
FACILITY:	76 STATION 7376 4191 FIRST STREET PLEASANTON, CALIFORNIA

**GROUNDWATER ELEVATION  
CONTOUR MAP  
December 8, 2008**



**FIGURE 2**

**NOTES:**



Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. NS = not surveyed UST = underground storage tank.

**LEGEND**

MW-12 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ( $\mu\text{g/l}$ ) or LPH Thickness (feet)

MW-2 Abandoned well

—10,000— Dissolved-Phase TPH-G (GC/MS) Contour ( $\mu\text{g/l}$ )



L:\Graphics\MS-NORTH\SOULTH\7000\7376-17376.gps\new.dwg Jan 13, 2008 - 9:06am authors

MS-160 7376-003

**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.  
 $\mu\text{g/l}$  = micrograms per liter. LPH = liquid-phase hydrocarbons. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank

PROJECT:	154771
FACILITY:	76 STATION 7376 4191 FIRST STREET PLEASANTON, CALIFORNIA
<b>DISSOLVED-PHASE TPH-G (GC/MS) CONCENTRATION MAP</b>	

December 8, 2008




**FIGURE 3**

LEGEND

MW-12 Monitoring Well with Dissolved-Phase Benzene Concentration ( $\mu\text{g/l}$ ) or LPH Thickness (feet)

MW-2 Abandoned well

— 1,000 — Dissolved-Phase Benzene Contour ( $\mu\text{g/l}$ )



L:\Graphics\MS-NORTH-SOUTH\7000\7376\dwg\Jan 14, 2009 - 10:17am seekers

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
 $\mu\text{g/l}$  = micrograms per liter. LPH = liquid-phase hydrocarbons. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit.  
UST = underground storage tank.

MS-E-60 7376-003

PROJECT:	154771
FACILITY:	76 STATION 7376 4191 FIRST STREET PLEASANTON, CALIFORNIA
DISSOLVED-PHASE BENZENE CONCENTRATION MAP December 8, 2008	




FIGURE 4

**LEGEND**

MW-12 Monitoring Well with  
Dissolved-Phase MTBE  
Concentration ( $\mu\text{g/l}$ ) or LPH  
Thickness (feet)

MW-2 Abandoned well

1,000 Dissolved-Phase MTBE  
Contour ( $\mu\text{g/l}$ )



L:\Graphics\MS-NORTH-SOUTH\k\7000\7376\7376.dwg Jan 13, 2009 - 9:15am makers

**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
MTBE = methyl tertiary butyl ether.  $\mu\text{g/l}$  = micrograms per liter LPH = liquid-phase hydrocarbons  
ND = not detected at limit indicated on official laboratory report. UST = underground storage tank  
Results obtained using EPA Method 8260B.

PROJECT:	154771
FACILITY:	76 STATION 7376 4191 FIRST STREET PLEASANTON, CALIFORNIA
DISSOLVED-PHASE MTBE CONCENTRATION MAP	


December 8, 2008



**FIGURE 5**


# GRAPHS

Groundwater Elevations vs. Time  
76 Station 7376




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 7376




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
76 Station 7376




Elevations may have been corrected for apparent changes due to resurvey

**Benzene Concentrations vs Time**  
**76 Station 7376**



**Benzene Concentrations vs Time**  
76 Station 7376



## GENERAL FIELD PROCEDURES

### **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

### **Fluid Level Measurements**

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

### **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable,  $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

## **FIELD MONITORING DATA SHEET**

Technician: JOE Job #/Task #: 154771/FA20 Date: 12-08-08  
Site # 54191-7376 Project Manager A. Collins Page 1 of 2

## FIELD MONITORING DATA SHEET

Technician: DA

Job #/Task #: 154771 LAZ0

Date: 12-08-07

Site # 7376

Project Manager A. Collins

Page 2 of 2

**FIELD DATA COMPLETE**

QA/QC

600

## WELL BOX CONDITION SHEETS

MANIFEST

DRUM INVENTORY

---

TRAFFIC CONTROL

## GROUNDWATER SAMPLING FIELD NOTES

Technician: JOESite: 7376Project No: 154771Date: 12-08-08Well No. MW-11Purge Method: SUBDepth to Water (feet): 55.63Depth to Product (feet):   Total Depth (feet) 85.04LPH & Water Recovered (gallons):   Water Column (feet): 29.41Casing Diameter (Inches): 2"80% Recharge Depth(feet): 61.511 Well Volume (gallons): 5

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
0911			5	825.5	16.4	7.22			
			10	832.6	17.3	7.00			
0918			15	834.1	17.4	6.88			
Static at Time Sampled		Total Gallons Purged			Sample Time				
<u>55.80</u>		<u>15</u>			<u>0926</u>				
Comments:									

Well No. MW-12Purge Method: SUBDepth to Water (feet): 54.92Depth to Product (feet):   Total Depth (feet) 88.85LPH & Water Recovered (gallons):   Water Column (feet): 33.93Casing Diameter (Inches): 2"80% Recharge Depth(feet): 61.701 Well Volume (gallons): 6

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
0940			6	823.8	15.5	7.18			
			12	829.6	16.6	6.90			
0947			18	828.1	16.3	6.75			
Static at Time Sampled		Total Gallons Purged			Sample Time				
<u>55.10</u>		<u>18</u>			<u>0956</u>				
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 7376

Project No.: 154771

Date: 12-08-08

Well No. MW-9

Depth to Water (feet): 55.44

Total Depth (feet) 74.66

Water Column (feet): 19.22

80% Recharge Depth(feet): 59.28

Purge Method: SUB

Depth to Product (feet):  

LPH & Water Recovered (gallons):  

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
1028			4	939.9	15.9	6.93			
			8	931.7	16.6	6.67			
1033			12	929.8	16.9	6.57			
Static at Time Sampled			Total Gallons Purged			Sample Time			
55.60			12			1047			
Comments:									

Well No. MW-8

Depth to Water (feet): 62.46

Total Depth (feet) 84.80

Water Column (feet): 22.34

80% Recharge Depth(feet): 66.92

Purge Method: SUB

Depth to Product (feet):  

LPH & Water Recovered (gallons):  

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
1030			4	1121	16.1	5.49			
			8	1066	16.3	5.33			
1036			12	1056	17.4	5.19			
Static at Time Sampled			Total Gallons Purged			Sample Time			
66.92			12			1046			
Comments: purged & sampled by Basilio									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 7376

Project No.: 154771

Date: 12-08-08

Well No. MW-7

Purge Method: SUB

Depth to Water (feet): 56.98

Depth to Product (feet):   

Total Depth (feet) 76.30

LPH & Water Recovered (gallons):   

Water Column (feet): 19.32

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 68.50 60.84

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
1102		4	1329	16.0	6.75				
		3	1371	16.9	6.43				
1107		12	1381	17.3	6.19				
Static at Time Sampled			Total Gallons Purged			Sample Time			
57.74			12			1120			
Comments:									

Well No. MW-5

Purge Method: HB

Depth to Water (feet): 64.14

Depth to Product (feet):   

Total Depth (feet) 72.48

LPH & Water Recovered (gallons):   

Water Column (feet): 8.34

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 65.80

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F C)	pH	D.O. (mg/L)	ORP	Turbidity
0755		2	1559	17.2	7.38				
		4	1559	16.9	6.93				
0812		6	1540	17.4	6.65				
Static at Time Sampled			Total Gallons Purged			Sample Time			
65.67			6			0844			
Comments:									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: B. Aslund

12-3-09 cc

Site: 7376Project No: 154771Date: 8-12-08Well No. MW-4Depth to Water (feet): 73.10Purge Method: 5 galTotal Depth (feet) 92.73Depth to Product (feet): —Water Column (feet) 19.63LPH & Water Recovered (gallons): —80% Recharge Depth(feet): 77.02Casing Diameter (Inches): 21 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, <u>69</u> )	pH	D.O. (mg/L)	ORP	Turbidity
0849			4	818.1	15.7	10.46			
			8	849.7	16.7	9.76			
	0900		12	834.8	18.1	8.94			
Static at Time Sampled			Total Gallons Purged			Sample Time			
77.60			12			1120			
Comments: Pump slow to purge. Did not recover in 2 hrs.									

Well No. MW-10Depth to Water (feet): 67.25Purge Method: 5 galTotal Depth (feet) 91.45Depth to Product (feet): —Water Column (feet): 24.20LPH & Water Recovered (gallons): —80% Recharge Depth(feet): 72.09Casing Diameter (Inches): 21 Well Volume (gallons): 5

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, <u>69</u> )	pH	D.O. (mg/L)	ORP	Turbidity
0918			5	1020	16.9	7.01			
			10	1009	18.5	6.73			
	0925		15	991.3	18.9	6.30			
Static at Time Sampled			Total Gallons Purged			Sample Time			
67.50			15			0934			
Comments:									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: B. ApilisSite: 7376Project No.: 154771Date: 12-08-07Well No. MW-1Purge Method: 345Depth to Water (feet): 71.60Depth to Product (feet): —Total Depth (feet) 86.35LPH & Water Recovered (gallons): —Water Column (feet) 14.75Casing Diameter (Inches): 280% Recharge Depth(feet) 74.551 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
0944			3	981.8	15.1	5.67			
			6	947.9	16.9	5.68			
0951			9	941.6	18.0	5.46			
Static at Time Sampled		Total Gallons Purged			Sample Time				
72.10		9			0956				
Comments:									

Well No. MW-6Purge Method: 5ubDepth to Water (feet): 67.95Depth to Product (feet): —Total Depth (feet) 89.10LPH & Water Recovered (gallons): —Water Column (feet) 21.15Casing Diameter (Inches): 280% Recharge Depth(feet) 72.181 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
1055			4	1209	15.3	4.90			
			8	1086	17.3	4.95			
1101			12	1044	18.3	5.00			
Static at Time Sampled		Total Gallons Purged			Sample Time				
69.15		12			1107				
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: DH Silcox

Site: 7376

Project No.: 154771

Date: 12-08-08

Well No. MW - 3

Depth to Water (feet): 71.65

Total Depth (feet) 94.05

Water Column (feet): 22.40

80% Recharge Depth(feet): 76.13

Purge Method: SUS

Depth to Product (feet): —

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 4

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
1133			8	1070	15.3	5.35			
				1010	17.4	5.27			
1134			12	996.4	17.0	5.19			
Static at Time Sampled			Total Gallons Purged			Sample Time			
72.05			12			1156			
Comments:									

Well No. MW-2B

Depth to Water (feet): 69.99

Total Depth (feet) 85.60

Water Column (feet): 15.61

80% Recharge Depth(feet): 73.11

Purge Method: H B

Depth to Product (feet): 69.98

LPH & Water Recovered (gallons): —

Casing Diameter (Inches): 2

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
1140			3	—	—	—			
			6	—	—	—			
	1141		9	—	—	—			
Static at Time Sampled			Total Gallons Purged			Sample Time			
71.15			9			1153			
Comments:									

# MANUAL PUMP/BAIL OUT SHEET

Site #: 7376 Project #: 154771 Date: 12-08-08

Technician: R. Asilio Page #: 1 of 1

## Monitoring Data Before Pump/Bail Out

Well Number MW-2B  
 Depth to Product 69.58  
 Depth to Water 69.99  
 Total Depth of Well 85.60  
 Feet of Total Fluid in Well 15.92  
 Thickness of Product (ft.) 0.01  
 Well Diameter (in.) 2  
 One Well Volume (gal.) 3

## Pump/Bail One Well Volume

Water Recovered (gal.) 2.99  
 Product Recovered (gal.) 0.01  
THICKNESS OF PRODUCT x (0.67 FOR 4" CASING) OR  
 (0.17 FOR 2" CASING) OR (1.5 FOR 6" CASING)

Time Required for Purge 3 Min  
 Comments: Heavy odor, light bark  
 Brown water

## Monitoring Data Before Pump/Bail Out

Well Number \_\_\_\_\_  
 Depth to Product \_\_\_\_\_  
 Depth to Water \_\_\_\_\_  
 Total Depth of Well \_\_\_\_\_  
 Feet of Total Fluid in Well \_\_\_\_\_  
 Thickness of Product (ft.) \_\_\_\_\_  
 Well Diameter (in.) \_\_\_\_\_  
 One Well Volume (gal.) \_\_\_\_\_

## Pump/Bail One Well Volume

Water Recovered (gal.) \_\_\_\_\_  
 Product Recovered (gal.) \_\_\_\_\_  
THICKNESS OF PRODUCT x (0.67 FOR 4" CASING) OR  
 (0.17 FOR 2" CASING) OR (1.5 FOR 6" CASING)

Time Required for Purge \_\_\_\_\_  
 Comments: \_\_\_\_\_

Fluids from all of todays Manual Pump/Bail Outs were pumped into:

- 1) Vac Truck  2) Properly Labeled Drums  3) Other  \_\_\_\_\_

## Monitoring Data Before Pump/Bail Out

Well Number \_\_\_\_\_  
 Depth to Product \_\_\_\_\_  
 Depth to Water \_\_\_\_\_  
 Total Depth of Well \_\_\_\_\_  
 Feet of Total Fluid in Well \_\_\_\_\_  
 Thickness of Product (ft.) \_\_\_\_\_  
 Well Diameter (in.) \_\_\_\_\_  
 One Well Volume (gal.) \_\_\_\_\_

## Pump/Bail One Well Volume

Water Recovered (gal.) \_\_\_\_\_  
 Product Recovered (gal.) \_\_\_\_\_  
THICKNESS OF PRODUCT x (0.67 FOR 4" CASING) OR  
 (0.17 FOR 2" CASING) OR (1.5 FOR 6" CASING)

Time Required for Purge \_\_\_\_\_  
 Comments: \_\_\_\_\_

## Monitoring Data Before Pump/Bail Out

Well Number \_\_\_\_\_  
 Depth to Product \_\_\_\_\_  
 Depth to Water \_\_\_\_\_  
 Total Depth of Well \_\_\_\_\_  
 Feet of Total Fluid in Well \_\_\_\_\_  
 Thickness of Product (ft.) \_\_\_\_\_  
 Well Diameter (in.) \_\_\_\_\_  
 One Well Volume (gal.) \_\_\_\_\_

## Pump/Bail One Well Volume

Water Recovered (gal.) \_\_\_\_\_  
 Product Recovered (gal.) \_\_\_\_\_  
THICKNESS OF PRODUCT x (0.67 FOR 4" CASING) OR  
 (0.17 FOR 2" CASING) OR (1.5 FOR 6" CASING)

Time Required for Purge \_\_\_\_\_  
 Comments: \_\_\_\_\_

## FIELD MONITORING DATA SHEET

Technician: JOE Job #/Task #: 154771 / FA20 Date: 10-17-08  
Site #: 7376 Project Manager A. Collins Page 1 of 1

## FIELD MONITORING DATA SHEET

Technician: Ricky H.

Job #/Task #: 154771 / FBZ 0

Date: 11/05/08

**Site #** 7376

**Project Manager** A. coll. v. 3

Page \_\_\_\_\_ of \_\_\_\_\_



## FIELD MONITORING DATA SHEET

Technician: John Vanders Job #/Task #: 154771 / FA26 Date: 11/26/08  
Site #: 7376 Project Manager A. Collins Page 1 of 1

FIELD DATA COMPLETE

QA/QC

606

## WELL BOX CONDITION SHEETS

MANIFEST

DRUM INVENTORY

TRAFFIC CONTROL

## FIELD MONITORING DATA SHEET

Technician: JOE

Job #/Task #: 154771/FA20

Date: 12-24-08

Site # 7376

Project Manager A. Collins

Page 1 of 1



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

Date of Report: 12/22/2008

Anju Farfan

TRC

21 Technology Drive  
Irvine, CA 92618

RE: 7376  
BC Work Order: 0816132  
Invoice ID: B054891

Enclosed are the results of analyses for samples received by the laboratory on 12/8/2008. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers  
Client Service Rep

Authorized Signature

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0816132-01	<b>COC Number:</b> --- <b>Project Number:</b> 7376 <b>Sampling Location:</b> --- <b>Sampling Point:</b> MW-11 <b>Sampled By:</b> TRCI	<b>Receive Date:</b> 12/08/2008 21:20 <b>Sampling Date:</b> 12/08/2008 09:26 <b>Sample Depth:</b> --- <b>Sample Matrix:</b> Water	<b>Delivery Work Order:</b> Global ID: T0600100101 Location ID (FieldPoint): MW-11 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
0816132-02	<b>COC Number:</b> --- <b>Project Number:</b> 7376 <b>Sampling Location:</b> --- <b>Sampling Point:</b> MW-12 <b>Sampled By:</b> TRCI	<b>Receive Date:</b> 12/08/2008 21:20 <b>Sampling Date:</b> 12/08/2008 09:56 <b>Sample Depth:</b> --- <b>Sample Matrix:</b> Water	<b>Delivery Work Order:</b> Global ID: T0600100101 Location ID (FieldPoint): MW-12 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
0816132-03	<b>COC Number:</b> --- <b>Project Number:</b> 7376 <b>Sampling Location:</b> --- <b>Sampling Point:</b> MW-9 <b>Sampled By:</b> TRCI	<b>Receive Date:</b> 12/08/2008 21:20 <b>Sampling Date:</b> 12/08/2008 10:47 <b>Sample Depth:</b> --- <b>Sample Matrix:</b> Water	<b>Delivery Work Order:</b> Global ID: T0600100101 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID:		
0816132-04	<b>COC Number:</b> --- <b>Project Number:</b> 7376 <b>Sampling Location:</b> --- <b>Sampling Point:</b> MW-8 <b>Sampled By:</b> TRCI	<b>Receive Date:</b> 12/08/2008 21:20 <b>Sampling Date:</b> 12/08/2008 10:45 <b>Sample Depth:</b> --- <b>Sample Matrix:</b> Water	<b>Delivery Work Order:</b> Global ID: T0600100101 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID:		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 [www.bclabs.com](http://www.bclabs.com)  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0816132-05	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 7376 --- MW-7 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 11:20 --- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-06	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 7376 --- MW-5 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 08:44 --- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-07	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 7376 --- MW-4 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 11:20 --- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-08	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	--- 7376 --- MW-10 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 09:34 --- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
0816132-09	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	-- 7376 -- MW-1 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 09:56 -- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-1 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-10	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	-- 7376 -- MW-2B TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 11:53 -- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-2B Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-11	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	-- 7376 -- MW-6 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 11:07 -- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0816132-12	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	-- 7376 -- MW-3 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	12/08/2008 21:20 12/08/2008 11:50 -- Water	Delivery Work Order: Global ID: T0600100101 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-01	Client Sample Name:	7376, MW-11, 12/8/2008 9:26:00AM										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	i	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	i	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	99.0	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	93.1	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 21:52	SDU	MS-V10	1	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-01	Client Sample Name: 7376, MW-11, 12/8/2008 9:26:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	87	ug/L	50		Luft/TPHd	12/11/08	12/18/08 21:33	CKD	GC-5	1	BRL1284	ND	
Tetracosane (Surrogate)	110	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 21:33	CKD	GC-5	1	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: InoneI  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-02	Client Sample Name: 7376, MW-12, 12/8/2008 9:56:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	i	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	1	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	i	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	96.0	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	i	BRL0952		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:10	SDU	MS-V10	i	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-02	Client Sample Name: 7376, MW-12, 12/8/2008 9:56:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	50	ug/L	50	Luft/TPHd	12/11/08	12/18/08 21:47	CKD	GC-5	i	BRL1284	ND		
Tetracosane (Surrogate)	124	%	28 - 139 (LCL - UCL)	Luft/TPHd	12/11/08	12/18/08 21:47	CKD	GC-5	1	BRL1284			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 [www.bclabs.com](http://www.bclabs.com)  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-03	Client Sample Name: 7376, MW-9, 12/8/2008 10:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	1	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	i	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	i	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	98.9	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	94.9	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	i	BRL0952		
4-Bromofluorobenzene (Surrogate)	99.5	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:28	SDU	MS-V10	i	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-03	Client Sample Name: 7376, MW-9, 12/8/2008 10:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	12/11/08	12/18/08 22:02	CKD	GC-5	1	BRL1284	ND	
Tetracosane (Surrogate)	124	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 22:02	CKD	GC-5	1	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-04	Client Sample Name: 7376, MW-8, 12/8/2008 10:45:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	i	BRL0952	ND	
Methyl t-butyl ether	640	ug/L	5.0		EPA-8260	12/11/08	12/12/08 02:00	SDU	MS-V10	10	BRL0952	ND	A01
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	330	ug/L	50		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952	ND	A90
1,2-Dichloroethane-d4 (Surrogate)	96.5	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952		
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:00	SDU	MS-V10	10	BRL0952		
Toluene-d8 (Surrogate)	96.3	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	i	BRL0952		
Toluene-d8 (Surrogate)	96.0	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:00	SDU	MS-V10	10	BRL0952		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:38	SDU	MS-V10	1	BRL0952		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:00	SDU	MS-V10	10	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-04	Client Sample Name: 7376, MW-8, 12/8/2008 10:45:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	62	ug/L	50		Luft/TPHd	12/11/08	12/18/08 22:16	CKD	GC-5	1.075	BRL1284	ND	
Tetracosane (Surrogate)	120	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 22:16	CKD	GC-5	1.075	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-05	Client Sample Name: 7376, MW-7, 12/8/2008 11:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	i	BRL0952	ND	
Methyl t-butyl ether	100	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	i	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	270	ug/L	50		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	i	BRL0952		
Toluene-d8 (Surrogate)	95.9	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	i	BRL0952		
4-Bromoanisole (Surrogate)	106	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 22:45	SDU	MS-V10	1	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-05	Client Sample Name: 7376, MW-7, 12/8/2008 11:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	110	ug/L	50		Luft/TPHd	12/11/08	12/18/08 22:30	CKD	GC-5	i	BRL1284	ND	
Tetracosane (Surrogate)	116	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 22:30	CKD	GC-5	i	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-06	Client Sample Name: 7376, MW-5, 12/8/2008 8:44:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	3000	ug/L	25		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
Ethylbenzene	560	ug/L	25		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
Methyl t-butyl ether	3800	ug/L	25		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
Toluene	70	ug/L	25		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
Total Xylenes	160	ug/L	50		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
Total Purgeable Petroleum Hydrocarbons	14000	ug/L	2500		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952		
Toluene-d8 (Surrogate)	96.5	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:18	SDU	MS-V10	50	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-06	Client Sample Name: 7376, MW-5, 12/8/2008 8:44:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	7500	ug/L	500		Luft/TPHd	12/11/08	12/19/08 13:03	CKD	GC-5	10	BRL1284	ND	A01
Tetracosane (Surrogate)	0	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/19/08 13:03	CKD	GC-5	10	BRL1284		A01,A17

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-07	Client Sample Name: 7376, MW-4, 12/8/2008 11:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	i	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	99.7	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	i	BRL0952		
Toluene-d8 (Surrogate)	93.7	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952		
4-Bromofluorobenzene (Surrogate)	98.9	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:03	SDU	MS-V10	1	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-07	Client Sample Name: 7376, MW-4, 12/8/2008 11:20:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	56		Luft/TPHd	12/11/08	12/18/08 23:41	CKD	GC-5	1.124	BRL1284	ND	
Tetracosane (Surrogate)	119	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 23:41	CKD	GC-5	1.124	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-08	Client Sample Name: 7376, MW-10, 12/8/2008 9:34:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	20	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	i	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	i	BRL0952		
Toluene-d8 (Surrogate)	94.6	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:21	SDU	MS-V10	1	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-08	Client Sample Name: 7376, MW-10, 12/8/2008 9:34:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	53	ug/L	50		Luft/TPHd	12/11/08	12/18/08 23:56	CKD	GC-5	1.087	BRL1284	ND	
Tetracosane (Surrogate)	125	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 23:56	CKD	GC-5	1.087	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: |none|  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-09	Client Sample Name: 7376, MW-1, 12/8/2008 9:56:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	i	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	i	BRL0952	ND	
Methyl t-butyl ether	300	ug/L	5.0		EPA-8260	12/11/08	12/12/08 02:36	SDU	MS-V10	10	BRL0952	ND	A01
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	1	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	180	ug/L	50		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	i	BRL0952	ND	A90
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	1	BRL0952		
1,2-Dichloroethane-d4 (Surrogate)	98.7	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:36	SDU	MS-V10	10	BRL0952		
Toluene-d8 (Surrogate)	97.0	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	95.7	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:36	SDU	MS-V10	10	BRL0952		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 21:55	SDU	MS-V10	i	BRL0952		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:36	SDU	MS-V10	10	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 21 of 35



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-09	Client Sample Name: 7376, MW-1, 12/8/2008 9:56:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	ND	ug/L	50		Luft/TPHd	12/11/08	12/18/08 22:44	CKD	GC-5	0.990	BRL1284	ND	
Tetracosane (Surrogate)	86.6	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/18/08 22:44	CKD	GC-5	0.990	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-10	Client Sample Name: 7376, MW-2B, 12/8/2008 11:53:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	25		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01
Ethylbenzene	ND	ug/L	25		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01
Methyl t-butyl ether	4200	ug/L	25		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01
Toluene	ND	ug/L	25		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01
Total Xylenes	ND	ug/L	50		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01
Total Purgeable Petroleum Hydrocarbons	3100	ug/L	2600		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952	ND	A01,A90
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952		
Toluene-d8 (Surrogate)	94.4	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/12/08 02:54	SDU	MS-V10	50	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-10	Client Sample Name: 7376, MW-2B, 12/8/2008 11:53:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	7000	ug/L	630		Luft/TPHd	12/11/08	12/19/08 13:17	CKD	GC-5	12.658	BRL1284	ND	A01
Tetracosane (Surrogate)	0	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/19/08 13:17	CKD	GC-5	12.658	BRL1284		A01,A17

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-11	Client Sample Name: 7376, MW-6, 12/8/2008 11:07:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	9.2	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	i	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	i	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	1	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	97.0	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	i	BRL0952		
4-Bromofluorobenzene (Surrogate)	99.9	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:38	SDU	MS-V10	i	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-11	Client Sample Name: 7376, MW-6, 12/8/2008 11:07:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	130	ug/L	50		Luft/TPHd	12/11/08	12/19/08 00:10	CKD	GC-5	0.970	BRL1284	ND	
Tetracosane (Surrogate)	115	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/19/08 00:10	CKD	GC-5	0.970	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0816132-12	Client Sample Name: 7376, MW-3, 12/8/2008 11:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	1.8	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952	ND	
Methyl t-butyl ether	31	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952	ND	
Toluene	ND	ug/L	0.50		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	i	BRL0952	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	i	BRL0952	ND	
Total Purgeable Petroleum Hydrocarbons	120	ug/L	50		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952	ND	
1,2-Dichloroethane-d4 (Surrogate)	98.2	%	76 - 114 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952		
Toluene-d8 (Surrogate)	95.9	%	88 - 110 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	1	BRL0952		
4-Bromofluorobenzene (Surrogate)	99.3	%	86 - 115 (LCL - UCL)		EPA-8260	12/11/08	12/11/08 23:56	SDU	MS-V10	i	BRL0952		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

BCL Sample ID:	0816132-12	Client Sample Name: 7376, MW-3, 12/8/2008 11:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Diesel Range Organics (C12 - C24)	250	ug/L	60		Luft/TPHd	12/11/08	12/19/08 00:25	CKD	GC-5	1.190	BRL1284	ND	
Tetracosane (Surrogate)	118	%	28 - 139 (LCL - UCL)		Luft/TPHd	12/11/08	12/19/08 00:25	CKD	GC-5	1.190	BRL1284		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 [www.bclabs.com](http://www.bclabs.com)  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Spike Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BRL0952	Matrix Spike	0814857-71	0	25.900	25.000	ug/L	104	70 - 130	20	70 - 130
		Matrix Spike Duplicate	0814857-71	0	25.660	25.000	ug/L	1.0	103	20	70 - 130
Toluene	BRL0952	Matrix Spike	0814857-71	0	24.270	25.000	ug/L	97.1	70 - 130	20	70 - 130
		Matrix Spike Duplicate	0814857-71	0	24.050	25.000	ug/L	0.9	96.2	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRL0952	Matrix Spike	0814857-71	ND	9.6900	10.000	ug/L	96.9	76 - 114	20	76 - 114
		Matrix Spike Duplicate	0814857-71	ND	9.3200	10.000	ug/L	93.2	76 - 114	20	76 - 114
Toluene-d8 (Surrogate)	BRL0952	Matrix Spike	0814857-71	ND	9.6500	10.000	ug/L	96.5	88 - 110	20	88 - 110
		Matrix Spike Duplicate	0814857-71	ND	9.7100	10.000	ug/L	97.1	88 - 110	20	88 - 110
4-Bromofluorobenzene (Surrogate)	BRL0952	Matrix Spike	0814857-71	ND	10.110	10.000	ug/L	101	86 - 115	20	86 - 115
		Matrix Spike Duplicate	0814857-71	ND	10.060	10.000	ug/L	101	86 - 115	20	86 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: Inonei  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BRL1284	Matrix Spike	0814857-67	22.874	379.65	500.00	ug/L	71.4	36 - 130		
		Matrix Spike Duplicate	0814857-67	22.874	396.01	500.00	ug/L	4.4	74.6	30	36 - 130
Tetracosane (Surrogate)	BRL1284	Matrix Spike	0814857-67	ND	23.553	20.000	ug/L	118			28 - 139
		Matrix Spike Duplicate	0814857-67	ND	24.063	20.000	ug/L	120			28 - 139

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anu Farfan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	<u>Control Limits</u>		
									RPD	Percent Recovery	RPD
Benzene	BRL0952	BRL0952-BS1	LCS	23.620	25.000	0.50	ug/L	94.5		70 - 130	
Toluene	BRL0952	BRL0952-BS1	LCS	23.880	25.000	0.50	ug/L	95.5		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BRL0952	BRL0952-BS1	LCS	9.2500	10.000		ug/L	92.5		76 - 114	
Toluene-d8 (Surrogate)	BRL0952	BRL0952-BS1	LCS	9.8800	10.000		ug/L	98.8		88 - 110	
4-Bromofluorobenzene (Surrogate)	BRL0952	BRL0952-BS1	LCS	10.000	10.000		ug/L	100		86 - 115	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: Jnone1  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		
									Percent Recovery	RPD	Lab Quals
Diesel Range Organics (C12 - C24)	BRL1284	BRL1284-BS1	LCS	399.65	500.00	50	ug/L	79.9	48 - 125		
Tetracosane (Surrogate)	BRL1284	BRL1284-BS1	LCS	24.855	20.000		ug/L	124	28 - 139		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Fartan

Reported: 12/22/2008 10:25

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRL0952	BRL0952-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRL0952	BRL0952-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRL0952	BRL0952-BLK1	ND	ug/L	0.50		
Toluene	BRL0952	BRL0952-BLK1	ND	ug/L	0.50		
Total Xylenes	BRL0952	BRL0952-BLK1	ND	ug/L	1.0		
Total Purgeable Petroleum Hydrocarbons	BRL0952	BRL0952-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRL0952	BRL0952-BLK1	102	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRL0952	BRL0952-BLK1	99.0	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRL0952	BRL0952-BLK1	102	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 [www.bclabs.com](http://www.bclabs.com)  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



**BC Laboratories, Inc.**

Environmental Testing Laboratory Since 1949

TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Total Petroleum Hydrocarbons

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BRL1284	BRL1284-BLK1	ND	ug/L	50		
Tetracosane (Surrogate)	BRL1284	BRL1284-BLK1	119	%	28 - 139 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 [www.bclabs.com](http://www.bclabs.com)  
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC  
21 Technology Drive  
Irvine, CA 92618

Project: 7376  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 12/22/2008 10:25

## Notes And Definitions

MDL	Method Detection Limit
ND	Analyte Not Detected at or above the reporting limit
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
A01	PQL's and MDL's are raised due to sample dilution.
A17	Surrogate not reportable due to sample dilution.
A90	TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.

Submission #: 08-10132

**SHIPPING INFORMATION**  
 Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

**SHIPPING CONTAINER**  
 Ice Chest  Box  None   
 Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments: \_\_\_\_\_

Custody Seals: Ice Chest  Containers  None  Comments:  
 Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

**COC Received**  
 YES  NO

Emissivity: 0.98 Container: VOCA Thermometer ID: IN103  
 Temperature: A 5.9 °C / C 5.8 °C

Date/Time 12-8-08  
 Analyst Init JNW 2150

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PtA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A3	A3	A3	(	A3	A3	(	(	(	)
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
OT AMBER	BC	BC	BC		BC	BC				
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: -6 sample says MW-5.

Sample Numbering Completed By: JNW

Date/Time: 12/8/08 0003

A = Actual / C = Corrected

12/8/08  
 2/19/08

BC LABORATORIES INC.

## SAMPLE RECEIPT FORM

Rev. No. 12 06/24/08 Page 2 Of 2

Submission #: 08-160132

## SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

## SHIPPING CONTAINER

Ice Chest  Box  None   
 Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments: \_\_\_\_\_

Custody Seals: Ice Chest  Containers  None  Comments:  
 Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

COC Received  
 YES  NO

Emissivity: 0.98 Container: QTR Thermometer ID: TH163 Date/Time 12-8-08  
 Temperature: A 3.1 °C / C 3.2 °C Analyst Init JNW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PtA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A 13	A 13	( )	A 13	( )	( )	A 13	A 13	A 13	A 13
OT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
OT EPA 508/608/8080										
OT EPA 515.1/8150										
OT EPA 525										
OT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
OT EPA 548										
OT EPA 549										
OT EPA 632										
OT EPA 8015M										
OT AMBER	BC	BC		BC			BC	BC	BC	BC
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: \_\_\_\_\_

Sample Numbering Completed By: JNW

Date/Time: 12/9/08 0003

A = Actual / C = Corrected

12/9/08

H:\DOCS\WP80\LAB\_DOCS\FORMS\1SAMREC2.WPD

## BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308  
(661) 327-4911 FAX (661) 327-1918

## CHAIN OF CUSTODY

## Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		<b>MATRIX</b> (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/oxygenates	BTEX/MTBE BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS	Turnaround Time Requested
Address: 4191 First St,		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan										
City: Pleasanton		4-digit site#: 7376										
State: CA Zip:		Project #: 706000100101 JL										
Conoco Phillips Mgr: Terry Grayson		Sampler Name: JOE L										
Lab#	Sample Description	Field Point Name	Date & Time Sampled									
-1	MW-11	12-08-08 0926	GW		X	X	X	X	X	X	STD	
-2	MW-12	0956										
-3	MW-9	1047										
-4	MW-8	1045										
MW-7	1120											
MW-8	0844	V	V									
CHK BY	DISTRIBUTION											
	SUB-OUT											

Comments:	Relinquished by: (Signature)	Received by:	Date & Time
GLOBAL ID: T0600100101	<i>Joe D. Lewis</i>	<i>refridgerator</i>	12-08-08 1400
	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Ross Weekly</i>	<i>Ross Weekly</i>	12/8/08 1450
	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Ross Weekly 12/8/08</i>	<i>Relyea</i>	12-8-08 1800
	Relyea 12-8-08 2120	claim	12-08-08 2120

## BC LABORATORIES, INC.

4100 Atlas Court      Bakersfield, CA 93308  
 (661) 327-4911      FAX (661) 327-1918

## CHAIN OF CUSTODY

## Analysis Requested

Bill to: Conoco Phillips/ TRC	Consultant Firm: TRC	MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015M	8260 full list w/ oxygenates	BTEX/MTBE/ <del>Gasoline</del> BY 8260B	ETHANOL by 8260B	TPH - G by GC/MS	Turnaround Time Requested
Address: <i>4191 First St.</i>	21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan									
City: Pleasanton	4-digit site#: 7376									
State: CA Zip:	Project #: 54771									
Conoco Phillips Mgr: <i>Terry Devaynor</i>	Sampler Name: <i>Rosie Kelly</i>									
Lab#	Sample Description	Field Point Name	Date & Time Sampled							
-7	MW-4	12-08-08 1120	640	X	X	X	X	X	X	5/8
-8	MW-10		0934							
-9	MW-1		0956							
-10	MW-2B		1153							
-11	MW-6		1107							
-12	MW-3	↓	1150	↓						↓

Comments:	Relinquished by: (Signature)	Received by:	Date & Time
GLOBAL ID: <i>T0600100101</i>	<i>Rosie Kelly</i>	<i>Rosie Kelly</i>	<i>12/8/08 1450</i>
	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Rosie Kelly 12/8/08</i>	<i>Riley</i>	<i>12-8-08 1800</i>
	Relinquished by: (Signature)	Received by:	Date & Time
	<i>Riley 12-8-08 2120</i>	<i>Claire</i>	<i>12-08-08 2120</i>

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.