

ExxonMobil
Refining & Supply Company
Global Remediation
25A Crescent Drive #407
Pleasant Hill, CA 94523
(925) 246-8747 Telephone
(925) 246-7822 Facsimile
gene.n.ortega@exxonmobil.com

Ro 362
Gene N. Ortega
Project Manager
Global Remediation - U.S. Retail

ExxonMobil
Refining & Supply

February 13, 2004

Mr. Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94501-6577


Subject: Former Exxon RAS #7-3399, 2991 Hopyard Road, Pleasanton, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Third Quarter 2003* for the above-referenced site. The report was prepared by ETIC Engineering, Inc. of Pleasant Hill, California, and summarizes the results of the September 2003 sampling event. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at (925) 246-8747.


Sincerely,



Gene N. Ortega
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated February 2004

- c: w/ attachment:
Ms. Cherie McMaulou - California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Matthew Katen - Zone 7 Water Agency
Mr. Stephen Cusenza - City of Pleasanton Public Works Department
Mr. Thomas Elson - Luhdorff and Scalmanini Consulting Engineers
Mr. Joseph A. Aldridge - Valero Energy Corporation
- c: w/o attachment:
Mr. Joseph Muehleck - ETIC Engineering, Inc.



Airport Plaza, Pleasanton
MAR 04 2004

Report of Groundwater Monitoring Third Quarter 2003

**Former Exxon Retail Site 7-3399
2991 Hopyard Road
Pleasanton, California**

Prepared for

ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523

Prepared by

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710


A handwritten signature of Bryan Campbell.

Bryan Campbell
Project Manager

February 12, 2004
Date

Heidi Dieffenbach-Carle
Heidi Dieffenbach-Carle, R.G. #6793
Senior Geologist

February 12, 2004
Date



February 2004

SITE CONTACTS

Site Name: Former Exxon Retail Site 7-3399

Site Address: 2991 Hopyard Road
Pleasanton, California

ExxonMobil Project Manager: Gene N. Ortega
ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523
(925) 246-8747

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Bryan Campbell

Regulatory Oversight: Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6783

Cherie McMaulou
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2342

Matthew Katen
Zone 7 Water Agency
5997 Parkside Drive
Pleasanton, California 94588
(925) 484-2600

INTRODUCTION

At the request of ExxonMobil Refining and Supply Company, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-3399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 16 and 17 June 2003, the dates of the last monitoring event, until 22 September 2003, the date of the recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 7-3399
Site address:	2991 Hopyard Road, Pleasanton, California
Current property owner:	Kirk D. Morrison Trust
Current site use:	Active Valero-branded station and auto repair facility operated by Steve Asmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
Current phase of project:	Groundwater monitoring, groundwater extraction
Tanks at site:	Three underground storage tanks (three grades of gasoline)
Number of wells:	22 (16 onsite, 6 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	22 September 2003
Wells gauged and sampled:	MW4, MW5D, MW7, MW8, MW12A, MW13, MW14, VR1
Wells gauged only:	MW1, MW5S, MW9A, MW10, MW11, OW1, OW2, PMW1-PMW6, VR2
Groundwater flow direction (zone 1):	Not calculated
Groundwater gradient (zone 1):	Not calculated
Groundwater flow direction (deeper):	North-northeast
Groundwater gradient (deeper):	0.003
Remediation system status during groundwater monitoring event:	Groundwater extraction system operating
Well screens submerged:	MW5D, MW8, MW12A, MW13, MW14
Well screens not submerged:	MW1, MW4, MW5S, MW7, MW9A, MW10, MW11, OW1, OW2, PMW1-PMW6, VR1, VR2
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	TestAmerica, Inc., Nashville, Tennessee

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B (confirmation samples)

Additional comments:

Wells MW1, MW5S, MW9A, MW10, MW11, OW1, OW2, PMW1, PMW2, PMW4, PMW6, and VR2 were functionally dry.

Wells OW1, OW2, PMW1-PMW6, and VR1 are considered to be screened in a perched groundwater zone.

The total depth measured in well MW7 does not match the well completion log.

REMEDIATION SYSTEM SUMMARY

Groundwater Extraction System

System description:

The groundwater extraction system (GES) is capable of extracting groundwater from 4 wells: MW9A, OW1, OW2, and VR1. Groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

System startup date: 12 March 2001

Active extraction wells: OW2, VR1

Inactive extraction wells/reason: MW9A, OW1 - not operating due to low water levels in MW9A and OW1

Modifications made during reporting period/reasons for modifications:

No modifications were made during the reporting period.

Status of system operation during reporting period/reasons for downtime:

The GES was operated continuously during this reporting period. Due to low water levels in the groundwater extraction wells, water could only be extracted intermittently.

System performance data totals (totals since system startup, as of 22 September 2003):

Groundwater extracted: 1,236,780 gallons

Pounds of TPH removed: 1.391 (calculated as the sum of TPH-g and TPH-d)

Pounds of benzene removed: 0.008

Pounds of MTBE removed: 0.782

GES proposed work:

The continued operation of the GES will be evaluated.

ADDITIONAL ACTIVITIES PERFORMED AT SITE

No additional activities were performed at the site.

WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

The continued operation of the GES will be evaluated.

Attachments:

Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results

Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction

Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction

Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Monitoring Plan


Table 4: Operation and Performance Data - Groundwater Extraction System

Table 5: Summary of Analytical Results - Groundwater Extraction System


Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports




**Figure 2: Influent TPH Concentrations and Estimated Mass of TPH
Removed by Groundwater Extraction**
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA




Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

**Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene
Removed by Groundwater Extraction**
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.
G:\Projects\73399\MasterO&M\3399_h2o.xls - Benzene Graph

**Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE
Removed by Groundwater Extraction**
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW1	d	04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--	Zone 1
MW2	a	04/02/88		--	57	57	--	4	37-57	0.020	34-57	--	--
MW3	a	04/04/88		--	60	56	--	4	36-56	0.020	35-60	--	--
MW4	d	04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--	Zone 1
MW5D	d	05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--	Zone 2
MW5S	d	05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--	Zone 1
MW6	a	05/11/88		--	59	55	--	4	40-55	0.020	36-59	--	--
MW7	d	07/12/88	321.27	--	56.5 f	53	--	5	28-53	0.020	25-56.5	--	Zone 1
MW8	d	09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--	Deeper Zone
MW9	a	10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--	--
MW9A	d	11/03/00	321.27	PVC	59	58	12.25	6	35.0-55.0 55.0-58.0 c	0.020	33.0-58.0	#3 Sand	Zone 1
MW10	d	10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--	Zone 1
MW11	d	11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--	Zone 1
MW12	a	08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand	--
MW12A	d	08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand	Deeper Zone
MW13	d, b	08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand	Zone 2

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Filter Pack Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW14	d	08/29/00	321.24	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand	Deeper Zone
OW1		tank backfill well	NM	--	--	--	--	4	e	--	--	--	Perched Zone
OW2	d	tank backfill well	321.55	--	--	--	--	4	e	--	--	--	Perched Zone
PMW1	d	12/16/99	322.75	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW2	d	12/16/99	322.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW3	d	12/16/99	321.27	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW4	d	12/16/99	321.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW5	d	12/16/99	320.04	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW6	d	12/17/99	321.38	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
VR1	d	10/24/88	321.00	PVC	30	30	10	4	10-30	0.020	10-30	--	--
VR2		11/20/89	NM	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--	--
VR3	a	11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--	--
VR4	a	11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--	--

a Well destroyed.

b PVC screen from 61.5-72, stainless steel blank from 11.5-61.5, PVC blank from surface to 11.5.

c Depth of PVC sump at base of well.

d Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
e												north of the southeast corner of the south bound bridge over Mocho Canal. Elevation = 330.55 feet.
f												Well screen is visible near surface and is assumed to extend to near total depth.
												The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.
Perched Zone												Gradient generally not calculated.
Zone 1												Gradient calculated quarterly.
Zone 2												Possible communication with Zone 1. Gradient generally not calculated.
Deeper Zone												Gradient calculated quarterly.
NM												Not measured.
PVC												Polyvinyl chloride.
TOC												Top of casing.
--												Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	12/30/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/02/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.64	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	266.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 ^e	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	11/16/94	321.79	54.36	267.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Reference Date	Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^D	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^R	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33
MW5D ^D	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^D	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^R	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D ^D	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D	06/30/99	321.79	35.90	285.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5 th

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW5D ^R	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^R	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D ^D	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47 ^f
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/17/02	321.79	61.56	260.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/03	321.79	58.90	262.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/16/03	321.79	55.73	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/22/03	321.79	60.57	261.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl- benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 ^b	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 ^a	272.44	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 ^a	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 ^c	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/17/02	320.52	53.67	266.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	03/28/03	320.52	53.60	266.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/16/03	320.52	53.49	NC	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl- benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88	Well destroyed									
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA
MW7	07/22/88	321.27	41.85 ^a	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 ^a	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 ^a	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW7	01/09/90	321.27	57.57 ^a	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 ^a	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 ^a	266.01	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 ^a	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 ^a	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 ^a	263.87	0.00	NS	NS	NS	NS	NS	NS
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.33	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 ^e	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7 ^f
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0 ^f
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88 ^f
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17 ^f
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40 ^f
MW7	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/17/02	321.27	54.17	267.10	0.00	NS	NS	NS	NS	NS	NS
MW7	03/28/03	321.27	54.45	266.82	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/16/03	321.27	53.33	267.94	0.00	--	--	--	--	--	--
MW7	06/17/03	321.27	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	09/22/03	321.27	54.57	266.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Reference Date	Depth to Elevation (feet)	Groundwater Water (feet)	LPH Elevation (feet)	Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 ^a	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	254.33	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	257.18	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/01/94 ^e	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^R	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2 ^f
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^D	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^R	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^D	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^R	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18 ^{f,h}

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl- benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW8 ^R	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672 ^f
MW8 ^D	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659 ^f
MW8 ^R	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777 ^f
MW8 ^D	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776 ^f
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^D	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^R	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5 ^f
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1 ^f
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2 ^f
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00 ^f
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	12/17/02	321.86	67.76	254.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/03	321.86	62.40	259.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/16/03	321.86	62.99	258.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/22/03	321.86	74.94	246.92	0.00	<0.5	2.4	<0.5	1.1	<50	<0.5
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 ^a	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 ^a	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100 ^f
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9 ^f
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950 ^f
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81 th
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5 ^f
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 ⁱ	1.06	<0.5	1.17	<50	3.92 ^f
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 ⁱ	380/380 ⁱ	<5.0/<5.0 ⁱ	2,190/2,170 ⁱ	7,300	4,300 ^f
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300 ^f
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488 ^f
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2 ^f
MW9	11/03/00	Well destroyed									
MW9A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5 ^f
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	03/28/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	06/16/03	321.27	56.17	NC	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/22/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 ^a	272.32	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 ^a	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 ^e	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30 ^f
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0 ^f
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39 ^f
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/17/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	03/28/03	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	06/16/03	322.99	56.89	266.10	0.00	--	--	--	--	--	--
MW10	06/17/03	322.99	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/22/03	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	11/10/89	321.77	50.64	271.13	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	271.26	0.00	NS	NS	NS	NS	NS	NS
MW11	12/20/89	321.77	51.47	270.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	272.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	272.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 ^a	272.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	272.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 ^a	272.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	272.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	271.47	0.00	NS	NS	NS	NS	NS	NS
MW11	06/11/90	321.77	51.16	270.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	268.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	268.51	0.00	NS	NS	NS	NS	NS	NS
MW11	06/20/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW11	12/30/91	321.77	53.95	267.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	268.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	268.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	268.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	268.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	10/07/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	12/10/92	321.77	53.59	268.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	268.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	268.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	08/15/93	321.77	53.55	268.22	0.00	NS	NS	NS	NS	NS	NS
MW11	09/29/93	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/98	321.77	32.86	288.91	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64 ^f
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93 ^f
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71 ^f
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70 ^f
MW11	03/28/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	06/16/03	321.73	53.63	NC	0.00	NS	NS	NS	NS	NS	NS
MW11	09/22/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW12	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12	08/30/00	Well destroyed									
MW12A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0 ^f
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW12A	12/17/02	322.62	68.54	254.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/03	322.62	62.78	259.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/16/03	322.62	63.85	258.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A ^j	09/22/03	322.62	76.30	246.32	0.00	<0.5	2.3	<0.5	1.9	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW13 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW13	06/15/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62 ^f
MW13	09/26/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17 ^f
MW13	12/28/00	NM	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0 ^f
MW13	03/28/01	322.62	44.57	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	06/25/01	322.62	48.24	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	09/26/01	322.62	56.05	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	12/17/01	322.71	56.40	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/17/02	322.71	55.38	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	260.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW13	12/17/02	322.71	62.05	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/03	322.71	59.50	263.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/16/03	322.71	56.33	262.00	0.00	<0.5	2.3	<0.5	<0.5	<50	<0.5
MW13	09/22/03	322.71	60.71	262.00	0.00	<0.5	--	<0.5	2.0	<50	<0.5
MW14 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW14	06/15/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW14	09/26/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2 ^f
MW14	12/28/00	NM	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0 ^f
MW14	03/28/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5
MW14	06/25/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	09/26/01	321.16	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	12/17/01	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/18/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	67.05	254.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	61.70	259.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	12/17/02	321.24	62.34	258.90	0.00	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW14	06/17/03	321.24	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14 ^j	09/22/03	321.24	74.50	246.74	0.00	<0.5	0.9	<0.5	0.8	<50	<0.5
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810 ^f
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000 ^f
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800 ^f
OW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530 ^f
OW1	09/26/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97 ^f
OW1	06/25/01	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220 ^f
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0 ^f
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5 ^f
OW1	06/17/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/16/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/17/02	321.44	9.24	312.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1/4.80 ^f
OW1	03/28/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	06/16/03	321.44	11.40	NC	0.00	NS	NS	NS	NS	NS	NS
OW1	09/22/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 ^g	177,000 ^f
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000 ^f
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400 ^f
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520 ^f
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650 ^f
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000 ^f
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130 ^f
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630 ^f
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720 ^f
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800 ^f
OW2	09/16/02	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/17/02	321.55	6.14	315.41	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.3/5.00 ^f
OW2	03/28/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/16/03	321.55	12.08	309.47	0.00	--	--	--	--	--	--
OW2 ^j	06/17/03	321.55	--	--	--	<0.5	<0.5	<0.5	<0.5	587	552/575 ^f
OW2	09/22/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
PMW1	09/26/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/01	322.74	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS
PMW1	12/17/01	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW1	09/16/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/17/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/03	322.75	13.25	309.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/16/03	322.75	13.90	308.85	0.00	--	--	--	--	--	--
PMW1	06/17/03	322.75	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	0.6/<0.5 ^f
PMW1	09/22/03	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720 ^f
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570 ^f
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157 ^f
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234 ^f
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284 ^f
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7 ^f
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46 ^f
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10 ^f
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8 ^f
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30 ^f
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
PMW2	12/17/02	322.37	14.14	308.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.5/<0.5 ^f
PMW2	03/28/03	322.37	13.05	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.4/6.50 ^f
PMW2	06/16/03	322.37	13.89	308.48	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/22/03	322.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310 ^f
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5 ^f
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6 ^f
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08 ^f
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7 ^f
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/17/02	321.27	7.76	313.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/03	321.27	11.00	310.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/16/03	321.27	10.76	310.51	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/22/03	321.27	10.17	311.10	0.00	NS	NS	NS	NS	NS	NS
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27 ^f
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73 ^f
PMW4	09/26/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11 ^f
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/17/02	321.37	15.22	306.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	03/28/03	321.37	14.95	306.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/16/03	321.37	14.80	NC	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/22/03	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810 ^f
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890 ^f
PMW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629 ^f
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743 ^f
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919 ^f
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304 ^f
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560 ^f
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440 ^f
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94 ^f
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35 ^f
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226 ^f
PMW5	09/16/02	320.04	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/17/02	320.04	13.05	306.99	0.00	1.2	<0.5	<0.5	<0.5	172	228/192 ^f
PMW5	03/28/03	320.04	14.95	305.09	0.00	0.80	<0.5	<0.5	<0.5	192	234/244 ^f
PMW5	06/16/03	320.04	12.94	307.10	0.00	NS	NS	NS	NS	NS	NS
PMW5	09/22/03	320.04	14.10	305.94	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
PMW6 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
PMW6	06/28/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/28/00	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/16/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/17/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/16/03	321.38	14.88	NC	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/22/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31 ^{f,h}
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49 ^f
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94 ^f
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10 ^f
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500 ^f
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370 ^f
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200 ^f
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9 ^f
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130 ^f
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39 ^f
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450 ^f
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160 ^f
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175 ^f
VR1	12/17/02	321.00	24.25	296.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.3/2.50 ^f
VR1	03/28/03	321.00	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR1	06/16/03	321.00	25.85	295.15	0.00	--	--	--	--	--	--
VR1	06/17/03	321.00	--	--	--	<0.5	<0.5	<0.5	<0.5	90.2	42.8/34.8 ^f
VR1	09/22/03	321.00	28.07	292.93	0.00	<0.5	0.5	<0.5	<0.5	78.1	80.7/85.6 ^f
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160 ^{f,h}
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390 ^f
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030 ^f
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34 ^f
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17 ^f
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400 ^f
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268 ^f
VR2	09/26/00	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6 ^f
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98 ^f
VR2	06/25/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
VR2	09/26/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/16/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380 ^{f,h}
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100 ^f
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900 ^f
VR3	11/05/99	Well destroyed									
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 ^e	3.96 ^f
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6 ^f
VR4	11/05/99	Well destroyed									

a = Water level recorded during pumping of MW7.

b = Anomalous water level possibly due to recharge from a perched water zone.

c = Casing head cut to lower elevation.

d = Casing head damaged by construction.

e = Results obtained past the technical holding time.

f = Analysis of MTBE by EPA Method 8260.

g = Unidentified Hydrocarbon C6-C12.

h = Analysis performed outside of EPA recommended hold time.

i = Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Reference Date	Depth to Elevation (feet)	Groundwater Water (feet)	LPH Elevation (feet)	Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl- benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
--------------------	-------------------	---------------------------------	--------------------------------	----------------------------	---------------------	--------------------------------	--------------------------------	--	---	---	---------------------------------------

j = Grab groundwater sample collected.

D = Duplicate.

R = Rinseate.

LPH = Liquid-phase hydrocarbons.

TPH = Total Petroleum Hydrocarbons.

MTBE = Methyl tertiary butyl ether.

NA = Not analyzed.

NC = Not calculated.

ND = Not detected at or above the laboratory reporting limits.

NM = Not measured.

NS = Not sampled.

$\mu\text{g/L}$ = Micrograms per liter.

Note: TPH-g results beginning March 2002 include MTBE.

Groundwater elevations adjusted for LPH, when present, using an average specific gravity of 0.75 for gasoline.

TABLE 3 GROUNDWATER MONITORING PLAN,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5D	Q	Q	Q
MW5S	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

MTBE = Methyl tertiary butyl ether.

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
03/12/01	0	0%	185	0.0				0.000	0.000	0.000	0.000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.000	0.000	0.001	0.001
03/15/01	2.80	100%	30,740	7.0				0.024	0.026	0.000	0.000	0.008	0.009
03/23/01	5.44	67%	73,030	5.4				0.036	0.062	0.000	0.000	0.012	0.021
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.000	0.001	0.019	0.040
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.000	0.001	0.020	0.060
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.000	0.001	0.001	0.061
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.000	0.001	0.001	0.062
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.000	0.002	0.002	0.064
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.000	0.002	0.002	0.066
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.000	0.002	0.002	0.069
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.000	0.002	0.001	0.069
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.000	0.003	0.001	0.071
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.000	0.003	0.001	0.072
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.000	0.003	0.001	0.073
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.000	0.003	0.000	0.074
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.000	0.004	0.002	0.076
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.000	0.004	0.001	0.077
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.000	0.004	0.000	0.077
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.000	0.004	0.000	0.077
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.000	0.004	0.001	0.078
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.000	0.004	0.001	0.079
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.000	0.004	0.000	0.080
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.000	0.005	0.001	0.081
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.000	0.005	0.001	0.082
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.000	0.005	0.000	0.082
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.000	0.005	0.000	0.082
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.000	0.005	0.002	0.084
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.000	0.005	0.000	0.084
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.000	0.005	0.000	0.084
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	< 2.5	29	0.000	0.989	0.000	0.005	0.000
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.000	0.005	0.001	0.085
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.000	0.005	0.001	0.086
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.000	0.005	0.000	0.086
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.000	0.005	0.002	0.088
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.000	0.005	0.000	0.088
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.000	0.005	0.000	0.088
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.000	0.005	0.000	0.088
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.000	0.005	0.013	0.102

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational			Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed		Cumulative Pounds Removed		Cumulative Pounds Removed	
				Flow rate (gpm)	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE					Est. Pounds Removed* Total TPH	Benzene	Est. Pounds Removed* Total TPH	Benzene	Est. Pounds Removed* Total TPH	MTBE
12/17/01	2.31	100%	NM	NC						NC	0.998	NC	0.005	NC	0.102	
12/18/01	0.00	0%	NM	NC						NC	0.998	NC	0.005	NC	0.102	
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50			800	0.002	1.000	0.000	0.005	0.003	0.105	
12/28/01	3.59	50%	1,191,340	0.4						0.005	1.005	0.000	0.005	0.015	0.120	
01/04/02	0.00	0%	1,191,350	0.0						0.000	1.005	0.000	0.005	0.000	0.120	
01/07/02	0.00	0%	1,191,350	0.0						0.000	1.005	0.000	0.005	0.000	0.120	
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57			920	0.002	1.007	0.000	0.005	0.004	0.124	
01/15/02	3.50	50%	1,194,700	0.5						0.005	1.011	0.000	0.005	0.011	0.135	
01/22/02	3.48	50%	1,198,310	0.7						0.006	1.018	0.000	0.005	0.014	0.149	
01/25/02	0.00	0%	1,198,310	0.0						0.000	1.018	0.000	0.005	0.000	0.149	
01/29/02	4.09	100%	1,198,950	0.1						0.001	1.019	0.000	0.005	0.003	0.152	
01/30/02	0.70	100%	NM	NC						NC	1.019	NC	0.005	NC	0.152	
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50			38	0.000	1.019	0.000	0.005	0.001	0.153	
02/08/02	2.36	100%	NM	NC						NC	1.019	NC	0.005	NC	0.153	
02/11/02	3.60	100%	1,199,310	0.0						0.000	1.019	0.000	0.005	0.000	0.153	
02/19/02	8.00	100%	1,199,420	0.0						0.000	1.019	0.000	0.005	0.000	0.153	
02/26/02	7.03	100%	1,199,590	0.0						0.000	1.020	0.000	0.005	0.000	0.153	
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50			14	0.000	1.020	0.000	0.005	0.000	0.153	
03/12/02	3.49	50%	1,199,600	0.0						0.000	1.020	0.000	0.005	0.000	0.153	
03/19/02	3.51	50%	1,203,100	0.7						0.016	1.036	0.000	0.005	0.000	0.153	
03/26/02	6.99	100%	1,207,200	0.4						0.018	1.054	0.000	0.005	0.000	0.153	
03/27/02	0.97	100%	1,207,768	0.4						0.003	1.057	0.000	0.005	0.000	0.154	
04/04/02	7.82	100%	1,210,690	0.3						0.013	1.070	0.000	0.005	0.000	0.154	
04/09/02	0.00	0%	1,210,690	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
04/16/02	0.00	0%	1,210,690	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
04/17/02	0.00	0%	1,210,696	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
04/23/02	0.00	0%	1,210,690	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
05/14/02	0.00	0%	1,210,840	0.0						0.001	1.070	0.000	0.005	0.000	0.154	
05/28/02	0.00	0%	1,210,840	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
05/29/02	0.00	0%	1,210,850	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
05/30/02	0.88	100%	1,210,850	0.0						0.000	1.070	0.000	0.005	0.000	0.154	
06/05/02	6.13	100%	1,213,350	0.3						0.011	1.082	0.000	0.005	0.000	0.154	
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50			9.2	0.000	1.082	0.000	0.005	0.000	0.154	
06/18/02	5.98	100%	1,216,120	0.3						0.106	1.188	0.001	0.006	0.295	0.449	
06/28/02	10.02	100%	1,217,040	0.1						0.036	1.224	0.000	0.006	0.100	0.549	
07/05/02	6.99	100%	1,217,040	0.0						0.000	1.224	0.000	0.006	0.000	0.549	
07/08/02	2.43	100%	1,217,040	0.0						0.000	1.224	0.000	0.006	0.000	0.549	
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00			26000	0.000	1.224	0.000	0.006	0.000	0.549	
07/16/02	4.04	100%	1,217,200	0.0						0.006	1.230	0.000	0.006	0.017	0.566	
07/23/02	7.05	100%	1,217,200	0.0						0.000	1.230	0.000	0.006	0.000	0.566	
08/02/02	9.87	100%	1,217,200	0.0						0.000	1.230	0.000	0.006	0.000	0.566	

TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.		Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
					Total TPH	(µg/L)								
08/07/02	5.18	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0					0.000	1.230	0.000	0.006	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0					0.005	1.235	0.000	0.006	0.000	0.567
09/24/02	6.98	100%	1,217,350	0.0	NA	NA	NA		0.000	1.235	0.000	0.006	0.015	0.582
10/01/02	7.03	100%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
10/16/02	6.32	79%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0					0.000	1.235	0.000	0.006	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1					0.011	1.246	0.000	0.006	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1	< 105	< 0.50	< 2.5		0.017	1.263	0.000	0.006	0.052	0.667
11/19/02	6.92	100%	1,220,110	0.2					0.019	1.282	0.000	0.006	0.003	0.670
11/25/02	6.04	100%	1,220,110	0.0					0.000	1.282	0.000	0.006	0.000	0.670
12/05/02	10.06	100%	1,220,110	0.0					0.000	1.282	0.000	0.006	0.000	0.670
12/10/02	4.97	100%	1,220,120	0.0	2,230	< 50	420		0.000	1.282	0.000	0.006	0.000	0.670
12/17/02	7.00	100%	1,221,220	0.1					0.014	1.296	0.000	0.007	0.005	0.676
12/24/02	7.01	100%	1,221,640	0.0					0.005	1.301	0.000	0.007	0.002	0.677
12/30/02	6.00	100%	1,221,670	0.0					0.000	1.301	0.000	0.007	0.000	0.678
01/06/03	6.96	100%	1,221,850	0.0	745	< 5.0	690		0.002	1.303	0.000	0.007	0.001	0.678
01/10/03	3.42	84%	1,221,880	0.0					0.000	1.304	0.000	0.007	0.000	0.679
01/14/03	3.90	100%	1,221,890	0.0					0.000	1.304	0.000	0.007	0.000	0.679
01/21/03	7.02	100%	1,221,900	0.0					0.000	1.304	0.000	0.007	0.000	0.679
01/27/03	6.04	100%	1,221,910	0.0					0.000	1.304	0.000	0.007	0.000	0.679
02/04/03	7.91	100%	1,221,920	0.0	< 190	< 0.50	8.6		0.000	1.304	0.000	0.007	0.000	0.679
02/12/03	8.05	100%	1,221,920	0.0					0.000	1.304	0.000	0.007	0.000	0.679
02/19/03	6.94	100%	1,222,060	0.0					0.001	1.305	0.000	0.007	0.002	0.680
02/20/03	0.00	0%	1,222,060	0.0					0.000	1.305	0.000	0.007	0.000	0.680
02/25/03	5.04	100%	1,222,060	0.0					0.000	1.305	0.000	0.007	0.000	0.680
03/05/03	7.97	100%	1,224,310	0.2	2,061	< 25	2900		0.021	1.326	0.000	0.007	0.027	0.708
03/11/03	5.94	100%	1,224,930	0.1					0.006	1.332	0.000	0.007	0.008	0.715
03/18/03	7.04	100%	1,225,680	0.1					0.007	1.338	0.000	0.007	0.009	0.724
03/25/03	7.00	100%	1,226,890	0.1					0.011	1.349	0.000	0.007	0.015	0.739
04/01/03	7.04	100%	1,227,060	0.0					0.002	1.351	0.000	0.007	0.002	0.741
04/08/03	3.52	50%	1,227,470	0.1					0.004	1.355	0.000	0.007	0.005	0.746
04/15/03	3.45	50%	1,227,990	0.1					0.005	1.359	0.000	0.008	0.006	0.752
04/22/03	7.06	100%	1,230,320	0.2	< 102	< 0.50	25		0.021	1.380	0.000	0.008	0.028	0.781

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational		Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed Total TPH	Cumulative Est. Pounds Removed* Benzene		Cumulative Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
				Flow rate (gpm)	Influent Conc. (µg/L) Total TPH						Est. Pounds Removed* Benzene	Cumulative Est. Pounds Removed* Benzene		
04/29/03	7.00	100%	1,233,510	0.3					0.005	1.385	0.000	0.008	0.000	0.781
05/06/03	6.99	100%	1,235,160	0.2					0.003	1.388	0.000	0.008	0.000	0.781
05/13/03	6.99	100%	1,235,490	0.0	< 280	< 0.50	< 2.5		0.001	1.389	0.000	0.008	0.000	0.781
05/20/03	7.06	100%	1,235,950	0.0					0.001	1.390	0.000	0.008	0.000	0.781
05/28/03	7.98	100%	1,236,460	0.0					0.001	1.391	0.000	0.008	0.000	0.781
06/02/03	4.99	100%	1,236,480	0.0					0.000	1.391	0.000	0.008	0.000	0.781
06/10/03	7.99	100%	1,236,480	0.0					0.000	1.391	0.000	0.008	0.000	0.781
06/17/03	6.81	100%	1,236,490	0.0					0.000	1.391	0.000	0.008	0.000	0.781
06/20/03	3.19	100%	1,236,650	0.0					0.000	1.391	0.000	0.008	0.000	0.781
06/24/03	4.08	100%	1,236,650	0.0					0.000	1.391	0.000	0.008	0.000	0.782
06/25/03	1.00	100%	1,236,650	0.0	NA	NA	NA		0.000	1.391	0.000	0.008	0.000	0.782
06/27/03	1.92	100%	1,236,680	0.0					0.000	1.391	0.000	0.008	0.000	0.782
07/01/03	4.01	100%	1,236,680	0.0					0.000	1.391	0.000	0.008	0.000	0.782
07/08/03	6.99	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
07/15/03	6.98	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
07/22/03	7.02	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
07/29/03	6.81	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
08/05/03	7.17	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
08/13/03	8.06	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
08/19/03	6.02	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
08/26/03	6.98	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
09/02/03	6.99	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
09/09/03	6.96	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
09/16/03	7.03	100%	1,236,690	0.0					0.000	1.391	0.000	0.008	0.000	0.782
09/23/03	7.00	100%	1,236,780	0.0	175	< 2.5	60		0.000	1.391	0.000	0.008	0.000	0.782
Total / Average	748.65	80.92%	1,236,780						1.391	1.391	0.008	0.008	0.782	0.782

Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

* Est. Pounds Removed = Average influent conc. (µg/L) * period flow total (gallons) * 1 lb/454 g * 1g/1,000,000µg * 3.785 L/gallon

gpm - Gallons per minute.

MTBE - Methyl tertiary butyl ether.

NC - Not calculated.

µg/L - Micrograms per liter.

NM - Not measured.

TPH - Total Petroleum Hydrocarbons as gasoline and diesel.

NM - Not analyzed.

#N/A

**TABLE 5: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample Location	Date	Concentration ($\mu\text{g/L}$)						MTBE	MTBE by 8260B
		TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d		
Influent									
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000
	09/24/02	NA	NA	NA	NA	NA	NA	NA	NA
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0
	12/10/02	230	< 50	< 50	< 50	< 50	2,000	NA	420
	01/06/03	670	< 5.0	< 5.0	< 5.0	< 5.0	75	690	670
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	140	8.6	8.7
	03/05/03	2,000	< 25	< 25	< 25	< 25	61	NA	2,900
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	52	NA	25
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	230	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	55	< 2.5	< 2.5	< 2.5	< 2.5	120	NA	60
After First Carbon Vessel (Intermediate)									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	71	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	81	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 1.0	< 1.0	< 1.7	100	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 0.50
Effluent									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0

**TABLE 5: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Location	Date	Concentration (µg/L)						TPH-d	MTBE	MTBE by 8260B
		TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes				
	07/06/01		TPH-d result confirmed with spare sample				< 50			
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
	10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	700	< 2.5	< 2.0	
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	58	< 2.5	< 0.50	
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	< 0.50	
	05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,200	< 2.5	< 0.50	
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50	
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50	
	09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	460	< 2.5	< 0.50	
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50	
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	59	NA	< 0.50	
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	73	< 2.5	< 0.50	
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	74	< 2.5	< 0.50	
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50	
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50	
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	75	< 2.5	< 0.50	
	06/25/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	< 2.5	< 0.50	
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	150	< 2.5	< 0.50	

NA - Not Analyzed

µg/L - Micrograms per liter

TPH-g - Total petroleum hydrocarbons as gasoline

TPH-d - Total petroleum hydrocarbons as diesel

MTBE - Methyl tertiary butyl ether

Appendix A

Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered "functionally dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B

Field Documents



MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 9-22-03

Project Number: UP3399.1

Station Number: 7-3399

Site Location:

2991 Hopyard Rd, Pleasanton, CA

Samplers: WP / DR

MONITORING WELL NUMBER	DEPTH TO WATER (TOC)FT.	DEPTH TO PRODUCT (TOC)FT.	APPARENT PRODUCT THICKNESS(FT.)	AMOUNT OF PRODUCT REMOVED(L)	Well Completion Depth	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	53.52				57.00	53.60	4"
MW4	53.69				57.00	56.50	4"
MW5D	60.57				77.50	77.15	4"
MW5S	53.61				55.00	54.40	4"
MW7	54.57				53.00	59.50	6"
MW8	74.94				133.00	132.90	4"
MW9A	56.22				58.00	56.56 53.75	6"
MW10	58.11				60.00	58.39	4"
MW11	53.64				55.00	54.30	4"
MW12A	76.35				130.50	128.50	2"
MW13	60.71				72.00	70.12	2"
MW14	74.50				136.00	135.10	2"
OW1	11.12	DRY				11.10	4"
OW2	11.90					12.30	4"
VR1	28.07				30.00	27.70	4"
VR2	43.30	DRY			45.00	43.42 43.50	2"
PMW1	15.33				16.00	15.43	4"
PMW2	14.82				16.00	15.35	4"
PMW3	15.17				16.00	15.70	4"
PMW4	15.35				16.00	15.7	4"
PMW5	14.10				16.00	15.65	4"
PMW6	15.48				16.00	15.75	4"

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: M-4

Date: 9/22/03

Project No: UP3399.1

Personnel: DF, w3

GAUGING DATA

Water Level Measuring Method: WLW

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)			
	56.50	53.69	2.81	X	1	2	4	6	0.04	0.16	0.64	1.44
									1.7		=	5.3

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time: 1538	1545	1551	1551	/				
Volume Purge (gal)	2.	4	6	/				
Temperature (C)	23.0 °C	21.1 °C	/ °C	/				
pH	7.26	7.14	/	/				
Spec.Cond.(umhos)	1552 μs	1611 μs	/ μs	/				
Turbidity/Color	cloudy	cloudy	cloudy	/				
Odor (Y/N)	N	N	/ N	/				
Casing Volumes	—	—	—	/				
Dewatered (Y/N)	N	N	/ N	/				

Comments/Observations: Dewatered after ~ 4.5 GALS

SAMPLING DATA

Time Sampled: 1605

Approximate Depth to Water During Sampling: 54 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
M-4	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	
					/	

Total Purge Volume: 4.5 (gallons)

Disposal: SYSTEM

Weather Conditions: /

Condition of Well Box and Casing at Time of Sampling: /

Well Head Conditions Requiring Correction: /

Problems Encountered During Puring and Sampling: /

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW5D Date: 9-22-03

Project No: UP3399.1

Personnel: MV
GAUGING DATA
Water Level Measuring Method: **WLM**

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	77.15	- 60.57	= 16.58	X 1 2 4 6 0.04 0.16 0.64 1.44	10.61	= 31.83

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	9:31	9:40	9:49			
Volume Purge (gal)	11	22	33			
Temperature (C)	18.9	19.2	19.3			
pH	6.92	7.04	7.14			
Spec. Cond.(umhos)	8519	+334	2050			
Turbidity/Color	clr/brn	clr/brn	clr/clr			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 9:55

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW5D	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 33 (gallons)

Disposal:

SYSTEM

Weather Conditions: CLR

Condition of Well Box and Casing at Time of Sampling: no tape

Well Head Conditions Requiring Correction: N-SW

Problems Encountered During Puring and Sampling: N-SW

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW7

Date: 9-22-03

Project No: UP3399.1

Personnel: WR

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	39.50	- 54.57	= 49.3	X 1 2 4 6	0.04 0.16 0.64 1.44	7.09 = 21.29

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	14:45					
Volume Purge (gal)	7	14	21			
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)	Y					

Comments/Observations:

DEWATERED & GALLONS
RECHARGED AND SURVEYED

SAMPLING DATA

Time Sampled: 14:45

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW7	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 7 (gallons)

Disposal: SYSTEM

Weather Conditions: SK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Puring and Sampling: NONE

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	MW8	Date:	9/22/03
Project No:	UP3399.1	Personnel:	DF/WJ		

GAUGING DATA

Water Level Measuring Method:

GWT

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	132.90	- 74.94	= 57.96	X 1 2 / 4 6 0.04 0.16 0.84 1.44	37.0	= 111.2

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time: 1145	1355					
Volume Purge (gal)	37	74	111			
Temperature (C)	20.8	°C				
pH	7.92					
Spec. Cond.(umhos)	1085	ns				
Turbidity/Color	clear					
Odor (Y/N)	N					
Casing Volumes:						
Dewatered (Y/N)	N					

Comments/Observations:

SAMPLING DATA

Time Sampled: 1400

Approximate Depth to Water During Sampling: 75 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW8	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 37 (gallons)

Disposal: SYSTEM

Weather Conditions:

ok

Condition of Well Box and Casing at Time of Sampling:

ok

Well Head Conditions Requiring Correction:

none

Problems Encountered During Puring and Sampling:

unable to complete 2:3rd case volume

Comments:

 Due to slow purge with water level
increased depth to water levels during
this event.

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW 12A

Date: 9/22/03

Project No: UP3399.1

Personnel: DP/wf

GAUGING DATAWater Level Measuring Method: *bwl m*

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	128.50	- 76.30	= 52.2	X 1 2 4 6 0.04 0.16 0.64 1.44	8.3	= 25

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	11:00 AM	To	Purge date	to	increased	
Volume Purge (gal)	-	Depth to water	-			
Temperature (C)		Core Sample Taken				
pH						
Spec. Cond.(umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes:						
Dewatered (Y/N)						

Comments/Observations:

SAMPLING DATA

Time Sampled: 11:05

Approximate Depth to Water During Sampling: 76.30 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW 12A	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: - (gallons)

Disposal:

SYSTEM

Weather Conditions: *nv*Condition of Well Box and Casing at Time of Sampling: *nv*Well Head Conditions Requiring Correction: *nv*Problems Encountered During Puring and Sampling: *initial tubing unable to pull up*Comments: *at first D.C. was present. Depth to surface
This event.*

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW 13

Date: 4/22/03

Project No: UP3399.1

Personnel: DF/wjt

GAUGING DATA

Water Level Measuring Method: WLIM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	70.12	- 60.71	= 9.41	X 1 2 4 6 0.04 0.16 0.64 1.44	1.5	= 4.5

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	1041	1044	1047			
Volume Purge (gal)	2.0	4.0	6.0			
Temperature (C)	20.7 °C	20.1 °C	20.1 °C			
pH	6.62	7.19	7.16			
Spec. Cond.(umhos)	1835 μ s	1841 μ s	1844 μ s			
Turbidity/Color	cloudy	cloudy	cloudy			
Odor (Y/N)	N	N	N			
Casing Volumes						
Dewatered (Y/N)	N	N	N			

Comments/Observations:

Comments/Observations:

SAMPLING DATA

Time Sampled: 1055

Approximate Depth to Water During Sampling: 6 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW 13	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 6 (gallons)

Disposal: SYSTEM

Weather Conditions: ok

Condition of Well Box and Casing at Time of Sampling: ok

Well Head Conditions Requiring Correction: none

Problems Encountered During Puring and Sampling: none

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW14

Date: 9-22-02

Project No: UP3399.1

Personnel: WP

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	135.10	- 74.50	= 60.6	X 1 2 4 6 0.04 0.16 0.64 1.44	9.69	= 29.07

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time						
Volume Purge (gal)	10	20	30			
Temperature (C)						
pH						
Spec. Cond.(umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						
Comments/Observations:	UNABLE TO PUMP DUE TO INCREASING DEPTH TO WATER (GROUT SURFACE)					

SAMPLING DATA

Time Sampled: 10:10

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW14	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal:

SYSTEM

Weather Conditions: SK

Condition of Well Box and Casing at Time of Sampling: SW

Well Head Conditions Requiring Correction: NW

Problems Encountered During Purging and Sampling: - HAD TO BREAK THE WELL CASING.

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	VZ1	Date:	4-22-03
Project No:	UP3399.1	Personnel:	WT		

GAUGING DATA

Water Level Measuring Method: WLMA

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	30.05	- 28.57	= 1.98	X 1 2 4 6	0.04 0.16 0.64 1.44	126 = 3.80

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	15:33					
Volume Purge (gal)	1	2	3			
Temperature (C)	23.7					
pH	6.75					
Spec.Cond.(umhos)	998.2					
Turbidity/Color	slight / clear					
Odor (Y/N)	N					
Casing Volumes	—					
Dewatered (Y/N)	Y					

Comments/Observations:

Dewatered @ 1 gallon

Replaced w/ Sampled

SAMPLING DATA

Time Sampled: 15:45 Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
VZ1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 1 (gallons) Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: None

Comments:

Appendix C

Laboratory Analytical Reports

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

10/ 1/03

CASE NARRATIVE

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:


Project Name: EXXONMOBIL 7-3399

Project Number: .

Laboratory Project Number: 347974.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Sample Identification	Lab Number	Collection Date
MW4	03-A148597	9/22/03
MW5D	03-A148598	9/22/03
MW7	03-A148599	9/22/03
MW8	03-A148600	9/22/03
MW12A	03-A148601	9/22/03
MW13	03-A148602	9/22/03
VR1	03-A148603	9/22/03
MW14	03-A148604	9/22/03



TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

Page 2

Sample Identification	Lab Number	Collection Date
-----	-----	-----

These results relate only to the items tested.
This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By: Gail A. Lage Report Date: 9/29/03

Ashley Morris, Lab Director	Gail A. Lage, Technical Serv.
Michael H. Dunn, M.S., QA/QC Director	Glenn L. Norton, Technical Serv.
Johnny A. Mitchell, Operations Manager Organics	Kelly S. Comstock, Technical Serv.
Eric S. Smith, Assistant Technical Director	Pamela A. Langford, Technical Serv.
Roxanne L. Connor, Technical Services	

Laboratory Certification Number: 01168CA

This material is intended only for the use of the individual(s) or entity to whom it is addressed,
and may contain information that is privileged and confidential. If you are not the intended recipient,
or the employee or agent responsible for delivering this material to the intended recipient, you are
referred to the notice above. If you have received this material in error, please notify us immediately at 615-726-0177.

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148597
Sample ID: MW4
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 16:05
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
Benzene	ND	ug/L	0.50	1.0	9/26/03	16:26	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	16:26	I. Ahmed	8021B	2906
Toluene	1.0	ug/L	0.5	1.0	9/26/03	16:26	I. Ahmed	8021B	2906
Xylenes (Total)	0.8	ug/L	0.5	1.0	9/26/03	16:26	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	16:26	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	16:26	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	88.	69. - 129.

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148598
Sample ID: MW5D
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 9:55
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	9/26/03	16:57	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	16:57	I. Ahmed	8021B	2906
Toluene	ND	ug/L	0.5	1.0	9/26/03	16:57	I. Ahmed	8021B	2906
Xylenes (Total)	ND	ug/L	0.5	1.0	9/26/03	16:57	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	16:57	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	16:57	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GRO Surr., a,a,a-TFT	88.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148599
Sample ID: MW7
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 14:45
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
Benzene	ND	ug/L	0.50	1.0	9/26/03	17:28	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	17:28	I. Ahmed	8021B	2906
Toluene	ND	ug/L	0.5	1.0	9/26/03	17:28	I. Ahmed	8021B	2906
Xylenes (Total)	ND	ug/L	0.5	1.0	9/26/03	17:28	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	17:28	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	17:28	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	87.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148600
Sample ID: MW8
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 14:00
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	9/26/03	17:58	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	17:58	I. Ahmed	8021B	2906
Toluene	2.4	ug/L	0.5	1.0	9/26/03	17:58	I. Ahmed	8021B	2906
Xylenes (Total)	1.1	ug/L	0.5	1.0	9/26/03	17:58	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	17:58	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	17:58	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
BTEx/GRO Surr., a,a,a-TFT	88.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148601
Sample ID: MW12A
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 11:05
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
Benzene	ND	ug/L	0.50	1.0	9/26/03	22:36	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	22:36	I. Ahmed	8021B	2906
Toluene	2.3	ug/L	0.5	1.0	9/26/03	22:36	I. Ahmed	8021B	2906
Xylenes (Total)	1.9	ug/L	0.5	1.0	9/26/03	22:36	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	22:36	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	22:36	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
PTEX/GRO Surr., a,a,a-TFT	91.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148602
Sample ID: MW13
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 10:55
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	9/26/03	13:06	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	13:06	I. Ahmed	8021B	2906
Toluene	2.3	ug/L	0.5	1.0	9/26/03	13:06	I. Ahmed	8021B	2906
Xylenes (Total)	2.0	ug/L	0.5	1.0	9/26/03	13:06	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/26/03	13:06	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/26/03	13:06	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
BTEx/GRO Surr., a,a,a-TFT	91.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148603
Sample ID: VR1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected: 15:45
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	9/26/03	23:37	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/26/03	23:37	I. Ahmed	8021B	2906
Toluene	0.5	ug/L	0.5	1.0	9/26/03	23:37	I. Ahmed	8021B	2906
Xylenes (Total)	ND	ug/L	0.5	1.0	9/26/03	23:37	I. Ahmed	8021B	2906
Methyl-t-butylether	80.7	ug/L	0.5	1.0	9/26/03	23:37	I. Ahmed	8021B	2906
TPH (Gasoline Range)	78.1	ug/L	50.0	1.0	9/26/03	23:37	I. Ahmed	8015B	2906
<hr/>									
VOLATILE ORGANICS									
Methyl-t-butyl ether	85.6	ug/L	0.50	1.0	9/30/03	12:10	M. Kimmelick	8260B	4629

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	91.	69. - 129.
VOA Surr 1,2-DCA-d4	95.	70. - 133.
VOA Surr Toluene-d8	96.	76. - 133.
VOA Surr, 4-BFB	99.	71. - 132.
VOA Surr, DBFM	104.	74. - 128.

Sample report continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 03-A148603
Sample ID: VR1
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A148604
Sample ID: MW14
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 9/22/03
Time Collected:
Date Received: 9/24/03
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
Benzene	ND	ug/L	0.50	1.0	9/27/03	0:08	I. Ahmed	8021B	2906
Ethylbenzene	ND	ug/L	0.5	1.0	9/27/03	0:08	I. Ahmed	8021B	2906
Toluene	0.9	ug/L	0.5	1.0	9/27/03	0:08	I. Ahmed	8021B	2906
Xylenes (Total)	0.8	ug/L	0.5	1.0	9/27/03	0:08	I. Ahmed	8021B	2906
Methyl-t-butylether	ND	ug/L	0.5	1.0	9/27/03	0:08	I. Ahmed	8021B	2906
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	9/27/03	0:08	I. Ahmed	8015B	2906

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	90.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 1

Laboratory Receipt Date: 9/24/03

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for the defined analytical batch for MS/MSD analysis on an true sample matrix. Laboratory reagent water was used for QC purposes.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C.	Batch	Spike Sample
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

UST ANALYSIS

Benzene	mg/l	0.0275	0.0836	0.0500	112	60. - 143.	2906	03-A148648
Toluene	mg/l	0.0764	0.130	0.0500	107	62. - 139.	2906	03-A148648
Methyl-t-butylether	mg/l	0.131	0.184	0.0500	106	60. - 138.	2906	03-A148648
BTEX/GRO Surr., a,a,a-TFT	% Recovery				113	69 - 129	2906	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C.	Batch
-----	-----	-----	-----	-----	-----	-----	-----

UST PARAMETERS

Benzene	mg/l	0.0836	0.0818	2.18	23.	2906
Toluene	mg/l	0.130	0.140	7.41	24.	2906
Methyl-t-butylether	mg/l	0.184	0.181	1.64	24.	2906
TPH (Gasoline Range)	mg/l	1.01	0.927	8.57	24.	2906
BTEX/GRO Surr., a,a,a-TFT	% Recovery		127.			2906

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C.	Batch
-----	-----	-----	-----	-----	-----	-----	-----

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 2

Laboratory Receipt Date: 9/24/03

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
UST PARAMETERS						
Benzene	mg/l	0.100	0.0966	97	74 - 120	2906
Toluene	mg/l	0.100	0.0959	96	73 - 118	2906
Ethylbenzene	mg/l	0.100	0.0998	100	72 - 118	2906
Xylenes (Total)	mg/l	0.200	0.196	98	72 - 116	2906
Methyl-t-butylether	mg/l	0.100	0.0925	92	64 - 124	2906
TPH (Gasoline Range)	mg/l	1.00	1.01	101	72 - 125	2906
BTEX/GRO Surr., a,a,a-TFT	% Recovery			93	69 - 129	2906
VOA PARAMETERS						
Methyl-t-butyl ether	mg/l	0.0500	0.0536	107	64 - 140	4629
VOA Surr 1,2-DCA-d4	% Rec			89	70 - 133	4629
VOA Surr Toluene-d8	% Rec			92	76 - 123	4629
VOA Surr, 4-BFB	% Rec			90	71 - 132	4629
VOA Surr, DBFM	% Rec			101	74 - 128	4629

Duplicates

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch	Sample Dup'd

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed

UST PARAMETERS

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 3

Laboratory Receipt Date: 9/24/03

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Analysis Date	Analysis Time
Benzene	< 0.00050	mg/l	2906	9/26/03	15:55
Toluene	< 0.0005	mg/l	2906	9/26/03	15:55
Ethylbenzene	< 0.0005	mg/l	2906	9/26/03	15:55
Xylenes (Total)	< 0.0005	mg/l	2906	9/26/03	15:55
Methyl-t-butylether	< 0.0005	mg/l	2906	9/26/03	15:55
TPH (Gasoline Range)	< 0.0500	mg/l	2906	9/26/03	15:55
BTEX/GRO Surr., a,a,a-TFT	88.	% Recovery	2906	9/26/03	15:55
VOA PARAMETERS					
Methyl-t-butyl ether	< 0.00014	mg/l	4629	9/30/03	11:40
VOA Surr 1,2-DCA-d4	91.	% Rec	4629	9/30/03	11:40
VOA Surr Toluene-d8	96.	% Rec	4629	9/30/03	11:40
VOA Surr, 4-BFB	91.	% Rec	4629	9/30/03	11:40
VOA Surr, DBFM	104.	% Rec	4629	9/30/03	11:40

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 347974

347974

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710

Fax No.: (925) 602-4720

Sampler Name: (Print) WYNNE FISCHER

Sampler Signature: Wynne Fischer

Report To: BRYAN CAMPBELL

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865

PO #: 4503003303

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative			Matrix			Analyze For:			RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass(Yellow Label)	None (Black Label)	Other (Specify)	Groundwater				
MW1	✓/22	6		X	X				X				X	X	X				
MW4	148597	✓/22 16:05	6		X	X			X				X	X	X				
MW5S	✓/22	6			X	X			X				X	X	X				
MW5D	148598	✓/22 17:55	6			X	X			X			X	X	X				
MW7	148599	✓/22 14:45	6			X	X			X			X	X	X				
MW8	148600	✓/22 14:50	6			X	X			X			X	X	X				
MW9A	✓/22	6			X	X			X				X	X	X				
MW10	✓/22 15:10	6			X	X			X				X	X	X				
MW11	✓/22	6			X	X			X				X	X	X				
MW12A	148601	✓/22 17:05	6			X	X			X			X	X	X				
Special Instructions: GLOBAL ID# T0600100537 EDF FILE REQUIRED												Laboratory Comments:							
CONFIRM ALL MTBE HITS BY 8260B																			
Relinquished by: <u>Wynne Fischer</u>	Date <u>✓/22/03</u>	Time <u>18:30</u>	Received by:						Date	Time									
Relinquished by:	Date	Time	Received by TestAmerica: <u>J. Fisher</u>						Date <u>9/24/03</u>	Time <u>8:00</u>									



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

ExxonMobil

347974

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

Oil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710

Sampler Name: (Print) *WENN DUGAN*

Sampler Signature: *[Signature]*

Fax No.: (925) 602-4720

Report To: BRYAN CAMPBELL

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865

PO #: 4503003303

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Preservative						Matrix			Analyze For:						RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results	
				Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass(Yellow Label)	None (Black Label)	Other (Specify):	Groundwater	Wastewater	Drinking Water	Sludge					Soil
MW13 <i>148602</i>	1/22	10:55	6		X	X						X						X X X				X X	
MW14	1/22		6		X	X						X						X X X				X X	
OW1	1/22		6		X	X						X						X X X				X X	
OW2	1/22		6		X	X						X						X X X				X X	
VR1 <i>148603</i>	1/22	13:45	6		X	X						X						X X X				X X	
VR2	1/22		6		X	X						X						X X X				X X	
PMW1	1/22		6		X	X						X						X X X				X X	
PMW2	1/22		6		X	X						X						X X X				X X	
PMW3	1/22		6		X	X						X						X X X				X X	
PMW4	1/22		6		X	X						X						X X X				X X	
Special Instructions: GLOBAL ID# T0600100537 EDF FILE REQUIRED												Laboratory Comments: Temperature Upon Receipt: <i>25°C</i> Sample Containers Intact? <i>(Y)</i> N VOCs Free of Headspace? <i>(Y)</i> N											
CONFIRM ALL MTBE HITS BY 8260B																							
Relinquished by: <i>WENN DUGAN</i>	Date <i>1/22/03</i>	Time <i>18:30</i>	Received by:										Date <i>2/24/03</i>	Time <i>8:00</i>									
Relinquished by:	Date	Time	Received by TestAmerica:										Date	Time									



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

ExxonMobil

347974

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

Oil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 14

Fax No.: (925) 602-4720

Sampler Name: (Print) WENN PHILIPS

Sampler Signature: [Signature]

Report To: BRYAN CAMPBELL

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865


PO #: 4503003303

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative			Matrix			Analyze For:			RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify):	Groundwater				
PMW5	9/22		6		X	X				X				X	X	X			
PMW6	9/22		6		X	X				X				X	X	X			
MW14 148604	9/22	6		X	X				X				X	X	X				
Special Instructions:	GLOBAL ID# T0600100537										EDF FILE REQUIRED			Laboratory Comments:					
														Temperature Upon Receipt: <u>25°C</u>					
														Sample Containers Intact? <u>Y</u>					
														VOCs Free of Headspace? <u>Y</u>					
CONFIRM ALL MTBE HITS BY 8260B	Date	Time	Received by:	Date	Time														
Relinquished by: <u>WENN PHILIPS</u>	<u>9/22/03</u>	<u>18:30</u>																	
Relinquished by:	Date	Time	Received by TestAmerica:	Date	Time														
			<u>J. Roberts</u>	<u>9/24/03</u>	<u>8:00</u>														



COOLER RECEIPT FORM

BC#

Client: ETIC Eng.

Cooler Received On: 9/24/03 And Opened On: 9/24/03 By: James Jacobs

(Signature) J. Jacobs

1. Temperature of Cooler when opened 2.8 Degrees Celsius
2. Were custody seals on outside of cooler? YES ... NO ... NA
a. If yes, how many, what kind and where: 1 Tape Front
3. Were custody seals on containers and intact? NO ... YES ... NA
4. Were the seals intact, signed, and dated correctly? YES ... NO ... NA
5. Were custody papers inside cooler? YES ... NO ... NA
6. Were custody papers properly filled out (ink,signed,etc)? YES ... NO ... NA
7. Did you sign the custody papers in the appropriate place? YES ... NO ... NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Cooling process: Ice Ice pack Ice(direct contact) Dry ice Other None
10. Did all containers arrive in good condition(unbroken)? YES ... NO ... NA
11. Were all container labels complete (#,date,signed,pres,etc)? YES ... NO ... NA
12. Did all container labels and tags agree with custody papers? YES ... NO ... NA
13. Were correct containers used for the analysis requested? YES ... NO ... NA
14. a. Were VOA vials received? YES ... NO ... NA
b. Was there any observable head space present in any VOA vial? NO ... YES ... NA
15. Was sufficient amount of sample sent in each container? YES ... NO ... NA
16. Were correct preservatives used? YES ... NO ... NA
If not, record standard ID of preservative used here _____
17. Was residual chlorine present? NO ... YES ... NA
18. See attached for resolution of non-conformance:

Fed-Ex

UPS

Velocity

Airborne

Route

Off-street

Misc.