

ExxonMobil
Refining & Supply Company
Global Remediation
25A Crescent Drive #407
Pleasant Hill, CA 94523
(925) 246-8747 Telephone
(925) 246-7822 Facsimile
gene.n.ortega@exxonmobil.com

Gene N. Ortega
Project Manager
Global Remediation - U.S. Retail

ExxonMobil
Refining & Supply

April 13, 2004

Mr. Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94501-6577

Subject: Former Exxon RAS #7-3399, 2991 Hopyard Road, Pleasanton, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Fourth Quarter 2003* for the above-referenced site. The report was prepared by ETIC Engineering, Inc. of Pleasant Hill, California, and summarizes the results of the December 2003 sampling event. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at (925) 246-8747.

Sincerely,




Gene N. Ortega
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated April 2004

- c: w/ attachment:
Ms. Cherie McMaulou - California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Matthew Katen - Zone 7 Water Agency
Mr. Stephen Cusenza - City of Pleasanton Public Works Department
Mr. Thomas Elson - Luhdorff and Scalmanini Consulting Engineers
Mr. Joseph A. Aldridge - Valero Energy Corporation
- c: w/o attachment:
Mr. Joseph Muehleck - ETIC Engineering, Inc.

Ro 362



Report of Groundwater Monitoring Fourth Quarter 2003

**Former Exxon Retail Site 7-3399
2991 Hopyard Road
Pleasanton, California**

Prepared for


ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523

Prepared by


ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710


Bryan Campbell
Project Manager

4/13/04
Date


Heidi Dieffenbach-Carle, R.G. #6793
Senior Geologist

April 13, 2004
Date



SITE CONTACTS

Site Name: Former Exxon Retail Site 7-3399

Site Address: 2991 Hopyard Road
Pleasanton, California

ExxonMobil Project Manager: Gene N. Ortega
ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523
(925) 246-8747

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Bryan Campbell

Regulatory Oversight: Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6783

Cherie McMaulou
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2342

Matthew Katen
Zone 7 Water Agency
5997 Parkside Drive
Pleasanton, California 94588
(925) 484-2600

INTRODUCTION

At the request of ExxonMobil Refining and Supply Company, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-3399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 22 September 2003, the dates of the last monitoring event, until 22 December 2003, the date of the recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 7-3399
Site address:	2991 Hopyard Road, Pleasanton, California
Current property owner:	Kirk D. Morrison Trust
Current site use:	Active Valero-branded station and auto repair facility operated by Steve Asmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
Current phase of project:	Groundwater monitoring, groundwater extraction
Tanks at site:	Three underground storage tanks (three grades of gasoline)
Number of wells:	22 (16 onsite, 6 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	22 December 2003
Wells gauged and sampled:	MW4, MW5D, MW7, MW8, MW12A, MW13, MW14, OW1, OW2, PMW1-PMW3, VR1
Wells gauged only:	MW1, MW5S, MW9A, MW10, MW11, PMW4-PMW6, VR2
Groundwater flow direction (zone 1):	Southwest
Groundwater gradient (zone 1):	0.02
Groundwater flow direction (deeper):	Northeast
Groundwater gradient (deeper):	0.10
Remediation system status during groundwater monitoring event:	Groundwater extraction system operating
Well screens submerged:	MW5D, MW8, MW12A, MW13, MW14
Well screens not submerged:	MW1, MW4, MW5S, MW7, MW9A, MW10, MW11, OW1, OW2, PMW1-PMW6, VR1, VR2
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	TestAmerica, Inc., Nashville, Tennessee

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B (confirmation samples)

Additional comments:

Wells MW1, MW5S, MW9A, MW10, MW11, PMW4-PMW6, and VR2 were functionally dry.

Wells OW1, OW2, PMW1-PMW6, and VR1 are considered to be screened in a perched groundwater zone.

The total depth measured in well MW7 does not match the well completion log.

REMEDIATION SYSTEM SUMMARY

Groundwater Extraction System

System description:

The groundwater extraction system (GES) is capable of extracting groundwater from 4 wells: MW9A, OW1, OW2, and VR1. Groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

System startup date: 12 March 2001

Active extraction wells: OW2, VR1

Inactive extraction wells/reason: MW9A, OW1 - not operating due to low water levels in MW9A and OW1

Modifications made during reporting period/reasons for modifications:

No modifications were made during the reporting period.

Status of system operation during reporting period/reasons for downtime:

The GES was operated intermittently during the reporting period. The groundwater extraction system was shut down due to replacement of air lines and routine maintenance from 29 September 2003 to 14 October 2003 and from 20 October 2003 to 3 November 2003 and also due to power failure on 13 November 2003; as a result water could only be extracted intermittently.

System performance data totals (totals since system startup, as of 29 December 2003):

Groundwater extracted: 1,237,740 gallons

Pounds of TPH removed: 1.393 (calculated as the sum of TPH-g and TPH-d)

Pounds of benzene removed: 0.008

Pounds of MTBE removed: 0.782

GES proposed work:

A justification and plan for shutdown of the GES will be submitted.

ADDITIONAL ACTIVITIES PERFORMED AT SITE

No additional activities were performed at the site.

WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

A justification and plan for the shutdown of the GES will be submitted.

Attachments:

- Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results
- Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
- Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
- Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction

- Table 1: Well Construction Details
- Table 2: Groundwater Monitoring Data
- Table 3: Groundwater Monitoring Plan
- Table 4: Operation and Performance Data - Groundwater Extraction System
- Table 5: Summary of Analytical Results - Groundwater Extraction System

- Appendix A: Field Protocols
- Appendix B: Field Documents
- Appendix C: Laboratory Analytical Reports






Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.


Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

G:\Projects\73399\MasterO&M\3399_h2o - Benzene Graph

Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone	
MW1	d	04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--	Zone 1
MW2	a	04/02/88		--	57	57	--	4	37-57	0.020	34-57	--	--
MW3	a	04/04/88		--	60	56	--	4	36-56	0.020	35-60	--	--
MW4	d	04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--	Zone 1
MW5D	d	05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--	Zone 2
MW5S	d	05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--	Zone 1
MW6	a	05/11/88		--	59	55	--	4	40-55	0.020	36-59	--	--
MW7	d	07/12/88	321.27	--	56.5 f	53	--	5	28-53	0.020	25-56.5	--	Zone 1
MW8	d	09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--	Deeper Zone
MW9	a	10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--	--
MW9A	d	11/03/00	321.27	PVC	59	58	12.25	6	35.0-55.0 55.0-58.0 c	0.020	33.0-58.0	#3 Sand	Zone 1
MW10	d	10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--	Zone 1
MW11	d	11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--	Zone 1
MW12	a	08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand	--
MW12A	d	08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand	Deeper Zone
MW13	d, b	08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand	Zone 2

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW14	d	08/29/00	321.24	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand	Deeper Zone
OW1		tank backfill well	NM	--	--	--	--	4	e	--	--	--	Perched Zone
OW2	d	tank backfill well	321.55	--	--	--	--	4	e	--	--	--	Perched Zone
PMW1	d	12/16/99	322.75	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW2	d	12/16/99	322.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW3	d	12/16/99	321.27	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW4	d	12/16/99	321.37	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW5	d	12/16/99	320.04	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
PMW6	d	12/17/99	321.38	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone
VR1	d	10/24/88	321.00	PVC	30	30	10	4	10-30	0.020	10-30	--	--
VR2		11/20/89	NM	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--	--
VR3	a	11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--	--
VR4	a	11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--	--

a Well destroyed.

b PVC screen from 61.5-72, stainless steel blank from 11.5-61.5, PVC blank from surface to 11.5.

c Depth of PVC sump at base of well.

d Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation	Elevation TOC	Casing Material	Total Depth	Well Depth	Borehole Diameter	Casing Diameter	Screened Interval	Slot Size	Filter Pack Interval	Filter Pack Material	Water Bearing Zone
	Date	(feet)		(feet)	(feet)	(inches)	(inches)	(feet)	(inches)	(feet)		
<p>e north of the southeast corner of the south bound bridge over Mocho Canal. Elevation = 330.55 feet.</p>												
<p>f Well screen is visible near surface and is assumed to extend to near total depth.</p>												
<p>f The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.</p>												
Perched Zone	Gradient generally not calculated.											
Zone 1	Gradient calculated quarterly.											
Zone 2	Possible communication with Zone 1. Gradient generally not calculated.											
Deeper Zone	Gradient calculated quarterly.											
NM	Not measured.											
PVC	Polyvinyl chloride.											
TOC	Top of casing.											
--	Information not available.											

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW1	04/02/88	321.44	NM	NC	NM	<0.5	1.7	<0.5	<0.5	<20	NA
MW1	04/06/88	321.44	36.34	285.10	0.00	NS	NS	NS	NS	NS	NS
MW1	04/08/88	321.44	36.29	285.15	0.00	NS	NS	NS	NS	NS	NS
MW1	04/19/88	321.44	36.36	285.08	0.00	NS	NS	NS	NS	NS	NS
MW1	06/06/88	321.44	38.16	283.28	0.00	NS	NS	NS	NS	NS	NS
MW1	06/23/88	321.44	38.71	282.73	0.00	NS	NS	NS	NS	NS	NS
MW1	06/28/88	321.44	39.16	282.28	0.00	NS	NS	NS	NS	NS	NS
MW1	07/06/88	321.44	39.73	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/13/88	321.44	40.22	281.22	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/12/88	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/26/88	321.44	41.90	279.54	0.00	NS	NS	NS	NS	NS	NS
MW1	09/07/88	321.44	42.27	279.17	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	12/07/88	321.44	43.94	277.50	0.00	NS	NS	NS	NS	NS	NS
MW1	12/19/88	321.44	43.70	277.74	0.00	NS	NS	NS	NS	NS	NS
MW1	02/09/89	321.44	42.53	278.91	0.00	NS	NS	NS	NS	NS	NS
MW1	03/03/89	321.44	NM	NC	NM	1.6	<0.5	<0.5	<0.5	<20	NA
MW1	03/08/89	321.44	41.96	279.48	0.00	NS	NS	NS	NS	NS	NS
MW1	04/03/89	321.44	41.59	279.85	0.00	NS	NS	NS	NS	NS	NS
MW1	04/26/89	321.44	41.67	279.77	0.00	NS	NS	NS	NS	NS	NS
MW1	06/30/89	321.44	43.79	277.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/17/89	321.44	44.74	276.70	0.00	<0.5	<0.5	<0.5	<0.5	23	NA
MW1	07/18/89	321.44	44.76	276.68	0.00	NS	NS	NS	NS	NS	NS
MW1	07/19/89	321.44	44.82	276.62	0.00	NS	NS	NS	NS	NS	NS
MW1	07/20/89	321.44	44.85	276.59	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/21/89	321.44	44.95	276.49	0.00	NS	NS	NS	NS	NS	NS
MW1	07/26/89	321.44	45.42	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/02/89	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/03/89	321.44	46.18	275.26	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW1	08/17/89	321.44	47.12	274.32	0.00	NS	NS	NS	NS	NS	NS
MW1	09/13/89	321.44	49.08	272.36	0.00	39	0.6	<0.5	5.1	220	NA
MW1	11/28/89	321.44	50.21	271.23	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/89	321.44	NM	NC	NM	56	0.72	<0.5	0.71	220	NA
MW1	01/09/90	321.44	49.31	272.13	0.00	NS	NS	NS	NS	NS	NS
MW1	01/25/90	321.44	NM	NC	NM	18	1.6	<0.5	1.8	57	NA
MW1	01/26/90	321.44	49.29	272.15	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02 ^a	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/27/90	321.44	NM	NC	NM	3.2	2.3	<0.5	3.2	55	NA
MW1	03/26/90	321.44	48.71 ^a	272.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	03/26/90	321.44	48.70	272.74	0.00	NS	NS	NS	NS	NS	NS
MW1	04/18/90	321.44	48.79	272.65	0.00	1.1	1.6	<0.5	3.1	25	NA
MW1	05/17/90	321.44	49.40	272.04	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	06/11/90	321.44	50.83	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/30/90	321.44	52.17	269.27	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/27/90	321.44	53.44	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	09/28/90	321.44	53.40	268.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/20/91	321.44	53.35	268.09	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/91	321.44	53.55	267.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring		Reference Elevation	Depth to Water	Groundwater Elevation	LPH Thickness	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
Well	Date	(feet)	(feet)	(feet)	(feet)						
MW1	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	10/07/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW1	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/26/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/11/93	321.44	53.09	268.35	0.00	NS	NS	NS	NS	NS	NS
MW1	04/12/93	321.44	53.32	268.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/01/93	321.44	53.40	268.04	0.00	NS	NS	NS	NS	NS	NS
MW1	07/15/93	321.44	59.80	261.64	0.00	NS	NS	NS	NS	NS	NS
MW1	08/15/93	321.44	53.45	267.99	0.00	NS	NS	NS	NS	NS	NS
MW1	09/29/93	321.44	53.43	268.01	0.00	NS	NS	NS	NS	NS	NS
MW1	09/30/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	10/28/93	321.44	53.38	268.06	0.00	NS	NS	NS	NS	NS	NS
MW1	11/23/93	321.44	53.46	267.98	0.00	NS	NS	NS	NS	NS	NS
MW1	11/24/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/10-11/94	321.44	53.46	267.98	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/04-05/94	321.44	53.34	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	09/01/94 ^e	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	11/16/94	321.44	52.09	269.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	02/15/95	321.44	49.41	272.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/09/95	321.44	39.97	281.47	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	08/21/95	321.44	40.68	280.76	0.00	<0.5	0.83	<0.5	<0.5	<50	<2.5
MW1	11/30/95	321.44	38.99	282.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW1	03/28/96	321.44	35.70	285.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	05/31/96	321.44	34.17	287.27	0.00	<0.5	<0.5	<0.5	<0.5	52	<5.0
MW1	08/28/96	321.44	38.37	283.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	11/18/96	321.44	38.40	283.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	02/28/97	321.44	33.29	288.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	05/23/97	321.44	33.63	287.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/23/97	321.44	38.05	283.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	29
MW1	12/30/97	321.44	36.74	284.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/24/98	321.44	31.65	289.79	0.00	1.4	2.5	<0.5	1.4	<50	16
MW1	06/15/98	321.44	29.28	292.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	22
MW1	09/11/98	321.44	34.94	286.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	12/09/98	321.44	31.14	290.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW1	03/31/99	321.44	28.10	293.34	0.00	<0.5	<0.5	<0.5	<0.5	<50	124/131 ^f
MW1	06/30/99	321.44	33.94	287.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	08/03/99	321.44	37.94	283.50	0.00	NS	NS	NS	NS	NS	NS
MW1	09/24/99	320.52	44.92	275.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW1	12/22/99	320.52	9.93	310.59	0.00	1.9	1.4	1.5	7.3	<50	990 ^f
MW1	01/21/00	320.52	39.35	281.17	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW1	04/04/00	320.52	34.70	285.82	0.00	<1	<1	<1	<1	<50	<1
MW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW1	06/28/00	320.52	39.72	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW1	09/26/00	320.52	43.26	277.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW1	12/28/00	320.52	42.90	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW1	03/28/01	320.52	42.36	278.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW1	06/25/01	320.52	45.51	275.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/26/01	320.52	53.21	267.31	0.00	3.0	4.4	1.2	5.2	<50	<2.5
MW1	12/17/01	320.52	53.21	267.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	03/18/02	320.52	52.31	268.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	06/17/02	320.52	52.67	267.85	0.00	NS	NS	NS	NS	NS	NS
MW1	06/18/02	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/16/02	320.52	53.46	267.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW1	12/17/02	320.52	53.53	266.99	0.00	NS	NS	NS	NS	NS	NS
MW1	03/28/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/16/03	320.52	53.23	267.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/22/03	320.52	53.52	267.00	0.00	NS	NS	NS	NS	NS	NS
MW2	04/02/88	NM	NM	NC	0.25	NS	NS	NS	NS	NS	NS
MW2	04/04/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/05/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/06/88	NM	39.31	NC	3.2	NS	NS	NS	NS	NS	NS
MW2	04/08/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW2	04/19/88	NM	38.90	NC	2.48	NS	NS	NS	NS	NS	NS
MW2	06/06/88	NM	38.78	NC	0.26	NS	NS	NS	NS	NS	NS
MW2	06/23/88	NM	39.23	NC	0.13	NS	NS	NS	NS	NS	NS
MW2	06/28/88	NM	39.72	NC	NM	NS	NS	NS	NS	NS	NS
MW2	07/06/88	NM	40.31	NC	Slight sheen	25,700	18,500	2,900	21,400	62,000	NA
MW2	07/12/88			Well destroyed							
MW3	04/06/88	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW3	04/08/88	NM	37.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	04/19/88	NM	37.22	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/06/88	NM	39.02	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/23/88	NM	39.58	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/28/88	NM	40.04	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	07/06/88	NM	40.60	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW3	07/13/88	NM	41.09	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/12/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW3	08/26/88	NM	42.77	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/29/88	Well destroyed									
MW4	04/08/88	321.56	36.41	285.15	0.00	NS	NS	NS	NS	NS	NS
MW4	04/11/88	321.56	NM	NC	NM	1.8	16.3	0.6	7.1	80	NA
MW4	04/19/88	321.56	36.51	285.05	0.00	NS	NS	NS	NS	NS	NS
MW4	06/06/88	321.56	38.26	283.30	0.00	NS	NS	NS	NS	NS	NS
MW4	06/23/88	321.56	38.83	282.73	0.00	NS	NS	NS	NS	NS	NS
MW4	06/28/88	321.56	39.28	282.28	0.00	NS	NS	NS	NS	NS	NS
MW4	07/06/88	321.56	39.85	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	07/13/88	321.56	40.31	281.25	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW4	08/12/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/26/88	321.56	42.01	279.55	0.00	NS	NS	NS	NS	NS	NS
MW4	09/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/19/88	321.56	43.83	277.73	0.00	NS	NS	NS	NS	NS	NS
MW4	02/09/89	321.56	42.67	278.89	0.00	NS	NS	NS	NS	NS	NS
MW4	03/08/89	321.56	42.11	279.45	0.00	3.8	1.0	<0.5	<0.5	440	NA
MW4	04/03/89	321.56	41.73	279.83	0.00	NS	NS	NS	NS	NS	NS
MW4	04/26/89	321.56	41.79	279.77	0.00	NS	NS	NS	NS	NS	NS
MW4	06/30/89	321.56	43.88	277.68	0.00	<0.5	<0.5	<0.5	<0.5	100	NA
MW4	07/17/89	321.56	44.85	276.71	0.00	<0.5	<0.5	<0.5	<0.5	390	NA
MW4	07/18/89	321.56	44.88	276.68	0.00	NS	NS	NS	NS	NS	NS
MW4	07/19/89	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	07/20/89	321.56	44.98	276.58	0.00	<0.5	<0.5	<0.5	<0.5	200	NA
MW4	07/21/89	321.56	45.04	276.52	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW4	07/26/89	321.56	45.50	276.06	0.00	<0.5	<0.5	<0.5	<0.5	66	NA
MW4	08/02/89	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/03/89	321.56	46.28	275.28	0.00	NS	NS	NS	NS	NS	NS
MW4	08/17/89	321.56	47.22	274.34	0.00	NS	NS	NS	NS	NS	NS
MW4	09/13/89	321.56	49.19	272.37	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	11/28/89	321.56	50.34	271.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/89	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	01/09/90	321.56	49.47	272.09	0.00	NS	NS	NS	NS	NS	NS
MW4	01/26/90	321.56	49.36	272.20	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.18 ^a	272.38	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.15	272.41	0.00	NS	NS	NS	NS	NS	NS
MW4	03/26/90	321.56	48.84 ^a	272.72	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	03/26/90	321.56	48.83	272.73	0.00	NS	NS	NS	NS	NS	NS
MW4	04/18/90	321.56	48.90	272.66	0.00	NS	NS	NS	NS	NS	NS
MW4	05/17/90	321.56	50.03	271.53	0.00	NS	NS	NS	NS	NS	NS
MW4	06/11/90	321.56	50.98	270.58	0.00	NS	NS	NS	NS	NS	NS
MW4	07/30/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	08/01/90	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	08/27/90	321.56	53.61	267.95	0.00	NS	NS	NS	NS	NS	NS
MW4	09/28/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/90	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/20/91	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	06/20/91	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/12/91	321.56	53.70	267.86	0.00	NS	NS	NS	NS	NS	NS
MW4	12/30/91	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	01/30/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	03/02/92	321.56	53.83	267.73	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/92	321.56	53.73	267.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW4	04/14/92	321.56	53.76	267.80	0.00	NS	NS	NS	NS	NS	NS
MW4	05/21/92	321.56	54.73	266.83	0.00	NS	NS	NS	NS	NS	NS
MW4	06/08/92	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	07/14/92	321.56	53.60	267.96	0.00	NS	NS	NS	NS	NS	NS
MW4	08/10/92	321.56	53.71	267.85	0.00	NS	NS	NS	NS	NS	NS
MW4	09/16/92	321.56	53.89	267.67	0.00	NS	NS	NS	NS	NS	NS
MW4	10/07/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	11/09/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	12/10/92	321.56	53.83	267.73	0.00	57	34	11	200	600	NA
MW4	01/26/93	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	02/16/93	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	03/11/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	04/12/93	321.56	53.62	267.94	0.00	20	10	22	80	360	NA
MW4	06/01/93	321.56	53.52	268.04	0.00	NS	NS	NS	NS	NS	NS
MW4	07/15/93	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	08/15/93	321.56	53.65	267.91	0.00	NS	NS	NS	NS	NS	NS
MW4	09/29/93	321.56	54.23	267.33	0.00	NS	NS	NS	NS	NS	NS
MW4	09/30/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	10/28/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	11/23/93	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	11/24/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/10-11/94	321.56	53.64	267.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/04-05/94	321.56	53.54	268.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	09/01/94 ^e	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	11/16/94	321.56	52.96	268.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	02/15/95	321.56	50.37	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/09/95	321.56	44.86	276.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	08/21/95	321.56	41.71	279.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.6

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW4	11/30/95	321.56	39.95	281.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	03/28/96	321.56	36.76	284.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	05/31/96	321.56	35.19	286.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	08/28/96	321.56	39.39	282.17	0.00	NS	NS	NS	NS	NS	NS
MW4	11/18/96	321.56	39.42	282.14	0.00	NS	NS	NS	NS	NS	NS
MW4	02/28/97	321.56	34.38	287.18	0.00	NS	NS	NS	NS	NS	NS
MW4	05/23/97	321.56	34.66	286.90	0.00	NS	NS	NS	NS	NS	NS
MW4	09/23/97	321.56	39.05	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/30/97	321.56	37.78	283.78	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/98	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/98	321.56	30.32	291.24	0.00	NS	NS	NS	NS	NS	NS
MW4	09/11/98	321.56	35.97	285.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/09/98	321.56	32.93	288.63	0.00	NS	NS	NS	NS	NS	NS
MW4	03/31/99	321.56	29.71	291.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW4	06/30/99	321.56	34.99	286.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.65/3.12 ^{f,h}
MW4	08/03/99	321.56	38.52	283.04	0.00	NS	NS	NS	NS	NS	NS
MW4	09/24/99	321.56	42.93	278.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.12 ^f
MW4	12/22/99	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	04/04/00	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW4	06/28/00	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW4	09/26/00	321.56	44.24	277.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW4	12/28/00	321.56	43.92	277.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW4	03/28/01	321.56	43.39	278.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW4	06/25/01	321.56	46.56	275.00	0.00	<0.5	<0.5	<0.5	0.66	<50	<2.5
MW4	09/26/01	321.56	53.51	268.05	0.00	<0.5	0.69	<0.5	0.96	<50	<2.5
MW4	12/17/01	321.56	53.51	268.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	03/18/02	321.56	53.28	268.28	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW4	03/19/02	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/17/02	321.56	53.57	267.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/16/02	321.56	53.63	267.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW4	12/17/02	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/28/03	321.56	53.70	267.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/16/03	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/22/03	321.56	53.69	267.87	0.00	<0.5	1.0	<0.5	0.8	<50	<0.5
MW4	12/22/03	321.56	53.66	267.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	05/25/88	321.79	38.55	283.24	0.00	<0.5	3.1	<0.5	<0.5	<20	NA
MW5D	06/06/88	321.79	38.90	282.89	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/23/88	321.79	39.56	282.23	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/28/88	321.79	40.23	281.56	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/06/88	321.79	40.69	281.10	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/13/88	321.79	41.22	280.57	0.00	<0.5	<0.5	<0.5	<0.5	40	NA
MW5D	08/12/88	321.79	42.34	279.45	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/26/88	321.79	42.60	279.19	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/07/88	321.79	42.99	278.80	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/07/88	321.79	44.58	277.21	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/09/89 ^c	321.79	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW5D	03/08/89 ^d	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	03/08/89	321.79	42.49	279.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/03/89	321.79	42.21	279.58	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/26/89	321.79	42.36	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/30/89	321.79	44.79	277.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/17/89	321.79	45.73	276.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/18/89	321.79	45.75	276.04	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/19/89	321.79	44.89	276.90	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	07/20/89	321.79	46.02	275.77	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/21/89	321.79	46.18	275.61	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	12/30/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/02/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.64	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	266.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 ^e	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	11/16/94	321.79	54.36	267.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^D	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^R	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33
MW5D ^D	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^D	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^R	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D ^D	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5D	06/30/99	321.79	35.90	285.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5 ^h
MW5D ^R	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^R	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D ^D	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47 ^f
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/17/02	321.79	61.56	260.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/03	321.79	58.90	262.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/16/03	321.79	55.73	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/22/03	321.79	60.57	261.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	12/22/03	321.79	60.24	261.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 ^b	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 ^a	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 ^a	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 ^c	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/17/02	320.52	53.67	266.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	03/28/03	320.52	53.60	266.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/16/03	320.52	53.49	NC	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW5S	12/22/03	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88	Well destroyed									
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA
MW7	07/22/88	321.27	41.85 ^a	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 ^a	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 ^a	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	01/09/90	321.27	57.57 ^a	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 ^a	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 ^a	266.01	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 ^a	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 ^a	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 ^a	263.87	0.00	NS	NS	NS	NS	NS	NS
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.33	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 ^c	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7 ^f
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0 ^f
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88 ^f
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17 ^f
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40 ^f
MW7	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/17/02	321.27	54.17	267.10	0.00	NS	NS	NS	NS	NS	NS
MW7	03/28/03	321.27	54.45	266.82	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/16/03	321.27	53.33	267.94	0.00	--	--	--	--	--	--
MW7	06/17/03	321.27	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	09/22/03	321.27	54.57	266.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW7	12/22/03	321.27	54.70	266.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 ^a	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	254.33	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	257.18	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/01/94 ^e	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^R	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^R	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2 ^f
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^D	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^D	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^R	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^D	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^R	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18 ^{t,h}
MW8 ^R	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672 ^f
MW8 ^D	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659 ^f
MW8 ^R	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777 ^f
MW8 ^D	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776 ^f
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^D	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^R	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5 ^f
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1 ^f
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2 ^f
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00 ^f
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	12/17/02	321.86	67.76	254.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW8	03/28/03	321.86	62.40	259.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/16/03	321.86	62.99	258.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/22/03	321.86	74.94	246.92	0.00	<0.5	2.4	<0.5	1.1	<50	<0.5
MW8	12/22/03	321.86	67.09	254.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.5^f
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 ^a	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 ^a	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100 ^f
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9 ^f
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950 ^f
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81 ^{f,h}
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5 ^f
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 ⁱ	1.06	<0.5	1.17	<50	3.92 ^f
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 ⁱ	380/380 ⁱ	<5.0/<5.0 ⁱ	2,190/2,170 ⁱ	7,300	4,300 ^f
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300 ^f
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488 ^f
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2 ^f
MW9	11/03/00	Well destroyed									

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW9A 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5 ^f
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	03/28/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	06/16/03	321.27	56.17	NC	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/22/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/22/03	321.27	56.28	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10											
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 ^a	272.32	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 ^a	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 ^c	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30 ^f
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0 ^f
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39 ^f
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/17/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	03/28/03	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	06/16/03	322.99	56.89	266.10	0.00	--	--	--	--	--	--
MW10	06/17/03	322.99	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/22/03	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/22/03	322.99	58.10	264.89	0.00	NS	NS	NS	NS	NS	NS
MW11	11/10/89	321.77	50.64	271.13	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	271.26	0.00	NS	NS	NS	NS	NS	NS
MW11	12/20/89	321.77	51.47	270.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	272.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	272.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 ^a	272.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	272.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 ^a	272.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	272.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	271.47	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW11	06/11/90	321.77	51.16	270.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	268.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	268.51	0.00	NS	NS	NS	NS	NS	NS
MW11	06/20/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/91	321.77	53.95	267.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	268.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	268.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	268.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	268.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	10/07/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	12/10/92	321.77	53.59	268.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	268.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	268.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	08/15/93	321.77	53.55	268.22	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW11	09/29/93	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/98	321.77	32.86	288.91	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64 ^f
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71 ^f
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70 ^f
MW11	03/28/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	06/16/03	321.73	53.63	NC	0.00	NS	NS	NS	NS	NS	NS
MW11	09/22/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/22/03	321.73	53.67	268.06	0.00	NS	NS	NS	NS	NS	NS
MW12 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW12	08/30/00	Well destroyed									
MW12A 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0 ^f
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW12A	12/17/02	322.62	68.54	254.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/03	322.62	62.78	259.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/16/03	322.62	63.85	258.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A ^j	09/22/03	322.62	76.30	246.32	0.00	<0.5	2.3	<0.5	1.9	<50	<0.5
MW12A	12/22/03	322.62	88.71	233.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW13	09/26/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62 ^f
MW13	12/28/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17 ^f
MW13	03/28/01	322.62	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0 ^f
MW13	06/25/01	322.62	48.24	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	09/26/01	322.62	56.05	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	12/17/01	322.71	56.40	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/17/02	322.71	55.38	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW13	12/17/02	322.71	62.05	260.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/03	322.71	59.50	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/16/03	322.71	56.33	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/22/03	322.71	60.71	262.00	0.00	<0.5	2.3	<0.5	2.0	<50	<0.5
MW13	12/22/03	322.71	60.83	261.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW14	09/26/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW14	12/28/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2 ^f
MW14	03/28/01	321.16	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0 ^f
MW14	06/25/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5
MW14	09/26/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	12/17/01	321.24	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	03/18/02	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	57.51	263.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW14	12/17/02	321.24	67.05	254.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/03	321.24	61.70	259.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/16/03	321.24	62.34	258.90	0.00	--	--	--	--	--	--
MW14	06/17/03	321.24	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14 ^j	09/22/03	321.24	74.50	246.74	0.00	<0.5	0.9	<0.5	0.8	<50	<0.5
MW14	12/22/03	321.24	66.61	254.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810 ^f
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000 ^f
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800 ^f
OW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530 ^f
OW1	09/26/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97 ^f
OW1	06/25/01	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220 ^f
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0 ^f
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5 ^f
OW1	06/17/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
OW1	09/16/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/17/02	321.44	9.24	312.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1/4.80 ^f
OW1	03/28/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	06/16/03	321.44	11.40	NC	0.00	NS	NS	NS	NS	NS	NS
OW1	09/22/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/22/03	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 ^b	177,000 ^f
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000 ^f
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400 ^f
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690 ^f
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520 ^f
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650 ^f
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000 ^f
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130 ^f
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630 ^f
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720 ^f
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800 ^f
OW2	09/16/02	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/17/02	321.55	6.14	315.41	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.3/5.00 ^f
OW2	03/28/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/16/03	321.55	12.08	309.47	0.00	--	--	--	--	--	--
OW2	06/17/03	321.55	--	--	--	<0.5	<0.5	<0.5	<0.5	587	552/575 ^f
OW2	09/22/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
OW2	12/22/03	321.55	9.46	312.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	50.2/59.6 ^f
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
PMW1	09/26/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/01	322.74	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS
PMW1	12/17/01	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS
PMW1	09/16/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/17/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/03	322.75	13.25	309.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/16/03	322.75	13.90	308.85	0.00	--	--	--	--	--	--
PMW1	06/17/03	322.75	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	0.6/<0.5 ^f
PMW1	09/22/03	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/22/03	322.75	12.69	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720 ^f
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570 ^f
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157 ^f
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284 ^f
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7 ^f
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46 ^f
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10 ^f
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8 ^f
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30 ^f
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
PMW2	12/17/02	322.37	14.14	308.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.5/<0.5 ^f
PMW2	03/28/03	322.37	13.05	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.4/6.50 ^f
PMW2	06/16/03	322.37	13.89	308.48	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/22/03	322.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW2	12/22/03	322.37	10.86	311.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310 ^f
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5 ^f
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6 ^f
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08 ^f
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7 ^f
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW3	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/17/02	321.27	7.76	313.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/03	321.27	11.00	310.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/16/03	321.27	10.76	310.51	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/22/03	321.27	10.17	311.10	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/22/03	321.27	9.11	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27 ^f
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73 ^f
PMW4	09/26/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11 ^f
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/17/02	321.37	15.22	306.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	03/28/03	321.37	14.95	306.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/16/03	321.37	14.80	NC	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/22/03	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/22/03	321.37	15.28	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890 ^f
STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629 ^f
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743 ^f
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919 ^f
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304 ^f
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560 ^f
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440 ^f
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94 ^f
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35 ^f
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226 ^f
PMW5	09/16/02	320.04	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/17/02	320.04	13.05	306.99	0.00	1.2	<0.5	<0.5	<0.5	172	228/192 ^f
PMW5	03/28/03	320.04	14.95	305.09	0.00	0.80	<0.5	<0.5	<0.5	192	234/244 ^f
PMW5	06/16/03	320.04	12.94	307.10	0.00	NS	NS	NS	NS	NS	NS
PMW5	09/22/03	320.04	14.10	305.94	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/03	320.04	13.55	306.49	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
PMW6	06/15/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/28/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/16/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/17/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/16/03	321.38	14.88	NC	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/22/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/22/03	321.38	15.48	305.90	0.00	NS	NS	NS	NS	NS	NS
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31 ^{f,h}
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49 ^f
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94 ^f
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10 ^f
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500 ^f
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370 ^f
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387 ^f
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200 ^f
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9 ^f
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130 ^f
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39 ^f
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450 ^f
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160 ^f
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175 ^f
VR1	12/17/02	321.00	24.25	296.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.3/2.50 ^f
VR1	03/28/03	321.00	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR1	06/16/03	321.00	25.85	295.15	0.00	--	--	--	--	--	--
VR1	06/17/03	321.00	--	--	--	<0.5	<0.5	<0.5	<0.5	90.2	42.8/34.8 ^f
VR1	09/22/03	321.00	28.07	292.93	0.00	<0.5	0.5	<0.5	<0.5	78.1	80.7/85.6 ^f
VR1	12/22/03	321.00	24.86	296.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	42.5/42.1 ^f
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160 ^{fh}
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390 ^f
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030 ^f
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34 ^f
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17 ^f
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400 ^f
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268 ^f
VR2	09/26/00	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6 ^f
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98 ^f
VR2	06/25/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/26/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
VR2	06/16/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380 ^{f,h}
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100 ^f
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900 ^f
VR3	11/05/99	Well destroyed									
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 ^g	3.96 ^f
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6 ^f
VR4	11/05/99	Well destroyed									

a = Water level recorded during pumping of MW7.

c = Casing head cut to lower elevation.

d = Casing head damaged by construction.

e = Results obtained past the technical holding time.

f = Analysis of MTBE by EPA Method 8260.

g = Unidentified Hydrocarbon C6-C12.

h = Analysis performed outside of EPA recommended hold time.

i = Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.

j = Grab groundwater sample collected.

D = Duplicate.

R = Rinseate.

LPH = Liquid-phase hydrocarbons.

TPH = Total Petroleum Hydrocarbons.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Reference Date	Depth to Elevation (feet)	Groundwater Water (feet)	LPH Elevation (feet)	Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
--------------------	-------------------	---------------------------------	--------------------------------	----------------------------	---------------------	-------------------	-------------------	-----------------------------	----------------------------	------------------------------	--------------------------

MTBE = Methyl tertiary butyl ether.

NA = Not analyzed.

NC = Not calculated.

ND = Not detected at or above the laboratory reporting limits.

NM = Not measured.

NS = Not sampled.

µg/L = Micrograms per liter.

Note: TPH-g results beginning March 2002 include MTBE.

Groundwater elevations adjusted for LPH, when present, using an average specific gravity of 0.75 for gasoline.

**TABLE 3 GROUNDWATER MONITORING PLAN,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5D	Q	Q	Q
MW5S	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

MTBE = Methyl tertiary butyl ether.

**TABLE 4: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample	Concentration ($\mu\text{g/L}$)								
Location	Date	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
Influent									
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000
	09/24/02	NA	NA	NA	NA	NA	NA	NA	NA
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0
	12/10/02	230	< 50	< 50	< 50	< 50	2,000	NA	420
	01/06/03	670	< 5.0	< 5.0	< 5.0	< 5.0	75	690	670
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	140	8.6	8.7
	03/05/03	2,000	< 25	< 25	< 25	< 25	61	NA	2,900
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	52	NA	25
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	230	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	55	< 2.5	< 2.5	< 2.5	< 2.5	120	NA	60
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	1.1	58	NA	2.5
After First Carbon Vessel (Intermediate)									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	71	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	81	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50

**TABLE 4: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample Location	Date	Concentration ($\mu\text{g/L}$)						MTBE	MTBE by 8260B
		TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d		
	05/13/03	< 50	< 0.50	< 1.0	< 1.0	< 1.7	100	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 2.5
Effluent									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0
	07/06/01	TPH-d result confirmed with spare sample						< 50	
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	700	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	58	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	< 2.5	< 0.50
	05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1,200	< 2.5	< 0.50
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 51	< 2.5	< 0.50
	09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	460	< 2.5	< 0.50
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	59	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	73	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	74	< 2.5	< 0.50
	03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	75	< 2.5	< 0.50
	06/25/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	< 2.5	< 0.50
	09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	150	< 2.5	< 0.50
	11/26/03	< 50	< 0.50	1.5	< 0.50	1.4	< 47	< 2.5	< 0.50
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 2.5

NA - Not Analyzed

$\mu\text{g/L}$ - Micrograms per liter

TPH-g - Total petroleum hydrocarbons as gasoline

TPH-d - Total petroleum hydrocarbons as diesel

MTBE - Methyl tertiary butyl ether

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene			Est. Pounds Removed MTBE	Cumulative Pounds Removed MTBE
					Total TPH	(µg/l.) Benzene	(µg/l.) MTBE				Est. Pounds Removed Total TPH	Est. Pounds Removed Benzene	Est. Pounds Removed MTBE		
03/12/01	0	0%	185	0.0				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.000	0.000	0.001	0.001	0.001	0.001
03/15/01	2.80	100%	30,740	7.0				0.024	0.026	0.000	0.000	0.008	0.009		
03/23/01	5.44	67%	73,030	5.4				0.036	0.062	0.000	0.000	0.012	0.021		
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.000	0.001	0.019	0.040		
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.000	0.001	0.020	0.060		
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.000	0.001	0.001	0.061		
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.000	0.001	0.001	0.062		
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.000	0.002	0.002	0.064		
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.000	0.002	0.002	0.066		
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.000	0.002	0.002	0.069		
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.000	0.002	0.001	0.069		
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.000	0.003	0.001	0.071		
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.000	0.003	0.001	0.072		
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.000	0.003	0.001	0.073		
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.000	0.003	0.000	0.074		
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.000	0.004	0.002	0.076		
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.000	0.004	0.001	0.077		
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.000	0.004	0.000	0.077		
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.000	0.004	0.000	0.077		
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.000	0.004	0.001	0.078		
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.000	0.004	0.001	0.079		
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.000	0.004	0.000	0.080		
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.000	0.005	0.001	0.081		
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.000	0.005	0.001	0.082		
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.000	0.005	0.000	0.082		
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.000	0.005	0.000	0.082		
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.000	0.005	0.002	0.084		
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.000	0.005	0.000	0.084		
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.000	0.005	0.000	0.084		
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	< 2.5	0.000	0.989	0.000	0.005	0.000	0.084		
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.000	0.005	0.001	0.085		
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.000	0.005	0.001	0.086		
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.000	0.005	0.000	0.086		
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.000	0.005	0.002	0.088		
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.000	0.005	0.000	0.088		
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.000	0.005	0.000	0.088		
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.000	0.005	0.000	0.088		
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089		
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089		
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.000	0.005	0.013	0.102		
12/17/01	2.31	100%	NM	NC				NC	0.998	NC	0.005	NC	0.102		
12/18/01	0.00	0%	NM	NC				NC	0.998	NC	0.005	NC	0.102		
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50	800	0.002	1.000	0.000	0.005	0.003	0.105		
12/28/01	3.59	50%	1,191,340	0.4				0.005	1.005	0.000	0.005	0.015	0.120		
01/04/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120		

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
					Total TPH	Benzene	MTBE						
01/07/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57	920	0.002	1.007	0.000	0.005	0.004	0.124
01/15/02	3.50	50%	1,194,700	0.5				0.005	1.011	0.000	0.005	0.011	0.135
01/22/02	3.48	50%	1,198,310	0.7				0.006	1.018	0.000	0.005	0.014	0.149
01/25/02	0.00	0%	1,198,310	0.0				0.000	1.018	0.000	0.005	0.000	0.149
01/29/02	4.09	100%	1,198,950	0.1				0.001	1.019	0.000	0.005	0.003	0.152
01/30/02	0.70	100%	NM	NC				NC	1.019	NC	0.005	NC	0.152
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50	38	0.000	1.019	0.000	0.005	0.001	0.153
02/08/02	2.36	100%	NM	NC				NC	1.019	NC	0.005	NC	0.153
02/11/02	3.60	100%	1,199,310	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/19/02	8.00	100%	1,199,420	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/26/02	7.03	100%	1,199,590	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50	14	0.000	1.020	0.000	0.005	0.000	0.153
03/12/02	3.49	50%	1,199,600	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/19/02	3.51	50%	1,203,100	0.7				0.016	1.036	0.000	0.005	0.000	0.153
03/26/02	6.99	100%	1,207,200	0.4				0.018	1.054	0.000	0.005	0.000	0.154
03/27/02	0.97	100%	1,207,768	0.4				0.003	1.057	0.000	0.005	0.000	0.154
04/04/02	7.82	100%	1,210,690	0.3				0.013	1.070	0.000	0.005	0.000	0.154
04/09/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/16/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/17/02	0.00	0%	1,210,696	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/23/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/14/02	0.00	0%	1,210,840	0.0				0.001	1.070	0.000	0.005	0.000	0.154
05/28/02	0.00	0%	1,210,840	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/29/02	0.00	0%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/30/02	0.88	100%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
06/05/02	6.13	100%	1,213,350	0.3				0.011	1.082	0.000	0.005	0.000	0.154
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50	9.2	0.000	1.082	0.000	0.005	0.000	0.154
06/18/02	5.98	100%	1,216,120	0.3				0.106	1.188	0.001	0.006	0.295	0.449
06/28/02	10.02	100%	1,217,040	0.1				0.036	1.224	0.000	0.006	0.100	0.549
07/05/02	6.99	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/08/02	2.43	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00	26000	0.000	1.224	0.000	0.006	0.000	0.549
07/16/02	4.04	100%	1,217,200	0.0				0.006	1.230	0.000	0.006	0.017	0.566
07/23/02	7.05	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/02/02	9.87	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/07/02	5.18	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0				0.005	1.235	0.000	0.006	0.015	0.582
09/24/02	6.98	100%	1,217,350	0.0	NA	NA	NA	0.000	1.235	0.000	0.006	0.000	0.582
10/01/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE
					Total TPH	(µg/L) Benzene	(µg/L) MTBE						
10/16/02	6.32	79%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1				0.011	1.246	0.000	0.006	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1	< 105	< 0.50	< 2.5	0.017	1.263	0.000	0.006	0.052	0.667
11/19/02	6.92	100%	1,220,110	0.2				0.019	1.282	0.000	0.006	0.003	0.670
11/25/02	6.04	100%	1,220,110	0.0				0.000	1.282	0.000	0.006	0.000	0.670
12/05/02	10.06	100%	1,220,110	0.0				0.000	1.282	0.000	0.006	0.000	0.670
12/10/02	4.97	100%	1,220,120	0.0	2,230	< 50	420	0.000	1.282	0.000	0.006	0.000	0.670
12/17/02	7.00	100%	1,221,220	0.1				0.014	1.296	0.000	0.007	0.005	0.676
12/24/02	7.01	100%	1,221,640	0.0				0.005	1.301	0.000	0.007	0.002	0.677
12/30/02	6.00	100%	1,221,670	0.0				0.000	1.301	0.000	0.007	0.000	0.678
01/06/03	6.96	100%	1,221,850	0.0	745	< 5.0	690	0.002	1.303	0.000	0.007	0.001	0.678
01/10/03	3.42	84%	1,221,880	0.0				0.000	1.304	0.000	0.007	0.000	0.679
01/14/03	3.90	100%	1,221,890	0.0				0.000	1.304	0.000	0.007	0.000	0.679
01/21/03	7.02	100%	1,221,900	0.0				0.000	1.304	0.000	0.007	0.000	0.679
01/27/03	6.04	100%	1,221,910	0.0				0.000	1.304	0.000	0.007	0.000	0.679
02/04/03	7.91	100%	1,221,920	0.0	< 190	< 0.50	8.6	0.000	1.304	0.000	0.007	0.000	0.679
02/12/03	8.05	100%	1,221,920	0.0				0.000	1.304	0.000	0.007	0.000	0.679
02/19/03	6.94	100%	1,222,060	0.0				0.001	1.305	0.000	0.007	0.002	0.680
02/20/03	0.00	0%	1,222,060	0.0				0.000	1.305	0.000	0.007	0.000	0.680
02/25/03	5.04	100%	1,222,060	0.0				0.000	1.305	0.000	0.007	0.000	0.680
03/05/03	7.97	100%	1,224,310	0.2	2,061	< 25	2900	0.021	1.326	0.000	0.007	0.027	0.708
03/11/03	5.94	100%	1,224,930	0.1				0.006	1.332	0.000	0.007	0.008	0.715
03/18/03	7.04	100%	1,225,680	0.1				0.007	1.338	0.000	0.007	0.009	0.724
03/25/03	7.00	100%	1,226,890	0.1				0.011	1.349	0.000	0.007	0.015	0.739
04/01/03	7.04	100%	1,227,060	0.0				0.002	1.351	0.000	0.007	0.002	0.741
04/08/03	3.52	50%	1,227,470	0.1				0.004	1.355	0.000	0.007	0.005	0.746
04/15/03	3.45	50%	1,227,990	0.1				0.005	1.359	0.000	0.008	0.006	0.752
04/22/03	7.06	100%	1,230,320	0.2	< 102	< 0.50	25	0.021	1.380	0.000	0.008	0.028	0.781
04/29/03	7.00	100%	1,233,510	0.3				0.005	1.385	0.000	0.008	0.000	0.781
05/06/03	6.99	100%	1,235,160	0.2				0.003	1.388	0.000	0.008	0.000	0.781
05/13/03	6.99	100%	1,235,490	0.0	< 280	< 0.50	< 2.5	0.001	1.389	0.000	0.008	0.000	0.781
05/20/03	7.06	100%	1,235,950	0.0				0.001	1.390	0.000	0.008	0.000	0.781
05/28/03	7.98	100%	1,236,460	0.0				0.001	1.391	0.000	0.008	0.000	0.781
06/02/03	4.99	100%	1,236,480	0.0				0.000	1.391	0.000	0.008	0.000	0.781
06/10/03	7.99	100%	1,236,480	0.0				0.000	1.391	0.000	0.008	0.000	0.781
06/17/03	6.81	100%	1,236,490	0.0				0.000	1.391	0.000	0.008	0.000	0.781
06/20/03	3.19	100%	1,236,650	0.0				0.000	1.391	0.000	0.008	0.000	0.782
06/24/03	4.08	100%	1,236,650	0.0				0.000	1.391	0.000	0.008	0.000	0.782
06/25/03	1.00	100%	1,236,650	0.0	NA	NA	NA	0.000	1.391	0.000	0.008	0.000	0.782
06/27/03	1.92	100%	1,236,680	0.0				0.000	1.391	0.000	0.008	0.000	0.782
07/01/03	4.01	100%	1,236,680	0.0				0.000	1.391	0.000	0.008	0.000	0.782
07/08/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782
07/15/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782

**TABLE 5: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed Total TPH	Est. Pounds Removed* Benzene	Cumulative Pounds Removed Benzene	Est. Pounds Removed* MTBE	Cumulative Pounds Removed MTBE	
					Total TPH	(µg/L) Benzene	(µg/L) MTBE							
07/22/03	7.02	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/29/03	6.81	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/05/03	7.17	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/13/03	8.06	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/19/03	6.02	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/26/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/02/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/09/03	6.96	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/16/03	7.03	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/23/03	7.00	100%	1,236,780	0.0	175	< 2.5		60	0.000	1.391	0.000	0.008	0.000	0.782
09/29/03	1.51	25%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
10/08/03	0.00	0%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
10/14/03	0.00	0%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
10/20/03	5.77	100%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
10/27/03	0.00	0%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
11/03/03	0.00	0%	1,236,810	0.0					0.000	1.392	0.000	0.008	0.000	0.782
11/11/03	8.15	100%	1,236,950	0.0					0.000	1.392	0.000	0.008	0.000	0.782
11/13/03	0.82	43%	1,236,950	0.0					0.000	1.392	0.000	0.008	0.000	0.782
11/18/03	5.12	100%	1,236,960	0.0					0.000	1.392	0.000	0.008	0.000	0.782
11/25/03	7.04	100%	1,236,960	0.0					0.000	1.392	0.000	0.008	0.000	0.782
12/02/03	6.97	100%	1,236,970	0.0					0.000	1.392	0.000	0.008	0.000	0.782
12/08/03	5.85	100%	1,237,060	0.0					0.000	1.392	0.000	0.008	0.000	0.782
12/11/03	3.08	100%	1,237,160	0.0					0.000	1.392	0.000	0.008	0.000	0.782
12/16/03	4.79	100%	1,237,310	0.0					0.000	1.392	0.000	0.008	0.000	0.782
12/22/03	6.13	100%	1,237,580	0.0	108	< 0.5		2.5	0.000	1.392	0.000	0.008	0.000	0.782
12/29/03	7.14	100%	1,237,740	0.0					0.000	1.393	0.000	0.008	0.000	0.782
Total / Average	811.02	100.00%	1,237,740						1.393	1.393	0.008	0.008	0.782	0.782

Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

* Est. Pounds Removed = Average influent conc. (µg/L) * period flow total (gallons) * 1 lb/454 g * 1g/1,000,000 µg * 3.785 L/gallon

gpm - Gallons per minute.

MTBE - Methyl tertiary butyl ether.

NC - Not calculated.

µg/L - Micrograms per liter.

NM - Not measured.

TPH - Total Petroleum Hydrocarbons as gasoline and diesel.

NM - Not analysed.

Appendix A

Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered "functionally dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B

Field Documents

MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 12-22-03

Project Number: UP3399.1

Station Number: 7-3399

Site Location:
2991 Hopyard Rd, Pleasanton, CA

Samplers: ✓✓✓ /pr

MONITORING WELL NUMBER	DEPTH TO WATER (TOC)FT.	DEPTH TO PRODUCT (TOC)FT.	APPARENT PRODUCT THICKNESS(FT.)	AMOUNT OF PRODUCT REMOVED(L)	Well Completion Depth	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
✓ MW1	53.52				57.00	53.60	4"
✓ MW4	53.64				57.00	56.50	4"
✓ MW5D	53.24	S			77.50	77.15	4"
✓ MW5S	53.43				55.00	54.40	4"
✓ MW7	54.70				53.00	59.50	6"
✓ MW8	67.69	S			133.00	132.90	4"
✓ MW9A	56.28				58.00	56.56	6"
✓ MW10	58.10				60.00	58.39	4"
✓ MW11	53.67				55.00	54.30	4"
✓ MW12A	38.71	S			130.50	128.50	2"
✓ MW13	20.83	S			72.00	70.12	2"
✓ MW14	56.63	S			136.00	135.10	2"
✓ OW1	9.65					11.10	4"
✓ OW2	6.44					12.30	4"
✓ VR1	24.76				30.00	30.05	4"
✓ VR2	43.90	on-1			45.00	43.42	2"
✓ PMW1	12.61				16.00	15.43	4"
✓ PMW2	10.91				16.00	15.35	4"
✓ PMW3	7.11				16.00	15.70	4"
✓ PMW4	15.23				16.00	15.7	4"
✓ PMW5	13.55				16.00	15.65	4"
✓ PMW6	13.49				16.00	15.75	4"

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	MW1	Date:	12/22/03
Project No:	UP3399.1	Personnel:	C. Mitchell		

GAUGING DATA
Water Level Measuring Method: **WL M**

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	53.80	- 53.52	= .08	X 1	2	4	6	0.04 0.16 0.64 1.44	=

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time							
Volume Purge (gal)							
Temperature (C)							
pH							
Spec. Cond.(umhos)							
Turbidity/Color							
Odor (Y/N)							
Casing Volumes							
Dewatered (Y/N)							

Comments/Observations:

*No Grav. Sample due to low casing
Vol. Usable to sample due to
low casing Vol.*

SAMPLING DATA
Time Sampled: Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons) Disposal: SYSTEM

Weather Conditions:

84

Condition of Well Box and Casing at Time of Sampling:

84

Well Head Conditions Requiring Correction:

New

Problems Encountered During Puring and Sampling:

*Low casing vol. unusable*Comments: *+0 Sample*

© 1997-2002 Pacific QM Printed Under License from ASCE

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW4

Date: 12/27/03

Project No: UP3399.1

Personnel: C. Mitchell

GAUGING DATA

Water Level Measuring Method: N/N

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)
	56.50	53.66	= 2.84	X 1	2	4	6	0.04 0.16 0.64 1.44
							1.81	= 5.45

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: / Screen

Purge Rate: (gpm)

Time	10:49							
Volume Purge (gal)	2	4	6					
Temperature (C)	18.9°C							
pH	6.54							
Spec. Cond.(umhos)	1575 umhos							
Turbidity/Color	5.1 NTU Clear							
Odor (Y/N)	N							
Casing Volumes	—	—	—					*
Dewatered (Y/N)	N	Y						
Comments/Observations:	Dewatered at ~3 gal. Well sampled after recharging							

SAMPLING DATA

Time Sampled: 11:05

Approximate Depth to Water During Sampling: 54 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons)

Disposal: SYSTEM

Weather Conditions:

DRY

Condition of Well Box and Casing at Time of Sampling:

OK

Well Head Conditions Requiring Correction:

None

Problems Encountered During Puring and Sampling:

Dewatered

Comments:

© 2003 ETIC Inc. All rights reserved.

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: M1V5D

Date: 12/22/03

Project No: UP3399.1

Personnel: PF

GAUGING DATA

Water Level Measuring Method: N.L.M.

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)			
	77.15	60.24	16.91	X 1	2	4	6	0.04	0.16	0.64	1.44	10.82

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	9:29	9:39	9:49								
Volume Purge (gal)	11	22	33								
Temperature (C)	17.4	17.4	17.6								
pH	7.01	6.98	6.94								
Spec. Cond.(umhos)	1531	1428	1477								
Turbidity/Color	CLR/CLR	CLR/CLR	CLR/CLR								
Odor (Y/N)	N	N	N								
Casing Volumes	-	-	-								
Dewatered (Y/N)	N	N	N								

Comments/Observations:

SAMPLING DATA

Time Sampled: 9:50

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
M1V5D	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 33 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purgung and Sampling: NO PROBLEMS

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399		Well No:	NW-7		Date:	12/22/93	
Project No:	UP3399.1		Personnel:	CNC				

GAUGING DATA

 Water Level Measuring Method: NL

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)				
	59.50	- 54.70	= 4.80	X 1	2	4	6	0.04	0.16	0.64	1.44	6.91	= Z073

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	/	/	/	/	/	/	/	/	/	/	/	/
Volume Purge (gal)	7	/	14	/	21	/	/	/	/	/	/	/
Temperature (C)	/	/	/	/	/	/	/	/	/	/	/	/
pH	/	/	/	/	/	/	/	/	/	/	/	/
Spec.Cond.(umhos)	/	/	/	/	/	/	/	/	/	/	/	/
Turbidity/Color	/	/	/	/	/	/	/	/	/	/	/	/
Odor (Y/N)	/	/	/	/	/	/	/	/	/	/	/	/
Casing Volumes	/	/	/	/	/	/	/	/	/	/	/	/
Dewatered (Y/N)	/	/	/	/	/	/	/	/	/	/	/	/

Comments/Observations:

DISCHARGED TO A GALLON
REMOVED & SAMPLED

SAMPLING DATA

 Time Sampled: 12/24/93

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>NA-2</u>	6	Vca	HCL	40 ml		TPH-g, BTEX, MTBE

 Total Purge Volume: 4 (gallons)

Disposal:

SYSTEM

 Weather Conditions: OK

 Condition of Well Box and Casing at Time of Sampling: OK

 Well Head Conditions Requiring Correction: none

 Problems Encountered During Puring and Sampling: none

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW8

Date: 12/22/03

Project No: UP3399.1

Personnel: C. Mitchell

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)				
	32.90	67.09	65.81	X	1	2	4	6	0.04	0.16	0.64	1.44
									42.11		=	126.33

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	11:42	12:36	13:30				
Volume Purge (gal)	42	84	126				
Temperature (C)	14.9	16.2	16.6				
pH	7.38	7.19	7.25				
Spec. Cond.(umhos)	1187	1208	1217				
Turbidity/Color	clear	clear	clear				
Odor (Y/N)	N	N	N				
Casing Volumes	-	-	-				
Dewatered (Y/N)	N	N	N				

Comments/Observations:

SAMPLING DATA

Time Sampled: 13:35

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW8	6	Vca	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 126 (gallons)

Disposal: SYSTEM

Weather Conditions: JK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NSN

Problems Encountered During Purgung and Sampling: NSN

Comments:

SI Project 7-3399 Public GM Pre-field Driller (purge form)(sheet)

12/22/03

12/22/03

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW 124

Date: 12-22-03

Project No: UP3399.1

Personnel:

GAUGING DATA

Water Level Measuring Method:

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)			
	128.50	- 88.71	= 39.79	X 1	2	4	6	0.04	0.16	0.64	1.44	6.34

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	7:00	7:19	8:38								
Volume Purge (gal)	6	12	18								
Temperature (C)	18.8	16.2	16.0								
pH	7.31	7.27	7.23								
Spec. Cond.(umhos)	1018	1020	1001								
Turbidity/Color	Some brown	Some brown	Some brown								
Odor (Y/N)	✓	✓	✓								
Casing Volumes	—	—	—								
Dewatered (Y/N)	✓	✓	✓								

Comments/Observations:

SAMPLING DATA

Time Sampled: 8:40

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
1	6	Voa	HCL	40 ml		TPH-g, 8TEX, MTBE

Total Purge Volume: 18 (gallons) Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Purging and Sampling:

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW 13

Date: 12-22-73

Project No: UP3399.1

Personnel:

GAUGING DATAWater Level Measuring Method: Laser

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Casing Volume (gal)	Total Purge Volume (gal)	
	70.12	- 16.83	= 72.9	X 1	1/2	4	6	0.04 0.16 0.64 1.44

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	7:18	7:19	7:20				
Volume Purge (gal)	1	2	3				
Temperature (C)	14.5	16.7	17.5				
pH	7.07	7.10	7.15				
Spec.Cond.(umhos)	1639	1793	1817				
Turbidity/Color	clear	slight/white	slight/white				
Odor (Y/N)	N	N	N				
Casing Volumes	1	—	—				
Dewatered (Y/N)	N	N	N				

Comments/Observations:

SAMPLING DATA						
Time Sampled:	Approximate Depth to Water During Sampling:			(feet)		
Comments:						
Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW 13	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons)

Disposal: SYSTEM

Weather Conditions: clearCondition of Well Box and Casing at Time of Sampling: dryWell Head Conditions Requiring Correction: noneProblems Encountered During Puring and Sampling: none

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	W1W14	Date:	12-22-93
Project No:	UP3399.1	Personnel:	<i>[Signature]</i>		

GAUGING DATA

Water Level Measuring Method: *SLN*

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter		Casing Volume (gal)	Total Purge Volume (gal)
	135.10	- 66.61	= 68.49	X	1 2 4 6	0.04 0.16 0.64 1.44	10.95 = 32.87

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	10:00	10:39	11:13			
Volume Purge (gal)	11	22	33			
Temperature (C)	15.7	16.0	16.0			
pH	7.66	7.60	7.55			
Spec.Cond.(umhos)	1041	1033	1025			
Turbidity/Color	3 NTU <i>Very</i>	8 NTU <i>Very</i>	3 NTU <i>Very</i>			
Odor (Y/N)	—	—	—			
Casing Volumes	—	—	—			
Dewatered (Y/N)	—	—	—			

Comments/Observations:

SAMPLING DATA

Time Sampled: 11:20 Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
W1W14	6	Vca	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 30 (gallons) Disposal: SYSTEM

Weather Conditions: *OK*Condition of Well Box and Casing at Time of Sampling: *OK*Well Head Conditions Requiring Correction: *None*Problems Encountered During Purging and Sampling: *None*

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	OWI	Date:	12/23/03
Project No:	UP3399.1	Personnel:	C. M. Mitchell		

GAUGING DATA
Water Level Measuring Method: **WLW**

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)	
	11.10	- 9.65	= 1.45	X ¹	2	4	6	.92	= 2.78
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	11:56	12:02	12:09				
Volume Purge (gal)	1	2	3				
Temperature (C)	16.9°C	17.1°C	16.8°C				
pH	7.21	6.65	6.80				
Spec. Cond.(umhos)	433.7	389.5	365.6				
Turbidity/Color	S. Ify	S. Ify	S. Ify				
Odor (Y/N)	N	N	N				
Casing Volumes	—	—	—				
Dewatered (Y/N)	N	N	N				

Comments/Observations:

SAMPLING DATA

Time Sampled: 12:15

Approximate Depth to Water During Sampling:

10 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
OWI	6	Vca	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons)

Disposal:

SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Purging and Sampling:

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	OW2	Date:	12/23/03
Project No:	UP3399.1	Personnel:	C. Mitchell		

GAUGING DATA

Water Level Measuring Method: WLW

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	12.30	9.46	2.84	X 1 2 4 6 0.04 0.16 0.64 1.44	1.81	= 5.45

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	12:46	12:48	12:50			
Volume Purge (gal)	2	4	6			
Temperature (C)	19.4°C	19.5°C	19.5°C			
pH	6.60	6.46	6.45			
Spec. Cond.(umhos)	521.4μs	505.9μs	515.9μs			
Turbidity/Color	S. It's	Green	Clear			
Odor (Y/N)	N	N	N			
Casing Volumes	—	—	—			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 12:55

Approximate Depth to Water During Sampling: 10 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
OW2	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 6 (gallons)

Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

OK 1x stripped

Well Head Conditions Requiring Correction:

None 3x OK

Problems Encountered During Puring and Sampling:

None

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: VR 1

Date: 12-22-93

Project No: UP3399.1

Personnel: (initials)

GAUGING DATA

Water Level Measuring Method: WLW1

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	36.05	-24.86	= 5.14	X	1	2	4	6	3.28 = 9.46
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	13:27	13:29						
Volume Purge (gal)	3	6	9					
Temperature (C)	18.9	19.5						
pH	7.23	6.84						
Spec.Cond.(umhos)	730.4	778.3						
Turbidity/Color	sway/very	sway/very						
Odor (Y/N)	N	N						
Casing Volumes	1	1						
Dewatered (Y/N)	1	1	4					

Comments/Observations:

DECONTAMINATED & GALLONS
REMOVED & SAMPLED

SAMPLING DATA

Time Sampled: 13:45

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
VR 1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 8 (gallons)

Disposal: SYSTEM

Weather Conditions: ~~OK~~Condition of Well Box and Casing at Time of Sampling: ~~OK~~Well Head Conditions Requiring Correction: ~~None~~Problems Encountered During Puring and Sampling: ~~DECONTAMINATED~~

Comments:

© 1990 by ETIC Inc. GM Form 100-1000 Under Source Form 100-1000.

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	FMW1	Date:	10/21/03
Project No:	UP3399.1	Personnel:	(initials)		

GAUGING DATA

 Water Level Measuring Method: *Water level*

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	15.43	12.64	= 2.74	X	1	2	4	6	1.75	= 5.24
					0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	11:44	/	/	/	/	/	/	/	/
Volume Purge (gal)	2	4	/	6	/	/	/	/	/
Temperature (C)	20.6	/	/	/	/	/	/	/	/
pH	6.92	/	/	/	/	/	/	/	/
Spec. Cond.(umhos)	373.4	/	/	/	/	/	/	/	/
Turbidity/Color	Blurry / clear	/	/	/	/	/	/	/	/
Odor (Y/N)	N	/	/	/	/	/	/	/	/
Casing Volumes	-	/	/	/	/	/	/	/	/
Dewatered (Y/N)	N	/	/	/	/	/	/	/	/

Comments/Observations:

Groundwater is clear
Screen cleaned & capped

SAMPLING DATA

Time Sampled: 12:00

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
Sample 1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 2.5 (gallons)

Disposal: SYSTEM

Weather Conditions: 74°F

Condition of Well Box and Casing at Time of Sampling: 2x2

Well Head Conditions Requiring Correction: 2x2

Problems Encountered During Puring and Sampling: 2x2

Comments:

© 1997-2002 ETIC Inc. All rights reserved. Printed on recycled paper.

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	PMW2	Date:	12/22/03
Project No:	UP3399.1	Personnel:	C. Mitchell		

GAUGING DATA

 Water Level Measuring Method: **WLM**

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)			
	15.35	- 10.86	= 4.49	X 1	2	4	6	0.04	0.16	0.64	1.44	2.87

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time												
Volume Purge (gal)	3	6	9	/	/	/	/	/	/	/	/	/
Temperature (C)												
pH												
Spec. Cond.(umhos)												
Turbidity/Color												
Odor (Y/N)												
Casing Volumes												
Dewatered (Y/N)	Y											

Comments/Observations:
 Dewatered after ~ 1.5 gal.
 Well sampled after recharging.

SAMPLING DATA

 Time Sampled: **12:20**

 Approximate Depth to Water During Sampling: **11** (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW2	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

 Total Purge Volume: **1.5** (gallons)

 Disposal: **SYSTEM**

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

OK ~~OK~~ 2x 80 ft's STRIPPED

Well Head Conditions Requiring Correction:

None ~~OK~~

Problems Encountered During Puring and Sampling:

Dewatered

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	PMW3	Date:	12/22/02
Project No:	UP3399.1	Personnel:	C. M. Schue II		

GAUGING DATA

Water Level Measuring Method: WLW Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	15.70	- 9.11	= 6.59	X 1 2 4 6 0.04 0.16 0.64 1.44	4.21	= 12.65

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	9:59	/	/	/	/	/
Volume Purge (gal)	4	8	12			
Temperature (C)	18.8°C					
pH	6.96					
Spec. Cond. (umhos)	806.7us					
Turbidity/Color	Silt					
Odor (Y/N)	N					
Casing Volumes	/	/	/			
Dewatered (Y/N)	N	Y	/			

Comments/Observations:

Well Dewatered at 4.5 gal after recharging
Well Sampled after recharging

SAMPLING DATA

Time Sampled: 10:25 Approximate Depth to Water During Sampling: 10 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled: (mL or L)	Turbidity/ Color	Analysis Method
PMW3	6	Vca	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 4.5 (gallons)

Disposal:

SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

OK

Well Head Conditions Requiring Correction:

None

Problems Encountered During Puring and Sampling:

Dewatered

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: PMWY

Date: 12/27/03

Project No: UP3399.1

Personnel: C. M. Schell

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)
	15.70	- 15.28	= .42	X 1	2	4	6	.26 = .80
				0.04	0.16	0.64	1.44	

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time								
Volume Purge (gal)	.5	1	1.5					
Temperature (C)								
pH								
Spec. Cond.(umhos)								
Turbidity/Color								
Odor (Y/N)								
Casing Volumes								
Dewatered (Y/N)	Y							

Comments/Observations: Dewatered after 1.25 gal.
 Did not recharge No sample taken

SAMPLING DATA

Time Sampled: —

Approximate Depth to Water During Sampling: — (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMWY	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons)

Disposal:

SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Puring and Sampling:

Comments:

Printed 12/27/2003 from JobMaster Interprete Job Database

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: PMWS

Date: 12/22/03

Project No: UP3399.1

Personnel: C. M. tache II

GAUGING DATA

Water Level Measuring Method: WLW

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)
	15.65	13.55	2.10	1 0.04	2 0.16	4 0.64	6 1.44	1.34 = 4.03

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time							
Volume Purge (gal)	1	2	3				
Temperature (C)							
pH							
Spec.Cond.(umhos)							
Turbidity/Color							
Odor (Y/N)							
Casing Volumes							
Dewatered (Y/N)	Y						
Comments/Observations:	Dewatered at 14.5 gal. Well did not recharge						

SAMPLING DATA

Time Sampled: 12/15

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled: (mL or L)	Turbidity/ Color	Analysis Method
PMWS	5	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal: SYSTEM

Weather Conditions:

OK

Condition of Well Box and Casing at Time of Sampling:

OK

Well Head Conditions Requiring Correction:

None

Problems Encountered During Puring and Sampling:

Dewatered - did not recharge.

Comments:

Project 733-00 Public GM Pre-field Order Form (Final)

Appendix C

Laboratory Analytical Reports

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

1/ 2/04

CASE NARRATIVE

ETIC 5865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:

Project Name: EXXONMOBIL 7-3399

Project Number: .

Laboratory Project Number: 359054.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Sample Identification	Lab Number	Collection Date
MW4	03-A200595	12/22/03
MW5D	03-A200596	12/22/03
MW7	03-A200597	12/22/03
MW8	03-A200598	12/22/03
MW12A	03-A200599	12/22/03
MW13	03-A200600	12/22/03
MW14	03-A200601	12/22/03
OW1	03-A200602	12/22/03
OW2	03-A200603	12/22/03
VR1	03-A200604	12/22/03
PMW1	02-A200605	12/22/03
PMW2	03-A200606	12/22/03
PMW3	03-A200607	12/22/03

RECEIVED

JAN 12 2004

ETIC ENGINEERING

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREDITON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

Page 2

Sample Identification	Lab Number	Collection Date
-----	-----	-----

These results relate only to the items tested.
This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By: Report Date: 12/31/03

Ashley Morris, Lab Director	Gail A. Lage, Technical Serv.
Michael H. Dunn, M.S., QA/QC Director	Glenn L. Norton, Technical Serv.
Johnny A. Mitchell, Operations Manager Organics	Kelly S. Comstock, Technical Serv.
Eric S. Smith, Assistant Technical Director	Pamela A. Langford, Technical Serv.
Roxanne L. Connor, Technical Services	

Laboratory Certification Number: 01166CA

This material is intended only for the use of the individual(s) or entity to whom it is addressed,
and may contain information that is privileged and confidential. If you are not the intended recipient,
or the employee or agent responsible for delivering this material to the intended recipient, you are
hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited.
If you have received this material in error, please notify us immediately at 615-726-0177.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER GREYTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200595
Sample ID: MW4
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 11:05
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	19:16	H. Wagner	8021B	6880
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	19:16	H. Wagner	8021B	6880
Toluene	ND	ug/L	0.5	1.0	12/29/03	19:16	H. Wagner	8021B	6880
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	19:16	H. Wagner	8021B	6880
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	19:16	H. Wagner	8021B	6880
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	19:16	H. Wagner	8015B	6880

Surrogate	% Recovery	Target Range
BTEX/GC Surry., a,a,a-TFT	103.	69. - 129.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200596
Sample ID: MW5D
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 9:50
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	19:47	H. Wagner	8021B	6880
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	19:47	H. Wagner	8021B	6880
Toluene	ND	ug/L	0.5	1.0	12/29/03	19:47	H. Wagner	8021B	6880
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	19:47	H. Wagner	8021B	6880
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	19:47	H. Wagner	8021B	6880
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	19:47	H. Wagner	8015B	6880

Surrogate	% Recovery	Target Range
BTM/GC Surr., a,a,a-TFT	102.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
S = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER GREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200597
Sample ID: MW7
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 12:45
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	20:18	H. Wagner	8021B	6880
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	20:18	H. Wagner	8021B	6880
Toluene	ND	ug/L	0.5	1.0	12/29/03	20:18	H. Wagner	8021B	6880
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	20:18	H. Wagner	8021B	6880
Methyl- <i>t</i> -butylether	ND	ug/L	0.5	1.0	12/29/03	20:18	H. Wagner	8021B	6880
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	20:18	H. Wagner	8015B	6880

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX, GRO Surrogate, a,a,a-TPT	103.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200598
Sample ID: MW8
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 13:35
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	20:49	H. Wagner	8021B	6880
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	20:49	H. Wagner	8021B	6880
Toluene	ND	ug/L	0.5	1.0	12/29/03	20:49	H. Wagner	8021B	6880
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	20:49	H. Wagner	8021B	6880
Methyl-t-butylether	0.7	ug/L	0.5	1.0	12/29/03	20:49	H. Wagner	8021B	6880
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	20:49	H. Wagner	8015B	6880
VOLATILE ORGANICS									
Methyl-t-butyl ether	0.5	ug/L	0.5	1.0	12/29/03	13:30	A. Bruton	8050B	9144

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GC Surr., a,a,a-TPT	102.	89. - 129.
VOA Surr 1,3-DCA-d4	109. #	71. - 128.
VOA Surr Toluene-d8	98.	77. - 119.
VOA Surr, 4-BPE	108.	79. - 123.
VOA Surr, DBPM	109.	78. - 124.

Sample report continued . . .

2960 FOSTER CREEKTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 03-A200598

Sample ID: MW8

Project:

Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200599
Sample ID: MW12A
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 8:40
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	17:34	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	17:34	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	17:34	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	17:34	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	17:34	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	17:34	I. Ahmed	8015B	4355

Surrogate	% Recovery	Target Range
BTX/GC Surr., a,a,a-TPT	102.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200600
Sample ID: MW13
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 7:25
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ORGANIC PARAMETERS

Benzene	ND	ug/L	0.50	1.0	12/29/03	18:06	I. Ahmed	8021B	4355
Ethylibenzene	ND	ug/L	0.5	1.0	12/29/03	18:06	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	18:06	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	18:06	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	18:06	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	18:06	I. Ahmed	8015B	4355

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GC Surrogate, a,a,a-TFT	99.	69. - 129.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200601
Sample ID: MW14
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 11:20
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	18:37	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	18:37	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	18:37	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	18:37	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	18:37	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	18:37	I. Ahmed	9015B	4355

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GC Surr., a,a,a-TFT	101.	69. - 129.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200602
Sample ID: OW1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 12:15
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	19:09	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	19:09	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	19:09	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	19:09	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	19:09	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	19:09	I. Ahmed	8015B	4355

Surrogate	% Recovery	Target Range
BTEN/CRO Surr., a,a,a-TPT	101.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200603
Sample ID: OW2
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 12:55
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	19:40	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	19:40	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	19:40	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	19:40	I. Ahmed	8021B	4355
Methyl-t-butyl-ether	50.2	ug/L	0.5	1.0	12/29/03	19:40	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	19:40	I. Ahmed	8015B	4355
VOLATILE ORGANICS									
Methyl-t-butyl ether	53.6	ug/L	1.0	1.0	1/ 2/04	13:58	A. Bruton	8260B	8144

Surrogate	% Recovery	Target Range
-----	-----	-----
BTX/GC Surr., a,a,a-TPT	101.	69. - 129.
VCA Surr 1,2-DCA-d4	126.	81. - 128.
VCA Surr Toluene-d8	99.	77. - 119.
VCA Surr, 4-BFB	100.	79. - 125.
VCA Surr, DBFM	109.	78. - 124.

Sample report continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-763-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200604
Sample ID: VR1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 13:45
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.60	1.0	12/29/03	20:12	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	20:12	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	20:12	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	20:12	I. Ahmed	8021B	4355
Methyl-t-butylether	42.6	ug/L	0.5	1.0	12/29/03	20:12	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	20:12	I. Ahmed	8015B	4355
VOLATILE ORGANICS									
Methyl-t-butyl ether	42.1	ug/L	1.0	1.0	1/ 2/04	14:27	A. Bruton	8260B	9144

Surrogate	% Recovery	Target Range
-----	-----	-----
STEX/GRC Surr., a.a.a-TFT	102.	69. - 129.
VOA Surr 1,2-DCA-d4	125.	71. - 128.
VOA Surr Toluene-d8	97.	77. - 119.
VOA Surr, 4-BFB	104.	79. - 123.
VOA Surr, DBFM	109.	78. - 124.

Sample report continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 03-A200604

Sample ID: VR1

Project:

Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200605
Sample ID: PMW1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 12:00
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.53	1.0	12/29/03	20:43	I. Ahmed	80213	4355
Ethybenzene	ND	ug/L	0.5	1.0	12/29/03	20:43	I. Ahmed	80213	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	20:43	I. Ahmed	80213	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	20:43	I. Ahmed	80213	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	20:43	I. Ahmed	80213	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	20:43	I. Ahmed	80153	4355

Surrogate	% Recovery	Target Range
BTX SOR Surrogate	104.	69. - 129.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200606
Sample ID: PMW2
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 12:20
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	22:18	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	22:18	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	22:18	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	22:18	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	22:18	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	22:18	I. Ahmed	8015B	4355

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GC Surr., a,a,a-TFT	104.	69. - 129.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
DOUG FITZGERALD
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A200607
Sample ID: PMW3
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACOLSA

Date Collected: 12/22/03
Time Collected: 10:25
Date Received: 12/24/03
Time Received: 9:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	12/29/03	22:49	I. Ahmed	8021B	4355
Ethylbenzene	ND	ug/L	0.5	1.0	12/29/03	22:49	I. Ahmed	8021B	4355
Toluene	ND	ug/L	0.5	1.0	12/29/03	22:49	I. Ahmed	8021B	4355
Xylenes (Total)	ND	ug/L	0.5	1.0	12/29/03	22:49	I. Ahmed	8021B	4355
Methyl-t-butylether	ND	ug/L	0.5	1.0	12/29/03	22:49	I. Ahmed	8021B	4355
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	12/29/03	22:49	I. Ahmed	8015B	4355

Surrogate	% Recovery	Target Range
-----	-----	-----
BTEX/GRO Surrogate, a,a,a-TPT	103.	60. - 120.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-763-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 1

Laboratory Receipt Date: 12/26/03

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for the defined analytical batch for MS/MSD analysis on an true sample matrix. Laboratory reagent water was used for QC purposes.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C.	Batch	Sample
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

QST ANALYSIS

Benzene	mg/l	< 0.00050	0.0492	0.0500	98	60. - 143.	4355	03-A200599
Benzene	mg/l	< 0.00050	0.0512	0.0500	102	60. - 143.	6880	03-A200596
Toluene	mg/l	< 0.0005	0.0478	0.0500	96	62. - 139.	4355	03-A200599
Toluene	mg/l	< 0.0005	0.0513	0.0500	103	62. - 139.	6880	03-A200596
Ethylbenzene	mg/l	< 0.0005	0.0471	0.0500	94	61. - 138.	4355	03-A200599
Ethylbenzene	mg/l	< 0.0005	0.0521	0.0500	104	61. - 138.	6880	03-A200596
Xylenes (Total)	mg/l	< 0.0005	0.0864	0.100	86	59. - 137.	4355	03-A200599
Xylenes (Total)	mg/l	< 0.0005	0.0891	0.100	89	59. - 137.	6880	03-A200596
Methyl-t-butylether	mg/l	< 0.0005	0.0413	0.0500	83	60. - 138.	4355	03-A200599
Methyl-t-butylether	mg/l	< 0.0005	0.0501	0.0500	100	60. - 138.	6880	03-A200596
TPH (Gasoline Range)	mg/l	< 0.0500	1.06	1.00	106	56. - 134.	4355	03-A200599
TPH (Gasoline Range)	mg/l	< 0.0500	0.898	1.00	100	56. - 134.	6880	03-A200596
BTX/GRO Surrogate, a,a,a-TFT	% Recovery				109	69 - 129	4355	
BTX/GRO Surrogate, a,a,a-TFT	% Recovery				102	69 - 129	6880	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C.	Batch
-----	-----	-----	-----	-----	-----	-----	-----

QST PARAMETERS

Benzene	mg/l	0.0492	0.0491	0.20	23.	4355
Benzene	mg/l	0.0512	0.0506	1.18	23.	6880
Toluene	mg/l	0.0478	0.0478	0.00	24.	4355

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 2

Laboratory Receipt Date: 12/26/03

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
Toluene	mg/l	0.0513	0.0507	1.18	24.	6880
Ethylbenzene	mg/l	0.0471	0.0470	0.21	24.	4355
Ethylbenzene	mg/l	0.0521	0.0517	0.77	24.	6880
Xylenes (Total)	mg/l	0.0864	0.0858	0.70	25.	4355
Xylenes (Total)	mg/l	0.0891	0.0889	0.22	25.	6880
Methyl-t-butylether	mg/l	0.0413	0.0425	2.86	24.	4355
Methyl-t-butylether	mg/l	0.0501	0.0494	1.41	24.	6880
TPH (Gasoline Range)	mg/l	1.06	1.08	1.87	24.	4355
TPH (Gasoline Range)	mg/l	0.998	0.916	8.57	24.	6880
BTEX/GRO Surr., a,a,a-TFT	% Recovery		107.			4355
BTEX/GRO Surr., a,a,a-TFT	% Recovery		102.			6880
VOA Surr 1,3-DCA-d4	% Rec		121.			9144
VOA Surr Toluene-de	% Rec		96.			9144
VOA Surr, 4-BFB	% Rec		101.			9144
VOA Surr, DBFM	% Rec		110.			9144

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch

UST PARAMETERS

Benzene	mg/l	0.100	0.0893	89	74 - 120	4355
Benzene	mg/l	0.100	0.0826	84	74 - 120	6880
Toluene	mg/l	0.100	0.0885	88	73 - 118	4355
Toluene	mg/l	0.100	0.0848	85	73 - 118	6880
Ethylbenzene	mg/l	0.100	0.0867	87	72 - 118	4355
Ethylbenzene	mg/l	0.100	0.0858	86	72 - 118	6880
Xylenes (Total)	mg/l	0.060	0.071	86	73 - 116	4355

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 3

Laboratory Receipt Date: 12/26/03

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
Xylenes (Total)	mg/l	0.200	0.166	83	72 - 116	6880
Methyl-t-butylether	mg/l	0.100	0.0750	75	64 - 124	4355
Methyl-t-butylether	mg/l	0.100	0.0846	85	64 - 124	6880
TPH (Gasoline Range)	mg/l	1.00	1.06	106	72 - 125	4355
TPH (Gasoline Range)	mg/l	1.00	0.998	100	72 - 125	6880
BTEX/GRO Surr., a,a,a-TFT	% Recovery			108	69 - 129	4355
BTEX/GRO Surr., a,a,a-TFT	% Recovery			101	69 - 129	6880
VOA PARAMETERS						
Methyl-t-butyl ether	mg/l	0.0500	0.0592	118	68 - 134	9144
VOA Surr 1,2-DCA-d4	% Rec			124	70 - 133	9144
VOA Surr Toluene-d8	% Rec			95	76 - 123	9144
VOA Surr, 4-EFB	% Rec			95	71 - 132	9144
VOA Surr, DBFM	% Rec			109	74 - 128	9144

Duplicates

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch	Sample Dup'd

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed

UST PARAMETERS

Benzene	< 0.00050	mg/l	4355	12/29/03	14:15
---------	-----------	------	------	----------	-------

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 4

Laboratory Receipt Date: 12/26/03

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Analysis Date	Analysis Time
Benzene	< 0.00050	mg/l	6880	12/29/03	17:12
Toluene	< 0.0005	mg/l	4355	12/29/03	14:15
Toluene	< 0.0005	mg/l	6880	12/29/03	17:12
Ethylbenzene	< 0.0005	mg/l	4355	12/29/03	14:15
Ethylbenzene	< 0.0005	mg/l	6880	12/29/03	17:12
Xylenes (Total)	< 0.0005	mg/l	4355	12/29/03	14:15
Xylenes (Total)	< 0.0005	mg/l	6880	12/29/03	17:12
Methyl- <i>t</i> -butylether	< 0.0005	mg/l	4255	12/29/03	14:15
Methyl- <i>t</i> -butylether	< 0.0005	mg/l	6880	12/29/03	17:12
TPH (Gasoline Range)	< 0.0500	mg/l	4355	12/29/03	14:15
TPH (Gasoline Range)	< 0.0500	mg/l	6880	12/29/03	17:12
BTEX/GRO Surr., a,a,a-TFT	102.	% Recovery	4355	12/29/03	14:15
BTEX/GRO Surr., a,a,a-TFT	103.	% Recovery	6880	12/29/03	17:12
VOA PARAMETERS					
Methyl- <i>t</i> -butyl ether	< 0.0005	mg/l	9144	1/ 2/04	13:02
VOA Surr 1,2-DCA-d4	129.	% Rec	9144	1/ 2/04	13:02
VOA Surr Toluene-d8	99.	% Rec	9144	1/ 2/04	13:02
VOA Surr, 4-BFB	105.	% Rec	9144	1/ 2/04	13:02
VOA Surr, DBFM	109.	% Rec	9144	1/ 2/04	13:02

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 8E9054



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

CHAIN OF CUSTODY RECORD

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404



Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 14

Fax No.: (925) 602-4720

Sampler Name: (Print) *NNNN PLEASANT*Sampler Signature: *[Signature]*

Report To: DOUG FITZGERALD

Invoice To: GENE ORTEGA (EXXONMOBIL PM)

Account #: 3865

PO #: 4501663700

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative			Matrix			Analyze For:			RUSH TAT (Pre-Schedule) TAT request (in Bus. Days)	STD TAT Fax Results
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater		
MW1	12/22	6		X	X				X				X	X	X		
MW4	200545	11:05	6		X	X			X				X	X	X		
MW5S			6		X	X			X				X	X	X		
MW5D	96	9:50	6		X	X			X				X	X	X		
MW7	97	12:45	6		X	X			X				X	X	X		
MW8	74	13:35	6		X	X			X				X	X	X		
MW8A			6		X	X			X				X	X	X		
MW10			6		X	X			X				X	X	X		
MW11			6		X	X			X				X	X	X		
MW12A	200544	V 8:43	6		X	X			X				X	X	X		
Special Instructions: GLOBAL ID# T0600100537 EDF FILE REQUIRED								Laboratory Comments:									
CONFIRM ALL MTBE HITS BY 8260B																	
Relinquished by: <i>NNNN PLEASANT</i>	Date	Time	Received by:					Date	Time	-0.7							
<i>[Signature]</i>	12-22-03	16:00															
Relinquished by:	Date	Time	Received by TestAmerica: <i>M.L.</i>					Date	Time								
								12/24/03	9:00								

CHAIN OF CUSTODY RECORD

TestAmerica
INCORPORATED

**Nashville Division
2960 Foster Creighton
Nashville TN 37204**

**Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404**

ExxonMobil

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 14

Sampler Name: (Print) WILLIE VENESS

Sampler Signature:

Campus Signature:

Report To: DOUG FITZGERALD

Invoice To: GENE ORTEGA (EXXONMOBIL PM)

Account #: 3865


PO #: 4501663700

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City State Zip PLEASANTON CA


Sample ID / Description		Date Sampled	Time Sampled	No. of Containers Shipped	Preservative	Matrix	Analyze For:	RUSH TAT (Pre-Schedule)	
					Ice HNO ₃ (Red Label) HCl (Blue Label) NaOH (Orange Label) H ₂ SO ₄ Plastic (Yellow Label) H ₂ SO ₄ Glass (Yellow Label) None (Black Label)	Other (Specify): Groundwater Wastewater Drinking Water Sludge Soil Other (specify):			TAT request (in Bus. Days)
								STD TAT	
								Fax Results	
MW13	260100	12/22	7:25	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
MW14	01		11:20	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
OW1	02		12:15	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
OW2	03		12:55	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
VR1	04		13:45	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
VR2				6	X X X X X X	X X X X X X	X X X X X X	X X X X	
PMW1	05		12:00	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
PMW2	06		12:20	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
PMW3	2006:7		10:15	6	X X X X X X	X X X X X X	X X X X X X	X X X X	
PMW4				6	X X X X X X	X X X X X X	X X X X X X	X X X X	
Special Instructions:		GLOBAL ID# T0600100537		EDF FILE REQUIRED				Laboratory Comments: Temperature Upon Receipt: Sample Containers Intact? VOCs. Free of Headspace?	
CONFIRM ALL MTBE HITS BY 8260B								Y N	
Relinquished by: <i>[Signature]</i>		Date 12/22/03	Time 16:00	Received by:		Date	Time	Y N	
Relinquished by: <i>[Signature]</i>		Date	Time	Received by TestAmerica: <i>MB</i>		Date 12/27/03	Time 9:44	Y N	



359054

COOLER RECEIPT FORM

BC#

Client: FTICCooler Received On: 12/24/03 And Opened On: 12/24/03 By: Mark Beasley
(Signature)

1. Temperature of Cooler when opened -0.7 Degrees Celsius
2. Were custody seals on outside of cooler? YES... NO....NA
a. If yes, how many, what kind and where: 1 First
3. Were custody seals on containers and intact? NO... YES...NA
4. Were the seals intact, signed, and dated correctly? YES... NO...NA
5. Were custody papers inside cooler? YES... NO...NA
6. Were custody papers properly filled out (ink,signed,etc)? YES... NO...NA
7. Did you sign the custody papers in the appropriate place? YES... NO...NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Cooling process: Ice Ice pack Ice(direct contact) Dry ice Other None
10. Did all containers arrive in good condition(unbroken)? YES... NO...NA
11. Were all container labels complete (#,date,signed,pres,etc)? YES... NO...NA
12. Did all container labels and tags agree with custody papers? YES... NO...NA
13. Were correct containers used for the analysis requested? YES... NO...NA
14. a. Were VOA vials received? YES... NO...NA
b. Was there any observable head space present in any VOA vial? NO... YES...NA
15. Was sufficient amount of sample sent in each container? YES... NO...NA
16. Were correct preservatives used? YES... NO...NA
If not, record standard ID of preservative used here _____
17. Was residual chlorine present? NO... YES...NA
18. See attached for resolution of non-conformance:

UPS

Velocity

Airborne

Route

Off-street

 Fedex

Misc.