

ExxonMobil
Refining & Supply Company
Global Remediation
25A Crescent Drive #407
Pleasant Hill, CA 94523
(925) 246-8747 Telephone
(925) 246-7822 Facsimile
gene.n.ortega@exxonmobil.com

MAY 21 2004

Gene N. Ortega
Project Manager
Global Remediation - U.S. Retail

ExxonMobil
Refining & Supply

May 17, 2004

Mr. Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94501-6577

Subject: Former Exxon RAS #7-3399, 2991 Hopyard Road, Pleasanton, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, First Quarter 2004* for the above-referenced site. The report was prepared by ETIC Engineering, Inc. of Pleasant Hill, California, and summarizes the results of the March 2004 sampling event. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at (925) 246-8747.

Sincerely,



Gene N. Ortega
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated May 2004

- c: w/ attachment:
Ms. Cherie McMaulou - California Regional Water Quality Control Board, San Francisco Bay Region
Mr. Matthew Katen - Zone 7 Water Agency
Mr. Stephen Cusenza - City of Pleasanton Public Works Department
Mr. Thomas Elson - Luhdorff and Scalmanini Consulting Engineers
Mr. Joseph A. Aldridge - Valero Energy Corporation
- c: w/o attachment:
Mr. Jerry Mitchell - ETIC Engineering, Inc.

720 362



Alameda County

MAY 21 2004

1000 10th Street, Suite 100
Alameda, California 94501-1000

Report of Groundwater Monitoring First Quarter 2004

Former Exxon Retail Site 7-3399
2991 Hopyard Road
Pleasanton, California

Prepared for

ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523

Prepared by


ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

Bryan Campbell
Project Manager

May 10, 2004

Date

Heidi Dieffenbach-Carle
Heidi Dieffenbach-Carle, R.G. #6793
Senior Geologist



May 10, 2004

Date

May 2004

SITE CONTACTS

Site Name: Former Exxon Retail Site 7-3399

Site Address: 2991 Hopyard Road
Pleasanton, California

ExxonMobil Project Manager: Gene N. Ortega
ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523
(925) 246-8747

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Bryan Campbell

Regulatory Oversight: Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6783

Cherie McMaulou
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612
(510) 622-2342

Matthew Katen
Zone 7 Water Agency
5997 Parkside Drive
Pleasanton, California 94588
(925) 484-2600

INTRODUCTION

At the request of ExxonMobil Refining and Supply Company, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-3399. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 22 December 2003, the dates of the last monitoring event, until 23 March 2004, the date of the recent monitoring event. The report also presents results for remediation system monitoring. Groundwater monitoring results, well construction details, a groundwater monitoring plan, and system monitoring results are summarized in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 7-3399
Site address:	2991 Hopyard Road, Pleasanton, California
Current property owner:	Kirk D. Morrison Trust
Current site use:	Active Valero-branded station and auto repair facility operated by Steve Asmann Incorporated; fuel system owned and maintained by Valero Energy Corporation
Current phase of project:	Groundwater monitoring, groundwater extraction
Tanks at site:	Three underground storage tanks (three grades of gasoline)
Number of wells:	22 (16 onsite, 6 offsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	23 March 2004
Wells gauged and sampled:	MW4, MW5D, MW5S, MW7, MW8, MW11, MW12A, MW13, MW14, OW2, PMW1-PMW3, PMW5, PMW6, VR1
Wells gauged only:	MW1, MW9A, MW10, OW1, PMW4, VR2
Groundwater flow direction (zone 1):	South-southwest
Groundwater gradient (zone 1):	0.02
Groundwater flow direction (deeper):	South-southeast
Groundwater gradient (deeper):	0.007
Remediation system status during groundwater monitoring event:	Groundwater extraction system operating
Well screens submerged:	MW5D, MW8, MW12A, MW13, MW14
Well screens not submerged:	MW1, MW4, MW5S, MW7, MW9A, MW10, MW11, OW1, OW2, PMW1-PMW6, VR1, VR2
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	TestAmerica, Inc., Nashville, Tennessee

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B (confirmation samples)

Additional comments:

Wells MW1, MW9A, MW10, OW1, PMW4, and VR2 were functionally dry.

A grab sample was taken from well MW11.

Wells OW1, OW2, PMW1-PMW6, and VR1 are considered to be screened in a perched groundwater zone.

The total depth measured in well MW7 does not match the well completion log.

REMEDIATION SYSTEM SUMMARY

Groundwater Extraction System

System description:

The groundwater extraction system (GES) is capable of extracting groundwater from 4 wells: MW9A, OW1, OW2, and VR1. Groundwater is pumped, using electric submersible pumps for wells MW9A and VR1, and using pneumatic pumps for wells OW1 and OW2, through particulate filters, and through two 1,000-pound activated carbon vessels in series. The treated water is discharged to the sanitary sewer under a discharge permit issued by the Dublin San Ramon Services District.

System startup date: 12 March 2001

Active extraction wells: OW2, VR1

Inactive extraction wells/reason: MW9A, OW1 - not operating due to low water levels in MW9A and OW1

Modifications made during reporting period/reasons for modifications:

No modifications were made during the reporting period.

Status of system operation during reporting period/reasons for downtime:

The GES was operated continuously during the reporting period.

System performance data totals (totals since system startup, as of 23 March 2004):

Groundwater extracted: 1,238,770 gallons

Pounds of TPH removed: 1.396 (calculated as the sum of TPH-g and TPH-d)

Pounds of benzene removed: 0.008

Pounds of MTBE removed: 0.782

GES proposed work:

A justification and plan for shutdown of the GES was submitted on 15 March 2004.

ADDITIONAL ACTIVITIES PERFORMED AT SITE

A justification and plan for shutdown of the GES was submitted on 15 March 2004.

WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

As soon as the approval for the shutdown of the GES is received, the system will be shut down.

Attachments:

Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results

Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction

Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction

Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Monitoring Plan

Table 4: Operation and Performance Data - Groundwater Extraction System

Table 5: Summary of Analytical Results - Groundwater Extraction System

Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports






Figure 2: Influent TPH Concentrations and Estimated Mass of TPH Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.


Figure 3: Influent Benzene Concentrations and Estimated Mass of Benzene Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

G:\Projects\73399\MasterO&M\3399_h2o - Benzene Graph

Figure 4: Influent MTBE Concentrations and Estimated Mass of MTBE Removed by Groundwater Extraction
Former Exxon RS 7-3399, 2991 Hopyard Road, Pleasanton, CA



Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations.

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number		Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
MW1	d	04/01/88	320.52	--	57	57	--	4	32-57	0.020	30-57	--	Zone 1
MW2	a	04/02/88		--	57	57	--	4	37-57	0.020	34-57	--	--
MW3	a	04/04/88		--	60	56	--	4	36-56	0.020	35-60	--	--
MW4	d	04/06/88	321.56	--	60	57	--	4	37-57	0.020	36-60	--	Zone 1
MW5D	d	05/10/88	321.79	--	82.0	77.5	--	4	67.5-77.5	0.020	64-77.5	--	Zone 2
MW5S	d	05/11/88	320.52	--	58	55	--	4	40-55	0.020	37.5-58	--	Zone 1
MW6	a	05/11/88		--	59	55	--	4	40-55	0.020	36-59	--	--
MW7	d	07/12/88	321.27	--	56.5 f	53	--	5	28-53	0.020	25-56.5	--	Zone 1
MW8	d	09/30/89	321.86	PVC	140	133	14	4	118-133	0.020	114-133	--	Deeper Zone
MW9	a	10/04/89		PVC	57.5	54.5	10	4	34.5-54.5	0.020	34-54.5	--	--
MW9A	d	11/03/00	321.27	PVC	59	58	12.25	6	35.0-55.0 55.0-58.0 c	0.020	33.0-58.0	#3 Sand	Zone 1
MW10	d	10/06/89	322.99	PVC	60.5	60	10	4	40-60	0.020	38-60	--	Zone 1
MW11	d	11/02/89	321.73	PVC	55.5	55	10	4	35-55	0.020	33-55	--	Zone 1
MW12	a	08/17/00		PVC	132	131.5	8.33	2	114.5-131.5	0.020	112.5-132	#3 Sand	--
MW12A	d	08/30/00	322.62	PVC	136	130.5	8.33	2	115.5-130.5	0.020	113.5-130.5	#3 Sand	Deeper Zone
MW13	d, b	08/23/00	322.71	PVC and Steel	73	72	8.33	2	61.5-72	0.020	57.5-73	#3 Sand	Zone 2

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone	
MW14	d	08/29/00	PVC	143	136	8.33	2	121.5-136.5	0.020	119.5-143	#3 Sand	Deeper Zone	
OW1	tank backfill well	NM	--	--	--	--	4	e	--	--	--	Perched Zone	
OW2	d	tank backfill well	321.55	--	--	--	4	e	--	--	--	Perched Zone	
PMW1	d	12/16/99	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
PMW2	d	12/16/99	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
PMW3	d	12/16/99	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
PMW4	d	12/16/99	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
PMW5	d	12/16/99	PVC	35.5	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
PMW6	d	12/17/99	PVC	16	16	10	4	6-16	0.010	5.5-16	#2/12 Sand	Perched Zone	
VR1	d	10/24/88	PVC	30	30	10	4	10-30	0.020	10-30	--	--	
VR2		11/20/89	NM	PVC	45.5	45	8	2	35-45	0.020	33-45.5	--	--
VR3	a	11/20/89		PVC	35.5	35	8	2	5-35	0.020	4-35.5	--	--
VR4	a	11/24/89		PVC	35.5	32.5	8	2	12.5-32.5	0.020	4-35.5	--	--

a Well destroyed.

b PVC screen from 61.5-72, stainless steel blank from 11.5-61.5, PVC blank from surface to 11.5.

c Depth of PVC sump at base of well.

d Well surveyed in October 2001. Elevation is based on City of Pleasanton Benchmark #C-972. Brass disc in concrete abutment, 15 feet

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	Water Bearing Zone
e												
	north of the southeast corner of the south bound bridge over Mocho Canal. Elevation = 330.55 feet.											
f												
	Well screen is visible near surface and is assumed to extend to near total depth.											
	The total depth measured in well MW7 does not match the well completion log. On 16 September 2002, the total depth was measured as 59.83 feet below top of casing.											
Perched Zone	Gradient generally not calculated.											
Zone 1	Gradient calculated quarterly.											
Zone 2	Possible communication with Zone 1. Gradient generally not calculated.											
Deeper Zone	Gradient calculated quarterly.											
NM	Not measured.											
PVC	Polyvinyl chloride.											
TOC	Top of casing.											
--	Information not available.											

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW1	04/02/88	321.44	NM	NC	NM	<0.5	1.7	<0.5	<0.5	<20	NA
MW1	04/06/88	321.44	36.34	285.10	0.00	NS	NS	NS	NS	NS	NS
MW1	04/08/88	321.44	36.29	285.15	0.00	NS	NS	NS	NS	NS	NS
MW1	04/19/88	321.44	36.36	285.08	0.00	NS	NS	NS	NS	NS	NS
MW1	06/06/88	321.44	38.16	283.28	0.00	NS	NS	NS	NS	NS	NS
MW1	06/23/88	321.44	38.71	282.73	0.00	NS	NS	NS	NS	NS	NS
MW1	06/28/88	321.44	39.16	282.28	0.00	NS	NS	NS	NS	NS	NS
MW1	07/06/88	321.44	39.73	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/13/88	321.44	40.22	281.22	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/12/88	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/26/88	321.44	41.90	279.54	0.00	NS	NS	NS	NS	NS	NS
MW1	09/07/88	321.44	42.27	279.17	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	12/07/88	321.44	43.94	277.50	0.00	NS	NS	NS	NS	NS	NS
MW1	12/19/88	321.44	43.70	277.74	0.00	NS	NS	NS	NS	NS	NS
MW1	02/09/89	321.44	42.53	278.91	0.00	NS	NS	NS	NS	NS	NS
MW1	03/03/89	321.44	NM	NC	NM	1.6	<0.5	<0.5	<0.5	<20	NA
MW1	03/08/89	321.44	41.96	279.48	0.00	NS	NS	NS	NS	NS	NS
MW1	04/03/89	321.44	41.59	279.85	0.00	NS	NS	NS	NS	NS	NS
MW1	04/26/89	321.44	41.67	279.77	0.00	NS	NS	NS	NS	NS	NS
MW1	06/30/89	321.44	43.79	277.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/17/89	321.44	44.74	276.70	0.00	<0.5	<0.5	<0.5	<0.5	23	NA
MW1	07/18/89	321.44	44.76	276.68	0.00	NS	NS	NS	NS	NS	NS
MW1	07/19/89	321.44	44.82	276.62	0.00	NS	NS	NS	NS	NS	NS
MW1	07/20/89	321.44	44.85	276.59	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/21/89	321.44	44.95	276.49	0.00	NS	NS	NS	NS	NS	NS
MW1	07/26/89	321.44	45.42	276.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/02/89	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/03/89	321.44	46.18	275.26	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW1	08/17/89	321.44	47.12	274.32	0.00	NS	NS	NS	NS	NS	NS
MW1	09/13/89	321.44	49.08	272.36	0.00	39	0.6	<0.5	5.1	220	NA
MW1	11/28/89	321.44	50.21	271.23	0.00	NS	NS	NS	NS	NS	NS
MW1	12/20/89	321.44	NM	NC	NM	56	0.72	<0.5	0.71	220	NA
MW1	01/09/90	321.44	49.31	272.13	0.00	NS	NS	NS	NS	NS	NS
MW1	01/25/90	321.44	NM	NC	NM	18	1.6	<0.5	1.8	57	NA
MW1	01/26/90	321.44	49.29	272.15	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02 ^a	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/23/90	321.44	49.02	272.42	0.00	NS	NS	NS	NS	NS	NS
MW1	02/27/90	321.44	NM	NC	NM	3.2	2.3	<0.5	3.2	55	NA
MW1	03/26/90	321.44	48.71 ^a	272.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	03/26/90	321.44	48.70	272.74	0.00	NS	NS	NS	NS	NS	NS
MW1	04/18/90	321.44	48.79	272.65	0.00	1.1	1.6	<0.5	3.1	25	NA
MW1	05/17/90	321.44	49.40	272.04	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	06/11/90	321.44	50.83	270.61	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	07/30/90	321.44	52.17	269.27	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	08/27/90	321.44	53.44	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW1	09/28/90	321.44	53.40	268.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/20/91	321.44	53.35	268.09	0.00	NS	NS	NS	NS	NS	NS
MW1	06/20/91	321.44	53.55	267.89	0.00	NS	NS	NS	NS	NS	NS
MW1	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW1	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	10/07/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW1	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	01/26/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	02/16/93	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW1	03/11/93	321.44	53.09	268.35	0.00	NS	NS	NS	NS	NS	NS
MW1	04/12/93	321.44	53.32	268.12	0.00	NS	NS	NS	NS	NS	NS
MW1	06/01/93	321.44	53.40	268.04	0.00	NS	NS	NS	NS	NS	NS
MW1	07/15/93	321.44	59.80	261.64	0.00	NS	NS	NS	NS	NS	NS
MW1	08/15/93	321.44	53.45	267.99	0.00	NS	NS	NS	NS	NS	NS
MW1	09/29/93	321.44	53.43	268.01	0.00	NS	NS	NS	NS	NS	NS
MW1	09/30/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	10/28/93	321.44	53.38	268.06	0.00	NS	NS	NS	NS	NS	NS
MW1	11/23/93	321.44	53.46	267.98	0.00	NS	NS	NS	NS	NS	NS
MW1	11/24/93	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/10-11/94	321.44	53.46	267.98	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/04-05/94	321.44	53.34	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	09/01/94 ^e	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	11/16/94	321.44	52.09	269.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	02/15/95	321.44	49.41	272.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	05/09/95	321.44	39.97	281.47	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	08/21/95	321.44	40.68	280.76	0.00	<0.5	0.83	<0.5	<0.5	<50	<2.5
MW1	11/30/95	321.44	38.99	282.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW1	03/28/96	321.44	35.70	285.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	05/31/96	321.44	34.17	287.27	0.00	<0.5	<0.5	<0.5	<0.5	52	<5.0
MW1	08/28/96	321.44	38.37	283.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	11/18/96	321.44	38.40	283.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW1	02/28/97	321.44	33.29	288.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	05/23/97	321.44	33.63	287.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/23/97	321.44	38.05	283.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	29
MW1	12/30/97	321.44	36.74	284.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW1	03/24/98	321.44	31.65	289.79	0.00	1.4	2.5	<0.5	1.4	<50	16
MW1	06/15/98	321.44	29.28	292.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	22
MW1	09/11/98	321.44	34.94	286.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	12/09/98	321.44	31.14	290.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW1	03/31/99	321.44	28.10	293.34	0.00	<0.5	<0.5	<0.5	<0.5	<50	124/131 ^f
MW1	06/30/99	321.44	33.94	287.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	08/03/99	321.44	37.94	283.50	0.00	NS	NS	NS	NS	NS	NS
MW1	09/24/99	320.52	44.92	275.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW1	12/22/99	320.52	9.93	310.59	0.00	1.9	1.4	1.5	7.3	<50	990 ^f
MW1	01/21/00	320.52	39.35	281.17	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW1	04/04/00	320.52	34.70	285.82	0.00	<1	<1	<1	<1	<50	<1
MW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW1	06/28/00	320.52	39.72	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW1	09/26/00	320.52	43.26	277.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW1	12/28/00	320.52	42.90	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW1	03/28/01	320.52	42.36	278.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW1	06/25/01	320.52	45.51	275.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	09/26/01	320.52	53.21	267.31	0.00	3.0	4.4	1.2	5.2	<50	<2.5
MW1	12/17/01	320.52	53.21	267.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW1	03/18/02	320.52	52.31	268.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW1	06/17/02	320.52	52.67	267.85	0.00	NS	NS	NS	NS	NS	NS
MW1	06/18/02	320.52	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/16/02	320.52	53.46	267.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW1	12/17/02	320.52	53.53	266.99	0.00	NS	NS	NS	NS	NS	NS
MW1	03/28/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	06/16/03	320.52	53.23	267.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW1	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW1	12/22/03	320.52	53.52	267.00	0.00	NS	NS	NS	NS	NS	NS
MW1	03/23/04	320.52	53.45	267.07	0.00	NS	NS	NS	NS	NS	NS
MW2	04/02/88	NM	NM	NC	0.25	NS	NS	NS	NS	NS	NS
MW2	04/04/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/05/88	NM	NM	NC	1.5	NS	NS	NS	NS	NS	NS
MW2	04/06/88	NM	39.31	NC	3.2	NS	NS	NS	NS	NS	NS
MW2	04/08/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW2	04/19/88	NM	38.90	NC	2.48	NS	NS	NS	NS	NS	NS
MW2	06/06/88	NM	38.78	NC	0.26	NS	NS	NS	NS	NS	NS
MW2	06/23/88	NM	39.23	NC	0.13	NS	NS	NS	NS	NS	NS
MW2	06/28/88	NM	39.72	NC	NM	NS	NS	NS	NS	NS	NS
MW2	07/06/88	NM	40.31	NC	Slight sheen	25,700	18,500	2,900	21,400	62,000	NA
MW2	07/12/88	Well destroyed									
MW3	04/06/88	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW3	04/08/88	NM	37.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	04/19/88	NM	37.22	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/06/88	NM	39.02	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/23/88	NM	39.58	NC	0.00	NS	NS	NS	NS	NS	NS
MW3	06/28/88	NM	40.04	NC	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW3	07/06/88	NM	40.60	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	07/13/88	NM	41.09	NC	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/12/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW3	08/26/88	NM	42.77	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW3	08/29/88	Well destroyed									
MW4	04/08/88	321.56	36.41	285.15	0.00	NS	NS	NS	NS	NS	NS
MW4	04/11/88	321.56	NM	NC	NM	1.8	16.3	0.6	7.1	80	NA
MW4	04/19/88	321.56	36.51	285.05	0.00	NS	NS	NS	NS	NS	NS
MW4	06/06/88	321.56	38.26	283.30	0.00	NS	NS	NS	NS	NS	NS
MW4	06/23/88	321.56	38.83	282.73	0.00	NS	NS	NS	NS	NS	NS
MW4	06/28/88	321.56	39.28	282.28	0.00	NS	NS	NS	NS	NS	NS
MW4	07/06/88	321.56	39.85	281.71	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	07/13/88	321.56	40.31	281.25	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW4	08/12/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/26/88	321.56	42.01	279.55	0.00	NS	NS	NS	NS	NS	NS
MW4	09/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/07/88	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	12/19/88	321.56	43.83	277.73	0.00	NS	NS	NS	NS	NS	NS
MW4	02/09/89	321.56	42.67	278.89	0.00	NS	NS	NS	NS	NS	NS
MW4	03/08/89	321.56	42.11	279.45	0.00	3.8	1.0	<0.5	<0.5	440	NA
MW4	04/03/89	321.56	41.73	279.83	0.00	NS	NS	NS	NS	NS	NS
MW4	04/26/89	321.56	41.79	279.77	0.00	NS	NS	NS	NS	NS	NS
MW4	06/30/89	321.56	43.88	277.68	0.00	<0.5	<0.5	<0.5	<0.5	100	NA
MW4	07/17/89	321.56	44.85	276.71	0.00	<0.5	<0.5	<0.5	<0.5	390	NA
MW4	07/18/89	321.56	44.88	276.68	0.00	NS	NS	NS	NS	NS	NS
MW4	07/19/89	321.56	44.92	276.64	0.00	NS	NS	NS	NS	NS	NS
MW4	07/20/89	321.56	44.98	276.58	0.00	<0.5	<0.5	<0.5	<0.5	200	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW4	07/21/89	321.56	45.04	276.52	0.00	NS	NS	NS	NS	NS	NS
MW4	07/26/89	321.56	45.50	276.06	0.00	<0.5	<0.5	<0.5	<0.5	66	NA
MW4	08/02/89	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	08/03/89	321.56	46.28	275.28	0.00	NS	NS	NS	NS	NS	NS
MW4	08/17/89	321.56	47.22	274.34	0.00	NS	NS	NS	NS	NS	NS
MW4	09/13/89	321.56	49.19	272.37	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	11/28/89	321.56	50.34	271.22	0.00	NS	NS	NS	NS	NS	NS
MW4	12/20/89	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	01/09/90	321.56	49.47	272.09	0.00	NS	NS	NS	NS	NS	NS
MW4	01/26/90	321.56	49.36	272.20	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.18 ^a	272.38	0.00	NS	NS	NS	NS	NS	NS
MW4	02/23/90	321.56	49.15	272.41	0.00	NS	NS	NS	NS	NS	NS
MW4	03/26/90	321.56	48.84 ^a	272.72	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	03/26/90	321.56	48.83	272.73	0.00	NS	NS	NS	NS	NS	NS
MW4	04/18/90	321.56	48.90	272.66	0.00	NS	NS	NS	NS	NS	NS
MW4	05/17/90	321.56	50.03	271.53	0.00	NS	NS	NS	NS	NS	NS
MW4	06/11/90	321.56	50.98	270.58	0.00	NS	NS	NS	NS	NS	NS
MW4	07/30/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	08/01/90	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW4	08/27/90	321.56	53.61	267.95	0.00	NS	NS	NS	NS	NS	NS
MW4	09/28/90	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	12/27/90	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/20/91	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	06/20/91	321.56	53.75	267.81	0.00	NS	NS	NS	NS	NS	NS
MW4	09/12/91	321.56	53.70	267.86	0.00	NS	NS	NS	NS	NS	NS
MW4	12/30/91	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	01/30/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	03/02/92	321.56	53.83	267.73	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW4	03/24/92	321.56	53.73	267.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	04/14/92	321.56	53.76	267.80	0.00	NS	NS	NS	NS	NS	NS
MW4	05/21/92	321.56	54.73	266.83	0.00	NS	NS	NS	NS	NS	NS
MW4	06/08/92	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	07/14/92	321.56	53.60	267.96	0.00	NS	NS	NS	NS	NS	NS
MW4	08/10/92	321.56	53.71	267.85	0.00	NS	NS	NS	NS	NS	NS
MW4	09/16/92	321.56	53.89	267.67	0.00	NS	NS	NS	NS	NS	NS
MW4	10/07/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	11/09/92	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	12/10/92	321.56	53.83	267.73	0.00	57	34	11	200	600	NA
MW4	01/26/93	321.56	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW4	02/16/93	321.56	53.64	267.92	0.00	NS	NS	NS	NS	NS	NS
MW4	03/11/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	04/12/93	321.56	53.62	267.94	0.00	20	10	22	80	360	NA
MW4	06/01/93	321.56	53.52	268.04	0.00	NS	NS	NS	NS	NS	NS
MW4	07/15/93	321.56	53.80	267.76	0.00	NS	NS	NS	NS	NS	NS
MW4	08/15/93	321.56	53.65	267.91	0.00	NS	NS	NS	NS	NS	NS
MW4	09/29/93	321.56	54.23	267.33	0.00	NS	NS	NS	NS	NS	NS
MW4	09/30/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	10/28/93	321.56	53.54	268.02	0.00	NS	NS	NS	NS	NS	NS
MW4	11/23/93	321.56	53.57	267.99	0.00	NS	NS	NS	NS	NS	NS
MW4	11/24/93	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	03/10-11/94	321.56	53.64	267.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/04-05/94	321.56	53.54	268.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	09/01/94 ^e	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	11/16/94	321.56	52.96	268.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	02/15/95	321.56	50.37	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW4	05/09/95	321.56	44.86	276.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW4	08/21/95	321.56	41.71	279.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.6
MW4	11/30/95	321.56	39.95	281.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	03/28/96	321.56	36.76	284.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	05/31/96	321.56	35.19	286.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW4	08/28/96	321.56	39.39	282.17	0.00	NS	NS	NS	NS	NS	NS
MW4	11/18/96	321.56	39.42	282.14	0.00	NS	NS	NS	NS	NS	NS
MW4	02/28/97	321.56	34.38	287.18	0.00	NS	NS	NS	NS	NS	NS
MW4	05/23/97	321.56	34.66	286.90	0.00	NS	NS	NS	NS	NS	NS
MW4	09/23/97	321.56	39.05	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/30/97	321.56	37.78	283.78	0.00	NS	NS	NS	NS	NS	NS
MW4	03/24/98	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/98	321.56	30.32	291.24	0.00	NS	NS	NS	NS	NS	NS
MW4	09/11/98	321.56	35.97	285.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW4	12/09/98	321.56	32.93	288.63	0.00	NS	NS	NS	NS	NS	NS
MW4	03/31/99	321.56	29.71	291.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW4	06/30/99	321.56	34.99	286.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.65/3.12 th
MW4	08/03/99	321.56	38.52	283.04	0.00	NS	NS	NS	NS	NS	NS
MW4	09/24/99	321.56	42.93	278.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.12 ^f
MW4	12/22/99	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	04/04/00	321.56	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW4	06/28/00	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW4	09/26/00	321.56	44.24	277.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW4	12/28/00	321.56	43.92	277.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW4	03/28/01	321.56	43.39	278.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW4	06/25/01	321.56	46.56	275.00	0.00	<0.5	<0.5	<0.5	0.66	<50	<2.5
MW4	09/26/01	321.56	53.51	268.05	0.00	<0.5	0.69	<0.5	0.96	<50	<2.5
MW4	12/17/01	321.56	53.51	268.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW4	03/18/02	321.56	53.28	268.28	0.00	NS	NS	NS	NS	NS	NS
MW4	03/19/02	321.56	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/17/02	321.56	53.57	267.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/16/02	321.56	53.63	267.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW4	12/17/02	321.56	53.68	267.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/28/03	321.56	53.70	267.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	06/16/03	321.56	53.56	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	09/22/03	321.56	53.69	267.87	0.00	<0.5	1.0	<0.5	0.8	<50	<0.5
MW4	12/22/03	321.56	53.66	267.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW4	03/23/04	321.56	53.61	267.95	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	05/25/88	321.79	38.55	283.24	0.00	<0.5	3.1	<0.5	<0.5	<20	NA
MW5D	06/06/88	321.79	38.90	282.89	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/23/88	321.79	39.56	282.23	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/28/88	321.79	40.23	281.56	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/06/88	321.79	40.69	281.10	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/13/88	321.79	41.22	280.57	0.00	<0.5	<0.5	<0.5	<0.5	40	NA
MW5D	08/12/88	321.79	42.34	279.45	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/26/88	321.79	42.60	279.19	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/07/88	321.79	42.99	278.80	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/07/88	321.79	44.58	277.21	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/09/89 ^e	321.79	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW5D	03/08/89 ^d	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	03/08/89	321.79	42.49	279.30	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/03/89	321.79	42.21	279.58	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/26/89	321.79	42.36	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/30/89	321.79	44.79	277.00	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/17/89	321.79	45.73	276.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
MW5D	07/18/89	321.79	45.75	276.04	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/19/89	321.79	44.89	276.90	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/20/89	321.79	46.02	275.77	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	07/21/89	321.79	46.18	275.61	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/26/89	321.79	46.83	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/02/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/03/89	321.79	47.67	274.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/17/89	321.79	48.27	273.52	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/13/89	321.79	50.60	271.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	11/28/89	321.79	51.16	270.63	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/20/89	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	01/09/90	321.79	50.42	271.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	01/26/90	321.79	50.10	271.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	02/23/90	321.79	50.08	271.71	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/26/90	321.79	49.77	272.02	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	04/18/90	321.79	49.80	271.99	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/17/90	321.79	51.32	270.47	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/11/90	321.79	52.10	269.69	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/30/90	321.79	53.47	268.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	08/01/90	321.79	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5D	08/27/90	321.79	58.24	263.55	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/29/90	321.79	60.70	261.09	0.00	NS	NS	NS	NS	NS	NS
MW5D	12/27/90	321.79	62.52	259.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/20/91	321.79	59.18	262.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	06/20/91	321.79	65.02	256.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/12/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	12/30/91	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	01/30/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW5D	03/02/92	321.79	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW5D	03/24/92	321.79	74.98	246.81	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/14/92	321.79	74.42	247.37	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/21/92	321.79	75.67	246.12	0.00	NS	NS	NS	NS	NS	NS
MW5D	06/08/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	07/14/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	08/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	09/16/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	10/07/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	11/09/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	12/10/92	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	01/26/93	321.79	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5D	02/16/93	321.79	76.47	245.32	0.00	NS	NS	NS	NS	NS	NS
MW5D	03/11/93	321.79	74.03	247.76	0.00	NS	NS	NS	NS	NS	NS
MW5D	04/12/93	321.79	70.96	250.83	0.00	1.0	1.0	2.5	7.4	<50	NA
MW5D	06/01/93	321.79	67.64	254.15	0.00	NS	NS	NS	NS	NS	NS
MW5D	07/15/93	321.79	54.40	267.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/15/93	321.79	67.85	253.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/29/93	321.79	67.62	254.17	0.00	NS	NS	NS	NS	NS	NS
MW5D	09/30/93	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	10/28/93	321.79	66.15	255.64	0.00	NS	NS	NS	NS	NS	NS
MW5D	11/23/93	321.79	64.80	256.99	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/10-11/94	321.79	59.10	262.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	05/04-05/94	321.79	55.66	266.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	09/01/94 ^e	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	11/16/94	321.79	54.36	267.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	02/15/95	321.79	51.20	270.59	0.00	NS	NS	NS	NS	NS	NS
MW5D	05/09/95	321.79	45.49	276.30	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW5D	05/12/95	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	08/21/95	321.79	42.35	279.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	11/30/95	321.79	43.60	278.19	0.00	5.4	10	1.4	12	77	<5.0
MW5D	03/28/96	321.79	37.12	284.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	05/31/96	321.79	35.67	286.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	08/28/96	321.79	40.22	281.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	11/18/96	321.79	39.89	281.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5D	02/28/97	321.79	34.75	287.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	02/28/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	05/23/97	321.79	35.21	286.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	05/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/23/97	321.79	39.58	282.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	09/23/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^R	09/23/97	321.79	NM	NC	NM	<0.5	1.5	<0.5	<0.5	<50	3.0
MW5D	12/30/97	321.79	38.30	283.49	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^D	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D ^R	12/30/97	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5D	03/24/98	321.79	32.77	289.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	06/15/98	321.79	30.69	291.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/15/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/11/98	321.79	36.68	285.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	33
MW5D ^D	09/11/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	35
MW5D	10/28/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D	12/09/98	321.79	32.70	289.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^D	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5D ^R	12/09/98	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW5D	03/31/99	321.79	28.91	292.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D ^D	03/31/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5D	06/30/99	321.79	35.90	285.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D ^D	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	3.3/<0.5 ^{f,h}
MW5D ^R	06/30/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	08/03/99	321.79	40.39	281.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	08/03/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	09/24/99	321.79	44.25	277.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^D	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D ^R	09/24/99	321.79	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/22/99	321.79	38.51	283.28	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D ^D	12/22/99	321.79	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5D	04/04/00	321.79	30.05	291.74	0.00	<1	<1	<1	<1	<50	<1
MW5D	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5D	06/28/00	321.79	42.00	279.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	1.47 ^f
MW5D	09/26/00	321.79	45.05	276.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5D	12/28/00	321.79	44.44	277.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5D	03/28/01	321.80	43.90	277.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5D	06/25/01	321.80	48.19	273.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	09/26/01	321.80	55.78	266.02	0.00	1.3	1.9	0.55	2.7	<50	<2.5
MW5D	12/17/01	321.79	55.89	265.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5D	03/18/02	321.79	54.60	267.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/17/02	321.79	54.92	266.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/16/02	321.79	59.66	262.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5D	12/17/02	321.79	61.56	260.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/28/03	321.79	58.90	262.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	06/16/03	321.79	55.73	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	09/22/03	321.79	60.57	261.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW5D	12/22/03	321.79	60.24	261.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5D	03/23/04	321.79	58.65	263.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	05/25/88	321.64	38.46	283.18	0.00	<0.5	0.9	<0.5	<0.5	<20	NA
MW5S	06/06/88	321.64	38.86	282.78	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/23/88	321.64	39.52	282.12	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/28/88	321.64	39.84	281.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/06/88	321.64	40.45	281.19	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/13/88	321.64	40.90	280.74	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/22/88	321.64	41.30	280.34	0.00	0.9	4.1	1.3	8.7	50	NA
MW5S	08/05/88	321.64	23.84 ^b	297.80	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/12/88	321.64	42.21	279.43	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/26/88	321.64	42.55	279.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/07/88	321.64	42.94	278.70	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	12/07/88	321.64	44.67	276.97	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/09/89	321.64	43.19	278.45	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/08/89	321.64	42.11	279.53	0.00	<0.5	<0.5	<0.5	<1.0	<20	NA
MW5S	04/26/89	321.64	41.84	279.80	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/30/89	321.64	43.95	277.69	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/17/89	321.64	44.91	276.73	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/18/89	321.64	44.93	276.71	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/19/89	321.64	44.98	276.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/20/89	321.64	45.02	276.62	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	07/21/89	321.64	45.10	276.54	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/26/89	321.64	45.57	276.07	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/02/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	08/03/89	321.64	46.31	275.33	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/17/89	321.64	47.25	274.39	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5S	09/13/89	321.64	49.22	272.42	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	11/28/89	321.64	50.39	271.25	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/20/89	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	01/09/90	321.64	49.51	272.13	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/90	321.64	49.40	272.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20 ^a	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/23/90	321.64	49.20	272.44	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/26/90	321.64	48.89 ^a	272.75	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW5S	03/26/90	321.64	48.88	272.76	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/18/90	321.64	48.95	272.69	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/17/90	321.64	50.06	271.58	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/11/90	321.64	50.98	270.66	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/30/90	321.64	53.40	268.24	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/01/90	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/27/90	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/28/90	321.64	53.55	268.09	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/27/90	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/20/91	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/20/91	321.64	53.73	267.91	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/12/91	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/30/91	321.64	53.80	267.84	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/30/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/02/92	321.64	53.82	267.82	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	05/21/92	321.64	53.77	267.87	0.00	NS	NS	NS	NS	NS	NS
MW5S	06/08/92	321.64	53.81	267.83	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/14/92	321.64	53.74	267.90	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW5S	09/16/92	321.64	53.90	267.74	0.00	NS	NS	NS	NS	NS	NS
MW5S	10/07/92	321.64	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW5S	11/09/92	321.64	53.87	267.77	0.00	NS	NS	NS	NS	NS	NS
MW5S	12/10/92	321.64	53.78	267.86	0.00	NS	NS	NS	NS	NS	NS
MW5S	01/26/93	321.64	53.38	268.26	0.00	NS	NS	NS	NS	NS	NS
MW5S	02/16/93	321.64	53.44	268.20	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/11/93	321.64	53.28	268.36	0.00	NS	NS	NS	NS	NS	NS
MW5S	04/12/93	321.64	53.42	268.22	0.00	11	5.9	13	48	220	NA
MW5S	06/01/93	321.64	53.56	268.08	0.00	NS	NS	NS	NS	NS	NS
MW5S	07/15/93	321.64	53.00	268.64	0.00	NS	NS	NS	NS	NS	NS
MW5S	08/15/93	321.64	53.60	268.04	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/29/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/30/93	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	10/28/93	321.64	54.62	267.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	11/23/93	321.64	53.62	268.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/10-11/94	321.64	53.61	268.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/04-05/94	321.64	53.52	268.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94 ^c	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	53.05	268.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	09/01/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	11/16/94	321.64	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	02/15/95	321.64	50.55	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	05/09/95	321.64	44.96	276.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	08/21/95	321.64	41.77	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	11/30/95	321.64	39.95	281.69	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	03/28/96	321.64	36.80	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	05/31/96	321.64	35.28	286.36	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	08/28/96	321.64	39.46	282.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
MW5S	11/18/96	321.64	39.47	282.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW5S	02/28/97	321.64	34.44	287.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	05/23/97	321.64	34.72	286.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/23/97	321.64	39.09	282.55	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/30/97	321.64	37.83	283.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW5S	03/24/98	321.64	32.76	288.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	06/15/98	321.64	30.46	291.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/11/98	321.64	36.04	285.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	12/09/98	321.64	33.00	288.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW5S	03/31/99	321.64	29.20	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW5S	06/30/99	321.64	35.08	286.56	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	08/03/99	321.64	38.62	283.02	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/24/99	320.52	42.89	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/22/99	320.52	42.05	278.47	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW5S	04/04/00	320.52	35.91	284.61	0.00	<1	<1	<1	<1	<50	<1
MW5S	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW5S	06/28/00	320.52	40.75	279.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	09/26/00	320.52	44.34	276.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW5S	12/28/00	320.52	43.95	276.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW5S	03/28/01	320.52	43.41	277.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW5S	06/25/01	320.52	46.58	273.94	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	09/26/01	320.52	53.47	267.05	0.00	1.8	2.8	0.94	4.4	<50	<2.5
MW5S	12/17/01	320.52	53.52	267.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW5S	03/18/02	320.52	53.25	267.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	06/17/02	320.52	53.49	267.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	09/16/02	320.52	53.62	266.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW5S	12/17/02	320.52	53.67	266.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW5S	03/28/03	320.52	53.60	266.92	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW5S	06/16/03	320.52	53.49	NC	0.00	NS	NS	NS	NS	NS	NS
MW5S	09/22/03	320.52	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW5S	12/22/03	320.52	53.63	266.89	0.00	NS	NS	NS	NS	NS	NS
MW5S	03/23/04	320.52	53.61	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW6	05/11/88	NM	37.31	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	05/17/88	NM	NM	NM	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW6	06/06/88	NM	38.70	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/23/88	NM	39.23	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	06/28/88	NM	39.74	NC	0.00	31.8	7.5	5.4	6.7	440	NA
MW6	07/13/88	NM	40.78	NC	0.00	162.3	7.7	22.5	14.1	290	NA
MW6	08/05/88	NM	41.72	NC	0.00	245	5.2	47.1	23.7	1,180	NA
MW6	08/12/88	NM	42.14	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	08/17/88	NM	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW6	08/26/88	NM	42.51	NC	0.00	NS	NS	NS	NS	NS	NS
MW6	09/07/88	NM	42.85	NC	0.00	474	16	262	136	2,920	NA
MW6	10/24/88	Well destroyed									
MW7	07/13/88	321.27	40.50	280.77	0.00	860	1,910	710	4,420	16,700	NA
MW7	07/22/88	321.27	41.85 ^a	279.42	0.00	136	85	5	58	460	NA
MW7	08/05/88	321.27	41.45 ^a	279.82	0.00	73.3	52.8	2.3	28.1	270	NA
MW7	08/12/88	321.27	42.69	278.58	NM	NS	NS	NS	NS	NS	NS
MW7	09/07/88	321.27	42.60	278.67	NM	NS	NS	NS	NS	NS	NS
MW7	12/07/88	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	01/17/89	321.27	43.20	278.07	NM	NS	NS	NS	NS	NS	NS
MW7	02/09/89	321.27	NM	NC	NM	600	688	10	448	6,700	NA
MW7	06/30/89	321.27	NM	NC	NM	180	50	13	40	1,100	NA
MW7	08/02/89	321.27	NM	NC	NM	1.6	<0.5	<0.5	0.6	31	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	09/13/89	321.27	NM	NC	NM	<0.5	2.6	<0.5	12	87	NA
MW7	10/12/89	321.27	49.93	271.34	0.00	NS	NS	NS	NS	NS	NS
MW7	11/28/89	321.27	57.61 ^a	263.66	0.00	NS	NS	NS	NS	NS	NS
MW7	12/20/89	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW7	01/09/90	321.27	57.57 ^a	263.70	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	57.54 ^a	263.73	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/90	321.27	49.08	272.19	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	55.26 ^a	266.01	0.00	NS	NS	NS	NS	NS	NS
MW7	02/23/90	321.27	48.93	272.34	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	57.52 ^a	263.75	0.00	NS	NS	NS	NS	NS	NS
MW7	03/26/90	321.27	48.60	272.67	0.00	NS	NS	NS	NS	NS	NS
MW7	04/18/90	321.27	57.55 ^a	263.72	0.00	NS	NS	NS	NS	NS	NS
MW7	05/17/90	321.27	57.40 ^a	263.87	0.00	NS	NS	NS	NS	NS	NS
MW7	06/11/90	321.27	50.68	270.59	0.00	NS	NS	NS	NS	NS	NS
MW7	07/30/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	08/27/90	321.27	53.05	268.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/28/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/27/90	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/20/91	321.27	54.11	267.16	0.00	NS	NS	NS	NS	NS	NS
MW7	06/20/91	321.27	55.14	266.13	0.00	<0.5	1.8	0.6	4.1	74	NA
MW7	09/12/91	321.27	55.84	265.43	0.00	3.5	<0.5	1.7	6.8	<50	NA
MW7	12/30/91	321.27	55.21	266.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	01/30/92	321.27	54.88	266.39	0.00	NS	NS	NS	NS	NS	NS
MW7	03/02/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	03/24/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	04/14/92	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	05/21/92	321.27	53.36	267.91	0.00	NS	NS	NS	NS	NS	NS
MW7	06/08/92	321.27	54.20	267.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	07/14/92	321.27	53.31	267.96	0.00	NS	NS	NS	NS	NS	NS
MW7	08/10/92	321.27	54.01	267.26	0.00	NS	NS	NS	NS	NS	NS
MW7	09/16/92	321.27	55.97	265.30	0.00	NS	NS	NS	NS	NS	NS
MW7	10/07/92	321.27	56.09	265.18	0.00	NS	NS	NS	NS	NS	NS
MW7	11/09/92	321.27	54.16	267.11	0.00	NS	NS	NS	NS	NS	NS
MW7	12/10/92	321.27	56.02	265.25	0.00	NS	NS	NS	NS	NS	NS
MW7	01/26/93	321.27	56.15	265.12	0.00	NS	NS	NS	NS	NS	NS
MW7	02/16/93	321.27	56.23	265.04	0.00	28	30	17	200	600	NA
MW7	03/11/93	321.27	55.82	265.45	0.00	NS	NS	NS	NS	NS	NS
MW7	04/12/93	321.27	55.45	265.82	0.00	NS	NS	NS	NS	NS	NS
MW7	06/01/93	321.27	54.90	266.37	0.00	NS	NS	NS	NS	NS	NS
MW7	07/15/93	321.27	54.50	266.77	0.00	NS	NS	NS	NS	NS	NS
MW7	08/15/93	321.27	54.25	267.02	0.00	NS	NS	NS	NS	NS	NS
MW7	09/29/93	321.27	54.55	266.72	0.00	NS	NS	NS	NS	NS	NS
MW7	09/30/93	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	10/28/93	321.27	54.94	266.33	0.00	NS	NS	NS	NS	NS	NS
MW7	11/23/93	321.27	54.73	266.54	0.00	NS	NS	NS	NS	NS	NS
MW7	11/24/93	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	03/10-11-94	321.27	52.83	268.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/04-05/94	321.27	52.77	268.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	09/01/94 ^e	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	11/16/94	321.27	52.74	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	02/15/95	321.27	50.05	271.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	05/09/95	321.27	44.61	276.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW7	08/21/95	321.27	41.40	279.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1
MW7	11/30/95	321.27	39.64	281.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	03/28/96	321.27	36.42	284.85	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW7	05/31/96	321.27	34.87	286.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
MW7	08/28/96	321.27	39.11	282.16	0.00	NS	NS	NS	NS	NS	NS
MW7	11/18/96	321.27	39.10	282.17	0.00	NS	NS	NS	NS	NS	NS
MW7	02/28/97	321.27	34.03	287.24	0.00	NS	NS	NS	NS	NS	NS
MW7	05/23/97	321.27	34.36	286.91	0.00	NS	NS	NS	NS	NS	NS
MW7	09/23/97	321.27	38.66	282.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.4
MW7	12/30/97	321.27	37.45	283.82	0.00	NS	NS	NS	NS	NS	NS
MW7	03/24/98	321.27	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW7	06/15/98	321.27	30.05	291.22	0.00	NS	NS	NS	NS	NS	NS
MW7	09/11/98	321.27	35.63	285.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	12/09/98	321.27	21.54	299.73	NM	NS	NS	NS	NS	NS	NS
MW7	03/31/99	321.27	28.84	292.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW7	06/30/99	321.27	34.68	286.59	0.00	5.96	<0.5	<0.5	<0.5	<50	<2.5
MW7	08/03/99	321.27	38.22	283.05	0.00	NS	NS	NS	NS	NS	NS
MW7	09/24/99	321.27	42.59	278.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	11.7 ^f
MW7	12/22/99	321.27	41.69	279.58	0.00	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0 ^f
MW7	04/04/00	321.27	35.45	285.82	0.00	<1	<1	<1	<1	<50	<1
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW7	06/28/00	321.27	40.46	280.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.88 ^f
MW7	09/26/00	321.27	44.00	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW7	12/28/00	321.27	44.63	276.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW7	03/28/01	321.27	43.04	278.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.17 ^f
MW7	06/25/01	321.27	46.31	274.96	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	09/26/01	321.27	52.90	268.37	0.00	0.62	0.84	<0.5	1.0	<50	<2.5
MW7	12/17/01	321.27	53.17	268.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW7	03/18/02	321.27	53.10	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/17/02	321.27	53.12	268.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.2/6.40 ^f
MW7	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW7	12/17/02	321.27	54.17	267.10	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW7	03/28/03	321.27	54.45	266.82	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	06/16/03	321.27	53.33	267.94	0.00	--	--	--	--	--	--
MW7	06/17/03	321.27	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	09/22/03	321.27	54.57	266.70	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	12/22/03	321.27	54.70	266.57	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW7	03/23/04	321.27	54.36	266.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	10/01/89	321.86	53.88	267.98	0.00	NS	NS	NS	NS	NS	NS
MW8	10/03/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	11/28/89	321.86	53.74	268.12	0.00	NS	NS	NS	NS	NS	NS
MW8	12/20/89	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.61	<20	NA
MW8	01/09/90	321.86	57.90	263.96	0.00	NS	NS	NS	NS	NS	NS
MW8	01/26/90	321.86	53.57	268.29	0.00	NS	NS	NS	NS	NS	NS
MW8	01/31/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	0.87	<20	NA
MW8	02/09/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	1.1	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	02/23/90	321.86	52.16	269.70	0.00	NS	NS	NS	NS	NS	NS
MW8	03/26/90	321.86	52.80 ^a	269.06	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	(Blank)	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	04/18/90	321.86	51.60	270.26	0.00	<0.5	0.58	<0.5	1.1	<20	NA
MW8	05/17/90	321.86	58.21	263.65	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	06/11/90	321.86	58.65	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	07/30/90	321.86	64.33	257.53	0.00	NS	NS	NS	NS	NS	NS
MW8	08/01/90	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<20	NA
MW8	08/27/90	321.86	70.41	251.45	0.00	<0.5	<0.5	<0.5	0.5	<20	NA
MW8	09/28/90	321.86	71.93	249.93	0.00	<0.5	<0.5	<0.5	0.5	<50	NA
MW8	12/27/90	321.86	66.60	255.26	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	03/20/91	321.86	60.75	261.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	06/20/91	321.86	88.77	233.09	0.00	<0.5	<0.5	<0.5	0.6	<50	NA
MW8	09/12/91	321.86	103.17	218.69	0.00	NS	NS	NS	NS	NS	NS
MW8	10/14/91	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	12/30/91	321.86	81.15	240.71	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	01/30/92	321.86	81.69	240.17	0.00	NS	NS	NS	NS	NS	NS
MW8	03/02/92	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	03/24/92	321.86	76.55	245.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	04/14/92	321.86	75.56	246.30	0.00	NS	NS	NS	NS	NS	NS
MW8	05/21/92	321.86	86.99	234.87	0.00	NS	NS	NS	NS	NS	NS
MW8	06/08/92	321.86	91.69	230.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	07/14/92	321.86	94.65	227.21	0.00	NS	NS	NS	NS	NS	NS
MW8	08/10/92	321.86	95.02	226.84	0.00	NS	NS	NS	NS	NS	NS
MW8	09/16/92	321.86	91.90	229.96	0.00	<0.5	0.9	<0.5	<0.5	<50	NA
MW8	10/07/92	321.86	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW8	11/09/92	321.86	84.35	237.51	0.00	NS	NS	NS	NS	NS	NS
MW8	12/10/92	321.86	82.20	239.66	0.00	<0.5	0.6	<0.5	<0.5	<50	NA
MW8	01/26/93	321.86	78.63	243.23	0.00	NS	NS	NS	NS	NS	NS
MW8	02/16/93	321.86	76.90	244.96	0.00	0.7	0.6	<0.5	2.3	<50	NA
MW8	03/11/93	321.86	74.39	247.47	0.00	NS	NS	NS	NS	NS	NS
MW8	04/12/93	321.86	71.20	250.66	0.00	26	7.3	11	38	230	NA
MW8	06/01/93	321.86	68.04	253.82	0.00	NS	NS	NS	NS	NS	NS
MW8	07/15/93	321.86	78.05	243.81	0.00	NS	NS	NS	NS	NS	NS
MW8	08/15/93	321.86	78.45	243.41	0.00	NS	NS	NS	NS	NS	NS
MW8	09/29/93	321.86	73.64	248.22	0.00	NS	NS	NS	NS	NS	NS
MW8	09/30/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	10/28/93	321.86	67.53	254.33	0.00	NS	NS	NS	NS	NS	NS
MW8	11/23/93	321.86	64.68	257.18	0.00	NS	NS	NS	NS	NS	NS
MW8	11/24/93	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	03/10-11/94	321.86	59.26	262.60	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	05/04-05/94	321.86	56.84	265.02	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	09/01/94 ^c	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	11/16/94	321.86	55.47	266.39	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8	02/15/95	321.86	52.00	269.86	0.00	NS	NS	NS	NS	NS	NS
MW8	05/09/95	321.86	46.60	275.26	0.00	NS	NS	NS	NS	NS	NS
MW8	05/12/95	321.86	NM	NC	NM	2.3	1.2	2.0	7.4	<50	NA
MW8	08/21/95	321.86	43.86	278.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	11/30/95	321.86	41.25	280.61	0.00	<0.5	<0.5	0.69	2.7	<50	<5.0
MW8	03/28/96	321.86	37.71	284.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	05/31/96	321.86	36.71	285.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	08/28/96	321.86	42.80	279.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	11/18/96	321.86	40.78	281.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW8	02/28/97	321.86	35.14	286.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^d	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^r	02/28/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	05/23/97	321.86	36.41	285.45	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^d	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^r	05/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^d	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^r	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	09/23/97	321.86	41.22	280.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^d	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^r	09/23/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/30/97	321.86	39.81	282.05	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^d	12/30/97	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^r	12/30/97	321.86	NM	NC	NM	<0.5	0.52	<0.5	<0.5	<50	3.2 ^f
MW8	03/24/98	321.86	31.46	290.40	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	06/15/98	321.86	31.43	290.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW8 ^d	06/15/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	09/11/98	321.86	38.73	283.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	09/11/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	12/09/98	321.86	28.96	292.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^D	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8 ^R	12/09/98	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0 ^f
MW8	03/31/99	321.86	25.05	296.81	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^D	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8 ^R	03/31/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.0
MW8	06/30/99	321.86	42.62	279.24	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8 ^D	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	13.1/1.18 ^{fb}
MW8 ^R	06/30/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW8	08/03/99	321.86	51.59	270.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.672 ^f
MW8 ^D	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.659 ^f
MW8 ^R	08/03/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	09/24/99	321.86	50.95	270.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.777 ^f
MW8 ^D	09/24/99	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	0.776 ^f
MW8	12/22/99	321.86	38.59	283.27	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^D	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8 ^R	12/22/99	321.86	NM	NC	NM	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW8	04/04/00	321.86	36.21	285.65	0.00	<1	<1	<1	<1	<50	3.3/<5 ^f
MW8	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW8	06/28/00	321.86	46.51	275.35	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW8	09/26/00	321.86	47.55	274.31	0.00	<0.5	<0.5	<0.5	0.528	<50	<1 ^f
MW8	12/28/00	321.86	45.68	276.18	0.00	1.03	1.25	<0.5	1.76	<50	<2 ^f
MW8	03/28/01	321.86	45.40	276.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.00 ^f
MW8	06/25/01	321.86	57.84	264.02	0.00	0.71	1.0	<0.5	1.4	<50	<2.5
MW8	09/26/01	321.86	60.08	261.78	0.00	<0.5	0.53	<0.5	0.75	<50	<2.5
MW8	12/17/01	321.86	61.24	260.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW8	03/18/02	321.86	57.53	264.33	0.00	NS	NS	NS	NS	NS	NS
MW8	03/19/02	321.86	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/17/02	321.86	58.25	263.61	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/16/02	321.86	70.68	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW8	12/17/02	321.86	67.76	254.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	03/28/03	321.86	62.40	259.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	06/16/03	321.86	62.99	258.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW8	09/22/03	321.86	74.94	246.92	0.00	<0.5	2.4	<0.5	1.1	<50	<0.5
MW8	12/22/03	321.86	67.09	254.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.5 ^f
MW8	03/23/04	321.86	68.27	253.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.6/0.60 ^f
MW9	10/03/89	321.44	NM	NC	NM	1,000	9,200	3,000	13,000	89,000	NA
MW9	10/12/89	321.44	50.24	271.20	0.00	NS	NS	NS	NS	NS	NS
MW9	11/28/89	321.44	50.59	270.85	0.10	NS	NS	NS	NS	NS	NS
MW9	12/01/89	321.44	50.32	271.12	0.02	NS	NS	NS	NS	NS	NS
MW9	12/07/89	321.44	50.13	271.31	0.16	NS	NS	NS	NS	NS	NS
MW9	12/13/89	321.44	49.91	271.53	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	12/20/89	321.44	49.78	271.66	Slight Sheen	6,300	31,000	9,500	55,000	190,000	NA
MW9	01/02/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/09/90	321.44	49.39	272.05	Slight Sheen	NS	NS	NS	NS	NS	NS
MW9	01/25/90	321.44	NM	NC	NM	2,400	9,400	2,700	15,000	77,000	NA
MW9	01/26/90	321.44	49.30	272.14	0.00	NS	NS	NS	NS	NS	NS
MW9	02/23/90	321.44	49.06 ^a	272.38	0.00	1,200	7,100	2,300	14,000	97,000	NA
MW9	02/23/90	321.44	49.05	272.39	0.00	NS	NS	NS	NS	NS	NS
MW9	03/26/90	321.44	48.75 ^a	272.69	0.00	1,800	7,700	2,000	11,000	89,000	NA
MW9	03/26/90	321.44	48.73	272.71	Slight sheen	NS	NS	NS	NS	NS	NS
MW9	04/18/90	321.44	48.81	272.63	0.00	2,000	7,500	2,500	16,000	110,000	NA
MW9	05/17/90	321.44	49.96	271.48	0.00	1,500	5,700	2,300	14,000	81,000	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW9	06/11/90	321.44	51.58	269.86	0.00	NS	NS	NS	NS	NS	NS
MW9	06/20/90	321.44	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	430	NA
MW9	07/30/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	08/27/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/28/90	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/27/90	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/20/91	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/20/91	321.44	49.63	271.81	NM	NS	NS	NS	NS	NS	NS
MW9	09/12/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	12/30/91	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/30/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/02/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	03/24/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	04/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	05/21/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	06/08/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	07/14/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	08/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	09/16/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	10/07/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/09/92	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	12/10/92	321.44	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW9	01/26/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	02/16/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/11/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	04/12/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	06/01/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	07/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW9	08/15/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	09/29/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	10/28/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/23/93	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	03/10-11/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	05/04-05/94	321.44	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW9	11/16/94	321.44	52.62	268.82	0.00	NS	NS	NS	NS	NS	NS
MW9	02/15/95	321.44	49.76	271.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	05/09/95	321.44	44.30	277.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW9	08/21/95	321.44	41.11	280.33	0.00	270	51	5.2	140	1,100	<25
MW9	11/30/95	321.44	39.40	282.04	0.00	920	680	120	870	6,600	<100
MW9	03/28/96	321.44	36.13	285.31	0.00	72	28	1.8	49	360	<10
MW9	05/31/96	321.44	34.56	286.88	0.00	2,800	510	<50	400	8,200	<5.0
MW9	08/28/96	321.44	38.80	282.64	0.00	1.6	<0.5	<0.5	9.6	160	28
MW9	11/18/96	321.44	38.74	282.70	0.00	2,000	610	130	790	7,100	<200
MW9	02/28/97	321.44	33.74	287.70	0.00	2,900	2,600	280	2,400	22,000	4,200
MW9	05/23/97	321.44	33.77	287.67	0.00	5,300	5,200	800	3,900	32,000	1,600
MW9	09/23/97	320.68	38.17	282.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	20
MW9	12/30/97	320.68	38.83	281.85	0.00	840	750	80	310	4,600	1,100 ^f
MW9	03/24/98	320.68	31.32	289.36	0.00	11,000	16,000	1,200	6,200	62,000	7,000
MW9	06/15/98	320.68	28.72	291.96	0.00	1.8	2.7	<0.5	3.8	<50	8.1
MW9	09/11/98	320.68	31.52	289.16	0.00	1.5	0.97	<0.5	1.1	<50	7.1
MW9	12/09/98	320.68	28.92	291.76	0.00	1.4	2.9	<0.5	<0.5	<50	7.9 ^f
MW9	03/31/99	320.68	27.77	292.91	0.00	2,560	4,100	118	3,090	18,400	3,850/4,950 ^f
MW9	06/30/99	320.68	32.57	288.11	0.00	0.883	1.43	<0.5	1.24	<50	7.05/5.81 ^{fb}
MW9	08/03/99	320.68	36.24	284.44	0.00	1.20	1.70	<0.5	0.60	91.1	<0.5 ^f
MW9	09/24/99	320.26	41.65	278.61	0.00	2.60/3.13 ⁱ	1.06	<0.5	1.17	<50	3.92 ^f
MW9	12/22/99	320.26	40.55	279.71	0.00	860/870 ⁱ	380/380 ⁱ	<5.0/<5.0 ⁱ	2,190/2,170 ⁱ	7,300	4,300 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW9	04/04/00	320.26	34.69	285.57	0.00	2.7	2.5	<1	9	<50	310/300 ^f
MW9	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9	06/28/00	320.26	39.31	280.95	0.00	111	2.98	<0.5	14.9	207	488 ^f
MW9	09/26/00	320.26	43.14	277.12	0.00	<0.5	<0.5	<0.5	<0.5	<50	77.2 ^f
MW9	11/03/00	Well destroyed									
MW9A	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW9A	12/28/00	NM	43.72	NC	0.00	14.5	3.75	26.4	37.4	1,040	65.5 ^f
MW9A	03/28/01	321.17	43.90	277.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW9A	06/25/01	321.17	49.84	271.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW9A	09/26/01	321.17	56.35	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	12/17/01	321.27	55.13	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/18/02	321.27	53.02	268.25	0.00	NS	NS	NS	NS	NS	NS
MW9A	06/17/02	321.27	56.70	NC ⁱ	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/17/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	03/28/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	06/16/03	321.27	56.17	NC ^j	0.00	NS	NS	NS	NS	NS	NS
MW9A	09/22/03	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW9A	12/22/03	321.27	56.28	NC ^j	0.00	NS	NS	NS	NS	NS	NS
MW9A	03/23/04	321.27	56.42	NC ^j	0.00	NS	NS	NS	NS	NS	NS
MW10	10/12/89	322.99	51.93	271.06	0.00	<0.5	<0.5	<0.5	<0.5	20	NA
MW10	11/28/89	322.99	51.88	271.11	0.00	NS	NS	NS	NS	NS	NS
MW10	12/20/89	322.99	51.47	271.52	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	01/09/90	322.99	50.98	272.01	0.00	NS	NS	NS	NS	NS	NS
MW10	01/26/90	322.99	50.87	272.12	0.00	NS	NS	NS	NS	NS	NS
MW10	02/23/90	322.99	50.67 ^a	272.32	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW10	02/23/90	322.99	50.65	272.34	0.00	NS	NS	NS	NS	NS	NS
MW10	03/26/90	322.99	50.36 ^a	272.63	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	03/26/90	322.99	50.35	272.64	0.00	NS	NS	NS	NS	NS	NS
MW10	04/18/90	322.99	50.45	272.54	0.00	NS	NS	NS	NS	NS	NS
MW10	06/11/90	322.99	51.16	271.83	0.00	NS	NS	NS	NS	NS	NS
MW10	07/30/90	322.99	55.72	267.27	0.00	NS	NS	NS	NS	NS	NS
MW10	08/27/90	322.99	57.75	265.24	0.00	<0.5	<0.5	<0.5	<0.5	<20	NA
MW10	09/28/90	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/27/90	322.99	58.08	264.91	0.00	NS	NS	NS	NS	NS	NS
MW10	03/20/91	322.99	57.80	265.19	0.00	NS	NS	NS	NS	NS	NS
MW10	06/20/91	322.99	58.00	264.99	0.00	NS	NS	NS	NS	NS	NS
MW10	09/12/91	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/30/91	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	01/30/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/02/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/24/92	322.99	58.53	264.46	0.00	NS	NS	NS	NS	NS	NS
MW10	04/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/21/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	06/08/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	07/14/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/16/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/07/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/09/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	12/10/92	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	01/26/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	02/16/93	322.99	58.23	264.76	0.00	NS	NS	NS	NS	NS	NS
MW10	03/11/93	322.99	57.81	265.18	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
MW10	04/12/93	322.99	57.84	265.15	0.00	21	11	21	75	350	NA
MW10	06/01/93	322.99	57.88	265.11	NM	NS	NS	NS	NS	NS	NS
MW10	07/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	08/15/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	09/29/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	10/28/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	11/23/93	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	03/10-11/94	322.99	NM	NC	Dry	NS	NS	NS	NS	NS	NS
MW10	05/04-05/94	322.99	57.21	265.78	Dry	NS	NS	NS	NS	NS	NS
MW10	09/01/94 ^e	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	11/16/94	322.99	54.82	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	02/15/95	322.99	51.90	271.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	05/09/95	322.99	46.32	276.67	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW10	08/21/95	322.99	43.06	279.93	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	11/30/95	322.99	41.34	281.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	03/28/96	322.99	38.15	284.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	05/31/96	322.99	36.61	286.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW10	08/28/96	322.99	40.86	282.13	0.00	NS	NS	NS	NS	NS	NS
MW10	11/18/96	322.99	40.90	282.09	0.00	NS	NS	NS	NS	NS	NS
MW10	02/28/97	322.99	35.75	287.24	0.00	NS	NS	NS	NS	NS	NS
MW10	05/23/97	322.99	36.07	286.92	0.00	NS	NS	NS	NS	NS	NS
MW10	09/23/97	322.99	40.41	282.58	0.00	NS	NS	NS	NS	NS	NS
MW10	12/30/97	322.99	38.20	284.79	0.00	NS	NS	NS	NS	NS	NS
MW10	03/24/98	322.99	34.12	288.87	0.00	NS	NS	NS	NS	NS	NS
MW10	06/15/98	322.99	31.79	291.20	0.00	NS	NS	NS	NS	NS	NS
MW10	09/11/98	322.99	35.40	287.59	0.00	NS	NS	NS	NS	NS	NS
MW10	12/09/98	322.99	34.32	288.67	0.00	NS	NS	NS	NS	NS	NS
MW10	03/31/99	322.99	30.55	292.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.0

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethylbenzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW10	06/30/99	322.99	36.36	286.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	08/03/99	322.99	39.95	283.04	0.00	NS	NS	NS	NS	NS	NS
MW10	09/24/99	322.99	44.40	278.59	0.00	<0.5	<0.5	<0.5	0.87	<50	19.30 ^f
MW10	12/22/99	322.99	43.39	279.60	0.00	9.5	5.3	3.9	25.1	140	<5.0 ^f
MW10	04/04/00	322.99	37.18	285.81	0.00	<1	<1	<1	<1	<50	<1
MW10	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW10	06/28/00	322.99	42.19	280.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW10	09/26/00	322.99	45.80	277.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.39 ^f
MW10	12/28/00	322.99	45.41	277.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW10	03/28/01	322.99	44.89	278.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW10	06/25/01	322.99	48.13	274.86	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	09/26/01	322.99	56.45	266.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	12/17/01	322.99	56.61	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW10	03/18/02	322.99	54.99	268.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	06/17/02	322.99	55.36	267.63	0.00	NS	NS	NS	NS	NS	NS
MW10	06/18/02	322.99	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/16/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/17/02	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	03/28/03	322.99	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW10	06/16/03	322.99	56.89	266.10	0.00	--	--	--	--	--	--
MW10	06/17/03	322.99	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW10	09/22/03	322.99	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW10	12/22/03	322.99	58.10	264.89	0.00	NS	NS	NS	NS	NS	NS
MW10	03/23/04	322.99	57.60	265.39	0.00	NS	NS	NS	NS	NS	NS
MW11	11/10/89	321.77	50.64	271.13	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/89	321.77	NM	NC	NM	4.1	9.4	0.74	20	150	NA
MW11	11/28/89	321.77	50.51	271.26	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
MW11	12/20/89	321.77	51.47	270.30	0.00	7.2	7.5	2.9	13	150	NA
MW11	01/09/90	321.77	49.68	272.09	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/90	321.77	49.55	272.22	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.37 ^a	272.40	0.00	NS	NS	NS	NS	NS	NS
MW11	02/23/90	321.77	49.35	272.42	0.00	NS	NS	NS	NS	NS	NS
MW11	03/26/90	321.77	49.03 ^a	272.74	0.00	<0.5	<0.5	<0.5	2.7	32	NA
MW11	04/18/90	321.77	49.12	272.65	0.00	NS	NS	NS	NS	NS	NS
MW11	05/17/90	321.77	50.30	271.47	0.00	NS	NS	NS	NS	NS	NS
MW11	06/11/90	321.77	51.16	270.61	0.00	NS	NS	NS	NS	NS	NS
MW11	07/30/90	321.77	53.50	268.27	0.00	<0.5	<0.5	<0.5	3.8	26	NA
MW11	08/27/90	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/28/90	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	12/27/90	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	03/20/91	321.77	53.26	268.51	0.00	NS	NS	NS	NS	NS	NS
MW11	06/20/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	09/12/91	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/91	321.77	53.95	267.82	0.00	NS	NS	NS	NS	NS	NS
MW11	01/30/92	321.77	53.65	268.12	0.00	NS	NS	NS	NS	NS	NS
MW11	03/02/92	321.77	53.68	268.09	0.00	NS	NS	NS	NS	NS	NS
MW11	03/24/92	321.77	53.70	268.07	0.00	NS	NS	NS	NS	NS	NS
MW11	04/14/92	321.77	53.66	268.11	0.00	NS	NS	NS	NS	NS	NS
MW11	05/21/92	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	06/08/92	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	07/14/92	321.77	53.53	268.24	0.00	NS	NS	NS	NS	NS	NS
MW11	08/10/92	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	09/16/92	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	10/07/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS
MW11	11/09/92	321.77	DRY	DRY	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
MW11	12/10/92	321.77	53.59	268.18	0.00	NS	NS	NS	NS	NS	NS
MW11	01/26/93	321.77	53.67	268.10	0.00	NS	NS	NS	NS	NS	NS
MW11	02/16/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	03/11/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	04/12/93	321.77	53.54	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	06/01/93	321.77	53.52	268.25	0.00	NS	NS	NS	NS	NS	NS
MW11	07/15/93	321.77	53.60	268.17	0.00	NS	NS	NS	NS	NS	NS
MW11	08/15/93	321.77	53.55	268.22	0.00	NS	NS	NS	NS	NS	NS
MW11	09/29/93	321.77	53.62	268.15	0.00	NS	NS	NS	NS	NS	NS
MW11	09/30/93	321.77	NM	NC	NM	NS	NS	NS	NS	NS	NS
MW11	10/28/93	321.77	53.63	268.14	0.00	NS	NS	NS	NS	NS	NS
MW11	11/23/93	321.77	53.58	268.19	0.00	NS	NS	NS	NS	NS	NS
MW11	11/24/93	321.77	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	03/10-11/94	321.77	53.61	268.16	0.00	NS	NS	NS	NS	NS	NS
MW11	05/04-05/94	321.77	53.51	268.26	0.00	NS	NS	NS	NS	NS	NS
MW11	11/16/94	321.77	53.46	268.31	0.00	NS	NS	NS	NS	NS	NS
MW11	02/15/95	321.77	50.57	271.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	05/09/95	321.77	45.05	276.72	0.00	<0.5	<0.5	<0.5	<0.5	<50	NA
MW11	08/21/95	321.77	41.88	279.89	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.8
MW11	11/30/95	321.77	40.04	281.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	03/28/96	321.77	36.90	284.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	05/31/96	321.77	35.34	286.43	0.00	<0.5	<0.5	<0.5	<0.5	<50	<5.0
MW11	08/28/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	11/18/96	321.77	39.56	282.21	0.00	NS	NS	NS	NS	NS	NS
MW11	02/28/97	321.77	34.50	287.27	0.00	NS	NS	NS	NS	NS	NS
MW11	05/23/97	321.77	34.80	286.97	0.00	NS	NS	NS	NS	NS	NS
MW11	09/23/97	321.77	39.18	282.59	0.00	NS	NS	NS	NS	NS	NS
MW11	12/30/97	321.77	37.94	283.83	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW11	03/24/98	321.77	32.86	288.91	NM	NS	NS	NS	NS	NS	NS
MW11	06/15/98	321.77	30.49	291.28	0.00	NS	NS	NS	NS	NS	NS
MW11	09/11/98	321.77	35.96	285.81	0.00	NS	NS	NS	NS	NS	NS
MW11	12/09/98	321.77	33.06	288.71	0.00	NS	NS	NS	NS	NS	NS
MW11	03/31/99	321.77	29.31	292.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.79/2.64 ^f
MW11	06/30/99	321.77	35.15	286.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	08/03/99	321.77	38.65	283.12	0.00	NS	NS	NS	NS	NS	NS
MW11	09/24/99	321.73	43.08	278.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.93 ^f
MW11	12/22/99	321.73	40.94	280.79	0.00	<1.0	<1.0	<1.0	<1.0	<50	<5.0 ^f
MW11	04/04/00	321.73	35.91	285.82	0.00	<1	<1	<1	<1	<50	<1
MW11	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW11	06/28/00	321.73	40.46	281.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	09/26/00	321.73	44.45	277.28	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW11	12/28/00	321.73	44.11	277.62	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.71 ^f
MW11	03/28/01	321.73	43.60	278.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/<1.0 ^f
MW11	06/25/01	321.73	46.78	274.95	0.00	3.0	7.3	2.0	11	59	<2.5
MW11	09/26/01	321.73	53.54	268.19	0.00	3.8	3.7	0.65	3.2	<50	<2.5
MW11	12/17/01	321.73	53.56	268.17	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW11	03/18/02	321.73	53.50	268.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	06/17/02	321.73	53.67	268.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW11	09/16/02	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	12/17/02	321.73	53.20	268.53	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.7/0.70 ^f
MW11	03/28/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11	06/16/03	321.73	53.63	NC	0.00	NS	NS	NS	NS	NS	NS
MW11	09/22/03	321.73	DRY	NC	NM	NS	NS	NS	NS	NS	NS
MW11 ^j	12/22/03	321.73	53.67	NC	0.00	NS	NS	NS	NS	NS	NS
MW11 ^j	03/23/04	321.73	53.64	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
MW12 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW12 08/30/00 Well destroyed											
MW12A 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW12A	09/26/00	NM	48.26	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW12A	12/28/00	NM	46.45	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
MW12A	03/28/01	322.53	46.07	276.46	0.00	0.622	0.823	<0.5	0.526	<50	<2.5/<1.0 ^f
MW12A	06/25/01	322.53	50.20	272.33	0.00	<0.5	0.82	<0.5	1.0	<50	<2.5
MW12A	09/26/01	322.53	60.83	261.70	0.00	1.6	2.0	0.5	2.6	<50	<2.5
MW12A	12/17/01	322.62	62.20	260.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW12A	03/18/02	322.62	58.35	264.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/17/02	322.62	58.85	263.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	09/16/02	322.62	71.56	251.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW12A	12/17/02	322.62	68.54	254.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/28/03	322.62	62.78	259.84	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	06/16/03	322.62	63.85	258.77	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A ^j	09/22/03	322.62	76.30	246.32	0.00	<0.5	2.3	<0.5	1.9	<50	<0.5
MW12A	12/22/03	322.62	88.71	233.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW12A	03/23/04	322.62	68.16	254.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW13	09/26/00	NM	45.62	NC	0.00	0.504	0.594	<0.5	0.982	<50	1.62 ^f
MW13	12/28/00	NM	45.15	NC	0.00	1.19	1.05	<0.5	1.25	<50	2.17 ^f
MW13	03/28/01	322.62	44.57	278.05	0.00	0.769	1.45	<0.5	0.594	<50	<2.5/<1.0 ^f
MW13	06/25/01	322.62	48.24	274.38	0.00	<0.5	1.1	<0.5	1.1	<50	<2.5
MW13	09/26/01	322.62	56.05	266.57	0.00	1.3	1.7	0.54	3.0	<50	<2.5
MW13	12/17/01	322.71	56.40	266.31	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW13	03/18/02	322.71	55.20	267.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
MW13	06/17/02	322.71	55.38	267.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/16/02	322.71	59.80	262.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW13	12/17/02	322.71	62.05	260.66	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/28/03	322.71	59.50	263.21	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	06/16/03	322.71	56.33	266.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	09/22/03	322.71	60.71	262.00	0.00	<0.5	2.3	<0.5	2.0	<50	<0.5
MW13	12/22/03	322.71	60.83	261.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW13	03/23/04	322.71	59.21	263.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
MW14	09/26/00	NM	46.90	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
MW14	12/28/00	NM	45.09	NC	0.00	2.04	<0.5	0.740	1.78	<50	<2 ^f
MW14	03/28/01	321.16	44.70	276.46	0.00	0.516	0.978	<0.5	0.919	<50	<2.5/<1.0 ^f
MW14	06/25/01	321.16	56.74	264.42	0.00	<0.5	0.66	<0.5	0.87	<50	<2.5
MW14	09/26/01	321.16	59.43	261.73	0.00	3.4	4.1	1.1	5.3	<50	<2.5
MW14	12/17/01	321.24	60.78	260.46	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW14	03/18/02	321.24	57.50	263.74	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/17/02	321.24	57.51	263.73	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	09/16/02	321.24	70.06	251.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
MW14	12/17/02	321.24	67.05	254.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/28/03	321.24	61.70	259.54	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	06/16/03	321.24	62.34	258.90	0.00	--	--	--	--	--	--
MW14	06/17/03	321.24	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14 ^j	09/22/03	321.24	74.50	246.74	0.00	<0.5	0.9	<0.5	0.8	<50	<0.5
MW14	12/22/03	321.24	66.61	254.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
MW14	03/23/04	321.24	66.91	254.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW1	09/24/99	322.45	10.37	312.08	0.00	2.10	1.41	<0.5	7.22	119	7,810 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	MTBE ($\mu\text{g}/\text{L}$)
OW1	12/22/99	322.45	10.93	311.52	0.00	12	<5.0	<5.0	5.2	360	44,000 ^f
OW1	04/04/00	322.45	10.83	311.62	0.00	1	<1	<1	<1	120	5,300/6,800 ^f
OW1 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
OW1	06/28/00	322.45	11.91	310.54	0.00	1.20	<1	<1	<1	<100	1,530 ^f
OW1	09/26/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/28/00	322.45	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	03/28/01	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	8.27/7.97 ^f
OW1	06/25/01	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/26/01	321.44	11.37	310.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	250/220 ^f
OW1	12/17/01	321.44	9.28	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.0 ^f
OW1	03/18/02	321.44	11.05	310.39	0.00	0.70	0.70	<0.5	<0.5	<50	13.7/14.5 ^f
OW1	06/17/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	09/16/02	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/17/02	321.44	9.24	312.20	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.1/4.80 ^f
OW1	03/28/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	06/16/03	321.44	11.40	NC	0.00	NS	NS	NS	NS	NS	NS
OW1	09/22/03	321.44	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW1	12/22/03	321.44	9.65	311.79	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
OW1	03/23/04	321.44	10.56	310.88	0.00	NS	NS	NS	NS	NS	NS
OW2	09/24/99	321.55	9.48	312.07	0.00	31.1	<0.5	<0.5	20.6	275 ^g	177,000 ^f
OW2	12/22/99	321.55	10.13	311.42	0.00	<5.0	<5.0	<5.0	5.2	410	85,000 ^f
OW2	04/04/00	321.55	10.00	NC	NM	NS	NS	NS	NS	NS	NS
OW2 06/15/00 STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
OW2	06/28/00	321.55	11.00	310.55	0.00	<50	<50	<50	<50	<5,000	45,400 ^f
OW2	09/26/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,690 ^f
OW2	12/28/00	321.55	11.11	310.44	0.00	<0.5	<0.5	<0.5	<0.5	<50	4,520 ^f
OW2	03/28/01	321.33	6.59	314.74	0.00	3.92	1.16	0.692	2.71	<50	9,130/5,650 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	TPH as MTBE ($\mu\text{g/L}$)
OW2	06/25/01	321.33	11.93	309.40	0.00	<2.0	<2.0	<2.0	3.1	<200	4,000/4,000 ^f
OW2	09/26/01	321.33	12.01	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	160/130 ^f
OW2	12/17/01	321.55	5.96	315.59	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,300/630 ^f
OW2	03/18/02	321.55	10.96	310.59	0.00	NS	NS	NS	NS	NS	NS
OW2	03/19/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,290	1,560/1,720 ^f
OW2	06/17/02	321.55	11.78	309.77	0.00	NS	NS	NS	NS	NS	NS
OW2	06/18/02	321.55	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,310	1,910/1,800 ^f
OW2	09/16/02	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/17/02	321.55	6.14	315.41	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.3/5.00 ^f
OW2	03/28/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	06/16/03	321.55	12.08	309.47	0.00	--	--	--	--	--	--
OW2 ^j	06/17/03	321.55	--	--	--	<0.5	<0.5	<0.5	<0.5	587	552/575 ^f
OW2	09/22/03	321.55	DRY	NC	NM	NS	NS	NS	NS	NS	NS
OW2	12/22/03	321.55	9.46	312.09	0.00	<0.5	<0.5	<0.5	<0.5	<50	50.2/59.6 ^f
OW2	03/23/04	321.55	10.42	311.13	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.4/3.70 ^f
PMW1	12/22/99	322.75	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW1	04/04/00	322.75	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW1	06/28/00	322.75	13.72	309.03	0.00	<0.5	<0.5	<0.5	<0.5	<50	<1 ^f
PMW1	09/26/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/28/00	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/01	322.74	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/25/01	322.74	15.09	307.65	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW1	09/26/01	322.74	15.56	307.18	0.00	NS	NS	NS	NS	NS	NS
PMW1	12/17/01	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/18/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	06/17/02	322.75	14.91	307.84	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)
PMW1	09/16/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/17/02	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	03/28/03	322.75	13.25	309.50	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	06/16/03	322.75	13.90	308.85	0.00	--	--	--	--	--	--
PMW1	06/17/03	322.75	--	--	--	<0.5	<0.5	<0.5	<0.5	<50	0.6/<0.5 ^f
PMW1	09/22/03	322.75	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW1	12/22/03	322.75	12.69	310.06	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW1	03/23/04	322.75	13.42	309.33	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW2	12/22/99	322.37	12.85	309.52	0.00	NS	NS	NS	NS	NS	NS
PMW2	04/04/00	322.37	10.65	311.72	0.00	<1	<1	<1	<1	<50	740/720 ^f
PMW2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW2	06/28/00	322.37	11.50	310.87	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,570 ^f
PMW2	09/26/00	322.37	12.36	310.01	0.00	<0.5	<0.5	<0.5	<0.5	<50	157 ^f
PMW2	12/28/00	322.37	11.85	310.52	0.00	<0.5	<0.5	<0.5	<0.5	445	234 ^f
PMW2	03/28/01	322.07	10.68	311.39	0.00	<0.5	0.632	<0.5	1.88	<50	400/284 ^f
PMW2	06/25/01	322.07	12.10	309.97	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.6/5.7 ^f
PMW2	09/26/01	322.07	12.26	309.81	0.00	1.6	2.9	1.0	4.7	<50	59/46 ^f
PMW2	12/17/01	322.37	10.08	312.29	0.00	<0.5	<0.5	<0.5	<0.5	<50	23/10 ^f
PMW2	03/18/02	322.37	11.90	310.47	0.00	NS	NS	NS	NS	NS	NS
PMW2	03/19/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	6.50/1.8 ^f
PMW2	06/17/02	322.37	13.00	309.37	0.00	NS	NS	NS	NS	NS	NS
PMW2	06/18/02	322.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	5.6/4.30 ^f
PMW2	09/16/02	322.37	14.73	307.64	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5 ^f
PMW2	12/17/02	322.37	14.14	308.23	0.00	<0.5	<0.5	<0.5	<0.5	<50	0.5/<0.5 ^f
PMW2	03/28/03	322.37	13.05	309.32	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.4/6.50 ^f
PMW2	06/16/03	322.37	13.89	308.48	0.00	NS	NS	NS	NS	NS	NS
PMW2	09/22/03	322.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
PMW2	12/22/03	322.37	10.86	311.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW2	03/23/04	322.37	11.33	311.04	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.0/11.2 ^f
PMW3	12/22/99	321.27	12.61	308.66	0.00	NS	NS	NS	NS	NS	NS
PMW3	04/04/00	321.27	9.78	311.49	0.00	<1	<1	<1	<1	<50	250/310 ^f
PMW3	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW3	06/28/00	321.27	10.52	310.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	31.5 ^f
PMW3	09/26/00	321.27	10.39	310.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	13.6 ^f
PMW3	12/28/00	321.27	12.20	309.07	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2 ^f
PMW3	03/28/01	321.27	9.37	311.90	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.08 ^f
PMW3	06/25/01	321.27	12.47	308.80	0.00	2.1	6.8	2.4	11	63	<2.5
PMW3	09/26/01	321.27	9.81	311.46	0.00	2.0	3.7	1.4	5.9	<50	<2.5
PMW3	12/17/01	321.27	7.16	314.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW3	03/18/02	321.27	9.89	311.38	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.30/0.7 ^f
PMW3	06/17/02	321.27	10.35	310.92	0.00	NS	NS	NS	NS	NS	NS
PMW3	06/18/02	321.27	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	09/16/02	321.27	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW3	12/17/02	321.27	7.76	313.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/28/03	321.27	11.00	310.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	06/16/03	321.27	10.76	310.51	0.00	NS	NS	NS	NS	NS	NS
PMW3	09/22/03	321.27	10.17	311.10	0.00	NS	NS	NS	NS	NS	NS
PMW3	12/22/03	321.27	9.11	312.16	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW3	03/23/04	321.27	10.27	311.00	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	12/22/99	321.37	15.32	306.05	0.00	NS	NS	NS	NS	NS	NS
PMW4	04/04/00	321.37	10.60	310.77	0.00	<1	<1	<1	<1	<50	28/27 ^f
PMW4	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW4	06/28/00	321.37	14.00	307.37	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.73 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW4	09/26/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/28/00	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	03/28/01	321.37	14.11	307.26	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5/1.11 ^f
PMW4	06/25/01	321.37	15.07	306.30	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	09/26/01	321.37	14.11	307.26	0.00	7.4	13	4.2	18	110	<2.5
PMW4	12/17/01	321.37	11.86	309.51	0.00	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW4	03/18/02	321.37	14.17	307.20	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/19/02	321.37	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/17/02	321.37	15.55	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/15/02	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/17/02	321.37	15.22	306.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	03/28/03	321.37	14.95	306.42	0.00	<0.5	<0.5	<0.5	<0.5	<50	<0.5
PMW4	06/16/03	321.37	14.80	NC	0.00	NS	NS	NS	NS	NS	NS
PMW4	09/22/03	321.37	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW4	12/22/03	321.37	15.28	306.09	0.00	NS	NS	NS	NS	NS	NS
PMW4	03/23/04	321.37	14.40	306.97	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/99	320.04	13.19	306.85	0.00	1.0	<1.0	<1.0	<1.0	<50	810 ^f
PMW5	04/04/00	320.04	9.61	310.43	0.00	<1	<1	<1	<1	<50	680/890 ^f
PMW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW5	06/28/00	320.04	10.10	309.94	0.00	1.79	<0.5	<0.5	<0.5	<50	629 ^f
PMW5	09/26/00	320.04	12.15	307.89	0.00	1.83	<0.5	<0.5	<0.5	<50	743 ^f
PMW5	12/28/00	320.04	12.48	307.56	0.00	1.93	<0.5	<0.5	<0.5	<50	919 ^f
PMW5	03/28/01	320.04	6.90	313.14	0.00	1.38	0.790	<0.5	<0.5	<50	420/304 ^f
PMW5	06/25/01	320.04	11.74	308.30	0.00	1.1	<0.5	<0.5	<0.5	<50	540/560 ^f
PMW5	09/26/01	320.04	12.30	307.74	0.00	3.8	3.6	1.2	5.9	<50	500/440 ^f
PMW5	12/17/01	320.04	8.89	311.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	230/94 ^f
PMW5	03/18/02	320.04	10.70	309.34	0.00	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
PMW5	03/19/02	320.04	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	179	152/35 ^f
PMW5	06/17/02	320.04	12.82	307.22	0.00	NS	NS	NS	NS	NS	NS
PMW5	06/18/02	320.04	NM	NC	NM	1.1	0.5	<0.5	<0.5	167	260/226 ^f
PMW5	09/16/02	320.04	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW5	12/17/02	320.04	13.05	306.99	0.00	1.2	<0.5	<0.5	<0.5	172	228/192 ^f
PMW5	03/28/03	320.04	14.95	305.09	0.00	0.80	<0.5	<0.5	<0.5	192	234/244 ^f
PMW5	06/16/03	320.04	12.94	307.10	0.00	NS	NS	NS	NS	NS	NS
PMW5	09/22/03	320.04	14.10	305.94	0.00	NS	NS	NS	NS	NS	NS
PMW5	12/22/03	320.04	13.55	306.49	0.00	NS	NS	NS	NS	NS	NS
PMW5	03/23/04	320.04	10.85	309.19	0.00	<0.5	<0.5	<0.5	<0.5	<50	34.7/34.5 ^f
PMW6	12/22/99	321.38	NM	NC	Dry	NS	NS	NS	NS	NS	NS
PMW6	04/04/00	321.38	15.10	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
PMW6	06/28/00	321.38	14.60	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	09/26/00	321.38	NM	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/28/00	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/01	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/25/01	321.38	14.82	306.56	NM	<0.5	<0.5	<0.5	<0.5	<50	<2.5
PMW6	09/26/01	321.38	15.42	305.96	0.00	NS	NS	NS	NS	NS	NS
PMW6	12/17/01	321.38	15.12	306.26	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/18/02	321.38	15.51	305.87	0.00	NS	NS	NS	NS	NS	NS
PMW6	06/17/02	321.38	15.56	305.82	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/16/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	12/17/02	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	03/28/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS
PMW6	06/16/03	321.38	14.88	NC	0.00	NS	NS	NS	NS	NS	NS
PMW6	09/22/03	321.38	DRY	NC	NM	NS	NS	NS	NS	NS	NS

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	TPH as gasoline ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)
PMW6	12/22/03	321.38	15.48	305.90	0.00	NS	NS	NS	NS	NS	NS
PMW6	03/23/04	321.38	14.39	306.99	0.00	0.50	<0.5	<0.5	<0.5	<50	<0.5
VR1	03/24/92	NM	NM	NC	NM	1.7	<0.5	<0.5	<0.5	<50	NA
VR1	06/30/99	NM	19.52	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	6.83/7.31 ^{f,h}
VR1	08/03/99	NM	19.53	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	2.49 ^f
VR1	09/24/99	321.00	19.73	301.27	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.94 ^f
VR1	12/22/99	321.00	21.35	299.65	0.00	<1.0	<1.0	<1.0	<1.0	<50	10 ^f
VR1	04/04/00	321.00	19.23	301.77	0.00	<1	<1	<1	<1	<50	4,500/5,500 ^f
VR1	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR1	06/28/00	321.00	20.42	300.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,370 ^f
VR1	09/26/00	321.00	21.92	299.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	387 ^f
VR1	12/28/00	321.00	21.85	299.15	0.00	<0.5	<0.5	<0.5	<0.5	<50	200 ^f
VR1	03/28/01	320.90	23.99	296.91	0.00	<0.5	<0.5	<0.5	<0.5	<50	86.6/55.9 ^f
VR1	06/25/01	320.90	23.84	297.06	0.00	NS	NS	NS	NS	NS	NS
VR1	09/26/01	320.90	23.96	296.94	0.00	<0.5	0.53	<0.5	<0.5	<50	140/130 ^f
VR1	12/17/01	321.00	24.12	296.88	0.00	<0.5	<0.5	<0.5	<0.5	<50	100/39 ^f
VR1	03/18/02	321.00	23.07	297.93	0.00	NS	NS	NS	NS	NS	NS
VR1	03/19/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	1,240	1,340/1,450 ^f
VR1	06/17/02	321.00	24.46	296.54	0.00	NS	NS	NS	NS	NS	NS
VR1	06/18/02	321.00	NM	NC	NM	<0.5	<0.5	<0.5	<0.5	122	188/160 ^f
VR1	09/16/02	321.00	27.07	293.93	0.00	<0.5	<0.5	<0.5	<0.5	135	175 ^f
VR1	12/17/02	321.00	24.25	296.75	0.00	<0.5	<0.5	<0.5	<0.5	<50	3.3/2.50 ^f
VR1	03/28/03	321.00	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR1	06/16/03	321.00	25.85	295.15	0.00	--	--	--	--	--	--
VR1	06/17/03	321.00	--	--	--	<0.5	<0.5	<0.5	<0.5	90.2	42.8/34.8 ^f
VR1	09/22/03	321.00	28.07	292.93	0.00	<0.5	0.5	<0.5	<0.5	78.1	80.7/85.6 ^f
VR1	12/22/03	321.00	24.86	296.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	42.5/42.1 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene ($\mu\text{g}/\text{L}$)	Toluene ($\mu\text{g}/\text{L}$)	Ethyl-benzene ($\mu\text{g}/\text{L}$)	Total Xylenes ($\mu\text{g}/\text{L}$)	TPH as gasoline ($\mu\text{g}/\text{L}$)	TPH as MTBE ($\mu\text{g}/\text{L}$)
VR1	03/23/04	321.00	25.86	295.14	0.00	<0.5	<0.5	<0.5	<0.5	<50	4.7/4.70 ^f
VR2	06/30/99	NM	33.63	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,080/1,160 ^{f,h}
VR2	08/03/99	NM	37.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	3,390 ^f
VR2	09/24/99	320.18	41.54	278.64	0.00	2,650	<50	<50	309	5,170	1,030 ^f
VR2	12/22/99	320.18	40.63	279.55	0.00	<1.0	<1.0	<1.0	<1.0	<50	34 ^f
VR2	01/21/00	320.18	39.04	281.14	0.00	<1.0	<1.0	<1.0	<1.0	<50	17 ^f
VR2	04/04/00	320.18	35.63	284.55	0.00	<1	<1	<1	<1	<50	370/400 ^f
VR2	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION									
VR2	06/28/00	320.18	39.28	280.90	0.00	1.12	<1	<1	<1	<50	268 ^f
VR2	09/26/00	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/28/00	320.18	42.55	277.63	0.00	<0.5	<0.5	<0.5	<0.5	<50	10.6 ^f
VR2	03/28/01	320.18	42.00	278.18	0.00	<0.5	<0.5	<0.5	<0.5	<50	5.85/2.98 ^f
VR2	06/25/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/26/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/01	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/18/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/16/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/17/02	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/28/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	06/16/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	09/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	12/22/03	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR2	03/23/04	320.18	DRY	NC	NM	NS	NS	NS	NS	NS	NS
VR3	06/30/99	NM	9.15	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	1,220/1,380 ^{f,h}
VR3	08/03/99	NM	8.19	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	16,100 ^f

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)
VR3	09/24/99	318.73	8.97	309.76	0.00	7.20	1.14	<1.0	1.94	122	10,900 ^f
VR3	11/05/99			Well destroyed							
VR4	06/30/99	NM	8.50	NC	0.00	<0.5	<0.5	<0.5	<0.5	<50	146
VR4	08/03/99	NM	8.69	NC	0.00	<0.5	<0.5	<0.5	<0.5	71.7 ^e	3.96 ^f
VR4	09/24/99	321.19	9.10	312.09	0.00	0.890	2.22	0.800	3.15	79.6	90.6 ^f
VR4	11/05/99			Well destroyed							

a = Water level recorded during pumping of MW7.

c = Casing head cut to lower elevation.

d = Casing head damaged by construction.

e = Results obtained past the technical holding time.

f = Analysis of MTBE by EPA Method 8260.

g = Unidentified Hydrocarbon C6-C12.

h = Analysis performed outside of EPA recommended hold time.

i = Groundwater level measured is in sump for groundwater extraction pump, near the bottom of the well and below the screened interval, and is not considered representative of groundwater elevation.

j = Grab groundwater sample collected.

D = Duplicate.

R = Rinseate.

LPH = Liquid-phase hydrocarbons.

TPH = Total Petroleum Hydrocarbons.

MTBE = Methyl tertiary butyl ether.

NA = Not analyzed.

NC = Not calculated.

ND = Not detected at or above the laboratory reporting limits.

NM = Not measured.

NS = Not sampled.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Monitoring Well	Date	Reference Elevation	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethy- benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	TPH as MTBE (µg/L)

µg/L = Micrograms per liter.

Note: TPH-g results beginning March 2002 include MTBE.

Groundwater elevations adjusted for LPH, when present, using an average specific gravity of 0.75 for gasoline.

TABLE 3 GROUNDWATER MONITORING PLAN,
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency	
		BTEX and TPH-g	MTBE
MW1	Q	Q	Q
MW4	Q	Q	Q
MW5D	Q	Q	Q
MW5S	Q	Q	Q
MW7	Q	Q	Q
MW8	Q	Q	Q
MW9A	Q	Q	Q
MW10	Q	Q	Q
MW11	Q	Q	Q
MW12A	Q	Q	Q
MW13	Q	Q	Q
MW14	Q	Q	Q
OW1	Q	Q	Q
OW2	Q	Q	Q
PMW1	Q	Q	Q
PMW2	Q	Q	Q
PMW3	Q	Q	Q
PMW4	Q	Q	Q
PMW5	Q	Q	Q
PMW6	Q	Q	Q
VR1	Q	Q	Q
VR2	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

MTBE = Methyl tertiary butyl ether.

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed	Est. Pounds Removed*	Cumulative Pounds Removed	Est. Pounds Removed*	Cumulative Pounds Removed
					Total TPH	(µg/L) Benzene	(µg/L) MTBE						
03/12/01	0	0%	185	0.0				0.000	0.000	0.000	0.000	0.000	0.000
03/12/01	0.26	100%	2,390	5.8	102.5	< 0.500	66.3	0.002	0.002	0.000	0.000	0.001	0.001
03/15/01	2.80	100%	30,740	7.0				0.024	0.026	0.000	0.000	0.008	0.009
03/23/01	5.44	67%	73,030	5.4				0.036	0.062	0.000	0.000	0.012	0.021
03/30/01	6.94	100%	137,670	6.5				0.055	0.116	0.000	0.001	0.019	0.040
04/06/01	7.03	100%	206,240	6.8	< 100	< 0.500	< 2.5	0.058	0.174	0.000	0.001	0.020	0.060
04/13/01	7.02	100%	276,970	7.0				0.059	0.233	0.000	0.001	0.001	0.061
04/19/01	5.97	100%	335,570	6.8				0.049	0.282	0.000	0.001	0.001	0.062
04/27/01	8.04	100%	415,750	6.9				0.067	0.349	0.000	0.002	0.002	0.064
05/01/01	3.92	100%	NM	NC				0.000	0.349	0.000	0.002	0.002	0.066
05/08/01	7.10	100%	525,007	6.9				0.091	0.440	0.000	0.002	0.002	0.069
05/11/01	2.86	100%	555,840	7.5	< 100	< 0.500	< 2.5	0.026	0.465	0.000	0.002	0.001	0.069
05/18/01	7.08	100%	623,650	6.6				0.057	0.522	0.000	0.003	0.001	0.071
05/25/01	7.02	100%	691,110	6.7				0.056	0.578	0.000	0.003	0.001	0.072
06/01/01	7.06	100%	758,630	6.6				0.056	0.634	0.000	0.003	0.001	0.073
06/05/01	3.96	100%	766,070	1.3	< 100	< 0.50	< 2.5	0.006	0.641	0.000	0.003	0.000	0.074
06/15/01	9.96	100%	859,280	6.5				0.078	0.718	0.000	0.004	0.002	0.076
06/22/01	3.53	50%	924,570	12.8				0.054	0.773	0.000	0.004	0.001	0.077
06/25/01	1.38	50%	924,578	0.0				0.000	0.773	0.000	0.004	0.000	0.077
06/26/01	1.19	100%	934,690	5.9				0.008	0.781	0.000	0.004	0.000	0.077
07/06/01	5.02	50%	992,100	7.9	< 100	< 0.50	< 2.5	0.048	0.829	0.000	0.004	0.001	0.078
07/12/01	6.04	100%	1,040,560	5.6				0.040	0.870	0.000	0.004	0.001	0.079
07/13/01	0.94	100%	1,048,180	5.6				0.006	0.876	0.000	0.004	0.000	0.080
07/20/01	6.99	100%	1,102,500	5.4				0.045	0.921	0.000	0.005	0.001	0.081
07/27/01	6.88	100%	1,150,270	4.8				0.040	0.961	0.000	0.005	0.001	0.082
08/07/01	11.01	100%	1,169,700	1.2				0.016	0.977	0.000	0.005	0.000	0.082
08/10/01	3.13	100%	1,170,090	0.1	< 100	< 0.50	< 2.5	0.000	0.978	0.000	0.005	0.000	0.082
08/16/01	6.07	100%	1,182,500	1.4				0.010	0.988	0.000	0.005	0.002	0.084
08/24/01	7.78	100%	1,183,080	0.1				0.000	0.988	0.000	0.005	0.000	0.084
08/31/01	7.14	100%	1,183,450	0.0				0.000	0.989	0.000	0.005	0.000	0.084
09/07/01	7.11	100%	1,183,920	0.0	< 100	< 0.50	29	0.000	0.989	0.000	0.005	0.000	0.084
09/12/01	4.71	100%	1,184,270	0.1				0.001	0.990	0.000	0.005	0.001	0.085
09/18/01	5.99	100%	1,184,840	0.1				0.001	0.990	0.000	0.005	0.001	0.086
09/25/01	7.23	100%	1,185,000	0.0				0.000	0.991	0.000	0.005	0.000	0.086
10/02/01	7.06	100%	1,186,110	0.1				0.002	0.992	0.000	0.005	0.002	0.088
10/08/01	0.00	0%	1,186,110	0.0				0.000	0.992	0.000	0.005	0.000	0.088
10/23/01	0.00	0%	1,186,110	0.0	260	< 0.50	460	0.000	0.992	0.000	0.005	0.000	0.088
10/30/01	7.23	100%	1,186,120	0.0				0.000	0.992	0.000	0.005	0.000	0.088
11/13/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089
12/11/01	0.00	0%	1,186,150	0.0				0.000	0.992	0.000	0.005	0.000	0.089
12/14/01	3.01	100%	1,188,700	0.6				0.006	0.998	0.000	0.005	0.013	0.102
12/17/01	2.31	100%	NM	NC				NC	0.998	NC	0.005	NC	0.102
12/18/01	0.00	0%	NM	NC				NC	0.998	NC	0.005	NC	0.102
12/21/01	0.00	0%	1,189,280	0.2	< 520	< 0.50	800	0.002	1.000	0.000	0.005	0.003	0.105
12/28/01	3.59	50%	1,191,340	0.4				0.005	1.005	0.000	0.005	0.015	0.120
01/04/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120
01/07/02	0.00	0%	1,191,350	0.0				0.000	1.005	0.000	0.005	0.000	0.120
01/08/02	0.96	100%	1,191,940	0.4	< 98	0.57	920	0.002	1.007	0.000	0.005	0.004	0.124
01/15/02	3.50	50%	1,194,700	0.5				0.005	1.011	0.000	0.005	0.011	0.135

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc.			Est. Pounds Removed*	Cumulative Pounds Removed	Est. Pounds Removed*	Cumulative Pounds Removed	Est. Pounds Removed*	Cumulative Pounds Removed
					Total TPH	(µg/L) Benzene	(µg/L) MTBE						
01/22/02	3.48	50%	1,198,310	0.7				0.006	1.018	0.000	0.005	0.014	0.149
01/25/02	0.00	0%	1,198,310	0.0				0.000	1.018	0.000	0.005	0.000	0.149
01/29/02	4.09	100%	1,198,950	0.1				0.001	1.019	0.000	0.005	0.003	0.152
01/30/02	0.70	100%	NM	NC				NC	1.019	NC	0.005	NC	0.152
02/05/02	6.30	100%	1,199,110	0.02	< 310	< 0.50	38	0.000	1.019	0.000	0.005	0.001	0.153
02/08/02	2.36	100%	NM	NC				NC	1.019	NC	0.005	NC	0.153
02/11/02	3.60	100%	1,199,310	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/19/02	8.00	100%	1,199,420	0.0				0.000	1.019	0.000	0.005	0.000	0.153
02/26/02	7.03	100%	1,199,590	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/05/02	6.99	100%	1,199,590	0.0	< 120	< 0.50	14	0.000	1.020	0.000	0.005	0.000	0.153
03/12/02	3.49	50%	1,199,600	0.0				0.000	1.020	0.000	0.005	0.000	0.153
03/19/02	3.51	50%	1,203,100	0.7				0.016	1.036	0.000	0.005	0.000	0.153
03/26/02	6.99	100%	1,207,200	0.4				0.018	1.054	0.000	0.005	0.000	0.154
03/27/02	0.97	100%	1,207,768	0.4				0.003	1.057	0.000	0.005	0.000	0.154
04/04/02	7.82	100%	1,210,690	0.3				0.013	1.070	0.000	0.005	0.000	0.154
04/09/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/16/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/17/02	0.00	0%	1,210,696	0.0				0.000	1.070	0.000	0.005	0.000	0.154
04/23/02	0.00	0%	1,210,690	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/14/02	0.00	0%	1,210,840	0.0				0.001	1.070	0.000	0.005	0.000	0.154
05/28/02	0.00	0%	1,210,840	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/29/02	0.00	0%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
05/30/02	0.88	100%	1,210,850	0.0				0.000	1.070	0.000	0.005	0.000	0.154
06/05/02	6.13	100%	1,213,350	0.3				0.011	1.082	0.000	0.005	0.000	0.154
06/12/02	7.02	100%	1,213,400	0.0	< 960	< 0.50	9.2	0.000	1.082	0.000	0.005	0.000	0.154
06/18/02	5.98	100%	1,216,120	0.3				0.106	1.188	0.001	0.006	0.295	0.449
06/28/02	10.02	100%	1,217,040	0.1				0.036	1.224	0.000	0.006	0.100	0.549
07/05/02	6.99	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/08/02	2.43	100%	1,217,040	0.0				0.000	1.224	0.000	0.006	0.000	0.549
07/12/02	4.54	100%	1,217,040	0.0	8,400	< 50.00	26000	0.000	1.224	0.000	0.006	0.000	0.549
07/16/02	4.04	100%	1,217,200	0.0				0.006	1.230	0.000	0.006	0.017	0.566
07/23/02	7.05	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/02/02	9.87	100%	1,217,200	0.0				0.000	1.230	0.000	0.006	0.000	0.566
08/07/02	5.18	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.001	0.567
08/13/02	5.74	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/21/02	8.19	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
08/27/02	5.79	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/06/02	10.21	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/10/02	4.00	100%	1,217,210	0.0				0.000	1.230	0.000	0.006	0.000	0.567
09/17/02	7.04	100%	1,217,350	0.0				0.005	1.235	0.000	0.006	0.015	0.582
09/24/02	6.98	100%	1,217,350	0.0	NA	NA	NA	0.000	1.235	0.000	0.006	0.000	0.582
10/01/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/08/02	6.69	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/16/02	6.32	79%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/22/02	6.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
10/29/02	7.16	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/05/02	7.03	100%	1,217,350	0.0				0.000	1.235	0.000	0.006	0.000	0.582
11/08/02	2.19	78%	1,217,650	0.1	< 105	< 0.50	< 2.5	0.011	1.246	0.000	0.006	0.033	0.615
11/12/02	4.21	100%	1,218,130	0.1				0.017	1.263	0.000	0.006	0.052	0.667

**TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate (gpm)	Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed		Cumulative Pounds Removed		Cumulative Pounds Removed	
									Total Benzene	Benzene	Total MTBE	MTBE		
11/19/02	6.92	100%	1,220,110	0.2				0.019	1.282	0.000	0.006	0.003	0.670	
11/25/02	6.04	100%	1,220,110	0.0				0.000	1.282	0.000	0.006	0.000	0.670	
12/05/02	10.06	100%	1,220,110	0.0				0.000	1.282	0.000	0.006	0.000	0.670	
12/10/02	4.97	100%	1,220,120	0.0	2,230	< 50	420	0.000	1.282	0.000	0.006	0.000	0.670	
12/17/02	7.00	100%	1,221,220	0.1				0.014	1.296	0.000	0.007	0.005	0.676	
12/24/02	7.01	100%	1,221,640	0.0				0.005	1.301	0.000	0.007	0.002	0.677	
12/30/02	6.00	100%	1,221,670	0.0				0.000	1.301	0.000	0.007	0.000	0.678	
01/06/03	6.96	100%	1,221,850	0.0	745	< 5.0	690	0.002	1.303	0.000	0.007	0.001	0.678	
01/10/03	3.42	84%	1,221,880	0.0				0.000	1.304	0.000	0.007	0.000	0.679	
01/14/03	3.90	100%	1,221,890	0.0				0.000	1.304	0.000	0.007	0.000	0.679	
01/21/03	7.02	100%	1,221,900	0.0				0.000	1.304	0.000	0.007	0.000	0.679	
01/27/03	6.04	100%	1,221,910	0.0				0.000	1.304	0.000	0.007	0.000	0.679	
02/04/03	7.91	100%	1,221,920	0.0	< 190	< 0.50	8.6	0.000	1.304	0.000	0.007	0.000	0.679	
02/12/03	8.05	100%	1,221,920	0.0				0.000	1.304	0.000	0.007	0.000	0.679	
02/19/03	6.94	100%	1,222,060	0.0				0.001	1.305	0.000	0.007	0.002	0.680	
02/20/03	0.00	0%	1,222,060	0.0				0.000	1.305	0.000	0.007	0.000	0.680	
02/25/03	5.04	100%	1,222,060	0.0				0.000	1.305	0.000	0.007	0.000	0.680	
03/05/03	7.97	100%	1,224,310	0.2	2,061	< 25	2900	0.021	1.326	0.000	0.007	0.027	0.708	
03/11/03	5.94	100%	1,224,930	0.1				0.006	1.332	0.000	0.007	0.008	0.715	
03/18/03	7.04	100%	1,225,680	0.1				0.007	1.338	0.000	0.007	0.009	0.724	
03/25/03	7.00	100%	1,226,890	0.1				0.011	1.349	0.000	0.007	0.015	0.739	
04/01/03	7.04	100%	1,227,060	0.0				0.002	1.351	0.000	0.007	0.002	0.741	
04/08/03	3.52	50%	1,227,470	0.1				0.004	1.355	0.000	0.007	0.005	0.746	
04/15/03	3.45	50%	1,227,990	0.1				0.005	1.359	0.000	0.008	0.006	0.752	
04/22/03	7.06	100%	1,230,320	0.2	< 102	< 0.50	25	0.021	1.380	0.000	0.008	0.028	0.781	
04/29/03	7.00	100%	1,233,510	0.3				0.005	1.385	0.000	0.008	0.000	0.781	
05/06/03	6.99	100%	1,235,160	0.2				0.003	1.388	0.000	0.008	0.000	0.781	
05/13/03	6.99	100%	1,235,490	0.0	< 280	< 0.50	< 2.5	0.001	1.389	0.000	0.008	0.000	0.781	
05/20/03	7.06	100%	1,235,950	0.0				0.001	1.390	0.000	0.008	0.000	0.781	
05/28/03	7.98	100%	1,236,460	0.0				0.001	1.391	0.000	0.008	0.000	0.781	
06/02/03	4.99	100%	1,236,480	0.0				0.000	1.391	0.000	0.008	0.000	0.781	
06/10/03	7.99	100%	1,236,480	0.0				0.000	1.391	0.000	0.008	0.000	0.781	
06/17/03	6.81	100%	1,236,490	0.0				0.000	1.391	0.000	0.008	0.000	0.781	
06/20/03	3.19	100%	1,236,650	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
06/24/03	4.08	100%	1,236,650	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
06/25/03	1.00	100%	1,236,650	0.0	NA	NA	NA	0.000	1.391	0.000	0.008	0.000	0.782	
06/27/03	1.92	100%	1,236,680	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/01/03	4.01	100%	1,236,680	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/08/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/15/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/22/03	7.02	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
07/29/03	6.81	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/05/03	7.17	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/13/03	8.06	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/19/03	6.02	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
08/26/03	6.98	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/02/03	6.99	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/09/03	6.96	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	
09/16/03	7.03	100%	1,236,690	0.0				0.000	1.391	0.000	0.008	0.000	0.782	

TABLE 4: OPERATION AND PERFORMANCE DATA - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA

Date	Days of Operation	Percent Operational	Flow Total (gallons)	Average Operational Flow rate			Influent Conc. (µg/L) Total TPH	Influent Conc. (µg/L) Benzene	Influent Conc. (µg/L) MTBE	Est. Pounds Removed* Total TPH	Cumulative Pounds Removed		Est. Pounds Removed* Benzene	Cumulative Pounds Removed		Est. Pounds Removed* MTBE	Cumulative Pounds Removed	
				Total	(gpm)	(µg/L)					Total TPH	Benzene		Total TPH	Benzene		Total TPH	Benzene
09/23/03	7.00	100%	1,236,780	0.0	175	< 2.5	60			0.000	1.391	0.000	0.008	0.000	0.000	0.782		
09/29/03	1.51	25%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
10/08/03	0.00	0%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
10/14/03	0.00	0%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
10/20/03	5.77	100%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
10/27/03	0.00	0%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
11/03/03	0.00	0%	1,236,810	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
11/11/03	8.15	100%	1,236,950	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
11/13/03	0.82	43%	1,236,950	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
11/18/03	5.12	100%	1,236,960	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
11/25/03	7.04	100%	1,236,960	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/02/03	6.97	100%	1,236,970	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/08/03	5.85	100%	1,237,060	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/11/03	3.08	100%	1,237,160	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/16/03	4.79	100%	1,237,310	0.0						0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/22/03	6.13	100%	1,237,580	0.0	108	< 0.5		2.5		0.000	1.392	0.000	0.008	0.000	0.000	0.782		
12/29/03	7.14	100%	1,237,740	0.0						0.000	1.393	0.000	0.008	0.000	0.000	0.782		
01/08/04	9.96	100%	1,238,160	0.0	450	< 0.5		< 2.5		0.001	1.394	0.000	0.008	0.000	0.000	0.782		
01/13/04	4.99	100%	1,238,160	0.0						0.000	1.394	0.000	0.008	0.000	0.000	0.782		
01/20/04	7.00	100%	1,238,160	0.0						0.000	1.394	0.000	0.008	0.000	0.000	0.782		
01/27/04	7.00	100%	1,238,200	0.0						0.000	1.394	0.000	0.008	0.000	0.000	0.782		
02/04/04	8.01	100%	1,238,360	0.0						0.000	1.394	0.000	0.008	0.000	0.000	0.782		
02/11/04	7.03	100%	1,238,360	0.0	250	< 0.5		< 2.5		0.000	1.394	0.000	0.008	0.000	0.000	0.782		
02/17/04	5.96	100%	1,238,410	0.0						0.000	1.395	0.000	0.008	0.000	0.000	0.782		
02/25/04	8.06	100%	1,238,700	0.0						0.001	1.396	0.000	0.008	0.000	0.000	0.782		
03/03/04	7.01	100%	1,238,770	0.0						0.000	1.396	0.000	0.008	0.000	0.000	0.782		
03/11/04	7.96	100%	1,238,770	0.0						0.000	1.396	0.000	0.008	0.000	0.000	0.782		
03/17/04	6.00	100%	1,238,770	0.0						0.000	1.396	0.000	0.008	0.000	0.000	0.782		
03/23/04	6.02	100%	1,238,770	0.0	590	< 0.5		< 2.5		0.000	1.396	0.000	0.008	0.000	0.000	0.782		
Total / Average	903.96	100.00%	1,238,770							1.396	1.396	0.008	0.008	0.782	0.782			

Note: When analyte is not detected, laboratory reporting limit is used for concentration and mass removed calculations

* Est. Pounds Removed = Average influent conc. (µg/L) * period flow total (gallons) * 1 lb/454 g * 1g/1,000,000µg * 3.785 L/gallon

gallon = Gallons per minute.

MTBE = Methyl tertiary butyl ether.

NC - Not calculated.

µg/L = Micrograms per liter.

NM - Not measured.

TPH = Total Petroleum Hydrocarbons as gasoline and diesel.

NM - Not analyzed.

**TABLE 5: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample	Concentration ($\mu\text{g/L}$)								
Location	Date	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
Influent									
	03/12/01	52.5	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	66.3	65.7
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	29	52
	10/23/01	50	< 0.50	< 0.50	< 0.50	< 0.50	210	460	620
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	470	800	650
	01/08/02	< 50	0.57	< 0.50	< 0.50	< 0.50	< 48	920	750
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	260	38	35
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	70	14	16
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	0.62	< 0.50	< 0.50	910	9.2	10
	07/12/02	7,900	< 50	78	< 50	< 50	500	26,000	20,000
	09/24/02	NA	NA	NA	NA	NA	NA	NA	NA
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	55	< 2.5	3.0
	12/10/02	230	< 50	< 50	< 50	< 50	2,000	NA	420
	01/06/03	670	< 5.0	< 5.0	< 5.0	< 5.0	75	690	670
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	140	8.6	8.7
	03/05/03	2,000	< 25	< 25	< 25	< 25	61	NA	2,900
	04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	52	NA	25
	05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	230	< 2.5	NA
	06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
	09/23/03	55	< 2.5	< 2.5	< 2.5	< 2.5	120	NA	60
	12/22/03	< 50	< 0.50	< 0.50	< 0.50	1.1	58	NA	2.5
	01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	400	NA	< 2.5
	02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	200	NA	< 2.5
	03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	540	NA	< 2.5
After First Carbon Vessel (Intermediate)									
	03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
	05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
	06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0
	08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
	10/23/01	< 50	< 0.50	0.50	2.7	2.9	200	< 2.5	< 2.0
	12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	< 0.50
	02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	290	< 2.5	< 0.50
	03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	320	< 2.5	< 0.50
	05/28/02	NA	NA	NA	NA	NA	NA	NA	NA
	06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	760	< 2.5	< 0.50
	07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	62	< 2.5	< 0.50
	09/24/02	NS	NS	NS	NS	NS	NS	NS	NS
	11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 48	< 2.5	0.89
	12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 0.50	71	NA	< 0.50
	01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	81	< 2.5	< 0.50
	02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120	< 2.5	< 0.50

**TABLE 5: SUMMARY OF ANALYTICAL RESULTS - GROUNDWATER EXTRACTION SYSTEM
FORMER EXXON RS 7-3399, 2991 HOPYARD ROAD, PLEASANTON, CALIFORNIA**

Sample	Concentration (µg/L)									
	Location	Date	TPH-g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-d	MTBE	MTBE by 8260B
		03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
		04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 0.50
		05/13/03	< 50	< 0.50	< 1.0	< 1.0	< 1.7	100	< 2.5	NA
		06/25/03	NA	NA	NA	NA	NA	NA	NA	NA
		09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 0.50
		12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 2.5
		01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 47	NA	< 2.5
		02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	91	NA	< 2.5
		03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	NA	< 2.5
Effluent										
		03/12/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
		04/06/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	NA
		05/11/01	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 50.0	< 2.50	< 1.00
		06/05/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0
		07/06/01	< 50	< 0.50	< 0.50	< 0.50	< 0.50	60	< 2.5	< 2.0
		07/06/01	TPH-d result confirmed with spare sample					< 50		
		08/10/01	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
		09/07/01	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 1.0	
		10/23/01	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 2.0	
		12/21/01	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50	
		01/08/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50	
		02/05/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50	
		03/05/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 2.5	< 0.50	
		05/28/02	< 50	< 0.50	< 0.50	< 0.50	< 50	1,200	< 2.5	< 0.50
		06/12/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 51	< 2.5	< 0.50
		07/12/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 51	< 2.5	< 0.50
		09/24/02	< 50	< 0.50	< 0.50	< 0.50	< 50	460	< 2.5	< 0.50
		11/12/02	< 50	< 0.50	< 0.50	< 0.50	< 50	< 48	< 2.5	< 0.50
		12/10/02	< 50	< 0.50	< 0.50	< 0.50	< 50	59	NA	< 0.50
		01/06/03	< 50	< 0.50	< 0.50	< 0.50	< 50	73	< 2.5	< 0.50
		02/04/03	< 50	< 0.50	< 0.50	< 0.50	< 50	74	< 2.5	< 0.50
		03/05/03	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 0.50
		04/22/03	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 0.50
		05/13/03	< 50	< 0.50	< 0.50	< 0.50	< 50	75	< 2.5	< 0.50
		06/25/03	< 50	< 0.50	< 0.50	< 0.50	< 50	470	< 2.5	< 0.50
		09/23/03	< 50	< 0.50	< 0.50	< 0.50	< 50	150	< 2.5	< 0.50
		11/26/03	< 50	< 0.50	1.5	< 0.50	1.4	< 47	< 2.5	< 0.50
		12/22/03	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 2.5
		01/08/04	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 2.5
		02/11/04	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 2.5
		03/23/04	< 50	< 0.50	< 0.50	< 0.50	< 50	< 47	NA	< 2.5

NA - Not Analyzed

µg/L - Micrograms per liter

TPH-g - Total Petroleum Hydrocarbons as gasoline

TPH-d - Total Petroleum Hydrocarbons as diesel

MTBE - Methyl tertiary butyl ether

Appendix A

Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered "functionally dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B

Field Documents

MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 5-23-04

Project Number: UP3399.1

Station Number: 7-3399

 Site Location:
2991 Hopyard Rd, Pleasanton, CA

Samplers: WP/PP

MONITORING WELL NUMBER	DEPTH TO WATER (TOC) FT	DEPTH TO PRODUCT (TOC) FT	APPARENT PRODUCT THICKNESS(FT)	AMOUNT OF PRODUCT REMOVED(L)	Well Completion Depth	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1 ✓	53.45			57.00	55.00	4"	
MW4 ✓	53.61			57.00	56.70	4"	
MW5D ✓	58.65			77.50	77.50	4"	
MW5S ✓	53.61			55.00	54.55	4"	
MW7 ✓	54.36			53.00	59.65	6"	
MW8 ✓	68.27			133.00	132.90	4"	
MW9A ✓	56.42			58.00	57.05	6"	
MW10 ✓	57.40			60.00	58.40	4"	
MW11 ✓	53.64			55.00	54.40	4"	
MW12A ✓	68.16			130.50	128.50	2"	
MW13 ✓	51.21			72.00	70.35	2"	
MW14 ✓	46.91			136.00	135.10	2"	
OW1 ✓	10.56				11.55	4"	
OW2 ✓	10.42				12.15	4"	
VR1 ✓	25.86			30.00	28.00	4"	
VR2 ✓	43.30	10m		45.00	43.30	2"	
PMW1 ✓	13.42			16.00	15.62	4"	
PMW2 ✓	11.33			16.00	15.55	4"	
PMW3 ✓	10.22			16.00	15.90	4"	
PMW4 ✓	14.40			16.00	15.85	4"	
PMW5 ✓	10.85			16.00	14.00	4"	
PMW6 ✓	14.99			16.00	15.82	4"	

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	MW1	Date:	3/23/04
Project No:	UP3399.1	Personnel:	PF		

GAUGING DATA

Water Level Measuring Method: NLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	55.00	53.45	1.55	X 1 2 4 6	0.04 0.16 0.64 1.44	.99 = 2.97

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	/	/	/	/	/	/	/
Volume Purge (gal)	1	/	2	/	3	/	/
Temperature (°C)							
pH							
Spec. Cond. (umhos)							
Turbidity/Color							
Odor (Y/N)							
Casing Volumes							
Dewatered (Y/N)							

Comments/Observations: WATER LEVEL HAS DROPPED SINCE DTW & DTB TAKEN
PER NOT ABLE TO PURGE & SAMPLE.

SAMPLING DATA

Time Sampled: —

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (ml or L)	Turbidity/ Color	Analysis Method
MW1	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 2.97 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Puring and Sampling: NO PURES & SAMPLES DUE TO LOW H2O LEVEL

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: 7-3399

Date: 3-23-04

Project No: UP3399.1

Personnel: AW

GAUGING DATA

Water Level Measuring Method: WLN

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	56.70	53.61	3.09	X 1 2 4 6	0.04 0.16 0.64 1.44	1.97 = 5.93

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time:	15:09	15:13	15:17	/	/	/
Volume Purge (gal):	2	4	6	/	/	/
Temperature (C):	18.9	19.1	/	/	/	/
pH:	6.62	6.54	/	/	/	/
Spec. Cond. (umhos):	1540	1551	/	/	/	/
Turbidity/Color:	Some / some	Some / some	/	/	/	/
Odor (Y/N):	N	N	/	/	/	/
Casing Volumes:	-	-	/	/	/	/
Dewatered (Y/N):	N	N	/	/	/	/

Comments/Observations:

WELL Dewatered to 4.5 gallons

Zinc coated & painted

SAMPLING DATA

Time Sampled: 15:13

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
15:13	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	
					/	

Total Purge Volume: (gallons)

Disposal: SYSTEM

Weather Conditions: overcast

Condition of Well Box and Casing at Time of Sampling: ok

Well Head Conditions Requiring Correction: none

Problems Encountered During Puring and Sampling: none

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW50

Date: 3/23/04

Project No: UP3399.1

Personnel: PP

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	77.50	- 58.65	= 18.85	X 1 2 (4) 6 0.04 0.16 0.64 1.44	12.06	= 36.19

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	9:17	9:28	9:39			
Volume Purge (gal)	12	24	36			
Temperature (°C)	18.0	18.0	18.1			
pH	7.10	7.10	7.13			
Spec. Cond. (umhos)	1408	1464	1476			
Turbidity/Color	slaty/clear	slaty/clear	slaty/clear			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 9:40

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW50	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 36 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Purging and Sampling: None

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	MWSS	Date:	3/23/04
Project No:	UP3399.1	Personnel:	PP		

GAUGING DATA
Water Level Measuring Method: NLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	54.55	53.61	.94	X ¹ 2 (4) 6 0.04 0.16 0.64 1.44	.60	= 1.80

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen Purge Rate: (gpm)

Time	9:35	9:39	9:43			
Volume/Purge (gal)	1	2	3			
Temperature (C)	18.0	18.0	17.9			
pH	7.24	7.25	7.25			
Spec. Cond.(umhos)	1715	1718	1719			
Turbidity/Color	clr/clr	clr/clr	clr/clr			
Odor (Y/N)	N	N	P			
Casing Volumes	-	-	-			
Dewatered (Y/N)	P	N	P			

Comments/Observations:

SAMPLING DATA
Time Sampled: 9:45

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MWSS	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 3 (gallons)

Disposal: SYSTEM

Weather Conditions: OKCondition of Well Box and Casing at Time of Sampling: OKWell Head Conditions Requiring Correction: NONEProblems Encountered During Puring and Sampling: NONE

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	MW7	Date:	3/23/04
Project No:	UP3399.1	Personnel:	PF		

GAUGING DATA
Water Level Measuring Method: WLMI

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	59.65	54.36	5.29	X 1 2 4 6 0.04 0.16 0.64 1.44	7.61	22.85

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time						
Volume Purge (gal)	8	16	24			
Temperature (C)						
pH						
Spec. Cond (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						

Comments/Observations: DEWATERED @ 5 gallons / RECHARGED & SAMPLED
SAMPLING DATA
Time Sampled: 11:30

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW7	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 5 (gallons)

Disposal: SYSTEM

Weather Conditions: OKCondition of Well Box and Casing at Time of Sampling: OKWell Head Conditions Requiring Correction: NONEProblems Encountered During Puring and Sampling: (DEWATERED) @ 5 gallons

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: NW3

Date: 3/23/04

Project No: UP3399.1

Personnel: (initials)

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multipplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	132.90	68.27	64.63	X 1 2 (4) 6	0.04 0.16 0.64 1.44	4136 = 124.08

PURGING DATA

Purge Method: Waterra Pump

Purge Depth:

Screen

Purge Rate: (gpm)

Time	13:21	14:06	14:51			
Volume Purge (gal)	41	82	123			
Temperature (C)	18.0	17.4	17.3			
pH	7.27	7.02	7.00			
Spec. Cond. (umhos)	59	108+	1089			
Turbidity/Color	clear	clear	clear			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 14:55

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
NW3	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 123 (gallons)

Disposal:

SYSTEM

Weather Conditions: ok

Condition of Well Box and Casing at Time of Sampling: ok

Well Head Conditions Requiring Correction: none

Problems Encountered During Purgung and Sampling: none

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MN9A

Date: 3/23/04

Project No: UP3399.1

Personnel: PP

GAUGING DATA

Water Level Measuring Method: WLW

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	57.05	56.42	.63	X 1 2 4 6 0.04 0.16 0.64 1.44	.90	= 2.70

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	/	/	/	/	/	/
Volume Purge (gal)	/	/	/	/	/	/
Temperature (C)	/	/	/	/	/	/
pH	/	/	/	/	/	/
Spec.Cond.(umhos)	/	/	/	/	/	/
Turbidity/Color	/	/	/	/	/	/
Odor (Y/N)	/	/	/	/	/	/
Casing Volumes	/	/	/	/	/	/
Dewatered (Y/N)	/	/	/	/	/	/

Comments/Observations: UNABLE TO PURGE & SAMPLE DUE TO LOW WATER COLUMN.

SAMPLING DATA

Time Sampled: —

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MN9A	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NODS

Problems Encountered During Purging and Sampling: LOW WATER COLUMN / NO PURGE & SAMPLE

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399		Well No:	NWW		Date:	3-23-04	
Project No:	UP3399.1		Personnel:					

GAUGING DATA								
Water Level Measuring Method:			Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)		
	58.40	57.40	.80	X 1 2 4 6 0.04 0.16 0.64 1.44	.51	153		

PURGING DATA								
Purge Method: Waterra Pump			Purge Depth:	Screen	Purge Rate:	(gpm)		
Time	/	/	/)				
Volume Purge (gal)	5	10	15)				
Temperature (°C)	/	/	/)				
pH	/	/	/)				
Spec. Cond. (umhos)	/	/	/)				
Turbidity/Color	/	/	/)				
Odor (Y/N)	/	/	/)				
Casing Volumes	/	/	/)				
Dewatered (Y/N)	✓	/	/)				

Comments/Observations: WELL DOWNTACED @ 25 GALLONS
 WELL DID NOT REACHES WELL IS
 ENTIRELY DRY NO SAMPLE TAKEN

SAMPLING DATA								
Time Sampled:	Approximate Depth to Water During Sampling: (feet)							
Comments:								
Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/Color	Analysis Method		
NWW	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE		

Total Purge Volume: 25 (gallons) Disposal: SYSTEM

Weather Conditions: ✓

Condition of Well Box and Casing at Time of Sampling: ✓

Well Head Conditions Requiring Correction: 2 x bolt stripped

Problems Encountered During Puring and Sampling: DOWNTACED

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: MW11

Date: 3/23/04

Project No: UP3399.1

Personnel: PF

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	54.40	- 53.64	= .76	X 1 2 4 6 0.04 0.16 0.64 1.44	.48	= 1.45

PURGING DATA

Purge Method: Water Pump BAILER

Purge Depth: Screen

Purge Rate: (gpm)

Time:						
Volume Purge (gal):	50	1	1.5			
Temperature (°C):						
pH:						
Spec. Cond. (umhos):						
Turbidity/Color:						
Odor (Y/N):						
Casing Volumes:						
Dewatered (Y/N):						

Comments/Observations: DO NOT PURGE DUE TO LOW CASING VOLUME & LOW WATER COLUMN.
(GRAB SAMPLE ONLY)

SAMPLING DATA

Time Sampled: 10:35

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW11	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling:

~~1X Bolt missing + 1X damaged tang~~Well Head Conditions Requiring Correction: ~~Leaking~~

Problems Encountered During Puring and Sampling:

~~No purge due to low casing volume / Grab Sample Only~~

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: N.W.124

Date: 3-23-04

Project No: UP3399.1

Personnel: TA

GAUGING DATA

Water Level Measuring Method: W-L-A

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	129.86	68.16	60.34	X 1 2 4 6 0.04 0.16 0.64 1.44	9.65	= 28.86

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	7:43	8:13	8:43			
Volume Purge (gal)	10	10	30			
Temperature (C)	17.0	17.5	17.5			
pH	6.99	6.95	6.92			
Spec. Cond. (umhos)	995.3	964.1	963.5			
Turbidity/Color	one/cue	one/cue	one/cue			
Odor (Y/N)	N	N	N			
Casing Volumes	—	—	—			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 8:45

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
N.W.124	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 30 (gallons)

Disposal:

SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Purgung and Sampling: None

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: NINB

Date: 3/23/04

Project No: UP3399.1

Personnel: W

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	70.35	59.21	= 11.14			
				X 1 2 4 6	0.04 0.16 0.64 1.44	= 1.78 = 5.34

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	10:54	6.57	7:00			
Volume Purge (gal)	2	4	4			
Temperature (°C)	17.6	18.6	18.6			
pH	4.75	6.59	6.59			
Spec Cond (micro)	1802	1803	1800			
Turbidity/Color	slight brown	slight brown	slight brown			
Oder (Y/N)	N	N	N			
Casing Volumes	—	—	—			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 7:05

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
NINB	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 4 (gallons)

Disposal:

SYSTEM

Weather Conditions: CK

Condition of Well Box and Casing at Time of Sampling: CK

Well Head Conditions Requiring Correction: N/A

Problems Encountered During Purgung and Sampling: N/A

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: NW14

Date: 3/23/04

Project No: UP3399.1

Personnel: (initials)

GAUGING DATA

Water Level Measuring Method: WLNA

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	135.10	66.91	68.19	X 1 2 4 6 0.04 0.16 0.64 1.44	10.91	32.73

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	9:35	10:09	10:43			
Volume Purge (gal)	11	22	33			
Temperature (°C)	17.6	17.5	17.5			
pH	7.11	6.96	6.98			
Spec. Cond. (umhos)	1027	1027	1018			
Turbidity/Color	clear	clear	clear			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 10:45

Approximate Depth to Water During Sampling:

(feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (ml or L)	Turbidity/ Color	Analysis Method
NW14	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 33 (gallons)

Disposal:

SYSTEM

Weather Conditions: Partly Cloudy

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Puring and Sampling: None

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-3399

Well No: SWJ

Date: 3/7/3-04

Project No: UP3399.1

Personnel: CW

GAUGING DATA

Water Level Measuring Method: WLMI

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	WLMI	10.76	= .77	X 1 2 4 6 0.04 0.16 0.64 1.44	.63	= 1.90

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time:						
Volume Purge (gal)	.75	1.5	2.25			
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)	/					

Comments/Observations:

WATER LEVEL HAS DECREASED SINCE SWI & DTR
WERE TAKEN - WELL IS DRY - NO SAMPLE TAKEN

SAMPLING DATA

Time Sampled: -

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/Color	Analysis Method
SWJ	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal:

SYSTEM

Weather Conditions: CW

Condition of Well Box and Casing at Time of Sampling: CW

Well Head Conditions Requiring Correction: ~~~

Problems Encountered During Puring and Sampling: ~~~

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	CW2	Date:	3/23/04
Project No:	UP3399.1	Personnel:	FP		

GAUGING DATA
Water Level Measuring Method: **VLM**

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	12.15	- 10.42	= 1.73	X 1 2 (4) 6 0.04 0.16 0.64 1.44	1.10	= 3.32

PURGING DATA
Purge Method: **Water Pump - BTLER** Purge Depth: Screen Purge Rate: (gpm)

Time	14:55	14:58	15:02			
Volume Purge (gal)	1	2	3			
Temperature (°C)	17.5	17.4	17.4			
pH	7.37	7.15	7.13			
Spec. Cond. (umhos)	270.5	266.6	260.8			
Turbidity/Color	SILTY/BLK	SILTY/BLK	SILTY/BLK			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA
Time Sampled: **15:05**

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
CW2	6	Voa	HCL	40 ml		TPH-g, BTEX, M TBE

Total Purge Volume: **3** (gallons) Disposal: **SYSTEM**Weather Conditions: **60°**Condition of Well Box and Casing at Time of Sampling: **(2x) TANGS STRIPPED**Well Head Conditions Requiring Correction: **None**Problems Encountered During Purging and Sampling: **None**

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	VRI	Date:	3/23/04
Project No:	UP3399.1	Personnel:	JP		

GAUGING DATA

 Water Level Measuring Method: JLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter			Casing Volume (gal)	Total Purge Volume (gal)
	28.00	- 25.84	= 2.14	X 1	2	4	6	0.04 0.16 0.64 1.44

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen Purge Rate: (gpm)

Time	12:20	12:21	12:22			
Volume Purge (gal)	1	2	3			
Temperature (C)	20.1	20.3	20.4			
pH	6.76	6.73	6.78			
Spec. Cond. (umhos)	570.9	574.8	578.1			
Turbidity/Color	SWT/GRN	SWT/GRN	SWT/GRN			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

 Time Sampled: 12:25

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
VRI	6	Voa	HCL	40 ml		TPH-g, 8TEX, MTBE

 Total Purge Volume: 3 (gallons)

Disposal: SYSTEM

 Weather Conditions: OK

 Condition of Well Box and Casing at Time of Sampling: OK

 Well Head Conditions Requiring Correction: None

 Problems Encountered During Puring and Sampling: None

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399		Well No:	TAW1		Date:	3-23-04	
Project No:	UP3399.1		Personnel:					

GAUGING DATA

Water Level Measuring Method: WLW1

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	15.62	- 13.42	= 2.20	X 1 2 4 6 0.04 0.16 0.64 1.44	1.40	= 4.22

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	11:02	11:24	11:24	/	/	/
Volume Purge (gal)	1	2	23	/	/	/
Temperature (°C)	19.9	20.0	/	/	/	/
pH	6.49	6.44	/	/	/	/
Spec. Cond. (umhos)	6487	6439	/	/	/	/
Turbidity/Color	clear	clear	/	/	/	/
Odor (Y/N)	Y	N	/	/	/	/
Casing Volumes	—	—	/	/	/	/
Dewatered (Y/N)	Y	2	4	/	/	/

Comments/Observations:

WELL Dewatered to 2.5 Gallons

RECHARGEABLE & COMPLETED

SAMPLING DATA

Time Sampled: 11:15

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (ml or L)	Turbidity/ Color	Analysis Method
TAW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	
					/	

Total Purge Volume: 2.5 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Puring and Sampling: DEWATERED

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	PMW2	Date:	3/23/04
Project No:	UP3399.1	Personnel:	ff		

GAUGING DATA

Water Level Measuring Method: WLH

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	15.55	11.33	4.22	X 1 2 4 6 0.04 0.16 0.64 1.44	2.70	= 8.10

PURGING DATA

Purge Method: Waterra Pump Purge Depth: Screen Purge Rate: (gpm)

Time	13:24					
Volume Purge (gal)	3	6	9			
Temperature (C)	18.7					
pH	7.00					
Spec. Cond. (umhos)	1335					
Turbidity/Color	slwy/clear					
Odor (Y/N)	N					
Casing Volumes	-					
Dewatered (Y/N)	N					

Comments/Observations: Dewatered @ 5 gallons / Recharged & Sampled

SAMPLING DATA

Time Sampled: 13:35 Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW2	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 5 (gallons) Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: (2x) TANGS STRIPPED

Well Head Conditions Requiring Correction: N/A

Problems Encountered During Puring and Sampling: Dewatered @ 5 gallons

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399		Well No:	PMW3	Date:	3/23/04
Project No:	UP3399.1		Personnel:	PP		

GAUGING DATA

Water Level Measuring Method:

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
				X 1 2 4 6	0.04 0.16 0.64 1.44	3.60 = 10.80
	15.90	- 10.27	= 5.63	X 1		

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time						
Volume Purge (gal)	4	8	12			
Temperature (°C)						
pH						
Spec. Cond (umhos)						
Turbidity/Color						
Odor (Y/N)						
Casing Volumes						
Dewatered (Y/N)						

Comments/Observations: Dewatered @ 1 gallon / Leached & Sampled

SAMPLING DATA

Time Sampled: 14:05

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PMW3	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 1 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: None

Problems Encountered During Puring and Sampling: Dewatered @ 1 gallon

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399		Well No:	P-A-N-1		Date:	3/23/04	
Project No:	UP3399.1		Personnel:	NP				

GAUGING DATA

Water Level Measuring Method: WLW

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	15.85	- 14.40	= 1.45	X 1 2 4 6 0.04 0.16 0.64 1.44	.92	= 2.78

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	12:15					
Volume Purge (gal)	1	2	3			
Temperature (°C)	20.4					
pH	7.00					
Spec. Cond. (umhos)	13.18					
Turbidity/Color	clear					
Odor (Y/N)	N					
Casing Volumes	1					
Dewatered (Y/N)	Y					

Comments/Observations:

DENTERED (1) GALLON

 WELL WOULD NOT RECHARGE - WELL IS
PERFORATED

SAMPLING DATA

Time Sampled:

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
1A	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: (gallons)

Disposal: SYSTEM

Weather Conditions:

Condition of Well Box and Casing at Time of Sampling:

Well Head Conditions Requiring Correction:

Problems Encountered During Puring and Sampling:

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	PWMS	Date:	3/23/04
Project No:	UP3399.1	Personnel:	PP		

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	14.60	10.85	3.75	X 1 2 (4) 6	0.04 0.16 0.64 1.44	2.40 = 7.20

PURGING DATA

Purge Method: Waterra Pump

Purge Depth: Screen

Purge Rate: (gpm)

Time	12:50	12:52	12:54			
Volume Purge (gal)	2	4	6			
Temperature (C)	18.0	18.0	18.2			
pH	8.59	9.04	9.03			
Spec. Cond. (umhos)	607.4	603.5	592.6			
Turbidity/Color	slurry / orange	slurry / orange	slurry / orange			
Odor (Y/N)	N	N	N			
Casing Volumes	-	-	-			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 13:00

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PWMS	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE

Total Purge Volume: 6 (gallons)

Disposal: SYSTEM

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N/A

Problems Encountered During Puring and Sampling: N/A

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name:	Exxon 7-3399	Well No:	PWN6	Date:	3/23/04
Project No:	UP3399.1	Personnel:	PP		

GAUGING DATA
Water Level Measuring Method: *NVM*

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)	
	15.82	14.39	1.43	X	1	2	4	6	.91	= 2.74
				0.04	0.16	0.64	1.44			

PURGING DATA
Purge Method: *Water Pump* *Baile* Purge Depth: Screen Purge Rate: (gpm)

Time	11:20						
Volume/Purge (gal)	1	2	3	/			
Temperature (C)	20.9			/			
pH	7.18			/			
Spec. Cond. (umhos)	1162			/			
Turbidity/Color	CLR/CLR			/			
Odor (Y/N)	N			/			
Casing Volumes	-			/			
Dewatered (Y/N)	✓			/			

Comments/Observations: *Dewatered @ 1 gallon / Recalibrated & sampled*
SAMPLING DATA

Time Sampled: 11:50 Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
PWN6	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE
					/	
					/	
					/	

Total Purge Volume: 1 (gallons) Disposal: SYSTEM

Weather Conditions: CK

Condition of Well Box and Casing at Time of Sampling: CK

Well Head Conditions Requiring Correction: N/DNS

Problems Encountered During Puring and Sampling: *RECALIBRATED @ 1 gallon*

Comments:

Appendix C

Laboratory Analytical Reports

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREEK DR • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

4/ 2/04

CASE NARRATIVE

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

RECEIVED

APR 09 2004

ETIC ENGINEERING

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:

Project Name: EXXONMOBIL 7-3399

Project Number: .

Laboratory Project Number: 369085.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Page 1

Sample Identification	Lab Number	Collection Date
MW4	04-A44548	3/23/04
MW5D	04-A44549	3/23/04
MW5S	04-A44550	3/23/04
MW7	04-A44551	3/23/04
MW8	04-A44552	3/23/04
MW11	04-A44553	3/23/04
MW12A	04-A44554	3/23/04
MW13	04-A44555	3/23/04
MW14	04-A44556	3/23/04
OW2	04-A44557	3/23/04
VR1	04-A44558	3/23/04
PMW1	04-A44559	3/23/04
PMW2	04-A44560	3/23/04
PMW3	04-A44561	3/23/04
PMW5	04-A44562	3/23/04
PMW6	04-A44563	3/23/04

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

Page 2

Sample Identification	Lab Number	Collection Date
-----	-----	-----

These results relate only to the items tested.

This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By: John A. Mitchell Report Date: 3/30/04

Johnny A. Mitchell, Operations Manager

Gail A. Lage, QA/QC

Michael H. Dunn, M.S., Technical Director

Glenn L. Norton, QA/QC

Pamela A. Langford, Technical Serv

Kelly S. Comstock, QA/QC

Eric S. Smith, QA/QC

Roxanne L. Connor, QA/QC

Laboratory Certification Number: 01168CA

This material is intended only for the use of the individual(s) or entity to whom it is addressed,
and may contain information that is privileged and confidential. If you are not the intended recipient,
or the employee or agent responsible for delivering this material to the intended recipient, you are
hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited.
If you have received this material in error, please notify us immediately at 615-726-0177.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44548
Sample ID: MW4
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 15:30
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	12:11	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	12:11	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	12:11	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	12:11	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	12:11	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	12:11	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREEK DR • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44549
Sample ID: MW5D
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 9:40
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
Benzene	ND	ug/L	0.50	1.0	3/27/04	12:43	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	12:43	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	12:43	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	12:43	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	12:43	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	12:43	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44550
Sample ID: MW5S
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399.
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 9:45
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	13:15	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	13:15	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	13:15	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	13:15	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	13:15	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	13:15	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44551
Sample ID: MW7
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 11:30
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	13:46	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	13:46	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	13:46	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	13:46	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	13:46	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	13:46	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44552
Sample ID: MW8
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 14:55
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	14:18	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	14:18	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	14:18	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	14:18	I. Ahmed	8021B	3800
Methyl-t-butylether	0.6	ug/L	0.5	1.0	3/27/04	14:18	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	14:18	I. Ahmed	8015B	3800
VOLATILE ORGANICS									
Methyl-t-butyl ether	0.60	ug/L	0.50	1.0	3/31/04	2:47	A. Bruton	8260B	25

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.
VOA Surr 1,2-DCA-d4	95.	71. - 128.
VOA Surr Toluene-d8	101.	77. - 119.
VOA Surr, 4-BFB	101.	79. - 123.
VOA Surr, DBFM	103.	78. - 124.

Sample report continued . . .

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 04-A44552
Sample ID: MW8
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44553
Sample ID: MW11
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 10:35
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	14:49	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	14:49	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	14:49	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	14:49	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	14:49	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	14:49	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44554
Sample ID: MW12A
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 8:45
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	15:21	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	15:21	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	15:21	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	15:21	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	15:21	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	15:21	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surrt., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-766-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44555
Sample ID: MW13
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 7:05
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	15:53	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	15:53	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	15:53	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	15:53	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	15:53	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	15:53	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44556
Sample ID: MW14
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 10:45
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	16:24	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	16:24	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	16:24	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	16:24	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	16:24	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	16:24	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surrogate, a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44557
Sample ID: OW2
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 15:05
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	17:01	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	17:01	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	17:01	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	17:01	I. Ahmed	8021B	3800
Methyl-t-butylether	3.4	ug/L	0.5	1.0	3/27/04	17:01	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	17:01	I. Ahmed	8015B	3800
<hr/>									
VOLATILE ORGANICS									
Methyl-t-butyl ether	3.70	ug/L	0.50	1.0	3/31/04	15:50	M.Himelick	8260B	1226

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.
VOA Surr 1,2-DCA-d4	101.	71. - 128.
VOA Surr Toluene-d8	96.	77. - 119.
VOA Surr, 4-BFB	98.	79. - 123.
VOA Surr, DBFM	97.	78. - 124.

Sample report continued . . .

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 04-A44557
Sample ID: OW2
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44558
Sample ID: VR1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 12:25
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	17:32	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	17:32	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	17:32	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	17:32	I. Ahmed	8021B	3800
Methyl-t-butylether	4.7	ug/L	0.5	1.0	3/27/04	17:32	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	17:32	I. Ahmed	8015B	3800
<hr/>									
VOLATILE ORGANICS									
Methyl-t-butyl ether	4.70	ug/L	0.50	1.0	3/31/04	3:17	A. Bruton	8260B	25

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.
VOA Surr 1,2-DCA-d4	98.	71. - 128.
VOA Surr Toluene-d8	98.	77. - 119.
VOA Surr, 4-BFB	103.	79. - 123.
VOA Surr, DBFM	105.	78. - 124.

Sample report continued . . .

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 04-A44558
Sample ID: VR1
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44559
Sample ID: PMW1
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 11:15
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	18:04	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	18:04	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	18:04	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	18:04	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	18:04	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	18:04	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44560
Sample ID: PMW2
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 13:35
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	18:36	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	18:36	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	18:36	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	18:36	I. Ahmed	8021B	3800
Methyl-t-butylether	13.0	ug/L	0.5	1.0	3/27/04	18:36	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	18:36	I. Ahmed	8015B	3800
VOLATILE ORGANICS									
Methyl-t-butyl ether	11.2	ug/L	0.50	1.0	3/31/04	3:47	A. Bruton	8260B	25

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.
VOA Surr 1,2-DCA-d4	96.	71. - 128.
VOA Surr Toluene-d8	100.	77. - 119.
VOA Surr, 4-BFB	102.	79. - 123.
VOA Surr, DBFM	102.	78. - 124.

Sample report continued . . .

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 04-A44560
Sample ID: PMW2
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44561
Sample ID: PMW3
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 14:05
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
<hr/>									
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	19:07	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	19:07	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	19:07	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	19:07	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	19:07	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	19:07	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	98.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44562
Sample ID: PMW5
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 13:00
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	3/27/04	19:39	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	19:39	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	19:39	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	19:39	I. Ahmed	8021B	3800
Methyl-t-butylether	34.7	ug/L	0.5	1.0	3/27/04	19:39	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	19:39	I. Ahmed	8015B	3800
VOLATILE ORGANICS									
Methyl-t-butyl ether	34.5	ug/L	0.50	1.0	3/31/04	4:17	A. Bruton	8260B	25

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.
VOA Surr 1,2-DCA-d4	95.	71. - 128.
VOA Surr Toluene-d8	104.	77. - 119.
VOA Surr, 4-BFB	101.	79. - 123.
VOA Surr, DBFM	104.	78. - 124.

Sample report continued . . .

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

Laboratory Number: 04-A44562
Sample ID: PMW5
Project:
Page 2

LABORATORY COMMENTS:

ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

ANALYTICAL REPORT

ETIC ENGINEERING 3865
BRYAN CAMPBELL
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 04-A44563
Sample ID: PMW6
Sample Type: Water
Site ID: 7-3399

Project:
Project Name: EXXONMOBIL 7-3399
Sampler: WYNN PACULBA

Date Collected: 3/23/04
Time Collected: 11:50
Date Received: 3/25/04
Time Received: 8:00
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Date	Analysis Time	Analyst	Method	Batch

ORGANIC PARAMETERS									
Benzene	0.50	ug/L	0.50	1.0	3/27/04	20:11	I. Ahmed	8021B	3800
Ethylbenzene	ND	ug/L	0.5	1.0	3/27/04	20:11	I. Ahmed	8021B	3800
Toluene	ND	ug/L	0.5	1.0	3/27/04	20:11	I. Ahmed	8021B	3800
Xylenes (Total)	ND	ug/L	0.5	1.0	3/27/04	20:11	I. Ahmed	8021B	3800
Methyl-t-butylether	ND	ug/L	0.5	1.0	3/27/04	20:11	I. Ahmed	8021B	3800
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	3/27/04	20:11	I. Ahmed	8015B	3800

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	99.	70. - 124.

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
B = Analyte was detected in the method blank.
J = Estimated Value below Report Limit.
E = Estimated Value above the calibration limit of the instrument.
= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CRESINGTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 1

Laboratory Receipt Date: 3/25/04

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for the defined analytical batch for MS/MSD analysis on an true sample matrix. Laboratory reagent water was used for QC purposes.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C.	Batch	Sample
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

UST ANALYSIS

Benzene	mg/l	0.00050	0.0557	0.0500	110	53. - 159.	3800	04-A44563
Toluene	mg/l	< 0.0005	0.0525	0.0500	105	54. - 156..	3800	04-A44563
Ethylbenzene	mg/l	< 0.0005	0.0527	0.0500	105	50. - 159.	3800	04-A44563
Xylenes (Total)	mg/l	< 0.0005	0.101	0.100	101	53. - 151.	3800	04-A44563
Methyl-t-butylether	mg/l	< 0.0005	0.0485	0.0500	97	36. - 158.	3800	04-A44563
TPH (Gasoline Range)	mg/l	< 0.0500	0.902	1.00	90	70. - 157.	3800	04-A44563
BTEX/GRO Surr., a,a,a-TFT	% Recovery				102	70 - 124	3800	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C.	Batch
-----	-----	-----	-----	-----	-----	-----	-----

UST PARAMETERS

Benzene	mg/l	0.0557	0.0581	4.22	21.	3800
Toluene	mg/l	0.0525	0.0561	4.83	25.	3800
Ethylbenzene	mg/l	0.0527	0.0555	5.18	25.	3800
Xylenes (Total)	mg/l	0.101	0.106	4.83	24.	3800
Methyl-t-butylether	mg/l	0.0485	0.0458	5.73	24.	3800
TPH (Gasoline Range)	mg/l	0.902	0.900	0.22	24.	3800
BTEX/GRO Surr., a,a,a-TFT	% Recovery		102.			3800

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204

800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 2

Laboratory Receipt Date: 3/25/04

VOA Surr 1,2-DCA-d4	% Rec	92.	25
VOA Surr 1,2-DCA-d4	% Rec	91.	1226
VOA Surr Toluene-d8	% Rec	101.	25
VOA Surr Toluene-d8	% Rec	100.	1226
VOA Surr, 4-BFB	% Rec	100.	25
VOA Surr, 4-BFB	% Rec	99.	1226
VOA Surr, DBFM	% Rec	102.	25
VOA Surr, DBFM	% Rec	103.	1226

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
---------	-------	------------	--------------	------------	--------------	------------

UST PARAMETERS						
Benzene	mg/l	0.100	0.0956	86	76 - 118	3800
Toluene	mg/l	0.100	0.0819	82	72 - 119	3800
Ethylbenzene	mg/l	0.100	0.0828	83	72 - 119	3800
Xylenes (Total)	mg/l	0.200	0.160	80	71 - 123	3800
Methyl-t-butylether	mg/l	0.100	0.0747	75	63 - 120	3800
TPH (Gasoline Range)	mg/l	1.00	0.902	90	72 - 122	3800
BTEX/GRO Surr., a,a,a-TFT	% Recovery			101	70 - 124	3800
VOA PARAMETERS						
Methyl-t-butyl ether	mg/l	0.0500	0.0466	93	70 - 130	25
Methyl-t-butyl ether	mg/l	0.0500	0.0502	100	70 - 130	1226
VOA Surr 1,2-DCA-d4	% Rec			93	71 - 128	25
VOA Surr 1,2-DCA-d4	% Rec			95	71 - 128	1226
VOA Surr Toluene-d8	% Rec			100	77 - 119	25
VOA Surr Toluene-d8	% Rec			100	77 - 119	1226
VOA Surr, 4-BFB	% Rec			100	79 - 123	25
VOA Surr, 4-BFB	% Rec			100	79 - 123	1226
VOA Surr, DBFM	% Rec			101	78 - 124	25
VOA Surr, DBFM	% Rec			102	78 - 124	1226

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 3

Laboratory Receipt Date: 3/25/04

Duplicates

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch	Sample Dup'd
-----	-----	-----	-----	-----	-----	-----	-----

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
-----	-----	-----	-----	-----	-----

UST PARAMETERS

Benzene	< 0.00050	mg/l	3800	3/27/04	11:39
Toluene	< 0.0005	mg/l	3800	3/27/04	11:39
Ethylbenzene	< 0.0005	mg/l	3800	3/27/04	11:39
Xylenes (Total)	< 0.0005	mg/l	3800	3/27/04	11:39
Methyl-t-butylether	< 0.0005	mg/l	3800	3/27/04	11:39
TPH (Gasoline Range)	< 0.0500	mg/l	3800	3/27/04	11:39
BTEX/GRO Surr., a,a,a-TFT	97.	% Recovery	3800	3/27/04	11:39

VOA PARAMETERS

Methyl-t-butyl ether	< 0.00014	mg/l	1226	3/30/04	11:54
Methyl-t-butyl ether	< 0.00014	mg/l	25	3/31/04	1:48
Methyl-t-butyl ether	< 0.00014	mg/l	25	3/31/04	1:48
VOA Surr 1,2-DCA-d4	96.	% Rec	1226	3/30/04	11:54
VOA Surr 1,2-DCA-d4	97.	% Rec	25	3/31/04	1:48
VOA Surr 1,2-DCA-d4	97.	% Rec	25	3/31/04	1:48
VOA Surr Toluene-d8	99.	% Rec	1226	3/30/04	11:54
VOA Surr Toluene-d8	100.	% Rec	25	3/31/04	1:48
VOA Surr Toluene-d8	100.	% Rec	25	3/31/04	1:48
VOA Surr, 4-BFB	101.	% Rec	1226	3/30/04	11:54
VOA Surr, 4-BFB	100.	% Rec	25	3/31/04	1:48

Project QC continued . . .

TestAmerica

ANALYTICAL TESTING CORPORATION

2960 FOSTER CREIGHTON DRIVE • NASHVILLE, TENNESSEE 37204
800-765-0980 • 615-726-3404 FAX

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: EXXONMOBIL 7-3399

Page: 4

Laboratory Receipt Date: 3/25/04

Blank Data

Analyte	Blank Value	Units	Q.C.	Batch	Analysis Date	Analysis Time
VOA Surr, 4-BFB	100.	% Rec		25	3/31/04	1:48
VOA Surr, DBFM	104.	% Rec		1226	3/30/04	11:54
VOA Surr, DBFM	103.	% Rec		25	3/31/04	1:48
VOA Surr, DBFM	103.	% Rec		25	3/31/04	1:48

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 369085



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

CHAIN OF CUSTODY RECORD
Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

ExxonMobil

369085

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 24

Fax No.: (925) 602-4720

Sampler Name: (Print) WENN Pacas

Sampler Signature: WENN Pacas

Report To: BRYAN CAMPBELL BMC

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865

PO #: 4504340666

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Preservative		Matrix	Analyze For:		RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results										
				Grab	Composite		Field Filtered	Ice					HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ , Plastic (Yellow Label)	H ₂ SO ₄ , Glass (Yellow Label)	None (Black Label)	Other (Specify):	Groundwater	Wastewater	Drinking Water
MW1	3/23	6			X	X						X			X	X	X					
MW4	1	15:30	6		X	X						X			X	X	X	4454B				
MW5D		9:46	6		X	X						X			X	X	X					
MW5S		9:45	6		X	X						X			X	X	X					
MW7		11:30	6		X	X						X			X	X	X	51				
MW8		14:55	6		X	X						X			X	X	X	52				
MW9A		6			X	X						X			X	X	X					
MW10		6			X	X						X			X	X	X					
MW11	V	10:35	6		X	X						X			X	X	X	53				
MW12A	V	9:45	6		X	X						X			X	X	X	54				
Special Instructions:	GLOBAL ID# T0600100537								EDF FILE REQUIRED								Laboratory Comments:					
CONFIRM ALL MTBE HITS BY 8260B																						
Relinquished by: <u>WENN Pacas</u> <u>WENN Pacas</u>	Date 3/23/04	Time 18:00	Received by:			Date	Time															
Relinquished by:	Date	Time	Received by TestAmerica:			Date	Time															

TestAmerica
INCORPORATED

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

ExxonMobil

369085

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 24

Fax No.: (925) 602-4720

Sampler Name: (Print) WYNNE Preyer

Sampler Signature: Wynne

Report To: BRYAN CAMPBELL

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865

PO #: 4504340666

Facility ID # 7-3399

Site Address 2991 HOPYARD ROAD

City, State Zip PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative			Matrix			Analyze For:			RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results	
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify):	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify):
MW13	3/23/04	7:55	6			X	X						X		X	X	44555		X	
MW14		10:45	6			X	X						X		X	X	56		X	
OW1			6			X	X						X		X	X			X	
OW2		15:05	6			X	X						X		X	X	57		X	
VR1		12:25	6			X	X						X		X	X	58		X	
VR2			6			X	X						X		X	X			X	
PMW1		11:15	6			X	X						X		X	X	59		X	
PMW2		13:35	6			X	X						X		X	X	60		X	
PMW3		14:05	6			X	X						X		X	X	61		X	
PMW4			6			X	X						X		X	X			X	
Special Instructions:	GLOBAL ID# T0600100537			EDF FILE REQUIRED														Laboratory Comments:		
CONFIRM ALL MTBE HITS BY 8260B																		Temperature Upon Receipt:		
Relinquished by: <u>Wynne Preyer</u>	Date <u>3/23/04</u>	Time <u>18:00</u>	Received by:										Date	Time				Sample Containers Intact?	<input checked="" type="checkbox"/>	
Relinquished by: <u>Wynne</u>	Date	Time	Received by TestAmerica:										Date <u>3/23/04</u>	Time <u>18:00</u>				VOCs Free of Headspace?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

CHAIN OF CUSTODY RECORD



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

ExxonMobil

369085

Consultant Name: ETIC ENGINEERING

Address: 2285 MORELLO AVENUE

City/State/Zip: PLEASANT HILL, CA. 94523

ExxonMobil Project Mgr: BRYAN CAMPBELL

Telephone Number: (925) 602-4710 EXT. 24

Fax No.: (925) 602-4720

Sampler Name: (Print)

Sampler Signature:

Report To: BRYAN CAMPBELL *Bryan C.*

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

Account #: 3865

PO #: 4504340666

Facility ID #: 7-3399

Site Address: 2991 HOPYARD ROAD

City, State Zip: PLEASANTON, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative			Matrix			Analyze For:			RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results	
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify):	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify):
PMW5	3/23	13:00	6			X	X									X	X	X	44562	
PMW6		11:30	6			X	X									X	X	X	4163	
Special Instructions:	GLOBAL ID# T0600100537			EDF FILE REQUIRED						CONFIRM ALL MTBE HITS BY 8260B						Laboratory Comments:				
CONFIRM ALL MTBE HITS BY 8260B																Temperature Upon Receipt:				
Relinquished by: <i>John Picard</i>	Date: 3/23/04	Time: 10:00	Received by:							Date: 3/25/04	Time: 8:00					Sample Containers Intact? Y N	VOCs Free of Headspace? Y N			
Relinquished by: <i>John Picard</i>	Date: 3/23/04	Time: 10:00	Received by TestAmerica:																	

COOLER RECEIPT FORM

BC#



369085

Client Name : ETIC

Cooler Received/Opened On:03/25/04 Accessioned By:Benjamin C. Wright

KW
Log-in Personnel Signature

1. Temperature of Cooler when triaged: 16 Degrees Celsius
2. Were custody seals on outside of cooler?..... YES...NO....NA
a. If yes, how many, what kind and where: 1 - TAPE - FRONT
3. Were custody seals on containers and intact?..... NO...YES...NA
4. Were the seals intact, signed, and dated correctly?..... YES...NO...NA
5. Were custody papers inside cooler?..... YES...NO...NA
6. Were custody papers properly filled out (ink, signed, etc)?..... YES...NO...NA
7. Did you sign the custody papers in the appropriate place?..... YES...NO...NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None
10. Did all containers arrive in good condition (unbroken)?..... YES...NO...NA
11. Were all container labels complete (#, date, signed, pres., etc)?..... YES...NO...NA
12. Did all container labels and tags agree with custody papers?..... YES...NO...NA
13. Were correct containers used for the analysis requested?..... YES...NO...NA
14. a. Were VOA vials received?..... YES...NO...NA
b. Was there any observable head space present in any VOA vial?..... NO...YES...NA
15. Was sufficient amount of sample sent in each container?..... YES...NO...NA
16. Were correct preservatives used?..... YES...NO...NA

If not, record standard ID of preservative used here _____

17. Was residual chlorine present?..... NO...YES...NA

18. Indicate the Airbill Tracking Number (last 4 digits for Fedex only) and Name of Courier below:

6408

<input checked="" type="radio"/> Fed-Ex	UPS	Velocity	Airborne	Route	Off-street	Misc.
---	-----	----------	----------	-------	------------	-------

19. If a Non-Conformance exists, see attached or comments below:

4PMWS HAD 1 VOA B.I.S.