

FAX**Date** *Friday, February 06, 1998***Number of pages including cover sheet** *5***TO:** *Mr. Larry Seto*
ACEHS
1131 Harbor Bay Pkwy,
Suite 250
*Alameda, CA 94502***Phone** *(510) 567-6774***Fax Phone** *(510) 337-9335***FROM:** *Reneé L. Athey*
Hageman-Aguiar, Inc.
11100 San Pablo Ave.,
Suite 200-A
*El Cerrito, CA 94530***Phone** *(510)620-0891***Fax Phone** *(510)620-0894***CC:****REMARKS:** *Urgent* *For your review* *Reply ASAP* *Please Comment*

Dear Larry,

This fax is in response to your questions about the Matheson Trucking - Oakland closure. I will not be in the office after 12 pm, so I am sending you copies of the lab sheets to verify the values that were put into the Matheson Trucking - Oakland closure.

If you have any questions, please call me at the above number next week. Please note the address, phone number, and fax number changes.

Thank you, Reneé 



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

February 07, 1996

PEL # 9602006

HAGEMAN - AGUIAR, INC.

Attn: Mark Hainsworth

Re: Two water samples for Gasoline/BTEX and Diesel analyses.

Project name: Matheson Trucking

Project location: Poplar Ave., - Oakland, CA.

Date sampled: Feb 02, 1996


Date submitted: Feb 05, 1996

Date extracted: Feb 05-06, 1996

Date analyzed: Feb 05-06, 1996

RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylene (ug/L)
MW-1	120	140	N.D.	1.5	0.5	5.5
MW-2	230	350	0.6	0.9	1.2	3.0
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	99.1%	107.2%	81.9%	82.3%	80.0%	84.2%
Detection limit	50	50	0.5	0.5	0.5	0.5
Method of Analysis	5030 / 8015	3510 / 8015	602	602	602	602


David Duong
Laboratory Director



PRIORITY ENVIRONMENTAL LABS

Priority Environmental Analytical Laboratory

May 04, 1996

PEL # 9605004

HAGEMAN - AGUIAR, INC.

Attn: Mark Hainsworth

Re: Two water samples for Gasoline/BTEX and Diesel analyses.

Project name: Matheson Trucking

Project location: 2500 Poplar St., - Oakland, CA.

Date sampled: May 01, 1996


Date submitted: May 02, 1996

Date extracted: May 02-03, 1996

Date analyzed: May 02-03, 1996

RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylene (ug/L)
MW-1	240	N.D.	N.D.	N.D.	2.3	2.8
MW-2	1000	N.D.	N.D.	N.D.	0.5	3.1
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	84.5%	87.9%	90.8%	88.0%	86.4%	111.3%
Detection limit	50	50	0.5	0.5	0.5	0.5
Method of Analysis	5030 / 8015	3510 / 8015	602	602	602	602


David Duong
Laboratory Director



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

February 20, 1997

PEL # 9702032

HAGEMAN - AGUIAR, INC.

Attn: Gary Aguiar

Re: Two water samples for Gasoline/BTEX with MTBE and Diesel analyses.

Project name: Matheson Trucking

Project location: 2500 Poplar Ave., - Oakland

Date sampled: Feb 18, 1997


Date submitted: Feb 19, 1997

Date extracted: Feb 19-20, 1997

Date analyzed: Feb 19-20, 1997

RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)	Oil & Grease (mg/L)
MW-1	N.D.	3000	N.D.	N.D.	N.D.	N.D.	N.D.
MW-2	N.D.	1400	N.D.	N.D.	N.D.	N.D.	N.D.
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	98.9%	81.2%	88.4%	95.1%	97.2%	90.3%	---
Detection limit	50	50	0.5	0.5	0.5	0.5	0.5
Method of Analysis	5030 / 8015	3510 / 8015	602	602	602	602	5520 C & F


David Duong
Laboratory Director



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

May 02, 1997

PEL # 9704048

HAGEMAN - AGUIAR, INC.

Attn: Randal Wilson

Re: Two water samples for Gasoline/BTEX with MTBE and Diesel analyses.

Project name: Matheson Oakland

Project location: 2500 Poplar street - Oakland

Date sampled: Apr 28, 1997


Date submitted: Apr 30, 1997

Date extracted: Apr 28-May 01, 1997

Date analyzed: Apr28-May01, 1997

RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)	MTBE (ug/L)
MW - 1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW - 2	430	N.D.	N.D.	<u>2.8</u>	1.6	<u>8.2</u>	N.D.
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	90.5%	86.2%	93.6%	80.2%	87.4%	93.1%	---
Detection limit	50	50	0.5	0.5	0.5	0.5	0.5
Method of Analysis	5030/ 8015	3510/ 8015	602	602	602	602	602


 David Duong
 Laboratory Director