



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
www.CRAworld.com

**TRANSMITTAL**

DATE: May 15, 2009 REFERENCE NO.: 240612

PROJECT NAME: 1784 150th Avenue, San Leandro

TO: Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502

**RECEIVED**  
10:14 am, May 18, 2009  
Alameda County  
Environmental Health

Please find enclosed:  Draft  Final  
 Originals  Other  
 Prints

Sent via:  Mail  Same Day Courier  
 Overnight Courier  Other GeoTracker and Alameda County FTP

QUANTITY	DESCRIPTION
1	Groundwater Monitoring Report - First Quarter 2009

As Requested  For Review and Comment  
 For Your Use  \_\_\_\_\_  
 \_\_\_\_\_

**COMMENTS:**

If you have any questions regarding the content of this document, please contact Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Avenue, Carson, CA 90810

Completed by: Peter Schaefer Signed: 

Filing: Correspondence File



Jerry Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Denis L. Brown  
Shell Oil Products US  
HSE - Environmental Services  
20945 S. Wilmington Ave.  
Carson, CA 90810-1039  
Tel (707) 865 0251  
Fax (707) 865 2542  
Email [denis.l.brown@shell.com](mailto:denis.l.brown@shell.com)

Re: Shell-branded Service Station  
1784 150th Avenue  
San Leandro, California  
SAP Code 136019  
Incident No. 98996068  
Agency Case No. RO0000367

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown  
Project Manager



## **GROUNDWATER MONITORING REPORT - FIRST QUARTER 2009**

**SHELL-BRANDED SERVICE STATION  
1784 150TH AVENUE  
SAN LEANDRO, CALIFORNIA**

**SAP CODE           136019  
INCIDENT NO.    98996068  
AGENCY NO.      RO0000367**

**MAY 15, 2009**

**REF. NO. 240612 (7)**

This report is printed on recycled paper.

**Prepared by:  
Conestoga-Rovers  
& Associates**

5900 Hollis Street, Suite A  
Emeryville, California  
U.S.A. 94608

Office: (510) 420-0700  
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1
1.1 SITE INFORMATION .....	1
2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION.....	2
2.1 CURRENT QUARTER'S ACTIVITIES.....	2
2.2 CURRENT QUARTER'S FINDINGS .....	2
2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER .....	2

LIST OF FIGURES  
(Following Text)

- FIGURE 1 VICINITY MAP
- FIGURE 2 GROUNDWATER ELEVATION AND CHEMICAL CONCENTRATION  
MAP

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - GROUNDWATER MONITORING  
REPORT

## 1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

### 1.1 SITE INFORMATION

Site Address	1784 150th Avenue, San Leandro
Site Use	Shell-branded Service Station
Shell Project Manager	Denis Brown
CRA Project Manager	Peter Schaefer
Lead Agency and Contact	ACHCSA, Jerry Wickham
Agency Case No.	RO0000367
Shell SAP Code	136019
Shell Incident No.	98996068

Date of most recent agency correspondence was April 21, 2009.

## 2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

### 2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1) and a groundwater elevation and chemical concentration map (Figure 2). Blaine's report, presenting the analytical data, is included in Appendix A.

Alameda County Health Care Services Agency's (ACHCSA's) April 21, 2009 letter requested resampling of soil vapor probe SVP-5 and a feasibility study including additional analysis of the pilot test data.

### 2.2 CURRENT QUARTER'S FINDINGS


Groundwater Flow Direction	Variable
Hydraulic Gradient	Variable
Depth to Water	11.55 to 23.13 feet below top of well casing

### 2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER

CRA will submit a soil vapor probe sampling report by August 17, 2009 and CRA will submit a feasibility study by July 20, 2009, as requested in ACHCSA's April 21, 2009 letter.

Blaine will gauge and sample wells according to the revised monitoring program discussed below for this site.

All of Which is Respectfully Submitted,  
CONESTOGA-ROVERS & ASSOCIATES


  
Peter Schaefer, CHG, CEG

  
Aubrey K. Cool, PG





## FIGURES



I:\Shell\6-charts\2406--\240612-San Leandro 1784 150th\240612-FIGURES\240612 VICINITY.AI

FIGURE 1

**Shell-branded Service Station**  
 1784 150th Avenue  
 San Leandro, California




**CONESTOGA-ROVERS & ASSOCIATES**

**Vicinity Map**



I:\Shell\6-chars\2406-1\240612-REPORTS\240612-RPT7-1009\240612-10M09-GW.DWG



CONESTOGA-ROVERS & ASSOCIATES

Groundwater Contour and Chemical Concentration Map

March 10, 2009

Shell-branded Service Station

1784 150th Avenue  
San Leandro, California

FIGURE 2

APPENDIX A

BLAINE TECH SERVICES, INC. -  
GROUNDWATER MONITORING REPORT

---

# BLAINE

TECH SERVICES INC.

---

GROUNDWATER SAMPLING SPECIALISTS  
SINCE 1985

March 25, 2009

Denis Brown  
Shell Oil Products US  
20945 South Wilmington Avenue  
Carson, CA 90810

First Quarter 2009 Groundwater Monitoring at  
Shell-branded Service Station  
1784 150th Avenue  
San Leandro, CA

Monitoring performed on March 10, 2009

---

## Groundwater Monitoring Report **090310-JO-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,



Mike Ninokata  
Project Manager

MN/tm

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheet

cc: Anni Kreml  
Conestoga-Rovers & Associates  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
EW-1	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.44	23.26	25.18	NA	NA
EW-1	01/06/2009	43,000	NA	1,600	860	1,500	3,800	NA	500	NA	NA	NA	NA	NA	NA	48.44	22.51	25.93	NA	0.18
EW-1	03/10/2009	39,000	NA	2,500	1,300	1,700	5,300	NA	390	NA	NA	NA	NA	NA	NA	48.44	19.58	28.86	NA	1.21
EW-2	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.52	19.35	25.17	NA	NA
EW-2	01/06/2009	85,000	NA	970	1,400	3,200	20,000	NA	150	NA	NA	NA	NA	NA	NA	44.52	18.63	25.89	NA	0.22
EW-2	03/10/2009	67,000	NA	190	650	3,100	21,000	NA	<100	NA	NA	NA	NA	NA	NA	44.52	16.21	28.31	NA	0.76
MW-1	03/08/1990	510	120	1.5	0.8	<0.5	5.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.29	23.84	NA	NA
MW-1	06/12/1990	390	100	86	1.3	0.7	6.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.85	23.28	NA	NA
MW-1	09/13/1990	100	130	56	0.75	2.4	2.8	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.49	21.64	NA	NA
MW-1	12/18/1990	480	<50	54	1.7	3.3	3.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.41	21.72	NA	NA
MW-1	03/07/1991	80	<50	266	<0.5	1.2	<1.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.79	23.34	NA	NA
MW-1	06/07/1991	510	<50	130	3.8	6.1	11	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.64	23.49	NA	NA
MW-1	09/17/1991	330	120 a	67	<0.5	3.0	2.2	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.54	21.59	NA	NA
MW-1	12/09/1991	140a	80	<0.5	<0.5	1.7	4.7	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.81	21.32	NA	NA
MW-1	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.57	23.56	NA	NA
MW-1	02/24/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.83	26.30	NA	NA
MW-1	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.09	26.04	NA	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.26	25.87	NA	NA
MW-1	06/03/1992	1,500	NA	520	180	72	230	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.64	24.49	NA	NA
MW-1	09/01/1992	130	NA	16	1.4	1.8	3.4	NA	NA	NA	NA	NA	NA	NA	NA	49.13	26.74	22.39	NA	NA
MW-1	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.18	21.95	NA	NA
MW-1	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.99	21.14	NA	NA
MW-1	12/04/1992	150	NA	360	0.7	1.8	2.1	NA	NA	NA	NA	NA	NA	NA	NA	49.13	27.14	21.99	NA	NA
MW-1	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.09	29.04	NA	NA
MW-1	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.26	24.87	NA	NA
MW-1	03/03/1993	<50	NA	1.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.50	28.63	NA	NA
MW-1	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	21.70	27.43	NA	NA
MW-1	06/17/1993	1,600	NA	340	120	120	440	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.42	26.71	NA	NA
MW-1	09/10/1993	2,600	NA	670	340	310	730	NA	NA	NA	NA	NA	NA	NA	NA	49.13	24.11	25.02	NA	NA
MW-1	12/13/1993	11,000	NA	470	320	380	2,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.73	25.40	NA	NA
MW-1	03/03/1994	16,000	NA	700	690	480	3,200	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.08	27.05	NA	NA
MW-1	06/06/1994	7,500	NA	420	280	200	1,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.10	26.03	NA	NA
MW-1	09/12/1994	1,200	NA	110	21	3.3	420	NA	NA	NA	NA	NA	NA	NA	NA	49.13	25.19	23.94	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	12/19/1994	4,600	NA	470	330	230	1,300	NA	NA	NA	NA	NA	NA	NA	NA	49.13	23.06	26.07	NA	NA
MW-1	02/28/1995	500	NA	59	32	6.8	68	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.90	28.23	NA	NA
MW-1	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.28	30.85	NA	NA
MW-1	06/26/1995	5,500	NA	740	420	300	1,800	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.40	28.73	NA	NA
MW-1	09/13/1995	84,000	NA	1,900	2,600	3,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.62	26.51	NA	NA
MW-1	12/19/1995	80,000	NA	660	350	170	18,000	NA	NA	NA	NA	NA	NA	NA	NA	49.13	22.10	27.03	NA	NA
MW-1	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	18.83	30.34	0.05	NA
MW-1	06/28/1996	270,000	NA	2,800	820	1,000	16,000	<0.5	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA
MW-1 (D)	06/28/1996	790,000	NA	2,200	780	1,000	13,000	15,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.46	27.67	NA	NA
MW-1	09/26/1996	29,000	NA	1,100	260	270	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	23.57	25.57	0.01	NA
MW-1	09/26/1996	25,000	NA	1,200	320	240	1,900	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	NA	NA	NA	NA
MW-1	12/10/1996	13,000	NA	510	240	230	1,200	100	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1 (D)	12/10/1996	8,400	NA	420	130	140	680	81	NA	NA	NA	NA	NA	NA	NA	49.13	21.43	27.70	NA	1.0
MW-1	03/10/1997	4,200	NA	13	8.8	16	-74	<12	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1 (D)	03/10/1997	5,100	NA	12	8.9	17	79	<25	NA	NA	NA	NA	NA	NA	NA	49.13	20.08	29.05	NA	2.0
MW-1	06/30/1997	5,700	NA	320	120	140	700	47	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1 (D)	06/30/1997	5,300	NA	300	95	120	580	45	NA	NA	NA	NA	NA	NA	NA	49.13	21.68	27.45	NA	1.6
MW-1	09/12/1997	6,300	NA	120	26	82	260	30	NA	NA	NA	NA	NA	NA	NA	49.13	21.78	27.35	NA	2.1
MW-1 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.13	20.78	28.35	NA	1.3
MW-1	02/02/1998	84	NA	5.1	<0.50	<0.50	2.1	2.5	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.0
MW-1	06/24/1998	13,000	NA	3,000	260	410	1,400	<250	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1 (D)	06/24/1998	12,000	NA	3,800	250	47	1,400	710	NA	NA	NA	NA	NA	NA	NA	49.13	19.65	29.48	NA	2.5
MW-1	08/26/1998	3,100	NA	1,200	27	170	50	88	NA	NA	NA	NA	NA	NA	NA	49.13	20.49	28.64	NA	2.1
MW-1	12/23/1998	45,000	NA	5,300	220	1,000	3,600	970	NA	NA	NA	NA	NA	NA	NA	49.13	21.22	27.91	NA	3.8
MW-1	03/01/1999	22,300	NA	2,540	436	753	3,370	<400	NA	NA	NA	NA	NA	NA	NA	49.13	19.27	29.86	NA	1.8
MW-1	06/14/1999	18,800	NA	6,820	210	436	958	1,360	NA	NA	NA	NA	NA	NA	NA	49.13	20.80	28.33	NA	2.2
MW-1	09/28/1999	21,500	NA	7,470	281	467	927	1,800	NA	NA	NA	NA	NA	NA	NA	49.13	22.55	26.58	NA	2.0
MW-1	12/08/1999	22,300	NA	6,140	135	256	367	232	NA	NA	NA	NA	NA	NA	NA	49.13	23.12	26.01	NA	2.1
MW-1	03/14/2000	6,690	NA	1,880	63.5	134	307	460	NA	NA	NA	NA	NA	NA	NA	49.13	18.87	30.26	NA	2.3
MW-1	06/28/2000	8,080	NA	2,690	85.1	149	514	701	NA	NA	NA	NA	NA	NA	NA	49.13	21.12	28.01	NA	2.4
MW-1	09/06/2000	17,800	NA	7,390	212	329	1,270	<1,000	NA	NA	NA	NA	NA	NA	NA	49.13	21.90	27.23	NA	3.0
MW-1	12/14/2000	8,900	NA	4,870	79.2	106	370	1,840	673*	NA	NA	NA	NA	NA	NA	49.13	22.60	26.53	NA	2.0
MW-1	03/05/2001	7,520	NA	2,120	66.0	107	129	668	NA	NA	NA	NA	NA	NA	NA	49.13	20.06	29.07	NA	0.4
MW-1	06/11/2001	30,000	NA	7,400	390	600	2,300	NA	170	NA	NA	NA	NA	NA	NA	49.13	22.39	26.74	NA	1.6
MW-1	09/12/2001	23,000	NA	7,500	120	280	910	NA	320	NA	NA	NA	NA	NA	NA	49.13	23.37	25.76	NA	2.2



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	12/27/2001	16,000	NA	2,400	190	330	1,500	NA	350	NA	NA	NA	NA	NA	NA	49.13	20.97	28.16	NA	1.3
MW-1	02/27/2002	26,000	NA	6,100	330	510	2,000	NA	210	NA	NA	NA	NA	NA	NA	49.10	20.47	28.63	NA	1.3
MW-1	06/18/2002	29,000	NA	8,100	280	510	1,800	NA	140	NA	NA	NA	NA	NA	NA	49.10	21.99	27.11	NA	2.2
MW-1	09/18/2002	34,000	NA	5,900	350	700	3,000	NA	<250	NA	NA	NA	NA	NA	NA	49.10	23.21	25.89	NA	0.8
MW-1	12/27/2002	7,500	NA	1,200	30	120	410	NA	230	<5.0	<5.0	<5.0	310	31	<5.0	49.10	20.10	29.00	NA	0.6
MW-1	03/05/2003	17,000	NA	1,600	88	400	1,400	NA	230	NA	NA	<10	290	<10	NA	49.10	21.05	28.05	NA	1.7
MW-1	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1	06/25/2003	14,000	NA	5,300	250	440	2,100	NA	100	NA	NA	<200	<500	<50	NA	49.10	21.93	27.17	NA	0.9
MW-1	09/25/2003	33,000	NA	7,700	250	860	3,400	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.21	25.89	NA	1.7
MW-1	12/15/2003	63,000	NA	14,000	360	1,300	3,900	NA	150	NA	NA	<400	<1000	<100	NA	49.10	22.08	27.02	NA	1.5
MW-1	03/04/2004	28,000	NA	8,000	180	640	2,100	NA	79	NA	NA	<200	<500	<50	NA	49.10	19.85	29.25	NA	0.2
MW-1	05/27/2004	33,000	NA	8,700	260	840	2,700	NA	81	NA	NA	<200	<500	<50	NA	49.10	22.15	26.95	NA	0.2
MW-1	09/24/2004	26,000	NA	5,700	210	830	2,900	NA	<50	<200	<200	<200	<500	<50	<50	49.10	23.69	25.41	NA	1.5
MW-1	11/22/2004	100,000	NA	2,500	920	4,100	22,000	NA	130	NA	NA	<200	<500	<50	NA	49.10	23.19	25.91	NA	NA
MW-1	03/02/2005	110,000	NA	1,300	670	4,000	23,000	NA	87	NA	NA	<100	<500	<25	NA	49.10	19.35	29.75	NA	NA
MW-1	06/30/2005	94,000	NA	6,500	1,100	3,900	21,000	NA	900	NA	NA	<1,000	<2,500	<250	NA	49.10	20.64	28.46	NA	0.6
MW-1	09/20/2005	63,000	NA	3,900	540	2,000	14,000	NA	1,100	<800	<800	<800	<2,000	<200	NA	49.10	22.06	27.04	NA	NA
MW-1	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.90	27.25	0.06	NA
MW-1	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	17.54	31.60	0.05	NA
MW-1 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	NA	NA	NA	NA
MW-1 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.16	28.97	0.04	NA
MW-1	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.26	28.86	0.03	NA
MW-1	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	21.24	27.91	0.06	NA
MW-1	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.10	20.83	28.30	0.04	NA
MW-1	03/20/2007	43,600	NA	11,900	348	964	1,450	NA	9,180	NA	NA	<200	<10,000	<100	NA	49.10	20.88	28.22	NA	0.26
MW-1	06/01/2007	22,000 q	NA	7,900	120	310	424 r	NA	7,800	NA	NA	NA	NA	NA	NA	49.10	21.93	27.17	NA	0.72
MW-1	06/26/2007	20,000 q	NA	6,700	110	360	730	NA	6,500	NA	NA	<200	2,200	<50	NA	49.10	22.30	26.80	NA	1.33
MW-1	07/19/2007	26,000 q	NA	6,100	92 r	180	523 r	NA	7,100	NA	NA	NA	NA	NA	NA	49.10	22.70	26.40	NA	2.89
MW-1	08/14/2007	44,000 q	NA	6,300	130	910	4,100	NA	6,300	NA	NA	NA	NA	NA	NA	49.10	22.90	26.20	NA	1.9
MW-1	09/11/2007	38,000 q	NA	8,100	140	670	1,770	NA	5,700	<100	<100	<100	3,000	<25	NA	49.10	23.65	25.45	NA	0.84
MW-1	10/26/2007	40,000 q	NA	9,500	120	540	1,370	NA	6,300	NA	NA	NA	NA	NA	NA	49.10	23.04	26.06	NA	0.9
MW-1	11/13/2007	36,000 q	NA	8,400	110	480	1,400	NA	7,100	NA	NA	NA	NA	NA	NA	49.10	22.99	26.11	NA	0.30
MW-1	12/26/2007	33,000 q	NA	8,600	120	550	1,330	NA	5,300	NA	NA	<100	2,500	<25	NA	49.10	22.37	26.73	NA	0.5
MW-1	01/03/2008	42,000 q	NA	9,900	170	810	2,140	NA	5,300	NA	NA	NA	NA	NA	NA	49.10	22.53	26.57	NA	1.63
MW-1	02/21/2008	32,000 q	NA	9,900	540	1,100	2,260	NA	5,500	NA	NA	NA	NA	NA	NA	49.10	20.42	28.68	NA	2.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-1	03/19/2008	41,000 q	NA	9,900	620	1,300	2,280	NA	5,600	NA	NA	NA	6,900	<50	NA	49.10	21.01	28.09	NA	0.24
MW-1	04/16/2008	53,000	NA	10,000	430	1,100	2,200	NA	5,500	NA	NA	NA	NA	NA	NA	49.10	21.49	27.61	NA	1.70
MW-1	05/29/2008	47,000	NA	9,100	670	1,100	2,270	NA	4,600	NA	NA	NA	NA	NA	NA	49.10	22.17	26.93	NA	1.10
MW-1	06/05/2008	51,000	NA	7,900	660	1,100	2,780	NA	4,600	<200	<200	<200	3,700	<50	NA	49.10	22.31	26.79	NA	0.19
MW-1	07/22/2008	69,000	NA	8,700	510	1,400	3,480	NA	3,100	NA	NA	NA	NA	NA	NA	49.10	23.13	25.98	0.01	1.64
MW-1	09/29/2008	61,000	NA	7,900	560	1,400	2,480	NA	2,300	<200	<200	<200	4,100	<50	NA	49.10	24.04	25.06	NA	0.69
MW-1	Well destroyed		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.99	23.78	25.21	NA	NA
MW-1A	12/19/2008	320	NA	0.54	<1.0	<1.0	<1.0	NA	12	NA	NA	NA	NA	NA	NA	48.99	23.61	25.38	NA	0.38
MW-1A	03/10/2009	570	NA	8.0	<1.0	1.5	1.2	NA	16	NA	NA	NA	NA	NA	NA	48.99	20.15	28.84	NA	1.80
MW-1B	10/31/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.07	24.25	24.82	NA	NA
MW-1B	12/19/2008	980	NA	14	<1.0	3.8	15	NA	440	NA	NA	NA	NA	NA	NA	49.07	23.71	25.36	NA	0.42
MW-1B	03/10/2009	790	NA	11	<5.0	<5.0	8.4	NA	450	NA	NA	NA	NA	NA	NA	49.07	20.36	28.71	NA	1.22
MW-2	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	22.22	23.61	NA	NA
MW-2	02/24/1992	17,000	2,700 a	6,200	1,600	550	1,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.61	26.22	NA	NA
MW-2	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.92	25.91	NA	NA
MW-2	03/01/1992	86,000	1,000 a	30,000	34,000	2,300	16,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.11	24.72	NA	NA
MW-2	06/03/1992	87,000	NA	28,000	18,000	2,000	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.58	24.25	NA	NA
MW-2	09/01/1992	110,000	NA	21,000	13,000	1,900	7,800	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.46	22.37	NA	NA
MW-2	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.99	21.84	NA	NA
MW-2	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	24.25	21.58	NA	NA
MW-2	12/04/1992	42,000	NA	15,000	2,400	960	2,900	NA	NA	NA	NA	NA	NA	NA	NA	45.83	23.89	21.94	NA	NA
MW-2	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.03	28.80	NA	NA
MW-2	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.08	27.75	NA	NA
MW-2	03/03/1993	160,000	NA	36,000	3,800	32,000	21,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2 (D)	03/03/1993	150,000	NA	31,000	3,100	20,000	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.28	28.55	NA	NA
MW-2	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.41	27.42	NA	NA
MW-2	06/17/1993	65,000	NA	34,000	15,000	3,200	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2 (D)	06/17/1993	62,000	NA	28,000	14,000	2,700	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.06	26.77	NA	NA
MW-2	09/10/1993	72,000	NA	24,000	16,000	2,300	11,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2 (D)	09/10/1993	71,000	NA	23,000	15,000	2,300	10,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.88	24.95	NA	NA
MW-2	12/13/1993	19,000	NA	5,400	4,900	680	3,100	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2 (D)	12/13/1993	17,000	NA	6,200	5,500	720	3,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.42	25.41	NA	NA
MW-2	03/03/1994	110,000	NA	21,000	24,000	2,000	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2 (D)	03/03/1994	93,000	NA	19,000	22,000	1,800	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.48	27.35	NA	NA
MW-2	06/06/1994	10,000	NA	1,900	3,300	2,500	13,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2 (D)	06/06/1994	99,000	NA	9,900	12,000	2,400	12,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	20.26	25.57	NA	NA
MW-2	09/12/1994	160,000	NA	22,000	33,000	3,400	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2 (D)	09/12/1994	150,000	NA	23,000	34,000	3,500	23,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	21.80	24.03	NA	NA
MW-2	12/19/1994	80,000	NA	17,000	16,000	2,300	14,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2 (D)	12/19/1994	100,000	NA	28,000	26,000	3,400	20,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.66	26.17	NA	NA
MW-2	02/28/1995	100,000	NA	24,000	18,000	2,300	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2 (D)	02/28/1995	100,000	NA	31,000	21,000	3,200	18,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.51	28.32	NA	NA
MW-2	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	14.88	30.95	NA	NA
MW-2	06/26/1995	45,000	NA	14,000	12,000	1,500	7,500	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2 (D)	06/26/1995	68,000	NA	13,000	11,000	1,800	7,700	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.58	28.25	NA	NA
MW-2	09/13/1995	110,000	NA	19,000	19,000	2,800	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA
MW-2 (D)	09/13/1995	120,000	NA	20,000	20,000	2,900	15,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	19.28	26.55	NA	NA
MW-2	12/19/1995	180,000	NA	18,000	29,000	4,100	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2 (D)	12/19/1995	160,000	NA	18,000	28,000	3,800	24,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.61	27.22	NA	NA
MW-2	03/06/1996	120,000	NA	28,000	15,000	3,900	17,000	NA	NA	NA	NA	NA	NA	NA	NA	45.83	15.41	30.42	NA	NA
MW-2	06/28/1996	96,000	NA	20,000	20,000	4,100	22,000	2,400	NA	NA	NA	NA	NA	NA	NA	45.83	17.84	27.99	NA	NA
MW-2	09/26/1996	87,000	NA	7,600	11,000	2,500	15,000	990	840	NA	NA	NA	NA	NA	NA	45.83	19.60	26.23	NA	NA
MW-2	12/10/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	18.15	27.88	0.25	NA
MW-2	03/10/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.02	28.97	0.20	NA
MW-2	06/30/1997	57,000	NA	3,600	4,600	1,300	9,700	2,300	NA	NA	NA	NA	NA	NA	NA	45.83	19.42	26.41	NA	2.4
MW-2	09/12/1997	88,000	NA	7,800	8,800	2,600	16,000	3,200	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 (D)	09/12/1997	90,000	NA	8,300	9,400	2,700	17,000	3,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.40	26.43	NA	1.7
MW-2 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.83	17.56	28.27	NA	1.3
MW-2	02/02/1998	<50	NA	0.6	1.9	0.93	6.0	9.3	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2 (D)	02/02/1998	56	NA	1.0	2.8	1.4	9.3	13	NA	NA	NA	NA	NA	NA	NA	45.83	18.14	27.69	NA	2
MW-2	06/24/1998	20,000	NA	<200	620	560	4,500	<1,000	NA	NA	NA	NA	NA	NA	NA	45.83	16.08	29.75	NA	2.4
MW-2	08/26/1998	22,000	NA	380	1,100	560	4,400	330	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2 (D)	08/26/1998	11,000	NA	180	130	290	500	1,400	NA	NA	NA	NA	NA	NA	NA	45.83	19.25	26.58	NA	NA
MW-2	12/23/1998	100,000	NA	4,100	6,500	2,400	16,000	<500	NA	NA	NA	NA	NA	NA	NA	45.83	18.29	27.54	NA	3.8
MW-2	03/01/1999	50,800	NA	3,910	7,480	1,890	13,100	9,620	NA	NA	NA	NA	NA	NA	NA	45.83	22.81	23.02	NA	2.0
MW-2	06/14/1999	4,930	NA	128	270	139	1,040	2,200	2,540*	NA	NA	NA	NA	NA	NA	45.83	18.86	26.97	NA	1.6

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	09/28/1999	16,200	NA	647	1,070	542	4,130	5,320	4,790	NA	NA	NA	NA	NA	NA	45.83	21.41	24.42	NA	1.8
MW-2	12/08/1999	25,700	NA	1,670	2,110	977	6,600	6,190	5,970	NA	NA	NA	NA	NA	NA	45.83	21.89	23.94	NA	1.8
MW-2	03/14/2000	45,100	NA	2,070	4,710	1,920	12,800	16,700	18,300*	NA	NA	NA	NA	NA	NA	45.83	15.57	30.26	NA	2.0
MW-2	06/28/2000	52,100	NA	5,150	4,200	1,880	13,300	15,500	13,500*	NA	NA	NA	NA	NA	NA	45.83	17.79	28.04	NA	1.9
MW-2	09/06/2000	39,500	NA	4,490	3,290	2,100	14,000	18,500	9,060*	NA	NA	NA	NA	NA	NA	45.83	18.65	27.18	NA	3.5
MW-2	12/14/2000	209	NA	3.51	1.11	1.00	64.4	79.4	NA	NA	NA	NA	NA	NA	NA	45.83	19.00	26.83	NA	1.5
MW-2	03/05/2001	38,200	NA	2,010	927	1,250	8,300	13,100	15,400	NA	NA	NA	NA	NA	NA	45.83	16.66	29.17	NA	1.0
MW-2	06/11/2001	50,000	NA	4,400	2,200	1,800	11,000	NA	26,000	NA	NA	NA	NA	NA	NA	45.83	18.93	26.90	NA	1.7
MW-2	09/12/2001	59,000	NA	6,100	2,800	2,300	14,000	NA	21,000	NA	NA	NA	NA	NA	NA	45.83	19.85	25.98	NA	1.6
MW-2	12/27/2001	74,000	NA	8,600	2,500	2,500	17,000	NA	25,000	NA	NA	NA	NA	NA	NA	45.83	17.85	27.98	NA	2.6
MW-2	02/27/2002	70,000	NA	8,100	2,600	2,100	13,000	NA	32,000	NA	NA	NA	NA	NA	NA	45.79	17.15	28.64	NA	2.0
MW-2	06/18/2002	72,000	NA	9,500	3,000	2,200	13,000	NA	29,000	NA	NA	NA	NA	NA	NA	45.79	18.49	27.30	NA	0.6
MW-2	09/18/2002	48,000	NA	7,600	850	1,300	6,300	NA	8,700	NA	NA	NA	NA	NA	NA	45.79	19.95	25.84	NA	1.0
MW-2	12/27/2002	40,000	NA	5,900	1,200	1,400	7,800	NA	19,000	<50	<50	55	10,000	<50	<50	45.79	16.71	29.08	NA	1.0
MW-2	03/05/2003	62,000	NA	13,000	1,400	2,000	7,900	NA	21,000	NA	NA	<50	10,000	<50	NA	45.79	17.72	28.07	NA	1.4
MW-2	06/24/2003	19,000	NA	9,500	530	700	2,900	NA	14,000	NA	NA	<400	6,000	<100	NA	45.79	18.30	27.49	NA	1.4
MW-2	09/25/2003	65,000	NA	24,000	1,500	2,400	9,700	NA	19,000	NA	NA	<1,000	6,400	<250	NA	45.79	20.05	25.74	NA	1.3
MW-2	12/15/2003	67,000	NA	18,000	1,800	1,900	7,200	NA	11,000	NA	NA	<400	3,700	<100	NA	45.79	18.80	26.99	NA	0.1
MW-2	03/04/2004	72,000	NA	27,000	1,200	2,100	7,600	NA	13,000	NA	NA	<400	6,800	<100	NA	45.79	16.75	29.04	NA	0.2
MW-2	05/27/2004	74,000	NA	6,000	2,000	2,500	15,000	NA	19,000	NA	NA	<400	8,500	<100	NA	45.79	18.85	26.94	NA	0.8
MW-2	09/24/2004	<100	NA	<1.0	<1.0	<1.0	<2.0	NA	130	<4.0	<4.0	<4.0	46	19	<1.0	45.79	16.10	29.69	NA	5.1
MW-2	11/22/2004	8,800	NA	1,200	230	350	1,900	NA	2,200	NA	NA	<40	1,300	<10	NA	45.79	19.83	25.96	NA	0.3
MW-2	03/02/2005	960	NA	150	21	30	220	NA	630	NA	NA	<10	460	<2.5	NA	45.79	15.90	29.89	NA	0.5
MW-2	06/30/2005	970	NA	130	19	27	210	NA	320 e	NA	NA	<2.0	220	0.98	NA	45.79	17.14	28.65	NA	0.7
MW-2	09/20/2005	890	NA	320	10	35	190	NA	440	<10	<10	<10	570	<2.5	NA	45.79	18.66	27.13	NA	0.9
MW-2	12/05/2005	690	NA	150	6.1	21	130	NA	450	NA	NA	<5.0	520	<5.0	NA	45.79	18.58	27.21	NA	0.51
MW-2	03/02/2006	11,000 g	NA	2,700 g	150 g	440 g	2,300 g	NA	1,600 g	NA	NA	5.7	3,800 g	<0.50 j	NA	45.79	16.30	29.49	NA	1.2
MW-2 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	NA	NA	NA	NA
MW-2 (o)	06/30/2006	3,870	NA	177	33.1	55.5	311	NA	1,560	NA	NA	4.90	1,180	<0.500	NA	45.79	16.72	29.07	NA	0.58
MW-2	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	16.86	28.93	NA	NA
MW-2	09/11/2006	10,700	NA	1,010	134	211	1,280	NA	2,780	<0.500	<0.500	45.7	1,850	<0.500	NA	45.79	17.86	27.93	NA	1.03
MW-2	12/28/2006	29,000	NA	2,600	550	1,000	5,600	NA	2,500	NA	NA	<50	3,300	<12	NA	45.79	17.45	28.34	NA	1.09
MW-2	03/20/2007	57,600	NA	14,200 l	4,150 l	4,310 l	22,400 l	NA	6,240 l	NA	NA	<200 l	<10,000 l	<100 l	NA	45.79	17.28	28.51	NA	0.18
MW-2	06/26/2007	39,000 q	NA	3,400	2,300	2,200	12,900	NA	3,300	NA	NA	<100	3,400	<25	NA	45.79	18.64	27.15	NA	0.30
MW-2	09/11/2007	30,000 q	NA	4,000	2,500	2,500	13,000	NA	2,600	<100	<100	<100	2,600	<25	NA	45.79	19.57	26.22	NA	1.14
MW-2	12/26/2007	43,000 q	NA	6,200	2,200	2,800	17,600	NA	2,200	NA	NA	<50	2,000	<12	NA	45.79	18.78	27.01	NA	3.2
MW-2	03/19/2008	19,000 q	NA	2,400	1,800	1,200	6,000	NA	910	NA	NA	<200	1,000	<50	NA	45.79	17.32	28.47	NA	0.06

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-2	05/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	18.40	27.39	NA	NA
MW-2	06/05/2008	68,000	NA	7,400	2,600	2,800	14,100	NA	2,600	<100	<100	<100	1,800	<25	NA	45.79	18.71	27.08	NA	0.28
MW-2	07/22/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.79	19.48	26.31	NA	NA
MW-2	09/29/2008	84,000	NA	2,600	6,900	3,400	19,300	NA	620	<100	<100	<100	<500	<25	NA	45.79	24.50	21.29	NA	1.37
MW-2	Well destroyed		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2B	10/31/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.96	20.20	24.76	NA	NA
MW-2B	12/19/2008	1,300	NA	43	2.0	<1.0	65	NA	50	NA	NA	NA	NA	NA	NA	44.96	19.60	25.36	NA	0.48
MW-2B	03/10/2009	800	NA	58	1.3	<1.0	4.2	NA	110	NA	NA	NA	NA	NA	NA	44.96	16.10	28.86	NA	0.69
MW-3	02/13/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.97	24.00	NA	NA
MW-3	02/24/1992	4,500	1,300a	97	<5	78	18	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.60	26.37	NA	NA
MW-3	02/27/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.88	26.09	NA	NA
MW-3	03/01/1992	2,200	440	69	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.00	25.97	NA	NA
MW-3	06/03/1992	4,100	NA	13	72	44	65	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.70	24.27	NA	NA
MW-3	09/01/1992	1,900	NA	20	6.8	5.5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3 (D)	09/01/1992	1,900	NA	21	6.6	3.4	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.46	22.51	NA	NA
MW-3	10/06/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.01	21.96	NA	NA
MW-3	11/11/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	30.26	21.71	NA	NA
MW-3	12/04/1992	2,400	NA	8.2	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA
MW-3 (D)	12/04/1992	2,100	NA	11	<0.5	5.7	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	29.93	22.04	NA	NA
MW-3	01/22/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	22.76	29.21	NA	NA
MW-3	02/10/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.40	30.57	NA	NA
MW-3	03/03/1993	5,100	NA	63	61	75	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.08	28.89	NA	NA
MW-3	05/11/1993	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.51	27.46	NA	NA
MW-3	06/17/1993	4,000	NA	94	140	82	150	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.21	26.76	NA	NA
MW-3	09/10/1993	3,200	NA	140	12.5	12.5	12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.95	25.02	NA	NA
MW-3	12/13/1993	6,200	NA	<12.5	<12.5	<12.5	<12.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.52	25.45	NA	NA
MW-3	03/03/1994	4,500	NA	73	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.50	27.47	NA	NA
MW-3	06/06/1994	3,200	NA	<0.5	<0.5	3.1	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	26.33	25.64	NA	NA
MW-3	09/12/1994	3,900	NA	<0.5	<0.5	9.6	4.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	27.98	23.99	NA	NA
MW-3	12/19/1994	2,400	NA	21	22	4.2	2.6	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.63	26.34	NA	NA
MW-3	02/28/1995	4,000	NA	58	<0.5	7.1	3.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	NA
MW-3	03/24/1995	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.07	30.90	NA	NA
MW-3	06/26/1995	3,900	NA	8.1	<0.5	12	2.4	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.64	28.33	NA	NA
MW-3	09/13/1995	4,100	NA	58	5.5	5.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	51.97	25.40	26.57	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	12/19/1995	3,600	NA	<0.5	4.3	2.1	1.1	NA	NA	NA	NA	NA	NA	NA	NA	51.97	24.53	27.44	NA	NA
MW-3	03/07/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	21.59	30.41	0.04	NA
MW-3	06/28/1996	2,400	NA	55	<0.5	<0.5	11	120	NA	NA	NA	NA	NA	NA	NA	51.97	23.95	28.02	NA	NA
MW-3	09/26/1996	2,500	NA	<5.0	<5.0	<5.0	<5.0	160	NA	NA	NA	NA	NA	NA	NA	51.97	25.89	26.08	NA	NA
MW-3	12/10/1996	1,600	NA	28	4.2	<2.0	3.9	110	NA	NA	NA	NA	NA	NA	NA	51.97	24.22	27.75	NA	0.8
MW-3	03/10/1997	130	NA	<0.50	<0.50	<0.50	1.4	4.2	NA	NA	NA	NA	NA	NA	NA	51.97	23.05	28.92	NA	2.8
MW-3	06/30/1997	1,200	NA	21	2.3	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.34	27.63	NA	2.3
MW-3	09/12/1997	440	NA	8.3	0.82	<0.50	1.9	3.4	NA	NA	NA	NA	NA	NA	NA	51.97	24.47	27.50	NA	1.9
MW-3 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.97	23.54	28.43	NA	0.8
MW-3	02/02/1998	400	NA	9.3	0.68	<0.50	<0.50	9	NA	NA	NA	NA	NA	NA	NA	51.97	21.92	30.05	NA	1.5
MW-3	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	51.97	22.35	29.62	NA	1.9
MW-3	08/26/1998	140	NA	7.4	<0.50	<0.50	2.5	13	NA	NA	NA	NA	NA	NA	NA	51.97	23.45	28.52	NA	1.3
MW-3	12/23/1998	1,200	NA	50	<2.0	<2.0	<2.0	69	NA	NA	NA	NA	NA	NA	NA	51.97	24.01	27.96	NA	4.2
MW-3	03/01/1999	2,550	NA	<0.500	<0.500	<0.500	0.658	32.4	NA	NA	NA	NA	NA	NA	NA	51.97	22.08	29.89	NA	2.0
MW-3	06/14/1999	514	NA	18.1	0.728	<0.500	<0.500	15.9	NA	NA	NA	NA	NA	NA	NA	51.97	23.15	28.82	NA	1.7
MW-3	09/28/1999	1,180	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	25.36	26.61	NA	1.2
MW-3	12/08/1999	1,740	NA	71.5	23.0	24.2	61.3	103	NA	NA	NA	NA	NA	NA	NA	51.97	25.75	26.22	NA	2.0
MW-3	03/14/2000	1,410	NA	5.63	35.6	<5.00	8.41	38.7	NA	NA	NA	NA	NA	NA	NA	51.97	21.64	30.33	NA	2.1
MW-3	06/28/2000	2,460	NA	<5.00	9.48	<5.00	28.4	64.0	NA	NA	NA	NA	NA	NA	NA	51.97	23.84	28.13	NA	2.87
MW-3	09/06/2000	887	NA	<1.00	<1.00	<1.00	<1.00	<10.0	NA	NA	NA	NA	NA	NA	NA	51.97	24.73	27.24	NA	2.0
MW-3	12/14/2000	955	NA	25.4	1.96	<0.500	1.13	10.2	NA	NA	NA	NA	NA	NA	NA	51.97	25.45	26.52	NA	2.1
MW-3	03/05/2001	2,100	NA	4.90	56.5	<2.00	3.62	261	NA	NA	NA	NA	NA	NA	NA	51.97	22.83	29.14	NA	0.8
MW-3	06/11/2001	2,000	NA	1.0	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.97	25.20	26.77	NA	0.7
MW-3	09/12/2001	1,500	NA	0.50	0.54	<0.50	1.8	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	26.15	25.82	NA	1.5
MW-3	12/27/2001	2,100	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.97	23.67	28.30	NA	1.9
MW-3	02/27/2002	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	23.23	28.69	NA	1.5
MW-3	06/18/2002	2,000	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	51.92	24.74	27.18	NA	2.0
MW-3	09/18/2002	2,600	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	51.92	26.05	25.87	NA	1.4
MW-3	12/27/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	03/05/2003	2,300	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	<2.0	<50	13	NA	51.92	23.84	28.08	NA	1.3
MW-3	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3	06/25/2003	1,800 c	NA	0.71	<0.50	<0.50	<1.0	NA	0.54	NA	NA	<2.0	<5.0	1.1	NA	51.92	24.48	27.44	NA	1.3
MW-3	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.99	25.93	NA	NA
MW-3	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.94	26.98	NA	NA
MW-3	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.50	29.42	NA	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-3	05/27/2004	2,500	NA	<0.50	<0.50	<0.50	<1.0	NA	1.1	NA	NA	<2.0	<5.0	0.82	NA	51.92	24.94	26.98	NA	0.5
MW-3	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.55	25.37	NA	NA
MW-3	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.92	26.00	NA	NA
MW-3	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.12	29.80	NA	NA
MW-3	06/30/2005	3,700	NA	<2.0	2.4	<2.0	<4.0	NA	<2.0	<8.0	<8.0	<8.0	<20	<2.0	NA	51.92	23.31	28.61	NA	1.2
MW-3	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.78	27.14	NA	NA
MW-3	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	24.65	27.27	NA	NA
MW-3	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.56	29.36	NA	NA
MW-3 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	NA	NA	NA	NA
MW-3 (o)	06/30/2006	1,580	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	5.95	NA	51.92	22.89	29.03	NA	0.49
MW-3	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	22.99	28.93	NA	NA
MW-3	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.92	28.00	NA	NA
MW-3	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.68	28.24	NA	NA
MW-3	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.91	28.01	NA	NA
MW-3	06/26/2007	1,400 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	44	NA	51.92	25.10	26.82	NA	1.77
MW-3	09/11/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.41	28.51	NA	NA
MW-3	12/26/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	25.15	26.77	NA	NA
MW-3	03/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.81	28.11	NA	NA
MW-3	06/05/2008	3,600	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	33	NA	51.92	25.08	26.84	NA	0.10
MW-3	09/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.85	25.07	NA	NA
MW-3	12/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	26.47	25.45	NA	NA
MW-3	03/10/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51.92	23.13	28.79	NA	NA
MW-4	03/24/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.16	31.35	NA	NA
MW-4	06/26/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.06	28.45	NA	NA
MW-4	09/13/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.90	26.61	NA	NA
MW-4	12/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.90	27.61	NA	NA
MW-4	03/06/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	40.51	9.63	30.88	NA	NA
MW-4	06/28/1996	40	NA	<0.5	0.59	0.97	3.8	26	NA	NA	NA	NA	NA	NA	NA	40.51	12.30	28.21	NA	NA
MW-4	09/26/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	14.12	26.39	NA	NA
MW-4	12/10/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.31	28.20	NA	1.2
MW-4	03/10/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.34	29.17	NA	NA
MW-4	06/30/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.80	26.71	NA	1.9
MW-4	09/12/1997	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	13.99	26.52	NA	1.7
MW-4 b	12/18/1997	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.02	28.49	NA	1.8

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	02/02/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.23	29.28	NA	1
MW-4	06/24/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	10.58	29.93	NA	1.9
MW-4	08/26/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	11.75	28.76	NA	1.2
MW-4	12/23/1998	<50	NA	0.60	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	NA	NA	40.51	12.41	28.10	NA	4.2
MW-4	03/01/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.38	30.13	NA	2.1
MW-4	06/14/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	11.91	28.60	NA	2.4
MW-4	09/28/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	NA	NA	40.51	10.19	30.32	NA	2.2
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	10.67	29.84	NA	1.8
MW-4	03/14/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	9.95	30.56	NA	2.5
MW-4	06/28/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	40.51	12.22	28.29	NA	0.9
MW-4	09/06/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	13.17	27.34	NA	3.0
MW-4	12/14/2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	8.65	31.86	NA	NA
MW-4	03/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	11.07	29.44	NA	NA
MW-4	06/11/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.51	13.62	26.89	NA	1.3
MW-4	09/12/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	14.61	25.90	NA	NA
MW-4	12/27/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.51	12.19	28.32	NA	NA
MW-4	02/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.64	28.81	NA	NA
MW-4	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.22	27.23	NA	0.6
MW-4	09/18/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.46	25.99	NA	NA
MW-4	12/27/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.23	29.22	NA	NA
MW-4	03/05/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.22	28.23	NA	NA
MW-4	06/24/2003	57 c	NA	<0.50	<0.50	<0.50	<1.0	NA	12	NA	NA	NA	NA	NA	NA	40.45	12.79	27.66	NA	1.6
MW-4	09/25/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.45	26.00	NA	NA
MW-4	12/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.24	27.21	NA	NA
MW-4	03/04/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.93	29.52	NA	NA
MW-4	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	40.45	13.42	27.03	NA	0.5
MW-4	09/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.11	25.34	NA	NA
MW-4	11/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	14.42	26.03	NA	NA
MW-4	03/02/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.17	30.28	NA	NA
MW-4	06/30/2005	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	40.45	11.60	28.85	NA	0.8
MW-4	09/20/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.18	27.27	NA	NA
MW-4	12/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.08	27.37	NA	NA
MW-4	03/02/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	10.62	29.83	NA	NA
MW-4 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	NA	NA	NA	NA
MW-4 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	40.45	11.20	29.25	NA	0.44



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-4	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.22	29.23	NA	NA
MW-4	09/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.29	28.16	NA	NA
MW-4	12/28/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.71	28.74	NA	NA
MW-4	03/20/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.99	28.46	NA	NA
MW-4	06/26/2007	59 g	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	40.45	13.60	26.85	NA	3.69
MW-4	09/11/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.61	28.84	NA	NA
MW-4	12/26/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	13.72	26.73	NA	NA
MW-4	03/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	12.19	28.26	NA	NA
MW-4	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	40.45	13.62	26.83	NA	0.09
MW-4	09/29/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.55	24.90	NA	NA
MW-4	12/19/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	15.03	25.42	NA	NA
MW-4	03/10/2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40.45	11.55	28.90	NA	NA
MW-5	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.82	28.64	NA	NA
MW-5	02/27/2002	190	NA	<0.50	<0.50	0.85	1.5	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.85	28.61	NA	1.9
MW-5	06/18/2002	650	NA	1.4	3.0	52	28	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.65	27.81	NA	0.8
MW-5	09/18/2002	390	NA	0.72	0.51	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	15.57	25.89	NA	1.1
MW-5	12/27/2002	380	NA	<0.50	<0.50	0.56	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.46	12.51	28.95	NA	1.9
MW-5	03/05/2003	290	NA	<0.50	1.7	9.4	22	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	13.39	28.07	NA	2.6
MW-5	06/24/2003	220	NA	<0.50	1.0	19	1.3	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.91	27.55	NA	1.7
MW-5	09/25/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.58	25.88	NA	2.1
MW-5	12/15/2003	200 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.45	27.01	NA	0.21
MW-5	03/04/2004	170 c	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	12.52	28.94	NA	0.1
MW-5	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.49	26.97	NA	0.5
MW-5	09/24/2004	<50	NA	0.71	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	16.08	25.38	NA	1.7
MW-5	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	15.48	25.98	NA	0.3
MW-5	03/02/2005	190	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.46	11.52	29.94	NA	0.4
MW-5	06/30/2005	3,200	NA	<5.0	25	200	270	NA	<5.0	NA	NA	NA	NA	NA	NA	41.46	12.33	29.13	NA	0.9
MW-5	09/20/2005	310	NA	<0.50	1.3	47	2.5	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.46	14.36	27.10	NA	0.5
MW-5	12/05/2005	250	NA	<0.50	0.94	26	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	14.25	27.21	NA	0.58
MW-5	03/02/2006	3,000 g	NA	<0.50	17	230 g	390 g	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	11.87	29.59	NA	0.7
MW-5 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	NA	NA	NA	NA
MW-5 (o)	06/30/2006	729	NA	<0.500	1.00	43.2	21.7	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	12.49	28.97	NA	0.67
MW-5	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.46	12.58	28.88	NA	NA
MW-5	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	1.29	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.46	13.54	27.92	NA	0.78

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-5	12/28/2006	330	NA	<0.50	<0.50	8.6	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.46	13.25	28.21	NA	0.59
MW-5	03/20/2007	358	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.46	13.28	28.18	NA	0.11
MW-5	06/26/2007	120 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.68	26.78	NA	4.72
MW-5	09/11/2007	<50 q	NA	0.19 r	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.46	15.57	25.89	NA	0.84
MW-5	12/26/2007	110 q, t	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.76	26.70	NA	0.8
MW-5	03/19/2008	2,000	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	13.34	28.12	NA	0.31
MW-5	06/05/2008	2,000	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	14.63	26.83	NA	0.10
MW-5	09/29/2008	830	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.46	16.45	25.01	NA	1.13
MW-5	12/19/2008	58	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	16.04	25.42	NA	0.62
MW-5	03/10/2009	820	NA	<0.50	<1.0	13	10	NA	<1.0	NA	NA	NA	NA	NA	NA	41.46	12.77	28.69	NA	0.37
MW-6	01/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	3.88	37.62	NA	NA
MW-6	01/31/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.43	29.07	NA	NA
MW-6	02/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	12.82	28.68	NA	4.1
MW-6	06/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	4.26	37.24	NA	3.9
MW-6	09/18/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	5.26	36.24	NA	4.2
MW-6	12/27/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	<2.0	<2.0	<2.0	<50	<2.0	<2.0	41.50	12.11	29.39	NA	3.0
MW-6	03/05/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	41.50	13.47	28.03	NA	4.9
MW-6	06/24/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.71	27.79	NA	5.8
MW-6	09/25/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	NA	NA	NA	NA
MW-6	12/15/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.17	28.33	NA	5.7
MW-6	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.15	30.35	NA	1.0
MW-6	05/27/2004	<50	NA	0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.68	27.82	NA	1.0
MW-6	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	10.71	30.79	NA	3.1
MW-6	11/22/2004	<50 d	NA	0.65	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	7.60	33.90	NA	6.5
MW-6	03/02/2005	<100	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.50	6.77	34.73	NA	6.2
MW-6	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	12.87	28.63	NA	1.2
MW-6	09/20/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.16	27.34	NA	5.5
MW-6	12/05/2005	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	14.23	27.27	NA	2.40
MW-6	03/02/2006	58 i	NA	<0.50	<0.50	0.73	1.5	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	11.40	30.10	NA	1.2
MW-6 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.49	29.01	NA	0.41
MW-6 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.50	12.35	29.15	NA	NA
MW-6 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	12.66	28.84	NA	0.30
MW-6	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	0.530	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.33	28.17	NA	1.16
MW-6	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.50	13.15	28.35	NA	1.0

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-6	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.50	13.24	28.26	NA	5.60
MW-6	06/26/2007	60 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.60	26.90	NA	5.46
MW-6	09/11/2007	<50 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	15.39	26.11	NA	1.16
MW-6	12/26/2007	<50 q	NA	0.27 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.69	26.81	NA	3.1
MW-6	03/19/2008	1,500	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	12.93	28.57	NA	0.30
MW-6	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.61	26.89	NA	0.09
MW-6	09/29/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	15.62	25.88	NA	2.26
MW-6	12/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	14.45	27.05	NA	1.82
MW-6	03/10/2009	76	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.50	11.58	29.92	NA	0.57
MW-7	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	18.90	25.55	NA	NA
MW-7	12/27/2002	49,000	NA	830	980	2,000	5,200	NA	<10	<10	<10	<10	<100	<10	<10	44.45	15.43	29.02	NA	2.1
MW-7	03/05/2003	32,000	NA	370	490	1,600	2,900	NA	<100	NA	NA	NA	NA	NA	NA	44.45	16.34	28.11	NA	2.6
MW-7	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7	09/25/2003	8,700	NA	57	34	450	290	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.36	26.09	NA	1.2
MW-7	12/15/2003	27,000	NA	170	260	1,200	1,500	NA	<10	NA	NA	NA	NA	NA	NA	44.45	17.44	27.01	NA	1.3
MW-7	03/04/2004	13,000	NA	200	190	1,200	1,200	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	15.45	29.00	NA	0.1
MW-7	05/27/2004	16,000	NA	76	56	860	420	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.50	26.95	NA	0.5
MW-7	09/24/2004	8,400	NA	26	14	340	200	NA	<5.0	<20	<20	<20	<50	NA	NA	44.45	18.94	25.51	NA	1.1
MW-7	11/22/2004	14,000	NA	92	60	790	730	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	18.47	25.98	NA	0.2
MW-7	03/02/2005	13,000	NA	130	140	740	980	NA	<10	NA	NA	<20	<100	<5.0	NA	44.45	14.53	29.92	NA	0.7
MW-7	06/30/2005	9,900	NA	27	48	380	520	NA	<10	NA	NA	NA	NA	NA	NA	44.45	15.92	28.53	NA	0.9
MW-7	09/20/2005	7,700	NA	30	53	380	570	NA	<5.0	36	<20	<20	<50	NA	NA	44.45	17.28	27.17	NA	1.4
MW-7	12/05/2005	2,900	NA	20	<2.5	270	19	NA	<2.5	NA	NA	NA	NA	NA	NA	44.45	17.40	27.05	NA	0.56
MW-7	03/02/2006	3,900 g	NA	27	31	240 g	190	NA	1.1	NA	NA	NA	NA	NA	NA	44.45	15.00	29.45	NA	0.9
MW-7 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	NA	NA	NA	NA
MW-7 (o)	06/30/2006	10,800	NA	13.8	49.4	474	640	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	15.35	29.10	NA	0.54
MW-7	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.45	15.41	29.04	NA	NA
MW-7	09/11/2006	7,210	NA	4.38	3.96	188	91.6	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	44.45	16.33	28.12	NA	0.82
MW-7	12/28/2006	3,100	NA	4.8	5.2	190	160	NA	<1.0	NA	NA	NA	NA	NA	NA	44.45	16.22	28.23	NA	0.78
MW-7	03/20/2007	5,960	NA	11.3	20.6	223	291	NA	<0.500	NA	NA	NA	NA	NA	NA	44.45	16.26	28.19	NA	1.10
MW-7	06/26/2007	7,900 q	NA	5.3	15	410	459	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.60	26.85	NA	0.83
MW-7	09/11/2007	4,100 q	NA	1.9	0.66 r	130	25.6	NA	<1.0	0.42 r	<2.0	<2.0	<10	NA	NA	44.45	18.63	25.82	NA	0.97
MW-7	12/26/2007	6,100 q	NA	5.9	7.6	290	348	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.72	26.73	NA	1.3
MW-7	03/19/2008	2,700	NA	5.0	2.4	110	97.9	NA	<1.0	NA	NA	NA	NA	NA	NA	44.45	16.36	28.09	NA	0.47

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-7	06/05/2008	6,400	NA	3.8	<5.0	220	253	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	17.65	26.80	NA	0.09
MW-7	09/29/2008	2,500	NA	1.6	<1.0	40	8.1	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	44.45	19.40	25.05	NA	1.26
MW-7	12/19/2008	5,600	NA	5.4	<5.0	110	97.0	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	19.17	25.28	NA	2.11
MW-7	03/10/2009	3,400	NA	22	<5.0	94	92	NA	<5.0	NA	NA	NA	NA	NA	NA	44.45	16.21	28.24	NA	1.85
MW-8	10/21/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	17.70	25.57	NA	NA
MW-8	12/27/2002	30,000	NA	280	220	2,000	5,300	NA	<10	<10	<10	<10	<100	<10	<10	43.27	14.25	29.02	NA	1.2
MW-8	03/05/2003	30,000	NA	220	150	2,100	4,200	NA	<100	NA	NA	NA	NA	NA	NA	43.27	15.36	27.91	NA	1.3
MW-8	06/24/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8	09/25/2003	26,000	NA	240	53	1,600	2,600	NA	<50	NA	NA	NA	NA	NA	NA	43.27	17.43	25.84	NA	1.0
MW-8	12/15/2003	38,000	NA	290	140	2,200	5,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.24	27.03	NA	0.4
MW-8	03/04/2004	19,000	NA	180	95	1,400	3,900	NA	<13	NA	NA	NA	NA	NA	NA	43.27	14.63	28.64	NA	0.1
MW-8	05/27/2004	19,000	NA	230	41	1,100	2,200	NA	<13	NA	NA	NA	NA	NA	NA	43.27	16.41	26.86	NA	0.5
MW-8	09/24/2004	21,000	NA	270	42	1,200	2,600	NA	<13	<50	<50	<50	<130	NA	NA	43.27	18.10	25.17	NA	0.7
MW-8	11/22/2004	24,000	NA	200	64	1,400	4,100	NA	<13	NA	NA	NA	NA	NA	NA	43.27	17.28	25.99	NA	1.0
MW-8	03/02/2005	16,000	NA	100	44	890	2,300	NA	<10	NA	NA	<20	<100	<5.0	NA	43.27	13.35	29.92	NA	0.6
MW-8	06/30/2005	19,000	NA	110	41	700	2,100	NA	<10	NA	NA	NA	NA	NA	NA	43.27	14.91	28.36	NA	0.8
MW-8	09/20/2005	10,000	NA	86	25	600	1,400	NA	<10	<40	<40	<40	<100	NA	NA	43.27	16.11	27.16	NA	0.8
MW-8	12/05/2005	9,900	NA	130	16	600	1,300	NA	<10	NA	NA	NA	NA	NA	NA	43.27	16.20	27.07	NA	0.56
MW-8	03/02/2006	13,000 g	NA	130 g	45	790 g	2,000 g	NA	0.54	NA	NA	NA	NA	NA	NA	43.27	14.28	28.99	NA	1.1
MW-8 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	NA	NA	NA	NA
MW-8 (o)	06/30/2006	14,900	NA	71.8	14.1	622	1,390	NA	<0.500	NA	NA	NA	NA	NA	NA	43.27	14.18	29.09	NA	0.50
MW-8	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.27	14.39	28.88	NA	NA
MW-8	09/11/2006	18,700	NA	94.2	11.2	683	1,280	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	43.27	15.10	28.17	NA	0.92
MW-8	12/28/2006	9,000	NA	54	7.1	430	980	NA	<2.5	NA	NA	NA	NA	NA	NA	43.27	15.15	28.12	NA	0.93
MW-8	03/20/2007	7,780	NA	40.4	9.21	230	499	NA	0.840	NA	NA	NA	NA	NA	NA	43.27	15.01	28.26	NA	0.11
MW-8	06/26/2007	7,500 q	NA	36	5.5	360	860	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	16.40	26.87	NA	0.59
MW-8	09/11/2007	10,000 q	NA	55	7.0	420	1,140	NA	<5.0	<10	<10	<10	<50	NA	NA	43.27	17.42	25.85	NA	1.07
MW-8	12/26/2007	10,000 q	NA	54	12 r	490	1,740	NA	<20	NA	NA	NA	NA	NA	NA	43.27	16.61	26.66	NA	1.4
MW-8	03/19/2008	5,800	NA	20	<5.0	200	600	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	15.30	27.97	NA	0.24
MW-8	06/05/2008	7,600	NA	27	<5.0	240	750	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	16.53	26.74	NA	0.10
MW-8	09/29/2008	5,600	NA	47	<5.0	120	287	NA	<5.0	<10	<10	<10	<50	NA	NA	43.27	18.13	25.14	NA	1.04
MW-8	12/19/2008	6,900	NA	40	<5.0	110	374	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	18.01	25.26	NA	0.74
MW-8	03/10/2009	7,400	NA	38	<5.0	210	780	NA	<5.0	NA	NA	NA	NA	NA	NA	43.27	15.45	27.82	NA	2.40

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-9	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	15.15	26.50	NA	NA
MW-9	12/15/2003	<50	NA	<0.50	<0.50	<0.50	1.3	NA	2.5	NA	NA	NA	NA	NA	NA	41.65	14.48	27.17	NA	0.9
MW-9	03/04/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.15	29.50	NA	0.2
MW-9	05/27/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.55	27.10	NA	0.5
MW-9	09/24/2004	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	16.37	25.28	NA	1.0
MW-9	11/22/2004	<50 d	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	15.62	26.03	NA	0.3
MW-9	03/02/2005	100	NA	<0.50	<1.0	1.4	3.8	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	41.65	11.40	30.25	NA	0.4
MW-9	06/30/2005	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	12.70	28.95	NA	1.3
MW-9	09/20/2005	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	41.65	14.38	27.27	NA	1.2
MW-9	12/05/2005	<50	NA	<0.50	<0.50	<0.50	0.65	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	14.25	27.40	NA	1.13
MW-9	03/02/2006	<50 h	NA	<0.50	<0.50	<0.50 h	<0.50 h	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	11.87	29.78	NA	0.9
MW-9 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.35	29.30	NA	0.55
MW-9 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.65	12.37	29.28	NA	NA
MW-9 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	12.46	29.19	NA	0.58
MW-9	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	41.65	13.42	28.23	NA	0.79
MW-9	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.65	13.23	28.42	NA	0.73
MW-9	03/20/2007	<50.0	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	NA	NA	NA	NA	41.65	13.35	28.30	NA	1.20
MW-9	06/26/2007	86 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.80	26.85	NA	0.91
MW-9	09/11/2007	<50 q	NA	0.15 r	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.65	15.70	25.95	NA	1.04
MW-9	12/26/2007	<50 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.86	26.79	NA	2.0
MW-9	03/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	13.39	28.26	NA	0.27
MW-9	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	14.77	26.88	NA	1.34
MW-9	09/29/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	41.65	16.62	25.03	NA	1.10
MW-9	12/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	16.26	25.39	NA	0.66
MW-9	03/10/2009	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.65	13.22	28.43	NA	1.58
MW-10	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	24.33	26.31	NA	NA
MW-10	12/15/2003	6,400	NA	3.1	<1.0	33	20	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.58	27.06	NA	0.3
MW-10	03/04/2004	1,400	NA	1.2	<1.0	16	3.4	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	21.20	29.44	NA	0.1
MW-10	05/27/2004	810	NA	<1.0	<1.0	8.3	<2.0	NA	<1.0	NA	NA	<4.0	<10	<1.0	NA	50.64	23.63	27.01	NA	0.5
MW-10	09/24/2004	790	NA	1.2	<1.0	7.3	<2.0	NA	<1.0	<4.0	<4.0	<4.0	<10	<1.0	<1.0	50.64	25.30	25.34	NA	1.5
MW-10	11/22/2004	1,100	NA	1.1	<0.50	17	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	24.62	26.02	NA	0.4
MW-10	03/02/2005	920	NA	0.60	<1.0	3.5	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	20.72	29.92	NA	0.4
MW-10	06/30/2005	470 f	NA	<0.50	<0.50	1.4	<1.0	NA	<0.50	NA	NA	<2.0	<5.0	<0.50	NA	50.64	21.48	29.16	NA	1.4
MW-10	09/20/2005	420	NA	<0.50	<0.50	1.2	2.1	NA	<0.50	<2.0	<2.0	<2.0	<5.0	<0.50	NA	50.64	23.45	27.19	NA	2.0

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-10	12/05/2005	420	NA	<0.50	<0.50	1.1	<0.50	NA	<0.50	NA	NA	<0.50	<5.0	<0.50	NA	50.64	23.42	27.22	NA	0.97
MW-10	03/02/2006	230 h	NA	<0.50 h	<0.50	0.83 h	<0.50 h	NA	<0.50	NA	NA	<0.50	<5.0 h	<0.50 j	NA	50.64	21.13	29.51	NA	1.1
MW-10 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10 (o)	06/30/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	<0.500	<10.0	<0.500	NA	50.64	21.49	29.15	NA	0.37
MW-10	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	21.60	29.04	NA	NA
MW-10	09/11/2006	250	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	50.64	22.62	28.02	NA	0.98
MW-10	12/28/2006	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	50.64	NA	NA	NA	NA
MW-10	03/20/2007	158	NA	<0.500	<0.500	<0.500	<1.00	NA	<0.500	NA	NA	<1.00	<50.0	<0.500	NA	50.64	22.30	28.34	NA	0.10
MW-10	06/26/2007	230 q	NA	0.15 r	<1.0	0.43 r	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	23.75	26.89	NA	1.54
MW-10	09/11/2007	62 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	24.78	25.86	NA	0.98
MW-10	12/26/2007	200 q, t	NA	0.15 r	<1.0	0.30 r	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	23.86	26.78	NA	0.9
MW-10	03/19/2008	170 q	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	22.46	28.18	NA	0.10
MW-10	06/05/2008	150	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	23.76	26.88	NA	0.11
MW-10	09/29/2008	130	NA	<0.50	<1.0	<1.0	1.4	NA	<1.0	<2.0	<2.0	<2.0	<10	<0.50	NA	50.64	25.59	25.05	NA	0.91
MW-10	12/19/2008	220	NA	1.6	1.4	1.9	4.3	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	22.39	28.25	NA	0.26
MW-10	03/10/2009	120	NA	<0.50	<1.0	<1.0	1.8	NA	<1.0	NA	NA	<2.0	<10	<0.50	NA	50.64	21.79	28.85	NA	0.40

MW-11	12/10/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	19.10	26.48	NA	NA
MW-11	12/15/2003	110,000	NA	9,900	3,300	3,900	23,000	NA	20,000	NA	NA	<800	18,000	<200	NA	45.58	18.50	27.08	NA	0.3
MW-11	03/04/2004	68,000	NA	5,300	3,000	3,600	23,000	NA	8,300	NA	NA	<200	12,000	<50	NA	45.58	16.67	28.91	NA	0.1
MW-11	05/27/2004	86,000	NA	8,500	3,200	13,000	22,000	NA	25,000	NA	NA	<400	18,000	<100	NA	45.58	18.60	26.98	NA	1.6
MW-11	09/24/2004	63,000	NA	7,200	2,000	3,000	15,000	NA	26,000	<400	<400	<400	17,000	<100	<100	45.58	20.22	25.36	NA	2.2
MW-11	11/22/2004	96,000	NA	7,100	3,700	2,800	15,000	NA	20,000	NA	NA	<400	14,000	<100	NA	45.58	19.56	26.02	NA	0.3
MW-11	03/02/2005	63,000	NA	6,200	6,800	2,200	15,000	NA	16,000	NA	NA	<200	7,800	<50	NA	45.58	15.75	29.83	NA	4.6
MW-11	06/30/2005	100,000	NA	4,200	18,000	3,800	25,000	NA	2,500	NA	NA	<400	3,400	<100	NA	45.58	16.92	28.66	NA	1.0
MW-11	09/20/2005	65,000	NA	3,800	10,000	3,100	19,000	NA	3,900	<400	<400	<400	4,600	<100	NA	45.58	18.43	27.15	NA	NA
MW-11	12/05/2005	69,000	NA	4,000	10,000	3,100	16,000	NA	7,400	NA	NA	<50	4,400	<50	NA	45.58	18.26	27.32	NA	0.70
MW-11	03/02/2006	76,000 g	NA	4,000 g	13,000 g	2,900 g	16,000 g	NA	6,100 g	NA	NA	36	420 k	<0.50 j	NA	45.58	16.13	29.45	NA	0.9
MW-11	04/19/2006	116,000	NA	4,780	12,000	3,280	20,200	NA	5,550	NA	NA	34.6	4,010	<0.500	NA	45.58	15.30	30.28	NA	0.86
MW-11	05/01/2006	129,000	NA	4,180	15,100	3,180	18,700	NA	4,510	NA	NA	28.9	3,130	92.1	NA	45.58	15.43	30.15	NA	0.97
MW-11 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	NA	NA	NA	NA
MW-11 (o)	06/30/2006	119,000	NA	4,420	11,300	2,650	17,200	NA	4,490	NA	NA	22.8	2,700	<0.500	NA	45.58	15.49	30.09	NA	0.49
MW-11	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.58	16.61	28.97	NA	NA
MW-11	07/31/2006	<50.0	NA	4,870	11,400	2,890	20,400	NA	4,880	NA	NA	27.2	3,120	<0.500	NA	45.58	17.00	28.58	NA	0.36
MW-11	08/23/2006	115,000	NA	5,230	8,720	2,680	16,900	NA	4,860	NA	NA	29.6	3,670	<10.0	NA	45.58	17.28	28.30	NA	0.7

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-11	09/11/2006	9,090	NA	5,140	8,400	3,040	17,700	NA	5,310	<0.500	<0.500	134	4,240	<0.500	NA	45.58	17.62	27.96	NA	0.63
MW-11	10/18/2006	193,000	NA	4,930	9,700	3,920	21,000	NA	4,300	NA	NA	<0.500	2,530	<0.500	NA	45.58	18.08	27.50	NA	0.51
MW-11	11/22/2006	3,600	NA	3,600	9,300	2,800	16,000	NA	2,800	NA	NA	<10	4,000	<2.5	NA	45.58	18.06	27.52	NA	0.4
MW-11	12/28/2006	75,000	NA	2,700	9,800	1,900	13,000	NA	2,500	NA	NA	<200	2,500	<50	NA	45.58	17.20	28.38	NA	0.9
MW-11	01/25/2007	68,000	NA	2,900	9,600	2,200	13,000	NA	2,400	NA	NA	<200	2,400	<50	NA	45.58	18.10	27.48	NA	0.7
MW-11	02/19/2007	88,000	NA	3,600	17,000	3,200	20,000	NA	2,200	NA	NA	25	4,000	<5.0	NA	45.58	17.89	27.69	NA	0.2
MW-11	03/20/2007	77,600	NA	3,140	12,800	3,060	17,600	NA	1,930	NA	NA	<200	<10,000	<100	NA	45.58	17.30	28.28	NA	0.38
MW-11	04/05/2007	67,000 q	NA	3,200	9,600	3,200	14,300	NA	1,800	NA	NA	<100	2,900	<25	NA	45.58	17.50	28.08	NA	0.72
MW-11	06/01/2007	65,000 q	NA	3,100	11,000	3,200	17,900	NA	1,700	NA	NA	NA	NA	NA	NA	45.58	18.32	27.26	NA	1.18
MW-11	06/26/2007	52,000 q	NA	2,200	8,000	2,200	13,700	NA	1,300	NA	NA	<200	2,300	<50	NA	45.58	18.70	26.88	NA	0.24
MW-11	07/19/2007	62,000 q	NA	2,500	9,600	2,400	16,300	NA	1,500	NA	NA	NA	NA	NA	NA	45.58	18.10	27.48	NA	3.42
MW-11	08/14/2007	65,000 q	NA	3,000	11,000	3,000	17,600	NA	1,000	NA	NA	NA	NA	NA	NA	45.58	19.30	26.28	NA	1.1
MW-11	09/11/2007	45,000 q	NA	2,000	6,300	2,100	11,900	NA	960	<100	<100	<100	2,100	<25	NA	45.58	19.65	25.93	NA	0.86
MW-11	10/26/2007	58,000 q	NA	2,500	9,300	3,200	17,700	NA	900	NA	NA	NA	NA	NA	NA	45.58	19.42	26.16	NA	1.2
MW-11	11/13/2007	64,000 q	NA	2,400	9,500	3,300	18,000	NA	1,200	NA	NA	NA	NA	NA	NA	45.58	19.34	26.24	NA	0.32
MW-11	12/26/2007	56,000 q	NA	2,300	11,000	3,800	23,400	NA	1,300	NA	NA	<40	1,400	<10	NA	45.58	18.68	26.90	NA	0.9
MW-11	01/03/2008	64,000 q	NA	2,600	10,000	4,400	23,600	NA	1,300	NA	NA	NA	NA	NA	NA	45.58	18.86	26.72	NA	1.65
MW-11	02/21/2008	70,000 q	NA	2,400	9,200	3,700	18,700	NA	440	NA	NA	NA	NA	NA	NA	45.58	16.70	28.88	NA	0.9
MW-11	03/19/2008	65,000 q	NA	2,500	7,700	3,700	19,700	NA	520	NA	NA	<100	810	<25	NA	45.58	17.34	28.26	0.02	0.07
MW-11	04/16/2008	86,000	NA	3,000	8,200	4,500	24,300	NA	280	NA	NA	NA	NA	NA	NA	45.58	17.78	27.80	NA	1.40
MW-11	05/29/2008	70,000	NA	1,900	6,000	3,200	16,500	NA	110	NA	NA	NA	NA	NA	NA	45.58	18.52	27.06	NA	0.43
MW-11	06/05/2008	72,000	NA	1,800	6,700	3,300	18,000	NA	120	<100	<100	<100	<500	<25	NA	45.58	18.63	26.95	NA	0.21
MW-11	07/22/2008	100,000	NA	1,100	9,200	3,800	24,900	NA	<100	NA	NA	NA	NA	NA	NA	45.58	19.41	26.17	NA	1.31
MW-11	09/29/2008	110,000	NA	1,500	10,000	4,300	27,200	NA	210	<100	<100	<100	<500	<25	NA	45.58	20.21	25.37	NA	0.79
MW-11	12/19/2008	110,000	NA	1,000	9,600	3,700	24,600	NA	<100	NA	NA	<200	<1,000	<50	NA	45.58	19.75	25.83	NA	0.52
MW-11	03/10/2009	92,000	NA	490	11,000	4,000	30,000	NA	<100	NA	NA	<200	<1,000	<50	NA	45.58	16.40	29.18	NA	0.50
MW-12	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	14.75	29.35	NA	NA
MW-12 (n)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	NA	NA	NA	NA
MW-12 (o)	06/30/2006	95,000	NA	3,930	8,900	2,110	10,400	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.00	29.10	NA	0.62
MW-12	07/06/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.10	15.10	29.00	NA	NA
MW-12	09/11/2006	5,110	NA	3,930	3,290	2,710	8,060	NA	8.50	NA	NA	NA	NA	NA	NA	44.10	15.91	28.19	NA	1.09
MW-12	12/28/2006	31,000	NA	2,400	1,100	1,500	2,900	NA	<2.5	NA	NA	NA	NA	NA	NA	44.10	15.85	28.25	NA	0.82
MW-12	03/20/2007	30,100	NA	508	352	341	748	NA	<0.500	NA	NA	NA	NA	NA	NA	44.10	15.81	28.29	NA	1.44
MW-12	06/26/2007	32,000 q	NA	2,700	1,200	2,100	3,700	NA	<20	NA	NA	NA	NA	NA	NA	44.10	17.29	26.81	NA	0.40

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
MW-12	09/11/2007	21,000 q	NA	810	720	860	1,950	NA	<20	NA	NA	NA	NA	NA	NA	44.10	18.08	26.02	NA	1.21
MW-12	12/26/2007	20,000 q	NA	2,000	600	1,400	2,870	NA	<20	NA	NA	NA	NA	NA	NA	44.10	17.44	26.66	NA	1.3
MW-12	03/19/2008	12,000	NA	1,000	460	630	1,490	NA	<20	NA	NA	NA	NA	NA	NA	44.10	15.97	28.13	NA	0.28
MW-12	06/05/2008	22,000	NA	860	530	930	2,340	NA	<10	NA	NA	NA	NA	NA	NA	44.10	17.28	26.82	NA	0.10
MW-12	09/29/2008	23,000	NA	1,800	820	1,300	2,900	NA	<10	NA	NA	NA	NA	NA	NA	44.10	19.10	25.00	NA	0.76
MW-12	12/19/2008	12,000	NA	850	240	530	930	NA	<10	NA	NA	NA	NA	NA	NA	44.10	18.68	25.42	NA	0.47
MW-12	03/10/2009	6,400	NA	720	110	450	570	NA	<10	NA	NA	NA	NA	NA	NA	44.10	15.55	28.55	NA	2.25
MW-13	06/26/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.10	29.49	NA	NA
MW-13 (m)	06/29/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.47	29.12	NA	0.61
MW-13 (o)	06/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	41.59	12.25	29.34	NA	NA
MW-13 (p)	07/06/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	<0.500	NA	41.59	12.35	29.24	NA	0.24
MW-13	09/11/2006	<50.0	NA	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.33	28.26	NA	1.02
MW-13	12/28/2006	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.81
MW-13	03/20/2007	<50.0	NA	1.41	2.36	2.20	6.29	NA	<0.500	NA	NA	NA	NA	NA	NA	41.59	13.12	28.47	NA	0.14
MW-13	06/26/2007	58 q	NA	0.20 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.68	26.91	NA	0.38
MW-13	09/11/2007	<50 q	NA	0.69	0.30 r	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	15.51	26.08	NA	0.92
MW-13	12/26/2007	<50 q	NA	0.24 r	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.74	26.85	NA	1.0
MW-13	03/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	13.28	28.31	NA	0.34
MW-13	06/05/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	14.65	26.94	NA	0.15
MW-13	09/29/2008	<50	NA	0.53	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	16.50	25.09	NA	1.59
MW-13	12/19/2008	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	16.12	25.47	NA	0.49
MW-13	03/10/2009	<50	NA	<0.50	<1.0	<1.0	<1.0	NA	<1.0	NA	NA	NA	NA	NA	NA	41.59	12.75	28.84	NA	1.52
P-1A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	47.74	22.49	25.25	NA	NA
P-1A	12/19/2008	13,000	NA	90	24	1,100	893	NA	190	NA	NA	NA	NA	NA	NA	47.74	22.23	25.51	NA	0.54
P-1B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	47.65	22.50	25.15	NA	NA
P-1B	12/19/2008	82,000	NA	5,200	3,300	3,000	9,600	NA	1,300	NA	NA	NA	NA	NA	NA	47.65	22.25	25.40	NA	0.66
P-2A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	48.81	23.58	25.23	NA	NA
P-2A	12/19/2008	1,900	NA	70	<2.0	19	<2.0	NA	94	NA	NA	NA	NA	NA	NA	48.81	23.49	25.32	NA	3.92
P-2B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.02	23.40	25.62	NA	NA
P-2B	12/19/2008	7,500	NA	450	<5.0	93	81	NA	410	NA	NA	NA	NA	NA	NA	49.02	23.61	25.41	NA	0.17



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
P-3A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.56	19.21	25.35	NA	NA
P-3A	12/19/2008	64,000	NA	1,900	1,900	3,600	12,300	NA	170	NA	NA	NA	NA	NA	NA	44.56	19.03	25.53	NA	0.37
P-3B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.62	19.02	25.60	NA	NA
P-3B	12/19/2008	70,000	NA	5,700	2,300	3,300	11,600	NA	1,100	NA	NA	NA	NA	NA	NA	44.62	19.26	25.36	NA	NA
P-4A	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.00	19.95	25.05	NA	NA
P-4A	10/02/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	45.00	19.63	25.37	NA	NA
P-4A	12/19/2008	80,000	NA	330	9,300	3,800	14,300	NA	130	NA	NA	NA	NA	NA	NA	45.00	19.32	25.68	NA	0.76
P-4B	09/15/2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	44.93	19.30	25.63	NA	NA
P-4B	12/19/2008	81,000	NA	1,100	5,800	4,000	17,500	NA	390	NA	NA	NA	NA	NA	NA	44.93	19.50	25.43	NA	0.52

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to June 11, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260

1,2-DCA = 1,2-dichloroethane, analyzed by EPA Method 8260

EDB = 1,2-dibromomethane or ethylene dibromide, analyzed by EPA Method 8260

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample


NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1784 150th Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	--------------	----------------------------	--------------------------	---------------------------	------------------------

Notes:

- a = Chromatogram pattern indicates an unidentified hydrocarbon.
  - b = Samples not analyzed due to laboratory oversight.
  - c = Hydrocarbon does not match pattern of laboratory's standard.
  - d = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.
  - e = Estimated value. The concentration exceeded the calibration of analysis.
  - f = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
  - g = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for dilution was performed past the recommended hold time.
  - h = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation was performed past the recommended hold time.
  - i = The result for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
  - j = Result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
  - k = The result was reported with a possible low bias due to the continuing calibration verification falling outside the acceptance criteria.
  - l = Sample required dilution due to high concentrations of target analyte.
  - m = Well resampled on July 6, 2006 due to laboratory error.
  - n = Well not accessed due to equipment malfunction.
  - o = All wells regauged on June 30, 2006 prior to sampling.
  - p = Wells resampled for 2Q06 event due to laboratory error.
  - q = Analyzed by EPA Method 8015B (M).
  - r = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
  - t = the sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
  - \* = Sample analyzed out of EPA recommended hold time.
- When Separate-Phase Hydrocarbons are present, the groundwater elevation is adjusted using the following formula:  $GWE = TOC - DTW + 0.8 * SPH \text{ thickness}$ .
- Site surveyed January 23, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.
- Wells MW-7 and MW-8 surveyed by Virgil Chavez Land Surveying of Vallejo, CA
- Wells MW-9, MW-10, and MW-11 surveyed December 11, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.
- Wells MW-12 and MW-13 surveyed on June 9, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.



March 24, 2009

Michael Ninokata  
Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 09-03-1210**  
Client Reference: **1784 150th Ave., San Leandro, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/13/2009 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in cursive script that reads 'Philip Samelle for'.

Calscience Environmental  
Laboratories, Inc.  
Jessie Kim  
Project Manager

**Analytical Report**

 Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

 Date Received: 03/13/09  
 Work Order No: 09-03-1210  
 Preparation: EPA 5030B  
 Method: LUFT GC/MS / EPA 8260B  
 Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-10	09-03-1210-9-B	03/10/09 14:25	Aqueous	GC/MS LL	03/22/09	03/22/09 14:15	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Toluene	ND	1.0	1		TPPH	120	50	1	
Xylenes (total)	1.8	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	105	88-112		
1,4-Bromofluorobenzene	95	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-11	09-03-1210-10-B	03/10/09 12:55	Aqueous	GC/MS LL	03/22/09	03/22/09 16:02	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	490	50	100		Methyl-t-Butyl Ether (MTBE)	ND	100	100	
1,2-Dichloroethane	ND	50	100		Tert-Butyl Alcohol (TBA)	ND	1000	100	
Ethylbenzene	4000	100	100		Tert-Amyl-Methyl Ether (TAME)	ND	200	100	
Toluene	11000	100	100		TPPH	92000	5000	100	
Xylenes (total)	30000	100	100						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	108	74-140			1,2-Dichloroethane-d4	113	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	104	88-112		
1,4-Bromofluorobenzene	101	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1-378	N/A	Aqueous	GC/MS LL	03/22/09	03/22/09 13:09	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
Toluene	ND	1.0	1		TPPH	ND	50	1	
Xylenes (total)	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	103	88-112		
1,4-Bromofluorobenzene	95	74-110							

RL - Reporting Limit    DF - Dilution Factor    Qual - Qualifiers

**Analytical Report**



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: 03/13/09  
 Work Order No: 09-03-1210  
 Preparation: EPA 5030B  
 Method: LUFT GC/MS / EPA 8260B  
 Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1A	09-03-1210-1-B	03/10/09 12:35	Aqueous	GC/MS LL	03/21/09	03/22/09 02:33	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	8.0	0.50	1		Xylenes (total)	1.2	1.0	1	
Ethylbenzene	1.5	1.0	1		Methyl-t-Butyl Ether (MTBE)	16	1.0	1	
Toluene	ND	1.0	1		TPPH	570	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	108	74-146		
Toluene-d8	102	88-112			Toluene-d8-TPPH	105	88-112		
1,4-Bromofluorobenzene	96	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1B	09-03-1210-2-B	03/10/09 12:30	Aqueous	GC/MS LL	03/21/09	03/22/09 05:41	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	11	2.5	5		Xylenes (total)	8.4	5.0	5	
Ethylbenzene	ND	5.0	5		Methyl-t-Butyl Ether (MTBE)	450	5.0	5	
Toluene	ND	5.0	5		TPPH	790	250	5	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	112	74-140			1,2-Dichloroethane-d4	116	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	102	88-112		
1,4-Bromofluorobenzene	93	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2B	09-03-1210-3-B	03/10/09 12:20	Aqueous	GC/MS LL	03/21/09	03/22/09 06:09	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	58	0.50	1		Xylenes (total)	4.2	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	110	1.0	1	
Toluene	1.3	1.0	1		TPPH	800	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	103	88-112			Toluene-d8-TPPH	106	88-112		
1,4-Bromofluorobenzene	94	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 03/13/09  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	09-03-1210-4-B	03/10/09 11:50	Aqueous	GC/MS LL	03/21/09	03/22/09 06:36	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	10	1.0	1	
Ethylbenzene	13	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	820	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	109	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	102	88-112			Toluene-d8-TPPH	106	88-112		
1,4-Bromofluorobenzene	100	74-110							


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	09-03-1210-5-B	03/10/09 11:25	Aqueous	GC/MS LL	03/21/09	03/22/09 07:03	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	76	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	111	74-140			1,2-Dichloroethane-d4	117	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	104	88-112		
1,4-Bromofluorobenzene	91	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-7	09-03-1210-6-B	03/10/09 10:00	Aqueous	GC/MS LL	03/21/09	03/22/09 07:30	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	22	2.5	5		Xylenes (total)	92	5.0	5	
Ethylbenzene	94	5.0	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	5	
Toluene	ND	5.0	5		TPPH	3400	250	5	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	110	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	102	88-112			Toluene-d8-TPPH	105	88-112		
1,4-Bromofluorobenzene	98	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 03/13/09  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	09-03-1210-7-B	03/10/09 10:05	Aqueous	GC/MS LL	03/21/09	03/22/09 07:57	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	38	2.5	5		Xylenes (total)	780	5.0	5	
Ethylbenzene	210	5.0	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	5	
Toluene	ND	5.0	5		TPPH	7400	250	5	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	104	88-112			Toluene-d8-TPPH	107	88-112		
1,4-Bromofluorobenzene	100	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-9	09-03-1210-8-B	03/10/09 11:30	Aqueous	GC/MS LL	03/21/09	03/22/09 08:23	090321L02


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	111	74-140			1,2-Dichloroethane-d4	117	74-146		
Toluene-d8	103	88-112			Toluene-d8-TPPH	106	88-112		
1,4-Bromofluorobenzene	93	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-12	09-03-1210-11-B	03/10/09 10:10	Aqueous	GC/MS LL	03/22/09	03/22/09 16:29	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	720	5.0	10		Xylenes (total)	570	10	10	
Ethylbenzene	450	10	10		Methyl-t-Butyl Ether (MTBE)	ND	10	10	
Toluene	110	10	10		TPPH	6400	500	10	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	105	74-140			1,2-Dichloroethane-d4	109	74-146		
Toluene-d8	102	88-112			Toluene-d8-TPPH	105	88-112		
1,4-Bromofluorobenzene	100	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: 03/13/09  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B  
Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-13	09-03-1210-12-B	03/10/09 11:15	Aqueous	GC/MS LL	03/22/09	03/22/09 16:56	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	112	74-140			1,2-Dichloroethane-d4	115	74-146		
Toluene-d8	98	88-112			Toluene-d8-TPPH	101	88-112		
1,4-Bromofluorobenzene	95	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
EW-1	09-03-1210-13-B	03/10/09 14:20	Aqueous	GC/MS LL	03/22/09	03/22/09 17:23	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	2500	10	20		Xylenes (total)	5300	20	20	
Ethylbenzene	1700	20	20		Methyl-t-Butyl Ether (MTBE)	390	20	20	
Toluene	1300	20	20		TPPH	39000	1000	20	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	109	74-140			1,2-Dichloroethane-d4	112	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	103	88-112		
1,4-Bromofluorobenzene	101	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
EW-2	09-03-1210-14-B	03/10/09 12:40	Aqueous	GC/MS LL	03/22/09	03/22/09 17:50	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	190	50	100		Xylenes (total)	21000	100	100	
Ethylbenzene	3100	100	100		Methyl-t-Butyl Ether (MTBE)	ND	100	100	
Toluene	650	100	100		TPPH	67000	5000	100	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	107	74-140			1,2-Dichloroethane-d4	111	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	104	88-112		
1,4-Bromofluorobenzene	100	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**



Blaine Tech Services, Inc.  
 1680 Rogers Avenue  
 San Jose, CA 95112-1105

Date Received: 03/13/09  
 Work Order No: 09-03-1210  
 Preparation: EPA 5030B  
 Method: LUFT GC/MS / EPA 8260B  
 Units: ug/L

Project: 1784 150th Ave., San Leandro, CA

Page 5 of 5


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1.377	N/A	Aqueous	GC/MS LL	03/21/09	03/22/09 02:06	090321L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	107	74-146		
Toluene-d8	101	88-112			Toluene-d8-TPPH	104	88-112		
1,4-Bromofluorobenzene	94	74-110							

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-767-1.378	N/A	Aqueous	GC/MS LL	03/22/09	03/22/09 13:09	090322L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Xylenes (total)	ND	1.0	1	
Ethylbenzene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Toluene	ND	1.0	1		TPPH	ND	50	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
Dibromofluoromethane	106	74-140			1,2-Dichloroethane-d4	110	74-146		
Toluene-d8	100	88-112			Toluene-d8-TPPH	103	88-112		
1,4-Bromofluorobenzene	95	74-110							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 03/13/09  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA  
8260B

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-10	Aqueous	GC/MS LL	03/22/09	03/22/09	090322S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	106	102	88-118	4	0-7	
Carbon Tetrachloride	117	113	67-145	4	0-11	
Chlorobenzene	104	99	88-118	5	0-7	
1,2-Dibromoethane	103	99	70-130	4	0-30	
1,2-Dichlorobenzene	102	97	86-116	5	0-8	
1,1-Dichloroethene	118	115	70-130	3	0-25	
Ethylbenzene	111	106	70-130	4	0-30	
Toluene	108	104	87-123	4	0-8	
Trichloroethene	101	97	79-127	4	0-10	
Vinyl Chloride	109	106	69-129	3	0-13	
Methyl-t-Butyl Ether (MTBE)	112	108	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	94	95	36-168	1	0-45	
Diisopropyl Ether (DIPE)	120	116	81-123	4	0-9	
Ethyl-t-Butyl Ether (ETBE)	115	112	72-126	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	111	106	72-126	5	0-12	
Ethanol	78	75	53-149	4	0-31	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105


Date Received: 03/13/09  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA  
8260B

Project 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1A	Aqueous	GC/MS LL	03/21/09	03/22/09	090321S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	93	88-118	2	0-7	
Carbon Tetrachloride	102	101	67-145	1	0-11	
Chlorobenzene	94	93	88-118	1	0-7	
1,2-Dibromoethane	97	95	70-130	2	0-30	
1,2-Dichlorobenzene	92	93	86-116	1	0-8	
1,1-Dichloroethene	105	104	70-130	1	0-25	
Ethylbenzene	99	97	70-130	3	0-30	
Toluene	98	98	87-123	1	0-8	
Trichloroethene	93	91	79-127	2	0-10	
Vinyl Chloride	93	99	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	101	104	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	104	111	36-168	2	0-45	
Diisopropyl Ether (DIPE)	106	108	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	104	105	72-126	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	102	103	72-126	1	0-12	
Ethanol	84	85	53-149	1	0-31	

RPD - Relative Percent Difference, CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-1,378	Aqueous	GC/MS,LL	03/22/09	03/22/09	090322L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	93	92	84-120	78-126	1	0-8	
Carbon Tetrachloride	99	96	63-147	49-161	2	0-10	
Chlorobenzene	91	91	89-119	84-124	1	0-7	
1,2-Dibromoethane	97	96	80-120	73-127	1	0-20	
1,2-Dichlorobenzene	91	90	89-119	84-124	2	0-9	
1,1-Dichloroethene	101	101	77-125	69-133	0	0-16	
Ethylbenzene	95	95	80-120	73-127	0	0-20	
Toluene	94	92	83-125	76-132	2	0-9	
Trichloroethene	95	94	89-119	84-124	1	0-8	
Vinyl Chloride	102	107	63-135	51-147	4	0-13	
Methyl-t-Butyl Ether (MTBE)	103	104	82-118	76-124	1	0-13	
Tert-Butyl Alcohol (TBA)	96	100	46-154	28-172	4	0-32	
Diisopropyl Ether (DIPE)	105	104	81-123	74-130	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	103	103	74-122	66-130	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	101	101	76-124	68-132	0	0-10	
Ethanol	75	79	60-138	47-151	4	0-32	
TPPH	87	86	65-135	53-147	1	0-30	


Total number of LCS compounds : 17

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Date Received: N/A  
Work Order No: 09-03-1210  
Preparation: EPA 5030B  
Method: LUFT GC/MS / EPA 8260B

Project: 1784 150th Ave., San Leandro, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-767-1-377	Aqueous	GC/MS LL	03/21/09	03/22/09	090321L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	97	99	84-120	78-126	2	0-8	
Carbon Tetrachloride	102	106	63-147	49-161	4	0-10	
Chlorobenzene	96	96	89-119	84-124	1	0-7	
1,2-Dibromoethane	100	100	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	94	95	89-119	84-124	1	0-9	
1,1-Dichloroethene	106	110	77-125	69-133	3	0-16	
Ethylbenzene	101	102	80-120	73-127	1	0-20	
Toluene	98	99	83-125	76-132	2	0-9	
Trichloroethene	101	108	89-119	84-124	7	0-8	
Vinyl Chloride	105	107	63-135	51-147	2	0-13	
Methyl-t-Butyl Ether (MTBE)	105	109	82-118	76-124	4	0-13	
Tert-Butyl Alcohol (TBA)	93	94	46-154	28-172	0	0-32	
Diisopropyl Ether (DIPE)	106	111	81-123	74-130	4	0-11	
Ethyl-t-Butyl Ether (ETBE)	105	110	74-122	66-130	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	106	76-124	68-132	2	0-10	
Ethanol	80	87	60-138	47-151	9	0-32	
TPPH	84	83	65-135	53-147	1	0-30	

Total number of LCS compounds : 17

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference, CL - Control Limit

Work Order Number: 09-03-1210

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

LAB (LOCATION)

- CALSCIENCE ( )
- SPL ( )
- XENCO ( )
- TEST AMERICA ( )
- OTHER ( )



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: Denis Brown

INCIDENT # (ENV SERVICES): 9 8 9 9 6 0 6 8

PO #: \_\_\_\_\_ SAP #: \_\_\_\_\_

DATE: 3/10/09  
PAGE: 1 of 2

SAMPLING COMPANY: Blaine Tech Services  
LOG CODE: BTSS

ADDRESS: 1680 Rogers Ave, San Jose, CA 95112

PROJECT CONTACT (Photocopy or PDF Report to): Michael Ninokata  
TELEPHONE: (408)573-0555 FAX: (408)573-7771 E-MAIL: mninokata@blainetech.com

SITE ADDRESS: Street and City: 1784 150th Ave., San Leandro  
State: CA GLOBAL ID NO: T0600101230

EDF DELIVERABLE TO (Name, Company, Office Location): Annl Kremi, CRA, Emeryville  
PHONE NO: (510) 420-3335 E-MAIL: Shelledt@craworld.com CONSULTANT PROJECT NO: 090310-J01

SAMPLER NAME(S) (Print): JO/JP/CM/AR  
LAB USE ONLY: 09-03-1210

TURNAROUND TIME (CALENDAR DAYS):  
 STANDARD (14 DAY)  5 DAYS  3 DAYS  2 DAYS  24 HOURS  RESULTS NEEDED ON WEEKEND

WQCB REPORT FORMAT  UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES :  
 SHELL CONTRACT RATE APPLIES  
 STATE REIMBURSEMENT RATE APPLIES  
 EDD NOT NEEDED  
 RECEIPT VERIFICATION REQUESTED

Run TPH-d w/Silica Gel Clean Up

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS												TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes				
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)			Methanol (8015M)			
1	MW-1A	3/10	1235	W	3					3	X	X	X															
2	MW-1B		1230							1	X	X	X															
3	MW-2B		1220							1	X	X	X															
4	MW-5		1150							1	X	X	X															
5	MW-6		1125							1	X	X	X															
6	MW-7		1000							1	X	X	X															
7	MW-8		1005							1	X	X	X															
8	MW-9		1130							1	X	X	X															
9	MW-10		1425							1	X	X	X	X	X	X	X											
10	MW-11		1255							1	X	X	X	X	X	X	X											

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i> (Sample Custodian)	Date: 3/10/09	Time: 1615
Relinquished by: (Signature) <i>[Signature]</i> (Sample Custodian)	Received by: (Signature) <i>[Signature]</i> CEZ	Date: 3/12/09	Time: 1015
Relinquished by: (Signature) <i>[Signature]</i> TOG30 5114 48904	Received by: (Signature) <i>[Signature]</i>	Date: 3/13/09	Time: 1030



LAB (LOCATION)

- CALSCIENCE ( )
- SPL ( )
- XENCO ( )
- TEST AMERICA ( )
- OTHER ( )



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA SD&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER _____	

Print Bill To Contact Name: **Denis Brown**

PO # \_\_\_\_\_

INCIDENT # (ENV SERVICES): **9 8 9 9 6 0 6 8**

SAP # \_\_\_\_\_

CHECK IF NO INCIDENT # APPLIES

DATE: **3/10/09**

PAGE: **2** of **2**

SAMPLING COMPANY: **Blaine Tech Services** LOG CODE: **BTSS**

SITE ADDRESS: Street and City: **1784 150th Ave., San Leandro** State: **CA** GLOBAL ID NO: **T0600101230**

ADDRESS: **1680 Rogers Ave, San Jose, CA 95112**

EDP DELIVERABLE TO (Name, Company, Office Location): **Ann Kremi, CRA, Emeryville** PHONE NO: **(510) 426-3335** E-MAIL: **Shelledf@craworld.com** CONSULTANT PROJECT NO: **BTS # 090310-301**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

SAMPLER NAME(S) (Print): **JO/JP/CM/AR** LAB USE ONLY: **09-03-1210**

TELEPHONE: **(408)573-8555** FAX: **(408)573-7771** E-MAIL: **mninokata@blainetech.com**

TURNAROUND TIME (CALENDAR DAYS):  STANDARD (14 DAY)  5 DAYS  3 DAYS  2 DAYS  24 HOURS  RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT  UST AGENCY:

SPECIAL INSTRUCTIONS OR NOTES :

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TEMPERATURE ON RECE. °C
-------------------------	---------------------------	--------------	----------------------	--------------	-------------	--------------	--------------	--------------	-----------------	-------------	-----------------	------------------	-------------------------


Run TPH-d w/Silica Gel Clean Up

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS												Container PID Readings or Laboratory Notes		
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)		Methanol (8015M)	
	MU-12	3/10	1010	W	3						3	X	X	X											
	MU-13		1115									X	X	X											
	EW-1		1420									X	X	X											
	EW-2		1240									X	X	X											

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* (Sample Custodian) Date: **3/10/09** Time: **1615**

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: **3/12/09** Time: **1015**

Relinquished by: (Signature) *[Signature]* Received by: (Signature) *[Signature]* Date: **3/13/09** Time: **1030**



WORK ORDER #: 09-03- 210

# SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Blaine Feck

DATE: 03/13/09

**TEMPERATURE:** (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 1.9 °C - 0.2°C (CF) = 1.7 °C     Blank     Sample

Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:     Air     Filter     Metals Only     PCBs Only    Initial:   

**CUSTODY SEALS INTACT:**

Cooler     \_\_\_\_\_     No (Not Intact)     Not Present     N/A    Initial:   

Sample     \_\_\_\_\_     No (Not Intact)     Not Present    Initial:   

SAMPLE CONDITION:	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CONTAINER TYPE:**

**Solid:**     4ozCGJ     8ozCGJ     16ozCGJ     Sleeve     EnCores®     TerraCores®     \_\_\_\_\_

**Water:**     VOA     VOA<sub>h</sub>     VOA<sub>na2</sub>     125AGB     125AGB<sub>h</sub>     125AGB<sub>po4</sub>     1AGB     1AGB<sub>na2</sub>

1AGB<sub>s</sub>     500AGB     500AGB<sub>s</sub>     250CGB     250CGB<sub>s</sub>     1PB     500PB     500PB<sub>na</sub>     250PB

250PB<sub>n</sub>     125PB     125PB<sub>znna</sub>     100PBsterile     100PB<sub>na2</sub>     \_\_\_\_\_     \_\_\_\_\_     \_\_\_\_\_

**Air:**     Tedlar®     Summa®     \_\_\_\_\_

Container:    C:Clear    A:Amber    P:Poly/Plastic    G:Glass    J:Jar    B:Bottle

Preservative:    h:HCL    n:HNO<sub>3</sub>    na<sub>2</sub>:Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>    na:NaOH    po<sub>4</sub>:H<sub>3</sub>PO<sub>4</sub>    s:H<sub>2</sub>SO<sub>4</sub>    znna:ZnAc<sub>2</sub>+NaOH

Checked/Labeled by:     
Reviewed by:     
Scanned by:

# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1789 150th Ave San Leandro Date 3/10/09

Job Number 090310-502 Technician JO/JP/CM/AL Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1A							X		NO TAG
MW-1B							X		NO TAG
MW-2B		X							NO TAG
MW-3	X	X							
MW-4	X	X							
MW-5	X	X							
MW-6	X	X	X						
MW-7	X	X							
MW-8	X	X							
MW-9	X	X							
MW-10	X	X							
MW-11	X	X	X						
MW-12	X	X							
MW-13	X	X							
EW-1	X	X					X		NO TAG
EW-2	X	X							

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: \_\_\_\_\_

WELL GAUGING DATA

Project # 090310-J01 Date 3/10/09 Client Shell

Site 1784 150th Ave, San Leandro

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes
MW-1A	0842	4					20.15	26.29		
MW-1B	<del>0858</del>	4					20.36	49.68		
MW-2B	0855	4					16.10	48.58		
MW-3	0847	4					23.13	41.53	NO SPH <sup>4c</sup>	NO SPH
MW-4	1034	2					11.55	25.00		
MW-5	1128	2					12.77	24.91		
MW-6	1100	2					11.58	19.45		
MW-7	0940	2					16.21	26.90		
MW-8	0937	2					15.48	24.08		
MW-9	0954	2					13.22	34.78		
MW-10	0851	4	sheen odor	21.77	.02		21.79	31.62		
MW-11	0850	4					16.40	24.70		
MW-12 <del>MW-12</del>	<del>0941</del> <del>0850</del>	<del>4</del> <del>4.30</del>					<del>15.55</del> <del>16.40</del>	<del>27.74</del> <del>24.70</del>		
MW-13	0950	2					12.75	23.78		
EW-1	0846	4					19.50	34.80		
EW-2	0912	4					16.21	32.82		

## SHEET WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150 <sup>th</sup> Ave, San Leandro
Sampler: JO/JP/CMXAR	Date: 3/10/09
Well I.D.: MW-1A	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth (TD): 26.29	Depth to Water (DTW): 20.15
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.4	

Purge Method:  Bailer       Waterra      Sampling Method:  Bailer  
 Disposable Bailer       Peristaltic       Disposable Bailer  
 Positive Air Displacement       Extraction Pump       Extraction Port  
 Electric Submersible      Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

4.0 (Gals.) X 3 = 12.0 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
12:57	67.2	6.75	1799	70	4.0	
12:58	Dewatered @ 7 gal/s.					
12:30	72.1	6.70	1691	132	—	

Did well dewater? (Yes) No      Gallons actually evacuated: 7.0

Sampling Date: 3/10/09      Sampling Time: 12:35      Depth to Water:

Sample I.D.: MW-1A      Laboratory: (CalScience) Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.O.C.

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L      Post-purge: 1.80 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV      Post-purge: \_\_\_\_\_ mV

# SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150 <sup>th</sup> Ave, San Leandro
Sampler: JO/JP/CM/AR	Date: 3/10/09
Well I.D.: MW-1B	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 49.68	Depth to Water (DTW): 20.36
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 26.22	

Purge Method: Bailer Disposable Bailer Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	---

19.0 (Gals.) X 3 = 57.0 Gals.  
 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
12:14	68.9	7.34	1704	255	19.0	odor
12:18	68.4	7.15	1690	218	38.0	"
12:22	68.4	7.16	1686	152	57.0	"

Did well dewater? Yes  No  Gallons actually evacuated: 57.0

Sampling Date: 3/10/09 Sampling Time: 12:30 Depth to Water: 21.77

Sample I.D.: MW-1B Laboratory: CalScience Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See L.O.C.

EB I.D. (if applicable): @ \_\_\_\_\_ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: 1.22 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: <u>090310-J01</u>	Site: <u>1784 150<sup>th</sup> Ave, San Leandro</u>
Sampler: <u>JO/JP/CM/AR</u>	Date: <u>3/10/09</u>
Well I.D.: <u>MW-2B</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>45.58</u>	Depth to Water (DTW): <u>16.10</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>21.99</u>	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	--	--

<u>19.2</u> (Gals.) X	<u>3</u>	= <u>57.6</u> Gals.
Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>1204</u>	<u>68.1</u>	<u>7.16</u>	<u>1698</u>	<u>268</u>	<u>19.2</u>	<u>slightly cloudy</u>
<u>1208</u>	<u>68.7</u>	<u>7.04</u>	<u>1691</u>	<u>95</u>	<u>38.4</u>	<u>clear</u>
<u>1212</u>	<u>68.0</u>	<u>7.08</u>	<u>1684</u>	<u>39</u>	<u>57.6</u>	<u>"</u>

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>57.6</u>	
Sampling Date: <u>3/10/09</u>	Sampling Time: <u>1220</u>	Depth to Water: <u>20.24</u>
Sample I.D.: <u>MW-2B</u>	Laboratory: <u>CalScience</u> Columbia Other _____	
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: <u>See C.O.C.</u>		
EB I.D. (if applicable): @ _____ Time	Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: <u> </u>		
D.O. (if req'd): Pre-purge: _____ mg/L	Post-purge: <u>0.69</u> mg/L	
O.R.P. (if req'd): Pre-purge: _____ mV	Post-purge: _____ mV	

# SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150 <sup>th</sup> Ave, San Leandro
Sampler: JO/JP/CM/AR	Date: 3/10/09
Well I.D.: MW-5	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 24.91	Depth to Water (DTW): 12.77
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.20	

Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	---	---

1.9 (Gals.) X 3 = 5.7 Gals. 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1137	66.9	7.24	1056	927	2.0	
1140	66.8	7.29	998	>1000	4.0	
1143	66.7	7.32	916	>1000	6.0	

Did well dewater? Yes  No  Gallons actually evacuated: 6.0

Sampling Date: 3/10/09      Sampling Time: 1150      Depth to Water: 13.06

Sample I.D.: MW-5      Laboratory: CalScience Columbia Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.O.C.

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:			Post-purge:	0.37 mg/L
O.R.P. (if req'd):	Pre-purge:			Post-purge:	mV



# SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150th Ave, San Leandro
Sampler: JO/JP/CM/AR	Date: 3/10/09
Well I.D.: MW-6	Well Diameter: ② 3 4 6 8
Total Well Depth (TD): 19.45	Depth to Water (DTW): 11.58
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.15	

Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	---

1.2 (Gals.) X 3 = 3.6 Gals. I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1111	58.1	5.91	214	>1000	1.2	Brown/silty
1113	57.6	6.37	215	>1000	2.4	↓
1116	57.6	6.40	212	>1000	3.6	

Did well dewater? Yes  No  Gallons actually evacuated: 3.6

Sampling Date: 3/10/09      Sampling Time: 1125      Depth to Water: 11.91

Sample I.D.: MW-6      Laboratory: CalScience Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.O.C.

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge: 0.57 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge: mV

# SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150th Ave, San Leandro
Sampler: JO/JP/CM/AR	Date: 3/10/09
Well I.D.: <del>MW-7</del> MW-7	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <del>27.74</del> 26.90	Depth to Water (DTW): <del>15.55</del> 16.21
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>16.21</u>	

Purge Method: <input checked="" type="checkbox"/> Bailer	Waterra	Sampling Method: <input checked="" type="checkbox"/> Bailer
Disposible Bailer	Peristaltic	Disposible Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
Electric Submersible	Other: _____	Dedicated Tubing
		Other: _____

~~1.7~~ (Gals.) X 3 = 5.1 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0950	64.4	6.86	2970	313	<del>1.7</del> 2	
0953	64.7	6.81	2941	539	4	
0957	64.9	6.83	2905	843	6	

Did well dewater?    Yes    No      Gallons actually evacuated: ~~5.5~~ 6.0

Sampling Date: 3/10/09      Sampling Time: 1000      Depth to Water: \_\_\_\_\_

Sample I.D.: MW-7      Laboratory: CalScience Columbia    Other: \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: See L.O.C.

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Oxygenates (5)    Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.85	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

# SHELL WELL MONITORING DATA SHEET

BTS #: <u>090310-J01</u>	Site: <u>1784 150th Ave, San Leandro</u>
Sampler: <u>JO/JP/CM/AR</u>	Date: <u>3/10/09</u>
Well I.D.: <u>MW-8</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>24.08</u>	Depth to Water (DTW): <u>15.45</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>TRAFFIC</u>	

Purge Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	--	--

15 (Gals.) X 3 = 4.5 Gals.  
 I Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<del>0950</del> <u>0950</u>	<u>65.7</u>	<u>6.94</u>	<u>1434</u>	<u>450</u>	<u>1.5</u>	<u>ODOR</u>
<u>0954</u>	<u>66.1</u>	<u>6.94</u>	<u>1410</u>	<u>574</u>	<u>3.0</u>	"
<u>0958</u>	<u>66.9</u>	<u>6.89</u>	<u>1390</u>	<u>566</u>	<u>4.5</u>	"

Did well dewater? Yes   No      Gallons actually evacuated: 4.5

Sampling Date: 3/10/09      Sampling Time: 1005      Depth to Water: 15.80

Sample I.D.: MW-8      Laboratory: (CalScience) Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.O.C.

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	<u>2.40</u> mg/L
------------------	------------	------	-------------	------------------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

**WATER MONITORING DATA SHEET**

Project #: <u>010310-301</u>	Client: <u>SHELL</u>
Sampler: <u>CM</u>	Date: <del>3/10/09</del> <u>3/10/09</u>
Well I.D.: <u>MW-9</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): <u>34.78</u>	Depth to Water (DTW): <u>13.22</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>17.5</u>	

Purge Method: Bailer  
 Disposable Bailer  
 Positive Air Displacement  
 Electric Submersible

Waterra  
 Peristaltic  
 Extraction Pump  
 Other \_\_\_\_\_

Sampling Method: Bailer  
 Disposable Bailer  
 Extraction Port  
 Dedicated Tubing  
 Other: \_\_\_\_\_

2036

3.4 (Gals.) X 3 = 10.2 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1109</u>	<u>66.7</u>	<u>7.56</u>	<u>1097</u>	<u>394</u>	<u>3.4</u>	
<u>1116</u>	<u>66.4</u>	<u>7.58</u>	<u>1033</u>	<u>182</u>	<u>6.8</u>	
<u>1124</u>	<u>66.7</u>	<u>7.61</u>	<u>1024</u>	<u>163</u>	<u>10.2</u>	

Did well dewater? Yes  No  Gallons actually evacuated: 10.2

Sampling Date: 3/10/09 Sampling Time: 1130 Depth to Water: 13.85

Sample I.D.: MW-9 Laboratory: Kiff CalScience Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See COC

EB I.D. (if applicable): @ \_\_\_\_\_ Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: 1.58 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01		Site: 1784 150th Ave, San Leandro	
Sampler: <del>JP</del> JP/CM/AR		Date: 3/10/09	
Well I.D.: MW-10		Well Diameter: 2 3 <u>4</u> 6 8	
Total Well Depth (TD): 31.62		Depth to Water (DTW): 21.79	
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to: <u>PVC</u> Grade		D.O. Meter (if req'd): <u>YSI</u> HACH	
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.75			

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Waterra  Peristaltic  Extraction Pump  Other \_\_\_\_\_  
 Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

$6.4$ (Gals.) X $2.7$ = $19.2$ Gals. I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1417	<del>69.1</del> <sup>69.1</sup> 69.1	7.98	896.3	21	6.4	clear / small odor
1418	<del>69.2</del> <sup>69.2</sup> 69.2	6.76	884.3	15	12.8	"
1419	<del>68.5</del> <sup>68.5</sup> 68.5	6.74	894.5	11	19.2	clear / no odor

Did well dewater? Yes   No      Gallons actually evacuated: 19.2  
 Sampling Date: 3/10/09      Sampling Time: 1425      Depth to Water: 23.50  
 Sample I.D.: MW-10      Laboratory: CalScience Columbia Other \_\_\_\_\_  
 Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See L.O.C.  
 EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):  
 Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	0.40	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:		mV

# SHELL WELL MONITORING DATA SHEET

BTS #: <u>090310-J01</u>	Site: <u>1784 150<sup>th</sup> Ave, San Leandro</u>
Sampler: <u>JO/JP/CM/AR</u>	Date: <u>3/10/09</u>
Well I.D.: <u>MW-11</u>	Well Diameter: 2 3 <u>(4)</u> 6 8 _____
Total Well Depth (TD): <u>24.70</u>	Depth to Water (DTW): <u>16.40</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>18.06</u>	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible	Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
---	--	--

5.4 (Gals.) X 3 = 16.2 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1246	65.7	7.32	268	32	5.5-6.2	clear
1248	67.3	7.23	352	15	11.0	clear
1250	67.4	7.21	300	66	16.5	clear

Did well dewater? Yes  No  Gallons actually evacuated: 16.5

Sampling Date: 3/10/09 Sampling Time: 1255 Depth to Water: 16.80

Sample I.D.: MW-11 Laboratory: (CalScience) Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See L.O.L.

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L Post-purge: (0.50) mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV Post-purge: \_\_\_\_\_ mV

**SHELL WELL MONITORING DATA SHEET**

BTS #: <u>090310-J01</u>	Site: <u>1784 150th Ave, San Leandro</u>
Sampler: <u>JO/JP/CM/AR</u>	Date: <u>3/10/09</u>
Well I.D.: <u>MW-7</u> <sup>AE</sup> <u>MW-12</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>26.90</u> <sup>was</sup> <u>27.74</u>	Depth to Water (DTW): <u>16.21</u> <sup>was</sup> <u>15.55</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>18.35</u> (TV)	

Purge Method: Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible  Other \_\_\_\_\_

Waterra Peristaltic Extraction Pump  Other \_\_\_\_\_

Sampling Method: Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

<u>1.7</u> (Gals.) X	<u>3</u> Specified Volumes =	<u>5.1</u> Gals. Calculated Volume
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
<u>0954</u>	<u>66.5</u>	<u>6.92</u>	<u>1865</u>	<u>&gt;1000</u>	<u>1.7</u>	<u>cloudy</u>
<u>0959</u>	<u>67.1</u>	<u>6.82</u>	<u>1906</u>	<u>&gt;1000</u>	<u>3.4</u>	<u>"</u>
<u>1004</u>	<u>66.6</u>	<u>6.92</u>	<u>1927</u>	<u>&gt;1000</u>	<u>5.1</u>	<u>"</u>

Did well dewater? Yes  No Gallons actually evacuated: 5.1

Sampling Date: 3/10/09 Sampling Time: 1010 Depth to Water: 16.91

Sample I.D.: MW-12 Laboratory: CalScience Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See L.O.L.

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	<u> </u> mg/L	Post-purge:	<u>2.25</u> mg/L
O.R.P. (if req'd):	Pre-purge:	<u> </u> mV	Post-purge:	<u> </u> mV

WELL MONITORING DATA SHEET

Project #: 090310-J01	Client: SHELL
Sampler: (JP) JD, CM, AL	Date: <del>7/8/15</del> SAN LEANDRO, CA 3/10/09
Well I.D.: MW-13	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 23.78	Depth to Water (DTW): 12.75
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <del>13.00</del> TRAFFIC	

Purge Method:  Bailer      Waterra      Sampling Method:       Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Positive Air Displacement      Extraction Pump      Extraction Port  
 Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

2.0 (Gals.) X 3 = 6.0 Gals.	Well Diameter	Multiplier	Well Diameter	Multiplier
1 Case Volume      Specified Volumes      Calculated Volume	1"	0.04	4"	0.65
	2"	0.16	6"	1.47
	3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F or °C)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1102	65.7	7.87	1261	>1000	2.0	
1106	66.6	7.64	1251	>1000	4.0	
1110	66.7	7.74	1229	>1000	6.0	

Did well dewater? Yes  No  Gallons actually evacuated: 6.0

Sampling Date: 3/10/09      Sampling Time: 1115      Depth to Water: ~~12~~ 1800

Sample I.D.: MW-13      Laboratory: Kiff CalScience Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: SEE COL

EB I.D. (if applicable): @ Time      Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

D.O. (if req'd): Pre-purge: \_\_\_\_\_ mg/L      Post-purge: 1.52 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV      Post-purge: \_\_\_\_\_ mV



# SHELL WELL MONITORING DATA SHEET

BTS #: 090310-J01	Site: 1784 150 <sup>th</sup> Ave, San Leandro
Sampler: JO/JP/CMYAR	Date: 3/10/09
Well I.D.: EW-1	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 34, 86	Depth to Water (DTW): 19.58
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.6	

Purge Method: Bailer  Waterwa  Sampling Method:  Bailer  
 Disposable Bailer  Peristaltic  Disposable Bailer  
 Positive Air Displacement  Extraction Pump  Extraction Port  
 Electric Submersible  Other \_\_\_\_\_  Dedicated Tubing

$10.0$ (Gals.) X $3$ = $30.0$ Gals. 1 Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1411	70.2	7.35	573	195	10.0	
1413	69.4	6.97	533	361	20.0	
1415	69.2	6.94	510	295	30.0	

Did well dewater? Yes  No Gallons actually evacuated: 30.0

Sampling Date: 3/10/09 Sampling Time: 1420 Depth to Water: 21.90

Sample I.D.: EW-1 Laboratory: CalScience Columbia Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.O.C.

EB I.D. (if applicable): @ \_\_\_\_\_ Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	1.21 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV



# SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 1789 150th Ave San Leandro Date 3/10/09  
 Job Number 090310-J01 Technician JO/JP/CM/AL Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1A							X		NO TAG
MW-1B							X		NO TAG
MW-2B		X							NO TAG
MW-3	X	X							
MW-4	X	X							
MW-5	X	X							
MW-6	X	X	X						
MW-7	X	X							
MW-8	X	X							
MW-9	X	X							
MW-10	X	X							
MW-11	X	X	X						
MW-12	X	X							
MW-13	X	X							
EW-1	X	X					X		NO TAG
EW-2	X	X							

\*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT.

Notes: \_\_\_\_\_

# SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Site Address 1784 150<sup>th</sup> Ave. Date 3-10-09  
 Job Number 090310-501 Technician EC Page 1 of 1

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency										All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair		
					Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency				Not Securable by Design (greater than 12" diameter)	Well Not Inspected (explain in notes)
mw-7				X			X										X		
	Notes: no tag																		
	Well box type / size: 12" EMCO Materials used: ps, 2x4, 2x6																		
mw-8				X													X		
	Notes: no tag																		
	Well box type / size: 12" EMCO Materials used: ps, 2x4, 2x6																		
mw-12				X													X		
	Notes: no tag																		
	Well box type / size: 12" EMCO Materials used: ps, 2x4, 2x6																		
mw-13							X										X		
	Notes: 1/2 bolts broken in tab																		
	Well box type / size: Materials used: 1 hel, 1 bolt																		
	Notes:																		
	Well box type / size: Materials used:																		
	Notes:																		
	Well box type / size: Materials used:																		
	Notes:																		
	Well box type / size: Materials used:																		