



Chevron

May 20, 1997

Mr. Scott Seery
Alameda County Dept. of Enviro. Health
1131 Harbor Way Parkway, Suite 250
Alameda, California 94502-6577

Chevron Products Company
6001 Bollinger Canyon Rd, Bldg L
PO Box 5004
San Ramon, CA 94583-0804

Site Assessment & Remediation
Phone (510) 842-9500
Fax (510) 842-8370

Re: Chevron Service Station 9-8139
16304 Foothill Road, San Leandro, CA

Dear Mr. Seery,

Please find attached the "Second Quarter Groundwater Monitoring & Sampling Report" prepared by Blaine Tech Services Inc. dated April 30 1997. This report presents the results of the sampling event performed on April 3rd, 1997.

The groundwater samples collected by Blaine Tech. were analyzed for the presence of TPHG and BTEX constituents. The results obtained during this sampling event were consistent with historical data seen from previous sampling events at this site.

Chevron will continue with the current monitoring schedule (Semi-annual) in place for this site. If you have any questions or comments regarding this site, please call. I can be reached by phone at (510) 842-9449 or by fax at (510) 842-8370.

Sincerely,

Tammy L Hodge
Groundwater Coordinator
Site Assessment and Remediation

cc:

- * Mr. Kevin Graves, RWQCB-Bay Region
2101 Webster St. Suite 500, Oakland CA
- * Ms. Bette Owen, Chevron Property Development
- * Chevron File 9-8139

83-8-13 88-11-15

RON BROWN
7/2/97 10:00 AM



98737



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

April 30, 1997

Tammy Hodge
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

2nd Quarter 1997 Monitoring at 9-8139

Second Quarter 1997 Groundwater Monitoring at
Chevron Service Station Number 9-8139
16304 Foothill Blvd.
San Leandro, CA

Monitoring Performed on April 3, 1997

Groundwater Sampling Report 970403-C-2

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table


also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,


A handwritten signature in black ink, appearing to read 'Francis Thie', written in a cursive style.

Francis Thie
Vice President



FPT/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix



SCALE (ft)



benzene
MCE

FOOTHILL BOULEVARD

112.00

ND 10
112.04

EXPLANATION

- ⊕ MONITORING WELL
- ⊙ EXTRACTION WELL


111.89 GROUNDWATER ELEVATION (FT, MSL)

— GROUNDWATER ELEVATION CONTOUR (FT, MSL)

112.00 NA DATA NOT AVAILABLE

↓ APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.005

Median	ND 610	⊕ MW-8 111.89	⊕ MW-9 ND 111.82
Dirt Sidewalk			ND ⊕ MW-11 111.70



Base map from Central Environmental Technology, Inc.

PREPARED BY

RRM
engineering contracting firm

Chevron Station 9-8139
16304 Foothill Boulevard
San Leandro, California

**GROUNDWATER ELEVATION
CONTOUR MAP, APRIL 3, 1997**

**FIGURE:
1
PROJECT:
DAC04**

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-1											
12/05/89	127.09	--	--	*	<500	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
03/23/90	127.09	114.17	12.92	--	--	--	--	--	--	--	--
05/24/90	127.09	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/06/90	127.09	112.41	14.68	--	<50	<0.5	0.8	<0.5	<0.5	<0.5	<0.5
09/25/90	127.09	112.08	15.01	--	--	--	--	--	--	--	--
11/29/90	127.09	112.27	14.82	--	<50	0.7	0.9	<0.5	1.0	--	--
02/20/91	127.09	112.80	14.29	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/19/91	127.09	114.93	12.16	--	--	--	--	--	--	--	--
05/22/91	127.09	113.40	13.69	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/22/91	127.09	111.71	15.38	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/13/91	127.09	111.29	15.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/30/92	127.09	112.38	14.71	--	<50	0.5	<0.5	<0.5	0.5	--	--
04/23/92	127.09	114.87	12.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/27/92	127.09	112.79	14.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	127.09	111.19	15.90	--	<50	0.6	<0.5	<0.5	<0.5	--	--
01/29/93	127.09	116.58	10.51	--	<50	3.0	3.0	0.7	3.0	--	--
04/30/93	127.09	117.19	9.90	--	<50	<0.5	0.7	<0.5	1.0	--	--
07/14/93	127.09	114.81	12.28	--	<50	0.7	1.0	<0.5	3.0	--	--
10/27/93	127.09	111.56	15.53	--	<50	0.9	2.0	<0.5	2.0	--	--
01/13/94	127.09	114.85	12.24	--	<50	<0.5	0.9	<0.5	<0.5	--	--
04/22/94	127.09	114.18	12.91	--	<50	1.1	2.6	1.0	5.5	--	--
07/29/94	127.09	114.34	12.75	--	<50	<0.5	0.9	<0.5	<0.5	--	--
10/25/94	127.09	113.46	13.63	--	100	0.6	1.6	<0.5	4.1	--	--
01/19/95	127.09	117.16	9.93	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

NO LONGER MONITORED OR SAMPLED

*TPH-Diesel not detected at detection limit of 1000 ppb. Oil and Grease not detected at detection limit of 5000 ppb.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-2											
12/05/89	125.98	--	--	*	<500	<0.5	<0.5	<0.5	0.9	<0.5	<0.5
03/23/90	125.98	113.58	12.40	--	--	--	--	--	--	--	--
05/24/90	125.98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/06/90	125.98	111.13	14.85	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
09/25/90	125.98	111.18	14.80	--	--	--	--	--	--	--	--
11/29/90	125.98	111.58	14.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/91	125.98	111.89	14.09	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/19/91	125.98	113.36	12.62	--	--	--	--	--	--	--	--
05/22/91	125.98	113.00	12.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/22/91	125.98	111.05	14.93	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/13/91	125.98	110.56	15.42	--	58	<0.5	0.5	0.7	2.3	--	--
01/30/92	125.98	111.28	14.70	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/92	125.98	112.15	13.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/27/92	125.98	110.68	15.30	--	<50	<0.5	<0.5	<0.5	1.1	--	--
10/26/92	125.98	110.36	15.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	125.98	116.72	9.26	--	<50	3.0	8.0	1.0	5.0	--	--
04/30/93	125.98	116.32	9.66	--	<1300	<13	<13	<13	<13	--	--
07/14/93	125.98	114.08	11.90	--	<50	0.8	2.0	0.8	4.0	--	--
10/27/93	125.98	112.49	13.49	--	<50	1.0	2.0	1.0	2.0	--	--
01/13/94	125.98	113.99	11.99	--	<50	<0.5	0.6	<0.5	<0.5	--	--
04/22/94	125.98	113.25	12.73	--	<50	0.6	<0.5	<0.5	1.7	--	--
07/29/94	125.98	113.68	12.30	--	<50	<0.5	0.9	<0.5	<0.5	--	--
10/25/94	125.98	112.59	13.39	--	<50	<0.5	0.8	<0.5	2.1	--	--
01/19/95	125.98	117.27	8.71	--	<50	<0.5	2.3	<0.5	<0.5	--	--

NO LONGER MONITORED OR SAMPLED

*TPH-Diesel not detected at detection limit of 1000 ppb. Oil and Grease not detected at detection limit of 5000 ppb.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-3											
12/05/89	127.84	--	--	*	24,000	2400	1800	360	2600	<0.5	<0.5
12/05/89	127.84	--	--	Duplicate	24,000	2500	1900	390	2600	<0.5	<0.5
03/23/90	127.84	110.34	17.50	--	--	--	--	--	--	--	--
05/24/90	127.84	--	--	--	9000	2600	1700	250	1500	--	--
05/24/90	127.84	--	--	Duplicate	10,000	2600	1800	260	1600	--	--
09/06/90	126.77	108.05	18.72	--	3500	900	550	110	460	<0.5	<0.5
09/25/90	126.77	108.37	18.40	--	--	--	--	--	--	--	--
11/29/90	126.77	107.80	18.97	--	9200	1100	1100	210	1100	--	--
02/20/91	126.77	107.57	19.20	--	8800	960	780	200	920	--	--
04/19/91	126.77	108.96	17.81	--	--	--	--	--	--	--	--
05/22/91	126.77	108.89	17.88	--	28,000	5800	1200	460	2300	--	--
08/01/91	126.77	107.54	19.23	--	--	--	--	--	--	--	--
08/22/91	126.77	106.60	20.17	--	21,000	3100	2000	480	2000	--	--
08/22/91	126.77	--	--	Duplicate	19,000	2700	1800	420	1700	--	--
11/13/91	126.77	106.82	19.95	--	18,000	2400	1200	450	2200	--	--
01/30/92	126.77	107.63	19.14	--	18,000	3800	920	700	2600	--	--
04/23/92	126.77	109.02	17.75	--	46,000	5000	1900	1000	3500	--	--
07/27/92	126.77	107.77	19.00	--	26,000	4900	1100	1200	3600	--	--
10/26/92	126.77	107.15	19.62	--	6600	1100	41	220	570	--	--
01/29/93	126.77	110.82	15.95	--	32,000	5900	2900	1300	5000	--	--
04/30/93	126.77	111.10	15.67	--	14,000	6100	98	870	2400	--	--
07/14/93	126.77	109.94	16.83	--	12,000	3100	1100	720	2900	--	--
10/27/93	126.77	109.07	17.70	--	19,000	7800	400	1500	3400	--	--
01/13/94	126.77	110.23	16.54	--	51,000	3700	140	720	1800	--	--
04/22/94	126.77	109.75	17.02	--	22,000	9300	89	1200	2400	--	--
07/29/94	126.77	109.82	16.95	--	13,000	4700	44	580	420	--	--
10/25/94	126.77	109.11	17.66	--	24,000	8700	52	1500	1400	--	--
01/19/95	126.77	112.90	13.87	--	17,000	9300	36	1600	740	--	--
10/12/95	126.77	112.54	14.23	--	37,000	12,000	180	1800	1500	13,000	--
04/11/96	126.77	115.73	11.04	--	19,000	2400	81	1400	1500	6800	--
10/03/96	126.77	112.15	14.62	Sampled annually	--	--	--	--	--	--	--

NO LONGER MONITORED OR SAMPLED

*Oil and Grease not detected at detection limit of 5000 ppb.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-4											
12/05/89	125.22	--	--	--	19,000	390	1300	460	1800	<0.5	<0.5
03/23/90	125.22	109.20	16.02	--	--	--	--	--	--	--	--
05/24/90	125.22	--	--	--	4500	210	440	140	480	--	--
09/06/90	125.22	107.87	17.35	--	6000	680	520	170	580	<0.5	<0.5
09/25/90	125.22	107.74	17.48	--	--	--	--	--	--	--	--
11/29/90	125.22	107.61	17.61	--	15,000	800	1000	430	1700	--	--
02/20/91	125.22	107.41	17.81	--	15,000	640	390	420	1600	--	--
02/20/91	125.22	--	--	Duplicate	15,000	680	410	430	1600	--	--
04/19/91	125.22	109.42	15.80	--	--	--	--	--	--	--	--
05/22/91	125.22	108.54	16.68	--	9800	580	140	310	740	--	--
05/22/91	125.22	--	--	Duplicate	7200	520	130	270	670	--	--
06/10/91	--	--	--	Redesignated EW-3	--	--	--	--	--	--	--
EW-3											
08/01/91	125.22	107.73	17.49	--	--	--	--	--	--	--	--
10/27/93	125.22	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	125.22	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/22/94	125.22	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/29/94	125.22	--	--	--	<50	1.3	1.3	0.6	5.3	--	--
10/25/94	125.22	109.02	16.20	--	--	--	--	--	--	--	--
01/19/95	125.22	112.51	12.71	--	240	45	0.8	22	48	--	--
04/03/97	125.22	112.89	12.33	--	450	140	<1.2	4.3	3.9	17	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-5											
03/23/90	125.85	108.96	16.89	--	--	--	--	--	--	--	--
05/25/90	125.85	--	--	--	28,000	920	1100	460	1300	2.4	2.4
09/07/90	125.85	107.42	18.46	Free Product (0.04')	--	--	--	--	--	--	--
09/25/90	125.85	107.54	18.87	Free Product (1.30')	--	--	--	--	--	--	--
11/29/90	125.85	107.31	18.91	Free Product (0.71')	--	--	--	--	--	--	--
02/20/91	125.85	109.24	16.99	Free Product (0.47')	--	--	--	--	--	--	--
04/19/91	125.85	107.58	19.30	Free Product (0.48')	--	--	--	--	--	--	--
05/22/91	125.85	108.42	17.69	Free Product (0.33')	--	--	--	--	--	--	--
06/10/91	--	--	--	Redesignated EW-2	--	--	--	--	--	--	--
EW-2											
08/01/91	125.79	107.72	18.07	--	--	--	--	--	--	--	--
04/22/94	125.79	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/25/94	125.79	109.10	16.69	--	--	--	--	--	--	--	--
01/19/95	125.79	113.59	12.20	--	1700	540	69	56	400	--	--
05/01/95	125.79	113.63	12.16	--	<50	13	<0.5	<0.5	2.1	--	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-6											
03/23/90	124.18	105.67	18.51	--	--	--	--	--	--	--	--
05/25/90	124.18	--	--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.02	<0.02
09/07/90	124.18	108.00	16.18	--	<50	<2.0	<3.0	<3.0	<3.0	<0.05	<0.05
09/25/90	124.18	107.76	16.42	--	--	--	--	--	--	--	--
11/29/90	124.18	108.07	16.11	--	<50	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05
02/20/91	124.18	108.09	16.09	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/19/91	124.18	109.03	15.15	--	--	--	--	--	--	--	--
05/22/91	124.18	108.77	15.41	--	<50	0.5	0.7	<0.5	1.1	--	--
08/23/91	124.18	106.38	17.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/14/91	124.18	107.66	16.52	--	<50	<0.5	<0.5	<0.5	<0.5	<0.02	<0.02
11/14/91	124.18	--	--	Duplicate	<50	<0.5	0.6	<0.5	1.1	<0.05	<0.05
01/31/92	124.18	107.70	16.48	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/31/92	124.18	--	--	Duplicate	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/92	124.18	107.98	16.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/92	124.18	--	--	Duplicate	--	--	--	--	--	--	--
07/27/92	124.18	107.66	16.52	--	<50	1.2	0.6	<0.5	1.9	--	--
10/26/92	124.18	107.06	17.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	124.18	111.05	13.13	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/30/93	124.18	109.32	14.86	--	<50	<0.5	<0.5	<0.5	0.6	--	--
07/14/93	124.18	109.57	14.61	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/27/93	124.18	108.80	15.38	--	<50	0.9	1.0	0.6	1.0	--	--
01/13/94	124.18	108.84	15.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/22/94	124.18	109.11	15.07	--	<50	<0.5	<0.5	<0.5	2.5	--	--
07/29/94	124.18	108.88	15.30	--	<50	7.5	1.2	1.0	1.1	--	--
10/25/94	124.18	108.49	15.69	--	<50	<0.5	<0.5	<0.5	1.2	--	--
01/19/95	124.18	112.69	11.49	--	<50	<0.5	3.1	<0.5	0.6	--	--
10/11/95	124.18	110.02	14.16	--	--	--	--	--	--	--	--
11/07/95	124.18	109.88	14.30	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/11/96	124.18	113.55	10.63	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/03/96	124.18	110.84	13.34	--	--	--	--	--	--	--	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-7											
03/23/90	126.86	105.46	21.40	--	--	--	--	--	--	--	--
05/25/90	126.86	--	--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.02	<0.02
09/07/90	126.86	108.48	18.38	--	--	--	--	--	--	--	--
09/25/90	126.86	107.61	19.25	--	--	--	--	--	--	--	--
09/27/90	126.86	--	--	--	<50	<2.0	<3.0	<3.0	<3.0	<0.05	<0.05
09/27/90	126.86	--	--	Duplicate	<50	<2.0	<3.0	<3.0	<3.0	<0.05	<0.05
11/29/90	126.86	108.31	18.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/91	126.86	108.31	18.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/19/91	126.86	109.53	17.33	--	--	--	--	--	--	--	--
05/22/91	126.86	109.44	17.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/22/91	126.86	107.81	19.05	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/13/91	126.86	105.02	21.84	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/30/92	126.86	104.44	22.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/92	126.86	104.82	22.04	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/27/92	126.86	104.62	22.24	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	126.86	104.75	22.11	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	126.86	109.79	17.07	--	<50	4.0	13	2.0	8.0	--	--
04/30/93	126.86	112.00	14.86	--	<50	<0.5	<0.5	<0.5	0.6	--	--
07/14/93	126.86	110.76	16.10	--	<50	<0.5	1.0	<0.5	2.0	--	--
10/27/93	126.86	108.15	18.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	126.86	108.97	17.89	--	<50	<0.5	0.9	<0.5	1.0	--	--
04/22/94	126.86	109.92	16.94	--	<50	<0.5	<0.5	<0.5	1.3	--	--
07/29/94	126.86	110.16	16.70	--	74	19	8.2	7.8	11	--	--
10/25/94	126.86	109.44	17.42	--	<50	<0.5	0.6	<0.5	1.6	--	--
01/19/95	126.86	113.20	13.66	--	<50	<0.5	1.4	<0.5	<0.5	--	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-8											
09/07/90	123.61	107.54	16.07	--	<50	<0.5	<0.5	<0.5	<0.5	<0.05	<0.05
09/25/90	123.61	107.41	16.20	--	--	--	--	--	--	--	--
11/29/90	123.61	107.31	16.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/90	123.61	--	--	Duplicate	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/91	123.61	107.29	16.32	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/19/91	123.61	108.90	14.71	--	--	--	--	--	--	--	--
05/22/91	123.61	108.19	15.42	--	<50	0.6	<0.5	<0.5	1.0	--	--
08/22/91	123.61	106.46	17.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/14/91	123.61	106.62	16.99	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/30/92	123.61	107.31	16.30	--	<50	1.0	0.7	<0.5	1.1	--	--
04/23/92	123.61	108.56	15.05	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/27/92	123.61	107.53	16.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	123.61	106.89	16.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	123.61	110.79	12.82	--	1400	470	470	37	160	--	--
04/30/93	123.61	110.07	13.54	--	1600	<13	15	18	29	--	--
07/14/93	123.61	108.96	14.65	--	<50	<0.5	0.7	<0.5	2.0	--	--
10/27/93	123.61	108.57	15.04	--	<50	3.0	4.0	2.0	4.0	--	--
01/13/94	123.61	108.47	15.14	--	<50	<0.5	4.0	<0.5	<0.5	--	--
04/22/94	123.61	108.60	15.01	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/94	123.61	108.91	14.70	--	69	7.3	18	3.3	12	--	--
10/25/94	123.61	108.41	15.20	--	<50	<0.5	0.8	<0.5	1.6	--	--
01/19/95	123.61	111.61	12.00	--	<50	<0.5	3.1	<0.5	0.7	--	--
05/01/95	123.61	112.21	11.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/03/97	123.61	111.89	11.72	--	<200	<2.0	<2.0	<2.0	<2.0	610	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-9											
08/22/91	124.20	106.60	17.60	--	9600	46	170	98	1200	<0.05	<0.05
11/14/91	124.20	106.72	17.48	--	11,000	130	58	86	1500	<0.05	<0.05
01/30/92	124.20	107.49	16.71	--	11,000	210	29	110	1900	--	--
04/23/92	124.20	108.97	15.23	--	17,000	180	25	100	1900	--	--
07/27/92	124.20	107.48	16.72	--	2800	59	1.6	18	280	--	--
10/26/92	124.20	106.98	17.22	--	3200	38	<0.5	19	200	--	--
01/29/93	124.20	110.81	13.39	--	1300	23	6.0	8.0	100	--	--
04/30/93	124.20	110.20	14.00	--	<1300	<13	<13	<13	58	--	--
07/14/93	124.20	109.12	15.08	--	1300	25	4.0	15	120	--	--
10/27/93	124.20	108.58	15.62	--	1100	21	10	19	73	--	--
01/13/94	124.20	108.61	15.59	--	80	0.7	3.0	0.6	3.0	--	--
04/22/94	124.20	108.77	15.43	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/29/94	124.20	109.00	15.20	--	1400	19	11	11	69	--	--
10/25/94	124.20	108.50	15.70	--	1200	11	2.0	7.6	28	--	--
01/19/95	124.20	111.62	12.58	--	380	1.6	4.3	1.5	11	--	--
05/01/95	124.20	112.24	11.96	--	350	1.1	<0.5	1.8	2.3	--	--
10/12/95	124.20	110.35	13.85	--	1700	3.8	<2.5	5.3	7.8	18	--
04/11/96	124.20	112.33	11.87	--	140	<0.5	<0.5	<0.5	<0.5	2.8	--
10/03/96	124.20	110.13	14.07	--	53	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/97	124.20	111.82	12.38	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-10											
07/27/92	125.03	107.51	17.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/27/92	125.03	106.97	18.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	125.03	110.88	14.15	--	<50	<0.5	<0.5	<0.5	0.7	--	--
04/30/93	125.03	110.35	14.68	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/14/93	125.03	109.23	15.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/27/93	125.03	108.70	16.33	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	125.03	108.74	16.29	--	<50	<0.5	0.5	<0.5	<0.5	--	--
04/22/94	125.03	108.88	16.15	--	<50	<0.5	<0.5	<0.5	1.1	--	--
07/29/94	125.03	109.18	15.85	--	<50	0.8	2.1	0.5	1.3	--	--
10/25/94	125.03	108.62	16.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/19/95	125.03	111.74	13.29	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	125.03	112.43	12.60	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/11/95	125.03	110.49	14.54	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/11/96	125.03	112.56	12.47	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/03/96	125.03	110.29	14.74	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/97	125.03	112.04	12.99	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
MW-11											
07/27/92	122.92	107.54	15.38	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	122.92	106.95	15.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	122.92	110.68	12.24	--	<50	8.0	16	2.0	10	--	--
04/30/93	122.92	110.15	12.77	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/14/93	122.92	109.08	13.84	--	<50	<0.5	0.7	<0.5	1.0	--	--
10/27/93	122.92	108.69	14.23	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	122.92	108.68	14.24	--	<50	<0.5	1.0	<0.5	<0.5	--	--
04/22/94	122.92	108.84	14.08	--	<50	<0.5	0.5	<0.5	1.4	--	--
07/29/94	122.92	109.02	13.90	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/25/94	122.92	108.54	14.38	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/19/95	122.92	111.47	11.45	--	<50	<0.5	1.8	<0.5	<0.5	--	--
05/01/95	122.92	111.82	11.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/11/95	122.92	110.35	12.57	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/11/96	122.92	111.87	11.05	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/03/96	122.92	110.00	12.92	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/03/97	122.92	111.70	11.22	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
EW-1											
05/25/90	124.95	--	--	--	3900	260	430	64	340	0.03	0.03
08/01/91	124.95	107.41	17.54	--	--	--	--	--	--	--	--
10/27/93	124.95	--	--	--	350	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	124.95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/22/94	124.95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/29/94	124.95	--	--	--	97	0.6	0.5	0.6	5.1	--	--
01/19/95	124.95	112.32	12.63	--	3000	1600	100	350	760	--	--

NO LONGER MONITORED OR SAMPLED

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE	EDB
TRIP BLANK											
02/20/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/22/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/22/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/13/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/27/92	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
01/29/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/14/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/13/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/22/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/29/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/25/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/19/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/11/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/03/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on May 1, 1995.
Earlier field data and analytical results provided by Sierra Environmental.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl t-Butyl Ether

EDB = Ethylene Dibromide

Analytical Appendix



Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-8139/970403-C2 Sample Descript: MW-8 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704299-01	Sampled: 04/03/97 Received: 04/04/97 Analyzed: 04/11/97 Reported: 04/15/97
--	---	---

QC Batch Number: GC041197BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	200	N.D.
Methyl t-Butyl Ether	10	610
Benzene	2.0	N.D.
Toluene	2.0	N.D.
Ethyl Benzene	2.0	N.D.
Xylenes (Total)	2.0	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	90

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-8139/970403-C2 Sample Descript: MW-9 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704299-02	Sampled: 04/03/97 Received: 04/04/97 Analyzed: 04/10/97 Reported: 04/15/97
Attention: Fran Thie		

QC Batch Number: GC041097BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	98

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-8139/970403-C2 Sample Descript: MW-10 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704299-03	Sampled: 04/03/97 Received: 04/04/97 Analyzed: 04/10/97 Reported: 04/15/97
--	--	---

QC Batch Number: GC041097BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	97

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-8139/970403-C2 Sample Descript: MW-11 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704299-04	Sampled: 04/03/97 Received: 04/04/97 Analyzed: 04/10/97 Reported: 04/15/97
Attention: Fran Thie		

QC Batch Number: GC041097BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	92

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manager





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-8139/970403-C2
Sample Descript: EW-3
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9704299-05

Sampled: 04/03/97
Received: 04/04/97

Analyzed: 04/11/97
Reported: 04/15/97

QC Batch Number: GC041197BTEX07A
Instrument ID: GCHP07

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	125	450
Methyl t-Butyl Ether	6.2	17
Benzene	1.2	140
Toluene	1.2	N.D.
Ethyl Benzene	1.2	4.3
Xylenes (Total)	1.2	3.9
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	90

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-8139/970403-C2 Sample Descript: TB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704299-06	Sampled: 04/03/97 Received: 04/04/97 Analyzed: 04/10/97 Reported: 04/15/97
Attention: Fran Thie		

QC Batch Number: GC041097BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	95

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-8139/970403-C2

Received: 04/04/97

Lab Proj. ID: 9704299

Reported: 04/15/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 10 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9704299-01 was diluted 4-fold.
Sample 9704299-05 was diluted 2.5-fold.

SEQUOIA ANALYTICAL


Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-8139/970403-C2
Matrix: Liquid

Work Order #: 9704299 -01

Reported: Apr 16, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041197BTEX06A	GC041197BTEX06A	GC041197BTEX06A	GC041197BTEX06A	GC041197BTEX06A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970405302	970405302	970405302	970405302	970405302
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Analyzed Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	9.1	9.0	9.0	27	73
MS % Recovery:	91	90	90	90	122
Dup. Result:	9.1	9.1	9.2	27	81
MSD % Recov.:	91	91	92	90	135
RPD:	0.0	1.1	2.2	0.0	10
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK041197	BLK041197	BLK041197	BLK041197	BLK041197
Prepared Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Analyzed Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.4	9.4	9.4	28	74
LCS % Recov.:	94	94	94	93	123

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Fenner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9704299.BLA <1>





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-8139/970403-C2
Matrix: Liquid

Work Order #: 9704299-02-04,-07

Reported: Apr 16, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041097BTEX06A	GC041097BTEX06A	GC041097BTEX06A	GC041097BTEX06A	GC041097BTEX06A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	9703G9504	9703G9504	9703G9504	9703G9504	9703G9504
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/10/97	4/10/97	4/10/97	4/10/97	4/10/97
Analyzed Date:	4/10/97	4/10/97	4/10/97	4/10/97	4/10/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	9.5	9.6	9.6	28	77
MS % Recovery:	95	96	96	93	128
Dup. Result:	10	10	10	30	80
MSD % Recov.:	100	100	100	100	133
RPD:	5.1	4.1	4.1	6.9	3.8
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK041097	BLK041097	BLK041097	BLK041097	BLK041097
Prepared Date:	4/10/97	4/10/97	4/10/97	4/10/97	4/10/97
Analyzed Date:	4/10/97	4/10/97	4/10/97	4/10/97	4/10/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.1	8.9	9.0	26	76
LCS % Recov.:	91	89	90	87	127

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9704299.BLA <2>





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-8139/970403-C2
Matrix: Liquid

Work Order #: 9704299-05

Reported: Apr 16, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC041197BTEX07A	GC041197BTEX07A	GC041197BTEX07A	GC041197BTEX07A	GC041197BTEX07A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970405302	970405302	970405302	970405302	970405302
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Analyzed Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Instrument I.D.#:	GCHP07	GCHP07	GCHP07	GCHP07	GCHP07
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	11	11	33	71
MS % Recovery:	110	110	110	110	118
Dup. Result:	10	10	10	30	66
MSD % Recov.:	100	100	100	100	110
RPD:	9.5	9.5	9.5	9.5	7.3
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK041197	BLK041197	BLK041197	BLK041197	BLK041197
Prepared Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Analyzed Date:	4/11/97	4/11/97	4/11/97	4/11/97	4/11/97
Instrument I.D.#:	GCHP07	GCHP07	GCHP07	GCHP07	GCHP07
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	12	11	11	35	74
LCS % Recov.:	120	110	110	117	123

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Fenner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9704299.BLA <3>



Fax copy of Lab Report and COC to Chevron Contact: Yes No

7704244
Chain-of-Custody-Record

Chevron U.S.A. Inc.
P.O. BOX 5004
San Ramon, CA 94583
FAX (415)842-9591

Chevron Facility Number 9-8139
Facility Address 16304 Foothill Blvd., San Leandro, CA
Consultant Project Number 970403-C2
Consultant Name Blaine Tech Services, Inc.
Address 1680 Rogers Ave., San Jose, CA 95112
Project Contact (Name) Fran Thie
(Phone) (408) 573-0555 (Fax Number) (408) 573-7771

Chevron Contact (Name) Tammy Hodge
(Phone) (510) 842-9449
Laboratory Name Sequoia
Laboratory Release Number 9029546
Samples Collected by (Name) Kevin Carlin
Collection Date 4-3-97
Signature The Conf

Sample Number	Lab Sample Number	Number of Containers	Matrix S = Soil W = Water A = Air C = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analyses To Be Performed										Remarks		
								BTEX + TPH GAS + mTBE (8020 + 8015)	TPH Diesel (8015)	Oil and Grease (5520)	Purgeable Halocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Metals Cd, Cr, Pb, Zn, Ni (CAP or AA)					
MW-8		3	W		14:22	HCL	Y	X												
MW-9		3	W		14:42		Y	X												
MW-10		3	W		13:56		Y	X												
MW-11		3	W		13:34		Y	X												
EW-3		2	W		14:52		Y	X												AP 4/1/98
TB		2	W				Y	X												

Relinquished By (Signature) <i>Fran Thie</i>	Organization BTS	Date/Time 10/0 4/4/97	Received By (Signature) <i>Steve King</i>	Organization SEQ	Date/Time 10/0 4/4/97	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature) <i>Steve King</i>	Organization SEQ	Date/Time 11/47 4/4/97	Received By (Signature)	Organization	Date/Time	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature) <i>Maria Garcia</i>		Date/Time 4/4/97	

DO NOT BILL FOR TB-LB.

Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>970403-C2</u>	Station #: <u>9-8139</u>
Sampler: <u>14.C.</u>	Date: <u>4-3-97</u>
Well I.D.: <u>MW-8</u>	Well Diameter: <u>2</u> ^{cap} 3 4 6 8
Total Well Depth: <u>3077</u>	Depth to Water: <u>1172</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multifit	Well Diameter	Multifit
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer Disposable Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump

<u>3.0</u>	x	<u>3</u>	=	<u>9.0</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (F)	pH	Cond.	Gals. Removed	Observations
14:08	67.2	7.2	900	3	slight odor
14:11	67.2	7.3	1000	6	"
14:14	67.4	7.3	1000	9	"

Did well dewater? Yes No Gallons actually evacuated: 9.0

Sampling Time: 14:22 Sampling Date: 4-3-97

Sample I.D.: MW-8 Laboratory: Sequoyia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTEB TPH-D Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTEB TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>970403-CZ</u>	Station #: <u>9-8139</u>
Sampler: <u>14.C.</u>	Date: <u>4-3-97</u>
Well I.D.: <u>MW-9</u>	Well Diameter: <u>Ø 3 4 6 8</u>
Total Well Depth: <u>2670.</u>	Depth to Water: <u>12.38</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>FVC</u> <small>Grade</small>	D.O. Meter (if req'd): <u>YSI</u> <small>HACH</small>

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.27	6"	1.47
4"	0.45	Other	radius² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump

Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

<u>2.2</u>	x	<u>3</u>	=	<u>6.6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
14:30	65.8	7.4	800	2.5	odor
14:32	65.0	7.2	800	5.0	"
14:34	64.8	7.2	900	7.0	"

Did well dewater? Yes No Gallons actually evacuated: 7.0

Sampling Time: 14:42 Sampling Date: 4-3-97

Sample I.D.: MW-9 Laboratory: Sequoyia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>9M0403-C2</u>	Station #: <u>9-8139</u>
Sampler: <u>14.C.</u>	Date: <u>4-3-97</u>
Well I.D.: <u>MW-10</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>29.58</u>	Depth to Water: <u>12.99</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(FVC)</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.27	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u>	Sampling Method: <u>Bailer</u>
<u>Disposable Bailer</u>	<u>Disposable Bailer</u>
<u>Middleburg</u>	<u>Extraction Port</u>
<u>Electric Submersible</u>	Other: _____
<u>Extraction Pump</u>	
Other: _____	

<u>2.6</u>	x	<u>3</u>	=	<u>7.8</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>13:42</u>	<u>66.8</u>	<u>7.4</u>	<u>1000</u>	<u>2.5</u>	
<u>13:45</u>	<u>66.8</u>	<u>7.4</u>	<u>1000</u>	<u>5.5</u>	
<u>13:48</u>	<u>67.0</u>	<u>7.3</u>	<u>900</u>	<u>8.0</u>	

Did well dewater? Yes (No) Gallons actually evacuated: 8.0

Sampling Time: 13:56 Sampling Date: 4-3-97

Sample I.D.: MW-10 Laboratory: (Sequoyia) GTEL N. Creek Assoc. Labs

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mV	Post-purge:	mV
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>970403-C2</u>	Station #: <u>9-8139</u>
Sampler: <u>14.C.</u>	Date: <u>4-3-97</u>
Well I.D.: <u>MW-11</u>	Well Diameter: <u>3</u> 3 4 6 8 <u> </u>
Total Well Depth: <u>29.41</u>	Depth to Water: <u>29.41</u> <u>11.22</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.17	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> Disposable Bailer <u>Middleburg</u> Electric Submersible Extraction Pump Other: _____	Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Other: _____
---	---

<u>2.9</u>	x	<u>3</u>	=	<u>8.7</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>13:20</u>	<u>67.6</u>	<u>7.4</u>	<u>800.</u>	<u>3</u>	
<u>13:23</u>	<u>67.4</u>	<u>7.5</u>	<u>900</u>	<u>6</u>	
<u>13:26</u>	<u>67.0</u>	<u>7.5</u>	<u>1000</u>	<u>9</u>	

Did well dewater? <u>Yes</u> <input checked="" type="radio"/> <u>No</u>	Gallons actually evacuated: <u>9.0</u>
Sampling Time: <u>13:34</u>	Sampling Date: <u>4-3-97</u>
Sample I.D.: <u>MW-11</u>	Laboratory: <u>Sequoyia</u> GTEL N. Creek Assoc. Labs
Analyzed for: <u>TPH-G</u> <u>BTEX</u> <u>MTBE</u> TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: <u> </u> ^{mg/L} Post-purge: <u> </u> ^{mg/L}
O.R.P. (if req'd):	Pre-purge: <u> </u> mV Post-purge: <u> </u> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>9M0403-CZ</u>	Station #: <u>9-8139</u>
Sampler: <u>14.C.</u>	Date: <u>2-3-97</u>
Well I.D.: <u>EW-3</u>	Well Diameter: 2 3 <u>(4)</u> 6 8
Total Well Depth: <u>-</u>	Depth to Water: <u>12.33</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> <u>Grade</u>	D.O. Meter (if req'd): <u>YSI</u> <u>HACH</u>

Well Diameter	Multplier	Well Diameter	Multplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u>	Sampling Method: <u>Bailer</u>
<u>Disposable Bailer</u>	<u>Disposable Bailer</u> <u>Geos Sample</u>
<u>Middleburg</u>	<u>Extraction Port</u>
<u>Electric Submersible</u>	Other: _____
<u>Extraction Pump</u>	

Other: _____ *Note = Extraction Pump Bailed in Well*

_____	X	_____	=	_____ Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>14:51</u>	<u>67.6</u>	<u>7.4</u>	<u>800</u>		<u>odor</u>

Did well dewater? <u>Yes</u> <u>(NO)</u>	Gallons actually evacuated: <u>25</u>
Sampling Time: <u>14:52</u>	Sampling Date: <u>4-3-97</u>
Sample I.D.: <u>EW-3</u>	Laboratory: <u>(Sequon)</u> <u>GTEL N. Creek Assoc. Labs</u>
Analyzed for: <u>(TPH-G)</u> <u>(BTEX)</u> <u>(MIBB)</u> <u>(TPH-D)</u> Other:	
Duplicate I.D.:	Analyzed for: <u>(TPH-G)</u> <u>(BTEX)</u> <u>(MIBB)</u> <u>(TPH-D)</u> Other:
D.O. (if req'd):	Pre-purge: _____ <u>mg/L</u> Post-purge: _____ <u>mg/L</u>
O.R.P. (if req'd):	Pre-purge: _____ <u>mV</u> Post-purge: _____ <u>mV</u>