

Environmental Management
Company
6001 Bollinger Canyon Rd, L4050
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

April 23, 2003

ChevronTexaco

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-0260

Address: 21995 Foothill Blvd., Hayward, CA

I have reviewed the attached routine groundwater monitoring report dated April 8, 2003.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report

Alameda County
APR 25 2003
Environmental Health



GETTLER-RYAN INC.

TRANSMITTAL

January 7, 2003

G-R #385110

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Chevron Service Station
#9-0260
21995 Foothill Boulevard
Hayward, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 31, 2002	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of November 29, 2002

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 21, 2003**, at which time the final report will be distributed to the following:

cc: Mr. Amir Gholami, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Greg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670
Mr. Hugh Murphy, City of Hayward Fire Department, 777 B Street, Hayward, CA 94541
Mr. Tony Dahl, Project Manager, Terra Vac Corporation, 5075 Commercial Circle, Unit A, Concord, CA 94520
Mr. and Mrs. Arthur Castillo, 1180 Rex Road, Hayward, CA 94541

Enclosures



GETTLER-RYAN INC.

December 31, 2002
G-R Job #385110

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Fourth Quarter Event of November 29, 2002
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Robert C. Mallory
Registered Geologist, No. 7285





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-4													
02/05/88	--	--	--	--	--	88,000	24,000	19,000	1,700	10,000	--	--	--
06/15/88	--	87.83	12.92	--	--	95,000	45,000	30,000	2,100	17,000	--	--	--
09/27/88	100.75	86.53	14.22	--	--	500,000	41,000	27,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	100.75	--	--	--	--	88,000	1,200	4,100	1,600	12,000	--	230	270
01/05/89	100.75	87.55	13.20	--	--	64,000	41,000	29,000	2,700	14,000	--	--	--
04/06/89	100.75	88.43	12.32	--	--	--	--	--	--	--	--	--	--
06/28/89	100.75	86.50	14.25	--	--	110,000	34,000	24,000	2,400	13,000	--	--	--
10/03/89	100.75	86.00	14.75	--	--	240,000	36,000	31,000	3,200	19,000	--	--	--
01/04/90	100.75	86.00	14.75	--	--	130,000	33,000	28,000	2,400	14,000	--	--	--
04/03/90	100.75	86.94	13.81	--	--	110,000	41,000	32,000	2,900	17,000	--	--	--
07/03/90	100.75	86.69	14.06	--	--	180,000	32,000	30,000	2,600	15,000	--	--	--
11/06/90	100.75	85.09	15.66	--	--	170,000	31,000	30,000	2,700	17,000	--	--	--
01/04/91	100.75	85.87	15.18	--	--	--	--	--	--	--	--	--	--
04/03/91	100.75	89.75	11.00	--	--	130,000	21,000	24,000	2,300	14,000	--	--	--
07/02/91	100.75	86.50	14.25	--	--	--	--	--	--	--	--	--	--
10/02/91	100.75	84.59	16.16	--	--	240,000	27,000	33,000	2,600	16,000	--	--	--
01/02/92	100.75	85.49	15.26	--	--	--	--	--	--	--	--	--	--
04/07/92	100.75	88.37	12.38	--	--	--	--	--	--	--	--	--	--
08/13/92	100.75	84.05	16.68	--	--	--	--	--	--	--	--	--	--
12/03/92	100.73	84.58	16.17	--	--	1,300,000	17,000	41,000	12,000	90,000	--	--	--
03/25/93	100.73	90.23	10.50	--	--	--	--	--	--	--	--	--	--
10/04/94	100.73	87.89	12.84	--	--	--	--	--	--	--	--	--	--
11/14/94	100.73	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
05/15/95	100.73	89.36	11.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.73	88.43	12.30	--	--	--	--	--	--	--	--	--	--
11/28/95	100.73	86.08	14.65	--	--	97,000	23,000	18,000	1,400	8,800	430	--	--
02/20/96	100.73	92.83	7.90	--	--	SAMPLED SEMI-ANNUALLY							
05/29/96	100.73	89.73	11.00	--	--	59,000	11,000	11,000	740	4,400	<500	--	--
08/27/96	100.73	87.49	13.24	--	--	--	--	--	--	--	--	--	--
11/22/96	100.73	89.23	11.50	--	--	130,000	20,000	14,000	1,200	7,000	21,000	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-4 (cont)													
02/18/97	100.73	91.26	9.47	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁴	100.73	88.10	12.63	--	--	120,000	23,000	21,000	1,400	8,400	50,000	--	--
08/04/97	100.73	87.51	13.22	--	--	120,000	25,000	22,000	1,600	8,000	15,000	--	--
11/25/97 ⁵	100.73	86.83	13.90	--	--	460,000	44,000	45,000	4,000	19,000	290,000	--	--
02/25/98	100.73	87.03	13.70	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/21/98	100.73	88.74	11.99	--	--	100,000	11,000	8,600	720	4,200	3,100	--	--
08/19/98	100.73	80.70	20.03	--	--	--	--	--	--	--	--	--	--
11/19/98	100.73	81.05	19.68	--	--	51,000	5,200	8,900	1,200	6,400	1,600	--	--
02/12/99	100.73	87.52	13.21	--	--	--	--	--	--	--	--	--	--
05/10/99	100.73	87.99	12.74	--	--	68,800	9,680	11,500	1,450	7,700	2,080/328 ⁷	--	--
09/02/99	100.73	85.14	15.59	--	--	--	--	--	--	--	--	--	--
02/03/00	100.73	87.83	12.90	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.73	88.01	12.72	0.00	0.00	3,400 ⁸	24	<10	<10	890	430	--	--
08/02/00 ¹⁵	100.73	86.18	14.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	100.73	85.34	15.39	0.00	0.00	66,700	13,900	12,400	1,460	7,940	<250	--	--
02/08/01 ¹⁵	100.73	84.99	15.74	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.73	84.24	16.49	0.00	0.00	490,000	2,990	<5,000	<5,000	8,660	18.8	--	--
08/28/01 ¹⁵	100.73	82.77	17.96	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	100.73	85.43	15.30	0.00	0.00	39,000	2,700	2,900	1,200	5,700	<100	--	--
02/22/02 ¹⁵	100.73	88.84	11.89	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	100.73	85.52	15.21	0.00	0.00	55,000	4,300	4,900	1,700	9,900	<100	--	--
08/29/02 ¹⁵	100.73	85.01	15.72	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02 ¹⁵	100.73	85.50	15.23	0.00	0.00	39,000	3,600	4,200	1,500	7,300	<50	--	--
MW-5													
02/05/88	--	--	--	--	--	80,000	16,000	15,000	2,600	17,000	--	--	--
06/15/88	--	87.67	12.30	--	--	77,000	42,000	38,000	2,500	16,000	--	--	--
09/27/88	99.97	86.72	13.25	--	--	470,000	39,000	32,000	<5,000	16,000	--	<5,000	--
09/27/88 ¹	99.97	--	--	--	--	48,000	1,800	3,500	1,600	10,000	--	420	410

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-5 (cont)													
01/05/89	99.97	87.27	12.70	--	--	82,000	44,000	37,000	2,400	14,000	--	--	--
04/06/89	99.97	87.75	12.22	--	--	--	--	--	--	--	--	--	--
06/28/89	99.97	86.16	13.81	--	--	80,000	36,000	24,000	2,400	13,000	--	--	--
10/03/89	99.97	85.70	14.27	--	--	240,000	40,000	35,000	2,600	15,000	--	--	--
01/04/90	99.97	85.66	14.31	--	--	130,000	37,000	31,000	2,400	13,000	--	--	--
04/03/90	99.97	86.47	13.50	--	--	120,000	41,000	33,000	2,500	14,000	--	--	--
07/03/90	99.97	86.33	13.64	--	--	200,000	28,000	25,000	1,800	10,000	--	--	--
11/06/90	99.97	84.83	15.14	--	--	370,000	38,000	36,000	4,700	31,000	--	--	--
01/04/91	99.97	85.08	14.90	0.01	--	--	--	--	--	--	--	--	--
04/03/91	99.97	88.41	11.56	--	--	140,000	36,000	32,000	2,700	17,000	--	--	--
07/02/91	99.97	86.08	13.89	--	--	--	--	--	--	--	--	--	--
10/02/91	99.97	84.71	15.26	--	--	230,000	34,000	31,000	2,700	16,000	--	--	--
01/02/92	99.97	85.00	14.97	--	--	--	--	--	--	--	--	--	--
04/07/92	99.97	86.53	13.44	--	--	220,000	35,000	30,000	2,500	14,000	--	--	--
08/13/92	99.97	84.36	15.61	--	--	--	--	--	--	--	--	--	--
12/03/92	99.97	83.68	16.29	<0.02 ²	--	--	--	--	--	--	--	--	--
03/25/93	99.97	89.00	10.97	--	--	--	--	--	--	--	--	--	--
06/23/93	99.97	87.40	12.60	0.04	--	--	--	--	--	--	--	--	--
09/21/93	99.97	85.99	14.00	0.03	--	--	--	--	--	--	--	--	--
12/02/93	99.97	85.73	14.27	0.04	--	--	--	--	--	--	--	--	--
03/08/94	99.97	87.81	12.16	--	--	--	--	--	--	--	--	--	--
06/13/94	99.97	87.22	13.01	0.32	--	--	--	--	--	--	--	--	--
10/04/94	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
11/14/94	99.97	86.62	13.35	--	--	1,100,000	64,000	69,000	9,200	61,000	--	--	--
05/15/95	99.97	89.79	10.18	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.97	88.20	11.77	--	--	--	--	--	--	--	--	--	--
11/28/95	99.97	85.75	14.22	--	--	320,000	34,000	38,000	5,800	31,000	2,000	--	--
02/20/96	99.97	89.60	10.37	Sheen	--	SAMPLED SEMI-ANNUALLY					--	--	--
05/29/96	99.97	89.08	10.89	--	--	150,000	23,000	25,000	2,200	12,000	<500	--	--
08/27/96	99.97	87.22	12.75	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-5 (cont)													
11/22/96	99.97	87.50	12.47	--	--	170,000	25,000	27,000	2,000	12,000	<500	--	--
02/18/97	99.97	90.46	9.51	--	--	--	--	--	--	--	--	--	--
05/23/97	99.97	87.72	12.25	--	--	160,000	29,000	34,000	2,900	16,000	<250	--	--
08/04/97	99.97	87.09	12.88	--	--	130,000	27,000	31,000	2,500	13,000	<500	--	--
11/25/97	99.97	85.16	14.81	--	--	310,000 ⁵	52,000	59,000	5,500	28,000	3,300	--	--
02/25/98	99.97	82.51	17.46	--	--	--	--	--	--	--	--	--	--
05/21/98	99.97	88.37	11.60	--	--	220,000	20,000	26,000	2,000	10,000	8,500	--	--
08/19/98	99.97	82.27	17.70	--	--	--	--	--	--	--	--	--	--
11/19/98	99.97	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER							--
02/12/99	99.97	87.18	12.79	--	--	--	--	--	--	--	--	--	--
05/10/99	99.97	87.25	12.72	--	--	102,000	13,300	17,200	1,240	<200	7,560/<250 ⁷	--	--
09/02/99	99.97	85.18	14.79	--	--	--	--	--	--	--	--	--	--
02/03/00	99.97	86.86	13.11	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.97	87.28	12.69	0.00	0.00	360 ⁸	6.2	<2.5	<2.5	13	13	--	--
08/02/00 ¹⁵	99.97	85.81	14.16	0.00	0.00	SAMPLED SEMI-ANNUALLY							--
11/09-10/00 ¹⁵	99.97	85.36	14.61	0.00	0.00	3,280	331	235	35.7	260	9.41	--	--
02/08/01 ¹⁵	99.97	84.76	15.21	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.97	83.77	16.20	0.00	0.00	26,700	5,490	6,310	145	2,910	<0.500	--	--
08/28/01 ¹⁵	99.97	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	99.97	84.61	15.36	0.00	0.00	88,000	14,000	19,000	1,300	8,000	<200	--	--
02/22/02 ¹⁵	99.97	87.75	12.22	0.00	0.00	SAMPLED SEMI-ANNUALLY							--
05/24/02 ¹⁵	99.97	84.74	15.23	0.00	0.00	92,000	11,000	17,000	1,600	9,400	<200	--	--
08/29/02 ¹⁵	99.97	84.65	15.32	0.00	0.00	SAMPLED SEMI-ANNUALLY							--
11/29/02	99.97	85.21	14.76	0.00	0.00	62	4.9	<0.50	<0.50	<1.5	<2.5	--	--
MW-6													
02/05/88	--	--	--	--	--	53,000	5,100	4,400	2,100	14,000	--	--	--
06/15/88	--	87.92	13.51	--	--	33,000	9,200	5,500	520	20,000	--	--	--
09/27/88	101.43	86.87	14.56	--	--	17,000	2,200	2,800	1,700	5,100	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-6 (cont)													
01/05/89	101.43	87.95	13.48	--	--	37,000	5,000	3,400	2,200	10,000	--	--	--
04/06/89	101.43	88.83	12.60	--	--	--	--	--	--	--	--	--	--
06/28/89	101.43	86.85	14.58	--	--	80,000	7,000	4,100	2,000	9,700	--	--	--
10/03/89	101.43	88.40	13.03	--	--	110,000	8,500	5,100	2,600	14,000	--	--	--
01/04/90	101.43	86.35	15.08	--	--	59,000	5,200	2,600	2,000	11,000	--	--	--
04/03/90	101.43	87.37	14.06	--	--	31,000	6,600	2,600	2,200	12,000	--	--	--
07/03/90	101.43	87.15	14.28	--	--	66,000	5,800	2,900	2,000	9,800	--	--	--
11/06/90	101.43	85.33	16.10	--	--	--	--	--	--	--	--	--	--
01/04/91	101.43	85.91	15.52	--	--	50,000	5,600	2,200	1,800	9,400	--	--	--
04/03/91	101.43	90.40	11.03	--	--	--	--	--	--	--	--	--	--
07/02/91	101.43	86.99	14.44	--	--	81,000	11,000	2,700	2,100	13,000	--	--	--
10/02/91	101.43	85.21	16.22	--	--	--	--	--	--	--	--	--	--
01/02/92	101.43	85.72	15.71	--	--	67,000	7,500	1,900	1,800	9,500	--	--	--
04/07/92	101.43	87.96	13.47	--	--	--	--	--	--	--	--	--	--
08/13/92	101.43	85.46	15.97	--	--	--	--	--	--	--	--	--	--
12/03/92	101.43	84.81	16.62	--	--	--	--	--	--	--	--	--	--
03/25/93	101.43	90.85	10.58	--	--	110,000	12,000	2,900	4,200	14,000	--	--	--
06/23/93	101.43	88.42	13.01	--	--	--	--	--	--	--	--	--	--
09/21/93	101.43	86.69	14.74	--	--	62,000	12,000	1,400	2,100	12,000	--	--	--
12/02/93	101.43	86.56	14.87	--	--	--	--	--	--	--	--	--	--
03/08/94	101.43	89.39	12.04	--	--	61,000	7,000	1,500	1,500	7,400	--	--	--
06/13/94	101.43	88.06	13.37	--	--	--	--	--	--	--	--	--	--
10/04/94	101.43	85.87	15.56	--	--	78,000	13,000	940	1,900	10,000	--	--	--
11/14/94	101.43	87.90	13.53	--	--	--	--	--	--	--	--	--	--
05/15/95	101.43	90.90	10.53	--	--	--	--	--	--	--	--	--	--
08/04/95	101.43	89.05	12.38	--	--	51,000	8,600	1,400	1,900	7,800	--	--	--
11/28/95	101.43	86.80	14.63	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/20/96	101.43	91.71	9.72	--	--	59,000	11,000	1,600	2,100	9,400	<500	--	--
05/29/96	101.43	90.49	10.94	--	--	--	--	--	--	--	--	--	--
08/27/96	101.43	88.03	13.40	--	--	84,000	11,000	960	2,300	7,700	<500	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-6 (cont)													
11/22/96	101.43	88.53	12.90	--	--	--	--	--	--	--	--	--	--
02/18/97	101.43	91.42	10.01	--	--	14,000	3,700	160	720	1,800	400	--	--
05/23/97	101.43	88.68	12.75	--	--	--	--	--	--	--	--	--	--
08/04/97	101.43	87.95	13.48	--	--	62,000	13,000	930	3,500	8,500	710	--	--
11/25/97	101.43	87.22	14.21	--	--	--	--	--	--	--	--	--	--
02/25/98	101.43	86.58	14.85	--	--	30,000	2,400	910	740	4,000	2,600	--	--
05/21/98	101.43	89.76	11.67	--	--	--	--	--	--	--	--	--	--
08/19/98	101.43	85.57	15.86	--	--	37,000	390	220	160	3,600	1,600/1,000 ⁷	--	--
11/19/98	101.43	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
02/12/99	101.43	89.60	11.83	--	--	80	2.4	<0.5	0.68	6.2	<2.5	--	--
05/10/99	101.43	88.43	13.00	--	--	--	--	--	--	--	--	--	--
09/02/99	101.43	85.71	15.72	--	--	4,440	23.4	<5.0	45.3	46.2	<50	--	--
02/03/00	101.43	88.23	13.20	--	--	8,300	22	<10	43	140	77	--	--
05/09/00 ¹⁵	101.43	88.38	13.05	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.43	86.68	14.75	0.00	0.00	1,700 ⁸	32	4.9	<2.5	<2.5	55	--	--
11/09-10/00 ¹⁵	101.43	85.87	15.56	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.43	85.56	15.87	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01 ¹⁵	101.43	85.97	15.46	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.43	89.49	11.94	0.00	0.00	6,300	<10	1.7	17	26	<25	--	--
05/24/02 ¹⁵	101.43	85.89	15.54	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	101.43	DRY	--	--	--	--	--	--	--	--	--	--	--
11/29/02	101.43	85.65	15.78	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-7													
02/05/88	--	--	--	--	--	81,000	34,000	36,000	2,400	16,000	--	--	--
06/15/88	--	88.34	12.57	--	--	77,000	40,000	41,000	1,400	24,000	--	--	--
09/27/88	100.91	87.31	13.60	--	--	30,000	9,700	8,900	400	4,100	--	<10	2,600

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-7 (cont)													
01/05/89	100.91	87.93	12.98	--	--	96,000	36,000	38,000	2,800	16,000	--	--	--
04/06/89	100.91	88.57	12.34	--	--	--	--	--	--	--	--	--	--
06/28/89	100.91	86.83	14.08	--	--	110,000	31,000	30,000	2,600	16,000	--	--	--
10/03/89	100.91	86.38	14.53	--	--	230,000	34,000	34,000	2,400	15,000	--	--	--
01/04/90	100.91	86.42	14.49	--	--	150,000	41,000	40,000	2,400	15,000	--	--	--
04/03/90	100.91	87.25	13.66	--	--	100,000	31,000	28,000	2,100	16,000	--	--	--
07/03/90	100.91	87.05	13.86	--	--	190,000	30,000	27,000	1,800	13,000	--	--	--
11/06/90	100.91	85.33	15.58	--	--	160,000	27,000	25,000	1,900	15,000	--	--	--
01/04/91	100.91	85.66	15.25	--	--	--	--	--	--	--	--	--	--
04/03/91	100.91	89.50	11.41	--	--	240,000	40,000	36,000	2,400	18,000	--	--	--
07/02/91	100.91	86.73	14.18	--	--	--	--	--	--	--	--	--	--
10/02/91	100.91	85.13	15.78	--	--	220,000	26,000	27,000	2,500	18,000	--	--	--
01/02/92	100.91	85.46	15.45	--	--	--	--	--	--	--	--	--	--
04/07/92	100.91	87.43	13.48	--	--	260,000	27,000	26,000	2,400	15,000	--	--	--
08/13/92	100.91	85.02	15.89	--	--	--	--	--	--	--	--	--	--
12/03/92	100.91	84.48	16.43	--	--	330,000	29,000	31,000	3,300	18,000	--	--	--
03/25/93	100.91	89.81	11.10	--	--	--	--	--	--	--	--	--	--
06/23/93	100.91	88.13	13.63	1.06	--	--	--	--	--	--	--	--	--
09/21/93	100.91	86.57	14.88	0.67	--	--	--	--	--	--	--	--	--
12/02/93	100.91	86.32	14.74	0.19	--	--	--	--	--	--	--	--	--
03/08/94	100.91	88.54	12.37	--	--	--	--	--	--	--	--	--	--
06/13/94	100.91	88.03	13.12	0.30	--	--	--	--	--	--	--	--	--
10/04/94	100.91	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	100.91	87.22	13.83	0.18	0.50	--	--	--	--	--	--	--	--
05/15/95	100.91	89.85	11.07	0.01	0.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	100.91	88.38	12.53	--	--	--	--	--	--	--	--	--	--
11/28/95	100.91	86.53	14.62	0.30	2.00	--	--	--	--	--	--	--	--
02/20/96	100.91	90.84	10.09	0.02	0.0625	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	100.91	90.00	10.93	0.02	0.50	--	--	--	--	--	--	--	--
08/27/96	100.91	88.18	12.75	0.02	0.50	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-7 (cont)													
11/22/96	100.91	87.94	12.99	0.02	0.50	--	--	--	--	--	--	--	--
02/18/97	100.91	91.33	9.58	0.01	0.50	--	--	--	--	--	--	--	--
05/23/97	100.91	88.36	12.55	--	--	8,300	210	580	130	1,400	<250	--	--
08/04/97	100.91	87.68	13.23	--	--	96,000	12,000	16,000	2,300	14,000	3,600	--	--
02/25/98	100.91	83.89	17.02	--	--	--	--	--	--	--	--	--	--
05/21/98	100.91	88.98	11.93	--	--	150,000	7,100	15,000	1,700	9,600	21,000	--	--
08/19/98	100.91	82.72	18.19	--	--	--	--	--	--	--	--	--	--
11/19/98	100.91	--	--	--	--	NOT SAMPLED DUE TO INSUFFICIENT WATER						--	--
02/12/99	100.91	88.10	12.81	--	--	--	--	--	--	--	--	--	--
05/10/99	100.91	87.87	13.04	--	--	11,200	384	764	116	618	<1,000/558 ⁷	--	--
09/02/99	100.91	85.16	15.75	--	--	--	--	--	--	--	--	--	--
02/03/00	100.91	86.84	14.07	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	100.91	87.55	13.36	0.00	0.00	150 ⁸	0.52	<0.50	<0.50	2.1	130	--	--
08/02/00 ¹⁵	100.91	85.94	14.97	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/09-10/00 ¹⁵	100.91	85.93	14.98	0.00	0.00	559	24.1	12.4	2.34	12.5	5.32	--	--
02/08/01 ¹⁵	100.91	84.89	16.02	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	100.91	83.21	17.70	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/28/01 ¹⁵	100.91	82.92	17.99	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/26/01 ¹⁵	100.91	84.76	16.15	0.00	0.00	82,000	12,000	23,000	840	6,500	<100	--	--
02/22/02 ¹⁵	100.91	88.22	12.69	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/24/02 ¹⁵	100.91	84.73	16.18	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/29/02 ¹⁵	100.91	84.74	16.17	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/29/02	100.91	85.59	15.32	0.00	0.00	890	50	150	14	77	<10	--	--
MW-8													
10/27/88	--	--	--	--	--	190,000	27,000	43,000	2,200	15,000	--	--	--
01/05/89	--	87.65	12.02	--	--	87,000	24,000	39,000	3,000	15,000	--	--	--
04/06/89	99.67	87.89	11.78	--	--	--	--	--	--	--	--	--	--
06/28/89	99.67	86.27	13.40	--	--	120,000	22,000	35,000	2,900	16,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-8 (cont)													
10/03/89	99.67	85.92	13.84	0.11	--	--	--	--	--	--	--	--	--
01/04/90	99.67	85.76	13.99	0.10	--	--	--	--	--	--	--	--	--
04/03/90	99.67	86.84	13.07	0.30	--	--	--	--	--	--	--	--	--
07/03/90	99.67	86.59	13.11	0.04	--	--	--	--	--	--	--	--	--
11/06/90	99.67	85.02	14.77	0.15	--	--	--	--	--	--	--	--	--
01/04/91	99.67	85.22	14.59	0.18	--	--	--	--	--	--	--	--	--
04/03/91	99.67	88.18	11.53	0.05	--	--	--	--	--	--	--	--	--
07/02/91	99.67	86.34	13.71	0.48	--	--	--	--	--	--	--	--	--
10/02/91	99.67	85.05	14.84	0.27	--	--	--	--	--	--	--	--	--
01/02/92	99.67	84.86	15.05	0.30	--	--	--	--	--	--	--	--	--
04/07/92	99.67	87.73	12.17	0.29	--	--	--	--	--	--	--	--	--
08/13/92	99.67	84.96	14.96	0.31	--	--	--	--	--	--	--	--	--
12/03/92	99.67	84.44	15.85	0.78	--	--	--	--	--	--	--	--	--
03/25/93	99.67	88.89	10.78	--	--	--	--	--	--	--	--	--	--
06/23/93	99.67	87.60	12.27	0.25	--	--	--	--	--	--	--	--	--
09/21/93	99.67	86.25	13.68	0.32	--	--	--	--	--	--	--	--	--
12/02/93	99.67	85.86	14.00	0.24	--	--	--	--	--	--	--	--	--
03/08/94	99.67	87.83	11.84	--	--	--	--	--	--	--	--	--	--
06/13/94	99.67	87.58	12.11	0.03	--	--	--	--	--	--	--	--	--
10/04/94	99.67	85.47	14.20	--	--	--	--	--	--	--	--	--	--
11/14/94	99.67	85.61	14.06	--	--	140,000	12,000	36,000	2,400	17,000	--	--	--
05/15/95	99.67	89.72	9.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.67	88.53	11.14	--	--	--	--	--	--	--	--	--	--
11/28/95	99.67	86.35	13.32	--	--	100,000	6,900	34,000	2,700	16,000	650	--	--
02/20/96	99.67	89.67	10.00	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/29/96	99.67	89.37	10.30	--	--	130,000	8,800	30,000	2,300	14,000	<500	--	--
08/27/96	99.67	87.42	12.25	--	--	--	--	--	--	--	--	--	--
11/22/96	99.67	87.66	12.01	--	--	150,000	7,400	33,000	2,400	14,000	<500	--	--
02/18/97	99.67	90.56	9.11	--	--	--	--	--	--	--	--	--	--
05/23/97	99.67	88.09	11.58	--	--	140,000	11,000	38,000	3,200	18,000	<250	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-8 (cont)													
08/04/97	99.67	87.49	12.18	--	--	140,000	8,000	38,000	3,500	18,000	<500	--	--
11/25/97	99.67	82.62	17.05	--	--	290,000 ⁵	15,000	71,000	7,400	36,000	3,600	--	--
02/25/98	99.67	89.64	10.03	--	--	--	--	--	--	--	--	--	--
05/21/98	99.67	90.26	9.41	--	--	110,000	2,800	11,000	1,200	9,800	660	--	--
08/19/98	99.67	82.47	17.20	--	--	--	--	--	--	--	--	--	--
11/19/98	99.67	83.00	16.67	--	--	51,000	3,100	25,000	2,300	15,000	3,100	--	--
02/12/99	99.67	89.15	10.52	--	--	--	--	--	--	--	--	--	--
05/10/99	99.67	88.72	10.95	--	--	104,000	2,980	22,000	1,960	12,800	<2,500/<333 ⁷	--	--
09/02/99	99.67	89.40	10.27	--	--	--	--	--	--	--	--	--	--
02/03/00	99.67	88.22	11.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.67	88.77	10.90	0.00	0.00	37,000 ⁸	2,200	12,000	<100	8,400	1,900	--	--
08/02/00 ¹⁵	99.67	87.42	12.25	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/09-10/00 ¹⁵	99.67	86.73	12.94	0.00	0.00	63,100	2,330	17,200	1,520	11,300	<250	--	--
02/08/01 ¹⁵	99.67	86.42	13.25	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.67	85.51	14.16	0.00	0.00	79,400	1,120	18,900	<2,500	13,400	47.6	--	--
08/28/01 ¹⁵	99.67	84.08	15.59	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/26/01 ¹⁵	99.67	86.07	13.60	0.00	0.00	48,000	640	10,000	980	8,500	<100	--	--
02/22/02 ¹⁵	99.67	89.16	10.51	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
05/24/02 ¹⁵	99.67	86.61	13.06	0.00	0.00	62,000	1,100	14,000	1,300	9,600	<200	--	--
08/29/02 ¹⁵	99.67	86.11	13.56	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
11/29/02	99.67	86.63	13.04	0.00	0.00	57,000	590	11,000	1,200	10,000	<50	--	--
MW-9													
10/27/88	--	--	--	--	--	50,000	2,000	9,900	2,000	14,000	--	--	--
01/05/89	--	88.52	12.63	--	--	55,000	670	8,900	3,400	16,000	--	--	--
04/06/89	101.15	88.69	12.46	--	--	--	--	--	--	--	--	--	--
06/28/89	101.15	87.11	14.04	--	--	100,000	510	4,500	2,600	13,000	--	--	--
10/03/89	101.15	86.54	14.61	--	--	130,000	540	8,000	3,200	17,000	--	--	--
01/04/90	101.15	86.56	14.59	--	--	83,000	600	4,600	2,600	14,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-9 (cont)													
04/03/90	101.15	87.40	13.75	--	--	52,000	1,600	5,400	3,100	16,000	--	--	--
07/03/90	101.15	87.31	13.84	--	--	100,000	520	5,400	3,200	16,000	--	--	--
11/06/90	101.15	85.73	15.42	--	--	--	--	--	--	--	--	--	--
01/04/91	101.15	85.78	15.37	--	--	59,000	1,100	5,600	2,500	13,000	--	--	--
04/03/91	101.15	88.88	12.27	--	--	--	--	--	--	--	--	--	--
07/02/91	101.15	86.98	14.17	--	--	130,000	1,900	7,600	3,600	20,000	--	--	--
10/02/91	101.15	85.47	15.68	--	--	--	--	--	--	--	--	--	--
01/02/92	101.15	85.50	15.65	--	--	100,000	3,300	8,200	2,800	14,000	--	--	--
04/07/92	101.15	87.31	13.84	--	--	--	--	--	--	--	--	--	--
08/13/92	101.15	85.65	15.50	--	--	45,000	1,300	3,000	1,500	7,100	--	--	--
12/03/92	101.15	84.49	16.66	--	--	--	--	--	--	--	--	--	--
03/25/93	101.15	89.67	11.48	--	--	220,000	540	3,200	2,100	18,000	--	--	--
06/23/93	101.15	88.32	12.83	--	--	--	--	--	--	--	--	--	--
09/21/93	101.15	86.84	14.31	--	--	54,000	1,900	3,400	1,700	9,100	--	--	--
12/02/93	101.15	86.46	14.70	0.01	--	--	--	--	--	--	--	--	--
03/08/94	101.15	88.52	12.63	--	--	49,000	800	780	390	3,600	--	--	--
06/13/94	101.15	87.50	13.65	--	--	--	--	--	--	--	--	--	--
10/04/94	101.15	85.95	15.20	--	--	180,000	2,600	5,400	1,700	11,000	--	--	--
11/14/94	101.15	86.90	14.25	--	--	--	--	--	--	--	--	--	--
05/15/95	101.15	90.51	10.64	--	--	--	--	--	--	--	--	--	--
08/04/95	101.15	89.26	11.89	--	--	42,000	1,400	2,700	1,700	9,000	--	--	--
11/28/95	101.15	87.23	13.92	--	--	SAMPLED SEMI-ANNUALLY					--	--	--
02/20/96	101.15	90.54	10.61	Sheen	--	41,000	1,600	1,700	750	6,500	<100	--	--
05/29/96	101.15	90.34	10.81	--	--	--	--	--	--	--	--	--	--
08/27/96	101.15	88.25	12.90	Sheen	--	71,000	2,700	3,600	920	5,900	290	--	--
11/22/96	101.15	88.27	12.88	--	--	--	--	--	--	--	--	--	--
02/18/97	101.15	91.49	9.66	0.01	--	78,000	1,800	3,800	2,300	13,000	510	--	--
05/23/97	101.15	88.62	12.53	--	--	--	--	--	--	--	--	--	--
08/04/97	101.15	88.15	13.00	--	--	73,000	2,600	2,200	440	9,600	370	--	--
11/25/97	101.15	84.03	17.12	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-9 (cont)													
02/25/98	101.15	88.46	12.69	--	--	34,000	150	510	1,300	6,400	<250	--	--
05/21/98	101.15	91.01	10.14	--	--	--	--	--	--	--	--	--	--
08/19/98	101.15	86.05	15.10	--	--	42,000	<50	330	890	4,200	<250	--	--
11/19/98	101.15	85.18	15.97	--	--	--	--	--	--	--	--	--	--
02/12/99	101.15	89.90	11.25	--	--	13,000	<100	200	560	2,200	<500	--	--
05/10/99	101.15	88.81	12.34	--	--	16,900	<50	112	506	1,850	<500/<20 ⁷	--	--
09/02/99	101.15	89.81	11.34	--	--	7,200	<25	<25	185	493	<250	--	--
02/03/00	101.15	88.93	12.22	--	--	11,000	68	22	380	1,000	66	--	--
05/09/00 ¹⁵	101.15	89.55	11.60	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	101.15	88.10	13.05	0.00	0.00	3,400 ⁸	41	10	<5.0	360	77	--	--
11/09-10/00 ¹⁵	101.15	87.51	13.64	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	101.15	87.09	14.06	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	101.15	86.20	14.95	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	101.15	85.03	16.12	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/26/01 ¹⁵	101.15	86.49	14.66	0.00	0.00	--	--	--	--	--	--	--	--
02/22/02 ¹⁵	101.15	90.20	10.95	0.00	0.00	5,300	<10	4.5	79	190	<20	--	--
05/24/02 ¹⁵	101.15	87.52	13.63	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02 ¹⁵	101.15	86.75	14.40	0.00	0.00	4,200	<5.0	2.7	80	37	<2.5	--	--
11/29/02	101.15	87.27	13.88	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
MW-10													
10/27/88	--	--	--	--	--	<500	26	13	<5.0	<5.0	--	--	--
01/05/89	--	89.72	12.64	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
04/06/89	102.36	90.98	11.38	--	--	--	--	--	--	--	--	--	--
06/28/89	102.36	88.72	13.64	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
10/03/89	102.36	88.51	13.85	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	102.36	88.61	13.75	--	--	<50	0.5	1.1	<0.5	1.7	--	--	--
04/03/90	102.36	89.50	12.86	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	102.36	88.93	13.43	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-10 (cont)													
11/06/90	102.36	87.54	14.82	--	--	--	--	--	--	--	--	--	--
01/04/91	102.36	88.38	13.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	102.36	92.57	9.79	--	--	--	--	--	--	--	--	--	--
07/02/91	102.36	90.08	12.28	--	--	--	--	--	--	--	--	--	--
10/02/91	102.36	87.83	14.53	--	--	--	--	--	--	--	--	--	--
01/02/92	102.36	88.76	13.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	102.36	90.53	11.83	--	--	--	--	--	--	--	--	--	--
08/13/92	102.36	88.41	13.95	--	--	--	--	--	--	--	--	--	--
12/03/92	102.36	88.40	13.96	--	--	--	--	--	--	--	--	--	--
03/25/93	102.36	93.91	8.45	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	102.36	91.03	11.60	--	--	--	--	--	--	--	--	--	--
09/21/93	102.36	89.31	13.32	--	--	--	--	--	--	--	--	--	--
12/02/93	102.36	89.36	13.27	--	--	--	--	--	--	--	--	--	--
03/08/94	102.36	91.51	10.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	102.36	--	--	--	--	--	--	--	--	--	--	--	--
10/04/94	102.36	88.46	13.90	--	--	--	--	--	--	--	--	--	--
11/14/94	102.36	90.56	11.80	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	102.36	93.38	8.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	102.36	91.92	10.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	102.36	88.81	13.55	--	--	<50	1.6	0.81	<0.5	<0.5	<0.6	--	--
02/20/96	102.36	93.84	8.52	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	102.36	93.16	9.20	--	--	<50	<0.5	<0.5	<0.5	0.9	<5.0	--	--
08/27/96	102.36	90.35	12.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	102.36	90.84	11.52	--	--	<50	<0.5	<0.5	<0.5	1.0	<5.0	--	--
02/18/97	102.36	93.87	8.49	--	--	<50	0.7	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	102.36	91.48	10.88	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	102.36	89.07	13.29	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	102.36	89.06	13.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	102.36	94.54	7.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	102.36	96.22	6.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-10 (cont)													
08/19/98	102.36	90.62	11.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	102.36	88.96	13.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	102.36	93.94	8.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	102.36	92.14	10.22	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	102.36	93.13	9.23	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	102.36	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/09/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/02/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/09-10/00	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/08/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
05/02/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/28/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
11/26/01	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
02/22/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
05/24/02	102.36	UNABLE TO LOCATE - OVERGROWN VEGETATION/LANDSCAPING						--	--	--	--	--	--
08/29/02	102.36	88.90	13.46	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	102.36	89.30	13.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
MW-11													
06/28/89	--	85.64	14.33	--	--	60,000	36,000	13,000	2,500	12,000	--	--	--
10/03/89	--	85.36	14.61	--	--	14,000	4,200	1,400	240	1,300	--	--	--
01/04/90	99.97	85.42	14.55	--	--	82,000	33,000	11,000	2,000	10,000	--	--	--
04/03/90	99.97	86.15	13.82	--	--	78,000	35,000	12,000	2,300	12,000	--	--	--
07/03/90	99.97	85.97	14.00	--	--	140,000	32,000	12,000	2,100	10,000	--	--	--
11/06/90	99.97	84.41	15.56	--	--	--	--	--	--	--	--	--	--
01/04/91	99.97	85.09	14.88	0.30	--	--	--	--	--	--	--	--	--
04/03/91	99.97	89.22	10.75	0.21	--	340,000	29,000	14,000	3,700	24,000	--	--	--
07/02/91	99.97	86.00	13.97	0.02	--	130,000	27,000	14,000	2,200	12,000	--	--	--
10/02/91	99.97	84.37	15.60	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-11 (cont)													
01/02/92	99.97	85.46	14.51	--	--	77,000	18,000	14,000	1,900	10,000	--	--	--
04/07/92	99.97	86.84	13.13	--	--	--	--	--	--	--	--	--	--
08/13/92	99.97	82.53	17.04	--	--	--	--	--	--	--	--	--	--
12/03/92	99.57	83.98	15.59	--	--	--	--	--	--	--	--	--	--
03/25/93	99.57	89.51	10.06	--	--	110,000	13,000	2,100	5,900	9,800	--	--	--
03/08/94	99.57	87.87	11.70	--	--	--	--	--	--	--	--	--	--
06/13/94	99.57	87.41	12.16	--	--	--	--	--	--	--	--	--	--
10/04/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	99.57	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
05/15/95	99.57	89.55	10.02	--	--	--	--	--	--	--	--	--	--
08/04/95	99.57	87.75	11.82	--	--	33,000	9,400	3,000	1,800	6,100	--	--	--
11/28/95	99.57	82.85	16.72	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/96	99.57	89.57	10.00	--	--	22,000	4,500	2,200	560	3,500	<120	--	--
05/29/96	99.57	88.43	11.14	--	--	--	--	--	--	--	--	--	--
08/27/96	99.57	86.44	13.13	--	--	85,000	10,000	6,600	1,500	6,500	260	--	--
11/22/96	99.57	87.47	12.10	--	--	--	--	--	--	--	--	--	--
02/18/97	99.57	90.34	9.23	--	--	42,000	7,100	3,100	830	4,200	510	--	--
05/23/97	99.57	87.29	12.28	--	--	--	--	--	--	--	--	--	--
08/04/97	99.57	86.72	12.85	--	--	79,000	14,000	8,400	2,300	9,900	6,900	--	--
11/25/97	99.57	85.71	13.86	--	--	--	--	--	--	--	--	--	--
02/25/98	99.57	82.55	17.02	--	--	34,000	5,200	2,200	1,200	4,400	5,000/5,300 ⁷	--	--
05/21/98	99.57	88.40	11.17	--	--	--	--	--	--	--	--	--	--
08/19/98	99.57	80.79	18.78	--	--	--	--	--	--	--	--	--	--
11/19/98	99.57	81.22	18.35	--	--	16,000	1,200	<100	690	1,200	540	--	--
02/12/99	99.57	88.15	11.42	--	--	4,200	580	41	220	470	<50	--	--
05/10/99	99.57	87.01	12.56	--	--	--	--	--	--	--	--	--	--
09/02/99	99.57	84.83	14.74	--	--	5,150	496	43.6	150	405	<250	--	--
02/03/00	99.57	87.23	12.34	--	--	14,000	3,400	150	860	1,500	<250	--	--
05/09/00 ¹⁵	99.57	87.24	12.33	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00 ¹⁵	99.57	85.52	14.05	0.00	0.00	7,100 ⁸	2,900	61	<20	1,200	<100	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-11 (cont)													
11/09-10/00 ¹⁵	99.57	84.85	14.72	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01 ¹⁵	99.57	84.68	14.89	0.00	0.00	18,100 ¹¹	4,300	146	743	819	<250	--	--
05/02/01 ¹⁵	99.57	83.82	15.75	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01 ¹⁵	99.57	82.55	17.02	0.00	0.00	2,900 ¹³	600	35	120	91	100	--	--
11/26/01 ¹⁵	99.57	84.90	14.67	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
02/22/02 ¹⁵	99.57	88.00	11.57	0.00	0.00	7,700	710	61	370	500	<20	--	--
05/24/02 ¹⁵	99.57	84.81	14.76	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
08/29/02 ¹⁵	99.57	84.41	15.16	0.00	0.00	14,000	1,300	82	630	910	<20	--	--
11/29/02 ¹⁵	99.57	84.82	14.75	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
MW-12													
06/28/89	--	85.54	14.10	--	--	55,000	30,000	21,000	2,900	19,000	--	--	--
10/03/89	--	85.34	14.30	--	--	170,000	30,000	23,000	2,700	15,000	--	--	--
01/04/90	99.64	85.29	14.35	--	--	110,000	24,000	19,000	2,300	12,000	--	--	--
04/03/90	99.64	86.05	13.59	--	--	89,000	41,000	28,000	3,300	17,000	--	--	--
07/03/90	99.64	85.87	13.77	--	--	170,000	27,000	20,000	2,200	12,000	--	--	--
11/06/90	99.64	84.45	15.19	0.06	--	110,000	28,000	21,000	2,400	14,000	--	--	--
01/04/91	99.64	--	14.52	--	--	--	--	--	--	--	--	--	--
04/03/91	99.64	--	10.91	--	--	--	--	--	--	--	--	--	--
04/09/91	99.64	--	--	--	--	170,000	39,000	17,000	2,400	14,000	--	--	--
07/02/91	99.64	--	13.51	--	--	--	--	--	--	--	--	--	--
10/02/91	99.64	--	14.93	--	--	170,000	27,000	15,000	2,600	17,000	--	--	--
01/02/92	99.64	85.19	14.45	--	--	--	--	--	--	--	--	--	--
04/07/92	99.64	86.59	13.05	--	--	--	--	--	--	--	--	--	--
08/13/92	99.22	81.83	17.39	--	--	--	--	--	--	--	--	--	--
12/03/92	99.22	83.88	15.34	--	--	2,400,000	19,000	21,000	14,000	110,000	--	--	--
03/25/93	99.22	88.85	10.37	--	--	--	--	--	--	--	--	--	--
06/23/93	99.22	87.01	12.21	--	--	110,000	30,000	19,000	2,000	12,000	--	--	--
03/08/94	99.22	87.27	11.95	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-12 (cont)													
06/13/94	99.22	86.87	12.35	--	--	62,000	6,600	6,900	2,400	9,900	--	--	--
10/04/94	99.22	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
11/14/94	99.22	INACCESSIBLE ³		--	--	--	--	--	--	--	--	--	--
05/15/95	99.22	89.16	10.06	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.22	87.62	11.60	--	--	--	--	--	--	--	--	--	--
11/28/95	99.22	82.59	16.63	--	--	110,000	26,000	22,000	2,300	12,000	1,100	--	--
02/20/96	99.22	88.12	11.10	--	--	SAMPLED SEMI-ANNUALLY				--	--	--	--
05/29/96	99.22	87.74	11.48	--	--	120,000	18,000	18,000	2,000	11,000	710	--	--
08/27/96	99.22	86.72	12.50	--	--	--	--	--	--	--	--	--	--
11/22/96	99.22	86.30	12.92	--	--	160,000	24,000	22,000	1,900	11,000	980	--	--
02/18/97	99.22	90.02	9.20	--	--	--	--	--	--	--	--	--	--
05/23/97 ⁶	99.22	87.22	12.00	--	--	130,000	27,000	22,000	2,700	15,000	6,200	--	--
08/04/97	99.22	86.64	12.58	--	--	130,000	23,000	28,000	2,700	13,000	11,000	--	--
11/25/97	99.22	85.30	13.92	--	--	290,000 ⁵	53,000	31,000	6,400	30,000	35,000	--	--
02/25/98	99.22	81.01	18.21	--	--	--	--	--	--	--	--	--	--
05/21/98	99.22	88.04	11.18	--	--	150,000	14,000	16,000	1,800	250	56,000/69,000	--	--
08/19/98	99.22	80.82	18.40	--	--	--	--	--	--	--	--	--	--
11/19/98	99.22	81.24	17.98	--	--	68,000	15,000	10,000	2,000	8,800	14,000	--	--
02/12/99	99.22	84.27	14.95	--	--	--	--	--	--	--	--	--	--
05/10/99	99.22	86.75	12.47	--	--	72,600	9,920	8,100	1,600	7,480	25,800/32,500	--	--
09/02/99	99.22	85.37	13.85	--	--	--	--	--	--	--	--	--	--
2/3/000	99.22	86.77	12.45	--	--	--	--	--	--	--	--	--	--
05/09/00 ¹⁵	99.22	86.96	12.26	0.00	0.00	27,000 ⁸	7,800	4,000	<100	6,600	6,100	--	--
08/02/00 ¹⁵	99.22	85.37	13.85	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/09-10/00 ¹⁵	99.22	84.73	14.49	0.00	0.00	46,400	9,550	5,470	1,240	7,660	5,150	--	--
02/08/01 ¹⁵	99.22	84.43	14.79	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01 ¹⁵	99.22	83.49	15.73	0.00	0.00	94,000	8,720	3,630	<2,500	8,800	3,410	--	--
08/28/01 ¹⁵	99.22	82.16	17.06	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--
11/26/01 ¹⁵	99.22	84.27	14.95	0.00	0.00	5,000	770	72	150	470	230	--	--
02/22/02 ¹⁵	99.22	87.43	11.79	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (pph)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
					REMOVED (gallons)									
MW-12 (cont)														
05/24/02 ¹⁵	99.22	84.42	14.80	0.00	0.00	52,000	5,200	4,500	1,800	8,300	990	--	--	--
08/29/02 ¹⁵	99.22	84.24	14.98	0.00	0.00	SAMPLED SEMI-ANNUALLY				--	--	--	--	--
11/29/02	99.22	84.69	14.53	0.00	0.00	40,000	4,900	3,800	1,100	7,000	1,000	--	--	--
MW-13														
06/28/89	--	85.25	13.22	--	--	54,000	12,000	10,000	1,900	15,000	--	--	--	--
10/03/89	--	84.93	13.54	--	--	120,000	10,000	10,000	2,300	15,000	--	--	--	--
01/04/90	98.47	84.83	13.64	--	--	87,000	6,800	10,000	2,000	12,000	--	--	--	--
04/03/90	98.47	85.52	12.95	--	--	53,000	12,000	14,000	2,900	17,000	--	--	--	--
07/03/90	98.47	85.42	13.05	--	--	90,000	8,400	11,000	2,000	11,000	--	--	--	--
11/06/90	98.47	84.35	14.12	--	--	--	--	--	--	--	--	--	--	--
01/04/91	98.47	84.42	14.05	--	--	72,000	5,500	12,000	2,300	12,000	--	--	--	--
04/03/91	98.47	87.06	11.41	--	--	--	--	--	--	--	--	--	--	--
07/02/91	98.47	85.30	13.17	--	--	120,000	12,000	13,000	2,500	14,000	--	--	--	--
10/02/91	98.47	84.23	14.24	--	--	--	--	--	--	--	--	--	--	--
01/02/92	98.47	84.34	14.13	0.03	--	--	--	--	--	--	--	--	--	--
04/07/92	98.47	85.41	13.06	--	--	--	--	--	--	--	--	--	--	--
08/13/92	98.47	84.21	14.26	--	--	84,000	7,400	11,000	2,600	13,000	--	--	--	--
12/03/92	98.47	83.65	14.82	--	--	--	--	--	--	--	--	--	--	--
03/25/93	98.47	87.74	10.73	--	--	97,000	5,200	2,500	7,200	12,000	--	--	--	--
06/23/93	98.47	86.50	11.97	--	--	--	--	--	--	--	--	--	--	--
09/21/93	98.47	85.39	13.08	--	--	80,000	7,600	9,000	2,900	14,000	--	--	--	--
12/02/93	98.47	85.02	13.45	--	--	--	--	--	--	--	--	--	--	--
03/08/94	98.47	86.72	11.75	--	--	78,000	5,300	7,600	2,600	10,000	--	--	--	--
06/13/94	98.47	86.17	12.30	--	--	--	--	--	--	--	--	--	--	--
10/04/94	98.47	84.29	14.18	--	--	39,000	2,300	2,700	850	4,600	--	--	--	--
11/14/94	98.47	85.85	12.62	--	--	--	--	--	--	--	--	--	--	--
05/15/95	98.47	88.54	9.93	--	--	--	--	--	--	--	--	--	--	--
08/04/95	98.47	87.39	11.08	--	--	47,000	7,700	10,000	2,900	10,000	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-13 (cont)													
11/28/95	98.47	85.52	12.95	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/20/96	98.47	88.61	9.86	--	--	59,000	5,500	5,500	2,900	8,800	<120	--	--
05/29/96	98.47	88.17	10.30	--	--	--	--	--	--	--	--	--	--
08/27/96	98.47	86.50	11.97	--	--	65,000	3,500	2,800	2,200	6,900	200	--	--
11/22/96	98.47	86.76	11.71	--	--	--	--	--	--	--	--	--	--
02/18/97	98.47	89.31	9.16	--	--	69,000	4,500	4,100	2,500	7,900	310	--	--
05/23/97	98.47	86.91	11.56	--	--	--	--	--	--	--	--	--	--
08/04/97	98.47	86.32	12.15	--	--	61,000	5,700	5,100	3,600	9,200	230	--	--
11/25/97	98.47	85.35	13.12	--	--	--	--	--	--	--	--	--	--
02/25/98	98.47	87.96	10.51	--	--	42,000	3,800	1,000	2,000	5,000	<250	--	--
05/21/98	98.47	89.12	9.35	--	--	--	--	--	--	--	--	--	--
08/19/98	98.47	84.47	14.00	--	--	57,000	1,600	440	1,900	4,500	<250	--	--
11/19/98	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/12/99	98.47	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
03/26/99	98.47	89.17	9.30	--	--	30,800	473	101	1,430	2,800	106	--	--
05/10/99	98.47	87.74	10.73	--	--	--	--	--	--	--	--	--	--
09/02/99	98.47	87.48	10.99	--	--	87,000	2,610	19,100	1,510	12,000	<2,500	--	--
02/03/00	98.47	88.02	10.45	--	--	2,900	200	16	200	340	68	--	--
05/09/00	98.47	87.95	10.52	0.00	0.00	--	--	--	--	--	--	--	--
08/02/00	98.47	86.69	11.78	0.00	0.00	1,600 ^a	15	4.1	7.3	160	<13	--	--
11/09-10/00	98.47	86.18	12.29	0.00	0.00	--	--	--	--	--	--	--	--
02/08/01	98.47	85.76	12.71	0.00	0.00	--	--	--	--	--	--	--	--
05/02/01	98.47	84.98	13.49	0.00	0.00	--	--	--	--	--	--	--	--
08/28/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
11/26/01	98.47	DRY	--	--	--	--	--	--	--	--	--	--	--
02/22/02	98.47	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--
05/24/02	98.47	86.06	12.41	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
08/29/02	98.47	85.57	12.90	0.00	0.00	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--	--
11/29/02	98.47	85.86	12.61	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-14													
08/29/90	--	78.29	21.39	--	--	970	4.0	2.0	0.7	2.0	--	--	1.0
11/06/90	--	78.06	21.62	--	--	920	10	10	4.0	9.0	--	--	--
01/04/91	99.68	77.99	21.69	--	--	1,000	<0.5	4.0	2.6	4.2	--	--	--
04/03/91	99.68	80.15	19.53	--	--	1,200	380	6.0	7.0	18	--	--	--
07/02/91	99.68	78.75	20.93	--	--	460	27	1.0	1.2	1.0	--	--	--
10/02/91	99.68	78.16	21.52	--	--	480	6.7	0.8	1.4	1.8	--	--	--
01/02/92	99.68	78.25	21.43	--	--	1,100	2.4	1.5	6.2	18	--	--	--
04/07/92	99.68	78.32	21.36	--	--	290	<0.5	1.4	<0.5	1.2	--	--	--
08/13/92	99.68	78.61	21.07	--	--	370	10	1.2	<0.5	0.9	--	--	--
12/03/92	99.68	78.01	21.67	--	--	230	1.3	<0.5	<0.5	<0.5	--	--	--
03/25/93	99.68	80.65	19.03	--	--	390	57	2.1	1.3	1.7	--	--	--
06/23/93	99.68	79.74	19.94	--	--	4,400	460	220	16	62	--	--	--
09/21/93	99.68	79.03	20.65	--	--	680	8.7	1.7	3.2	12	--	--	--
12/02/93	99.68	78.63	21.05	--	--	900	0.8	7.0	3.0	7.0	--	--	--
03/08/94	99.68	79.63	20.05	--	--	1,700	2.4	7.7	5.6	14	--	--	--
06/13/94	99.68	79.47	20.21	--	--	750	0.8	8.0	3.2	5.7	--	--	--
10/04/94	99.68	78.98	20.70	--	--	130	3.4	5.4	<0.5	2.0	--	--	--
11/14/94	99.68	79.68	20.00	--	--	9,900	620	1,600	120	920	--	--	--
05/15/95	99.68	81.19	18.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	99.68	80.30	19.38	--	--	1,000	170	58	6.6	20	--	--	--
11/28/95	99.68	79.35	20.33	--	--	1,500	300	72	65	190	<6.0	--	--
02/20/96	99.68	82.72	16.96	--	--	70	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	99.68	81.10	18.58	--	--	1,600	170	39	5.0	21	6.3	--	--
08/27/96	99.68	79.89	19.79	--	--	80	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	99.68	80.13	19.55	--	--	620	49	13	7.2	22	210	--	--
02/18/97	99.68	82.37	17.31	--	--	190	14	9.6	3.1	15	<5.0	--	--
05/23/97	99.68	80.12	19.56	--	--	130	18	16	3.4	17	<5.0	--	--
08/04/97	99.68	79.80	19.88	--	--	200	8.3	7.9	4.1	10	<5.0	--	--
11/25/97	99.68	79.91	19.77	--	--	530	42	62	10	37	<5.0	--	--
02/25/98	99.68	85.40	14.28	--	--	220	26	10	7.0	22	23	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-14 (cont)													
05/21/98	99.68	81.90	17.78	--	--	8,300	1,400	48	29	59	<50	--	--
08/19/98	99.68	80.35	19.33	--	--	7,900	610	390	51	300	<250	--	--
11/19/98	99.68	79.40	20.28	--	--	87	1.0	<0.5	<0.5	<0.5	27	--	--
02/12/99	99.68	81.36	18.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	99.68	80.57	19.11	--	--	1,930	254	41.2	6.71	23	76.4/<5.0 ⁷	--	--
09/02/99	99.68	79.57	20.11	--	--	647	38.1	1.45	<0.5	1.32	10.8	--	--
02/03/00	99.68	80.80	18.88	--	--	UNABLE TO SAMPLE		--	--	--	--	--	--
05/09/00	99.68	80.99	18.69	0.00	0.00	370 ⁹	9.7	2.2	1.3	1.5	13	--	--
08/02/00	99.68	79.99	19.69	0.00	0.00	80 ¹⁰	1.2	1.8	0.85	1.2	3.1	--	--
11/09-10/00	99.68	79.49	20.19	0.00	0.00	92.3	<0.500	0.921	<0.500	<0.500	<2.50	--	--
02/08/01	99.68	79.01	20.67	0.00	0.00	728 ¹¹	33.7	<5.00	<5.00	<5.00	<25.0	--	--
05/02/01	99.68	79.68	20.00	0.00	0.00	338	3.28	<5.00	<5.00	<5.00	1.35	--	--
08/28/01	99.68	79.06	20.62	0.00	0.00	83 ¹⁴	1.7	0.64	<0.50	<0.50	2.6	--	--
11/26/01	99.68	79.13	20.55	0.00	0.00	240	2.8	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	99.68	80.41	19.27	0.00	0.00	4,000	460	140	55	51	<20	--	--
05/24/02	99.68	79.98	19.70	0.00	0.00	5,800	580	360	61	340	<20	--	--
08/29/02	99.68	79.16	20.52	0.00	0.00	360	14	0.98	<0.50	2.3	<2.5	--	--
11/29/02	99.68	78.98	20.70	0.00	0.00	1,400	32	1.8	0.62	2.6	<2.5	--	--
MW-15													
08/29/90	--	79.48	16.58	--	--	2,000	26	2.0	72	110	--	--	--
11/06/90	--	78.63	17.43	--	--	1,300	40	5.0	45	63	--	--	--
01/04/91	96.06	79.69	16.37	--	--	1,700	46	2.8	58	86	--	--	--
04/03/91	96.06	83.60	12.46	--	--	2,100	74	0.8	44	85	--	--	--
07/02/91	96.06	79.53	16.53	--	--	1,700	39	<0.5	35	46	--	--	--
10/02/91	96.06	78.73	17.33	--	--	1,100	50	<0.5	40	33	--	--	--
01/02/92	96.06	79.60	16.46	--	--	1,300	51	<0.5	30	30	--	--	--
04/07/92	96.06	81.36	14.70	--	--	2,600	98	<5.0	64	36	--	--	--
08/13/92	96.06	79.34	16.72	--	--	510	55	<0.5	35	2.8	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-15 (cont)													
12/03/92	96.06	78.63	17.43	--	--	1,000	64	0.9	22	4.4	--	--	--
03/25/93	96.06	82.73	13.33	--	--	1,300	86	52	0.7	7.7	--	--	--
06/23/93	96.06	80.83	15.23	--	--	7,300	34	<0.5	85	160	--	--	--
09/21/93	96.06	79.74	16.32	--	--	1,500	39	<0.5	32	33	--	--	--
12/02/93	96.06	79.49	16.57	--	--	990	28	4.0	8.0	10	--	--	--
03/08/94	96.06	81.45	14.61	--	--	3,400	44	4.0	28	53	--	--	--
10/04/94	96.06	79.58	16.48	--	--	310	11	10	2.2	12	--	--	--
11/14/94	96.06	81.86	14.20	--	--	450	27	2.4	2.2	4.2	--	--	--
05/15/95	96.06	82.68	13.38	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	96.06	81.15	14.91	--	--	<50	0.6	<0.5	<0.5	0.8	--	--	--
11/28/95	96.06	79.94	16.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	96.06	85.08	10.98	--	--	1,600	25	0.5	20	38	16	--	--
05/29/96 ⁴	96.06	--	--	--	--	--	--	--	--	--	--	--	--
08/27/96	96.06	80.62	15.44	--	--	80	<0.5	<0.5	<0.5	0.7	<5.0	--	--
11/22/96	96.06	81.57	14.49	--	--	1,500	14	<0.5	6.1	12	7.2	--	--
02/18/97	96.06	83.89	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	96.06	81.03	15.03	--	--	130	20	9.7	0.9	1.5	<5.0	--	--
08/04/97	96.06	80.58	15.48	--	--	60	1.3	<0.5	<0.5	1.1	<5.0	--	--
11/25/97	96.06	80.67	15.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	96.06	89.53	6.53	--	--	4,300	27	<10	37	46	<50	--	--
05/21/98	96.06	83.09	12.97	--	--	430	25	<0.5	2.3	1.2	<2.5	--	--
08/19/98	96.06	81.16	14.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	96.06	80.01	16.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	96.06	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
05/10/99	96.06	81.67	14.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	96.06	80.53	15.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	96.06	83.82	12.24	--	--	480	2.5	<1.0	2.6	1.4	<5.0	--	--
05/09/00	96.06	82.41	13.65	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	96.06	81.04	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	96.06	80.54	15.52	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-15 (cont)													
02/08/01	96.06	80.36	15.70	0.00	0.00	92.6 ¹¹	0.894	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	96.06	81.44	14.62	0.00	0.00	<50.0 ¹²	0.830	<5.00	<5.00	5.94	<0.500	--	--
08/28/01	96.06	80.15	15.91	0.00	0.00	<50	<0.50	0.71	<0.50	<0.50	<2.5	--	--
11/26/01	96.06	80.65	15.41	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	96.06	82.51	13.55	0.00	0.00	99	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	96.06	81.45	14.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
11/29/02	96.06	INACCESSIBLE - VEHICLE PARKED OVER WELL					--	--	--	--	--	--	--
MW-16													
08/29/90	--	77.26	20.89	--	--	11,000	6,000	51	1,100	20	--	--	--
11/06/90	--	76.88	21.27	--	--	15,000	6,300	340	1,300	540	--	--	--
01/04/91	98.15	76.52	21.63	--	--	16,000	6,800	820	1,300	1,500	--	--	--
04/03/91	98.15	78.83	19.32	--	--	45,000	7,300	2,200	1,800	4,900	--	--	--
07/02/91	98.15	77.47	20.68	--	--	30,000	6,400	530	1,500	1,800	--	--	--
10/02/91	98.15	76.97	21.18	--	--	24,000	4,600	450	1,400	1,600	--	--	--
01/02/92	98.15	76.85	21.30	--	--	20,000	4,700	240	1,200	1,100	--	--	--
04/07/92	98.15	77.96	20.19	--	--	40,000	5,000	980	1,100	2,100	--	--	--
08/13/92	98.15	77.38	20.77	--	--	17,000	4,500	240	860	530	--	--	--
12/03/92	98.15	76.71	21.44	--	--	39,000	4,600	410	1,100	2,200	--	--	--
03/25/93	98.15	79.32	18.83	--	--	39,000	5,500	1,400	690	2,000	--	--	--
06/23/93	98.15	78.43	19.72	--	--	29,000	6,600	1,200	1,400	3,700	--	--	--
09/21/93	98.15	77.77	20.38	--	--	36,000	6,300	340	1,200	1,800	--	--	--
12/02/93	98.15	77.31	20.84	--	--	28,000	5,600	230	900	820	--	--	--
03/08/94	98.15	77.88	20.27	--	--	35,000	6,500	760	1,000	1,300	--	--	--
10/04/94	98.15	77.57	20.58	--	--	39,000	9,700	680	1,300	3,300	--	--	--
11/14/94	98.15	78.03	20.12	--	--	26,000	5,500	640	690	1,800	--	--	--
05/15/95	98.15	79.99	18.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	98.15	78.85	19.30	--	--	23,000	6,200	1,900	1,500	4,500	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-16 (cont)													
11/28/95	98.15	77.73	20.42	--	--	38,000	6,200	1,700	1,800	5,700	<120	--	--
02/20/96	98.15	81.75	16.40	--	--	46,000	6,600	2,200	2,400	7,300	<250	--	--
05/29/96	98.15	79.61	18.54	--	--	54,000	6,300	1,600	2,200	7,900	<250	--	--
08/27/96	98.15	78.73	19.42	--	--	45,000	4,100	260	1,600	2,800	<250	--	--
11/22/96	98.15	78.79	19.36	--	--	36,000	3,500	120	1,400	1,500	260	--	--
02/18/97	98.15	80.93	17.22	--	--	62,000	5,800	1,300	2,200	8,900	160	--	--
05/23/97	98.15	78.67	19.48	--	--	32,000	4,000	370	1,900	2,900	<250	--	--
08/04/97	98.15	78.43	19.72	--	--	26,000	3,300	280	2,100	1,500	200	--	--
11/25/97	98.15	78.42	19.73	--	--	38,000	3,900	370	2,400	3,000	250	--	--
02/25/98	98.15	84.13	14.02	--	--	60,000	6,400	1,400	2,200	13,000	<1,000	--	--
05/21/98	98.15	80.24	17.91	--	--	71,000	5,100	1,200	2,300	8,200	560	--	--
08/19/98	98.15	78.90	19.25	--	--	40,000	2,300	740	1,700	2,700	<250	--	--
11/19/98	98.15	77.85	20.30	--	--	51,000	2,900	<200	2,200	6,300	<1,000	--	--
02/12/99	98.15	80.24	17.91	--	--	11,000	1,100	81	810	470	130	--	--
05/10/99	98.15	79.02	19.13	--	--	52,300	4,100	587	2,430	8,800	708/<66.7 ⁷	--	--
09/02/99	98.15	78.16	19.99	--	--	26,600	1,400	1,540	1,480	2,940	<500	--	--
02/03/00	98.15	79.50	18.65	--	--	47,000	5,600	620	3,000	14,000	450	--	--
05/09/00	99.15	80.58	18.57	0.00	0.00	15,000 ⁸	990	100	800	2,000	410	--	--
08/02/00	99.15	79.57	19.58	0.00	0.00	10,000 ⁸	1,100	95	1,000	2,300	<130	--	--
11/09-10/00	99.15	79.13	20.02	0.00	0.00	5,580	334	49.3	530	256	33.6	--	--
02/08/01	99.15	78.56	20.59	0.00	0.00	25,400 ¹¹	1,340	99.9	1,380	2,700	350	--	--
05/02/01	99.15	79.44	19.71	0.00	0.00	45,600	2,130	83.6	<2,500	7,460	13.3	--	--
08/28/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
11/26/01	99.15	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--	--	--	--
02/22/02	99.15	80.05	19.10	0.00	0.00	32,000	1,300	110	1,800	6,100	<50	--	--
05/24/02	99.15	79.65	19.50	0.00	0.00	13,000	590	29	830	1,000	<20	--	--
08/29/02	99.15	78.94	20.21	0.00	0.00	9,800	500	28	670	430	<10	--	--
11/29/02	99.15	78.66	20.49	0.00	0.00	23,000	1,600	110	1,200	3,400	<10	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-17													
08/13/92	--	82.70	23.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	81.26	24.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	106.00	83.86	22.14	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	106.00	82.98	23.02	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
09/21/93	106.00	82.91	23.09	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	106.00	82.63	23.37	--	--	--	--	--	--	--	--	--	--
03/08/94	106.00	83.17	22.83	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/13/94	106.00	83.38	22.62	--	--	<50	1.2	1.1	<0.5	0.9	--	--	--
10/04/94	106.00	83.00	23.00	--	--	62	8.0	2.9	0.7	3.1	--	--	--
11/14/94	106.00	82.97	23.03	--	--	550	22	120	8.9	84	--	--	--
05/15/95	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	106.00	83.63	22.37	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	106.00	83.03	22.97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.6	--	--
02/20/96	106.00	84.22	21.78	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	106.00	84.28	21.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	106.00	83.57	22.43	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	106.00	83.18	22.82	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	106.00	84.69	21.31	--	--	140	34	11	1.6	7.7	71	--	--
05/23/97	106.00	83.75	22.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	106.00	83.47	22.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	106.00	83.09	22.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	106.00	86.37	19.63	--	--	<50	3.8	3.3	1.3	4.2	3.5	--	--
05/21/98	106.00	95.39	10.61	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	106.00	84.26	21.74	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	106.00	83.64	22.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	106.00	84.16	21.84	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/10/99	106.00	84.55	21.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ⁷	--	--
09/02/99	106.00	83.54	22.46	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	106.00	83.81	22.19	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/09/00	106.00	84.21	21.79	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-17 (cont)													
08/02/00	106.00	83.76	22.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	106.00	83.43	22.57	0.00	0.00	<1,000	<10.0	<10.0	<10.0	<10.0	<50.0	--	--
02/08/01	106.00	83.18	22.82	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	106.00	83.52	22.48	0.00	0.00	55.8	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	106.00	83.05	22.95	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/26/01	106.00	82.92	23.08	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	106.00	83.97	22.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	106.00	83.84	22.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	106.00	82.27	23.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	106.00	83.02	22.98	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
MW-18													
08/04/97	--	--	16.60	--	--	66,000	8,600	6,100	2,800	12,000	190	--	--
11/25/97	--	--	16.22	--	--	90,000	8,500	6,000	3,400	14,000	1,200	--	--
02/25/98	--	--	12.75	--	--	60,000	6,600	4,000	2,300	11,000	<120	--	--
05/21/98	--	--	15.24	--	--	70,000	4,700	1,800	1,700	9,600	880	--	--
08/19/98	--	--	16.34	--	--	93,000	4,900	1,700	2,100	9,000	<250	--	--
11/19/98	--	--	17.15	--	--	62,000	5,600	2,300	2,700	12,000	1,800	--	--
02/12/99	--	--	16.08	--	--	48,000	3,700	2,400	1,900	8,800	1,900	--	--
05/10/99	--	--	14.98	--	--	54,700	3,250	1,770	1,900	7,570	1,270/<66.7 ⁷	--	--
09/02/99	--	--	15.86	--	--	34,400	2,120	1,230	1,420	5,460	<500	--	--
02/03/00	--	--	15.91	--	--	46,000	2,500	1,100	1,900	8,800	<1,000	--	--
05/09/00	--	--	13.93	0.00	0.00	30,000 ⁸	1,400	410	440	4,700	1,300	--	--
08/02/00	--	--	15.25	0.00	0.00	22,000 ⁸	1,200	480	1,400	5,800	<130	--	--
11/09-10/00	--	--	15.85	0.00	0.00	29,500	1,130	474	2,020	6,270	333	--	--
02/08/01	--	--	16.27	0.00	0.00	61,600 ¹¹	1,700	<500	2,690	8,110	<2,500	--	--
05/02/01	--	--	16.15	0.00	0.00	57,800	1,040	104	<2,500	6,670	20.1	--	--
08/28/01	--	--	17.03	0.00	0.00	32,000 ¹³	1,200	370	2,100	5,600	790	--	--
11/26/01	--	--	16.64	0.00	0.00	41,000	780	320	1,800	5,600	<200	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
MW-18 (cont)													
02/22/02	--	--	14.93	0.00	0.00	44,000	950	270	1,300	3,900	<100	--	--
05/24/02	--	--	15.92	0.00	0.00	36,000	1,200	460	1,600	4,800	<50	--	--
08/29/02	--	--	16.56	0.00	0.00	37,000	970	520	1,900	4,800	<50	--	--
11/29/02	--	--	16.51	0.00	0.00	36,000	710	350	1,900	5,300	<20	--	--
P-1													
08/13/92	--	76.41	10.02	--	--	--	--	--	--	--	--	--	--
12/03/92	--	75.63	10.80	--	--	--	--	--	--	--	--	--	--
03/25/93	86.43	77.48	8.95	--	--	--	--	--	--	--	--	--	--
EQUIPMENT BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
03/08/94	--	--	--	--	--	<50	1.0	1.4	<0.5	1.5	--	--	--
TRIP BLANK													
01/05/89	--	--	--	--	--	<1,000	<0.3	<0.3	<0.3	<0.3	--	--	--
10/03/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/03/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/06/90	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/04/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/03/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
07/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/02/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/02/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
TRIP BLANK (cont)													
08/13/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/03/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
06/23/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--	--	--
12/02/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/08/94	--	--	--	--	--	<50	0.6	0.8	<0.5	0.6	--	--	--
06/13/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/04/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/14/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/04/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/28/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.60	--	--
02/20/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/29/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/22/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
05/23/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
08/04/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/25/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/25/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
05/21/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
11/19/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/12/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/26/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
05/10/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
09/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
02/03/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	EDB (ppb)	DCE (ppb)
TRIP BLANK (cont)													
05/09/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
08/02/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
11/09-10/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
02/08/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
05/02/01	--	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500	--	--
08/28/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
QA													
11/26/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
02/22/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/24/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
08/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
11/29/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0260
21995 Foothill Boulevard
Hayward, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 9, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbons Thickness

SPH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethyl benzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

EDB = Ethylene Dibromide

DCE = 1,2-Dichloroethane

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

- 1 Repeat analysis.
- 2 Estimated thickness.
- 3 Well inaccessible due to downhole equipment.
- 4 The TPH as Gasoline value was 99,000 ppb when MTBE is not included in the calculation.
- 5 Laboratory report indicates results were taken from both a low level and a diluted analysis.
- 6 The TPH as Gasoline value was 125,000 ppb when MTBE is not included in the calculation.
- 7 Confirmation run.
- 8 Laboratory report indicates gasoline C6-C12.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.
- 10 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 11 Laboratory report indicates weathered gasoline C6-C12.
- 12 Laboratory report indicates analyte was initially analyzed within holdtime; however, due to instrument carryover, the sample was reanalyzed outside the method specified holdtime to confirm the carryover.
- 13 Laboratory report indicates gasoline C6-C10.
- 14 Laboratory report indicates unidentified hydrocarbons C6-C10.
- 15 Connected to remediation system.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260Job Number: 385110Site Address: 21995 Foothill Blvd.Event Date: 11/29/02 (inclusive)City: Hayward, CASampler: Tony C.Well ID: MW-4Date Monitored: 11/29/02Well Condition: O.K.Well Diameter: 2 1/4 in.Total Depth: 22.25 ft.Depth to Water: 15.23 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

7.02 xVF 0.66 = 4.63 x3 (case volume) = Estimated Purge Volume: 14 gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump ✓
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer ✓
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1405 Weather Conditions: PTLY. CLOUDYSample Time/Date: 1422/ 11/29/02 Water Color: CLEAR Odor: YESPurging Flow Rate: 1 1/2 gpm. Sediment Description: _____Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C°)	D.O. (mg/L)	ORP (mV)
<u>1408</u>	<u>4 1/2</u>	<u>7.24</u>	<u>1396</u>	<u>71.4</u>		
<u>1410</u>	<u>9.0</u>	<u>7.10</u>	<u>1380</u>	<u>71.6</u>		
<u>1414</u>	<u>14.0</u>	<u>7.12</u>	<u>1372</u>	<u>71.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3</u> x vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>

COMMENTS: Hooked to system

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 11/29/02 (inclusive)
City: Hayward, CA Sampler: Tony C.

Well ID: MW-5 Date Monitored: 11/29/02 Well Condition: O.K.
Well Diameter: 2 1/4 in.
Total Depth: 18.30 ft.
Depth to Water: 14.76 ft.
3.54 x VF 0.66 = 2.3 x3 (case volume) = Estimated Purge Volume: 7 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Other: ☐

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1512 Weather Conditions: Partly Cloudy
Sample Time/Date: 1535 / 11/29/02 Water Color: Clean Odor: Slight
Purging Flow Rate: — gpm. Sediment Description: _____
Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Slow Recovery

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (°C/°F)	D.O. (mg/L)	ORP (mV)
<u>1516</u>	<u>2 1/2</u>	<u>7.36</u>	<u>1462</u>	<u>69.2</u>		
<u>1521</u>	<u>5.0</u>	<u>6.98</u>	<u>1418</u>	<u>69.0</u>		
<u>1530</u>	<u>7.0</u>	<u>6.92</u>	<u>1424</u>	<u>68.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	3 x vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260

Job Number: 385110

Site Address: 21995 Foothill Blvd.

Event Date: 11/29/02 (inclusive)

City: Hayward, CA

Sampler: Tony C.

Well ID: MW-6

Date Monitored: 11/29/02 Well Condition: O.K.

Well Diameter: 2 1/4 in.

Total Depth: 16.78 ft.

Depth to Water: 15.78 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Adsorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: 1

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm

Sediment Description: _____

Did well de-water? _____

If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
--------------------	------------------	----	-----------------------------	----------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8021)

COMMENTS: Monitor only.

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 11/29/02 (inclusive)
City: Hayward, CA Sampler: Tony C.

Well ID: MW-7
Well Diameter: 2 1/4 in.
Total Depth: 18.30 ft.
Depth to Water: 15.32 ft.
2.98 x VF .66 = 1.96 x3 (case volume) = Estimated Purge Volume: 6 gal. (4 1/2)

Date Monitored: 11/29/02 Well Condition: O.K.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Other: ☐

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1540 Weather Conditions: Clean
Sample Time/Date: 1602 / 11/29/02 Water Color: Cloudy Odor: Slight
Purging Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? yes If yes, Time: 1848 Volume: 3 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1550</u>	<u>2</u>	<u>6.84</u>	<u>1189</u>	<u>68.4</u>		
<u>1555</u>	<u>4</u>	<u>6.82</u>	<u>1210</u>	<u>68.8</u>		
<u>✓</u>	<u>6</u>	<u>✓</u>	<u>✓</u>	<u>✓</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>7</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260Job Number: 385110Site Address: 21995 Foothill Blvd.Event Date: 11/29/02 (inclusive)City: Hayward, CASampler: Tommy C.Well ID: MW-8Date Monitored: 11/29/02Well Condition: O.k.Well Diameter: 2 1/4 in.Total Depth: 17.80 ft.Depth to Water: 13.04 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

4.76 x VF .66 = 3.14 x 3 (case volume) = Estimated Purge Volume: 9 1/2 gal.

Purge Equipment:

Disposable Bailer ☒
Stainless Steel Bailer ☐
Stack Pump ☐
Suction Pump ☐
Grundfos ☐
Other: ☐

Sampling Equipment:

Disposable Bailer ☒
Pressure Bailer ☐
Discrete Bailer ☐
Other: ☐

Time Started: (2400 hrs)
Time Bailed: (2400 hrs)
Depth to Product: ft
Depth to Water: ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description:
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: gal
Amt Removed from Well: gal
Product Transferred to:

Start Time (purge): 1242Weather Conditions: PTLY. CLOUDYSample Time/Date: 1302 / 11/29/02Water Color: CLEAR Odor: YESPurging Flow Rate: gpm.Sediment Description: Did well de-water? NOIf yes, Time: Volume: gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1246</u>	<u>3</u>	<u>7.02</u>	<u>1281</u>	<u>70.2</u>	<u> </u>	<u> </u>
<u>1250</u>	<u>6</u>	<u>6.98</u>	<u>1252</u>	<u>69.1</u>	<u> </u>	<u> </u>
<u>1255</u>	<u>9 1/2</u>	<u>6.96</u>	<u>1247</u>	<u>69.3</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

COMMENTS:

Add/Replaced Lock: Add/Replaced Plug: Size:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: **ChevronTexaco #9-0260**
Site Address: **21995 Foothill Blvd.**
City: **Hayward, CA**

Job Number: **385110**
Event Date: **11/29/02** (inclusive)
Sampler: **TAVY C.**

Well ID: **MW-9**
Well Diameter: **2 1/4** in.
Total Depth: **17.20** ft.
Depth to Water: **13.88** ft.

Date Monitored: **11/29/02** Well Condition: **O.K.**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: **0** ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
Sample Time/Date: **1** Water Color: _____ Odor: _____
Purging Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+M7BE(8021)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: **monitor only.**

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 11/29/02 (inclusive)
Sampler: Tony C.

Well ID: MW-10
Well Diameter: 2 1/4 in.
Total Depth: 27.70 ft.
Depth to Water: 13.06 ft.
14.64 x VF .666 = 9.66 x3 (case volume) = Estimated Purge Volume: 29 gal.

Date Monitored: 11/29/02 Well Condition: O.K.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump ☒ _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer ☒ _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1010 Weather Conditions: Clean
Sample Time/Date: 1035 / 11/29/02 Water Color: Clean Odor: NO
Purging Flow Rate: 2 gpm. Sediment Description: _____
Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1015</u>	<u>9.2</u>	<u>7.12</u>	<u>1184</u>	<u>73.2</u>		
<u>1020</u>	<u>19.0</u>	<u>7.01</u>	<u>1162</u>	<u>72.8</u>		
<u>1025</u>	<u>29.0</u>	<u>7.00</u>	<u>1168</u>	<u>72.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>3</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 11/29/02 (inclusive)
Sampler: Tony C.

Well ID: MW-11
Well Diameter: 2 1/4 in.
Total Depth: 19.00 ft.
Depth to Water: 14.75 ft.

Date Monitored: 11/29/02 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: 0 ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
Sample Time/Date: 1 Water Color: _____ Odor: _____
Purging Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voc vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Monitor only: 1 Hooked to system

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 11/29/02 (inclusive)
City: Hayward, CA Sampler: Tony C.

Well ID: MW-12 Date Monitored: 11/29/02 Well Condition: 0.6
Well Diameter: 2 1/4 in.
Total Depth: 20.55 ft.
Depth to Water: 14.53 ft.
6.02 x VF .666 = 3.97 x3 (case volume) = Estimated Purge Volume: 12 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump ✓
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer ✓
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1440 Weather Conditions: partly cloudy
Sample Time/Date: 1500 11/29/02 Water Color: clear Odor: yes
Purging Flow Rate: 1 gpm. Sediment Description: _____
Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1444</u>	<u>4</u>	<u>6.79</u>	<u>1392</u>	<u>72.8</u>		
<u>1448</u>	<u>8</u>	<u>6.86</u>	<u>1356</u>	<u>71.6</u>		
<u>1452</u>	<u>12</u>	<u>6.80</u>	<u>1341</u>	<u>71.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>3</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: **ChevronTexaco #9-0260**
Site Address: **21995 Foothill Blvd.**
City: **Hayward, CA**

Job Number: **385110**
Event Date: **11/29/92** (inclusive)
Sampler: **Tamy C.**

Well ID: **MW-13**
Well Diameter: **2 1/4** in.
Total Depth: **13.78** ft.
Depth to Water: **12.61** ft.

Date Monitored: **11/29/92** Well Condition: **o.k.**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF _____ = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: **0**
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
Sample Time/Date: _____ Water Color: _____ Odor: _____
Purging Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
--------------------	------------------	----	----------------------------	----------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)

COMMENTS: **Monitor only.**

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260
Site Address: 21995 Foothill Blvd.
City: Hayward, CA

Job Number: 385110
Event Date: 11/29/02 (inclusive)
Sampler: Tony C.

Well ID: MW-14
Well Diameter: 2 1/4 in.
Total Depth: 40.95 ft.
Depth to Water: 20.70 ft.

Date Monitored: 11/29/02

Well Condition: O.K.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

20.25 x VF .17 = 3.44 x3 (case volume) = Estimated Purge Volume: 10 1/2 gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump ✓
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer ✓
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: 0 ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1325 Weather Conditions: Partly Cloudy
Sample Time/Date: 1344 / 11/29/02 Water Color: Cloudy Odor: yes
Purging Flow Rate: 1 1/2 gpm. Sediment Description: _____
Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1327</u>	<u>3 1/2</u>	<u>7.18</u>	<u>1189</u>	<u>71.0</u>		
<u>1330</u>	<u>7.0</u>	<u>7.06</u>	<u>1182</u>	<u>70.0</u>		
<u>1333</u>	<u>10 1/2</u>	<u>7.04</u>	<u>1180</u>	<u>69.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEx+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: **ChevronTexaco #9-0260**
Site Address: **21995 Foothill Blvd.**
City: **Hayward, CA**

Job Number: **385110**
Event Date: **11/29/02** (inclusive)
Sampler: **Tony C.**

Well ID: **MW-15**
Well Diameter: **2 1/4** in.
Total Depth: **1** ft.
Depth to Water: **1** ft.

Date Monitored: **N/A** Well Condition: **INACCESSIBLE**

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF _____ = _____ x3 (case volume) = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump _____
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer _____
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: **0** ft
Visual Confirmation/Description: _____
Skimmer / Absorbent Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
Sample Time/Date: **1** Water Color: _____ Odor: _____
Purging Flow Rate: _____ gpm. Sediment Description: _____
Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μ mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
--------------------	------------------	----	----------------------------------	----------------------	----------------	-------------

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)

COMMENTS: **THIS WELL WAS PARKED OVER ALL DAY UNABLE TO LOCATE OWNER.**

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260 Job Number: 385110
Site Address: 21995 Foothill Blvd. Event Date: 11/29/02 (inclusive)
City: Hayward, CA Sampler: Tony C.

Well ID: MW-16 Date Monitored: 11/29/02 Well Condition: O.K.
Well Diameter: (2) 1 4 in.
Total Depth: 37.87 ft.
Depth to Water: 20.49 ft.
17.38 x VF .17 = 2.95 x3 (case volume) = Estimated Purge Volume: 9 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
Stainless Steel Bailer _____
Stack Pump ✓
Suction Pump _____
Grundfos _____
Other: _____

Sampling Equipment:

Disposable Bailer ✓
Pressure Bailer _____
Discrete Bailer _____
Other: _____

Time Started: _____ (2400 hrs)
Time Bailed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Product Transferred to: _____

Start Time (purge): 1139 Weather Conditions: Partly Cloudy
Sample Time/Date: 1155 11/29/02 Water Color: Cloudy Odor: YES
Purging Flow Rate: 1 1/2 gpm. Sediment Description: _____
Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°C)	D.O. (mg/L)	ORP (mV)
<u>1141</u>	<u>3</u>	<u>7.18</u>	<u>1248</u>	<u>69.8</u>		
<u>1143</u>	<u>6</u>	<u>6.96</u>	<u>1221</u>	<u>68.9</u>		
<u>1145</u>	<u>9</u>	<u>6.92</u>	<u>1218</u>	<u>68.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-16</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job Number: 385110
 Event Date: 11/29/02 (inclusive)
 Sampler: TONY C.

Well ID: MW-17
 Well Diameter: 21.4 in.
 Total Depth: 33.10 ft.
 Depth to Water: 22.98 ft.
10.12

Date Monitored: 11/29/02 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF .17 = 1.72 x3 (case volume) = Estimated Purge Volume: 5 gal.

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Discrete Bailer ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1100 Weather Conditions: partly cloudy
 Sample Time/Date: 1118 / 11/29/02 Water Color: LT. BROWN Odor: NO
 Purging Flow Rate: — gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1103</u>	<u>1.75</u>	<u>7.10</u>	<u>1041</u>	<u>68.1</u>		
<u>1106</u>	<u>3.50</u>	<u>6.98</u>	<u>1036</u>	<u>67.6</u>		
<u>1109</u>	<u>5.0</u>	<u>6.92</u>	<u>1032</u>	<u>67.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-17</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0260
 Site Address: 21995 Foothill Blvd.
 City: Hayward, CA

Job Number: 385110
 Event Date: 11/29/02 (inclusive)
 Sampler: Tony C.

Well ID: MW-18
 Well Diameter: 2 1/4 in.
 Total Depth: 23.70 ft.
 Depth to Water: 16.51 ft.
7.19

Date Monitored: 11/29/02 Well Condition: o.k.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF .17 = 1.22 x3 (case volume) = Estimated Purge Volume: 3 1/2 gal.

Purge Equipment:

Disposable Bailer ☒
 Stainless Steel Bailer ☐
 Stack Pump ☐
 Suction Pump ☐
 Grundfos ☐
 Other: ☐

Sampling Equipment:

Disposable Bailer ☒
 Pressure Bailer ☐
 Discrete Bailer ☐
 Other: ☐

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 12:15 Weather Conditions: Partly Cloudy
 Sample Time/Date: 12:28 / 11/29/02 Water Color: Cloudy Odor: yes
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>12:17</u>	<u>1</u>	<u>7.08</u>	<u>1322</u>	<u>69.9</u>		
<u>12:19</u>	<u>2</u>	<u>6.90</u>	<u>1310</u>	<u>69.8</u>		
<u>12:21</u>	<u>3 1/2</u>	<u>6.84</u>	<u>1308</u>	<u>69.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-18</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

3460 Rev. 7/30/01



ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

DEC 17 2002

GETTLER-RYAN INC
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 833133. Samples arrived at the laboratory on Wednesday, December 04, 2002. The PO# for this group is 99011184 and the release number is STREICH.

Client Description

<u>Client Description</u>	<u>NA</u>	<u>Water</u>
QA-T-021129		
MW-4-W-021129	Grab	Water
MW-5-W-021129	Grab	Water
MW-7-W-021129	Grab	Water
MW-8-W-021129	Grab	Water
MW-10-W-021129	Grab	Water
MW-12-W-021129	Grab	Water
MW-14-W-021129	Grab	Water
MW-16-W-021129	Grab	Water
MW-17-W-021129	Grab	Water
MW-18-W-021129	Grab	Water

Lancaster Labs Number

3953389
3953390
3953391
3953392
3953393
3953394
3953395
3953396
3953397
3953398
3953399

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Questions? Contact your Client Services Representative
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,

Steven A. Skiles
Steven A. Skiles
Sr. Chemist



Lancaster Laboratories Sample No. WW 3953389

Collected: 11/29/2002 00:00

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:00

Discard: 01/16/2003

QA-T-021129 NA Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 QA

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/05/2002 20:56	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/05/2002 20:56	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2002 20:56	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected, at or above the Reporting Limit



Lancaster Laboratories, Inc.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953390

Collected: 11/29/2002 14:22 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:00

Discard: 01/16/2003

MW-4-W-021129

Grab

Water

Facility# 90260 Job# 385110

GRD

21995 Foothill-Hayward T0600100315 MW-4

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	39,000.	1,300.	ug/l	25
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	3,600.	5.0	ug/l	25
00777	Toluene	108-88-3	4,200.	5.0	ug/l	25
00778	Ethylbenzene	100-41-4	1,500.	5.0	ug/l	25
00779	Total Xylenes	1330-20-7	7,300.	15.	ug/l	25
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	50.	ug/l	25
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/06/2002 01:58	Linda C Pape	25
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2002 01:58	Linda C Pape	25
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2002 01:58	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953391

Collected: 11/29/2002 15:35 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:00

Discard: 01/16/2003

MW-5-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-5

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	62.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	4.9	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/05/2002 21:29	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/05/2002 21:29	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2002 21:29	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected or above the Reporting Limit



2425 N. De Haven Pl.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

Analysis Report



Page 1 of 1

Lancaster Laboratories Sample No. WW 3953392

Collected: 11/29/2002 16:02 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

MW-7-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	890.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	50.	0.50	ug/l	1
00777	Toluene	108-88-3	150.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	14.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	77.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	10.	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/05/2002 22:03	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/05/2002 22:03	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2002 22:03	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
PO Box 12425
Lancaster, PA 17605-2425
717.656.3300 FAX 717.656.7601

2206 Rev. 10/2/02



Lancaster Laboratories Sample No. WW 3953393

Collected: 11/29/2002 13:02 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

MW-8-W-021129 Grab Water

Facility# 90260 Job# 385110

21995 Foothill-Hayward T0600100315 MW-8

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

GRD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	57,000.	2,500.	ug/l	50
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	590.	10.	ug/l	50
00777	Toluene	108-88-3	11,000.	10.	ug/l	50
00778	Ethylbenzene	100-41-4	1,200.	10.	ug/l	50
00779	Total Xylenes	1330-20-7	10,000.	30.	ug/l	50
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	50.	ug/l	50
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/06/2002 02:31	Linda C Pape	50
08214	BTEX, MTBE (8021)	Method SW-846 8021B	1	12/06/2002 02:31	Linda C Pape	50
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2002 02:31	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
N.D.=Not detected above the Reporting Limit



2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

Analysis Report



Page 1 of 1

Lancaster Laboratories Sample No. WW 3953394

Collected: 11/29/2002 10:33 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

MW-10-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-10

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/06/2002 01:24	Linda C Pape	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2002 01:24	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2002 01:24	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected above the Reporting Limit



PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

2216 Rev 10/2/02



Lancaster Laboratories Sample No. WW 3953395

Collected: 11/29/2002 15:00 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

MW-12-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-12

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	40,000.	1,300.	ug/l	25
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	4,900.	5.0	ug/l	25
00777	Toluene	108-88-3	3,800.	5.0	ug/l	25
00778	Ethylbenzene	100-41-4	1,100.	5.0	ug/l	25
00779	Total Xylenes	1330-20-7	7,000.	15.	ug/l	25
00780	Methyl tert-Butyl Ether	1634-04-4	1,000.	7.5	ug/l	25
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/06/2002 03:05	Linda C Pape	25
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/06/2002 03:05	Linda C Pape	25
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2002 03:05	Linda C Pape	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected above the Reporting Limit



2425 N. P. Holland Pk.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953396

Collected: 11/29/2002 13:44 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

MW-14-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-14

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	1,400.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	32.	0.50	ug/l	1
00777	Toluene	108-88-3	1.8	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	0.62	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	2.6	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/07/2002 00:25	K. Robert James	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/07/2002 00:25	K. Robert James	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/07/2002 00:25	K. Robert James	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953397

Collected: 11/29/2002 11:55 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

MW-16-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-16

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	23,000.	500.	ug/l	10
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	1,600.	2.0	ug/l	10
00777	Toluene	108-88-3	110.	2.0	ug/l	10
00778	Ethylbenzene	100-41-4	1,200.	2.0	ug/l	10
00779	Total Xylenes	1330-20-7	3,400.	6.0	ug/l	10
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	10.	ug/l	10
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/07/2002 01:32	K. Robert James	10
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/07/2002 01:32	K. Robert James	10
01146	GC VOA Water Prep	SW-846 5030B	1	12/07/2002 01:32	K. Robert James	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953398

Collected: 11/29/2002 11:18 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

MW-17-W-021129

Grab

Water

Facility# 90260 Job# 385110

GRD

21995 Foothill-Hayward T0600100315 MW-17

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/07/2002 00:58	K. Robert James	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/07/2002 00:58	K. Robert James	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/07/2002 00:58	K. Robert James	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3953399

Collected: 11/29/2002 12:28 by TC

Account Number: 10905

Submitted: 12/04/2002 09:45

Reported: 12/16/2002 at 16:01

Discard: 01/16/2003

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

MW-18-W-021129 Grab Water

Facility# 90260 Job# 385110 GRD

21995 Foothill-Hayward T0600100315 MW-18

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	36,000.	1,000.	ug/l	20
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	710.	4.0	ug/l	20
00777	Toluene	108-88-3	350.	4.0	ug/l	20
00778	Ethylbenzene	100-41-4	1,900.	4.0	ug/l	20
00779	Total Xylenes	1330-20-7	5,300.	12.	ug/l	20
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	20.	ug/l	20
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	12/07/2002 02:05	K. Robert James	20
08214	BTEX, MTBE (8021)	SW-846 8021B	1	12/07/2002 02:05	K. Robert James	20
01146	GC VOA Water Prep	SW-846 5030B	1	12/07/2002 02:05	K. Robert James	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
N.D.=Not detected above the Reporting Limit



2425 N. Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: ChevronTexaco

Group Number: 833133

Reported: 12/16/02 at 04:02 PM

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 02339A16A	Sample number(s): 3953389,3953391-3953392							
Benzene	N.D.	.2	ug/l	115	115	80-118	0	30
Toluene	N.D.	.2	ug/l	108	109	82-119	1	30
Ethylbenzene	N.D.	.2	ug/l	105	106	81-119	1	30
Total Xylenes	N.D.	.6	ug/l	107	108	82-120	1	30
Methyl tert-Butyl Ether	N.D.	.3	ug/l	109	109	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	105	109	74-116	4	30
Batch number: 02339A16B	Sample number(s): 3953390,3953393-3953395							
Benzene	N.D.	.2	ug/l	115	115	80-118	0	30
Toluene	N.D.	.2	ug/l	108	109	82-119	1	30
Ethylbenzene	N.D.	.2	ug/l	105	106	81-119	1	30
Total Xylenes	N.D.	.6	ug/l	107	108	82-120	1	30
Methyl tert-Butyl Ether	N.D.	.3	ug/l	109	109	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	105	109	74-116	4	30
Batch number: 02340A16A	Sample number(s): 3953396-3953399							
Benzene	N.D.	.2	ug/l	109	109	80-118	0	30
Toluene	N.D.	.2	ug/l	101	101	82-119	0	30
Ethylbenzene	N.D.	.2	ug/l	101	101	81-119	0	30
Total Xylenes	N.D.	.6	ug/l	103	103	82-120	0	30
Methyl tert-Butyl Ether	N.D.	.3	ug/l	105	103	79-127	2	30
TPH-GRO - Waters	N.D.	50.	ug/l	100	103	74-116	3	30

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP CONC	DUP RPD	Dup RPD Max
Batch number: 02339A16A	Sample number(s): 3953389,3953391-3953392							
Benzene	132*		83-130					
Toluene	123		87-129					
Ethylbenzene	123		86-133					
Total Xylenes	124		86-132					
Methyl tert-Butyl Ether	116		66-140					
TPH-GRO - Waters	118		74-132					
Batch number: 02339A16B	Sample number(s): 3953390,3953393-3953395							
Benzene	132*		83-130					
Toluene	123		87-129					
Ethylbenzene	123		86-133					
Total Xylenes	124		86-132					
Methyl tert-Butyl Ether	116		66-140					
TPH-GRO - Waters	118		74-132					
Batch number: 02340A16A	Sample number(s): 3953396-3953399							
Benzene	86		83-130					
Toluene	79*		87-129					
Ethylbenzene	79*		86-133					
Total Xylenes	80*		86-132					
Methyl tert-Butyl Ether	77		66-140					
TPH-GRO - Waters	110		74-132					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Quality Control Summary

Client Name: ChevronTexaco
Reported: 12/16/02 at 04:02 PM

Group Number: 833133

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup
	%REC	%REC	Limits	RPD	MAX	Conc	Conc	RPD
								Max

Surrogate Quality Control

Analysis Name: BTEX, MTBE (8021)
Batch number: 02339A16A

Trifluorotoluene-F		Trifluorotoluene-P
3953389	105	122
3953391	103	122
3953392	118	125
Blank	106	122
LCS	110	122
LCSD	110	122
MS	110	122
Limits:	57-146	71-130

Analysis Name: BTEX, MTBE (8021)
Batch number: 02339A16B

Trifluorotoluene-F		Trifluorotoluene-P
3953390	108	124
3953393	114	120
3953394	103	122
3953395	113	122
Blank	105	122
LCS	110	122
LCSD	110	122
MS	110	122
Limits:	57-146	71-130

Analysis Name: BTEX, MTBE (8021)
Batch number: 02340A16A

Trifluorotoluene-F		Trifluorotoluene-P
3953396	116	124
3953397	114	125
3953398	107	123
3953399	108	126
Blank	110	123
LCS	108	122
LCSD	107	122
MS	110	124
Limits:	57-146	71-130

*. Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.